



Plot 7-171. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 64)




Plot 7-172. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 141 of 516




Plot 7-173. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 62)




Plot 7-174. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 142 of 516




Plot 7-175. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 100)




Plot 7-176. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 143 of 516




Plot 7-177. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 144)




Plot 7-178. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 144 of 516




Plot 7-179. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 118)




Plot 7-180. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 145 of 516




Plot 7-181. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 106)



Plot 7-182. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 146 of 516




Plot 7-183. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 147 of 516


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	106T	MCS0	4.41	30.0	-25.59
	5785	157	ax (20MHz)	106T	MCS0	4.57	30.0	-25.43
	5825	165	ax (20MHz)	106T	MCS0	4.29	30.0	-25.71
	5755	151	ax (40MHz)	106T	MCS0	2.38	30.0	-27.62
	5795	159	ax (40MHz)	106T	MCS0	2.29	30.0	-27.71
	5775	155	ax (80MHz)	106T	MCS0	4.44	30.0	-25.56

Table 7-71. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (106 Tones)




Plot 7-184. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 148 of 516




Plot 7-185. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 157)




Plot 7-186. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 149 of 516




Plot 7-187. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 151)



Plot 7-188. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 150 of 516



Plot 7-189. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 151 of 516

SISO Antenna-1 Power Spectral Density Measurements (242 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242T	MCS0	4.15	11.0	-6.85
	5200	40	ax (20MHz)	242T	MCS0	4.27	11.0	-6.73
	5240	48	ax (20MHz)	242T	MCS0	4.40	11.0	-6.60
	5190	38	ax (40MHz)	242T	MCS0	2.66	11.0	-8.34
	5230	46	ax (40MHz)	242T	MCS0	3.02	11.0	-7.98
	5210	42	ax (80MHz)	242T	MCS0	1.60	11.0	-9.40
Band 2A	5260	52	ax (20MHz)	242T	MCS0	4.45	11.0	-6.55
	5280	56	ax (20MHz)	242T	MCS0	4.79	11.0	-6.21
	5320	64	ax (20MHz)	242T	MCS0	4.97	11.0	-6.03
	5270	54	ax (40MHz)	242T	MCS0	3.02	11.0	-7.98
	5310	62	ax (40MHz)	242T	MCS0	2.79	11.0	-8.21
	5290	58	ax (80MHz)	242T	MCS0	2.00	11.0	-9.00
Band 2C	5500	100	ax (20MHz)	242T	MCS0	4.52	11.0	-6.48
	5600	120	ax (20MHz)	242T	MCS0	4.64	11.0	-6.36
	5720	144	ax (20MHz)	242T	MCS0	4.60	11.0	-6.40
	5510	102	ax (40MHz)	242T	MCS0	2.53	11.0	-8.47
	5590	118	ax (40MHz)	242T	MCS0	2.81	11.0	-8.19
	5710	142	ax (40MHz)	242T	MCS0	2.74	11.0	-8.26
	5530	106	ax (80MHz)	242T	MCS0	0.73	11.0	-10.27
	5610	122	ax (80MHz)	242T	MCS0	0.74	11.0	-10.26
	5690	138	ax (80MHz)	242T	MCS0	-1.53	11.0	-12.53

Table 7-72. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (242 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	242T	MCS0	4.15	-7.25	-3.10	10.0	-13.10
	5200	40	ax (20MHz)	242T	MCS0	4.27	-7.55	-3.28	10.0	-13.28
	5240	48	ax (20MHz)	242T	MCS0	4.40	-7.33	-2.93	10.0	-12.93
	5190	38	ax (40MHz)	242T	MCS0	2.66	-7.25	-4.59	10.0	-14.59
	5230	46	ax (40MHz)	242T	MCS0	3.02	-7.55	-4.53	10.0	-14.53
	5210	42	ax (80MHz)	242T	MCS0	1.60	-7.33	-5.73	10.0	-15.73

Table 7-73. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 242 Tones)

FCC ID: A3LSMG975U			MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset	Page 152 of 516		




Plot 7-190. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 36)




Plot 7-191. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 153 of 516




Plot 7-192. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 48)




Plot 7-193. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 154 of 516




Plot 7-194. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 46)




Plot 7-195. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 155 of 516




Plot 7-196. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 52)




Plot 7-197. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 156 of 516



Plot 7-198. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 64)




Plot 7-199. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 157 of 516




Plot 7-200. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 62)




Plot 7-201. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 158 of 516




Plot 7-202. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 100)




Plot 7-203. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 159 of 516




Plot 7-204. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 144)




Plot 7-205. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 160 of 516




Plot 7-206. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 118)




Plot 7-207. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 161 of 516




Plot 7-208. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 106)



Plot 7-209. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 162 of 516




Plot 7-210. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG975U	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset	Page 163 of 516	


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242T	MCS0	1.60	30.0	-28.40
	5785	157	ax (20MHz)	242T	MCS0	1.63	30.0	-28.37
	5825	165	ax (20MHz)	242T	MCS0	1.66	30.0	-28.34
	5755	151	ax (40MHz)	242T	MCS0	0.50	30.0	-29.50
	5795	159	ax (40MHz)	242T	MCS0	0.07	30.0	-29.93
	5775	155	ax (80MHz)	242T	MCS0	1.57	30.0	-28.43

Table 7-74. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (242 Tones)




Plot 7-211. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 164 of 516




Plot 7-212. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 157)




Plot 7-213. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 165 of 516




Plot 7-214. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 151)



Plot 7-215. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 166 of 516



Plot 7-216. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 167 of 516

SISO Antenna-1 Power Spectral Density Measurements (484 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5190	38	ax (40MHz)	484T	MCS0	-0.05	11.0	-11.05
	5230	46	ax (40MHz)	484T	MCS0	0.03	11.0	-10.97
	5210	42	ax (80MHz)	484T	MCS0	-0.82	11.0	-11.82
Band 2A	5270	54	ax (40MHz)	484T	MCS0	-0.41	11.0	-11.41
	5310	62	ax (40MHz)	484T	MCS0	-0.48	11.0	-11.48
	5290	58	ax (80MHz)	484T	MCS0	-0.92	11.0	-11.92
Band 2C	5510	102	ax (40MHz)	484T	MCS0	-0.77	11.0	-11.77
	5590	118	ax (40MHz)	484T	MCS0	-0.71	11.0	-11.71
	5710	142	ax (40MHz)	484T	MCS0	-0.46	11.0	-11.46
	5530	106	ax (80MHz)	484T	MCS0	-1.87	11.0	-12.87
	5610	122	ax (80MHz)	484T	MCS0	-1.71	11.0	-12.71
	5690	138	ax (80MHz)	484T	MCS0	-4.19	11.0	-15.19

Table 7-75. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (484 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5190	38	ax (40MHz)	484T	MCS0	-0.05	-7.25	-7.30	10.0	-17.30
	5230	46	ax (40MHz)	484T	MCS0	0.03	-7.55	-7.52	10.0	-17.52
	5210	42	ax (80MHz)	484T	MCS0	-0.82	-7.33	-8.15	10.0	-18.15

Table 7-76. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 484 Tones)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 168 of 516	




Plot 7-217. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 38)



Plot 7-218. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 46)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 169 of 516




Plot 7-219. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 42)




Plot 7-220. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 170 of 516




Plot 7-221. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 62)




Plot 7-222. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 171 of 516




Plot 7-223. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 102)




Plot 7-224. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 172 of 516




Plot 7-225. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 142)




Plot 7-226. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 173 of 516



Plot 7-227. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 122)




Plot 7-228. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 174 of 516


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5755	151	ax (40MHz)	484T	MCS0	-3.80	30.0	-33.80
	5795	159	ax (40MHz)	484T	MCS0	-3.12	30.0	-33.12
	5775	155	ax (80MHz)	484T	MCS0	-1.18	30.0	-31.18

Table 7-77. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (484 Tones)




Plot 7-229. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 151)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 175 of 516



Plot 7-230. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 159)



Plot 7-231. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 176 of 516

SISO Antenna-1 Power Spectral Density Measurements (996 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5210	42	ax (80MHz)	996T	MCS0	-4.12	11.0	-15.12
Band 2A	5290	58	ax (80MHz)	996T	MCS0	-4.06	11.0	-15.06
Band 2C	5530	106	ax (80MHz)	996T	MCS0	-4.33	11.0	-15.33
	5610	122	ax (80MHz)	996T	MCS0	-5.00	11.0	-16.00
	5690	138	ax (80MHz)	996T	MCS0	-7.42	11.0	-18.42

Table 7-78. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (996 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5210	42	ax (80MHz)	996T	MCS0	-4.12	-7.33	-11.45	10.0	-21.45

Table 7-79. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 996 Tones)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset			Page 177 of 516




Plot 7-232. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 1) – Ch. 42)




Plot 7-233. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 178 of 516




Plot 7-234. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 106)



Plot 7-235. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 179 of 516




Plot 7-236. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 180 of 516

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5775	155	ax (80MHz)	996T	MCS0	-4.34	30.0	-34.34

Table 7-80. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (996 Tones)



Plot 7-237. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 181 of 516

SISO Antenna-2 Power Spectral Density Measurements (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	26T	MCS0	8.06	11.0	-2.94
	5200	40	ax (20MHz)	26T	MCS0	6.88	11.0	-4.12
	5240	48	ax (20MHz)	26T	MCS0	8.88	11.0	-2.12
	5190	38	ax (40MHz)	26T	MCS0	7.35	11.0	-3.65
	5230	46	ax (40MHz)	26T	MCS0	9.05	11.0	-1.95
	5210	42	ax (80MHz)	26T	MCS0	8.06	11.0	-2.94
Band 2A	5260	52	ax (20MHz)	26T	MCS0	8.67	11.0	-2.33
	5280	56	ax (20MHz)	26T	MCS0	8.06	11.0	-2.94
	5320	64	ax (20MHz)	26T	MCS0	8.44	11.0	-2.56
	5270	54	ax (40MHz)	26T	MCS0	8.50	11.0	-2.50
	5310	62	ax (40MHz)	26T	MCS0	8.90	11.0	-2.10
	5290	58	ax (80MHz)	26T	MCS0	8.36	11.0	-2.64
Band 2C	5500	100	ax (20MHz)	26T	MCS0	8.08	11.0	-2.92
	5600	120	ax (20MHz)	26T	MCS0	8.03	11.0	-2.97
	5720	144	ax (20MHz)	26T	MCS0	7.68	11.0	-3.32
	5510	102	ax (40MHz)	26T	MCS0	9.27	11.0	-1.73
	5590	118	ax (40MHz)	26T	MCS0	8.43	11.0	-2.57
	5710	142	ax (40MHz)	26T	MCS0	7.68	11.0	-3.32
	5530	106	ax (80MHz)	26T	MCS0	8.19	11.0	-2.81
	5610	122	ax (80MHz)	26T	MCS0	9.18	11.0	-1.82
	5690	138	ax (80MHz)	26T	MCS0	5.44	11.0	-5.56

Table 7-81. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT2 (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26T	MCS0	8.06	-8.43	-0.37	10.0	-10.37
	5200	40	ax (20MHz)	26T	MCS0	6.88	-8.34	-1.46	10.0	-11.46
	5240	48	ax (20MHz)	26T	MCS0	8.88	-7.99	0.89	10.0	-9.11
	5190	38	ax (40MHz)	26T	MCS0	7.35	-8.43	-1.08	10.0	-11.08
	5230	46	ax (40MHz)	26T	MCS0	9.05	-8.34	0.71	10.0	-9.29
	5210	42	ax (80MHz)	26T	MCS0	8.06	-7.99	0.07	10.0	-9.93

Table 7-82. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 26 Tones)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 182 of 516	




Plot 7-238. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 36)




Plot 7-239. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 183 of 516




Plot 7-240. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 48)




Plot 7-241. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 184 of 516




Plot 7-242. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 46)




Plot 7-243. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 185 of 516




Plot 7-246. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 64)




Plot 7-247. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 187 of 516




Plot 7-248. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 62)




Plot 7-249. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 188 of 516




Plot 7-250. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 100)




Plot 7-251. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 189 of 516




Plot 7-252. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 144)



Plot 7-253. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 190 of 516




Plot 7-254. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 118)




Plot 7-255. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 191 of 516




Plot 7-256. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 106)



Plot 7-257. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 192 of 516




Plot 7-258. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG975U	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset	Page 193 of 516	


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26T	MCS0	5.73	30.0	-24.27
	5785	157	ax (20MHz)	26T	MCS0	5.43	30.0	-24.57
	5825	165	ax (20MHz)	26T	MCS0	5.28	30.0	-24.72
	5755	151	ax (40MHz)	26T	MCS0	5.42	30.0	-24.58
	5795	159	ax (40MHz)	26T	MCS0	4.25	30.0	-25.75
	5775	155	ax (80MHz)	26T	MCS0	8.39	30.0	-21.61

Table 7-83. Band 3 Conducted Power Spectral Density Measurements SISO ANT2 (26 Tones)




Plot 7-259. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11 ax – 26 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 194 of 516



Plot 7-260. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 157)



Plot 7-261. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG975U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1810250197-06.A3L	Test Dates: 10/31/2018-1/09/2019	EUT Type: Portable Handset		Page 195 of 516