

MEASUREMENT REPORT
LTE / n41 (EN-DC)

Applicant Name:
 Samsung Electronics Co., Ltd.
 129, Samsung-ro,
 Yeongtong-gu, Suwon-si
 Gyeonggi-do, 16677, Korea


Date of Testing:
 01/22 - 05/08/2019
Test Site/Location:
 PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
 1M1903060032-03.A3L

FCC ID:	A3LSMG977T
APPLICANT:	Samsung Electronics Co., Ltd.

Application Type: Certification
Model: SM-G977T
Additional Model: SM-G977P
EUT Type: Portable Handset
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part(s): 22, 24, & 27
Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez
 President




FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 1 of 348	

T A B L E O F C O N T E N T S

1.0	INTRODUCTION	7
1.1	Scope	7
1.2	PCTEST Test Location.....	7
1.3	Test Facility / Accreditations.....	7
2.0	PRODUCT INFORMATION	8
2.1	Equipment Description	8
2.2	Device Capabilities	8
2.3	Test Configuration	8
2.4	EMI Suppression Device(s)/Modifications	8
3.0	DESCRIPTION OF TESTS	9
3.1	Measurement Procedure	9
3.2	Block C Frequency Range.....	9
3.3	Block A Frequency Range.....	9
3.4	Cellular - Base Frequency Blocks	9
3.5	Cellular - Mobile Frequency Blocks	9
3.6	PCS - Base Frequency Blocks	10
3.7	PCS - Mobile Frequency Blocks.....	10
3.8	AWS - Base Frequency Blocks	10
3.9	AWS - Mobile Frequency Blocks	10
3.10	BRS/EBS Frequency Block	11
3.11	CBRS Band Frequency Range.....	11
3.12	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS	16
7.1	Summary	16
7.2	Occupied Bandwidth.....	19
7.3	Spurious and Harmonic Emissions at Antenna Terminal	98
7.4	Band Edge Emissions at Antenna Terminal	141
7.5	Peak-Average Ratio	212
7.6	Additional Maximum Power Reduction (A-MPR).....	237
7.7	Uplink Carrier Aggregation	239
7.8	Radiated Power (ERP/EIRP).....	253
7.9	Radiated Spurious Emissions Measurements.....	264
7.10	Uplink Carrier Aggregation Radiated Measurements	288
7.11	Frequency Stability / Temperature Variation	298
7.12	n41 (EN-DC) Test Results.....	315
8.0	CONCLUSION	348

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 2 of 348	



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 71	27	665.5 - 695.5	0.071	18.49			4M54G7D	QPSK
LTE Band 71	27	665.5 - 695.5	0.055	17.38			4M52W7D	16QAM
LTE Band 71	27	665.5 - 695.5	0.045	16.56			4M55W7D	64QAM
LTE Band 71	27	665.5 - 695.5	0.035	15.49			4M50W7D	256QAM
LTE Band 71	27	668 - 693	0.075	18.75			9M04G7D	QPSK
LTE Band 71	27	668 - 693	0.062	17.91			9M02W7D	16QAM
LTE Band 71	27	668 - 693	0.049	16.93			9M00W7D	64QAM
LTE Band 71	27	668 - 693	0.032	15.04			9M00W7D	256QAM
LTE Band 71	27	670.5 - 690.5	0.077	18.86			13M5G7D	QPSK
LTE Band 71	27	670.5 - 690.5	0.062	17.94			13M5W7D	16QAM
LTE Band 71	27	670.5 - 690.5	0.049	16.92			13M5W7D	64QAM
LTE Band 71	27	670.5 - 690.5	0.032	15.06			13M5W7D	256QAM
LTE Band 71	27	673 - 688	0.086	19.32			18M0G7D	QPSK
LTE Band 71	27	673 - 688	0.065	18.15			18M0W7D	16QAM
LTE Band 71	27	673 - 688	0.052	17.19			18M0W7D	64QAM
LTE Band 71	27	673 - 688	0.037	15.66			18M0W7D	256QAM
LTE Band 12	27	699.7 - 715.3	0.177	22.48	0.290	24.63	1M10G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.142	21.53	0.233	23.68	1M11W7D	16QAM
LTE Band 12	27	699.7 - 715.3	0.098	19.90	0.160	22.05	1M10W7D	64QAM
LTE Band 12	27	699.7 - 715.3	0.081	19.06	0.132	21.21	1M09W7D	256QAM
LTE Band 12	27	700.5 - 714.5	0.164	22.16	0.270	24.31	2M72G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.135	21.29	0.221	23.44	2M71W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.099	19.96	0.163	22.11	2M71W7D	64QAM
LTE Band 12	27	700.5 - 714.5	0.079	18.97	0.129	21.12	2M71W7D	256QAM
LTE Band 12	27	701.5 - 713.5	0.155	21.92	0.255	24.07	4M57G7D	QPSK
LTE Band 12	27	701.5 - 713.5	0.132	21.20	0.217	23.35	4M53W7D	16QAM
LTE Band 12	27	701.5 - 713.5	0.099	19.97	0.163	22.12	4M53W7D	64QAM
LTE Band 12	27	701.5 - 713.5	0.080	19.01	0.131	21.16	4M52W7D	256QAM
LTE Band 12	27	704 - 711	0.158	21.97	0.259	24.12	9M03G7D	QPSK
LTE Band 12	27	704 - 711	0.130	21.13	0.213	23.28	9M05W7D	16QAM
LTE Band 12	27	704 - 711	0.096	19.83	0.158	21.98	9M02W7D	64QAM
LTE Band 12	27	704 - 711	0.083	19.18	0.136	21.33	9M00W7D	256QAM
LTE Band 13	27	779.5 - 784.5	0.117	20.67	0.192	22.82	4M52G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.095	19.79	0.156	21.94	4M51W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.080	19.02	0.131	21.17	4M51W7D	64QAM
LTE Band 13	27	779.5 - 784.5	0.054	17.29	0.088	19.44	4M52W7D	256QAM
LTE Band 13	27	782	0.124	20.94	0.204	23.09	9M04G7D	QPSK
LTE Band 13	27	782	0.102	20.10	0.168	22.25	8M98W7D	16QAM
LTE Band 13	27	782	0.081	19.07	0.133	21.22	9M02W7D	64QAM
LTE Band 13	27	782	0.057	17.53	0.093	19.68	9M00W7D	256QAM
LTE Band 26/5	22H	824.7 - 848.3	0.089	19.50	0.146	21.65	1M10G7D	QPSK
LTE Band 26/5	22H	824.7 - 848.3	0.070	18.45	0.115	20.60	1M10W7D	16QAM
LTE Band 26/5	22H	824.7 - 848.3	0.053	17.22	0.087	19.37	1M10W7D	64QAM
LTE Band 26/5	22H	824.7 - 848.3	0.033	15.15	0.054	17.30	1M10W7D	256QAM
LTE Band 26/5	22H	825.5 - 847.5	0.090	19.55	0.148	21.70	2M71G7D	QPSK
LTE Band 26/5	22H	825.5 - 847.5	0.071	18.51	0.116	20.66	2M71W7D	16QAM
LTE Band 26/5	22H	825.5 - 847.5	0.048	16.85	0.079	19.00	2M71W7D	64QAM
LTE Band 26/5	22H	825.5 - 847.5	0.034	15.29	0.055	17.44	2M71W7D	256QAM
LTE Band 26/5	22H	826.5 - 846.5	0.089	19.50	0.146	21.65	4M51G7D	QPSK
LTE Band 26/5	22H	826.5 - 846.5	0.072	18.59	0.119	20.74	4M54W7D	16QAM
LTE Band 26/5	22H	826.5 - 846.5	0.049	16.93	0.081	19.08	4M52W7D	64QAM
LTE Band 26/5	22H	826.5 - 846.5	0.032	14.99	0.052	17.14	4M52W7D	256QAM
LTE Band 26/5	22H	829 - 844	0.088	19.42	0.144	21.57	9M03G7D	QPSK
LTE Band 26/5	22H	829 - 844	0.073	18.62	0.120	20.77	9M02W7D	16QAM
LTE Band 26/5	22H	829 - 844	0.050	16.96	0.082	19.11	9M03W7D	64QAM
LTE Band 26/5	22H	829 - 844	0.032	15.07	0.053	17.22	9M02W7D	256QAM
LTE Band 26	22H	831.5 - 841.5	0.092	19.63	0.151	21.78	13M5G7D	QPSK
LTE Band 26	22H	831.5 - 841.5	0.078	18.93	0.128	21.08	13M6W7D	16QAM
LTE Band 26	22H	831.5 - 841.5	0.052	17.17	0.085	19.32	13M6W7D	64QAM
LTE Band 26	22H	831.5 - 841.5	0.031	14.93	0.051	17.08	13M6W7D	256QAM

EUT Overview (<1 GHz)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 3 of 348

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 66/4	27	1710.7 - 1779.3	0.257	24.10	1M10G7D	QPSK
LTE Band 66/4	27	1710.7 - 1779.3	0.191	22.81	1M10W7D	16QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.158	21.99	1M10W7D	64QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.140	21.46	1M11W7D	256QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.258	24.12	2M72G7D	QPSK
LTE Band 66/4	27	1711.5 - 1778.5	0.193	22.85	2M71W7D	16QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.174	22.41	2M71W7D	64QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.160	22.05	2M70W7D	256QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.276	24.41	4M53G7D	QPSK
LTE Band 66/4	27	1712.5 - 1777.5	0.212	23.27	4M54W7D	16QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.181	22.57	4M52W7D	64QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.167	22.22	4M51W7D	256QAM
LTE Band 66/4	27	1715 - 1775	0.289	24.61	9M00G7D	QPSK
LTE Band 66/4	27	1715 - 1775	0.231	23.63	8M99W7D	16QAM
LTE Band 66/4	27	1715 - 1775	0.215	23.32	9M03W7D	64QAM
LTE Band 66/4	27	1715 - 1775	0.193	22.86	9M01W7D	256QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.292	24.65	13M5G7D	QPSK
LTE Band 66/4	27	1717.5 - 1772.5	0.240	23.80	13M5W7D	16QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.000	0.00	13M5W7D	64QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.196	22.93	13M5W7D	256QAM
LTE Band 66/4	27	1720 - 1770	0.342	25.34	18M1G7D	QPSK
LTE Band 66/4	27	1720 - 1770	0.263	24.19	18M0W7D	16QAM
LTE Band 66/4	27	1720 - 1770	0.177	22.47	18M0W7D	64QAM
LTE Band 66/4	27	1720 - 1770	0.206	23.14	18M0W7D	256QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.321	25.06	1M11G7D	QPSK
LTE Band 25/2	24E	1850.7 - 1914.3	0.272	24.34	1M12W7D	16QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.169	22.28	1M11W7D	64QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.100	19.99	1M10W7D	256QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.277	24.42	2M71G7D	QPSK
LTE Band 25/2	24E	1851.5 - 1913.5	0.190	22.78	2M71W7D	16QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.143	21.56	2M71W7D	64QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.098	19.90	2M71W7D	256QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.286	24.56	4M51G7D	QPSK
LTE Band 25/2	24E	1852.5 - 1912.5	0.199	22.99	4M50W7D	16QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.148	21.69	4M53W7D	64QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.097	19.85	4M50W7D	256QAM
LTE Band 25/2	24E	1855 - 1910	0.293	24.67	9M04G7D	QPSK
LTE Band 25/2	24E	1855 - 1910	0.174	22.40	8M99W7D	16QAM
LTE Band 25/2	24E	1855 - 1910	0.132	21.20	9M05W7D	64QAM
LTE Band 25/2	24E	1855 - 1910	0.094	19.71	8M97W7D	256QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.325	25.12	13M5G7D	QPSK
LTE Band 25/2	24E	1857.5 - 1907.5	0.275	24.39	13M5W7D	16QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.148	21.70	13M5W7D	64QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.101	20.05	13M5W7D	256QAM
LTE Band 25/2	24E	1860 - 1905	0.359	25.55	18M0G7D	QPSK
LTE Band 25/2	24E	1860 - 1905	0.297	24.73	18M0W7D	16QAM
LTE Band 25/2	24E	1860 - 1905	0.181	22.58	18M0W7D	64QAM
LTE Band 25/2	24E	1860 - 1905	0.120	20.80	18M0W7D	256QAM

EUT Overview (Mid Bands)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 4 of 348	

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 7	27	2502.5 - 2567.5	0.106	20.25	4M52G7D	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.081	19.08	4M51W7D	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.063	18.02	4M53W7D	64QAM
LTE Band 7	27	2502.5 - 2567.5	0.041	16.18	4M50W7D	256QAM
LTE Band 7	27	2505 - 2565	0.120	20.79	9M07G7D	QPSK
LTE Band 7	27	2505 - 2565	0.090	19.52	8M99W7D	16QAM
LTE Band 7	27	2505 - 2565	0.070	18.47	9M04W7D	64QAM
LTE Band 7	27	2505 - 2565	0.046	16.59	8M99W7D	256QAM
LTE Band 7	27	2507.5 - 2562.5	0.127	21.05	13M6G7D	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.100	20.00	13M5W7D	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.088	19.44	13M5W7D	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.055	17.38	13M5W7D	256QAM
LTE Band 7	27	2510 - 2560	0.136	21.35	18M0G7D	QPSK
LTE Band 7	27	2510 - 2560	0.103	20.12	18M0W7D	16QAM
LTE Band 7	27	2510 - 2560	0.088	19.45	18M0W7D	64QAM
LTE Band 7	27	2510 - 2560	0.053	17.28	18M0W7D	256QAM
LTE Band 41/38	27	2498.5 - 2687.5	0.228	23.58	4M51G7D	QPSK
LTE Band 41/38	27	2498.5 - 2687.5	0.152	21.83	4M51W7D	16QAM
LTE Band 41/38	27	2498.5 - 2687.5	0.117	20.68	4M53W7D	64QAM
LTE Band 41/38	27	2498.5 - 2687.5	0.064	18.06	4M50W7D	256QAM
LTE Band 41/38	27	2501 - 2685	0.219	23.41	9M00G7D	QPSK
LTE Band 41/38	27	2501 - 2685	0.159	22.02	8M98W7D	16QAM
LTE Band 41/38	27	2501 - 2685	0.123	20.90	9M01W7D	64QAM
LTE Band 41/38	27	2501 - 2685	0.064	18.08	8M98W7D	256QAM
LTE Band 41/38	27	2503.5 - 2682.5	0.210	23.23	13M5G7D	QPSK
LTE Band 41/38	27	2503.5 - 2682.5	0.153	21.86	13M5W7D	16QAM
LTE Band 41/38	27	2503.5 - 2682.5	0.107	20.30	13M5W7D	64QAM
LTE Band 41/38	27	2503.5 - 2682.5	0.068	18.30	13M5W7D	256QAM
LTE Band 41/38	27	2506 - 2680	0.239	23.78	18M0G7D	QPSK
LTE Band 41/38	27	2506 - 2680	0.144	21.57	18M0W7D	16QAM
LTE Band 41/38	27	2506 - 2680	0.133	21.23	18M0W7D	64QAM
LTE Band 41/38	27	2506 - 2680	0.066	18.16	17M9W7D	256QAM
LTE Band 41 - PC2	27	2498.5 - 2687.5	0.275	24.40	4M52G7D	QPSK
LTE Band 41 - PC2	27	2498.5 - 2687.5	0.214	23.31	4M52W7D	16QAM
LTE Band 41 - PC2	27	2498.5 - 2687.5	0.160	22.04	4M54W7D	64QAM
LTE Band 41 - PC2	27	2498.5 - 2687.5	0.104	20.16	4M51W7D	256QAM
LTE Band 41 - PC2	27	2501 - 2685	0.356	25.52	9M01G7D	QPSK
LTE Band 41 - PC2	27	2501 - 2685	0.281	24.49	8M98W7D	16QAM
LTE Band 41 - PC2	27	2501 - 2685	0.220	23.42	9M01W7D	64QAM
LTE Band 41 - PC2	27	2501 - 2685	0.132	21.21	8M97W7D	256QAM
LTE Band 41 - PC2	27	2503.5 - 2682.5	0.347	25.41	13M5G7D	QPSK
LTE Band 41 - PC2	27	2503.5 - 2682.5	0.257	24.10	13M5W7D	16QAM
LTE Band 41 - PC2	27	2503.5 - 2682.5	0.187	22.71	13M5W7D	64QAM
LTE Band 41 - PC2	27	2503.5 - 2682.5	0.126	21.00	13M5W7D	256QAM
LTE Band 41 - PC2	27	2506 - 2680	0.344	25.37	18M0G7D	QPSK
LTE Band 41 - PC2	27	2506 - 2680	0.285	24.55	18M0W7D	16QAM
LTE Band 41 - PC2	27	2506 - 2680	0.210	23.23	18M0W7D	64QAM
LTE Band 41 - PC2	27	2506 - 2680	0.124	20.94	18M0W7D	256QAM

EUT Overview (High Bands)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 5 of 348	

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
n41	27	2506 - 2680	0.147	21.67	18M4G7D	QPSK
n41	27	2506 - 2680	0.146	21.63	18M4W7D	16QAM
n41	27	2506 - 2680	0.136	21.33	18M5W7D	64QAM
n41	27	2516-2670	0.139	21.43	37M7G7D	QPSK
n41	27	2516-2670	0.140	21.47	37M7W7D	16QAM
n41	27	2516-2670	0.128	21.08	37M8W7D	64QAM
n41	27	2526-2660	0.144	21.59	57M9G7D	QPSK
n41	27	2526-2660	0.148	21.71	57M9W7D	16QAM
n41	27	2526-2660	0.136	21.35	57M9W7D	64QAM
n41	27	2536-2650	0.160	22.04	78M5W7D	QPSK
n41	27	2536-2650	0.157	21.97	78M5W7D	16QAM
n41	27	2536-2650	0.143	21.55	78M2W7D	64QAM
n41	27	2546-2640	0.141	21.48	97M5W7D	QPSK
n41	27	2546-2640	0.139	21.44	97M4W7D	16QAM
n41	27	2546-2640	0.132	21.21	97M3W7D	64QAM

EUT Overview (n41)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 6 of 348	

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: A3LSMG977T	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 7 of 348

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMG977T**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 0263M, 0244M, 0268M, 0218M, 0304M, 9871B, 9878B, 9896B, 2531B, 2579B

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 CDMA/EvDO Rev0/A, 1x Advanced (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (n41, n260, n261, EN-DC), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII, Bluetooth (1x, EDR, LE), NFC, Wireless Phone Transfer

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

LTE Band 41 (2496 - 2690 MHz) overlaps the entire frequency range of LTE Band 38 (2570 - 2620 MHz). Therefore, test data provided in this report covers Band 38 as well as Band 41.

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT placed on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 8 of 348	

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz;
 Block B: 704-710 MHz and 734-740 MHz; and
 Block C: 710-716 MHz and 740-746 MHz.

3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A) **BLOCK 3:** 890 – 891.5 MHz (A* High)
BLOCK 2: 880 – 890 MHz (B) **BLOCK 4:** 891.5 – 894 MHz (B*)


3.5 Cellular - Mobile Frequency Blocks



BLOCK 1: 824 – 835 MHz (A* Low + A) **BLOCK 3:** 845 – 846.5 MHz (A* High)
BLOCK 2: 835 – 845 MHz (B) **BLOCK 4:** 846.5 – 849 MHz (B*)


FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 9 of 348	

3.6 PCS - Base Frequency Blocks




- BLOCK 1: 1930 – 1945 MHz (A)
- BLOCK 2: 1945 – 1950 MHz (D)
- BLOCK 3: 1950 – 1965 MHz (B)
- BLOCK 4: 1965 – 1970 MHz (E)
- BLOCK 5: 1970 – 1975 MHz (F)
- BLOCK 6: 1975 – 1990 MHz (C)

3.7 PCS - Mobile Frequency Blocks




- BLOCK 1: 1850 – 1865 MHz (A)
- BLOCK 2: 1865 – 1870 MHz (D)
- BLOCK 3: 1870 – 1885 MHz (B)
- BLOCK 4: 1885 – 1890 MHz (E)
- BLOCK 5: 1890 – 1895 MHz (F)
- BLOCK 6: 1895 – 1910 MHz (C)

3.8 AWS - Base Frequency Blocks



- BLOCK 1: 2110 – 2120 MHz (A)
- BLOCK 2: 2120 – 2130 MHz (B)
- BLOCK 3: 2130 – 2135 MHz (C)
- BLOCK 4: 2135 – 2140 MHz (D)
- BLOCK 5: 2140 – 2145 MHz (E)
- BLOCK 6: 2145 – 2155 MHz (F)


3.9 AWS - Mobile Frequency Blocks



- BLOCK 1: 1710 – 1720 MHz (A)
- BLOCK 2: 1720 – 1730 MHz (B)
- BLOCK 3: 1730 – 1735 MHz (C)
- BLOCK 4: 1735 – 1740 MHz (D)
- BLOCK 5: 1740 – 1745 MHz (E)
- BLOCK 6: 1745 – 1755 MHz (F)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 10 of 348

3.10 BRS/EBS Frequency Block



3.11 CBRS Band Frequency Range

The Citizens Broadband Radio Service (CBRS) is authorized in the 3550 – 3700 MHz frequency band. General Authorized Access Users may operate in the 3550 – 3700 MHz band, while Priority Access Users shall be authorized to use a 10 MHz channel in the 3550 – 3650 MHz band.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 11 of 348

3.12 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g [dBm] - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10 \log_{10}(\text{Power [Watts]})$.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

FCC ID: A3LSMG977T	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 12 of 348

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMG977T	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 13 of 348

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTX2	Licensed Transmitter Cable Set	8/23/2018	Annual	8/23/2019	LTX2
Agilent	N9030A	PXA Signal Analyzer (44GHz)	5/25/2018	Annual	5/25/2019	MY52350166
Anritsu	MT8821C	Radio Communication Analyzer	7/24/2018	Annual	7/24/2019	6201664756
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2017	Biennial	10/10/2019	121034
Com-Power	PAM-103	Pre-Amplifier (1-1000MHz)	9/17/2018	Annual	9/17/2019	441119
Emco	3115	Horn Antenna (1-18GHz)	3/28/2018	Biennial	3/28/2020	9704-5182
Emco	3116	Horn Antenna (18 - 40GHz)	6/7/2018	Triennial	6/7/2021	9203-2178
Espec	ESX-2CA	Environmental Chamber	3/28/2018	Annual	4/28/2019	17620
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/28/2018	Biennial	3/28/2020	128337
Huber + Suhner	Sucoflex 102A	40GHz Radiated Cable Set	8/23/2018	Annual	8/23/2019	251425001
Agilent	N9030A	PXA Signal Analyzer (44GHz)	5/25/2018	Annual	5/25/2019	MY52350166
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	4/19/2019	Annual	4/19/2020	11401010036
Mini Circuits	TVA-11-422	RF Power Amp		N/A		QA1317001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator		N/A		11208010032
Rohde & Schwarz	CMW500	Radio Communication Tester	9/25/2018	Annual	9/25/2019	102060
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	5/21/2018	Annual	5/21/2019	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	8/9/2018	Annual	8/9/2019	100348
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	6/18/2018	Annual	6/18/2019	102134
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	6/25/2018	Annual	6/25/2019	102133
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Test Antenna	7/16/2018	Biennial	7/16/2020	101073
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	9/19/2018	Annual	9/19/2019	100040
Seekonk	NC-100	Torque Wrench	5/9/2018	Biennial	5/9/2020	22217
Sunol	DRH-118	Horn Antenna (1-18GHz)	8/11/2017	Biennial	8/11/2019	A050307
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	4/19/2018	Biennial	4/19/2020	A051107

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 14 of 348	

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz
 G = Phase Modulation
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz
 W = Amplitude/Angle Modulated
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 15 of 348

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMG977T
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 2.917(a) 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions		PASS	Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)		PASS	Section 7.3, 7.4
96.41(e)	Out of Band Emissions (Band 48)	Undesirable emissions must meet the limits detailed in 96.41(e)		PASS	Section 7.3, 7.4
27.53(a)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(a)		PASS	Section 7.3, 7.4
24.232(d) 27.50(d)(5)	Peak-Average Ratio	< 13 dB		PASS	Section 7.5
2.1046	Transmitter Conducted Output Power	N/A		PASS	See RF Exposure Report
96.47	CBRS-SAS Interop	N/A		PASS	See Supplement Part 96 Report
22.917(a) 27.53(h) 27.53(m)	Uplink Carrier Aggregation	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions		PASS	Section 7.9
2.1055 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)		PASS	Section 7.10

Table 7-1. Summary of Conducted Test Results

FCC ID: A3LSMG977T	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 16 of 348

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 26/5)	< 7 Watts max. ERP	RADIATED	PASS	Section 7.7
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12, 13)	< 3 Watts max. ERP		PASS	Section 7.7
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 25/2, 7, 41/38)	< 2 Watts max. EIRP		PASS	Section 7.7
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 66/4)	< 1 Watts max. EIRP		PASS	Section 7.7
96.41(b)	Equivalent Isotropic Radiated Power (Band 48)	< 23 dBm/10 MHz max. EIRP		PASS	Section 7.7
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions (Band 12, 13, 26/5, 66/4, 2)	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions		PASS	Section 7.9
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz		PASS	Section 7.9
27.53(m)	Undesirable Emissions (Band 7, 41/38)	Undesirable emissions must meet the limits detailed in 27.53(m)		PASS	Section 7.9
27.53(m)	Uplink Carrier Aggregation	Undesirable emissions must meet the limits detailed in 27.53(m)		PASS	Section 7.9
96.41(e)(2)	Undesirable Emissions (Band 48)	< -40 dBm/MHz		PASS	Section 7.9

Table 7-2. Summary of Radiated Test Results

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 17 of 348	

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 0) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 5.1.
- 5) For operation <1GHz, the EIRP limits in the table above are referenced to the specifications written in the relevant Radio Standards Specifications for Innovation, Science, and Economic Development Canada.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 18 of 348	

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer’s automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 19 of 348

Band 71




Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 20 of 348




Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (Band 71 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 21 of 348




Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 22 of 348




Plot 7-7. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 71 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 23 of 348




Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 24 of 348




Plot 7-11. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (Band 71 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 25 of 348




Plot 7-13. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 26 of 348




Plot 7-15. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (Band 71 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 27 of 348

Band 12




Plot 7-17. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 28 of 348




Plot 7-19. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (Band 12 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 29 of 348




Plot 7-21. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-22. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 30 of 348




Plot 7-23. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-24. Occupied Bandwidth Plot (Band 12 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 31 of 348




Plot 7-25. Occupied Bandwidth Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-26. Occupied Bandwidth Plot (Band 12 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 32 of 348




Plot 7-27. Occupied Bandwidth Plot (Band 12 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-28. Occupied Bandwidth Plot (Band 12 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 33 of 348




Plot 7-29. Occupied Bandwidth Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-30. Occupied Bandwidth Plot (Band 12 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 34 of 348




Plot 7-31. Occupied Bandwidth Plot (Band 12 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 12 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 35 of 348

Band 13




Plot 7-33. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 36 of 348




Plot 7-35. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 13 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 37 of 348




Plot 7-37. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-38. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 38 of 348




Plot 7-39. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-40. Occupied Bandwidth Plot (Band 13 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 39 of 348

Band 26/5




Plot 7-41. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 40 of 348




Plot 7-43. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-44. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 41 of 348




Plot 7-45. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-46. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 42 of 348



Plot 7-47. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-48. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 43 of 348



Plot 7-49. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-50. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 44 of 348




Plot 7-51. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-52. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 45 of 348



Plot 7-53. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-54. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 46 of 348




Plot 7-55. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-56. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 47 of 348



Plot 7-57. Occupied Bandwidth Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-58. Occupied Bandwidth Plot (Band 26 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 48 of 348




Plot 7-59. Occupied Bandwidth Plot (Band 26 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-60. Occupied Bandwidth Plot (Band 26 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 49 of 348

Band 66/4




Plot 7-61. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-62. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 50 of 348




Plot 7-63. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-64. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 51 of 348




Plot 7-65. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-66. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 52 of 348




Plot 7-67. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-68. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 53 of 348




Plot 7-69. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-70. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 54 of 348



Plot 7-71. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-72. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 55 of 348




Plot 7-73. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-74. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 56 of 348




Plot 7-75. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-76. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 57 of 348




Plot 7-77. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-78. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 58 of 348




Plot 7-79. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-80. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 59 of 348




Plot 7-81. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-82. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 60 of 348




Plot 7-83. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)




Plot 7-84. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 61 of 348

Band 25/2




Plot 7-85. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-86. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 62 of 348




Plot 7-87. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-88. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 63 of 348




Plot 7-89. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-90. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 64 of 348




Plot 7-91. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-92. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 65 of 348




Plot 7-93. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-94. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 66 of 348



Plot 7-95. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-96. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 67 of 348



Plot 7-97. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-98. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 68 of 348



Plot 7-99. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-100. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 69 of 348