



Plot 7-320. Lower Band Edge Plot (Band 25/2- 10.0MHz QPSK - Full RB Configuration)




Plot 7-321. Lower Extended Band Edge Plot (Band 25/2- 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 187 of 348



Plot 7-322. Upper Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-323. Upper Extended Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 188 of 348




Plot 7-324. Upper Band Edge Plot (Band 25 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-325. Upper Extended Band Edge Plot (Band 25 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 189 of 348




Plot 7-326. Lower Band Edge Plot (Band 25/2- 15.0MHz QPSK - Full RB Configuration)




Plot 7-327. Lower Extended Band Edge Plot (Band 25/2- 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 190 of 348




Plot 7-328. Upper Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-329. Upper Extended Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 191 of 348




Plot 7-330. Upper Band Edge Plot (Band 25 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-331. Upper Extended Band Edge Plot (Band 25 - 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 192 of 348



Plot 7-332. Lower Band Edge Plot (Band 25/2- 20.0MHz QPSK - Full RB Configuration)




Plot 7-333. Lower Extended Band Edge Plot (Band 25/2- 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 193 of 348




Plot 7-334. Upper Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-335. Upper Extended Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 194 of 348






Plot 7-336. Upper Band Edge Plot (Band 25 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-337. Upper Extended Band Edge Plot (Band 25 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 195 of 348

**Band 7**




**Plot 7-338. Lower ACP Plot (Band 7 - 5.0MHz QPSK - Full RB Configuration)**




**Plot 7-339. Upper ACP Plot (Band 7 - 5.0MHz QPSK - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 196 of 348



Plot 7-340. Lower ACP Plot (Band 7 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-341. Upper ACP Plot (Band 7 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 197 of 348




Plot 7-342. Lower ACP Plot (Band 7 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-343. Upper ACP Plot (Band 7 - 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 198 of 348




Plot 7-344. Lower ACP Plot (Band 7 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-345. Upper ACP Plot (Band 7 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 199 of 348

**Band 41 (PC3)**




**Plot 7-346. Lower ACP Plot (Band 41 PC3 - 5.0MHz QPSK - Full RB Configuration)**




**Plot 7-347. Upper ACP Plot (Band 41 PC3 - 5.0MHz QPSK - Full RB Configuration)**

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 200 of 348




Plot 7-348. Lower ACP Plot (Band 41 PC3 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-349. Upper ACP Plot (Band 41 PC3 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 201 of 348




Plot 7-350. Lower ACP Plot (Band 41 PC3 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-351. Upper ACP Plot (Band 41 PC3 - 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 202 of 348






Plot 7-352. Lower ACP Plot (Band 41 PC3 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-353. Upper ACP Plot (Band 41 PC3 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 203 of 348

**Band 38**




**Plot 7-354. Lower ACP Plot (Band 38 - 5.0MHz QPSK - Full RB Configuration)**




**Plot 7-355. Upper ACP Plot (Band 38 - 5.0MHz QPSK - Full RB Configuration)**

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 204 of 348





Plot 7-358. Lower ACP Plot (Band 38 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-359. Upper ACP Plot (Band 38 - 15.0MHz QPSK - Full RB Configuration)


FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 206 of 348



**Band 41 PC2**




**Plot 7-362. Lower ACP Plot (Band 41 PC2 - 5.0MHz QPSK - Full RB Configuration)**




**Plot 7-363. Upper ACP Plot (Band 41 PC2 - 5.0MHz QPSK - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 208 of 348




Plot 7-364. Lower ACP Plot (Band 41 PC2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-365. Upper ACP Plot (Band 41 PC2 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 209 of 348




Plot 7-366. Lower ACP Plot (Band 41 PC2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-367. Upper ACP Plot (Band 41 PC2 - 15.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 210 of 348





Plot 7-368. Lower ACP Plot (Band 41 PC2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-369. Upper ACP Plot (Band 41 PC2 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 211 of 348

## 7.5 Peak-Average Ratio

### Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

### Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.7.1

### Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW  $\geq$  OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms.

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Test Instrument & Measurement Setup

### Test Notes


None.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 212 of 348

**Band 66/4**




**Plot 7-370. PAR Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)**




**Plot 7-371. PAR Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 213 of 348




Plot 7-372. PAR Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-373. PAR Plot (Band 66/4 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 214 of 348




Plot 7-374. PAR Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-375. PAR Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 215 of 348




**Plot 7-376. PAR Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)**




**Plot 7-377. PAR Plot (Band 66/4 - 3.0MHz 256-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 216 of 348




**Plot 7-378. PAR Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)**




**Plot 7-379. PAR Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 217 of 348




Plot 7-380. PAR Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-381. PAR Plot (Band 66/4 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 218 of 348






Plot 7-382. PAR Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-383. PAR Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 219 of 348




Plot 7-384. PAR Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-385. PAR Plot (Band 66/4 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 220 of 348




Plot 7-386. PAR Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-387. PAR Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 221 of 348




**Plot 7-388. PAR Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)**




**Plot 7-389. PAR Plot (Band 66/4 - 15.0MHz 256-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 222 of 348




Plot 7-390. PAR Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-391. PAR Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 223 of 348




Plot 7-392. PAR Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)




Plot 7-393. PAR Plot (Band 66/4 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 224 of 348




**Plot 7-394. PAR Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)**




**Plot 7-395. PAR Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 225 of 348




Plot 7-396. PAR Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-397. PAR Plot (Band 25/2 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 226 of 348






Plot 7-398. PAR Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-399. PAR Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 227 of 348




Plot 7-400. PAR Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-401. PAR Plot (Band 25/2 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 228 of 348




Plot 7-402. PAR Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-403. PAR Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 229 of 348




Plot 7-404. PAR Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-405. PAR Plot (Band 25/2 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 230 of 348




Plot 7-406. PAR Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-407. PAR Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 231 of 348




Plot 7-408. PAR Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-409. PAR Plot (Band 25/2 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 232 of 348




Plot 7-410. PAR Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-411. PAR Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 233 of 348




**Plot 7-412. PAR Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)**




**Plot 7-413. PAR Plot (Band 25/2 - 15.0MHz 256-QAM - Full RB Configuration)**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 234 of 348






Plot 7-414. PAR Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-415. PAR Plot (Band 25/2 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 235 of 348



Plot 7-416. PAR Plot (Band 25/2 - 20.0MHz 64-QAM - Full RB Configuration)



Plot 7-417. PAR Plot (Band 25/2 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 236 of 348

## 7.6 Additional Maximum Power Reduction (A-MPR) §2.1046

### Test Overview

A-MPR is implemented in this device when operating at Power Class 2 in LTE Band 41 per the A-MPR specification in 3GPP TS 36.101. The conducted powers are shown herein to cover the different A-MPR levels specified in the standard. Measurement equipment was set up with triggering/gating on the spectrum analyzer such that powers were measured only during the on-time of the signal.

### Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.2.2

### Test Settings

1. Span = 2 x OBW to 3 x OBW
2. RBW = 1% to 5% of the OBW
3. Number of measurement points in sweep  $\geq 2 \times \text{span} / \text{RBW}$
4. Sweep = auto-couple (less than transmission burst duration)
5. Detector = RMS (power)
6. Trigger was set to enable power measurements only on full power bursts
7. Trace was allowed to stabilize
8. Spectrum analyzer's "Channel Power" function was used to compute the power by integrating the spectrum across the OBW of the signal

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Test Instrument & Measurement Setup

### Test Notes

None.

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 237 of 348

Test Case	NS	MCC	MNC	Channel BW [MHz]	Channel Number	Channel Frequency [MHz]	Modulation	RB Size	RB Offset	MPR [dB]	A-MPR [dB]	Measured Power [dBm]	Lowest Typical Power [dBm]	
1	01	312	530	5	39675	2498.5	QPSK	1	0	0	≤ 3	23.83	23.3	
							16-QAM	1	0	≤ 1		23.06	22.3	
							64-QAM	1	0	≤ 2		21.98	21.3	
							256-QAM	1	0	≤ 4		19.35	19.3	
2				5	39675	2498.5	QPSK	1	9	0	0	26.98	26.3	
							16-QAM	1	9	≤ 1		26.16	25.3	
							64-QAM	1	9	≤ 2		24.96	24.3	
							256-QAM	1	9	≤ 4		22.31	22.3	
3				10	39700	2501	QPSK	1	0	0	≤ 5	26.86	26.3	
							16-QAM	1	0	≤ 1		26.13	21.3	
							64-QAM	1	0	≤ 2		25.03	19.3	
							256-QAM	1	0	≤ 4		21.77	17.3	
4				10	39700	2501	QPSK	20	0	0	≤ 2	24.03	23.3	
							16-QAM	20	0	≤ 1		23.01	22.3	
							64-QAM	20	0	≤ 2		22.09	21.3	
							256-QAM	20	0	≤ 4		19.82	19.3	
5	10	39700	2501	QPSK	50	0	0	≤ 3	22.95	22.3				
				16-QAM	50	0	≤ 1		22.09	21.3				
				64-QAM	50	0	≤ 2		21.99	20.3				
				256-QAM	50	0	≤ 4		18.86	18.3				
6	10	39700	2501	QPSK	25	20	0	≤ 1	24.93	24.3				
				16-QAM	25	20	≤ 1		23.94	23.3				
				64-QAM	25	20	≤ 2		23.09	22.3				
				256-QAM	25	20	≤ 4		20.76	20.3				
7	10	39700	2501	QPSK	1	36	0	0	26.77	26.3				
				16-QAM	1	36	≤ 1		25.97	25.3				
				64-QAM	1	36	≤ 2		24.95	24.3				
				256-QAM	1	36	≤ 4		22.39	22.3				
8	15	39725	2503.5	QPSK	1	0	0	≤ 5	26.85	21.3				
				16-QAM	1	0	≤ 1		26.13	20.3				
				64-QAM	1	0	≤ 2		24.99	19.3				
				256-QAM	1	0	≤ 4		21.59	17.3				
9	15	39725	2503.5	QPSK	20	0	0	≤ 2	24.11	23.3				
				16-QAM	20	0	≤ 1		23.09	22.3				
				64-QAM	20	0	≤ 2		22.23	21.3				
				256-QAM	20	0	≤ 4		19.76	19.3				
10	15	39725	2503.5	QPSK	75	0	0	≤ 4	22.09	21.3				
				16-QAM	75	0	≤ 1		21.12	20.3				
				64-QAM	75	0	≤ 2		20.14	19.3				
				256-QAM	75	0	≤ 4		17.67	17.3				
11	15	39725	2503.5	QPSK	50	15	0	≤ 3	23.12	22.3				
				16-QAM	50	15	≤ 1		22.18	21.3				
				64-QAM	50	15	≤ 2		21.18	20.3				
				256-QAM	50	15	≤ 4		18.98	18.3				
12	15	39725	2503.5	QPSK	1	60	0	0	26.90	26.3				
				16-QAM	1	60	≤ 1		26.18	25.3				
				64-QAM	1	60	≤ 2		25.05	24.3				
				256-QAM	1	60	≤ 4		22.35	22.3				
13	20	39750	2506	QPSK	1	0	0	≤ 5	26.92	21.3				
				16-QAM	1	0	≤ 1		26.11	20.3				
				64-QAM	1	0	≤ 2		25.00	19.3				
				256-QAM	1	0	≤ 4		21.77	17.3				
14	20	39750	2506	QPSK	20	0	0	≤ 2	24.19	23.3				
				16-QAM	20	0	≤ 1		23.21	22.3				
				64-QAM	20	0	≤ 2		22.20	21.3				
				256-QAM	20	0	≤ 4		19.67	19.3				
15	20	39750	2506	QPSK	100	0	0	≤ 4	22.17	21.3				
				16-QAM	100	0	≤ 1		21.08	20.3				
				64-QAM	100	0	≤ 2		20.16	19.3				
				256-QAM	75	21			17.87	17.3				
16	20	39750	2506	QPSK	75	24	0	≤ 3	23.04	22.3				
				16-QAM	75	24	≤ 1		22.08	21.3				
				64-QAM	75	24	≤ 2		21.07	20.3				
				256-QAM	75	24	≤ 4		18.85	18.3				
17	20	39750	2506	QPSK	1	77	0	0	26.95	26.3				
				16-QAM	1	77	≤ 1		26.17	25.3				
				64-QAM	1	77	≤ 2		24.94	24.3				
				256-QAM	1	77	≤ 4		22.31	22.3				
19	01	001	01	5	39675	2498.5	QPSK	1	0	0	0	26.51	26.3	
							16-QAM					≤ 1	25.77	25.3
							64-QAM					≤ 2	24.62	24.3
							256-QAM					≤ 4	23.01	22.3

**Table 7-3. A-MPR Conducted Power Measurements**

FCC ID: A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset	Page 238 of 348	

## 7.7 Uplink Carrier Aggregation

§22.917(a) §27.53(h)

### Test Overview

The EUT is set up to transmit two contiguous LTE channels. The power level of both carriers and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

***For Band 38/41, the minimum permissible attenuation level of any spurious emission is  $55 + 10\log_{10}(P_{[Watts]})$ .***

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 \* the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-6. Test Instrument & Measurement Setup**

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 239 of 348

### Test Notes

1. Uplink carrier aggregation is only supported in this EUT for LTE Band 5 and Band 66.
2. Conducted power and spurious emissions measurements were evaluated for the two contiguous channels using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device. The worst case (highest) powers were found while operating with QPSK modulation, as shown in Table 7-3, 7-4, 7-5, 7-6, 7-7 and 7-8 below, with both carriers set to transmit using 1RB.
3. Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

<b>FCC ID:</b> A3LSMG977T		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1M1903060032-03.A3L	<b>Test Dates:</b> 01/22 - 05/08/2019	<b>EUT Type:</b> Portable Handset	Page 240 of 348	


## Uplink CA Configuration 41C PC3

Power State	PCC							SCC							Power ULCA Tx.Power (dBm)
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	39750	2506	QPSK	1	99	LTE B41	20	39948	2525.8	QPSK	1	0	24.52
Max	LTE B41	20	40620	2593	QPSK	1	99	LTE B41	20	40818	2612.8	QPSK	1	0	24.64
Max	LTE B41	20	41490	2680	QPSK	1	0	LTE B41	20	41292	2660.2	QPSK	1	99	24.60

Table 7-4. Conducted Powers (41C PC3 – 20MHz + 20MHz - RB Size 1 - Offset 0/99)


Power State	PCC							SCC							Power ULCA Tx.Power (dBm)
	PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	SCC Band	SCC Bandwidth [MHz]	SCC (UL) Channel	SCC (UL) Frequency [MHz]	Modulation	PCC UL# RB	PCC UL RB Offset	
Max	LTE B41	20	40620	2593	QPSK	100	0	LTE B41	20	40818	2612.8	QPSK	100	0	22.31
Max	LTE B41	20	40620	2593	16-QAM	100	0	LTE B41	20	40818	2612.8	16-QAM	100	0	21.35
Max	LTE B41	20	40620	2593	64-QAM	100	0	LTE B41	20	40818	2612.8	64-QAM	100	0	21.38
Max	LTE B41	20	40620	2593	256-QAM	100	0	LTE B41	20	40818	2612.8	256-QAM	100	0	19.38

Table 7-5. Conducted Powers (41C PC3 20MHz + 20MHz Bandwidth - Additional Modulations)




Plot 7-418. Conducted Spurious Plot (Band 41C – 20.0MHz QPSK – PCC 1/99 SCC 1/0 – Mid Channel)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 241 of 348



Plot 7-419. Conducted Spurious Plot (Band 41C – 20.0MHz QPSK – PCC 1/99 SCC 1/0 – Mid Channel)



Plot 7-420. Conducted Spurious Plot (Band 41C – 20.0MHz QPSK – PCC 1/99 SCC 1/0 – Mid Channel)

FCC ID: A3LSMG977T		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1903060032-03.A3L	Test Dates: 01/22 - 05/08/2019	EUT Type: Portable Handset		Page 242 of 348