

MEASUREMENT REPORT
LTE / Sub 6GHz NR

Applicant Name:
 Samsung Electronics Co., Ltd.
 129, Samsung-ro,
 Yeongtong-gu, Suwon-si
 Gyeonggi-do, 16677, Korea


Date of Testing:
 10/22 - 1/04/2020
Test Site/Location:
 PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
 1M1910220165-03.A3L

FCC ID:	A3LSMG981U
APPLICANT:	Samsung Electronics Co., Ltd.

Application Type: Certification
Model: SM-G981U
Additional Model(s): SM-G981U1, SM-G981W, SM-G981XU
EUT Type: Portable Handset
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part(s): 22, 24, & 27
Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.


 Randy Ortanez
 President



FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 1 of 487	

T A B L E O F C O N T E N T S


1.0	INTRODUCTION	9
1.1	Scope	9
1.2	PCTEST Test Location	9
1.3	Test Facility / Accreditations	9
2.0	PRODUCT INFORMATION.....	10
2.1	Equipment Description	10
2.2	Device Capabilities.....	10
2.3	Test Configuration.....	11
2.4	EMI Suppression Device(s)/Modifications	11
3.0	DESCRIPTION OF TESTS	12
3.1	Measurement Procedure	12
3.2	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS	16
7.1	Summary	16
7.2	Occupied Bandwidth	19
7.3	Spurious and Harmonic Emissions at Antenna Terminal	102
7.4	Band Edge Emissions at Antenna Terminal	148
7.5	Peak-Average Ratio	223
7.6	Additional Maximum Power Reduction (A-MPR).....	248
7.7	Uplink Carrier Aggregation.....	250
7.8	Radiated Power (ERP/EIRP)	283
7.9	Radiated Spurious Emissions Measurements	295
7.10	Uplink Carrier Aggregation Radiated Measurements	316
7.11	Frequency Stability / Temperature Variation	327
7.12	Sub 6GHz NR / EN-DC Test Results.....	346
8.0	CONCLUSION.....	487

FCC ID: A3LSMG981U	 <small>ENGINEERING LABORATORY, INC.</small>	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 2 of 487	



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 71	27	665.5 - 695.5	0.077	18.85			4M56G7D	QPSK
LTE Band 71	27	665.5 - 695.5	0.066	18.21			4M55W7D	16QAM
LTE Band 71	27	665.5 - 695.5	0.051	17.11			4M54W7D	64QAM
LTE Band 71	27	665.5 - 695.5	0.025	14.00			4M54W7D	256QAM
LTE Band 71	27	668 - 693	0.076	18.79			9M05G7D	QPSK
LTE Band 71	27	668 - 693	0.069	18.38			9M03W7D	16QAM
LTE Band 71	27	668 - 693	0.052	17.15			9M03W7D	64QAM
LTE Band 71	27	668 - 693	0.024	13.87			9M01W7D	256QAM
LTE Band 71	27	670.5 - 690.5	0.077	18.87			13M6G7D	QPSK
LTE Band 71	27	670.5 - 690.5	0.067	18.28			13M5W7D	16QAM
LTE Band 71	27	670.5 - 690.5	0.054	17.33			13M5W7D	64QAM
LTE Band 71	27	670.5 - 690.5	0.024	13.86			13M5W7D	256QAM
LTE Band 71	27	673 - 688	0.075	18.74			18M0G7D	QPSK
LTE Band 71	27	673 - 688	0.063	17.99			18M1W7D	16QAM
LTE Band 71	27	673 - 688	0.049	16.93			17M9W7D	64QAM
LTE Band 71	27	673 - 688	0.022	13.35			18M0W7D	256QAM
LTE Band 12	27	699.7 - 715.3	0.080	19.01	0.131	21.16	1M10G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.070	18.43	0.114	20.58	1M10W7D	16QAM
LTE Band 12	27	699.7 - 715.3	0.052	17.17	0.086	19.32	1M10W7D	64QAM
LTE Band 12	27	699.7 - 715.3	0.026	14.20	0.043	16.35	1M09W7D	256QAM
LTE Band 12	27	700.5 - 714.5	0.082	19.15	0.135	21.30	2M70G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.072	18.57	0.118	20.72	2M72W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.054	17.31	0.088	19.46	2M71W7D	64QAM
LTE Band 12	27	700.5 - 714.5	0.027	14.34	0.045	16.49	2M71W7D	256QAM
LTE Band 12	27	701.5 - 713.5	0.080	19.05	0.132	21.20	4M51G7D	QPSK
LTE Band 12	27	701.5 - 713.5	0.070	18.47	0.115	20.62	4M49W7D	16QAM
LTE Band 12	27	701.5 - 713.5	0.053	17.21	0.086	19.36	4M53W7D	64QAM
LTE Band 12	27	701.5 - 713.5	0.027	14.24	0.044	16.39	4M49W7D	256QAM
LTE Band 12	27	704 - 711	0.097	19.86	0.159	22.01	9M00G7D	QPSK
LTE Band 12	27	704 - 711	0.068	18.32	0.111	20.47	8M97W7D	16QAM
LTE Band 12	27	704 - 711	0.052	17.18	0.086	19.33	9M01W7D	64QAM
LTE Band 12	27	704 - 711	0.024	13.89	0.040	16.04	8M96W7D	256QAM
LTE Band 13	27	779.5 - 784.5	0.072	18.55	0.117	20.70	4M51G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.061	17.87	0.100	20.02	4M50W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.047	16.70	0.077	18.85	4M53W7D	64QAM
LTE Band 13	27	779.5 - 784.5	0.023	13.61	0.038	15.76	4M50W7D	256QAM
LTE Band 13	27	782	0.060	17.76	0.098	19.91	9M01G7D	QPSK
LTE Band 13	27	782	0.052	17.14	0.085	19.29	8M93W7D	16QAM
LTE Band 13	27	782	0.040	16.04	0.066	18.19	8M95W7D	64QAM
LTE Band 13	27	782	0.020	12.94	0.032	15.09	8M95W7D	256QAM
LTE Band 26/5	22H	824.7 - 848.3	0.067	18.24	0.109	20.39	1M10G7D	QPSK
LTE Band 26/5	22H	824.7 - 848.3	0.056	17.51	0.092	19.66	1M10W7D	16QAM
LTE Band 26/5	22H	824.7 - 848.3	0.043	16.33	0.070	18.48	1M10W7D	64QAM
LTE Band 26/5	22H	824.7 - 848.3	0.021	13.18	0.034	15.33	1M10W7D	256QAM
LTE Band 26/5	22H	825.5 - 847.5	0.067	18.26	0.110	20.41	2M70G7D	QPSK
LTE Band 26/5	22H	825.5 - 847.5	0.057	17.53	0.093	19.68	2M72W7D	16QAM
LTE Band 26/5	22H	825.5 - 847.5	0.043	16.35	0.071	18.50	2M71W7D	64QAM
LTE Band 26/5	22H	825.5 - 847.5	0.021	13.20	0.034	15.35	2M71W7D	256QAM
LTE Band 26/5	22H	826.5 - 846.5	0.066	18.21	0.109	20.36	4M51G7D	QPSK
LTE Band 26/5	22H	826.5 - 846.5	0.056	17.48	0.092	19.63	4M51W7D	16QAM
LTE Band 26/5	22H	826.5 - 846.5	0.043	16.30	0.070	18.45	4M53W7D	64QAM
LTE Band 26/5	22H	826.5 - 846.5	0.021	13.15	0.034	15.30	4M51W7D	256QAM
LTE Band 26/5	22H	829 - 844	0.070	18.42	0.114	20.57	9M01G7D	QPSK
LTE Band 26/5	22H	829 - 844	0.059	17.69	0.096	19.84	8M99W7D	16QAM
LTE Band 26/5	22H	829 - 844	0.045	16.51	0.073	18.66	9M01W7D	64QAM
LTE Band 26/5	22H	829 - 844	0.022	13.36	0.036	15.51	8M98W7D	256QAM
LTE Band 26	22H	831.5 - 841.5	0.068	18.31	0.111	20.46	13M5G7D	QPSK
LTE Band 26	22H	831.5 - 841.5	0.056	17.47	0.092	19.62	13M5W7D	16QAM
LTE Band 26	22H	831.5 - 841.5	0.043	16.31	0.070	18.46	13M5W7D	64QAM
LTE Band 26	22H	831.5 - 841.5	0.019	12.87	0.032	15.02	13M5W7D	256QAM

EUT Overview (<1 GHz)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 3 of 487

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 66/4	27	1710.7 - 1779.3	0.229	23.60	1M10G7D	QPSK
LTE Band 66/4	27	1710.7 - 1779.3	0.171	22.33	1M09W7D	16QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.143	21.54	1M10W7D	64QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.066	18.22	1M10W7D	256QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.236	23.72	2M70G7D	QPSK
LTE Band 66/4	27	1711.5 - 1778.5	0.176	22.45	2M71W7D	16QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.147	21.66	2M70W7D	64QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.068	18.34	2M71W7D	256QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.230	23.61	4M51G7D	QPSK
LTE Band 66/4	27	1712.5 - 1777.5	0.171	22.34	4M51W7D	16QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.143	21.55	4M52W7D	64QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.067	18.23	4M51W7D	256QAM
LTE Band 66/4	27	1715 - 1775	0.226	23.55	9M01G7D	QPSK
LTE Band 66/4	27	1715 - 1775	0.169	22.28	8M98W7D	16QAM
LTE Band 66/4	27	1715 - 1775	0.141	21.49	9M00W7D	64QAM
LTE Band 66/4	27	1715 - 1775	0.066	18.17	8M98W7D	256QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.245	23.89	13M5G7D	QPSK
LTE Band 66/4	27	1717.5 - 1772.5	0.183	22.62	13M5W7D	16QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.152	21.83	13M5W7D	64QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.071	18.51	13M5W7D	256QAM
LTE Band 66/4	27	1720 - 1770	0.247	23.92	18M0G7D	QPSK
LTE Band 66/4	27	1720 - 1770	0.194	22.89	18M0W7D	16QAM
LTE Band 66/4	27	1720 - 1770	0.147	21.66	17M9W7D	64QAM
LTE Band 66/4	27	1720 - 1770	0.072	18.58	18M0W7D	256QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.293	24.67	1M10G7D	QPSK
LTE Band 25/2	24E	1850.7 - 1914.3	0.255	24.06	1M11W7D	16QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.201	23.03	1M10W7D	64QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.096	19.84	1M09W7D	256QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.294	24.69	2M72G7D	QPSK
LTE Band 25/2	24E	1851.5 - 1913.5	0.256	24.08	2M72W7D	16QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.202	23.05	2M71W7D	64QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.097	19.86	2M71W7D	256QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.294	24.69	4M53G7D	QPSK
LTE Band 25/2	24E	1852.5 - 1912.5	0.103	20.13	4M52W7D	16QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.081	19.10	4M53W7D	64QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.039	15.91	4M51W7D	256QAM
LTE Band 25/2	24E	1855 - 1910	0.293	24.67	9M02G7D	QPSK
LTE Band 25/2	24E	1855 - 1910	0.255	24.06	9M03W7D	16QAM
LTE Band 25/2	24E	1855 - 1910	0.201	23.03	9M01W7D	64QAM
LTE Band 25/2	24E	1855 - 1910	0.096	19.84	8M97W7D	256QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.294	24.68	13M5G7D	QPSK
LTE Band 25/2	24E	1857.5 - 1907.5	0.255	24.07	13M5W7D	16QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.201	23.04	13M5W7D	64QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.097	19.85	13M5W7D	256QAM
LTE Band 25/2	24E	1860 - 1905	0.283	24.52	18M0G7D	QPSK
LTE Band 25/2	24E	1860 - 1905	0.246	23.91	17M9W7D	16QAM
LTE Band 25/2	24E	1860 - 1905	0.194	22.88	17M9W7D	64QAM
LTE Band 25/2	24E	1860 - 1905	0.093	19.69	18M0W7D	256QAM

EUT Overview (Mid Bands)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 4 of 487	

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 30	27	2307.5 - 2312.5	0.187	22.72	4M51G7D	QPSK
LTE Band 30	27	2307.5 - 2312.5	0.156	21.92	4M52W7D	16QAM
LTE Band 30	27	2307.5 - 2312.5	0.125	20.97	4M53W7D	64QAM
LTE Band 30	27	2307.5 - 2312.5	0.082	19.14	4M50W7D	256QAM
LTE Band 30	27	2310	0.181	22.58	9M00G7D	QPSK
LTE Band 30	27	2310	0.151	21.78	8M97W7D	16QAM
LTE Band 30	27	2310	0.121	20.83	8M99W7D	64QAM
LTE Band 30	27	2310	0.095	19.80	8M98W7D	256QAM
LTE Band 7	27	2502.5 - 2567.5	0.211	23.24	4M53G7D	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.205	23.11	4M51W7D	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.164	22.15	4M53W7D	64QAM
LTE Band 7	27	2502.5 - 2567.5	0.075	18.73	4M50W7D	256QAM
LTE Band 7	27	2505 - 2565	0.207	23.17	9M01G7D	QPSK
LTE Band 7	27	2505 - 2565	0.201	23.04	8M98W7D	16QAM
LTE Band 7	27	2505 - 2565	0.161	22.08	9M00W7D	64QAM
LTE Band 7	27	2505 - 2565	0.073	18.66	8M99W7D	256QAM
LTE Band 7	27	2507.5 - 2562.5	0.229	23.59	13M5G7D	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.222	23.46	13M5W7D	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.178	22.50	13M5W7D	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.081	19.08	13M5W7D	256QAM
LTE Band 7	27	2510 - 2560	0.187	22.71	18M0G7D	QPSK
LTE Band 7	27	2510 - 2560	0.160	22.04	18M0W7D	16QAM
LTE Band 7	27	2510 - 2560	0.120	20.79	18M0W7D	64QAM
LTE Band 7	27	2510 - 2560	0.059	17.69	17M9W7D	256QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.340	25.32	4M51G7D	QPSK
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.202	23.05	4M51W7D	16QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.104	20.17	4M51W7D	64QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.029	14.68	4M51W7D	256QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.344	25.37	9M01G7D	QPSK
LTE Band 41 (PC2)	27	2501 - 2685	0.204	23.10	9M02W7D	16QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.105	20.22	9M00W7D	64QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.030	14.73	9M00W7D	256QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.347	25.40	13M5G7D	QPSK
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.206	23.13	13M5W7D	16QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.106	20.25	13M5W7D	64QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.030	14.76	13M5W7D	256QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.348	25.41	18M0G7D	QPSK
LTE Band 41 (PC2)	27	2506 - 2680	0.170	22.31	17M9W7D	16QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.179	22.53	18M0W7D	64QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.098	19.92	17M9W7D	256QAM
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.205	23.12	4M52G7D	QPSK
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.156	21.92	4M51W7D	16QAM
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.141	21.50	4M53W7D	64QAM
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.060	17.78	4M49W7D	256QAM
LTE Band 41 (PC3)	27	2501 - 2685	0.205	23.12	9M00G7D	QPSK
LTE Band 41 (PC3)	27	2501 - 2685	0.156	21.92	9M07W7D	16QAM
LTE Band 41 (PC3)	27	2501 - 2685	0.141	21.50	9M01W7D	64QAM
LTE Band 41 (PC3)	27	2501 - 2685	0.060	17.78	9M13W7D	256QAM
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.213	23.28	13M6G7D	QPSK
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.161	22.08	13M5W7D	16QAM
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.147	21.66	13M5W7D	64QAM
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.062	17.94	13M5W7D	256QAM
LTE Band 41 (PC3)	27	2506 - 2680	0.208	23.18	17M9G7D	QPSK
LTE Band 41 (PC3)	27	2506 - 2680	0.158	21.98	17M9W7D	16QAM
LTE Band 41 (PC3)	27	2506 - 2680	0.143	21.56	17M9W7D	64QAM
LTE Band 41 (PC3)	27	2506 - 2680	0.061	17.84	17M9W7D	256QAM

EUT Overview (High Bands)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 5 of 487

Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
n71	27	665.5 - 695.5	0.045	16.55			4M54G7D	QPSK
n71	27	665.5 - 695.5	0.034	15.32			4M51W7D	16QAM
n71	27	665.5 - 695.5	0.022	13.42			4M55W7D	64QAM
n71	27	665.5 - 695.5	0.016	12.05			4M53W7D	256QAM
n71	27	668 - 693	0.043	16.31			9M38G7D	QPSK
n71	27	668 - 693	0.032	15.08			9M38W7D	16QAM
n71	27	668 - 693	0.021	13.18			9M33W7D	64QAM
n71	27	668 - 693	0.015	11.81			9M36W7D	256QAM
n71	27	670.5 - 690.5	0.043	16.38			14M2G7D	QPSK
n71	27	670.5 - 690.5	0.033	15.15			14M2W7D	16QAM
n71	27	670.5 - 690.5	0.021	13.25			14M3W7D	64QAM
n71	27	670.5 - 690.5	0.015	11.88			14M2W7D	256QAM
n71	27	673 - 688	0.045	16.55			19M0G7D	QPSK
n71	27	673 - 688	0.034	15.32			19M0W7D	16QAM
n71	27	673 - 688	0.022	13.42			19M0W7D	64QAM
n71	27	673 - 688	0.016	12.05			19M1W7D	256QAM
n5	22H	826.5 - 846.5	0.062	17.93	0.102	20.08	4M52G7D	QPSK
n5	22H	826.5 - 846.5	0.049	16.90	0.080	19.05	4M51W7D	16QAM
n5	22H	826.5 - 846.5	0.035	15.49	0.058	17.64	4M53W7D	64QAM
n5	22H	826.5 - 846.5	0.025	14.00	0.041	16.15	4M50W7D	256QAM
n5	22H	829 - 844	0.061	17.87	0.100	20.02	9M44G7D	QPSK
n5	22H	829 - 844	0.048	16.84	0.079	18.99	9M44W7D	16QAM
n5	22H	829 - 844	0.035	15.43	0.057	17.58	9M46W7D	64QAM
n5	22H	829 - 844	0.025	13.94	0.041	16.09	9M38W7D	256QAM
n5	22H	831.5 - 841.5	0.062	17.89	0.101	20.04	14M2G7D	QPSK
n5	22H	831.5 - 841.5	0.049	16.91	0.081	19.06	14M2W7D	16QAM
n5	22H	831.5 - 841.5	0.035	15.48	0.058	17.63	14M2W7D	64QAM
n5	22H	831.5 - 841.5	0.024	13.84	0.040	15.99	14M2W7D	256QAM
n5	22H	834 - 839	0.063	18.02	0.104	20.17	19M0G7D	QPSK
n5	22H	834 - 839	0.050	16.99	0.082	19.14	18M9W7D	16QAM
n5	22H	834 - 839	0.036	15.58	0.059	17.73	19M0W7D	64QAM
n5	22H	834 - 839	0.026	14.09	0.042	16.24	19M0W7D	256QAM

EUT Sub 6GHz NR Overview (<1 GHz)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 6 of 487	

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
n66	27	1712.5 - 1777.5	0.247	23.92	4M52G7D	QPSK
n66	27	1712.5 - 1777.5	0.192	22.84	4M52W7D	16QAM
n66	27	1712.5 - 1777.5	0.125	20.98	4M51W7D	64QAM
n66	27	1712.5 - 1777.5	0.095	19.77	4M54W7D	256QAM
n66	27	1715 - 1775	0.247	23.92	8M99G7D	QPSK
n66	27	1715 - 1775	0.192	22.84	8M97W7D	16QAM
n66	27	1715 - 1775	0.125	20.98	8M94W7D	64QAM
n66	27	1715 - 1775	0.095	19.77	8M99W7D	256QAM
n66	27	1717.5 - 1772.5	0.210	23.23	13M5G7D	QPSK
n66	27	1717.5 - 1772.5	0.172	22.36	13M5W7D	16QAM
n66	27	1717.5 - 1772.5	0.117	20.70	13M5W7D	64QAM
n66	27	1717.5 - 1772.5	0.084	19.23	13M5W7D	256QAM
n66	27	1720 - 1770	0.292	24.66	17M9G7D	QPSK
n66	27	1720 - 1770	0.223	23.49	17M9W7D	16QAM
n66	27	1720 - 1770	0.138	21.39	18M0W7D	64QAM
n66	27	1720 - 1770	0.110	20.40	18M0W7D	256QAM
n2	24E	1852.5 - 1907.5	0.156	21.93	4M56G7D	QPSK
n2	24E	1852.5 - 1907.5	0.122	20.86	4M54W7D	16QAM
n2	24E	1852.5 - 1907.5	0.077	18.88	4M53W7D	64QAM
n2	24E	1852.5 - 1907.5	0.066	18.20	4M51W7D	256QAM
n2	24E	1855 - 1905	0.153	21.84	9M00G7D	QPSK
n2	24E	1855 - 1905	0.119	20.77	9M02W7D	16QAM
n2	24E	1855 - 1905	0.076	18.79	8M99W7D	64QAM
n2	24E	1855 - 1905	0.065	18.11	8M94W7D	256QAM
n2	24E	1857.5 - 1902.5	0.160	22.03	13M5G7D	QPSK
n2	24E	1857.5 - 1902.5	0.125	20.96	13M5W7D	16QAM
n2	24E	1857.5 - 1902.5	0.079	18.98	13M5W7D	64QAM
n2	24E	1857.5 - 1902.5	0.068	18.30	13M5W7D	256QAM
n2	24E	1860 - 1900	0.159	22.02	18M0G7D	QPSK
n2	24E	1860 - 1900	0.124	20.95	17M9W7D	16QAM
n2	24E	1860 - 1900	0.079	18.97	18M0W7D	64QAM
n2	24E	1860 - 1900	0.067	18.29	18M0W7D	256QAM

EUT SUB 6GHZ NR Overview (Mid Bands)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 7 of 487	

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
n41	27	2506.02 - 2679.99	0.200	23.02	17M9G7D	QPSK
n41	27	2506.02 - 2679.99	0.179	22.52	18M1W7D	16QAM
n41	27	2506.02 - 2679.99	0.097	19.88	18M0W7D	64QAM
n41	27	2506.02 - 2679.99	0.051	17.08	18M0W7D	256QAM
n41	27	2516.01 - 2670	0.237	23.75	35M7G7D	QPSK
n41	27	2516.01 - 2670	0.211	23.25	35M8W7D	16QAM
n41	27	2516.01 - 2670	0.115	20.61	35M7W7D	64QAM
n41	27	2516.01 - 2670	0.060	17.81	35M8W7D	256QAM
n41	27	2521.02 - 2664.99	0.200	23.02	45M9G7D	QPSK
n41	27	2521.02 - 2664.99	0.179	22.52	45M8W7D	16QAM
n41	27	2521.02 - 2664.99	0.097	19.88	45M8W7D	64QAM
n41	27	2521.02 - 2664.99	0.051	17.08	45M8W7D	256QAM
n41	27	2526 - 2659.98	0.200	23.00	58M0G7D	QPSK
n41	27	2526 - 2659.98	0.178	22.50	58M0W7D	16QAM
n41	27	2526 - 2659.98	0.097	19.86	58M2W7D	64QAM
n41	27	2526 - 2659.98	0.051	17.06	58M1W7D	256QAM
n41	27	2536 - 2650	0.141	21.49	77M3G7D	QPSK
n41	27	2536 - 2650	0.112	20.50	77M3W7D	16QAM
n41	27	2536 - 2650	0.089	19.51	77M4W7D	64QAM
n41	27	2536 - 2650	0.065	18.15	77M3W7D	256QAM
n41	27	2541 - 2644.98	0.200	23.02	85M8G7D	QPSK
n41	27	2541 - 2644.98	0.179	22.52	86M0W7D	16QAM
n41	27	2541 - 2644.98	0.097	19.88	86M0W7D	64QAM
n41	27	2541 - 2644.98	0.051	17.08	85M7W7D	256QAM
n41	27	2546.01 - 2640	0.188	22.75	96M9G7D	QPSK
n41	27	2546.01 - 2640	0.168	22.25	96M8W7D	16QAM
n41	27	2546.01 - 2640	0.091	19.61	96M9W7D	64QAM
n41	27	2546.01 - 2640	0.048	16.81	96M8W7D	256QAM

EUT SUB 6GHZ NR Overview (High Bands)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 8 of 487	

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 9 of 487	

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMG981U**. The test data contained in this report pertains only to the emissions due to the EUT's LTE and Sub6 NR functions.

Test Device Serial No.: 1022M, 1011M, 1070M, 0098S, 0460M, 0939M, 1026M, 1024M, 1027M, 1072M, 5598M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 CDMA (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (n71, n5, n66, n2, n41), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII, Bluetooth (1x, EDR, LE), NFC, ANT+, Wireless Power Transfer

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

Sub 6GHz NR Band n71 (663 – 698 MHz) operates using 15kHz Subcarrier Spacing with both CP-OFDM and DFT-s OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configuration.

Sub 6GHz NR Band n5 (824 – 849 MHz) operates using 15kHz Subcarrier Spacing with both CP-OFDM and DFT-s OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configuration.

Sub 6GHz NR Band n66 (1710 – 1780 MHz) operates using 15kHz Subcarrier Spacing with both CP-OFDM and DFT-s OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configurations.

Sub 6GHz NR Band n2 (1850 – 1910 MHz) operates using 15kHz Subcarrier Spacing with both CP-OFDM and DFT-s OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configurations.

Sub 6GHz NR Band n41 (2496 – 2690 MHz) operates using 30kHz Subcarrier Spacing with both CP-OFDM and DFT-s OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configurations.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 10 of 487	

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

The device was operated using FTM test software to broadcast Sub 6GHz functions as well as LTE during EN-DC operations.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 11 of 487

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer “Channel Power” function with the integration band set to the emissions’ occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10 \log_{10}(\text{Power}_{\text{[Watts]}})$. For Band 7 and 41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10 \log_{10}(\text{Power}_{\text{[Watts]}})$. For Band 30 and 48, the calculated P_d levels are compared to the absolute spurious emission limit of -40dBm which is equivalent to the required minimum attenuation of $70 + 10 \log_{10}(\text{Power}_{\text{[Watts]}})$.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 12 of 487	

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 13 of 487	

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx1	Licensed Transmitter Cable Set	6/4/2019	Annual	6/4/2020	LTx1
-	LTx3	Licensed Transmitter Cable Set	6/3/2019	Annual	6/3/2020	LTx3
-	LTx4	Licensed Transmitter Cable Set	6/4/2019	Annual	6/4/2020	LTx4
-	LTx5	Licensed Transmitter Cable Set	6/5/2019	Annual	6/5/2020	LTx5
Agilent	N9020A	MXA Signal Analyzer	4/20/2019	Annual	4/20/2020	US46470561
Agilent	N9038A	MXE EMI Receiver	7/17/2019	Annual	7/17/2020	MY51210133
Agilent	N9030A	PXA Signal Analyzer (44GHz)	6/12/2019	Annual	6/12/2020	MY52350166
Com-Power	PAM-103	Pre-Amplifier (1-1000MHz)	5/10/2019	Annual	5/10/2020	441112
Emco	3115	Horn Antenna (1-18GHz)	3/28/2018	Biennial	3/28/2020	9704-5182
EMCO	3160-09	Small Horn (18 - 26.5GHz)	8/9/2018	Biennial	8/9/2020	135427
ETS Lindgren	3117	1-18 GHz DRG Horn (Medium)	2/14/2019	Biennial	2/14/2021	125518
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/28/2018	Biennial	3/28/2020	128337
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	2/22/2019	Biennial	2/22/2021	128338
Mini Circuits	TVA-11-422	RF Power Amp	N/A			QA1317001
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	4/19/2019	Annual	4/19/2020	11401010036
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11208010032
Mini-Circuits	PWR-SEN-4RMS	USB Power Sensor	4/20/2019	Annual	4/20/2020	11210140001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11403100002
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			100976
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			102060
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	6/5/2019	Annual	6/5/2020	100342
Schwarzbeck	UHA 9105	Dipole Antenna (400 - 1GHz) Rx	4/30/2018	Biennial	4/30/2020	9105-2404
Schwarzbeck	UHA 9105	Dipole Antenna (400 - 1GHz) Tx	4/30/2018	Biennial	4/30/2020	9105-2403
Seekonk	NC-100	Torque Wrench (8" lb)	5/10/2018	Biennial	5/10/2020	N/A
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	4/19/2018	Biennial	4/19/2020	A051107

Table 5-1. Test Equipment

Notes:

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 14 of 487	

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz
 G = Phase Modulation
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz
 W = Amplitude/Angle Modulated
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

FCC ID: A3LSMG981U	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 15 of 487

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMG981U
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE / Sub 6GHz NR

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2, 7.12
2.1051 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	$> 43 + 10 \log_{10}(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions			Section 7.3, 7.4, 7.12
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4, 7.12
27.53(a)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(a)			Section 7.3, 7.4, 7.12
24.232(d) 27.50(d)	Peak-Average Ratio	< 13 dB			Section 7.5, 7.12
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1046	Additional Maximum Power Reduction (AMPR)	N/A			Section 7.6
22.917(a) 27.53(h) 27.53(m)	Uplink Carrier Aggregation	$> 43 + 10 \log(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions			Section 7.7
2.1055 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 7.11 7.12

Table 7-1. Summary of Conducted Test Results

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 16 of 487	

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 5/26)	< 7 Watts max. ERP	RADIATED	PASS	Section 7.6, 7.12
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12, 13)	< 3 Watts max. ERP			Section 7.6, 7.12
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2/25, 7, 41/38)	< 2 Watts max. EIRP			Section 7.6, 7.12
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4/66)	< 1 Watts max. EIRP			Section 7.6, 7.12
27.50(a)(3)	Equivalent Isotropic Radiated Power (Band 30)	< 0.25 Watts max. EIRP			Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions (Band 12, 13, 26/5, 66/4, 25/2)	> 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions			Section 7.9, 7.12
96.41(e)	Undesirable Emissions	-40 dBm/MHz			Section 7.12
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.9
27.53(a)	Undesirable Emissions (Band 30)	> 70 + 10 log ₁₀ (P[Watts])			Section 7.9
27.53(m)	Undesirable Emissions (Band 7, 41/38)	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.9 7.12
27.53(m) 27.53(c) 27.53(g)	Uplink Carrier Aggregation	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.10

Table 7-2. Summary of Radiated Test Results

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 17 of 487	

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 5.3.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset	Page 18 of 487	

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer’s automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 19 of 487

Band 71




Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 20 of 487




Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (Band 71 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 21 of 487




Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 22 of 487




Plot 7-7. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 71 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 23 of 487




Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 24 of 487




Plot 7-11. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (Band 71 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 25 of 487




Plot 7-13. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 26 of 487




Plot 7-15. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (Band 71 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 27 of 487

Band 12




Plot 7-17. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 28 of 487




Plot 7-19. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (Band 12 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 29 of 487




Plot 7-21. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-22. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 30 of 487




Plot 7-23. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-24. Occupied Bandwidth Plot (Band 12 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 31 of 487




Plot 7-25. Occupied Bandwidth Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-26. Occupied Bandwidth Plot (Band 12 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 32 of 487




Plot 7-27. Occupied Bandwidth Plot (Band 12 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-28. Occupied Bandwidth Plot (Band 12 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 33 of 487




Plot 7-29. Occupied Bandwidth Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-30. Occupied Bandwidth Plot (Band 12 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 34 of 487



Plot 7-31. Occupied Bandwidth Plot (Band 12 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 12 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 35 of 487

Band 13




Plot 7-33. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 36 of 487




Plot 7-35. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 13 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 37 of 487




Plot 7-37. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-38. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 38 of 487




Plot 7-39. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-40. Occupied Bandwidth Plot (Band 13 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 39 of 487

Band 26/5




Plot 7-41. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 40 of 487




Plot 7-43. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-44. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 41 of 487




Plot 7-45. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-46. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 42 of 487




Plot 7-47. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-48. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 43 of 487




Plot 7-49. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-50. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 44 of 487




Plot 7-51. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-52. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 45 of 487




Plot 7-53. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-54. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 46 of 487




Plot 7-55. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-56. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 47 of 487




Plot 7-57. Occupied Bandwidth Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-58. Occupied Bandwidth Plot (Band 26 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 48 of 487




Plot 7-59. Occupied Bandwidth Plot (Band 26 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-60. Occupied Bandwidth Plot (Band 26 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 49 of 487

Band 66/4




Plot 7-61. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-62. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 50 of 487




Plot 7-63. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-64. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 51 of 487




Plot 7-65. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-66. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 52 of 487




Plot 7-67. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)




Plot 7-68. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 53 of 487




Plot 7-69. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-70. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 54 of 487




Plot 7-71. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-72. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 55 of 487




Plot 7-73. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-74. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 56 of 487




Plot 7-75. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)




Plot 7-76. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 57 of 487




Plot 7-77. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-78. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 58 of 487




Plot 7-79. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-80. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 59 of 487



Plot 7-81. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-82. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 60 of 487




Plot 7-83. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)




Plot 7-84. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 61 of 487

Band 25/2




Plot 7-85. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-86. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 62 of 487




Plot 7-87. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-88. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 63 of 487



Plot 7-89. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-90. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG981U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1910220165-03.A3L	Test Dates: 10/22 - 1/04/2020	EUT Type: Portable Handset		Page 64 of 487