

Plot 7-89. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-90. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 64 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 64 of 495





Plot 7-91. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)



Plot 7-92. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 65 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 65 of 495





Plot 7-93. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-94. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 66 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	rage of 01 495





Plot 7-95. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-96. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 67 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 67 of 495





Plot 7-97. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-98. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 68 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 00 01 495





Plot 7-99. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-100. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 60 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 69 of 495






Plot 7-101. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-102. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 70 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 70 of 495






Plot 7-103. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-104. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 74 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 71 of 495






Plot 7-105. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-106. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 72 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 72 of 495





Plot 7-107. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 64-QAM - Full RB Configuration)



Plot 7-108. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 72 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 73 of 495



## Band 30



Plot 7-109. Occupied Bandwidth Plot (Band 30 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-110. Occupied Bandwidth Plot (Band 30 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 74 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 74 of 495





Plot 7-111. Occupied Bandwidth Plot (Band 30 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-112. Occupied Bandwidth Plot (Band 30 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INCIDENCE LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 75 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 75 of 495

© 2020 PCTEST Engineering Laboratory, Inc.





Plot 7-113. Occupied Bandwidth Plot (Band 30 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-114. Occupied Bandwidth Plot (Band 30 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 76 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 76 of 495





Plot 7-115. Occupied Bandwidth Plot (Band 30 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-116. Occupied Bandwidth Plot (Band 30 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 77 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 77 of 495



## Band 7



Plot 7-117. Occupied Bandwidth Plot (Band 7 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-118. Occupied Bandwidth Plot (Band 7 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 79 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 78 of 495





Plot 7-119. Occupied Bandwidth Plot (Band 7 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-120. Occupied Bandwidth Plot (Band 7 - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 70 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 79 of 495

© 2020 PCTEST Engineering Laboratory, Inc.





Plot 7-121. Occupied Bandwidth Plot (Band 7 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-122. Occupied Bandwidth Plot (Band 7 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 80 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	rage ou of 495





Plot 7-123. Occupied Bandwidth Plot (Band 7 - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-124. Occupied Bandwidth Plot (Band 7 - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 91 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 81 of 495





Plot 7-125. Occupied Bandwidth Plot (Band 7 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-126. Occupied Bandwidth Plot (Band 7 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 82 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 62 01 495





Plot 7-127. Occupied Bandwidth Plot (Band 7 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-128. Occupied Bandwidth Plot (Band 7 - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 92 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 83 of 495





Plot 7-129. Occupied Bandwidth Plot (Band 7 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-130. Occupied Bandwidth Plot (Band 7 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 04 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 84 of 495

© 2020 PCTEST Engineering Laboratory, Inc.





Plot 7-131. Occupied Bandwidth Plot (Band 7 - 20.0MHz 64-QAM - Full RB Configuration)



Plot 7-132. Occupied Bandwidth Plot (Band 7 - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 85 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 65 01 495



## Band 41 (PC2)



Plot 7-133. Occupied Bandwidth Plot (Band 41 (PC2) - 5.0MHz QPSK - Full RB Configuration)



Plot 7-134. Occupied Bandwidth Plot (Band 41 (PC2) - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 86 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	rage of 01 495





Plot 7-135. Occupied Bandwidth Plot (Band 41 (PC2) - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-136. Occupied Bandwidth Plot (Band 41 (PC2) - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 97 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 87 of 495





Plot 7-137. Occupied Bandwidth Plot (Band 41 (PC2) - 10.0MHz QPSK - Full RB Configuration)



Plot 7-138. Occupied Bandwidth Plot (Band 41 (PC2) - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 99 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 88 of 495





Plot 7-139. Occupied Bandwidth Plot (Band 41 (PC2) - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-140. Occupied Bandwidth Plot (Band 41 (PC2) - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 89 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 09 01 495





Plot 7-141. Occupied Bandwidth Plot (Band 41 (PC2) - 15.0MHz QPSK - Full RB Configuration)




Plot 7-142. Occupied Bandwidth Plot (Band 41 (PC2) - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 00 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 90 of 495





Plot 7-143. Occupied Bandwidth Plot (Band 41 (PC2) - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-144. Occupied Bandwidth Plot (Band 41 (PC2) - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 01 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 91 of 495





Plot 7-145. Occupied Bandwidth Plot (Band 41 (PC2) - 20.0MHz QPSK - Full RB Configuration)




Plot 7-146. Occupied Bandwidth Plot (Band 41 (PC2) - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 02 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 92 of 495





Plot 7-147. Occupied Bandwidth Plot (Band 41 (PC2) - 20.0MHz 64-QAM - Full RB Configuration)



Plot 7-148. Occupied Bandwidth Plot (Band 41 (PC2) - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 02 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 93 of 495



## Band 41 (PC3)



Plot 7-149. Occupied Bandwidth Plot (Band 41 (PC3) - 5.0MHz QPSK - Full RB Configuration)




Plot 7-150. Occupied Bandwidth Plot (Band 41 (PC3) - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 04 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 94 of 495





Plot 7-151. Occupied Bandwidth Plot (Band 41 (PC3) - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-152. Occupied Bandwidth Plot (Band 41 (PC3) - 5.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo OF of 40F
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 95 of 495





Plot 7-153. Occupied Bandwidth Plot (Band 41 (PC3) - 10.0MHz QPSK - Full RB Configuration)



Plot 7-154. Occupied Bandwidth Plot (Band 41 (PC3) - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST HAIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 06 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 96 of 495





Plot 7-155. Occupied Bandwidth Plot (Band 41 (PC3) - 10.0MHz 64-QAM - Full RB Configuration)



Plot 7-156. Occupied Bandwidth Plot (Band 41 (PC3) - 10.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 07 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 97 of 495






Plot 7-157. Occupied Bandwidth Plot (Band 41 (PC3) - 15.0MHz QPSK - Full RB Configuration)




Plot 7-158. Occupied Bandwidth Plot (Band 41 (PC3) - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 09 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 98 of 495





Plot 7-159. Occupied Bandwidth Plot (Band 41 (PC3) - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-160. Occupied Bandwidth Plot (Band 41 (PC3) - 15.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 00 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 99 of 495





Plot 7-161. Occupied Bandwidth Plot (Band 41 (PC3) - 20.0MHz QPSK - Full RB Configuration)



Plot 7-162. Occupied Bandwidth Plot (Band 41 (PC3) - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 100 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 100 01 495





Plot 7-163. Occupied Bandwidth Plot (Band 41 (PC3) - 20.0MHz 64-QAM - Full RB Configuration)



Plot 7-164. Occupied Bandwidth Plot (Band 41 (PC3) - 20.0MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 101 of 105
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 101 of 495



## 7.3 Spurious and Harmonic Emissions at Antenna Terminal

## **Test Overview**

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10  $log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.

For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is  $70 + 10 \log_{10}(P_{[Watts]})$ .

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is 55 + 10  $log_{10}(P_{[Watts]})$ .

### **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 6.0

## **Test Settings**

- 1. Start frequency was set to 30MHz and stop frequency was set to at least 10 \* the fundamental frequency (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

## **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup


## **Test Notes**

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 102 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 102 of 495



### Band 71



Plot 7-165. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-166. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 103 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 103 01 493






Plot 7-167. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-168. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 104 of 105
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 104 of 495






Plot 7-169. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-170. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PETEST INCIDENCE LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 105 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 105 01 495






Plot 7-171. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-172. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 100 of 105
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 106 of 495






Plot 7-173. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 107 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 107 of 495



### Band 12



Plot 7-174. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-175. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 109 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 108 of 495





Plot 7-176. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-177. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 100 of 105
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 109 of 495

© 2020 PCTEST Engineering Laboratory, Inc.






Plot 7-178. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-179. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PETEST INC. INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 110 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 110 of 495





Plot 7-180. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-181. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMG986U	PETEST INCIDENCE LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 111 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 111 of 495






Plot 7-182. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 112 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 112 of 495



#### Band 13



Plot 7-183. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-184. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)

FCC ID: A3LSMG986U	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 113 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 113 01 493






Plot 7-185. Conducted Spurious Plot (Band 13 - 10.0MHz QPSK - RB Size 1, RB Offset 0)


FCC ID: A3LSMG986U	PETEST INCIDENCE LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 114 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 114 of 495



# **Band 26/5**



Plot 7-186. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-187. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 115 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Fage 115 01 495






Plot 7-188. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-189. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 116 of 495
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Fage 116 01 495





Plot 7-190. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-191. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG986U	PETEST HOIMELRING LABORATORS, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 117 of 405
1M1910220166-03.A3L	10/11 - 01/09/2020	Portable Handset	Page 117 of 495