



**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA  
Tel. +82 31 634 6300 Fax. +82 31 645 6401

<h1 style="margin: 0;">Appendix A:</h1> <h2 style="margin: 0;">Test Setup</h2> <h3 style="margin: 0;">Photo</h3>	<p>FCC ID A3LSMG990B</p> <p>File No.  HCT-RF-2106-FC018-P      HCT-RF-2106-FC019-P  HCT-RF-2106-FC020-P      HCT-RF-2106-FC021-P  HCT-RF-2106-FC022-P      HCT-RF-2106-FC023-P  HCT-RF-2106-FC024-P      HCT-RF-2106-FC025-P  HCT-RF-2106-FC026-P</p>
--	---

**REVISION HISTORY**


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	June 14, 2021	Initial Release


File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

### 1. Radiated Test Setup Photo


#### Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	







File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

NFC Radiated Test Setup Photo for below 30 MHz:



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	





File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	


NFC Radiated Test Setup Photo for 30 MHz ~ 1 GHz :




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	





File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

WPT Radiated Test Setup Photo for below 30 MHz:

(Position: Aligned)



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

(Position: Cross)




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

WPT Radiated Test Setup Photo for 30 MHz ~ 1 GHz :

(Position: Aligned)



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

(Position: Cross)




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	






File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

## 2. Conducted Test Setup Photo



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

### 3. DFS Test Setup Photo




File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

#### 4. AC Power Line Conducted Test Setup Photo



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

WPT(Position: Aligned)



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	

WPT(Position: Cross)



File No.	HCT-RF-2106-FC018-P	HCT-RF-2106-FC019-P	HCT-RF-2106-FC020-P	HCT-RF-2106-FC021-P	HCT-RF-2106-FC022-P
	HCT-RF-2106-FC023-P	HCT-RF-2106-FC024-P	HCT-RF-2106-FC025-P	HCT-RF-2106-FC026-P	