



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

<h1 style="margin: 0;">Appendix A:</h1> <h2 style="margin: 0;">Test Setup</h2> <h3 style="margin: 0;">Photo</h3>	<p>FCC ID A3LSMG990B2</p> <p>File No. HCT-RF-2206-FC007-P HCT-RF-2206-FC008-P HCT-RF-2206-FC009-P HCT-RF-2206-FC010-P HCT-RF-2206-FC011-P HCT-RF-2206-FC012-P HCT-RF-2206-FC013-P HCT-RF-2206-FC014-P HCT-RF-2206-FC015-P</p>
--	--

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	June 17, 2022	Initial Release

File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

1. Radiated Test Setup Photo


Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	


NFC Radiated Test Setup Photo for below 30 MHz:




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	


NFC Radiated Test Setup Photo for 30 MHz ~ 1 GHz :




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	


WPT Radiated Test Setup Photo for 30 MHz ~ 1 GHz :




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	


WPT Radiated Test Setup Photo for below 30 MHz:



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	




File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

4. AC Power Line Conducted Test Setup Photo



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

WPT Aligned



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	

WPT Cross



File No.	HCT-RF-2206-FC007-P	HCT-RF-2206-FC008-P	HCT-RF-2206-FC009-P	HCT-RF-2206-FC010-P	HCT-RF-2206-FC011-P
	HCT-RF-2206-FC012-P	HCT-RF-2206-FC013-P	HCT-RF-2206-FC014-P	HCT-RF-2206-FC015-P	