



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

<h1 style="margin: 0;">Appendix A:</h1> <h2 style="margin: 0;">Test Setup</h2> <h3 style="margin: 0;">Photo</h3>	<p>FCC ID A3LSMG990U</p> <p>File No. HCT-RF-2105-FC033-P HCT-RF-2105-FC034-P HCT-RF-2105-FC035-P HCT-RF-2105-FC036-P HCT-RF-2105-FC037-P HCT-RF-2105-FC038-P HCT-RF-2105-FC039-P HCT-RF-2105-FC040-P HCT-RF-2105-FC041-P</p>
--	---

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	May 26, 2021	Initial Release

File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

1. Radiated Test Setup Photo

Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	


NFC Radiated Test Setup Photo for below 30 MHz:




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	


NFC Radiated Test Setup Photo for 30 MHz ~ 1 GHz :



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

WPT Radiated Test Setup Photo for below 30 MHz:

Phone to Clock(Position: Alignment)




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

Phone to Clock(Position: Cross)



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

WPT Radiated Test Setup Photo for 30 MHz ~ 1 GHz :

Phone to Phone(Position: Alignment)




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

Phone to Phone(Position: Cross)



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	




File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

4. AC Power Line Conducted Test Setup Photo



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

Phone to Clock(Position: Cross)



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	

Phone to Phone(Position: Cross)



File No.	HCT-RF-2105-FC033-P	HCT-RF-2105-FC034-P	HCT-RF-2105-FC035-P	HCT-RF-2105-FC036-P	HCT-RF-2105-FC037-P
	HCT-RF-2105-FC038-P	HCT-RF-2105-FC039-P	HCT-RF-2105-FC040-P	HCT-RF-2105-FC041-P	