



### MID CHANNEL, CH 6 RESULTS



### HORIZONTAL



### VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

### Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_0016872 4	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.87161	36.74	PK2	34.1	-27.8	0	43.04	-	-	74	-30.96	0	100	H
* 4.87117	37.47	PK2	34.1	-27.7	0	43.87	-	-	74	-30.13	0	100	V
* 7.31255	42.19	PK2	36.1	-24.6	0	53.69	-	-	74	-20.31	153	100	H
* 7.30943	28.29	MAV1	36.2	-24.7	.11	39.9	54	-14.1	-	-	153	100	H
* 7.31171	44.02	PK2	36.2	-24.6	0	55.62	-	-	74	-18.38	182	256	V
* 7.31199	29.97	MAV1	36.2	-24.6	.11	41.68	54	-12.32	-	-	182	256	V
9.74502	32.93	PK2	37.2	-20.4	0	49.73	-	-	74	-24.27	0	100	H
9.74427	32.45	PK2	37.2	-20.5	0	49.15	-	-	74	-24.85	0	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK2 - KDB558074 Method: Maximum Peak  
 MAV1 - KDB558074 Option 1 Maximum RMS Average

### HIGH CHANNEL, CH 10 RESULTS



### HORIZONTAL



### VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

### Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_0016872_4	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91033	36.79	PK2	34.1	-27.1	0	43.79	-	-	74	-30.21	0	100	H
* 4.91093	36.12	PK2	34.1	-27.1	0	43.12	-	-	74	-30.88	0	100	V
* 7.37221	40.11	PK2	36.1	-24	0	52.21	-	-	74	-21.79	134	100	H
* 7.36959	26.86	MAV1	36.1	-24.1	.11	38.97	54	-15.03	-	-	134	100	H
* 7.36713	44.24	PK2	36.1	-24.1	0	56.24	-	-	74	-17.76	182	253	V
* 7.37213	30.84	MAV1	36.1	-24	.11	43.05	54	-10.95	-	-	182	253	V
9.83105	32.5	PK2	37.3	-21	0	48.8	-	-	74	-25.2	0	100	H
9.83261	32.52	PK2	37.3	-20.9	0	48.92	-	-	74	-25.08	0	100	V


\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK2 - KDB558074 Method: Maximum Peak  
 MAV1 - KDB558074 Option 1 Maximum RMS Average

**10.1.4. TX ABOVE 1 GHz 802.11ax HE20(SU) MODE IN THE 2.4 GHz BAND**

**2TX Antenna 1 + Antenna 2**

**BANDEDGE (LOW CHANNEL, CH 1)**

**HORIZONTAL RESULT**




**Trace Markers**

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.39	51.8	PK	31.9	-20.3	0	63.4	-	-	74	-10.6	125	247	H
2	*2.38962	51.88	PK	31.9	-20.3	0	63.48	-	-	74	-10.52	125	247	H
3	*2.39	36.48	RMS	31.9	-20.3	.1	48.18	54	-5.82	-	-	125	247	H
4	*2.38996	36.51	RMS	31.9	-20.3	.1	48.21	54	-5.79	-	-	125	247	H

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK - Peak detector  
 RMS - RMS detection

### VERTICAL RESULT




#### Trace Markers

Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.309	49.88	PK	31.9	-20.3	0	61.48	-	-	74	-12.52	107	134	V
2	*2.38979	54.18	PK	31.9	-20.3	0	65.78	-	-	74	-8.22	107	134	V
3	*2.39	36.02	RMS	31.9	-20.3	-1	47.72	54	-6.28	-	-	107	134	V
4	*2.38985	36.58	RMS	31.9	-20.3	-1	48.28	54	-5.72	-	-	107	134	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector  
 RMS - RMS detection

**BANDEDGE (HIGH CHANNEL, CH 10)**

**HORIZONTAL RESULT**




**Trace Markers**

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	47.98	PK	32	-20.2	0	68.18	-	-	74	-14.22	126	378	H
2	* 2.48355	51.26	PK	32	-20.2	0	71.46	-	-	74	-10.94	126	378	H
3	* 2.48351	34.6	RMS	32	-20.2	-1	54.5	54	-7.5	-	-	126	378	H
4	* 2.48353	35.12	RMS	32	-20.2	-1	54.32	54	-6.98	-	-	126	378	H

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK - Peak detector  
 RMS - RMS detection

### VERTICAL RESULT




#### Trace Markers

Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	51.18	PK	32	-20.2	0	62.98	-	-	74	-11.02	59	109	V
2	*2.48381	51.64	PK	32	-20.2	0	63.44	-	-	74	-10.56	59	109	V
3	*2.48351	34.64	RMS	32	-20.2	.1	46.54	54	-7.46	-	-	59	109	V
4	*2.48372	34.43	RMS	32	-20.2	.1	46.33	54	-7.67	-	-	59	109	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector  
 RMS - RMS detection

**BANDEDGE (HIGH CHANNEL, CH 11)**

**HORIZONTAL RESULT**




**Trace Markers**

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	48.43	PK	32	-20.2	0	60.23	-	-	74	-13.77	162	100	H
2	* 2.4849	53.37	PK	32	-20.2	0	65.17	-	-	74	-8.83	162	100	H
3	* 2.48351	37.15	RMS	32	-20.2	-1	49.05	54	-4.95	-	-	162	100	H
4	* 2.48383	37.56	RMS	32	-20.2	-1	49.46	54	-4.54	-	-	162	100	H

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK - Peak detector  
 RMS - RMS detection

### VERTICAL RESULT



#### Trace Markers


Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	49.56	PK	32	-20.2	0	61.36	-	-	74	-12.64	74	107	V
2	*2.48373	57.03	PK	32	-20.2	0	68.83	-	-	74	-5.17	74	107	V
3	*2.48351	37.83	RMS	32	-20.2	.1	49.73	54	-4.27	-	-	74	107	V
4	*2.48409	38.05	RMS	32	-20.2	.1	49.95	54	-4.05	-	-	74	107	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector  
 RMS - RMS detection



**BANDEDGE (HIGH CHANNEL, CH 12)**

**HORIZONTAL RESULT**




**Trace Markers**

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	45.3	PK	32	-20.2	0	57.1	-	-	74	-16.9	163	100	H
2	* 2.48476	48.92	PK	32	-20.2	0	60.72	-	-	74	-13.28	163	100	H
3	* 2.48351	34.72	RMS	32	-20.2	-1	46.62	54	-7.38	-	-	163	100	H
4	* 2.48396	35.01	RMS	32	-20.2	-1	46.31	54	-7.09	-	-	163	100	H

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK - Peak detector  
 RMS - RMS detection

### VERTICAL RESULT




#### Trace Markers

Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	48.03	PK	32	-20.2	0	57.83	-	-	74	-16.17	70	106	V
2	*2.48357	49.84	PK	32	-20.2	0	61.64	-	-	74	-12.36	70	106	V
3	*2.48351	35.7	RMS	32	-20.2	.1	47.6	54	-6.4	-	-	70	106	V
4	*2.48395	36.22	RMS	32	-20.2	.1	48.12	54	-5.88	-	-	70	106	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector  
 RMS - RMS detection

**BANDEDGE (HIGH CHANNEL, CH 13)**

**HORIZONTAL RESULT**




**Trace Markers**

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	54.25	PK	32	-20.2	0	66.05	-	-	74	-7.95	132	329	H
2	* 2.48359	52.21	PK	32	-20.2	0	64.01	-	-	74	-9.99	132	329	H
3	* 2.48351	34.38	RMS	32	-20.2	-1	46.28	54	-7.72	-	-	132	329	H
4	* 2.48355	33.93	RMS	32	-20.2	-1	45.83	54	-8.17	-	-	132	329	H

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK - Peak detector  
 RMS - RMS detection

### VERTICAL RESULT




#### Trace Markers


Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	51.15	PK	32	-20.2	0	62.95	-	-	74	-11.05	58	104	V
2	*2.48359	51.4	PK	32	-20.2	0	63.2	-	-	74	-10.8	58	104	V
3	*2.48351	33.55	RMS	32	-20.2	.1	45.45	54	-8.55	-	-	58	104	V
4	*2.48355	33.53	RMS	32	-20.2	.1	45.43	54	-8.57	-	-	58	104	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector  
 RMS - RMS detection

**10.1.5. TX ABOVE 1 GHz 802.11ax HE20(RU) MODE IN THE 2.4 GHz BAND**  
**2TX Antenna 1 + Antenna 2**  
**HARMONICS AND SPURIOUS EMISSIONS**  
**LOW CHANNEL, CH 1 / 26T / RU4 RESULTS**



**HORIZONTAL**



**VERTICAL**


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

**Radiated Emissions**


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.82663	36.74	PK2	34.1	-27.9	0	42.94	-	-	74	-31.06	0	100	H
* 4.82663	36.66	PK2	34.1	-27.9	0	42.86	-	-	74	-31.14	0	100	V
7.23561	36.15	PK2	36.2	-25.1	0	47.25	-	-	74	-26.75	0	100	H
7.23825	35.2	PK2	36.2	-25	0	46.4	-	-	74	-27.6	0	100	V
9.65204	32.85	PK2	37	-20.8	0	49.05	-	-	74	-24.95	0	100	H
9.65312	32.53	PK2	37	-20.9	0	48.63	-	-	74	-25.37	0	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK2 - KDB558074 Method: Maximum Peak

### MID CHANNEL, CH 6 / 26T / RU8 RESULTS



### HORIZONTAL



### VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

### Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.87869	36.75	PK2	34.1	-27.7	0	43.15	-	-	74	-30.85	0	100	H
* 4.88419	37.06	PK2	34.1	-27.6	0	43.56	-	-	74	-30.44	0	100	V
* 7.29204	35.25	PK2	36.2	-24.8	0	46.65	-	-	74	-27.35	0	100	H
* 7.31132	35.47	PK2	36.2	-24.6	0	47.07	-	-	74	-26.93	0	100	V
9.75633	32.1	PK2	37.2	-20.4	0	48.9	-	-	74	-25.1	0	100	H
9.75509	32.89	PK2	37.2	-20.4	0	49.69	-	-	74	-24.31	0	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK2 - KDB558074 Method: Maximum Peak

### HIGH CHANNEL, CH 11 / 26T / RU4 RESULTS



### HORIZONTAL



### VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

### Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91246	36.48	PK2	34.1	-27	0	43.58	-	-	74	-30.42	0	100	H
* 4.91235	36.52	PK2	34.1	-27	0	43.62	-	-	74	-30.38	0	100	V
* 7.3722	35.41	PK2	36.1	-24	0	47.51	-	-	74	-26.49	0	100	H
* 7.37168	35.11	PK2	36.1	-24.1	0	47.11	-	-	74	-26.89	0	100	V
9.82934	32.96	PK2	37.3	-21	0	49.26	-	-	74	-24.74	0	100	H
9.82866	32.62	PK2	37.3	-20.9	0	49.02	-	-	74	-24.98	0	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 PK2 - KDB558074 Method: Maximum Peak

## 10.2. WORST CASE BELOW 1 GHZ



**HORIZONTAL**



**VERTICAL**

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_750	Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 130.977	46.39	Pk	14.2	-29.3	31.29	43.52	-12.23	0-360	200	H
2	193.154	43.8	Pk	17	-28.6	32.2	43.52	-11.32	0-360	200	H
3	343.601	38.65	Pk	20.7	-27.3	32.05	46.02	-13.97	0-360	100	H
4	59.488	44.06	Pk	18.7	-30.3	32.46	40	-7.54	0-360	100	V
5	106.824	41.01	Pk	17.6	-29.7	28.91	43.52	-14.61	0-360	100	V
6	194.997	41.69	Pk	17.4	-28.7	30.39	43.52	-13.13	0-360	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Pk - Peak detector

### Radiated Emissions

Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_75_0	Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
58.906	33.19	Qp	18.8	-30.2	21.79	40	-18.21	213	100	V

\* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band  
 Qp - Quasi-Peak detector



## 11. AC POWER LINE CONDUCTED EMISSIONS

### **LIMITS**

FCC §15.207 (a)

Frequency of Emission (MHz)	Conducted Limit (dBuV)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

\*Decreases with the logarithm of the frequency.

### **TEST PROCEDURE**

The EUT is placed on a non-conducting table 40 cm from the vertical ground plane and 80 cm above the horizontal ground plane. The EUT is configured in accordance with ANSI C63.10.


The receiver is set to a resolution bandwidth of 9 kHz. Peak detection is used unless otherwise noted as quasi-peak or average.

Line conducted data is recorded for both NEUTRAL and HOT lines.

### **RESULTS**

11.1.1. AC Power Line

LINE 1 RESULTS



Trace Markers

Range 1: Phase L1 .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
1	.168	43.03	Pk	10	.1	53.13	65.06	-11.93	-	-
2	.168	23.95	Av	10	.1	34.05	-	-	55.06	-21.01
3	.195	39.94	Pk	9.9	.2	50.04	63.82	-13.78	-	-
4	.195	21.55	Av	9.9	.2	31.65	-	-	53.82	-22.17
5	.222	33.18	Pk	9.8	.2	43.18	62.74	-19.56	-	-
6	.219	15.91	Av	9.8	.2	25.91	-	-	52.86	-26.95
7	.33	34.93	Pk	9.8	.2	44.93	59.45	-14.52	-	-
8	.33	15.15	Av	9.8	.2	25.15	-	-	49.45	-24.3
9	.387	44	Pk	9.9	.2	54.1	58.13	-4.03	-	-
10	.39	28.11	Av	9.9	.2	38.21	-	-	48.06	-9.85
11	.474	29.49	Pk	9.9	.2	39.59	56.44	-16.85	-	-
12	.474	11.77	Av	9.9	.2	21.87	-	-	46.44	-24.57

Pk - Peak detector

Av - Average detection


Quasi-Peak Emissions

Range 1: Phase L1 .15 - 30MHz

Frequency (MHz)	Meter Reading (dBuV)	Det	101836_With EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
.38775	26.43	Qp	9.9	.2	36.53	58.11	-21.58	-	-

Qp - Quasi-Peak detector

### LINE 2 RESULTS



**Trace Markers**

Range 2: Phase N .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_With EX_N[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
13	.156	45.29	Pk	9.9	.1	55.29	65.67	-10.38	-	-
14	.156	26.51	Av	9.9	.1	36.51	-	-	55.67	-19.16
15	.174	42.31	Pk	10.1	.2	52.61	64.77	-12.16	-	-
16	.177	19.8	Av	10	.2	30	-	-	54.63	-24.63
17	.192	36.62	Pk	9.9	.2	46.72	63.95	-17.23	-	-
18	.204	15.22	Av	9.9	.2	25.32	-	-	53.45	-28.13
19	.312	36.85	Pk	9.8	.2	46.85	59.92	-13.07	-	-
20	.318	17.69	Av	9.8	.2	27.69	-	-	49.76	-22.07
21	.378	45.4	Pk	9.9	.2	55.5	58.32	-2.82	-	-
22	.378	27.59	Av	9.9	.2	37.69	-	-	48.32	-10.63
23	.438	34.16	Pk	9.9	.2	44.26	57.1	-12.84	-	-
24	.432	16.62	Av	9.9	.2	26.72	-	-	47.21	-20.49

Pk - Peak detector

Av - Average detection

Quasi-Peak Emissions

Range 2: Phase N .15 - 30MHz

Frequency (MHz)	Meter Reading (dBuV)	Det	101836_With EX_N[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
.37815	23.93	Qp	9.9	.2	34.03	58.32	-24.29	-	-

Qp - Quasi-Peak detector

## END OF TEST REPORT