


VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.97	Pk	32	-20.2	0	56.77	-	-	74	-17.23	207	329	V
2	* 2.484	48.11	Pk	32	-20.2	0	59.91	-	-	74	-14.09	207	329	V
3	* 2.48351	33.53	RMS	32	-20.2	.15	45.48	54	-8.52	-	-	207	329	V
4	* 2.48382	34.45	RMS	32	-20.2	.15	46.4	54	-7.6	-	-	207	329	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	56.63	PK	32	-20.2	0	68.43	-	-	74	-5.57	122	154	H
2	* 2.48354	57.79	PK	32	-20.2	0	69.59	-	-	74	-4.41	122	154	H
3	* 2.48351	39.65	RMS	32	-20.2	.15	51.6	54	-2.4	-	-	122	154	H
4	* 2.48354	39.82	RMS	32	-20.2	.15	51.77	54	-2.23	-	-	122	154	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	48.09	Pk	32	-20.2	0	59.89	-	-	74	-14.11	230	100	V
2	* 2.48352	48.56	Pk	32	-20.2	0	60.36	-	-	74	-13.64	230	100	V
3	* 2.48351	34.13	RMS	32	-20.2	.15	46.08	54	-7.92	-	-	230	100	V
4	* 2.48354	34.42	RMS	32	-20.2	.15	46.37	54	-7.63	-	-	230	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL, CH 1 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.83673	37.64	PK2	34.1	-27.9	0	43.84	-	-	74	-30.16	0	100	H
* 4.82651	37.32	PK2	34.1	-27.9	0	43.52	-	-	74	-30.48	0	100	V
7.23722	35.56	PK2	36.2	-25.1	0	46.66	-	-	74	-27.34	0	100	H
7.23496	34.93	PK2	36.2	-25.1	0	46.03	-	-	74	-27.97	0	100	V
9.63143	32.71	PK2	37	-20.8	0	48.91	-	-	74	-25.09	0	100	H
9.63313	32.48	PK2	37	-20.8	0	48.68	-	-	74	-25.32	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

MID CHANNEL, CH 6 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88155	36.79	PK2	34.1	-27.5	0	43.39	-	-	74	-30.61	360	100	H
* 4.88202	37.5	PK2	34.1	-27.5	0	44.1	-	-	74	-29.9	360	100	V
* 7.33034	35.25	PK2	36.1	-24.5	0	46.85	-	-	74	-27.15	360	100	H
* 7.32773	34.67	PK2	36.1	-24.5	0	46.27	-	-	74	-27.73	360	100	V
9.73797	32.33	PK2	37.1	-20.5	0	48.93	-	-	74	-25.07	360	100	H
9.7359	33.18	PK2	37.1	-20.5	0	49.78	-	-	74	-24.22	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK2 - KDB558074 Method: Maximum Peak

HIGH CHANNEL, CH 10 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.93277	36.17	PK2	34.1	-27	0	43.27	-	-	74	-30.73	0	100	H
* 4.91449	36.49	PK2	34.1	-27	0	43.59	-	-	74	-30.41	0	100	V
* 7.37778	37.05	PK2	36.1	-24.1	0	49.05	-	-	74	-24.95	0	100	H
* 7.37256	36.65	PK2	36.1	-24.1	0	48.65	-	-	74	-25.35	0	100	V
9.82522	32.62	PK2	37.2	-21	0	48.82	-	-	74	-25.18	0	100	H
9.826	32.63	PK2	37.2	-20.9	0	48.93	-	-	74	-25.07	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK2 - KDB558074 Method: Maximum Peak

10.1.3. TX ABOVE 1 GHz 802.11n HT20 MODE IN THE 2.4 GHz BAND

2TX Antenna 1 + Antenna 2

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	52.07	Pk	31.9	-20.3	0	63.67	-	-	74	-10.33	122	167	H
2	* 2.38993	57.89	Pk	31.9	-20.3	0	69.49	-	-	74	-4.51	122	167	H
3	* 2.39	38.12	RMS	31.9	-20.3	0	49.72	54	-4.28	-	-	122	167	H
4	* 2.38996	38.48	RMS	31.9	-20.3	0	50.08	54	-3.92	-	-	122	167	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	48.51	PK	31.9	-20.3	0	60.11	-	-	74	-13.89	210	396	V
2	* 2.38943	52.63	PK	31.9	-20.3	0	64.23	-	-	74	-9.77	210	396	V
3	* 2.39	34.45	RMS	31.9	-20.3	0	46.05	54	-7.95	-	-	210	396	V
4	* 2.38998	34.4	RMS	31.9	-20.3	0	46	54	-8	-	-	210	396	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	45.85	Pk	31.9	-20.3	0	57.45	-	-	74	-16.55	70	124	H
2	* 2.38967	48.81	Pk	31.9	-20.3	0	60.41	-	-	74	-13.59	70	124	H
3	* 2.39	35.35	RMS	31.9	-20.3	0	46.95	54	-7.05	-	-	70	124	H
4	* 2.38996	35.68	RMS	31.9	-20.3	0	47.28	54	-6.72	-	-	70	124	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	44.07	Pk	31.9	-20.3	0	55.67	-	-	74	-18.33	218	354	V
2	* 2.3892	46.1	Pk	31.9	-20.3	0	57.7	-	-	74	-16.3	218	354	V
3	* 2.39	32.91	RMS	31.9	-20.3	0	44.51	54	-9.49	-	-	218	354	V
4	* 2.38989	33.58	RMS	31.9	-20.3	0	45.18	54	-8.82	-	-	218	354	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	54.87	Pk	32	-20.2	0	66.67	-	-	74	-7.33	120	140	H
2	* 2.48354	57.93	Pk	32	-20.2	0	69.73	-	-	74	-4.27	120	140	H
3	* 2.48351	36.2	RMS	32	-20.2	0	48	54	-6	-	-	120	140	H
4	* 2.48384	37.9	RMS	32	-20.2	0	49.7	54	-4.3	-	-	120	140	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	48.86	Pk	32	-20.2	0	60.66	-	-	74	-13.34	206	383	V
2	* 2.48373	54.45	Pk	32	-20.2	0	66.25	-	-	74	-7.75	206	383	V
3	* 2.48351	35.64	RMS	32	-20.2	0	47.44	54	-6.56	-	-	206	383	V
4	* 2.4837	35.7	RMS	32	-20.2	0	47.5	54	-6.5	-	-	206	383	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	54.86	Pk	32	-20.2	0	66.66	-	-	74	-7.34	127	183	H
2	* 2.48364	56.34	Pk	32	-20.2	0	68.14	-	-	74	-5.86	127	183	H
3	* 2.48351	38.72	RMS	32	-20.2	0	50.52	54	-3.48	-	-	127	183	H
4	* 2.48369	39.49	RMS	32	-20.2	0	51.29	54	-2.71	-	-	127	183	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.96	Pk	32	-20.2	0	56.76	-	-	74	-17.24	161	100	V
2	* 2.48401	48.88	Pk	32	-20.2	0	60.68	-	-	74	-13.32	161	100	V
3	* 2.48351	33.68	RMS	32	-20.2	0	45.48	54	-8.52	-	-	161	100	V
4	* 2.48354	33.93	RMS	32	-20.2	0	45.73	54	-8.27	-	-	161	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	48.59	PK	32	-20.2	0	60.39	-	-	74	-13.61	124	155	H
2	* 2.48386	51.57	PK	32	-20.2	0	63.37	-	-	74	-10.63	124	155	H
3	* 2.48351	35.84	RMS	32	-20.2	0	47.64	54	-6.96	-	-	124	155	H
4	* 2.48359	36.59	RMS	32	-20.2	0	48.39	54	-5.61	-	-	124	155	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.32	Pk	32	-20.2	0	56.12	-	-	74	-17.88	207	369	V
2	* 2.48414	48.78	Pk	32	-20.2	0	60.68	-	-	74	-13.42	207	369	V
3	* 2.48351	34.37	RMS	32	-20.2	0	46.17	54	-7.83	-	-	207	369	V
4	* 2.48387	34.63	RMS	32	-20.2	0	46.43	54	-7.57	-	-	207	369	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	55.53	Pk	32	-20.2	0	67.33	-	-	74	-6.67	124	156	H
2	* 2.48355	57.54	Pk	32	-20.2	0	69.34	-	-	74	-4.66	124	156	H
3	* 2.48351	39.6	RMS	32	-20.2	0	51.4	54	-2.6	-	-	124	156	H
4	* 2.48352	39.78	RMS	32	-20.2	0	51.58	54	-2.42	-	-	124	156	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	57.79	Pk	32	-20.2	0	69.69	-	-	74	-4.41	208	371	V
2	* 2.48356	56.91	PK	32	-20.2	0	68.71	-	-	74	-5.29	208	371	V
3	* 2.48351	37.97	RMS	32	-20.2	0	49.77	54	-4.23	-	-	208	371	V
4	* 2.48355	37.91	RMS	32	-20.2	0	49.71	54	-4.29	-	-	208	371	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL, CH 2 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.81237	36.74	PK2	34.1	-27.8	0	43.04	-	-	74	-30.96	0	100	H
* 4.82001	37.26	PK2	34.1	-27.8	0	43.56	-	-	74	-30.44	0	100	V
* 7.2509	35.5	PK2	36.2	-25	0	46.7	-	-	74	-27.3	0	100	H
7.24783	35.52	PK2	36.2	-25	0	46.72	-	-	74	-27.28	0	100	V
9.66606	33.1	PK2	37.1	-20.7	0	49.5	-	-	74	-24.5	0	100	H
9.66743	32.79	PK2	37.1	-20.6	0	49.29	-	-	74	-24.71	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

MID CHANNEL, CH 6 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.89376	36.73	PK2	34.1	-27.3	0	43.53	-	-	74	-30.47	360	100	H
* 4.89516	36.2	PK2	34.1	-27.3	0	43	-	-	74	-31	360	100	V
* 7.31928	35.25	PK2	36.1	-24.6	0	46.75	-	-	74	-27.25	360	100	H
* 7.3194	34.09	PK2	36.1	-24.6	0	45.59	-	-	74	-28.41	360	100	V
9.74826	32.53	PK2	37.2	-20.5	0	49.23	-	-	74	-24.77	360	100	H
9.74657	32.23	PK2	37.2	-20.5	0	48.93	-	-	74	-25.07	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK2 - KDB558074 Method: Maximum Peak

HIGH CHANNEL, CH 10 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91302	36.82	PK2	34.1	-26.9	0	44.02	-	-	74	-29.98	0	100	H
* 4.92121	35.94	PK2	34.1	-26.9	0	43.14	-	-	74	-30.86	0	100	V
* 7.35322	34.51	PK2	36.1	-24	0	46.61	-	-	74	-27.39	0	100	H
* 7.36002	35.46	PK2	36.1	-23.9	0	47.66	-	-	74	-26.34	0	100	V
9.8371	32.51	PK2	37.3	-21	0	48.81	-	-	74	-25.19	0	100	H
9.83769	32.04	PK2	37.3	-21	0	48.34	-	-	74	-25.66	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK2 - KDB558074 Method: Maximum Peak

10.1.4. TX ABOVE 1 GHz 802.11ax HE20(SU) MODE IN THE 2.4 GHz BAND

2TX Antenna 1 + Antenna 2

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	52.3	Pk	31.9	-20.3	0	53.9	-	-	74	-10.1	120	101	H
2	* 2.38376	58.33	Pk	31.9	-20.3	0	59.33	-	-	74	-4.07	120	101	H
3	* 2.39	38.03	RMS	31.9	-20.3	-1	49.73	54	-4.27	-	-	120	101	H
4	* 2.38975	38.36	RMS	31.9	-20.3	-1	50.06	54	-3.94	-	-	120	101	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	45.8	Pk	31.9	-20.3	0	57.4	-	-	74	-16.6	205	358	V
2	* 2.38769	52.77	Pk	31.9	-20.2	0	64.47	-	-	74	-9.53	205	358	V
3	* 2.39	34.47	RMS	31.9	-20.3	-1	46.17	54	-7.83	-	-	205	358	V
4	* 2.38992	35.05	RMS	31.9	-20.3	-1	46.75	54	-7.25	-	-	205	358	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.39	45.46	PK	31.9	-20.3	0	57.06	-	-	74	-16.94	118	149	H
2	* 2.38977	48.6	PK	31.9	-20.3	0	60.2	-	-	74	-13.8	118	149	H
3	* 2.39	35.49	RMS	31.9	-20.3	.1	47.19	54	-6.81	-	-	118	149	H
4	* 2.38993	35.8	RMS	31.9	-20.3	.1	47.5	54	-6.5	-	-	118	149	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	44.12	Pk	31.9	-20.3	0	55.72	-	-	74	-18.28	185	360	V
2	* 2.38993	47.11	Pk	31.9	-20.3	0	58.71	-	-	74	-15.29	185	360	V
3	* 2.39	34.03	RMS	31.9	-20.3	-1	45.73	54	-8.27	-	-	185	360	V
4	* 2.38991	33.91	RMS	31.9	-20.3	-1	45.61	54	-8.39	-	-	185	360	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 9)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	50.1	Pk	32	-20.2	0	61.9	-	-	74	-12.1	122	161	H
2	* 2.48382	56.96	Pk	32	-20.2	0	68.76	-	-	74	-5.24	122	161	H
3	* 2.48351	36.14	RMS	32	-20.2	.1	48.04	54	-5.96	-	-	122	161	H
4	* 2.48368	36.48	RMS	32	-20.2	.1	48.38	54	-5.62	-	-	122	161	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	49.06	Pk	32	-20.2	0	60.86	-	-	74	-13.14	217	339	V
2	* 2.4848	51.3	Pk	32	-20.2	0	63.1	-	-	74	-10.9	217	339	V
3	* 2.48351	33.66	RMS	32	-20.2	.1	45.56	54	-8.44	-	-	217	339	V
4	* 2.48386	34.28	RMS	32	-20.2	.1	46.18	54	-7.82	-	-	217	339	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	52.34	PK	32	-20.2	0	64.14	-	-	74	-9.86	125	157	H
2	* 2.48361	55.58	PK	32	-20.2	0	67.38	-	-	74	-6.62	125	157	H
3	* 2.48351	36.85	RMS	32	-20.2	.1	48.75	54	-5.25	-	-	125	157	H
4	* 2.48379	36.85	RMS	32	-20.2	.1	48.75	54	-5.25	-	-	125	157	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	46.08	Pk	32	-20.2	0	57.88	-	-	74	-16.12	310	373	V
2	* 2.48364	48.75	Pk	32	-20.2	0	60.55	-	-	74	-13.45	310	373	V
3	* 2.48351	32.98	RMS	32	-20.2	.1	44.88	54	-9.12	-	-	310	373	V
4	* 2.48355	33.33	RMS	32	-20.2	.1	45.23	54	-8.77	-	-	310	373	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168717	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	48.15	PK	32	-25.3	0	54.85	-	-	74	-19.15	118	265	H
2	* 2.48459	51.99	PK	32	-25.2	0	58.79	-	-	74	-15.21	118	265	H
3	* 2.48351	36.75	RMS	32	-25.3	.1	43.55	54	-10.45	-	-	118	265	H
4	* 2.48363	37.25	RMS	32	-25.3	.1	44.05	54	-9.95	-	-	118	265	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168717	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	46.52	Pk	32	-25.3	0	53.22	-	-	74	-20.78	206	336	V
2	* 2.48463	50.46	Pk	32	-25.2	0	57.26	-	-	74	-16.74	206	336	V
3	* 2.48351	35.59	RMS	32	-25.3	.1	42.39	54	-11.61	-	-	206	336	V
4	* 2.48399	36.12	RMS	32	-25.3	.1	42.92	54	-11.08	-	-	206	336	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Acimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	46.3	Pk	32	-20.2	0	58.1	-	-	74	-15.9	131	159	H
2	* 2.48466	48.57	Pk	32	-20.2	0	60.37	-	-	74	-13.63	131	159	H
3	* 2.48351	34.32	RMS	32	-20.2	.1	46.22	54	-7.78	-	-	131	159	H
4	* 2.48366	34.72	RMS	32	-20.2	.1	46.62	54	-7.38	-	-	131	159	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (m)	Polarity
1	* 2.48351	43.74	Pk	32	-20.2	0	55.54	-	-	74	-18.46	223	335	V
2	* 2.48375	45.44	Pk	32	-20.2	0	57.24	-	-	74	-16.76	223	335	V
3	* 2.48351	32.32	RMS	32	-20.2	.1	44.22	54	-9.78	-	-	223	335	V
4	* 2.48409	32.55	RMS	32	-20.2	.1	44.45	54	-9.55	-	-	223	335	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	55.8	Pk	32	-20.2	0	67.6	-	-	74	-6.4	125	156	H
2	* 2.48354	55.73	Pk	32	-20.2	0	67.53	-	-	74	-6.47	125	156	H
3	* 2.48351	35.48	RMS	32	-20.2	.1	47.38	54	-6.62	-	-	125	156	H
4	* 2.48355	36.37	RMS	32	-20.2	.1	48.27	54	-5.73	-	-	125	156	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	49.26	Pk	32	-20.2	0	61.06	-	-	74	-12.94	216	298	V
2	* 2.4836	53.88	Pk	32	-20.2	0	65.68	-	-	74	-8.32	216	298	V
3	* 2.48351	33.27	RMS	32	-20.2	.1	45.17	54	-8.83	-	-	216	298	V
4	* 2.48352	33.68	RMS	32	-20.2	.1	45.58	54	-8.42	-	-	216	298	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

10.1.5. TX ABOVE 1 GHz 802.11ax HE20(RU) MODE IN THE 2.4 GHz BAND
2TX Antenna 1 + Antenna 2

HARMONICS AND SPURIOUS EMISSIONS
LOW CHANNEL, CH 2 / 26T / RU4 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.83285	37.33	PK2	34.1	-28	0	43.43	-	-	74	-30.57	0	100	H
* 4.83325	37.31	PK2	34.1	-28	0	43.41	-	-	74	-30.59	0	100	V
* 7.25367	35.57	PK2	36.2	-25	0	46.77	-	-	74	-27.23	0	100	H
* 7.25056	35.73	PK2	36.2	-25	0	46.93	-	-	74	-27.07	0	100	V
9.6661	32.64	PK2	37.1	-20.7	0	49.04	-	-	74	-24.96	0	100	H
9.66899	33.51	PK2	37.1	-20.6	0	50.01	-	-	74	-23.99	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

MID CHANNEL, CH 6 / 26T / RU4 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88036	37.57	PK2	34.1	-27.6	0	44.07	-	-	74	-29.93	0	100	H
* 4.87953	36.82	PK2	34.1	-27.7	0	43.22	-	-	74	-30.78	0	100	V
* 7.31561	35.87	PK2	36.1	-24.6	0	47.37	-	-	74	-26.63	0	100	H
* 7.31345	35.26	PK2	36.1	-24.6	0	46.76	-	-	74	-27.24	0	100	V
9.7481	32.72	PK2	37.2	-20.5	0	49.42	-	-	74	-24.58	0	100	H
9.74839	32.59	PK2	37.2	-20.5	0	49.29	-	-	74	-24.71	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

HIGH CHANNEL, CH 10 / 26T / RU4 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91283	36.11	PK2	34.1	-26.9	0	43.31	-	-	74	-30.69	0	100	H
* 4.91503	36.47	PK2	34.1	-27	0	43.57	-	-	74	-30.43	0	100	V
* 7.37724	35.41	PK2	36.1	-24.1	0	47.41	-	-	74	-26.59	0	100	H
* 7.37409	34.51	PK2	36.1	-24.1	0	46.51	-	-	74	-27.49	0	100	V
9.8262	32.88	PK2	37.2	-20.9	0	49.18	-	-	74	-24.82	0	100	H
9.8257	33.5	PK2	37.2	-20.9	0	49.8	-	-	74	-24.2	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.2. WORST CASE BELOW 1 GHZ



HORIZONTAL



VERTICAL

Below 1GHz DATA

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_750	Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.555	36.05	Pk	18.5	-30.4	24.15	40	-15.85	0-360	400	H
2	82.574	45.07	Pk	13.2	-29.9	28.37	40	-11.63	0-360	200	H
3	95.378	47.01	Pk	16.7	-29.6	34.11	43.52	-9.41	0-360	300	H
4	32.425	45.65	Pk	15.7	-30.6	30.75	40	-9.25	0-360	100	V
5	61.331	42.56	Pk	18.3	-30.1	30.76	40	-9.24	0-360	100	V
6	* 74.232	48.93	Pk	13.6	-30	32.53	40	-7.47	0-360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector

11. AC POWER LINE CONDUCTED EMISSIONS

LIMITS

FCC §15.207 (a)

Frequency of Emission (MHz)	Conducted Limit (dBuV)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.

TEST PROCEDURE

The EUT is placed on a non-conducting table 40 cm from the vertical ground plane and 80 cm above the horizontal ground plane. The EUT is configured in accordance with ANSI C63.10.


The receiver is set to a resolution bandwidth of 9 kHz. Peak detection is used unless otherwise noted as quasi-peak or average.

Line conducted data is recorded for both NEUTRAL and HOT lines.

RESULTS

11.1.1. AC Power Line

LINE 1 RESULTS



Trace Markers

Range 1: Phase L1 .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_With EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
1	.162	47.66	Pk	9.9	.1	57.66	65.36	-7.7	-	-
2	.165	30.19	Av	10	.1	40.29	-	-	55.21	-14.92
3	.171	46.5	Pk	10	.2	56.7	64.91	-8.21	-	-
4	.171	28.78	Av	10	.2	38.98	-	-	54.91	-15.93
5	.207	42.59	Pk	9.9	.2	52.69	63.32	-10.63	-	-
6	.207	21.11	Av	9.9	.2	31.21	-	-	53.32	-22.11
7	.438	33.8	Pk	9.9	.2	43.9	57.1	-13.2	-	-
8	.438	20.81	Av	9.9	.2	30.91	-	-	47.1	-16.19
9	4.338	32.84	Pk	9.8	.3	42.94	56	-13.06	-	-
10	4.338	17.49	Av	9.8	.3	27.59	-	-	46	-18.41
11	7.953	32.11	Pk	9.9	.3	42.31	60	-17.69	-	-
12	7.953	15.57	Av	9.9	.3	25.77	-	-	50	-24.23

Pk - Peak detector

Av - Average detection


Quasi-Peak Emissions

Range 1: Phase L1 .15 - 30MHz

Frequency (MHz)	Meter Reading (dBuV)	Det	101836_With EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
.16125	38.58	Qp	9.9	.1	48.58	65.4	-16.82	-	-
.17025	39.57	Qp	10	.2	49.77	64.95	-15.18	-	-

Qp - Quasi-Peak detector

LINE 2 RESULTS



Trace Markers

Range 2: Phase N .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit h EX_N[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
13	.156	44.18	Pk	9.9	.1	54.18	65.67	-11.49	-	-
14	.156	27.09	Av	9.9	.1	37.09	-	-	55.67	-18.58
15	.192	42.84	Pk	9.9	.2	52.94	63.95	-11.01	-	-
16	.192	22.86	Av	9.9	.2	32.96	-	-	53.95	-20.99
17	.228	38.26	Pk	9.8	.2	48.26	62.52	-14.26	-	-
18	.228	12.91	Av	9.8	.2	22.91	-	-	52.52	-29.61
19	.438	34.22	Pk	9.9	.2	44.32	57.1	-12.78	-	-
20	.438	18.06	Av	9.9	.2	28.16	-	-	47.1	-18.94
21	7.743	27.09	Pk	9.9	.3	37.29	60	-22.71	-	-
22	7.743	14.15	Av	9.9	.3	24.35	-	-	50	-25.65
23	13.563	30.63	Pk	10.1	.4	41.13	60	-18.87	-	-
24	13.563	9.39	Av	10.1	.4	19.89	-	-	50	-30.11

Pk - Peak detector

Av - Average detection

END OF TEST REPORT