

PART 27 MEASUREMENT REPORT

Applicant Name:
Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea


Date of Testing:
9/28/2020 - 12/4/2020
Test Site/Location:
PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
1M2009280154-21.A3L

FCC ID:	A3LSMG998B
APPLICANT:	Samsung Electronics Co., Ltd.



Application Type: Certification
Model: SM-G998B/DS
Additional Model(s): SM-G998B
EUT Type: Portable Handset
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part: 27
Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.


Randy Ortanez
President





FCC ID: A3LSMG998B		PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 1 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.


TABLE OF CONTENTS

1.0	INTRODUCTION	4
1.1	Scope	4
1.2	PCTEST Test Location.....	4
1.3	Test Facility / Accreditations.....	4
2.0	PRODUCT INFORMATION.....	5
2.1	Equipment Description	5
2.2	Device Capabilities.....	5
2.3	Test Configuration	5
2.4	EMI Suppression Device(s)/Modifications	5
3.0	DESCRIPTION OF TESTS	6
3.1	Evaluation Procedure	6
3.2	Radiated Power and Radiated Spurious Emissions	6
4.0	MEASUREMENT UNCERTAINTY	7
5.0	TEST EQUIPMENT CALIBRATION DATA	8
6.0	SAMPLE CALCULATIONS	9
7.0	TEST RESULTS.....	10
7.1	Summary.....	10
7.2	Occupied Bandwidth	11
7.3	Band Edge Emissions at Antenna Terminal	45
7.4	Spurious and Harmonic Emissions at Antenna Terminal	83
7.5	Peak-Average Ratio	106
7.6	Radiated Power (EIRP)	140
7.7	Radiated Spurious Emissions Measurements.....	146
7.8	Frequency Stability / Temperature Variation	158
8.0	CONCLUSION.....	164

FCC ID: A3LSMG998B	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 2 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



MEASUREMENT REPORT

FCC Part 27



Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		ERP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	Max. Power [W]	Max. Power [dBm]	
LTE Band 12/17	10 MHz	QPSK	704.0 - 711.0	0.069	18.38	0.042	16.23	9M04G7D
		16QAM	704.0 - 711.0	0.056	17.46	0.034	15.31	9M06W7D
		64QAM	704.0 - 711.0	0.023	13.67	0.014	11.52	9M05W7D
		256QAM	704.0 - 711.0	0.014	11.40	0.008	9.25	8M99W7D
	5 MHz	QPSK	701.5 - 713.5	0.069	18.38	0.042	16.23	4M51G7D
		16QAM	701.5 - 713.5	0.057	17.58	0.035	15.43	4M53W7D
		64QAM	701.5 - 713.5	0.024	13.82	0.015	11.67	4M55W7D
		256QAM	701.5 - 713.5	0.014	11.32	0.008	9.17	4M53W7D
LTE Band 12/17	3 MHz	QPSK	700.5 - 714.5	0.067	18.29	0.041	16.14	2M73G7D
		16QAM	700.5 - 714.5	0.054	17.33	0.033	15.18	2M73W7D
		64QAM	700.5 - 714.5	0.024	13.89	0.015	11.74	2M72W7D
		256QAM	700.5 - 714.5	0.014	11.57	0.008	9.42	2M70W7D
	1.4 MHz	QPSK	699.7 - 715.3	0.069	18.39	0.042	16.24	1M09G7D
		16QAM	699.7 - 715.3	0.054	17.33	0.033	15.18	1M11W7D
		64QAM	699.7 - 715.3	0.025	13.97	0.015	11.82	1M11W7D
		256QAM	699.7 - 715.3	0.014	11.37	0.008	9.22	1M11W7D
LTE Band 13	10 MHz	QPSK	782.0	0.069	18.38	0.042	16.23	9M04G7D
		16QAM	782.0	0.043	16.33	0.026	14.18	9M02W7D
		64QAM	782.0	0.034	15.28	0.021	13.13	9M04W7D
		256QAM	782.0	0.020	13.07	0.012	10.92	9M04W7D
	5 MHz	QPSK	779.5 - 784.5	0.069	18.41	0.042	16.26	4M54G7D
		16QAM	779.5 - 784.5	0.048	16.84	0.029	14.69	4M52W7D
		64QAM	779.5 - 784.5	0.038	15.78	0.023	13.63	4M51W7D
		256QAM	779.5 - 784.5	0.012	10.62	0.007	8.47	4M51W7D

Overview Table (<1GHz Bands)

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.178	22.49	17M9G7D
		16QAM	1720.0 - 1770.0	0.157	21.95	18M1W7D
		64QAM	1720.0 - 1770.0	0.123	20.89	18M1W7D
		256QAM	1720.0 - 1770.0	0.081	17.88	18M0W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.190	22.78	13M5G7D
		16QAM	1717.5 - 1772.5	0.170	22.31	13M6W7D
		64QAM	1717.5 - 1772.5	0.131	21.18	13M6W7D
		256QAM	1717.5 - 1772.5	0.066	18.21	13M5W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.188	22.75	9M08G7D
		16QAM	1715.0 - 1775.0	0.173	22.39	9M05W7D
		64QAM	1715.0 - 1775.0	0.128	21.08	9M09W7D
		256QAM	1715.0 - 1775.0	0.065	18.14	9M05W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.192	22.83	4M53G7D
		16QAM	1712.5 - 1777.5	0.178	22.51	4M55W7D
		64QAM	1712.5 - 1777.5	0.135	21.31	4M53W7D
		256QAM	1712.5 - 1777.5	0.067	18.28	4M52W7D
	3 MHz	QPSK	1711.5 - 1778.5	0.193	22.85	2M72G7D
		16QAM	1711.5 - 1778.5	0.169	22.28	2M72W7D
		64QAM	1711.5 - 1778.5	0.130	21.14	2M73W7D
		256QAM	1711.5 - 1778.5	0.067	18.29	2M72W7D
	1.4 MHz	QPSK	1710.7 - 1779.3	0.196	22.93	1M10G7D
		16QAM	1710.7 - 1779.3	0.178	22.51	1M10W7D
		64QAM	1710.7 - 1779.3	0.133	21.24	1M10W7D
		256QAM	1710.7 - 1779.3	0.067	18.29	1M09W7D
NR Band n66	20 MHz	QPSK	1720.0 - 1770.0	0.186	22.70	19M0G7D
		16QAM	1720.0 - 1770.0	0.147	21.68	18M0W7D
		64QAM	1720.0 - 1770.0	0.109	20.39	17M9W7D
		256QAM	1720.0 - 1770.0	0.068	18.30	17M9W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.185	22.68	14M2G7D
		16QAM	1717.5 - 1772.5	0.156	21.92	14M2W7D
		64QAM	1717.5 - 1772.5	0.114	20.56	14M2W7D
		256QAM	1717.5 - 1772.5	0.068	18.34	14M1W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.191	22.82	9M38G7D
		16QAM	1715.0 - 1775.0	0.154	21.87	9M40W7D
		64QAM	1715.0 - 1775.0	0.108	20.32	9M38W7D
		256QAM	1715.0 - 1775.0	0.068	18.33	9M37W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.193	22.88	4M57G7D
		16QAM	1712.5 - 1777.5	0.154	21.88	4M56W7D
		64QAM	1712.5 - 1777.5	0.114	20.57	4M55W7D
		256QAM	1712.5 - 1777.5	0.068	18.30	4M56W7D

Overview Table (>1GHz Bands)

Mode	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
			Max. Power [W]	Max. Power [dBm]	
WCDMA1700	Spread Spectrum	1712.4 - 1752.6	0.120	20.81	4M31F9W

FCC ID: A3LSMG998B	Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 3 of 164

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.



1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: A3LSMG998B	 PCTEST® Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 4 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMG998B**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 0205M, 0048M, 0036M, 1070H, 0204M, 0195M, 0106M, 0635M, 0619M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900, WCDMA/HSPA, Multi-band LTE, 5G NR (n5, n66), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII (5GHz,6GHz), Bluetooth (1x, EDR, LE), NFC, Wireless Power Transfer, UWB

Sub 6GHz NR Band n66 (1720 – 1777.5 MHz) operates using 15kHz Subcarrier Spacing with both CP-OFDM and DFTs OFDM waveforms. The band supports QPSK, 16QAM, 64QAM, and 256QAM modulation. The test data provided in this report represents the worst case configuration.



2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 5 of 164	

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a wooden turntable 80cm above the ground plane and 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer “Channel Power” function with the integration band set to the emissions’ occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.



Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

For fundamental radiated power measurements, the guidance of KDB 971168 D01 v03r01 is used to record the EUT power level that is subsequently matched via the aforementioned substitution method given in ANSI/TIA-603-E-2016.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 6 of 164	




© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMG998B	 PCTEST Proud to be part of 	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 7 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

5.0 TEST EQUIPMENT CALIBRATION DATA



Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx2	Licensed Transmitter Cable Set	4/9/2020	Annual	4/9/2021	LTx2
-	LTx4	Licensed Transmitter Cable Set	7/9/2020	Annual	7/9/2021	LTx4
-	LTx5	Licensed Transmitter Cable Set	4/9/2020	Annual	4/6/2021	LTx5
Agilent	N9020A	MXA Signal Analyzer	8/4/2020	Annual	8/4/2021	U546470561
Agilent	N9030A	PXA Signal Analyzer (44GHz)	7/17/2020	Annual	7/17/2021	MY52350166
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6201381794
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6200901190
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2019	Biennial	10/10/2021	121034
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	2/22/2019	Biennial	2/22/2021	128338
Mini Circuits	TVA-11-422	RF Power Amp	N/A			QA1317001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11208010032
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			100976
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	7/15/2020	Annual	7/15/2021	100342
Rohde & Schwarz	SFU NIT-Rx	Shielded Filter Unit	2/10/2020	Annual	2/10/2021	102134
Rohde & Schwarz	SFU NIT-Rx	Shielded Filter Unit	2/21/2020	Annual	2/21/2021	102133
Sunol	DRH-118	Horn Antenna (1-18GHz)	10/3/2019	Biennial	10/3/2021	A050307
Sunol	DRH-118	Horn Antenna (1-18 GHz)	8/27/2019	Biennial	8/27/2021	A042511
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	7/27/2020	Biennial	7/27/2022	A051107

Table 5-1. Summary of Test Results

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 8 of 164	

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated



7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm $- (-24.80)$.

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 9 of 164	

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.0 TEST RESULTS

7.1 Summary



Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMG998B
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): WCDMA/LTE/NR

Test Condition	Test Description	FCC Part Section(s)	RSS Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Occupied Bandwidth	2.1049	RSS-139(2.3)	N/A	PASS	Section 7.2
	Conducted Band Edge / Spurious Emissions	2.1051, 27.53	RSS-139(6.6)	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions	PASS	Sections 7.3, 7.4
	Transmitter Conducted Output Power	2.1046	RSS-139(4.1)	N/A	PASS	See RF Exposure Report
	Frequency Stability	2.1055, 27.54	RSS-139(6.4)	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
RADIATED	Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 12/17)	27.50(b)(10)	RSS-130(4.4)	< 3 Watts max. ERP < 5 Watts max. EIRP	PASS	Section 7.6
	Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 13)	27.50(c)(10)	RSS-130(4.4)	< 3 Watts max. ERP < 5 Watts max. EIRP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power (WCDMA)	27.50(d)(4)	RSS-139(6.6)	< 1 Watts max. EIRP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power (NR Band n66)				PASS	Section 7.6
	Equivalent Isotropic Radiated Power (LTE Band 4/66)				PASS	Section 7.6
	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(f)	RSS-139(6.6)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 - 1610 MHz	PASS	Section 7.7
	Radiated Spurious Emissions	2.1053, 27.53	RSS-139(6.6)	> 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions	PASS	Section 7.7

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST 2G/3G Automation Version 4.2.

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 10 of 164	

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW \geq 3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset	Page 11 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 12/17



Plot 7-1. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB Configuration)



Plot 7-2. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 12 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-3. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 13 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-5. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 14 of 164



Plot 7-7. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 15 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-9. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 16 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-11. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 64-QAM - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 17 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-13. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 18 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-15. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 19 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 13



Plot 7-17. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB Configuration)



Plot 7-18. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 20 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-19. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 64-QAM - Full RB Configuration)



Plot 7-20. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 21 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-21. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 22 of 164




Plot 7-23. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 64-QAM - Full RB Configuration)



Plot 7-24. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 23 of 164

WCDMA AWS




Plot 7-25. Occupied Bandwidth Plot (WCDMA, Ch. 1413)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 24 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 66/4



Plot 7-26. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB Configuration)




Plot 7-27. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 25 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-28. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-29. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 26 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-30. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB Configuration)




Plot 7-31. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 27 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-32. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-33. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 28 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-34. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB Configuration)



Plot 7-35. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 29 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-36. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-37. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 30 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-38. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB Configuration)



Plot 7-39. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 31 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-40. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 64-QAM - Full RB Configuration)



Plot 7-41. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 32 of 164




Plot 7-42. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB Configuration)




Plot 7-43. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 33 of 164



Plot 7-44. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-45. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 256-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 34 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-46. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-47. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 35 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-48. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-49. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 36 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

NR Band n66



Plot 7-50. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM QPSK - Full RB)




Plot 7-51. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 16QAM - Full RB)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 37 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-52. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 64QAM - Full RB)




Plot 7-53. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 38 of 164



Plot 7-54. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM QPSK - Full RB)




Plot 7-55. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 16QAM - Full RB)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 39 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-56. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 64QAM - Full RB)




Plot 7-57. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 256QAM - Full RB)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 40 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-58. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM QPSK - Full RB)




Plot 7-59. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 16QAM - Full RB)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 41 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-60. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 64QAM - Full RB)




Plot 7-61. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 256QAM - Full RB)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 42 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-62. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM QPSK - Full RB)




Plot 7-63. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 43 of 164



Plot 7-64. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-65. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 44 of 164

7.3 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW \geq 1% of the emission bandwidth
4. VBW \geq 3 x RBW
5. Detector = RMS
6. Number of sweep points \geq 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.







Figure 7-2. Test Instrument & Measurement Setup

FCC ID: A3LSMG998B	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 45 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 12/17



Plot 7-66. Lower Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB Configuration)



Plot 7-67. Lower Band Edge Plot (LTE Band 17 - 10MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 46 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-68. Upper Band Edge Plot (LTE Band 12/17 - 10MHz QPSK – Full RB Configuration)




Plot 7-69. Lower Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 47 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-70. Lower Band Edge Plot (LTE Band 17 - 5MHz QPSK – Full RB Configuration)




Plot 7-71. Upper Band Edge Plot (LTE Band 12/17 - 5MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 48 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-72. Lower Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB Configuration)




Plot 7-73. Upper Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 49 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 13



Plot 7-76. Lower Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB Configuration)



Plot 7-77. Lower Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 51 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-78. Upper Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB Configuration)




Plot 7-79. Upper Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 52 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-80. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB Configuration)



Plot 7-81. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 53 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-82. Upper Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB Configuration)



Plot 7-83. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 54 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

WCDMA AWS



Plot 7-84. Lower Band Edge Plot (WCDMA AWS – Ch.1312)



Plot 7-85. Lower Extended Band Edge Plot (WCDMA AWS- Ch. 1312)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 55 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-86.Upper Band Edge Plot (WCDMA AWS – Ch.1513)




Plot 7-87.Upper Extended Band Edge Plot (WCDMA AWS- Ch.1513)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 56 of 164


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 66/4



Plot 7-88. Lower Band Edge Plot (LTE Band 66/4 - 20MHz QPSK – Full RB Configuration)




Plot 7-89. Lower Extended Band Edge Plot (LTE Band 66/4 - 20MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 57 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-90. Upper Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB Configuration)




Plot 7-91. Upper Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 58 of 164




Plot 7-92. Upper Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB Configuration)




Plot 7-93. Channel Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 59 of 164



Plot 7-94. Lower Band Edge Plot (LTE Band 66/4 - 15MHz QPSK – Full RB Configuration)




Plot 7-95. Lower Extended Band Edge Plot (LTE Band 66/4 - 15MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 60 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-96. Upper Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB Configuration)




Plot 7-97. Upper Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 61 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-98. Upper Band Edge Plot (LTE Band 66 - 15MHz QPSK – Full RB Configuration)




Plot 7-99. Upper Extended Band Edge Plot (LTE Band 66 - 15MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 62 of 164



Plot 7-100. Lower Band Edge Plot (LTE Band 66/4 - 10MHz QPSK – Full RB Configuration)




Plot 7-101. Lower Extended Band Edge Plot (LTE Band 66/4 - 10MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 63 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-102. Upper Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB Configuration)




Plot 7-103. Upper Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB Configuration)


FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 64 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-104. Upper Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB Configuration)



Plot 7-105. Upper Extended Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB Configuration)

FCC ID: A3LSMG998B	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2009280154-21.A3L	Test Dates: 9/28/2020 - 12/4/2020	EUT Type: Portable Handset		Page 65 of 164

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.