

11.2.1. SPURIOUS RADIATION PLOTS

GSM 850

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement											
GSM GSM850 GPRS		Company: Samsung		Project #: 15K22555		Date: 01-05-16		Test Engineer: Steven Kim		Configuration: EUT / AC Adapter / Earphone / Z Position		Mode: GPRS 850 MHz	
		Chamber Chamber 2		Pre-amplifier AFS42		Filter Filter 1		Limit Part 22					
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes				
Low Ch, 824.2MHz													
1.6484	-3.5	V	3.0	39.1	1.0	-41.6	-13.0	-28.6					
2.4726	-2.5	V	3.0	39.5	1.0	-41.0	-13.0	-28.0					
3.2968	-5.8	V	3.0	40.1	1.0	-44.9	-13.0	-31.9					
1.6484	-4.4	H	3.0	39.1	1.0	-42.5	-13.0	-29.5					
2.4726	-1.7	H	3.0	39.5	1.0	-40.2	-13.0	-27.2					
3.2968	-16.2	H	3.0	40.1	1.0	-55.3	-13.0	-42.3					
Mid Ch, 836.6MHz													
1.6730	-3.4	V	3.0	39.1	1.0	-41.5	-13.0	-28.5					
2.5098	-3.1	V	3.0	39.5	1.0	-41.6	-13.0	-28.6					
3.3464	-11.9	V	3.0	40.1	1.0	-51.1	-13.0	-38.1					
1.6730	-3.5	H	3.0	39.1	1.0	-41.6	-13.0	-28.6					
2.5098	-3.4	H	3.0	39.5	1.0	-41.9	-13.0	-28.9					
3.3464	-13.7	H	3.0	40.1	1.0	-52.8	-13.0	-39.8					
High Ch, 848.8MHz													
1.6976	-3.1	V	3.0	39.1	1.0	-41.2	-13.0	-28.2					
2.5466	-1.6	V	3.0	39.6	1.0	-40.2	-13.0	-27.2					
3.3952	-3.6	V	3.0	40.2	1.0	-42.8	-13.0	-29.8					
1.6976	-2.5	H	3.0	39.1	1.0	-40.6	-13.0	-27.6					
2.5466	-3.0	H	3.0	39.6	1.0	-41.6	-13.0	-28.6					
3.3952	-9.9	H	3.0	40.2	1.0	-49.1	-13.0	-36.1					
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.													
GSM GSM850 EGPRS		Company: Samsung		Project #: 15K22555		Date: 01-05-16		Test Engineer: Steven Kim		Configuration: EUT / AC Adapter / Earphone / Z Position		Mode: EGPRS 850 MHz	
		Chamber Chamber 1		Pre-amplifier AFS42		Filter Filter 1		Limit Part 22					
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes				
Low Ch, 824.2MHz													
1.6484	-13.7	V	3.0	39.1	1.0	-51.8	-13.0	-38.8					
2.4726	-14.9	V	3.0	39.5	1.0	-53.5	-13.0	-40.5					
3.2968	-12.4	V	3.0	40.1	1.0	-51.5	-13.0	-38.5					
1.6484	-15.1	H	3.0	39.1	1.0	-53.2	-13.0	-40.2					
2.4726	-14.0	H	3.0	39.5	1.0	-52.5	-13.0	-39.5					
3.2968	-17.6	H	3.0	40.1	1.0	-56.7	-13.0	-43.7					
Mid Ch, 836.6MHz													
1.6730	-15.0	V	3.0	39.1	1.0	-53.1	-13.0	-40.1					
2.5098	-14.7	V	3.0	39.5	1.0	-53.3	-13.0	-40.3					
3.3464	-13.3	V	3.0	40.1	1.0	-52.5	-13.0	-39.5					
1.6730	-15.0	H	3.0	39.1	1.0	-53.1	-13.0	-40.1					
2.5098	-12.6	H	3.0	39.5	1.0	-51.1	-13.0	-38.1					
3.3464	-15.6	H	3.0	40.1	1.0	-54.8	-13.0	-41.8					
High Ch, 848.8MHz													
1.6976	-17.5	V	3.0	39.1	1.0	-55.7	-13.0	-42.7					
2.5466	-12.0	V	3.0	39.6	1.0	-50.6	-13.0	-37.6					
3.3952	-14.0	V	3.0	40.2	1.0	-53.2	-13.0	-40.2					
1.6976	-15.7	H	3.0	39.1	1.0	-53.8	-13.0	-40.8					
2.5466	-13.1	H	3.0	39.6	1.0	-51.7	-13.0	-38.7					
3.3952	-17.1	H	3.0	40.2	1.0	-56.3	-13.0	-43.3					
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.													

GSM 1900

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement																																																																																																																																																																																																																										
GSM GSM1900 GPRS	Company: Samsung Project #: 15K22555 Date: 12-24-15 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone, X Position Mode: GPRS 1900	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 24																																																																																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td colspan="10">Low Ch, 1850.2MHz</td></tr> <tr><td>3.7004</td><td>1.4</td><td>V</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-38.0</td><td>-13.0</td><td>-25.0</td><td></td></tr> <tr><td>5.5506</td><td>6.1</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-33.7</td><td>-13.0</td><td>-20.7</td><td></td></tr> <tr><td>7.4008</td><td>8.8</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-30.9</td><td>-13.0</td><td>-17.9</td><td></td></tr> <tr><td>3.7000</td><td>-2.4</td><td>H</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-41.9</td><td>-13.0</td><td>-28.9</td><td></td></tr> <tr><td>5.5506</td><td>4.6</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-35.3</td><td>-13.0</td><td>-22.3</td><td></td></tr> <tr><td>7.4008</td><td>7.9</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-31.9</td><td>-13.0</td><td>-18.9</td><td></td></tr> <tr><td colspan="10">Mid Ch, 1880.0MHz</td></tr> <tr><td>3.7600</td><td>3.9</td><td>V</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-35.7</td><td>-13.0</td><td>-22.7</td><td></td></tr> <tr><td>5.6400</td><td>6.1</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-33.7</td><td>-13.0</td><td>-20.7</td><td></td></tr> <tr><td>7.5200</td><td>4.5</td><td>V</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-35.2</td><td>-13.0</td><td>-22.2</td><td></td></tr> <tr><td>3.7600</td><td>1.5</td><td>H</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-38.0</td><td>-13.0</td><td>-25.0</td><td></td></tr> <tr><td>5.6400</td><td>4.8</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-35.0</td><td>-13.0</td><td>-22.0</td><td></td></tr> <tr><td>7.5200</td><td>1.2</td><td>H</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-38.5</td><td>-13.0</td><td>-25.5</td><td></td></tr> <tr><td colspan="10">High Ch, 1909.8 MHz</td></tr> <tr><td>3.8196</td><td>2.4</td><td>V</td><td>3.0</td><td>40.6</td><td>1.0</td><td>-37.2</td><td>-13.0</td><td>-24.2</td><td></td></tr> <tr><td>5.7294</td><td>6.3</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-33.5</td><td>-13.0</td><td>-20.5</td><td></td></tr> <tr><td>7.6392</td><td>4.1</td><td>V</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-35.5</td><td>-13.0</td><td>-22.5</td><td></td></tr> <tr><td>3.8196</td><td>-0.2</td><td>H</td><td>3.0</td><td>40.6</td><td>1.0</td><td>-39.8</td><td>-13.0</td><td>-26.8</td><td></td></tr> <tr><td>5.7294</td><td>3.6</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-36.1</td><td>-13.0</td><td>-23.1</td><td></td></tr> <tr><td>7.6392</td><td>2.5</td><td>H</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-37.2</td><td>-13.0</td><td>-24.2</td><td></td></tr> </tbody> </table>	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Ch, 1850.2MHz										3.7004	1.4	V	3.0	40.5	1.0	-38.0	-13.0	-25.0		5.5506	6.1	V	3.0	40.8	1.0	-33.7	-13.0	-20.7		7.4008	8.8	V	3.0	40.8	1.0	-30.9	-13.0	-17.9		3.7000	-2.4	H	3.0	40.5	1.0	-41.9	-13.0	-28.9		5.5506	4.6	H	3.0	40.8	1.0	-35.3	-13.0	-22.3		7.4008	7.9	H	3.0	40.8	1.0	-31.9	-13.0	-18.9		Mid Ch, 1880.0MHz										3.7600	3.9	V	3.0	40.5	1.0	-35.7	-13.0	-22.7		5.6400	6.1	V	3.0	40.8	1.0	-33.7	-13.0	-20.7		7.5200	4.5	V	3.0	40.7	1.0	-35.2	-13.0	-22.2		3.7600	1.5	H	3.0	40.5	1.0	-38.0	-13.0	-25.0		5.6400	4.8	H	3.0	40.8	1.0	-35.0	-13.0	-22.0		7.5200	1.2	H	3.0	40.7	1.0	-38.5	-13.0	-25.5		High Ch, 1909.8 MHz										3.8196	2.4	V	3.0	40.6	1.0	-37.2	-13.0	-24.2		5.7294	6.3	V	3.0	40.8	1.0	-33.5	-13.0	-20.5		7.6392	4.1	V	3.0	40.7	1.0	-35.5	-13.0	-22.5		3.8196	-0.2	H	3.0	40.6	1.0	-39.8	-13.0	-26.8		5.7294	3.6	H	3.0	40.8	1.0	-36.1	-13.0	-23.1		7.6392	2.5	H	3.0	40.7	1.0	-37.2	-13.0	-24.2
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																			
Low Ch, 1850.2MHz																																																																																																																																																																																																																												
3.7004	1.4	V	3.0	40.5	1.0	-38.0	-13.0	-25.0																																																																																																																																																																																																																				
5.5506	6.1	V	3.0	40.8	1.0	-33.7	-13.0	-20.7																																																																																																																																																																																																																				
7.4008	8.8	V	3.0	40.8	1.0	-30.9	-13.0	-17.9																																																																																																																																																																																																																				
3.7000	-2.4	H	3.0	40.5	1.0	-41.9	-13.0	-28.9																																																																																																																																																																																																																				
5.5506	4.6	H	3.0	40.8	1.0	-35.3	-13.0	-22.3																																																																																																																																																																																																																				
7.4008	7.9	H	3.0	40.8	1.0	-31.9	-13.0	-18.9																																																																																																																																																																																																																				
Mid Ch, 1880.0MHz																																																																																																																																																																																																																												
3.7600	3.9	V	3.0	40.5	1.0	-35.7	-13.0	-22.7																																																																																																																																																																																																																				
5.6400	6.1	V	3.0	40.8	1.0	-33.7	-13.0	-20.7																																																																																																																																																																																																																				
7.5200	4.5	V	3.0	40.7	1.0	-35.2	-13.0	-22.2																																																																																																																																																																																																																				
3.7600	1.5	H	3.0	40.5	1.0	-38.0	-13.0	-25.0																																																																																																																																																																																																																				
5.6400	4.8	H	3.0	40.8	1.0	-35.0	-13.0	-22.0																																																																																																																																																																																																																				
7.5200	1.2	H	3.0	40.7	1.0	-38.5	-13.0	-25.5																																																																																																																																																																																																																				
High Ch, 1909.8 MHz																																																																																																																																																																																																																												
3.8196	2.4	V	3.0	40.6	1.0	-37.2	-13.0	-24.2																																																																																																																																																																																																																				
5.7294	6.3	V	3.0	40.8	1.0	-33.5	-13.0	-20.5																																																																																																																																																																																																																				
7.6392	4.1	V	3.0	40.7	1.0	-35.5	-13.0	-22.5																																																																																																																																																																																																																				
3.8196	-0.2	H	3.0	40.6	1.0	-39.8	-13.0	-26.8																																																																																																																																																																																																																				
5.7294	3.6	H	3.0	40.8	1.0	-36.1	-13.0	-23.1																																																																																																																																																																																																																				
7.6392	2.5	H	3.0	40.7	1.0	-37.2	-13.0	-24.2																																																																																																																																																																																																																				
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.																																																																																																																																																																																																																												
GSM GSM1900 EGPRS	Company: Samsung Project #: 15K22555 Date: 12-24-15 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone, X Position Mode: EGPRS 1900 MHz	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 24																																																																																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td colspan="10">Low Ch, 1850.2MHz</td></tr> <tr><td>3.7004</td><td>1.0</td><td>V</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-38.4</td><td>-13.0</td><td>-25.4</td><td></td></tr> <tr><td>5.5506</td><td>5.6</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-34.2</td><td>-13.0</td><td>-21.2</td><td></td></tr> <tr><td>7.4008</td><td>8.3</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-31.4</td><td>-13.0</td><td>-18.4</td><td></td></tr> <tr><td>3.7000</td><td>-1.7</td><td>H</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-41.1</td><td>-13.0</td><td>-28.1</td><td></td></tr> <tr><td>5.5500</td><td>5.3</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-34.5</td><td>-13.0</td><td>-21.5</td><td></td></tr> <tr><td>7.4000</td><td>8.1</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-31.7</td><td>-13.0</td><td>-18.7</td><td></td></tr> <tr><td colspan="10">Mid Ch, 1880.0MHz</td></tr> <tr><td>3.7600</td><td>3.3</td><td>V</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-36.2</td><td>-13.0</td><td>-23.2</td><td></td></tr> <tr><td>5.6400</td><td>5.8</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-34.0</td><td>-13.0</td><td>-21.0</td><td></td></tr> <tr><td>7.5200</td><td>4.8</td><td>V</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-34.9</td><td>-13.0</td><td>-21.9</td><td></td></tr> <tr><td>3.7600</td><td>1.1</td><td>H</td><td>3.0</td><td>40.5</td><td>1.0</td><td>-38.5</td><td>-13.0</td><td>-25.5</td><td></td></tr> <tr><td>5.6400</td><td>4.6</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-35.2</td><td>-13.0</td><td>-22.2</td><td></td></tr> <tr><td>7.5200</td><td>0.8</td><td>H</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-38.9</td><td>-13.0</td><td>-25.9</td><td></td></tr> <tr><td colspan="10">High Ch, 1909.8 MHz</td></tr> <tr><td>3.8196</td><td>2.1</td><td>V</td><td>3.0</td><td>40.6</td><td>1.0</td><td>-37.5</td><td>-13.0</td><td>-24.5</td><td></td></tr> <tr><td>5.7294</td><td>5.8</td><td>V</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-34.0</td><td>-13.0</td><td>-21.0</td><td></td></tr> <tr><td>7.6392</td><td>3.5</td><td>V</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-36.2</td><td>-13.0</td><td>-23.2</td><td></td></tr> <tr><td>3.8196</td><td>0.0</td><td>H</td><td>3.0</td><td>40.6</td><td>1.0</td><td>-39.6</td><td>-13.0</td><td>-26.6</td><td></td></tr> <tr><td>5.7294</td><td>3.9</td><td>H</td><td>3.0</td><td>40.8</td><td>1.0</td><td>-35.9</td><td>-13.0</td><td>-22.9</td><td></td></tr> <tr><td>7.6392</td><td>2.5</td><td>H</td><td>3.0</td><td>40.7</td><td>1.0</td><td>-37.2</td><td>-13.0</td><td>-24.2</td><td></td></tr> </tbody> </table>	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Ch, 1850.2MHz										3.7004	1.0	V	3.0	40.5	1.0	-38.4	-13.0	-25.4		5.5506	5.6	V	3.0	40.8	1.0	-34.2	-13.0	-21.2		7.4008	8.3	V	3.0	40.8	1.0	-31.4	-13.0	-18.4		3.7000	-1.7	H	3.0	40.5	1.0	-41.1	-13.0	-28.1		5.5500	5.3	H	3.0	40.8	1.0	-34.5	-13.0	-21.5		7.4000	8.1	H	3.0	40.8	1.0	-31.7	-13.0	-18.7		Mid Ch, 1880.0MHz										3.7600	3.3	V	3.0	40.5	1.0	-36.2	-13.0	-23.2		5.6400	5.8	V	3.0	40.8	1.0	-34.0	-13.0	-21.0		7.5200	4.8	V	3.0	40.7	1.0	-34.9	-13.0	-21.9		3.7600	1.1	H	3.0	40.5	1.0	-38.5	-13.0	-25.5		5.6400	4.6	H	3.0	40.8	1.0	-35.2	-13.0	-22.2		7.5200	0.8	H	3.0	40.7	1.0	-38.9	-13.0	-25.9		High Ch, 1909.8 MHz										3.8196	2.1	V	3.0	40.6	1.0	-37.5	-13.0	-24.5		5.7294	5.8	V	3.0	40.8	1.0	-34.0	-13.0	-21.0		7.6392	3.5	V	3.0	40.7	1.0	-36.2	-13.0	-23.2		3.8196	0.0	H	3.0	40.6	1.0	-39.6	-13.0	-26.6		5.7294	3.9	H	3.0	40.8	1.0	-35.9	-13.0	-22.9		7.6392	2.5	H	3.0	40.7	1.0	-37.2	-13.0	-24.2
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																			
Low Ch, 1850.2MHz																																																																																																																																																																																																																												
3.7004	1.0	V	3.0	40.5	1.0	-38.4	-13.0	-25.4																																																																																																																																																																																																																				
5.5506	5.6	V	3.0	40.8	1.0	-34.2	-13.0	-21.2																																																																																																																																																																																																																				
7.4008	8.3	V	3.0	40.8	1.0	-31.4	-13.0	-18.4																																																																																																																																																																																																																				
3.7000	-1.7	H	3.0	40.5	1.0	-41.1	-13.0	-28.1																																																																																																																																																																																																																				
5.5500	5.3	H	3.0	40.8	1.0	-34.5	-13.0	-21.5																																																																																																																																																																																																																				
7.4000	8.1	H	3.0	40.8	1.0	-31.7	-13.0	-18.7																																																																																																																																																																																																																				
Mid Ch, 1880.0MHz																																																																																																																																																																																																																												
3.7600	3.3	V	3.0	40.5	1.0	-36.2	-13.0	-23.2																																																																																																																																																																																																																				
5.6400	5.8	V	3.0	40.8	1.0	-34.0	-13.0	-21.0																																																																																																																																																																																																																				
7.5200	4.8	V	3.0	40.7	1.0	-34.9	-13.0	-21.9																																																																																																																																																																																																																				
3.7600	1.1	H	3.0	40.5	1.0	-38.5	-13.0	-25.5																																																																																																																																																																																																																				
5.6400	4.6	H	3.0	40.8	1.0	-35.2	-13.0	-22.2																																																																																																																																																																																																																				
7.5200	0.8	H	3.0	40.7	1.0	-38.9	-13.0	-25.9																																																																																																																																																																																																																				
High Ch, 1909.8 MHz																																																																																																																																																																																																																												
3.8196	2.1	V	3.0	40.6	1.0	-37.5	-13.0	-24.5																																																																																																																																																																																																																				
5.7294	5.8	V	3.0	40.8	1.0	-34.0	-13.0	-21.0																																																																																																																																																																																																																				
7.6392	3.5	V	3.0	40.7	1.0	-36.2	-13.0	-23.2																																																																																																																																																																																																																				
3.8196	0.0	H	3.0	40.6	1.0	-39.6	-13.0	-26.6																																																																																																																																																																																																																				
5.7294	3.9	H	3.0	40.8	1.0	-35.9	-13.0	-22.9																																																																																																																																																																																																																				
7.6392	2.5	H	3.0	40.7	1.0	-37.2	-13.0	-24.2																																																																																																																																																																																																																				
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.																																																																																																																																																																																																																												

WCDMA Band 5

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement																																																																																																																																																																																																																																					
WCDMA Band 5 REL99	Company: Samsung Project #: 15K22555 Date: 12-30-15 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone / Z Position Mode: Tx, REL99,850MHz	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">Chamber Chamber 2</div> <div style="border: 1px solid black; padding: 2px;">Pre-amplifier AFS42</div> <div style="border: 1px solid black; padding: 2px;">Filter Filter 1</div> <div style="border: 1px solid black; padding: 2px;">Limit Part 22</div> </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td colspan="10">Low Ch, 826.40MHz</td></tr> <tr><td>1.6520</td><td>-10.3</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-48.4</td><td>-13.0</td><td>-35.4</td><td></td></tr> <tr><td>2.4790</td><td>-15.9</td><td>V</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-54.4</td><td>-13.0</td><td>-41.4</td><td></td></tr> <tr><td>3.3056</td><td>-14.6</td><td>V</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-53.7</td><td>-13.0</td><td>-40.7</td><td></td></tr> <tr><td>1.6520</td><td>-6.2</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-44.3</td><td>-13.0</td><td>-31.3</td><td></td></tr> <tr><td>2.4790</td><td>-16.4</td><td>H</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-54.9</td><td>-13.0</td><td>-41.9</td><td></td></tr> <tr><td>3.3056</td><td>-15.9</td><td>H</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-55.0</td><td>-13.0</td><td>-42.0</td><td></td></tr> <tr><td colspan="10">Mid Ch, 836.6MHz</td></tr> <tr><td>1.6732</td><td>-13.4</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-51.5</td><td>-13.0</td><td>-38.5</td><td></td></tr> <tr><td>2.5098</td><td>-16.5</td><td>V</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-55.1</td><td>-13.0</td><td>-42.1</td><td></td></tr> <tr><td>3.3464</td><td>-13.8</td><td>V</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-52.9</td><td>-13.0</td><td>-39.9</td><td></td></tr> <tr><td>1.6732</td><td>-11.1</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-49.3</td><td>-13.0</td><td>-36.3</td><td></td></tr> <tr><td>2.5098</td><td>-17.3</td><td>H</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-55.8</td><td>-13.0</td><td>-42.8</td><td></td></tr> <tr><td>3.3464</td><td>-16.0</td><td>H</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-55.1</td><td>-13.0</td><td>-42.1</td><td></td></tr> <tr><td colspan="10">High Ch, 846.6MHz</td></tr> <tr><td>1.6932</td><td>-12.5</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-50.6</td><td>-13.0</td><td>-37.6</td><td></td></tr> <tr><td>2.5390</td><td>-17.0</td><td>V</td><td>3.0</td><td>39.6</td><td>1.0</td><td>-55.5</td><td>-13.0</td><td>-42.5</td><td></td></tr> <tr><td>3.3860</td><td>-14.9</td><td>V</td><td>3.0</td><td>40.2</td><td>1.0</td><td>-54.1</td><td>-13.0</td><td>-41.1</td><td></td></tr> <tr><td>1.6932</td><td>-8.5</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-46.6</td><td>-13.0</td><td>-33.6</td><td></td></tr> <tr><td>2.5390</td><td>-17.3</td><td>H</td><td>3.0</td><td>39.6</td><td>1.0</td><td>-55.8</td><td>-13.0</td><td>-42.8</td><td></td></tr> <tr><td>3.3860</td><td>-16.1</td><td>H</td><td>3.0</td><td>40.2</td><td>1.0</td><td>-55.2</td><td>-13.0</td><td>-42.2</td><td></td></tr> </tbody> </table> <p>Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.</p>									f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Ch, 826.40MHz										1.6520	-10.3	V	3.0	39.1	1.0	-48.4	-13.0	-35.4		2.4790	-15.9	V	3.0	39.5	1.0	-54.4	-13.0	-41.4		3.3056	-14.6	V	3.0	40.1	1.0	-53.7	-13.0	-40.7		1.6520	-6.2	H	3.0	39.1	1.0	-44.3	-13.0	-31.3		2.4790	-16.4	H	3.0	39.5	1.0	-54.9	-13.0	-41.9		3.3056	-15.9	H	3.0	40.1	1.0	-55.0	-13.0	-42.0		Mid Ch, 836.6MHz										1.6732	-13.4	V	3.0	39.1	1.0	-51.5	-13.0	-38.5		2.5098	-16.5	V	3.0	39.5	1.0	-55.1	-13.0	-42.1		3.3464	-13.8	V	3.0	40.1	1.0	-52.9	-13.0	-39.9		1.6732	-11.1	H	3.0	39.1	1.0	-49.3	-13.0	-36.3		2.5098	-17.3	H	3.0	39.5	1.0	-55.8	-13.0	-42.8		3.3464	-16.0	H	3.0	40.1	1.0	-55.1	-13.0	-42.1		High Ch, 846.6MHz										1.6932	-12.5	V	3.0	39.1	1.0	-50.6	-13.0	-37.6		2.5390	-17.0	V	3.0	39.6	1.0	-55.5	-13.0	-42.5		3.3860	-14.9	V	3.0	40.2	1.0	-54.1	-13.0	-41.1		1.6932	-8.5	H	3.0	39.1	1.0	-46.6	-13.0	-33.6		2.5390	-17.3	H	3.0	39.6	1.0	-55.8	-13.0	-42.8		3.3860	-16.1	H	3.0	40.2	1.0	-55.2	-13.0	-42.2		
	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																													
	Low Ch, 826.40MHz																																																																																																																																																																																																																																						
	1.6520	-10.3	V	3.0	39.1	1.0	-48.4	-13.0	-35.4																																																																																																																																																																																																																														
	2.4790	-15.9	V	3.0	39.5	1.0	-54.4	-13.0	-41.4																																																																																																																																																																																																																														
	3.3056	-14.6	V	3.0	40.1	1.0	-53.7	-13.0	-40.7																																																																																																																																																																																																																														
	1.6520	-6.2	H	3.0	39.1	1.0	-44.3	-13.0	-31.3																																																																																																																																																																																																																														
	2.4790	-16.4	H	3.0	39.5	1.0	-54.9	-13.0	-41.9																																																																																																																																																																																																																														
	3.3056	-15.9	H	3.0	40.1	1.0	-55.0	-13.0	-42.0																																																																																																																																																																																																																														
	Mid Ch, 836.6MHz																																																																																																																																																																																																																																						
	1.6732	-13.4	V	3.0	39.1	1.0	-51.5	-13.0	-38.5																																																																																																																																																																																																																														
	2.5098	-16.5	V	3.0	39.5	1.0	-55.1	-13.0	-42.1																																																																																																																																																																																																																														
	3.3464	-13.8	V	3.0	40.1	1.0	-52.9	-13.0	-39.9																																																																																																																																																																																																																														
	1.6732	-11.1	H	3.0	39.1	1.0	-49.3	-13.0	-36.3																																																																																																																																																																																																																														
	2.5098	-17.3	H	3.0	39.5	1.0	-55.8	-13.0	-42.8																																																																																																																																																																																																																														
	3.3464	-16.0	H	3.0	40.1	1.0	-55.1	-13.0	-42.1																																																																																																																																																																																																																														
	High Ch, 846.6MHz																																																																																																																																																																																																																																						
	1.6932	-12.5	V	3.0	39.1	1.0	-50.6	-13.0	-37.6																																																																																																																																																																																																																														
	2.5390	-17.0	V	3.0	39.6	1.0	-55.5	-13.0	-42.5																																																																																																																																																																																																																														
	3.3860	-14.9	V	3.0	40.2	1.0	-54.1	-13.0	-41.1																																																																																																																																																																																																																														
	1.6932	-8.5	H	3.0	39.1	1.0	-46.6	-13.0	-33.6																																																																																																																																																																																																																														
	2.5390	-17.3	H	3.0	39.6	1.0	-55.8	-13.0	-42.8																																																																																																																																																																																																																														
	3.3860	-16.1	H	3.0	40.2	1.0	-55.2	-13.0	-42.2																																																																																																																																																																																																																														
	WCDMA Band 5 HSDPA	Company: Samsung Project #: 15K22555 Date: 12-30-15 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone / Z Position Mode: Tx, HSDPA,850MHz	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">Chamber Chamber 2</div> <div style="border: 1px solid black; padding: 2px;">Pre-amplifier AFS42</div> <div style="border: 1px solid black; padding: 2px;">Filter Filter 1</div> <div style="border: 1px solid black; padding: 2px;">Limit Part 22</div> </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td colspan="10">Low Ch, 826.40MHz</td></tr> <tr><td>1.6520</td><td>-10.6</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-48.8</td><td>-13.0</td><td>-35.8</td><td></td></tr> <tr><td>2.4790</td><td>-16.5</td><td>V</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-55.0</td><td>-13.0</td><td>-42.0</td><td></td></tr> <tr><td>3.3056</td><td>-14.5</td><td>V</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-53.6</td><td>-13.0</td><td>-40.6</td><td></td></tr> <tr><td>1.6520</td><td>-6.4</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-44.5</td><td>-13.0</td><td>-31.5</td><td></td></tr> <tr><td>2.4790</td><td>-16.1</td><td>H</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-54.6</td><td>-13.0</td><td>-41.6</td><td></td></tr> <tr><td>3.3056</td><td>-15.4</td><td>H</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-54.5</td><td>-13.0</td><td>-41.5</td><td></td></tr> <tr><td colspan="10">Mid Ch, 836.6MHz</td></tr> <tr><td>1.6732</td><td>-16.0</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-54.1</td><td>-13.0</td><td>-41.1</td><td></td></tr> <tr><td>2.5098</td><td>-17.0</td><td>V</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-55.6</td><td>-13.0</td><td>-42.6</td><td></td></tr> <tr><td>3.3464</td><td>-14.7</td><td>V</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-53.8</td><td>-13.0</td><td>-40.8</td><td></td></tr> <tr><td>1.6732</td><td>-13.5</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-51.6</td><td>-13.0</td><td>-38.6</td><td></td></tr> <tr><td>2.5098</td><td>-17.2</td><td>H</td><td>3.0</td><td>39.5</td><td>1.0</td><td>-55.7</td><td>-13.0</td><td>-42.7</td><td></td></tr> <tr><td>3.3464</td><td>-15.7</td><td>H</td><td>3.0</td><td>40.1</td><td>1.0</td><td>-54.8</td><td>-13.0</td><td>-41.8</td><td></td></tr> <tr><td colspan="10">High Ch, 846.6MHz</td></tr> <tr><td>1.6932</td><td>-13.2</td><td>V</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-51.3</td><td>-13.0</td><td>-38.3</td><td></td></tr> <tr><td>2.5390</td><td>-17.1</td><td>V</td><td>3.0</td><td>39.6</td><td>1.0</td><td>-55.6</td><td>-13.0</td><td>-42.6</td><td></td></tr> <tr><td>3.3860</td><td>-15.1</td><td>V</td><td>3.0</td><td>40.2</td><td>1.0</td><td>-54.2</td><td>-13.0</td><td>-41.2</td><td></td></tr> <tr><td>1.6932</td><td>-9.9</td><td>H</td><td>3.0</td><td>39.1</td><td>1.0</td><td>-48.0</td><td>-13.0</td><td>-35.0</td><td></td></tr> <tr><td>2.5390</td><td>-17.5</td><td>H</td><td>3.0</td><td>39.6</td><td>1.0</td><td>-56.1</td><td>-13.0</td><td>-43.1</td><td></td></tr> <tr><td>3.3860</td><td>-15.9</td><td>H</td><td>3.0</td><td>40.2</td><td>1.0</td><td>-55.1</td><td>-13.0</td><td>-42.1</td><td></td></tr> </tbody> </table> <p>Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.</p>									f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Ch, 826.40MHz										1.6520	-10.6	V	3.0	39.1	1.0	-48.8	-13.0	-35.8		2.4790	-16.5	V	3.0	39.5	1.0	-55.0	-13.0	-42.0		3.3056	-14.5	V	3.0	40.1	1.0	-53.6	-13.0	-40.6		1.6520	-6.4	H	3.0	39.1	1.0	-44.5	-13.0	-31.5		2.4790	-16.1	H	3.0	39.5	1.0	-54.6	-13.0	-41.6		3.3056	-15.4	H	3.0	40.1	1.0	-54.5	-13.0	-41.5		Mid Ch, 836.6MHz										1.6732	-16.0	V	3.0	39.1	1.0	-54.1	-13.0	-41.1		2.5098	-17.0	V	3.0	39.5	1.0	-55.6	-13.0	-42.6		3.3464	-14.7	V	3.0	40.1	1.0	-53.8	-13.0	-40.8		1.6732	-13.5	H	3.0	39.1	1.0	-51.6	-13.0	-38.6		2.5098	-17.2	H	3.0	39.5	1.0	-55.7	-13.0	-42.7		3.3464	-15.7	H	3.0	40.1	1.0	-54.8	-13.0	-41.8		High Ch, 846.6MHz										1.6932	-13.2	V	3.0	39.1	1.0	-51.3	-13.0	-38.3		2.5390	-17.1	V	3.0	39.6	1.0	-55.6	-13.0	-42.6		3.3860	-15.1	V	3.0	40.2	1.0	-54.2	-13.0	-41.2		1.6932	-9.9	H	3.0	39.1	1.0	-48.0	-13.0	-35.0		2.5390	-17.5	H	3.0	39.6	1.0	-56.1	-13.0	-43.1		3.3860	-15.9	H	3.0	40.2	1.0	-55.1	-13.0	-42.1	
		f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																												
Low Ch, 826.40MHz																																																																																																																																																																																																																																							
1.6520		-10.6	V	3.0	39.1	1.0	-48.8	-13.0	-35.8																																																																																																																																																																																																																														
2.4790		-16.5	V	3.0	39.5	1.0	-55.0	-13.0	-42.0																																																																																																																																																																																																																														
3.3056		-14.5	V	3.0	40.1	1.0	-53.6	-13.0	-40.6																																																																																																																																																																																																																														
1.6520		-6.4	H	3.0	39.1	1.0	-44.5	-13.0	-31.5																																																																																																																																																																																																																														
2.4790		-16.1	H	3.0	39.5	1.0	-54.6	-13.0	-41.6																																																																																																																																																																																																																														
3.3056		-15.4	H	3.0	40.1	1.0	-54.5	-13.0	-41.5																																																																																																																																																																																																																														
Mid Ch, 836.6MHz																																																																																																																																																																																																																																							
1.6732		-16.0	V	3.0	39.1	1.0	-54.1	-13.0	-41.1																																																																																																																																																																																																																														
2.5098		-17.0	V	3.0	39.5	1.0	-55.6	-13.0	-42.6																																																																																																																																																																																																																														
3.3464		-14.7	V	3.0	40.1	1.0	-53.8	-13.0	-40.8																																																																																																																																																																																																																														
1.6732		-13.5	H	3.0	39.1	1.0	-51.6	-13.0	-38.6																																																																																																																																																																																																																														
2.5098		-17.2	H	3.0	39.5	1.0	-55.7	-13.0	-42.7																																																																																																																																																																																																																														
3.3464		-15.7	H	3.0	40.1	1.0	-54.8	-13.0	-41.8																																																																																																																																																																																																																														
High Ch, 846.6MHz																																																																																																																																																																																																																																							
1.6932		-13.2	V	3.0	39.1	1.0	-51.3	-13.0	-38.3																																																																																																																																																																																																																														
2.5390		-17.1	V	3.0	39.6	1.0	-55.6	-13.0	-42.6																																																																																																																																																																																																																														
3.3860		-15.1	V	3.0	40.2	1.0	-54.2	-13.0	-41.2																																																																																																																																																																																																																														
1.6932		-9.9	H	3.0	39.1	1.0	-48.0	-13.0	-35.0																																																																																																																																																																																																																														
2.5390		-17.5	H	3.0	39.6	1.0	-56.1	-13.0	-43.1																																																																																																																																																																																																																														
3.3860		-15.9	H	3.0	40.2	1.0	-55.1	-13.0	-42.1																																																																																																																																																																																																																														

WCDMA Band 4

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement									
		Company: Samsung		Project #: 15K22555		Date: 12-29-15		Test Engineer: Steven Kim		Configuration: EUT / AC Adapter / Earphone / X Position	
WCDMA Band 4 REL99		Mode: Tx, REL99,1700MHz		Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 24	
		f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes
Low Ch, 1712.4MHz											
	3.4248	-12.8	V	3.0	40.2	1.0	-52.1	-13.0	-39.1		
	5.1372	-4.1	V	3.0	40.9	1.0	-44.0	-13.0	-31.0		
	6.8496	4.9	V	3.0	41.0	1.0	-35.0	-13.0	-22.0		
	3.4248	-13.6	H	3.0	40.2	1.0	-52.8	-13.0	-39.8		
	5.1372	-5.1	H	3.0	40.9	1.0	-44.9	-13.0	-31.9		
	6.8496	1.8	H	3.0	41.0	1.0	-38.2	-13.0	-25.2		
Mid Ch, 1732.6MHz											
	3.4652	-12.1	V	3.0	40.3	1.0	-51.4	-13.0	-38.4		
	5.1978	-4.6	V	3.0	40.9	1.0	-44.5	-13.0	-31.5		
	6.9304	3.2	V	3.0	41.0	1.0	-36.8	-13.0	-23.8		
	3.4652	-14.0	H	3.0	40.3	1.0	-53.2	-13.0	-40.2		
	5.1978	-2.3	H	3.0	40.9	1.0	-42.1	-13.0	-29.1		
	6.9304	0.4	H	3.0	41.0	1.0	-39.6	-13.0	-26.6		
High Ch, 1752.6MHz											
	3.5052	-11.9	V	3.0	40.3	1.0	-51.1	-13.0	-38.1		
	5.2578	-4.3	V	3.0	40.9	1.0	-44.1	-13.0	-31.1		
	7.0104	0.4	V	3.0	41.0	1.0	-39.6	-13.0	-26.6		
	3.5052	-11.9	H	3.0	40.3	1.0	-51.2	-13.0	-38.2		
	5.2578	-2.3	H	3.0	40.9	1.0	-42.2	-13.0	-29.2		
	7.0104	-0.8	H	3.0	41.0	1.0	-40.8	-13.0	-27.8		
Rev: 03.03.09 Note: No other emissions were detected above the system noise floor.											
WCDMA Band 4 HSDPA		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement									
		Company: Samsung		Project #: 15K22555		Date: 12-29-15		Test Engineer: Steven Kim		Configuration: EUT / AC Adapter / Earphone / X Position	

WCDMA Band 2

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement								
WCDMA	Band 2 REL99	Company: Samsung								
		Project #: 15K22555								
		Date: 12-29-15								
		Test Engineer: Steven Kim								
		Configuration: EUT / AC Adapter / Earphone / X Position								
		Mode: Tx, REL99,1900MHz								
		Chamber	Pre-amplifier	Filter	Limit					
		Chamber 2	AFS42	Filter 1	Part 24					
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	
Low Ch, 1852.4MHz										
3.7048	-11.9	V	3.0	40.5	1.0	-51.4	-13.0	-38.4		
5.5572	2.4	V	3.0	40.8	1.0	-37.4	-13.0	-24.4		
7.4096	-3.9	V	3.0	40.8	1.0	-43.6	-13.0	-30.6		
3.7048	-14.0	H	3.0	40.5	1.0	-53.5	-13.0	-40.5		
5.5572	1.6	H	3.0	40.8	1.0	-38.3	-13.0	-25.3		
7.4096	-2.8	H	3.0	40.8	1.0	-42.6	-13.0	-29.6		
Mid Ch, 1880MHz										
3.7600	-10.9	V	3.0	40.5	1.0	-50.5	-13.0	-37.5		
5.6400	-3.0	V	3.0	40.8	1.0	-42.8	-13.0	-29.8		
7.5200	-8.3	V	3.0	40.7	1.0	-48.0	-13.0	-35.0		
3.7600	-14.5	H	3.0	40.5	1.0	-54.0	-13.0	-41.0		
5.6400	-3.3	H	3.0	40.8	1.0	-43.1	-13.0	-30.1		
7.5200	-7.8	H	3.0	40.7	1.0	-47.5	-13.0	-34.5		
High Ch, 1907.6MHz										
3.8152	-8.8	V	3.0	40.6	1.0	-48.4	-13.0	-35.4		
5.7228	-0.8	V	3.0	40.8	1.0	-40.6	-13.0	-27.6		
7.6304	-7.6	V	3.0	40.7	1.0	-47.3	-13.0	-34.3		
3.8152	-9.1	H	3.0	40.6	1.0	-48.7	-13.0	-35.7		
5.7228	-2.8	H	3.0	40.8	1.0	-42.6	-13.0	-29.6		
7.6304	-8.1	H	3.0	40.7	1.0	-47.8	-13.0	-34.8		
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										
WCDMA	Band 2 HSDPA	UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement								
		Company: Samsung								
		Project #: 15K22555								
		Date: 12-29-15								
		Test Engineer: Steven Kim								
		Configuration: EUT / AC Adapter / Earphone / X Position								
		Mode: Tx, HSDPA,1900MHz								
		Chamber	Pre-amplifier	Filter	Limit					
		Chamber 2	AFS42	Filter 1	Part 24					
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	
Low Ch, 1852.4MHz										
3.7048	-12.3	V	3.0	40.5	1.0	-51.8	-13.0	-38.8		
5.5572	-2.9	V	3.0	40.8	1.0	-42.7	-13.0	-29.7		
7.4096	-5.7	V	3.0	40.8	1.0	-45.5	-13.0	-32.5		
3.7048	-13.6	H	3.0	40.5	1.0	-53.0	-13.0	-40.0		
5.5572	-3.8	H	3.0	40.8	1.0	-43.7	-13.0	-30.7		
7.4096	-5.2	H	3.0	40.8	1.0	-45.0	-13.0	-32.0		
Mid Ch, 1880MHz										
3.7600	-10.8	V	3.0	40.5	1.0	-50.4	-13.0	-37.4		
5.6400	-1.9	V	3.0	40.8	1.0	-41.7	-13.0	-28.7		
7.5200	-8.1	V	3.0	40.7	1.0	-47.8	-13.0	-34.8		
3.7600	-10.1	H	3.0	40.5	1.0	-49.6	-13.0	-36.6		
5.6400	-4.3	H	3.0	40.8	1.0	-44.1	-13.0	-31.1		
7.5200	-8.0	H	3.0	40.7	1.0	-47.7	-13.0	-34.7		
High Ch, 1907.6MHz										
3.8152	-8.7	V	3.0	40.6	1.0	-48.3	-13.0	-35.3		
5.7228	-1.9	V	3.0	40.8	1.0	-41.7	-13.0	-28.7		
7.6304	-7.9	V	3.0	40.7	1.0	-47.5	-13.0	-34.5		
3.8152	-9.7	H	3.0	40.6	1.0	-49.3	-13.0	-36.3		
5.7228	-3.8	H	3.0	40.8	1.0	-43.5	-13.0	-30.5		
7.6304	-8.0	H	3.0	40.7	1.0	-47.7	-13.0	-34.7		
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										

LTE Band 17

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement							
		Company: Samsung Project #: 15K22555 Date: 01-13-16 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Ear Phone / Z-Position Mode: TX, LTE BAND 17, 10MHz BW, QPSK							
		Chamber Chamber 2		Pre-amplifier AFS42		Filter Filter 1		Limit FCC Part 27	
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	ERP (dBm)	Limit (dBm)	Delta (dB)	Notes
Low Channel (709MHz)									
1.4180	-20.3	V	3.0	39.0	1.0	-58.3	-13.0	-45.3	
2.1270	-14.6	V	3.0	39.3	1.0	-53.0	-13.0	-40.0	
2.8360	-22.5	V	3.0	39.7	1.0	-61.2	-13.0	-48.2	
1.4180	-21.6	H	3.0	39.0	1.0	-59.6	-13.0	-46.6	
2.1270	-5.0	H	3.0	39.3	1.0	-43.3	-13.0	-30.3	
2.8360	-24.1	H	3.0	39.7	1.0	-62.8	-13.0	-49.8	
Mid Channel (710MHz)									
1.4200	-11.2	V	3.0	39.0	1.0	-49.2	-13.0	-36.2	
2.1300	-11.8	V	3.0	39.3	1.0	-50.1	-13.0	-37.1	
2.8400	-20.2	V	3.0	39.7	1.0	-58.9	-13.0	-45.9	
1.4200	-12.8	H	3.0	39.0	1.0	-50.9	-13.0	-37.9	
2.1300	-4.6	H	3.0	39.3	1.0	-42.9	-13.0	-29.9	
2.8400	-23.5	H	3.0	39.7	1.0	-62.3	-13.0	-49.3	
High Channel (711MHz)									
1.4220	-6.4	V	3.0	39.0	1.0	-44.4	-13.0	-31.4	
2.1330	-9.4	V	3.0	39.3	1.0	-47.8	-13.0	-34.8	
2.8440	-19.4	V	3.0	39.7	1.0	-58.1	-13.0	-45.1	
1.4220	-8.4	H	3.0	39.0	1.0	-46.4	-13.0	-33.4	
2.1330	-3.0	H	3.0	39.3	1.0	-41.3	-13.0	-28.3	
2.8440	-23.6	H	3.0	39.7	1.0	-62.3	-13.0	-49.3	
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.									
		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement							
		Company: Samsung Project #: 15K22555 Date: 01-13-16 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Ear Phone / Z-Position Mode: TX, LTE BAND 17, 10MHz BW, 16QAM							
		Chamber Chamber 2		Pre-amplifier AFS42		Filter Filter 1		Limit FCC Part 27	
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	ERP (dBm)	Limit (dBm)	Delta (dB)	Notes
Low Channel (709MHz)									
1.4180	-20.8	V	3.0	39.0	1.0	-58.9	-13.0	-45.9	
2.1270	-16.1	V	3.0	39.3	1.0	-54.4	-13.0	-41.4	
2.8360	-23.0	V	3.0	39.7	1.0	-61.7	-13.0	-48.7	
1.4180	-22.6	H	3.0	39.0	1.0	-60.6	-13.0	-47.6	
2.1270	-6.4	H	3.0	39.3	1.0	-44.7	-13.0	-31.7	
2.8360	-23.8	H	3.0	39.7	1.0	-62.5	-13.0	-49.5	
Mid Channel (710MHz)									
1.4200	-14.7	V	3.0	39.0	1.0	-52.7	-13.0	-39.7	
2.1300	-12.6	V	3.0	39.3	1.0	-50.9	-13.0	-37.9	
2.8400	-21.2	V	3.0	39.7	1.0	-59.9	-13.0	-46.9	
1.4200	-15.0	H	3.0	39.0	1.0	-53.0	-13.0	-40.0	
2.1300	-5.2	H	3.0	39.3	1.0	-43.5	-13.0	-30.5	
2.8400	-24.0	H	3.0	39.7	1.0	-62.7	-13.0	-49.7	
High Channel (711MHz)									
1.4220	-8.8	V	3.0	39.0	1.0	-46.9	-13.0	-33.9	
2.1330	-10.5	V	3.0	39.3	1.0	-48.8	-13.0	-35.8	
2.8440	-20.7	V	3.0	39.7	1.0	-59.4	-13.0	-46.4	
1.4220	-9.8	H	3.0	39.0	1.0	-47.8	-13.0	-34.8	
2.1330	-4.5	H	3.0	39.3	1.0	-42.9	-13.0	-29.9	
2.8440	-23.8	H	3.0	39.7	1.0	-62.6	-13.0	-49.6	
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.									

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement										
LTE Band 17 5MHz QPSK	Company:	Samsung										
	Project #:	15K22555										
	Date:	01-13-16										
	Test Engineer:	Steven Kim										
	Configuration:	EUT / AC Adapter / Ear Phone / Z-Position										
	Mode:	TX, LTE BAND 17, 5MHz BW, QPSK										
			Chamber	Pre-amplifier	Filter	Limit						
			Chamber 2	AFS42	Filter 1	FCC Part 27						
			f GHz	SGreading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	ERP (dBm)	Limit (dBm)	Delta (dB)	Notes
			Low Channel (706.5MHz)									
			1.4130	-15.5	V	3.0	39.0	1.0	-53.5	-13.0	-40.5	
			2.1195	-10.6	V	3.0	39.3	1.0	-48.9	-13.0	-35.9	
			2.8260	-22.3	V	3.0	39.7	1.0	-61.0	-13.0	-48.0	
			1.4130	-17.2	H	3.0	39.0	1.0	-55.2	-13.0	-42.2	
			2.1195	-3.0	H	3.0	39.3	1.0	-41.3	-13.0	-28.3	
			2.8260	-24.2	H	3.0	39.7	1.0	-62.9	-13.0	-49.9	
			Mid Channel (710MHz)									
			1.4200	-8.8	V	3.0	39.0	1.0	-46.8	-13.0	-33.8	
			2.1300	-11.2	V	3.0	39.3	1.0	-49.5	-13.0	-36.5	
			2.8400	-21.1	V	3.0	39.7	1.0	-59.8	-13.0	-46.8	
			1.4200	-12.8	H	3.0	39.0	1.0	-50.8	-13.0	-37.8	
			2.1300	-6.7	H	3.0	39.3	1.0	-45.1	-13.0	-32.1	
			2.8400	-24.0	H	3.0	39.7	1.0	-62.7	-13.0	-49.7	
			High Channel (713.5MHz)									
			1.4270	-19.6	V	3.0	39.0	1.0	-57.6	-13.0	-44.6	
		2.1405	-7.7	V	3.0	39.3	1.0	-46.1	-13.0	-33.1		
		2.8540	-18.3	V	3.0	39.7	1.0	-57.1	-13.0	-44.1		
		1.4270	-17.8	H	3.0	39.0	1.0	-55.8	-13.0	-42.8		
		2.1405	-1.9	H	3.0	39.3	1.0	-40.2	-13.0	-27.2		
		2.8540	-15.6	H	3.0	39.7	1.0	-54.3	-13.0	-41.3		
		Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										
LTE Band 17 5MHz 16QAM	Company:	Samsung										
	Project #:	15K22555										
	Date:	01-13-16										
	Test Engineer:	Steven Kim										
	Configuration:	EUT / AC Adapter / Ear Phone / Z-Position										
	Mode:	TX, LTE BAND 17, 5MHz BW, 16QAM										
			Chamber	Pre-amplifier	Filter	Limit						
			Chamber 2	AFS42	Filter 1	FCC Part 27						
			f GHz	SGreading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	ERP (dBm)	Limit (dBm)	Delta (dB)	Notes
			Low Channel (706.5MHz)									
			1.4130	-16.6	V	3.0	39.0	1.0	-54.6	-13.0	-41.6	
			2.1195	-12.2	V	3.0	39.3	1.0	-50.5	-13.0	-37.5	
			2.8260	-22.7	V	3.0	39.7	1.0	-61.4	-13.0	-48.4	
			1.4130	-18.0	H	3.0	39.0	1.0	-56.0	-13.0	-43.0	
			2.1195	-5.2	H	3.0	39.3	1.0	-43.5	-13.0	-30.5	
			2.8260	-24.2	H	3.0	39.7	1.0	-62.9	-13.0	-49.9	
			Mid Channel (710MHz)									
			1.4200	-12.6	V	3.0	39.0	1.0	-50.6	-13.0	-37.6	
			2.1300	-11.9	V	3.0	39.3	1.0	-50.3	-13.0	-37.3	
			2.8400	-21.8	V	3.0	39.7	1.0	-60.6	-13.0	-47.6	
			1.4200	-16.8	H	3.0	39.0	1.0	-54.8	-13.0	-41.8	
			2.1300	-7.7	H	3.0	39.3	1.0	-46.0	-13.0	-33.0	
			2.8400	-24.1	H	3.0	39.7	1.0	-62.8	-13.0	-49.8	
			High Channel (713.5MHz)									
			1.4270	-19.2	V	3.0	39.0	1.0	-57.2	-13.0	-44.2	
		2.1405	-8.5	V	3.0	39.3	1.0	-46.8	-13.0	-33.8		
		2.8540	-18.5	V	3.0	39.7	1.0	-57.2	-13.0	-44.2		
		1.4270	-17.7	H	3.0	39.0	1.0	-55.7	-13.0	-42.7		
		2.1405	-2.3	H	3.0	39.3	1.0	-40.7	-13.0	-27.7		
		2.8540	-16.0	H	3.0	39.7	1.0	-54.7	-13.0	-41.7		
		Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										

LTE Band 5

UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement										
LTE Band 5 10MHz QPSK		Company: Samsung Project #: 15K22555 Date: 01-12-16 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone, Z Position Mode: TX, LTE BAND 5, 10MHz BW, QPSK								
		Chamber		Pre-amplifier		Filter		Limit		
		Chamber 2		AFS42		Filter 1		Part 22		
		f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)
Low Channel (829MHz)										
1.6580	-11.0	V	3.0	39.1	1.0	-49.1	-13.0	-36.1		
2.4870	-19.0	V	3.0	39.5	1.0	-57.5	-13.0	-44.5		
3.3160	-11.7	V	3.0	40.1	1.0	-50.8	-13.0	-37.8		
1.6580	-6.4	H	3.0	39.1	1.0	-44.5	-13.0	-31.5		
2.4870	-17.8	H	3.0	39.5	1.0	-56.3	-13.0	-43.3		
3.3160	-18.9	H	3.0	40.1	1.0	-58.0	-13.0	-45.0		
Mid Channel (836.5MHz)										
1.6730	-14.1	V	3.0	39.1	1.0	-52.2	-13.0	-39.2		
2.5090	-21.1	V	3.0	39.5	1.0	-59.6	-13.0	-46.6		
3.3460	-10.4	V	3.0	40.1	1.0	-49.5	-13.0	-36.5		
1.6730	-9.2	H	3.0	39.1	1.0	-47.3	-13.0	-34.3		
2.5090	-19.6	H	3.0	39.5	1.0	-58.1	-13.0	-45.1		
3.3460	-19.7	H	3.0	40.1	1.0	-58.8	-13.0	-45.8		
High Channel (844MHz)										
1.6880	-12.7	V	3.0	39.1	1.0	-50.9	-13.0	-37.9		
2.5320	-20.1	V	3.0	39.5	1.0	-58.7	-13.0	-45.7		
3.3760	-12.3	V	3.0	40.2	1.0	-51.5	-13.0	-38.5		
1.6880	-8.9	H	3.0	39.1	1.0	-47.0	-13.0	-34.0		
2.5320	-18.4	H	3.0	39.5	1.0	-57.0	-13.0	-44.0		
3.3760	-18.8	H	3.0	40.2	1.0	-58.0	-13.0	-45.0		
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										

UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement										
LTE Band 5 10MHz 16QAM		Company: Samsung Project #: 15K22555 Date: 01-12-16 Test Engineer: Steven Kim Configuration: EUT / AC Adapter / Earphone, Z Position Mode: TX, LTE BAND 5, 10MHz BW, 16QAM								
		Chamber		Pre-amplifier		Filter		Limit		
		Chamber 2		AFS42		Filter 1		Part 22		
		f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)
Low Channel (829MHz)										
1.6580	-12.0	V	3.0	39.1	1.0	-50.1	-13.0	-37.1		
2.4870	-19.9	V	3.0	39.5	1.0	-58.4	-13.0	-45.4		
3.3160	-12.6	V	3.0	40.1	1.0	-51.7	-13.0	-38.7		
1.6580	-8.3	H	3.0	39.1	1.0	-46.4	-13.0	-33.4		
2.4870	-18.6	H	3.0	39.5	1.0	-57.1	-13.0	-44.1		
3.3160	-20.5	H	3.0	40.1	1.0	-59.6	-13.0	-46.6		
Mid Channel (836.5MHz)										
1.6730	-14.8	V	3.0	39.1	1.0	-52.9	-13.0	-39.9		
2.5090	-22.2	V	3.0	39.5	1.0	-60.7	-13.0	-47.7		
3.3460	-12.6	V	3.0	40.1	1.0	-51.8	-13.0	-38.8		
1.6730	-10.3	H	3.0	39.1	1.0	-48.4	-13.0	-35.4		
2.5090	-20.4	H	3.0	39.5	1.0	-58.9	-13.0	-45.9		
3.3460	-19.8	H	3.0	40.1	1.0	-59.0	-13.0	-46.0		
High Channel (844MHz)										
1.6880	-13.8	V	3.0	39.1	1.0	-52.0	-13.0	-39.0		
2.5320	-21.0	V	3.0	39.5	1.0	-59.6	-13.0	-46.6		
3.3760	-13.3	V	3.0	40.2	1.0	-52.4	-13.0	-39.4		
1.6880	-11.1	H	3.0	39.1	1.0	-49.2	-13.0	-36.2		
2.5320	-20.9	H	3.0	39.5	1.0	-59.4	-13.0	-46.4		
3.3760	-19.6	H	3.0	40.2	1.0	-58.8	-13.0	-45.8		
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement										
LTE Band 5 5MHz QPSK	Company:		Samsung									
	Project #:		15K22555									
	Date:		01-12-16									
	Test Engineer:		Steven.Kim									
	Configuration:		EUT / AC Adapter / Earphone, Z Position									
	Mode:		TX, LTE BAND 5, 5MHz BW, QPSK									
			Chamber		Pre-amplifier		Filter		Limit			
			Chamber 2		AFS42		Filter 1		Part 22			
			f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes
			Low Channel (826.5MHz)									
			1.6530	-11.1	V	3.0	39.1	1.0	-49.2	-13.0	-36.2	
			2.4790	-19.0	V	3.0	39.5	1.0	-57.5	-13.0	-44.5	
			3.3060	-11.8	V	3.0	40.1	1.0	-50.9	-13.0	-37.9	
			1.6530	-6.2	H	3.0	39.1	1.0	-44.3	-13.0	-31.3	
			2.4790	-17.3	H	3.0	39.5	1.0	-55.9	-13.0	-42.9	
			3.3060	-19.1	H	3.0	40.1	1.0	-58.2	-13.0	-45.2	
			Mid Channel (836.5MHz)									
			1.6730	-13.8	V	3.0	39.1	1.0	-51.9	-13.0	-38.9	
			2.5090	-21.5	V	3.0	39.5	1.0	-60.1	-13.0	-47.1	
			3.3460	-10.6	V	3.0	40.1	1.0	-49.8	-13.0	-36.8	
			1.6730	-9.3	H	3.0	39.1	1.0	-47.4	-13.0	-34.4	
			2.5090	-19.9	H	3.0	39.5	1.0	-58.5	-13.0	-45.5	
			3.3460	-19.9	H	3.0	40.1	1.0	-59.1	-13.0	-46.1	
			High Channel (846.5MHz)									
			1.6930	-12.6	V	3.0	39.1	1.0	-50.7	-13.0	-37.7	
		2.5390	-19.9	V	3.0	39.6	1.0	-58.5	-13.0	-45.5		
		3.3860	-12.5	V	3.0	40.2	1.0	-51.6	-13.0	-38.6		
		1.6930	-9.2	H	3.0	39.1	1.0	-47.3	-13.0	-34.3		
		2.5390	-18.2	H	3.0	39.6	1.0	-56.8	-13.0	-43.8		
		3.3860	-18.6	H	3.0	40.2	1.0	-57.8	-13.0	-44.8		
		Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										
LTE Band 5 5MHz 16QAM	Company:		Samsung									
	Project #:		15K22555									
	Date:		01-12-16									
	Test Engineer:		Steven.Kim									
	Configuration:		EUT / AC Adapter / Earphone, Z Position									
	Mode:		TX, LTE BAND 5, 5MHz BW, 16QAM									
			Chamber		Pre-amplifier		Filter		Limit			
			Chamber 2		AFS42		Filter 1		Part 22			
			f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes
			Low Channel (826.5MHz)									
			1.6530	-12.0	V	3.0	39.1	1.0	-50.1	-13.0	-37.1	
			2.4790	-20.6	V	3.0	39.5	1.0	-59.1	-13.0	-46.1	
			3.3060	-12.6	V	3.0	40.1	1.0	-51.7	-13.0	-38.7	
			1.6530	-8.3	H	3.0	39.1	1.0	-46.4	-13.0	-33.4	
			2.4790	-18.4	H	3.0	39.5	1.0	-56.9	-13.0	-43.9	
			3.3060	-20.5	H	3.0	40.1	1.0	-59.6	-13.0	-46.6	
			Mid Channel (836.5MHz)									
			1.6730	-14.8	V	3.0	39.1	1.0	-52.9	-13.0	-39.9	
			2.5090	-22.1	V	3.0	39.5	1.0	-60.6	-13.0	-47.6	
			3.3460	-12.4	V	3.0	40.1	1.0	-51.6	-13.0	-38.6	
			1.6730	-10.1	H	3.0	39.1	1.0	-48.2	-13.0	-35.2	
			2.5090	-20.7	H	3.0	39.5	1.0	-59.2	-13.0	-46.2	
			3.3460	-20.0	H	3.0	40.1	1.0	-59.2	-13.0	-46.2	
			High Channel (846.5MHz)									
			1.6930	-13.8	V	3.0	39.1	1.0	-51.9	-13.0	-38.9	
		2.5390	-20.8	V	3.0	39.6	1.0	-59.4	-13.0	-46.4		
		3.3860	-13.3	V	3.0	40.2	1.0	-52.5	-13.0	-39.5		
		1.6930	-10.8	H	3.0	39.1	1.0	-49.0	-13.0	-36.0		
		2.5390	-20.9	H	3.0	39.6	1.0	-59.5	-13.0	-46.5		
		3.3860	-19.8	H	3.0	40.2	1.0	-59.0	-13.0	-46.0		
		Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.										

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement									
LTE Band 5 3MHz QPSK	Company: Samsung										
	Project #: 15K22555										
	Date: 01-12-16										
	Test Engineer: Steven.Kim										
	Configuration: EUT / AC Adapter / Earphone, Z Position										
	Mode: TX LTE BAND 5, 3MHz BW, QPSK										
	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 22				
	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	
	Low Channel (825.5MHz)										
	1.6510	-11.2	V	3.0	39.1	1.0	-49.3	-13.0	-36.3		
	2.4675	-19.3	V	3.0	39.5	1.0	-57.8	-13.0	-44.8		
	3.3020	-12.1	V	3.0	40.1	1.0	-51.2	-13.0	-38.2		
	1.6510	-6.1	H	3.0	39.1	1.0	-44.2	-13.0	-31.2		
	2.4675	-17.5	H	3.0	39.5	1.0	-56.0	-13.0	-43.0		
	3.3020	-19.3	H	3.0	40.1	1.0	-58.4	-13.0	-45.4		
	Mid Channel (836.5MHz)										
	1.6730	-13.7	V	3.0	39.1	1.0	-51.8	-13.0	-38.8		
	2.5090	-21.6	V	3.0	39.5	1.0	-60.1	-13.0	-47.1		
	3.3460	-10.9	V	3.0	40.1	1.0	-50.0	-13.0	-37.0		
	1.6730	-9.2	H	3.0	39.1	1.0	-47.3	-13.0	-34.3		
2.5090	-20.0	H	3.0	39.5	1.0	-58.5	-13.0	-45.5			
3.3460	-19.8	H	3.0	40.1	1.0	-59.0	-13.0	-46.0			
High Channel (847.5MHz)											
1.6950	-12.9	V	3.0	39.1	1.0	-51.0	-13.0	-38.0			
2.5425	-19.8	V	3.0	39.6	1.0	-58.4	-13.0	-45.4			
3.3900	-12.3	V	3.0	40.2	1.0	-51.5	-13.0	-38.5			
1.6950	-9.0	H	3.0	39.1	1.0	-47.2	-13.0	-34.2			
2.5425	-18.3	H	3.0	39.6	1.0	-56.9	-13.0	-43.9			
3.3900	-18.9	H	3.0	40.2	1.0	-58.1	-13.0	-45.1			
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.											
LTE Band 5 3MHz 16QAM	UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement										
	Company: Samsung										
	Project #: 15K22555										
	Date: 01-12-16										
	Test Engineer: Steven.Kim										
	Configuration: EUT / AC Adapter / Earphone, Z Position										
	Mode: TX LTE BAND 5, 3MHz BW, 16QAM										
	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 22				
	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	
	Low Channel (825.5MHz)										
	1.6510	-12.2	V	3.0	39.1	1.0	-50.3	-13.0	-37.3		
	2.4675	-20.4	V	3.0	39.5	1.0	-58.9	-13.0	-45.9		
	3.3020	-13.3	V	3.0	40.1	1.0	-52.4	-13.0	-39.4		
	1.6510	-8.3	H	3.0	39.1	1.0	-46.4	-13.0	-33.4		
	2.4675	-19.5	H	3.0	39.5	1.0	-58.0	-13.0	-45.0		
	3.3020	-20.6	H	3.0	40.1	1.0	-59.7	-13.0	-46.7		
	Mid Channel (836.5MHz)										
	1.6730	-15.4	V	3.0	39.1	1.0	-53.5	-13.0	-40.5		
	2.5090	-22.0	V	3.0	39.5	1.0	-60.5	-13.0	-47.5		
	3.3460	-12.6	V	3.0	40.1	1.0	-51.8	-13.0	-38.8		
1.6730	-10.7	H	3.0	39.1	1.0	-48.8	-13.0	-35.8			
2.5090	-20.4	H	3.0	39.5	1.0	-58.9	-13.0	-45.9			
3.3460	-20.4	H	3.0	40.1	1.0	-59.6	-13.0	-46.6			
High Channel (847.5MHz)											
1.6950	-13.7	V	3.0	39.1	1.0	-51.8	-13.0	-38.8			
2.5425	-21.0	V	3.0	39.6	1.0	-59.6	-13.0	-46.6			
3.3900	-13.6	V	3.0	40.2	1.0	-52.8	-13.0	-39.8			
1.6950	-11.2	H	3.0	39.1	1.0	-49.3	-13.0	-36.3			
2.5425	-20.3	H	3.0	39.6	1.0	-58.8	-13.0	-45.8			
3.3900	-19.6	H	3.0	40.2	1.0	-58.8	-13.0	-45.8			
Rev. 03.03.09 Note: No other emissions were detected above the system noise floor.											

		UL Korea, Ltd Suwon Laboratory Above 1GHz High Frequency Substitution Measurement																																																																																																																																																																																																																											
LTE Band 5 1.4MHz QPSK	Company: Samsung Project #: 15K22555 Date: 01-12-16 Test Engineer: Steven.Kim Configuration: EUT / AC Adapter / Earphone, Z Position Mode: TX LTE BAND 5, 1.4MHz BW,QPSK	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 22																																																																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td colspan="10">Low Channel (824.7MHz)</td> </tr> <tr> <td>1.6494</td> <td>-11.3</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-49.4</td> <td>-13.0</td> <td>-36.4</td> <td></td> </tr> <tr> <td>2.4741</td> <td>-19.5</td> <td>V</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-58.0</td> <td>-13.0</td> <td>-45.0</td> <td></td> </tr> <tr> <td>3.2988</td> <td>-12.2</td> <td>V</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-51.3</td> <td>-13.0</td> <td>-38.3</td> <td></td> </tr> <tr> <td>1.6494</td> <td>-6.2</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-44.3</td> <td>-13.0</td> <td>-31.3</td> <td></td> </tr> <tr> <td>2.4741</td> <td>-17.6</td> <td>H</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-56.2</td> <td>-13.0</td> <td>-43.2</td> <td></td> </tr> <tr> <td>3.2988</td> <td>-19.4</td> <td>H</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-58.5</td> <td>-13.0</td> <td>-45.5</td> <td></td> </tr> <tr> <td colspan="10">Mid Channel (836.5MHz)</td> </tr> <tr> <td>1.6730</td> <td>-14.3</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-52.4</td> <td>-13.0</td> <td>-39.4</td> <td></td> </tr> <tr> <td>2.5090</td> <td>-21.5</td> <td>V</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-60.0</td> <td>-13.0</td> <td>-47.0</td> <td></td> </tr> <tr> <td>3.3460</td> <td>-10.8</td> <td>V</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-49.9</td> <td>-13.0</td> <td>-36.9</td> <td></td> </tr> <tr> <td>1.6730</td> <td>-8.9</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-47.0</td> <td>-13.0</td> <td>-34.0</td> <td></td> </tr> <tr> <td>2.5090</td> <td>-19.2</td> <td>H</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-57.8</td> <td>-13.0</td> <td>-44.8</td> <td></td> </tr> <tr> <td>3.3460</td> <td>-19.7</td> <td>H</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-58.9</td> <td>-13.0</td> <td>-45.9</td> <td></td> </tr> <tr> <td colspan="10">High Channel (848.3MHz)</td> </tr> <tr> <td>1.6966</td> <td>-13.0</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-51.1</td> <td>-13.0</td> <td>-38.1</td> <td></td> </tr> <tr> <td>2.5449</td> <td>-20.1</td> <td>V</td> <td>3.0</td> <td>39.6</td> <td>1.0</td> <td>-58.7</td> <td>-13.0</td> <td>-45.7</td> <td></td> </tr> <tr> <td>3.3932</td> <td>-12.4</td> <td>V</td> <td>3.0</td> <td>40.2</td> <td>1.0</td> <td>-51.6</td> <td>-13.0</td> <td>-38.6</td> <td></td> </tr> <tr> <td>1.6966</td> <td>-8.9</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-47.0</td> <td>-13.0</td> <td>-34.0</td> <td></td> </tr> <tr> <td>2.5449</td> <td>-18.9</td> <td>H</td> <td>3.0</td> <td>39.6</td> <td>1.0</td> <td>-57.4</td> <td>-13.0</td> <td>-44.4</td> <td></td> </tr> <tr> <td>3.3932</td> <td>-19.3</td> <td>H</td> <td>3.0</td> <td>40.2</td> <td>1.0</td> <td>-58.5</td> <td>-13.0</td> <td>-45.5</td> <td></td> </tr> </tbody> </table>	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Channel (824.7MHz)										1.6494	-11.3	V	3.0	39.1	1.0	-49.4	-13.0	-36.4		2.4741	-19.5	V	3.0	39.5	1.0	-58.0	-13.0	-45.0		3.2988	-12.2	V	3.0	40.1	1.0	-51.3	-13.0	-38.3		1.6494	-6.2	H	3.0	39.1	1.0	-44.3	-13.0	-31.3		2.4741	-17.6	H	3.0	39.5	1.0	-56.2	-13.0	-43.2		3.2988	-19.4	H	3.0	40.1	1.0	-58.5	-13.0	-45.5		Mid Channel (836.5MHz)										1.6730	-14.3	V	3.0	39.1	1.0	-52.4	-13.0	-39.4		2.5090	-21.5	V	3.0	39.5	1.0	-60.0	-13.0	-47.0		3.3460	-10.8	V	3.0	40.1	1.0	-49.9	-13.0	-36.9		1.6730	-8.9	H	3.0	39.1	1.0	-47.0	-13.0	-34.0		2.5090	-19.2	H	3.0	39.5	1.0	-57.8	-13.0	-44.8		3.3460	-19.7	H	3.0	40.1	1.0	-58.9	-13.0	-45.9		High Channel (848.3MHz)										1.6966	-13.0	V	3.0	39.1	1.0	-51.1	-13.0	-38.1		2.5449	-20.1	V	3.0	39.6	1.0	-58.7	-13.0	-45.7		3.3932	-12.4	V	3.0	40.2	1.0	-51.6	-13.0	-38.6		1.6966	-8.9	H	3.0	39.1	1.0	-47.0	-13.0	-34.0		2.5449	-18.9	H	3.0	39.6	1.0	-57.4	-13.0	-44.4		3.3932	-19.3	H	3.0	40.2	1.0	-58.5	-13.0	-45.5	
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																				
Low Channel (824.7MHz)																																																																																																																																																																																																																													
1.6494	-11.3	V	3.0	39.1	1.0	-49.4	-13.0	-36.4																																																																																																																																																																																																																					
2.4741	-19.5	V	3.0	39.5	1.0	-58.0	-13.0	-45.0																																																																																																																																																																																																																					
3.2988	-12.2	V	3.0	40.1	1.0	-51.3	-13.0	-38.3																																																																																																																																																																																																																					
1.6494	-6.2	H	3.0	39.1	1.0	-44.3	-13.0	-31.3																																																																																																																																																																																																																					
2.4741	-17.6	H	3.0	39.5	1.0	-56.2	-13.0	-43.2																																																																																																																																																																																																																					
3.2988	-19.4	H	3.0	40.1	1.0	-58.5	-13.0	-45.5																																																																																																																																																																																																																					
Mid Channel (836.5MHz)																																																																																																																																																																																																																													
1.6730	-14.3	V	3.0	39.1	1.0	-52.4	-13.0	-39.4																																																																																																																																																																																																																					
2.5090	-21.5	V	3.0	39.5	1.0	-60.0	-13.0	-47.0																																																																																																																																																																																																																					
3.3460	-10.8	V	3.0	40.1	1.0	-49.9	-13.0	-36.9																																																																																																																																																																																																																					
1.6730	-8.9	H	3.0	39.1	1.0	-47.0	-13.0	-34.0																																																																																																																																																																																																																					
2.5090	-19.2	H	3.0	39.5	1.0	-57.8	-13.0	-44.8																																																																																																																																																																																																																					
3.3460	-19.7	H	3.0	40.1	1.0	-58.9	-13.0	-45.9																																																																																																																																																																																																																					
High Channel (848.3MHz)																																																																																																																																																																																																																													
1.6966	-13.0	V	3.0	39.1	1.0	-51.1	-13.0	-38.1																																																																																																																																																																																																																					
2.5449	-20.1	V	3.0	39.6	1.0	-58.7	-13.0	-45.7																																																																																																																																																																																																																					
3.3932	-12.4	V	3.0	40.2	1.0	-51.6	-13.0	-38.6																																																																																																																																																																																																																					
1.6966	-8.9	H	3.0	39.1	1.0	-47.0	-13.0	-34.0																																																																																																																																																																																																																					
2.5449	-18.9	H	3.0	39.6	1.0	-57.4	-13.0	-44.4																																																																																																																																																																																																																					
3.3932	-19.3	H	3.0	40.2	1.0	-58.5	-13.0	-45.5																																																																																																																																																																																																																					
LTE Band 5 1.4MHz 16QAM	Company: Samsung Project #: 15K22555 Date: 01-12-16 Test Engineer: Steven.Kim Configuration: EUT / AC Adapter / Earphone, Z Position Mode: TX LTE BAND 5, 1.4MHz BW,16QAM	Chamber: Chamber 2		Pre-amplifier: AFS42		Filter: Filter 1		Limit: Part 22																																																																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th>f GHz</th> <th>SG reading (dBm)</th> <th>Ant. Pol. (H/V)</th> <th>Distance (m)</th> <th>Preamp (dB)</th> <th>Filter (dB)</th> <th>EIRP (dBm)</th> <th>Limit (dBm)</th> <th>Delta (dB)</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td colspan="10">Low Channel (824.7MHz)</td> </tr> <tr> <td>1.6494</td> <td>-12.5</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-50.6</td> <td>-13.0</td> <td>-37.6</td> <td></td> </tr> <tr> <td>2.4741</td> <td>-20.1</td> <td>V</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-58.7</td> <td>-13.0</td> <td>-45.7</td> <td></td> </tr> <tr> <td>3.2988</td> <td>-13.5</td> <td>V</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-52.6</td> <td>-13.0</td> <td>-39.6</td> <td></td> </tr> <tr> <td>1.6494</td> <td>-8.1</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-46.2</td> <td>-13.0</td> <td>-33.2</td> <td></td> </tr> <tr> <td>2.4741</td> <td>-19.4</td> <td>H</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-57.9</td> <td>-13.0</td> <td>-44.9</td> <td></td> </tr> <tr> <td>3.2988</td> <td>-20.3</td> <td>H</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-59.4</td> <td>-13.0</td> <td>-46.4</td> <td></td> </tr> <tr> <td colspan="10">Mid Channel (836.5MHz)</td> </tr> <tr> <td>1.6730</td> <td>-15.5</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-53.6</td> <td>-13.0</td> <td>-40.6</td> <td></td> </tr> <tr> <td>2.5090</td> <td>-21.9</td> <td>V</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-60.5</td> <td>-13.0</td> <td>-47.5</td> <td></td> </tr> <tr> <td>3.3460</td> <td>-12.5</td> <td>V</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-51.6</td> <td>-13.0</td> <td>-38.6</td> <td></td> </tr> <tr> <td>1.6730</td> <td>-10.7</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-48.8</td> <td>-13.0</td> <td>-35.8</td> <td></td> </tr> <tr> <td>2.5090</td> <td>-20.2</td> <td>H</td> <td>3.0</td> <td>39.5</td> <td>1.0</td> <td>-58.8</td> <td>-13.0</td> <td>-45.8</td> <td></td> </tr> <tr> <td>3.3460</td> <td>-20.5</td> <td>H</td> <td>3.0</td> <td>40.1</td> <td>1.0</td> <td>-59.7</td> <td>-13.0</td> <td>-46.7</td> <td></td> </tr> <tr> <td colspan="10">High Channel (848.3MHz)</td> </tr> <tr> <td>1.6966</td> <td>-14.1</td> <td>V</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-52.2</td> <td>-13.0</td> <td>-39.2</td> <td></td> </tr> <tr> <td>2.5449</td> <td>-21.0</td> <td>V</td> <td>3.0</td> <td>39.6</td> <td>1.0</td> <td>-59.6</td> <td>-13.0</td> <td>-46.6</td> <td></td> </tr> <tr> <td>3.3932</td> <td>-13.6</td> <td>V</td> <td>3.0</td> <td>40.2</td> <td>1.0</td> <td>-52.8</td> <td>-13.0</td> <td>-39.8</td> <td></td> </tr> <tr> <td>1.6966</td> <td>-11.5</td> <td>H</td> <td>3.0</td> <td>39.1</td> <td>1.0</td> <td>-49.7</td> <td>-13.0</td> <td>-36.7</td> <td></td> </tr> <tr> <td>2.5449</td> <td>-20.1</td> <td>H</td> <td>3.0</td> <td>39.6</td> <td>1.0</td> <td>-58.7</td> <td>-13.0</td> <td>-45.7</td> <td></td> </tr> <tr> <td>3.3932</td> <td>-20.1</td> <td>H</td> <td>3.0</td> <td>40.2</td> <td>1.0</td> <td>-59.3</td> <td>-13.0</td> <td>-46.3</td> <td></td> </tr> </tbody> </table>	f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes	Low Channel (824.7MHz)										1.6494	-12.5	V	3.0	39.1	1.0	-50.6	-13.0	-37.6		2.4741	-20.1	V	3.0	39.5	1.0	-58.7	-13.0	-45.7		3.2988	-13.5	V	3.0	40.1	1.0	-52.6	-13.0	-39.6		1.6494	-8.1	H	3.0	39.1	1.0	-46.2	-13.0	-33.2		2.4741	-19.4	H	3.0	39.5	1.0	-57.9	-13.0	-44.9		3.2988	-20.3	H	3.0	40.1	1.0	-59.4	-13.0	-46.4		Mid Channel (836.5MHz)										1.6730	-15.5	V	3.0	39.1	1.0	-53.6	-13.0	-40.6		2.5090	-21.9	V	3.0	39.5	1.0	-60.5	-13.0	-47.5		3.3460	-12.5	V	3.0	40.1	1.0	-51.6	-13.0	-38.6		1.6730	-10.7	H	3.0	39.1	1.0	-48.8	-13.0	-35.8		2.5090	-20.2	H	3.0	39.5	1.0	-58.8	-13.0	-45.8		3.3460	-20.5	H	3.0	40.1	1.0	-59.7	-13.0	-46.7		High Channel (848.3MHz)										1.6966	-14.1	V	3.0	39.1	1.0	-52.2	-13.0	-39.2		2.5449	-21.0	V	3.0	39.6	1.0	-59.6	-13.0	-46.6		3.3932	-13.6	V	3.0	40.2	1.0	-52.8	-13.0	-39.8		1.6966	-11.5	H	3.0	39.1	1.0	-49.7	-13.0	-36.7		2.5449	-20.1	H	3.0	39.6	1.0	-58.7	-13.0	-45.7		3.3932	-20.1	H	3.0	40.2	1.0	-59.3	-13.0	-46.3	
f GHz	SG reading (dBm)	Ant. Pol. (H/V)	Distance (m)	Preamp (dB)	Filter (dB)	EIRP (dBm)	Limit (dBm)	Delta (dB)	Notes																																																																																																																																																																																																																				
Low Channel (824.7MHz)																																																																																																																																																																																																																													
1.6494	-12.5	V	3.0	39.1	1.0	-50.6	-13.0	-37.6																																																																																																																																																																																																																					
2.4741	-20.1	V	3.0	39.5	1.0	-58.7	-13.0	-45.7																																																																																																																																																																																																																					
3.2988	-13.5	V	3.0	40.1	1.0	-52.6	-13.0	-39.6																																																																																																																																																																																																																					
1.6494	-8.1	H	3.0	39.1	1.0	-46.2	-13.0	-33.2																																																																																																																																																																																																																					
2.4741	-19.4	H	3.0	39.5	1.0	-57.9	-13.0	-44.9																																																																																																																																																																																																																					
3.2988	-20.3	H	3.0	40.1	1.0	-59.4	-13.0	-46.4																																																																																																																																																																																																																					
Mid Channel (836.5MHz)																																																																																																																																																																																																																													
1.6730	-15.5	V	3.0	39.1	1.0	-53.6	-13.0	-40.6																																																																																																																																																																																																																					
2.5090	-21.9	V	3.0	39.5	1.0	-60.5	-13.0	-47.5																																																																																																																																																																																																																					
3.3460	-12.5	V	3.0	40.1	1.0	-51.6	-13.0	-38.6																																																																																																																																																																																																																					
1.6730	-10.7	H	3.0	39.1	1.0	-48.8	-13.0	-35.8																																																																																																																																																																																																																					
2.5090	-20.2	H	3.0	39.5	1.0	-58.8	-13.0	-45.8																																																																																																																																																																																																																					
3.3460	-20.5	H	3.0	40.1	1.0	-59.7	-13.0	-46.7																																																																																																																																																																																																																					
High Channel (848.3MHz)																																																																																																																																																																																																																													
1.6966	-14.1	V	3.0	39.1	1.0	-52.2	-13.0	-39.2																																																																																																																																																																																																																					
2.5449	-21.0	V	3.0	39.6	1.0	-59.6	-13.0	-46.6																																																																																																																																																																																																																					
3.3932	-13.6	V	3.0	40.2	1.0	-52.8	-13.0	-39.8																																																																																																																																																																																																																					
1.6966	-11.5	H	3.0	39.1	1.0	-49.7	-13.0	-36.7																																																																																																																																																																																																																					
2.5449	-20.1	H	3.0	39.6	1.0	-58.7	-13.0	-45.7																																																																																																																																																																																																																					
3.3932	-20.1	H	3.0	40.2	1.0	-59.3	-13.0	-46.3																																																																																																																																																																																																																					