



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A:
Test Setup
Photo

FCC ID
A3LSMM346B

File No.

HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P
HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P	HCT-RF-2305-FC091-P
HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P
HCT-RF-2305-FC095-P	HCT-RF-2305-FC096-P	

REVISION HISTORY

The revision history for this document is shown in table.


Revision No.	Date of Issue	Description
0	May 25, 2023	Initial Release

HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
HCT-RF-2305-FC096-P				

1. Radiated Test Setup Photo



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P


HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P


HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P


HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P


HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File No.	HCT-RF-2305-FC086-P	HCT-RF-2305-FC087-P	HCT-RF-2305-FC088-P	HCT-RF-2305-FC089-P	HCT-RF-2305-FC090-P
	HCT-RF-2305-FC091-P	HCT-RF-2305-FC092-P	HCT-RF-2305-FC093-P	HCT-RF-2305-FC094-P	HCT-RF-2305-FC095-P
	HCT-RF-2305-FC096-P				



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.

HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.


HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P



File
No.

HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P


HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P

2. Conducted Test Setup Photo



File
No.

HCT-RF-2305-FC086-P
HCT-RF-2305-FC091-P
HCT-RF-2305-FC096-P

HCT-RF-2305-FC087-P
HCT-RF-2305-FC092-P

HCT-RF-2305-FC088-P
HCT-RF-2305-FC093-P

HCT-RF-2305-FC089-P
HCT-RF-2305-FC094-P

HCT-RF-2305-FC090-P
HCT-RF-2305-FC095-P