



HIGH CHANNEL(9RU) HORIZONTAL



HIGH CHANNEL(9RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(9RU) DATA


Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Det	317..00168724	6GHz_HF[SdB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limt (dBuV/m)	Margin (dB)	Peak Limt (dBuV/m)	Margin (dB)	Limit Non-Restricted (dBuV/m)	Margin (dB)	Altitude (Daps)	Height (cm)	Polarity
7.84471	36.48	PK-U	36	-24.2	0	48.28	-	-	-	-	68.2	-19.92	360	100	H
7.846	36.64	PK-U	36	-24.2	0	48.44	-	-	-	-	68.2	-19.76	360	100	V
10.47819	33.35	PK-U	37.7	-20.5	0	50.55	-	-	-	-	68.2	-17.65	360	100	H
10.47827	33.75	PK-U	37.7	-20.5	0	50.95	-	-	-	-	68.2	-17.25	360	100	V
* 15.70763	34.72	PK-U	40.2	-19.6	0	55.32	-	-	74	-18.68	-	-	360	100	H
* 15.70708	34.74	PK-U	40.2	-19.6	0	55.34	-	-	74	-18.66	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

**11.5.3. TX ABOVE 1GHz HE80(RU) MODE IN THE 5.2GHz BAND
 HARMONICS AND SPURIOUS EMISSIONS – ANT1**

MID CHANNEL(0RU) HORIZONTAL



MID CHANNEL(0RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(0RU) DATA


Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Det	317..00168724	6GHz_HF[SdB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limt (dBuV/m)	Margin (dB)	Peak Limt (dBuV/m)	Margin (dB)	Limt Non-Restricted (dBuV/m)	Margin (dB)	Altitude (Meters)	Height (cm)	Polarity
7.80997	35.62	PK-U	36	-23.9	0	47.72	-	-	-	-	68.2	-20.48	360	100	H
7.80971	35.47	PK-U	36	-23.9	0	47.57	-	-	-	-	68.2	-20.63	360	100	V
10.43192	33.48	PK-U	37.6	-20.6	0	50.48	-	-	-	-	68.2	-17.72	360	100	H
10.4309	33.35	PK-U	37.6	-20.6	0	50.35	-	-	-	-	68.2	-17.85	360	100	V
* 15.64717	34.51	PK-U	40.1	-19.7	0	54.91	-	-	74	-19.09	-	-	360	100	H
* 15.64762	34.53	PK-U	40.1	-19.7	0	54.93	-	-	74	-19.07	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT2

MID CHANNEL(18RU) HORIZONTAL



MID CHANNEL(18RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(18RU) DATA


Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Det	317..00168724	6GHz_MPSdB	DC Cor (dB)	Corrected Reading (dBuV/m)	Avg Limt (dBuV/m)	Margin (dB)	Peak Limt (dBuV/m)	Margin (dB)	UNII Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.79318	36.31	PK-U	36	-23.7	0	48.61	-	-	-	-	68.2	-19.59	360	100	H
7.79335	35.54	PK-U	36	-23.6	0	47.94	-	-	-	-	68.2	-20.26	360	100	V
10.42041	33.23	PK-U	37.6	-20.6	0	50.23	-	-	-	-	68.2	-17.97	360	100	H
10.42025	32.86	PK-U	37.6	-20.6	0	50.86	-	-	-	-	68.2	-17.34	360	100	V
* 15.6134	34.18	PK-U	40	-19.6	0	54.58	-	-	74	-19.42	-	-	360	100	H
* 15.61083	34.93	PK-U	40	-19.6	0	55.33	-	-	74	-18.67	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT1+ANT2

MID CHANNEL(0RU) HORIZONTAL



MID CHANNEL(0RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(0RU) DATA



Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Det	317..00168724	6GHz_HF[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limt (dBuV/m)	Margin (dB)	Peak Limt (dBuV/m)	Margin (dB)	Limt Non-Restricted (dBuV/m)	Margin (dB)	Altitude (Daps)	Height (cm)	Polarity
7.80902	36.22	PK-U	36	-23.9	0	48.32	-	-	-	-	68.2	-19.88	360	100	H
7.81033	35.73	PK-U	36	-23.9	0	47.83	-	-	-	-	68.2	-20.37	360	100	V
10.41905	33.35	PK-U	37.6	-20.6	0	50.35	-	-	-	-	68.2	-17.85	360	100	H
10.41875	33.31	PK-U	37.6	-20.6	0	50.31	-	-	-	-	68.2	-17.89	360	100	V
* 15.63204	34.88	PK-U	40.1	-19.7	0	55.28	-	-	74	-18.72	-	-	360	100	H
* 15.63408	34.39	PK-U	40.1	-19.8	0	54.69	-	-	74	-19.31	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

11.6. 5.3 GHz(802.11ax RU mode)

11.6.1. TX ABOVE 1 GHz HE20(RU) MODE IN THE 5.3 GHz BAND HARMONICS AND SPURIOUS EMISSIONS – ANT1



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


LOW CHANNEL(38RU) DATA

Radiated Emissions


Frequency (GHz)	Meas. Reading (dBu)	Det	317..00168724	6GHz_HPIIS	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	UNII Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Deg)	Height (m)	Polarity
7.8898	39.14	PK-U	35.9	-24.2	0	50.94	-	-	-	-	68.2	-17.36	0	100	H
7.88973	38.36	PK-U	35.9	-24.2	0	50.06	-	-	-	-	68.2	-18.14	0	100	V
10.51355	45.71	PK-U	37.7	-20.5	0	62.91	-	-	-	-	68.2	-5.29	227	233	H
10.51355	41.25	PK-U	37.7	-20.5	0	58.45	-	-	-	-	68.2	-9.75	92	113	V
* 15.7819	36.21	PK-U	40.3	-19.9	0	56.61	-	-	74	-17.39	-	-	0	100	H
* 15.78053	36.33	PK-U	40.3	-19.9	0	56.73	-	-	74	-17.27	-	-	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(38RU) DATA

Radiated Emissions


Frequency (MHz)	Meas. Reading (dBµV)	Dist	317_00168724	6GHz_HPI98	DC Cor (dB)	Corrected Reading (dBµV/m)	Avg Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	Limit Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Deg)	Height (m)	Polarity
7.95796	39.09	PK-U	35.9	-23.6	0	51.39	-	-	-	-	68.2	-16.81	0	100	H
7.95142	39.05	PK-U	35.9	-23.7	0	51.26	-	-	-	-	68.2	-16.94	360	100	V
* 15.89872	36.13	PK-U	40.5	-19.5	0	57.13	-	-	74	-16.87	-	-	0	100	H
* 15.89922	36.12	PK-U	40.5	-19.4	0	57.22	-	-	74	-16.78	-	-	360	100	V
* 11.5429	36.35	PK-U	38.3	-19.6	0	55.05	-	-	74	-18.95	-	-	246	178	H
* 11.5261	24.17	ADR	38.3	-19.7	0	42.77	54	-11.23	-	-	-	-	246	178	H
* 12.0679	35.26	PK-U	39	-19.2	0	55.06	-	-	74	-18.94	-	-	212	384	V
* 11.5156	24.21	ADR	38.3	-19.6	0	42.91	54	-11.09	-	-	-	-	212	384	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK-U - U-NII: Maximum Peak

ADR - U-NII AD primary method, RMS average

HIGH CHANNEL(38RU) HORIZONTAL



HIGH CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(38RU) DATA

Radiated Emissions

Frequency (GHz)	Mask Reading (dBμV)	Det	317_00168724	5CHL HP(SB)	DC Corr (dB)	Corrected Reading (dBμV/m)	Avg Limit (dBμV/m)	Margin (dB)	Peak Limit (dBμV/m)	Margin (dB)	UNEI Non-Restricted (dBμV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.98125	38.47	PK-U	35.9	-23.7	0	50.67	-	-	-	-	68.2	-17.53	360	100	H
7.97963	38.84	PK-U	35.9	-23.7	0	51.04	-	-	-	-	68.2	-17.16	360	100	V
* 15.95843	36.31	PK-U	40.5	-19.5	0	57.31	-	-	74	-16.69	-	-	360	100	H
* 15.96187	36.26	PK-U	40.5	-19.5	0	57.26	-	-	74	-16.74	-	-	360	100	V
* 10.6348	44.9	PK-U	37.8	-19.5	0	63.2	-	-	74	-10.8	-	-	209	214	H
* 10.6331	28.68	ADR	37.8	-19.4	0	47.08	54	-6.92	-	-	-	-	209	214	H
* 10.63357	40.37	PK-U	37.8	-19.4	0	58.77	-	-	74	-15.23	-	-	123	111	V
* 10.63331	25.69	ADR	37.8	-19.4	0	44.09	54	-9.91	-	-	-	-	123	111	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak


ADR - U-NII AD primary method, RMS average

HARMONICS AND SPURIOUS EMISSIONS – ANT2

LOW CHANNEL(38RU) HORIZONTAL



LOW CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


LOW CHANNEL(38RU) DATA

Radiated Emissions


Frequency (MHz)	Main Reading (dBμV)	Det	317_00168724	6GHz_HPSIS	DC Corr (dB)	Corrected Reading (dBμV/m)	Avg Limit (dBμV/m)	Margin (dB)	Peak Limit (dBμV/m)	Margin (dB)	UNII Non-Restricted (dBμV/m)	Margin (dB)	Azimuth (Deg)	Height (m)	Polarity
7.90776	36.46	PK-U	35.9	-23.9	0	48.46	-	-	-	-	68.2	-19.74	360	100	H
7.90469	36.67	PK-U	35.9	-24	0	48.57	-	-	-	-	68.2	-19.63	360	100	V
10.51537	33.31	PK-U	37.7	-20.5	0	50.51	-	-	-	-	68.2	-17.69	360	100	H
10.51199	33	PK-U	37.7	-20.5	0	50.2	-	-	-	-	68.2	-18	360	100	V
* 15.76767	34.46	PK-U	40.3	-19.7	0	55.06	-	-	74	-18.94	-	-	360	100	H
* 15.77123	34.69	PK-U	40.3	-19.7	0	55.29	-	-	74	-18.71	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


MID CHANNEL(38RU) DATA

Radiated Emissions


Frequency (MHz)	Meas. Reading (dBµV)	Dist	317_00168724	6GHz_HPI98	DC Cor (dB)	Corrected Reading (dBµV/m)	Aug Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNI Non-Restricted (dBµV/m)	Margin (dB)	Altitude (Meters)	Height (m)	Polarity
7.9561	35.96	PK-U	35.9	-23.6	0	48.16	-	-	-	-	68.2	-20.04	360	100	H
7.95644	35.1	PK-U	35.0	-23.6	0	48.4	-	-	-	-	68.2	-19.8	360	100	V
10.59483	33.07	PK-U	37.8	-19.3	0	51.57	-	-	-	-	68.2	-16.63	360	100	H
10.59418	33.22	PK-U	37.8	-19.3	0	51.72	-	-	-	-	68.2	-16.48	360	100	V
* 15.88744	34.59	PK-U	40.5	-19.6	0	55.49	-	-	74	-18.51	-	-	360	100	H
* 15.88798	34.33	PK-U	40.5	-19.6	0	55.23	-	-	74	-18.77	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HIGH CHANNEL(38RU) HORIZONTAL



HIGH CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(38RU) DATA

Radiated Emissions


Frequency (GHz)	Max Reading (dBu)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	UNR Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.97409	35.61	PK-U	35.9	-23.7	0	47.81	-	-	-	-	68.2	-20.39	360	100	H
7.97405	35.6	PK-U	35.9	-23.7	0	47.8	-	-	-	-	68.2	-20.4	360	100	V
* 10.65838	33	PK-U	37.8	-19.6	0	51.2	-	-	74	-22.8	-	-	360	100	H
* 10.65859	33.72	PK-U	37.8	-19.6	0	51.92	-	-	74	-22.08	-	-	360	100	V
* 15.9597	34.41	PK-U	40.5	-19.5	0	55.41	-	-	74	-18.59	-	-	360	100	H
* 15.95836	34.41	PK-U	40.5	-19.5	0	55.41	-	-	74	-18.59	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT1+ANT2

LOW CHANNEL(38RU) HORIZONTAL



LOW CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

LOW CHANNEL(38RU) DATA


Radiated Emissions

Frequency (GHz)	Meas. Reading (dBm)	Det	317..00168724	6GHz_HPSIS	DC Corr (dB)	Corrected Reading (dBm)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	UNII Non-Restricted (dBuV/m)	Margin (dB)	Altitude (ft)	Height (ft)	Polarity
7.89314	36.22	PK-U	35.9	-24.1	0	48.02	-	-	-	-	68.2	-20.18	360	100	H
7.89558	37.06	PK-U	35.9	-24.1	0	48.86	-	-	-	-	68.2	-19.34	360	100	V
10.51312	33.21	PK-U	37.7	-20.5	0	50.41	-	-	-	-	68.2	-17.79	360	100	H
10.51357	33.89	PK-U	37.7	-20.5	0	51.09	-	-	-	-	68.2	-17.11	360	100	V
* 15.80005	34.47	PK-U	40.4	-19.8	0	55.07	-	-	74	-18.93	-	-	360	100	H
* 15.79729	34.67	PK-U	40.3	-19.8	0	55.17	-	-	74	-18.83	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(38RU) DATA

Radiated Emissions


Frequency (MHz)	Meas Reading (dBuV)	Dist	317_00168724	6GHz_HPI98	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	UNE Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Deg)	Height (m)	Polarity
7.95508	36.96	PK-U	35.9	-23.6	0	49.26	-	-	-	-	68.2	-18.94	360	100	H
7.95551	36.24	PK-U	35.9	-23.6	0	48.54	-	-	-	-	68.2	-18.66	360	100	V
* 10.60548	33.27	PK-U	37.8	-19.2	0	51.87	-	-	74	-22.13	-	-	360	100	H
* 10.60605	33.28	PK-U	37.8	-19.2	0	51.88	-	-	74	-22.12	-	-	360	100	V
* 15.90484	34.12	PK-U	40.5	-19.5	0	55.12	-	-	74	-18.88	-	-	360	100	H
* 15.90665	33.96	PK-U	40.5	-19.4	0	55.06	-	-	74	-18.94	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK-U - U-NII: Maximum Peak

ADR - U-NII AD primary method, RMS average

HIGH CHANNEL(38RU) HORIZONTAL



HIGH CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(38RU) DATA

Radiated Emissions

Frequency (GHz)	Max Reading (dBµV)	Det	317_0016B724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBµV/m)	Avg Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNE Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.989	35.52	PK-U	35.9	-23.8	0	47.62	-	-	-	-	68.2	-20.58	360	100	H
7.98949	35.7	PK-U	35.9	-23.8	0	47.8	-	-	-	-	68.2	-20.4	360	100	V
* 10.6178	33.42	PK-U	37.8	-19.3	0	51.92	-	-	74	-22.08	-	-	360	100	H
* 10.61585	33.05	PK-U	37.8	-19.3	0	51.55	-	-	74	-22.45	-	-	360	100	V
* 15.97531	34.03	PK-U	40.6	-19.5	0	55.13	-	-	74	-18.87	-	-	360	100	H
* 15.97311	34.42	PK-U	40.6	-19.5	0	55.52	-	-	74	-18.48	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak


11.6.2. TX ABOVE 1GHz HE20(RU) MODE IN THE 5.3GHz BAND

HARMONICS AND SPURIOUS EMISSIONS – ANT1

LOW CHANNEL(41RU) HORIZONTAL



LOW CHANNEL(41RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

LOW CHANNEL(41RU) DATA


Radiated Emissions

Frequency (GHz)	Main Reading (dBµV)	Det	317_00168724	6GHz_HF[dB]	DC Cor (dB)	Concord Reading (dBµV/m)	Avg Limt (dBµV/m)	Margin (dB)	Peak Limt (dBµV/m)	Margin (dB)	Limit Non-Restrictd (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.90365	38.83	PK-U	35.9	-24	0	50.73	-	-	-	-	68.2	-17.47	0	100	H
7.90418	38.72	PK-U	35.9	-24	0	50.62	-	-	-	-	68.2	-17.58	0	100	V
10.5404	36.01	PK-U	37.7	-20.2	0	53.51	-	-	-	-	68.2	-14.69	0	100	H
10.54062	35.97	PK-U	37.7	-20.2	0	53.47	-	-	-	-	68.2	-14.73	0	100	V
* 15.81042	37.03	PK-U	40.4	-19.7	0	57.73	-	-	74	-16.27	-	-	0	100	H
* 15.81166	36.2	PK-U	40.4	-19.7	0	56.9	-	-	74	-17.1	-	-	0	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

HIGH CHANNEL(41RU) HORIZONTAL



HIGH CHANNEL(41RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(41RU) DATA


Radiated Emissions

Frequency (GHz)	Max Reading (dBu)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	UNR Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.96977	38.84	PK-U	35.9	-23.7	0	51.04	-	-	-	-	68.2	-17.16	0	100	H
7.96957	38.72	PK-U	35.9	-23.7	0	50.92	-	-	-	-	68.2	-17.28	0	100	V
* 10.61816	35.55	PK-U	37.8	-19.3	0	54.05	-	-	74	-19.95	-	-	0	100	H
* 10.62069	35.62	PK-U	37.8	-19.3	0	54.12	-	-	74	-19.88	-	-	0	100	V
* 15.93108	36.41	PK-U	40.5	-19.4	0	57.51	-	-	74	-16.49	-	-	0	100	H
* 15.9297	35.77	PK-U	40.5	-19.3	0	56.97	-	-	74	-17.03	-	-	0	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT2

LOW CHANNEL(37RU) HORIZONTAL



LOW CHANNEL(37RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

LOW CHANNEL(37RU) DATA


Radiated Emissions

Frequency (GHz)	Main Reading (dBµV)	Det	317_00168724	6GHz_HF[dB]	DC Cor (dB)	Concord Reading (dBµV/m)	Avg Limt (dBµV/m)	Margin (dB)	Peak Limt (dBµV/m)	Margin (dB)	UNII Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (m)	Polarity
7.90784	37.05	PK-U	35.9	-23.9	0	49.05	-	-	-	-	68.2	-19.15	360	100	H
7.90661	36.8	PK-U	35.9	-24	0	48.7	-	-	-	-	68.2	-19.5	360	100	V
10.54276	33.48	PK-U	37.7	-20.2	0	50.98	-	-	-	-	68.2	-17.22	360	100	H
10.54429	33.16	PK-U	37.7	-20.2	0	50.68	-	-	-	-	68.2	-17.52	360	100	V
* 15.80901	34.95	PK-U	40.4	-19.8	0	55.55	-	-	74	-18.45	-	-	360	100	H
* 15.80948	34.31	PK-U	40.4	-19.8	0	54.91	-	-	74	-19.09	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

HIGH CHANNEL(37RU) HORIZONTAL



HIGH CHANNEL(37RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(37RU) DATA


Radiated Emissions

Frequency (GHz)	Max Reading (dBµV)	Det	317_0016B724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBµV/m)	Avg Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNII Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.3789	35.95	PK-U	35.9	-23.7	0	48.05	-	-	-	-	68.2	-20.15	360	100	H
7.38728	35.71	PK-U	35.9	-23.6	0	48.01	-	-	-	-	68.2	-20.19	360	100	V
* 10.60933	32.11	PK-U	37.8	-19.2	0	50.71	-	-	74	-23.29	-	-	360	100	H
* 10.63122	32.99	PK-U	37.8	-19.4	0	51.39	-	-	74	-22.61	-	-	360	100	V
* 15.9475	34.52	PK-U	40.5	-19.5	0	55.52	-	-	74	-18.48	-	-	360	100	H
* 15.95008	34.39	PK-U	40.5	-19.4	0	55.49	-	-	74	-18.51	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT1+ANT2

LOW CHANNEL(41RU) HORIZONTAL



LOW CHANNEL(41RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

LOW CHANNEL(41RU) DATA


Radiated Emissions

Frequency (GHz)	Main Reading (dBµV)	Det	317_00168724	6GHz_HF[dB]	DC Cor (dB)	Concord Reading (dBµV/m)	Avg Limt (dBµV/m)	Margin (dB)	Peak Limt (dBµV/m)	Margin (dB)	UNII Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (m)	Polarity
7.914	35.7	PK-U	35.9	-23.9	0	47.7	-	-	-	-	68.2	-20.5	360	100	H
7.91287	36.36	PK-U	35.9	-23.9	0	48.36	-	-	-	-	68.2	-19.84	360	100	V
10.55078	33.47	PK-U	37.8	-20.1	0	51.17	-	-	-	-	68.2	-17.03	360	100	H
10.55381	33.45	PK-U	37.8	-20.1	0	51.15	-	-	-	-	68.2	-17.05	360	100	V
* 15.82247	34.97	PK-U	40.4	-19.7	0	55.67	-	-	74	-18.33	-	-	360	100	H
* 15.82253	34.92	PK-U	40.4	-19.7	0	55.62	-	-	74	-18.38	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

HIGH CHANNEL(41RU) HORIZONTAL



HIGH CHANNEL(41RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL(41RU) DATA

Radiated Emissions


Frequency (GHz)	Max Reading (dBu)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	LINE Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.97261	36.03	PK-U	35.9	-23.6	0	48.33	-	-	-	-	68.2	-18.87	360	100	H
7.97745	36.04	PK-U	35.9	-23.6	0	48.34	-	-	-	-	68.2	-18.86	360	100	V
* 10.62408	33.18	PK-U	37.8	-19.4	0	51.58	-	-	74	-22.42	-	-	360	100	H
* 10.61421	32.9	PK-U	37.8	-19.2	0	51.5	-	-	74	-22.5	-	-	360	100	V
* 15.9371	34.26	PK-U	40.5	-19.4	0	55.36	-	-	74	-18.64	-	-	360	100	H
* 15.93495	34.8	PK-U	40.5	-19.4	0	55.9	-	-	74	-18.1	-	-	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK-U - U-NII: Maximum Peak

**11.6.3. TX ABOVE 1GHz HE80(RU) MODE IN THE 5.3GHz BAND
 HARMONICS AND SPURIOUS EMISSIONS – ANT1**

MID CHANNEL(37RU) HORIZONTAL



MID CHANNEL(37RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(37RU) DATA


Radiated Emissions

Frequency (GHz)	Max Reading (dBµV)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBµV/m)	Avg Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNE Non-Restricted (dBµV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.95158	35.92	PK-U	35.9	-23.6	0	48.22	-	-	-	-	68.2	-19.98	360	100	H
7.95526	36.07	PK-U	35.9	-23.6	0	48.37	-	-	-	-	68.2	-19.83	360	100	V
10.50741	42.61	PK-U	37.7	-20.6	0	59.71	-	-	-	-	68.2	-8.49	217	104	H
10.50757	37.46	PK-U	37.7	-20.6	0	54.56	-	-	-	-	68.2	-13.64	127	103	V
* 15.85885	34.13	PK-U	40.4	-19.7	0	54.83	-	-	74	-19.17	-	-	360	100	H
* 15.86057	34.66	PK-U	40.4	-19.7	0	55.36	-	-	74	-18.64	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT2

MID CHANNEL(45RU) HORIZONTAL



MID CHANNEL(45RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(45RU) DATA


Radiated Emissions

Frequency (GHz)	Max Reading (dBuV)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	UNII Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.95504	36.1	PK-U	35.9	-23.6	0	48.4	-	-	-	-	68.2	-19.8	360	100	H
7.94285	35.99	PK-U	35.9	-23.7	0	48.09	-	-	-	-	68.2	-20.11	360	100	V
10.57356	32.98	PK-U	37.8	-19.7	0	51.09	-	-	-	-	68.2	-17.11	360	100	H
10.58384	33.34	PK-U	37.8	-19.4	0	51.74	-	-	-	-	68.2	-16.46	360	100	V
* 15.88329	34.85	PK-U	40.5	-19.6	0	55.75	-	-	74	-18.25	-	-	360	100	H
* 15.88202	34.32	PK-U	40.5	-19.6	0	55.22	-	-	74	-18.78	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT1+ANT2

MID CHANNEL(45RU) HORIZONTAL



MID CHANNEL(45RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(45RU) DATA

Radiated Emissions

Frequency (GHz)	Max Reading (dBu)	Det	317_00168724	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	UNE Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
7.95469	36.16	PK-U	35.9	-23.6	0	48.46	-	-	-	-	68.2	-19.74	360	100	H
7.95669	36.12	PK-U	35.9	-23.6	0	48.42	-	-	-	-	68.2	-19.78	360	100	V
10.57104	32.93	PK-U	37.8	-19.8	0	50.93	-	-	-	-	68.2	-17.27	360	100	H
10.56873	33.19	PK-U	37.8	-19.8	0	51.19	-	-	-	-	68.2	-17.01	360	100	V
* 15.87433	34.99	PK-U	40.5	-19.7	0	55.79	-	-	74	-18.21	-	-	360	100	H
* 15.87722	34.21	PK-U	40.5	-19.7	0	55.01	-	-	74	-18.99	-	-	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak


11.7. 5.5-5.6 GHz(802.11ax RU mode)

11.7.1. TX ABOVE 1 GHz HE20(RU) MODE IN THE 5.5 GHz BAND HARMONICS AND SPURIOUS EMISSIONS – ANT1

LOW CHANNEL(38RU) HORIZONTAL



LOW CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


LOW CHANNEL(38RU) DATA

Radiated Emissions


Frequency (GHz)	Mask Reading (dBμV)	Det	317_00168717	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBμV/m)	Avg Limit (dBμV/m)	Margin (dB)	Peak Limit (dBμV/m)	Margin (dB)	UNE Non-Restricted (dBμV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 8.24743	38	PK-U	36.4	-25.5	0	48.9	-	-	74	-25.1	-	-	360	100	H
* 8.24848	37.95	PK-U	36.4	-25.5	0	48.95	-	-	74	-25.15	-	-	360	100	V
* 11.00235	35.6	PK-U	38.2	-21.8	0	52.3	-	-	74	-21.7	-	-	360	100	H
* 11.00347	37	PK-U	38.2	-21.8	0	53.4	-	-	74	-20.6	-	-	360	100	V
16.50666	35.32	PK-U	40.9	-19.5	0	56.72	-	-	-	-	68.2	-11.48	360	100	H
16.5058	35.49	PK-U	40.9	-19.5	0	56.89	-	-	-	-	68.2	-11.31	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(38RU) DATA


Radiated Emissions

Frequency (MHz)	Meas. Reading (dBμV)	Dist	317_0016B717	6GHz_HPS(B)	DC Cor (dB)	Corrected Reading (dBμV/m)	Aug Limit (dBμV/m)	Margin (dB)	Peak Limit (dBμV/m)	Margin (dB)	UNII Non-Restricted (dBμV/m)	Margin (dB)	Azimuth (Degs)	Height (m)	Polarity
* 8.37058	38.33	PK-U	36.3	-25.7	0	48.33	-	-	74	-25.07	-	-	360	100	H
* 8.36903	37.59	PK-U	36.3	-25.7	0	48.19	-	-	74	-25.51	-	-	360	100	V
* 11.15222	36.73	PK-U	38.3	-22.7	0	52.33	-	-	74	-21.67	-	-	360	100	H
* 11.15513	36.65	PK-U	38.3	-22.6	0	52.35	-	-	74	-21.65	-	-	360	100	V
16.74524	34.37	PK-U	41.3	-18.1	0	57.57	-	-	-	-	68.2	-10.63	360	100	H
16.74454	34.49	PK-U	41.3	-18.1	0	57.69	-	-	-	-	68.2	-10.51	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

HIGH CHANNEL(38RU) HORIZONTAL



HIGH CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL DATA


Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Dev	0117_00168717	ISG(L)HF(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Limit Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (m)	Polarity
8.53522	37.76	PK-U	36.3	-24.8	0	49.28	-	-	-	-	68.2	-18.92	360	100	H
8.53597	37.67	PK-U	36.3	-24.9	0	49.07	-	-	-	-	68.2	-19.13	360	100	V
*11.3938	36.15	PK-U	38.4	-22.3	0	52.25	-	-	74	-21.75	-	-	360	100	H
*11.39451	36.29	PK-U	38.4	-22.3	0	52.39	-	-	74	-21.61	-	-	360	100	V
17.09536	34.19	PK-U	41.6	-17.6	0	58.19	-	-	-	-	68.2	-10.01	360	100	H
17.09583	34.23	PK-U	41.6	-17.6	0	58.23	-	-	-	-	68.2	-9.97	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT2

LOW CHANNEL(38RU) HORIZONTAL



LOW CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


LOW CHANNEL(38RU) DATA

Radiated Emissions


Frequency (GHz)	Max Reading (dBu)	Det	317_00168717	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	UNR Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 8.24813	38.28	PK-U	36.4	-25.5	0	49.18	-	-	74	-24.82	-	-	360	100	H
* 8.24994	37.81	PK-U	36.4	-25.5	0	48.51	-	-	74	-25.49	-	-	360	100	V
* 10.9511	35.6	PK-U	38.2	-21.9	0	52.9	-	-	74	-21.1	-	-	360	100	H
* 10.99458	36.02	PK-U	38.2	-21.9	0	52.32	-	-	74	-21.68	-	-	360	100	V
16.49886	35.89	PK-U	40.9	-19.7	0	57.09	-	-	-	-	68.2	-11.11	360	100	H
16.49914	35.72	PK-U	40.9	-19.7	0	56.92	-	-	-	-	68.2	-11.28	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(38RU) DATA


Radiated Emissions

Frequency (MHz)	Meas. Reading (dBµV)	Dist	317_00168717	6GHz_HPSRB	DC Cor (dB)	Corrected Reading (dBµV/m)	Aug Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNII Non-Restricted (dBµV/m)	Margin (dB)	Altitude (ft)	Height (m)	Polarity
* 8.36417	37.67	PK-U	36.3	-25.7	0	48.27	-	-	74	-25.73	-	-	360	100	H
* 8.36361	37.83	PK-U	36.3	-25.7	0	48.43	-	-	74	-25.57	-	-	360	100	V
* 11.16899	36.84	PK-U	38.3	-22.4	0	52.74	-	-	74	-21.26	-	-	360	100	H
* 11.16676	36.91	PK-U	38.3	-22.5	0	52.71	-	-	74	-21.29	-	-	360	100	V
16.74021	34.78	PK-U	41.3	-18.1	0	57.98	-	-	-	-	68.2	-10.22	360	100	H
16.73984	34.28	PK-U	41.3	-18.1	0	57.48	-	-	-	-	68.2	-10.72	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak

HIGH CHANNEL(38RU) HORIZONTAL



HIGH CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

HIGH CHANNEL DATA


Radiated Emissions

Frequency (GHz)	Meas Reading (dBuV)	Dir	0117_00168717	ISRL_HF(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	UNE Non-Restricted (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
8.54995	37.73	PK-U	36.3	-25	0	49.03	-	-	-	-	68.2	-19.17	360	100	H
8.54933	37.46	PK-U	36.3	-25	0	48.76	-	-	-	-	68.2	-19.44	360	100	V
*11.3944	36.42	PK-U	38.4	-22.3	0	52.52	-	-	74	-21.48	-	-	360	100	H
*11.39784	36.05	PK-U	38.4	-22.3	0	52.15	-	-	74	-21.85	-	-	360	100	V
17.10325	34.98	PK-U	41.6	-17.7	0	58.88	-	-	-	-	68.2	-9.32	360	100	H
17.10111	35.21	PK-U	41.6	-17.6	0	59.21	-	-	-	-	68.2	-8.99	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

HARMONICS AND SPURIOUS EMISSIONS – ANT1+ANT2

LOW CHANNEL(38RU) HORIZONTAL



LOW CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


LOW CHANNEL(38RU) DATA

Radiated Emissions


Frequency (GHz)	Max Reading (dBu)	Det	317_00168717	5GHz_HPSR	DC Corr (dB)	Corrected Reading (dBu/m)	Avg Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	Margin (dB)	UNR Non-Restricted (dBu/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 8.24951	37.71	PK-U	36.4	-25.5	0	48.61	-	-	74	-25.39	-	-	360	100	H
* 8.25187	37.79	PK-U	36.4	-25.4	0	48.79	-	-	74	-25.21	-	-	360	100	V
* 10.99965	35.14	PK-U	38.2	-21.9	0	52.44	-	-	74	-21.56	-	-	360	100	H
* 10.99888	36.02	PK-U	38.2	-21.9	0	52.32	-	-	74	-21.68	-	-	360	100	V
16.50311	35.82	PK-U	40.9	-19.7	0	57.02	-	-	-	-	68.2	-11.18	360	100	H
16.50186	36.37	PK-U	40.9	-19.7	0	57.57	-	-	-	-	68.2	-10.63	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK-U - U-NII: Maximum Peak

MID CHANNEL(38RU) HORIZONTAL



MID CHANNEL(38RU) VERTICAL



Note: Emission was scanned up to 40GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

MID CHANNEL(38RU) DATA

Radiated Emissions

Frequency (MHz)	Meas. Reading (dBµV)	Dist	317_0016B717	6GHz_HPSRB	DC Cor (dB)	Corrected Reading (dBµV/m)	Aug Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	Margin (dB)	UNII Non-Restricted (dBµV/m)	Margin (dB)	Altitude (ft)	Height (m)	Polarity
* 8.37089	38.01	PK-U	36.3	-25.7	0	48.61	-	-	74	-25.39	-	-	360	100	H
* 8.36901	38.01	PK-U	36.3	-25.7	0	48.61	-	-	74	-25.39	-	-	360	100	V
* 11.16036	36.72	PK-U	38.3	-22.6	0	52.42	-	-	74	-21.58	-	-	360	100	H
* 11.16	36.57	PK-U	38.3	-22.6	0	52.27	-	-	74	-21.73	-	-	360	100	V
16.74401	34.42	PK-U	41.3	-18.2	0	57.52	-	-	-	-	68.2	-10.68	360	100	H
16.74558	34.64	PK-U	41.3	-18.1	0	57.84	-	-	-	-	68.2	-10.36	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK-U - U-NII: Maximum Peak