



MID CHANNEL, CH 6 RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88207	36.9	PK2	34	-27.8	0	43.1	-	-	74	-30.9	0	100	H
* 4.87886	36.41	PK2	34	-27.8	0	42.61	-	-	74	-31.39	0	100	V
* 7.30965	35.54	PK2	36.2	-24.9	0	46.84	-	-	74	-27.16	0	100	H
* 7.30906	36.35	PK2	36.2	-24.9	0	47.65	-	-	74	-26.35	0	100	V
9.75601	33.4	PK2	37.2	-21.2	0	49.4	-	-	74	-24.6	0	100	H
9.75968	33.08	PK2	37.2	-21.2	0	49.08	-	-	74	-24.92	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

HIGH CHANNEL, CH 11 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.93077	36.02	PK2	34	-27.1	0	42.92	-	-	74	-31.08	0	100	H
* 4.93027	36.06	PK2	34	-27.1	0	42.96	-	-	74	-31.04	0	100	V
* 7.38882	35	PK2	36.2	-24.2	0	47	-	-	74	-27	0	100	H
* 7.38821	34.86	PK2	36.2	-24.1	0	46.96	-	-	74	-27.04	0	100	V
9.85147	32.88	PK2	37.4	-21.6	0	48.68	-	-	74	-25.32	0	100	H
9.85105	32.34	PK2	37.4	-21.6	0	48.14	-	-	74	-25.86	0	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.1.3. TX ABOVE 1 GHz 802.11n HT20 MODE IN THE 2.4 GHz BAND

1TX Antenna 1

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	51.25	Pk	31.6	-20.6	0	62.25	-	-	74	-11.75	323	138	H
2	* 2.38984	55.67	Pk	31.6	-20.6	0	66.67	-	-	74	-7.33	323	138	H
3	* 2.39	38.77	RMS	31.6	-20.6	-17	49.94	54	-4.06	-	-	323	138	H
4	* 2.38991	38.64	RMS	31.6	-20.6	-17	49.81	54	-4.19	-	-	323	138	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	48.22	Pk	31.6	-20.6	0	59.22	-	-	74	-14.78	216	316	V
2	* 2.38988	49.7	Pk	31.6	-20.6	0	60.7	-	-	74	-13.3	216	316	V
3	* 2.39	34.85	RMS	31.6	-20.6	-17	46.02	54	-7.98	-	-	216	316	V
4	* 2.38991	35.43	RMS	31.6	-20.6	-17	46.6	54	-7.4	-	-	216	316	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBu)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.39	49.07	Pk	31.6	-20.6	0	60.07	-	-	74	-13.93	325	165	H
2	* 2.38824	52.67	Pk	31.6	-20.6	0	63.67	-	-	74	-10.33	325	165	H
3	* 2.39	38.08	RMS	31.6	-20.6	-17	49.25	54	-4.75	-	-	325	165	H
4	* 2.38987	38.65	RMS	31.6	-20.6	-17	49.82	54	-4.18	-	-	325	165	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	47.37	Pk	31.6	-20.6	0	58.37	-	-	74	-15.63	226	359	V
2	* 2.38952	49.43	Pk	31.6	-20.6	0	60.43	-	-	74	-13.57	226	359	V
3	* 2.39	35.4	RMS	31.6	-20.6	-0.17	46.57	54	-7.43	-	-	226	359	V
4	* 2.38992	35.73	RMS	31.6	-20.6	-0.17	46.9	54	-7.1	-	-	226	359	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	49.04	Pk	31.9	-20.4	0	60.54	-	-	74	-13.46	323	106	H
2	* 2.48776	56.51	Pk	31.9	-20.5	0	67.91	-	-	74	-6.09	323	106	H
3	* 2.48351	35.5	RMS	31.9	-20.4	-17	47.17	54	-6.83	-	-	323	106	H
4	* 2.48357	36.19	RMS	31.9	-20.4	-17	47.86	54	-6.14	-	-	323	106	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	45.61	Pk	31.9	-20.4	0	57.11	-	-	74	-16.89	252	382	V
2	* 2.48419	51.97	Pk	31.9	-20.4	0	63.47	-	-	74	-10.53	252	382	V
3	* 2.48351	33.2	RMS	31.9	-20.4	-0.17	44.87	54	-9.13	-	-	252	382	V
4	* 2.48414	33.66	RMS	31.9	-20.4	-0.17	45.33	54	-8.67	-	-	252	382	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	53.4	Pk	31.9	-20.4	0	64.31	-	-	74	-9.1	323	106	H
2	* 2.48361	56.81	Pk	31.9	-20.4	0	68.31	-	-	74	-5.69	323	106	H
3	* 2.48351	38.18	RMS	31.9	-20.4	-17	49.85	54	-4.15	-	-	323	106	H
4	* 2.48355	38.21	RMS	31.9	-20.4	-17	49.88	54	-4.12	-	-	323	106	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	49.24	Pk	31.9	-20.4	0	60.74	-	-	74	-13.26	224	340	V
2	* 2.48366	53.24	Pk	31.9	-20.4	0	64.74	-	-	74	-9.26	224	340	V
3	* 2.48351	35.45	RMS	31.9	-20.4	-0.17	47.12	54	-6.88	-	-	224	340	V
4	* 2.48361	35.57	RMS	31.9	-20.4	-0.17	47.24	54	-6.76	-	-	224	340	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	45.67	Pk	31.9	-20.4	0	57.17	-	-	74	-16.83	324	106	H
2	* 2.48805	50.43	Pk	31.9	-20.5	0	61.83	-	-	74	-12.17	324	106	H
3	* 2.48351	34.69	RMS	31.9	-20.4	-17	46.36	54	-7.64	-	-	324	106	H
4	* 2.48359	34.75	RMS	31.9	-20.4	-17	46.42	54	-7.58	-	-	324	106	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	42.9	Pk	31.9	-20.4	0	54.4	-	-	74	-19.6	259	368	V
2	* 2.48504	44.87	Pk	31.9	-20.4	0	56.37	-	-	74	-17.63	259	368	V
3	* 2.48351	31.94	RMS	31.9	-20.4	.17	43.61	54	-10.39	-	-	259	368	V
4	* 2.48382	32.57	RMS	31.9	-20.4	.17	44.24	54	-9.76	-	-	259	368	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	49.3	Pk	31.9	-20.4	0	60.9	-	-	74	-13.2	318	104	H
2	* 2.48352	51.23	Pk	31.9	-20.4	0	62.73	-	-	74	-11.27	318	104	H
3	* 2.48351	34.29	RMS	31.9	-20.4	-17	45.96	54	-8.04	-	-	318	104	H
4	* 2.48355	34.73	RMS	31.9	-20.4	-17	46.4	54	-7.6	-	-	318	104	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.36	Pk	31.9	-20.4	0	55.86	-	-	74	-18.14	258	369	V
2	* 2.48352	46.92	Pk	31.9	-20.4	0	58.42	-	-	74	-15.58	258	369	V
3	* 2.48351	32.42	RMS	31.9	-20.4	.17	44.09	54	-9.91	-	-	258	369	V
4	* 2.48352	32.62	RMS	31.9	-20.4	.17	44.29	54	-9.71	-	-	258	369	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

1TX Antenna 2

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.39	43.51	PK	31.6	-20.6	0	54.51	-	-	74	-19.49	216	100	H
2	* 2.38989	50.08	PK	31.6	-20.6	0	61.08	-	-	74	-12.92	216	100	H
3	* 2.39	33.59	RMS	31.6	-20.6	-17	44.76	54	-9.24	-	-	216	100	H
4	* 2.38991	33.69	RMS	31.6	-20.6	-17	44.86	54	-9.14	-	-	216	100	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.55	Pk	31.6	-20.6	0	52.55	-	-	74	-21.45	243	114	V
2	* 2.34403	43.99	Pk	31.5	-20.7	0	54.79	-	-	74	-19.21	243	114	V
3	* 2.39	31.1	RMS	31.6	-20.6	.17	42.27	54	-11.73	-	-	243	114	V
4	* 2.38951	31.85	RMS	31.6	-20.6	.17	43.02	54	-10.98	-	-	243	114	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.39	40.88	Pk	31.6	-20.6	0	51.88	-	-	74	-22.12	220	100	H
2	* 2.38921	44.03	Pk	31.6	-20.6	0	55.03	-	-	74	-18.97	220	100	H
3	* 2.39	31.64	RMS	31.6	-20.6	-17	42.81	54	-11.19	-	-	220	100	H
4	* 2.38998	32.23	RMS	31.6	-20.6	-17	43.4	54	-10.6	-	-	220	100	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.75	Pk	31.6	-20.6	0	52.75	-	-	74	-21.25	199	386	V
2	* 2.38568	43.42	Pk	31.6	-20.6	0	54.42	-	-	74	-19.58	199	386	V
3	* 2.39	31.07	RMS	31.6	-20.6	.17	42.24	54	-11.76	-	-	199	386	V
4	* 2.38837	31.59	RMS	31.6	-20.6	.17	42.76	54	-11.24	-	-	199	386	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	43.87	Pk	31.9	-20.4	0	55.37	-	-	74	-18.63	204	159	H
2	* 2.48392	49.96	Pk	31.9	-20.4	0	61.46	-	-	74	-12.54	204	159	H
3	* 2.48351	34.2	RMS	31.9	-20.4	-17	45.87	54	-8.13	-	-	204	159	H
4	* 2.48365	34.76	RMS	31.9	-20.4	-17	46.43	54	-7.57	-	-	204	159	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	41.09	Pk	31.9	-20.4	0	52.59	-	-	74	-21.41	308	200	V
2	2.52956	43.68	Pk	32	-20.4	0	55.28	-	-	74	-18.72	308	200	V
3	* 2.48351	30.66	RMS	31.9	-20.4	.17	42.33	54	-11.67	-	-	308	200	V
4	2.54781	31.55	RMS	32	-20.4	.17	43.32	54	-10.68	-	-	308	200	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	45.43	Pk	31.9	-20.4	0	56.93	-	-	74	-17.07	200	227	H
2	* 2.484	49.06	Pk	31.9	-20.4	0	60.56	-	-	74	-13.44	200	227	H
3	* 2.48351	34.48	RMS	31.9	-20.4	.17	46.15	54	-7.85	-	-	200	227	H
4	* 2.48369	34.11	RMS	31.9	-20.4	.17	45.78	54	-8.22	-	-	200	227	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	42.44	Pk	31.9	-20.4	0	53.94	-	-	74	-20.06	234	102	V
2	* 2.48381	47.28	Pk	31.9	-20.4	0	58.78	-	-	74	-15.22	234	102	V
3	* 2.48351	31.99	RMS	31.9	-20.4	.17	43.66	54	-10.34	-	-	234	102	V
4	* 2.4837	32.36	RMS	31.9	-20.4	.17	44.03	54	-9.97	-	-	234	102	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.9	Pk	31.9	-20.4	0	56.4	-	-	74	-17.6	199	117	H
2	* 2.48455	47.5	Pk	31.9	-20.4	0	59	-	-	74	-15	199	117	H
3	* 2.48351	33.02	RMS	31.9	-20.4	-17	44.69	54	-9.31	-	-	199	117	H
4	* 2.48365	33.74	RMS	31.9	-20.4	-17	45.41	54	-8.59	-	-	199	117	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	40.86	Pk	31.9	-20.4	0	52.36	-	-	74	-21.64	315	194	V
2	2.50871	43.89	Pk	31.9	-20.4	0	55.39	-	-	74	-18.61	315	194	V
3	* 2.48351	31.83	RMS	31.9	-20.4	.17	43.5	54	-10.5	-	-	315	194	V
4	* 2.48382	32.13	RMS	31.9	-20.4	.17	43.8	54	-10.2	-	-	315	194	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	47.12	Pk	31.9	-20.4	0	58.92	-	-	74	-15.38	197	232	H
2	* 2.48361	47.07	Pk	31.9	-20.4	0	58.57	-	-	74	-15.43	197	232	H
3	* 2.48351	32.98	RMS	31.9	-20.4	-17	44.65	54	-9.35	-	-	197	232	H
4	* 2.48359	32.81	RMS	31.9	-20.4	-17	44.48	54	-9.52	-	-	197	232	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	43.35	Pk	31.9	-20.4	0	54.85	-	-	74	-19.15	293	214	V
2	* 2.48356	44.3	Pk	31.9	-20.4	0	55.8	-	-	74	-18.2	293	214	V
3	* 2.48351	31.64	RMS	31.9	-20.4	.17	43.31	54	-10.69	-	-	293	214	V
4	* 2.48368	31.81	RMS	31.9	-20.4	.17	43.48	54	-10.52	-	-	293	214	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

2TX Antenna 1 + Antenna 2 MODE

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	48.45	Pk	31.6	-20.6	0	59.45	-	-	74	-14.55	214	347	H
2	* 2.38909	54.7	Pk	31.6	-20.6	0	65.7	-	-	74	-8.3	214	347	H
3	* 2.39	39.01	RMS	31.6	-20.6	.17	50.18	54	-3.82	-	-	214	347	H
4	* 2.38998	38.61	RMS	31.6	-20.6	.17	49.78	54	-4.22	-	-	214	347	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	47.97	Pk	31.6	-20.6	0	58.97	-	-	74	-15.03	252	117	V
2	* 2.38952	51.88	Pk	31.6	-20.6	0	62.88	-	-	74	-11.12	252	117	V
3	* 2.39	36.12	RMS	31.6	-20.6	-17	47.29	54	-6.71	-	-	252	117	V
4	* 2.38994	36.69	RMS	31.6	-20.6	-17	47.86	54	-6.14	-	-	252	117	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	48.21	Pk	31.6	-20.6	0	59.21	-	-	74	-14.79	202	389	H
2	* 2.38989	52.88	Pk	31.6	-20.6	0	63.88	-	-	74	-10.12	202	389	H
3	* 2.39	37.33	RMS	31.6	-20.6	-17	48.5	54	-5.5	-	-	202	389	H
4	* 2.38987	38.41	RMS	31.6	-20.6	-17	49.58	54	-4.42	-	-	202	389	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	47.99	Pk	31.6	-20.6	0	58.99	-	-	74	-15.01	270	111	V
2	* 2.38821	50.31	Pk	31.6	-20.6	0	61.31	-	-	74	-12.69	270	111	V
3	* 2.39	37.26	RMS	31.6	-20.6	.17	48.43	54	-5.57	-	-	270	111	V
4	* 2.38975	37.31	RMS	31.6	-20.6	.17	48.48	54	-5.52	-	-	270	111	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	51.31	Pk	31.9	-20.4	0	62.81	-	-	74	-11.19	191	144	H
2	* 2.48727	53.58	Pk	31.9	-20.5	0	64.98	-	-	74	-9.02	191	144	H
3	* 2.48351	33.91	RMS	31.9	-20.4	-17	45.58	54	-8.42	-	-	191	144	H
4	* 2.48516	34.54	RMS	31.9	-20.4	-17	46.21	54	-7.79	-	-	191	144	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers

Marker	Frequency (GHz)	Meas Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	47.7	Pk	31.9	-20.4	0	59.2	-	-	74	-14.8	276	125	V
2	* 2.48485	53	Pk	31.9	-20.4	0	64.5	-	-	74	-9.5	276	125	V
3	* 2.48351	32.57	RMS	31.9	-20.4	.17	44.24	54	-9.76	-	-	276	125	V
4	* 2.48391	33.02	RMS	31.9	-20.4	.17	44.69	54	-9.31	-	-	276	125	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	51.76	Pk	31.9	-20.4	0	63.26	-	-	74	-10.74	197	262	H
2	* 2.48423	56.03	Pk	31.9	-20.4	0	67.53	-	-	74	-6.47	197	262	H
3	* 2.48351	38.71	RMS	31.9	-20.4	-17	50.38	54	-3.62	-	-	197	262	H
4	* 2.48379	39.76	RMS	31.9	-20.4	-17	51.43	54	-2.57	-	-	197	262	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT



Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	50.09	Pk	31.9	-20.4	0	61.59	-	-	74	-12.41	245	106	V
2	* 2.48494	56.92	Pk	31.9	-20.4	0	68.42	-	-	74	-5.58	245	106	V
3	* 2.48351	37.41	RMS	31.9	-20.4	.17	49.08	54	-4.92	-	-	245	106	V
4	* 2.48374	37.73	RMS	31.9	-20.4	.17	49.4	54	-4.6	-	-	245	106	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.48351	41.41	Pk	31.9	-20.4	0	52.91	-	-	74	-21.09	199	260	H
2	2.55627	43.79	Pk	32	-20.4	0	55.39	-	-	74	-18.61	199	260	H
3	* 2.48351	31.11	RMS	31.9	-20.4	-17	42.78	54	-11.22	-	-	199	260	H
4	* 2.48457	32.32	RMS	31.9	-20.4	-17	43.99	54	-10.01	-	-	199	260	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	40.33	Pk	31.9	-20.4	0	51.83	-	-	74	-22.17	245	106	V
2	2.53534	43.88	Pk	32	-20.4	0	55.48	-	-	74	-18.52	245	106	V
3	* 2.48351	31.05	RMS	31.9	-20.4	-17	42.72	54	-11.28	-	-	245	106	V
4	* 2.48518	31.6	RMS	31.9	-20.4	-17	43.27	54	-10.73	-	-	245	106	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117.00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	48	Pk	31.9	-20.4	0	59.5	-	-	74	-14.5	199	261	H
2	* 2.48375	48.31	Pk	31.9	-20.4	0	59.81	-	-	74	-14.19	199	261	H
3	* 2.48351	33.45	RMS	31.9	-20.4	.17	45.12	54	-8.88	-	-	199	261	H
4	* 2.48359	34.13	RMS	31.9	-20.4	.17	45.8	54	-8.2	-	-	199	261	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT





Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.59	Pk	31.9	-20.4	0	56.09	-	-	74	-17.91	282	127	V
2	* 2.48359	47.43	Pk	31.9	-20.4	0	58.93	-	-	74	-15.07	282	127	V
3	* 2.48351	32.72	RMS	31.9	-20.4	.17	44.39	54	-9.61	-	-	282	127	V
4	* 2.48352	32.86	RMS	31.9	-20.4	.17	44.53	54	-9.47	-	-	282	127	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS

LOW CHANNEL, CH 2 RESULTS





Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.82773	37.07	PK2	34	-28.1	0	42.97	-	-	74	-31.03	0	100	H
* 4.82508	37.19	PK2	34	-28.1	0	43.09	-	-	74	-30.91	0	100	V
* 7.26373	35.73	PK2	36.2	-25.3	0	46.63	-	-	74	-27.37	0	100	H
* 7.26329	35.55	PK2	36.2	-25.3	0	46.45	-	-	74	-27.55	0	100	V
9.65383	32.68	PK2	37.1	-21.4	0	48.38	-	-	74	-25.62	0	100	H
9.65115	32.66	PK2	37.1	-21.4	0	48.36	-	-	74	-25.64	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

MID CHANNEL, CH 6 RESULTS




Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88733	37.2	PK2	34	-27.7	0	43.5	-	-	74	-30.5	0	100	H
* 4.88712	36.75	PK2	34	-27.7	0	43.05	-	-	74	-30.95	0	100	V
* 7.29912	35.5	PK2	36.2	-25	0	46.7	-	-	74	-27.3	0	100	H
* 7.29751	35.67	PK2	36.2	-25	0	46.87	-	-	74	-27.13	0	100	V
9.74133	32.99	PK2	37.2	-21.2	0	48.99	-	-	74	-25.01	0	100	H
9.74033	32.45	PK2	37.2	-21.2	0	48.45	-	-	74	-25.55	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

HIGH CHANNEL, CH 10 RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

RADIATED EMISSIONS

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	3GHz_HP[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91391	36.57	PK2	34	-27.3	0	43.27	-	-	74	-30.73	360	100	H
* 4.91389	36.51	PK2	34	-27.3	0	43.21	-	-	74	-30.79	360	100	V
* 7.37148	35.32	PK2	36.2	-24.2	0	47.32	-	-	74	-26.68	360	100	H
* 7.3694	35.32	PK2	36.2	-24.2	0	47.32	-	-	74	-26.68	360	100	V
9.82817	32.75	PK2	37.3	-21.7	0	48.35	-	-	74	-25.65	360	100	H
9.82652	32.97	PK2	37.3	-21.7	0	48.57	-	-	74	-25.43	360	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.1.4. TX ABOVE 1 GHz 802.11ax HE20(SU) MODE IN THE 2.4 GHz BAND

1TX Antenna 1

BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Altimuth (Degs)	Height (cm)	Polarity
1	* 2.39	50.85	Pk	31.6	-20.6	0	61.88	-	-	74	-12.12	324	137	H
2	* 2.38882	57.69	Pk	31.6	-20.6	0	68.69	-	-	74	-5.31	324	137	H
3	* 2.39	38.28	RMS	31.6	-20.6	-21	49.49	54	-4.51	-	-	324	137	H
4	* 2.38991	38.69	RMS	31.6	-20.6	-21	49.9	54	-4.1	-	-	324	137	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBµV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBµV/m)	Average Limit (dBµV/m)	Margin (dB)	Peak Limit (dBµV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	46.88	Pk	31.6	-20.6	0	57.88	-	-	74	-16.12	222	318	V
2	* 2.38993	48.15	Pk	31.6	-20.6	0	60.15	-	-	74	-13.85	222	318	V
3	* 2.39	33.56	RMS	31.6	-20.6	.21	44.77	54	-9.23	-	-	222	318	V
4	* 2.38976	33.98	RMS	31.6	-20.6	.21	45.19	54	-8.81	-	-	222	318	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Trace Markers


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Altitude (Degs)	Height (cm)	Polarity
1	* 2.39	46.12	Pk	31.6	-20.6	0	57.12	-	-	74	-16.88	322	113	H
2	* 2.38991	47.65	Pk	31.6	-20.6	0	58.65	-	-	74	-15.35	322	113	H
3	* 2.39	33.93	RMS	31.6	-20.6	.21	45.14	54	-8.86	-	-	322	113	H
4	* 2.38998	34.15	RMS	31.6	-20.6	.21	45.36	54	-8.64	-	-	322	113	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.65	Pk	31.6	-20.6	0	52.65	-	-	74	-21.35	244	400	V
2	* 2.38956	44.6	Pk	31.6	-20.6	0	55.6	-	-	74	-18.4	244	400	V
3	* 2.39	31.37	RMS	31.6	-20.6	.21	42.58	54	-11.42	-	-	244	400	V
4	* 2.38975	32.05	RMS	31.6	-20.6	.21	43.26	54	-10.74	-	-	244	400	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168724	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	53.84	Pk	31.9	-20.4	0	65.34	-	-	74	-8.66	322	154	H
2	* 2.48357	58.12	Pk	31.9	-20.4	0	69.62	-	-	74	-4.38	322	154	H
3	* 2.48351	37.81	RMS	31.9	-20.4	.21	49.52	54	-4.48	-	-	322	154	H
4	* 2.48374	38.5	RMS	31.9	-20.4	.21	50.21	54	-3.79	-	-	322	154	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00168724	10dB_ATT[dB]	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	45.57	Pk	31.9	-20.4	0	57.07	-	-	74	-16.93	150	341	V
2	* 2.48382	52.07	Pk	31.9	-20.4	0	63.67	-	-	74	-10.43	150	341	V
3	* 2.48351	33.83	RMS	31.9	-20.4	.21	45.54	54	-8.46	-	-	150	341	V
4	* 2.48378	34.38	RMS	31.9	-20.4	.21	46.09	54	-7.91	-	-	150	341	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00168717	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	52.44	Pk	31.9	-25.2	0	59.14	-	-	74	-14.86	324	117	H
2	* 2.48487	56.93	Pk	31.9	-25.2	0	63.63	-	-	74	-10.37	324	117	H
3	* 2.48351	41.04	RMS	31.9	-25.2	.21	47.95	54	-6.05	-	-	324	117	H
4	* 2.48374	41.6	RMS	31.9	-25.2	.21	48.51	54	-5.49	-	-	324	117	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

Pk - Peak detector

RMS - RMS detection