


KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (156) of (278)




20M BW QPSK Low ch.




20M BW 16QAM Low ch.




20M BW QPSK Mid ch.




20M BW 16QAM Mid ch.



20M BW QPSK High ch.




20M BW 16QAM High ch.



7.4. Band Edge Emissions at Antenna Terminal

Test setup



Limit

According to §22.917(a), §24.238(a) and RSS-132(5.5), RSS-133(6.5), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10\log(P_{\text{[Watts]}})$ dB.

According to §27.53(c)(2) and RSS-130(4.7), on any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10\log(P_{\text{[Watts]}})$ dB.

According to §27.53(c)(4) and RSS-130(4.7), on all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10\log(P_{\text{[Watts]}})$ dB in a 6.25 kHz band segment, for mobile and portable stations.

According to §27.53(g) and RSS-130(4.7), for operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10\log(P_{\text{[Watts]}})$ dB.

According to §27.53(h) and RSS-139(6.6), the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10\log(P_{\text{[Watts]}})$ dB.

Test procedure

971168 D01 v03r01 - Section 6

ANSI C63.26-2015 – Section 5.7

Test settings

- 1) Start frequency was set to 30 MHz and stop frequency was set to at least 10th the fundamental frequency.
- 2) Span was set large enough so as to capture all out of band emissions near the band edge.
- 3) Set the RBW > 1% of the emission bandwidth.
- 4) Set the VBW $\geq 3 \times$ RBW.
- 5) Set the number of sweep points $\geq 2 \times$ Span/RBW
- 6) Detector = RMS
- 7) Trace mode = trace average
- 8) Sweep time should be auto for peak detection. For RMS detection the sweep time should be set as follows:
 - a) If the device can be configured to transmit continuously (duty cycle $\geq 98\%$), set the (sweep time) > (number of points in sweep) x (symbol period) (e.g., by a factor of 10 x symbol period x number of points)
Increasing the sweep time (i.e., slowing the sweep speed) will allow for averaging

over multiple symbols.

- b) If the device cannot transmit continuously (duty cycle < 98%), a gated sweep shall be used when possible (i.e., gate triggered such that the analyzer only sweeps when the device is transmitting at full power), set the sweep time > (number of points in sweep) × (symbol period) but the sweep time shall always be maintained at a value that is less than or equal to the minimum transmission time
 - c) If the device cannot be configured to transmit continuously (duty cycle > 98%), and a free-running sweep must be used, set the sweep time so that the averaging is performed over multiple on/off cycles by setting the sweep time > (number of points in sweep) × (transmitter period) (i.e., the transmit on-time + the off-time). The spectrum analyzer readings shall subsequently be corrected by [10 log (1/duty cycle)]. This assumes that the transmission period and duty cycle is relatively constant (duty cycle variation ≤ ±2%).
 - d) If the device cannot be configured to transmit continuously and a free-running sweep must be used, and if the transmissions exhibit a non-constant duty cycle (duty cycle variations > ±2%), set the sweep time so that the averaging is performed over the on-period by setting the sweep time > (symbol period) × (number of points), while also maintaining the sweep time < (transmitter on-time). The trace mode shall be set to max hold, since not every display point will be averaged only over just the on-time. Thus, multiple sweeps (e.g., 100) in maximum hold are necessary to ensure that the maximum power is measured.
- 9) Allow trace to fully stabilize.

Notes:

1. Per 22.917(b), 24.238(b), 27.53(h)(3) and RSS-132(5.5), RSS-133(6.5), RSS-139(6.6), compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.
2. Per 27.53(c)(5) and RSS-130(4.7), for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed.
3. Per 27.53(c)(6) and RSS-130(4.7), for operations in the 763-775 MHz and 793-805 MHz, the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.
4. Per 27.25(g) and RSS-130(4.7), compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.
5. The EUT was setup to maximum output power as its lowest and highest channel with all bandwidth, modulation and RB configurations.

KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (159) of (278)



Test results

Test mode: LTE Band 2

1.4M BW QPSK Low ch. 1RB



1.4M BW QPSK High ch. 1RB




1.4M BW QPSK Low ch. FRB



1.4M BW QPSK High ch. FRB




1.4M BW 16QAM Low ch. 1RB




1.4M BW 16QAM High ch. 1RB



1.4M BW 16QAM Low ch. FRB



1.4M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (160) of (278)




3M BW QPSK Low ch. 1RB




3M BW QPSK High ch. 1RB




3M BW QPSK Low ch. FRB




3M BW QPSK High ch. FRB




3M BW 16QAM Low ch. 1RB




3M BW 16QAM High ch. 1RB



3M BW 16QAM Low ch. FRB



3M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (161) of (278)




5M BW QPSK Low ch. 1RB




5M BW QPSK High ch. 1RB




5M BW QPSK Low ch. FRB




5M BW QPSK High ch. FRB



5M BW 16QAM Low ch. 1RB



5M BW 16QAM High ch. 1RB



5M BW 16QAM Low ch. FRB



5M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (162) of (278)




10M BW QPSK Low ch. 1RB




10M BW QPSK High ch. 1RB




10M BW QPSK Low ch. FRB




10M BW QPSK High ch. FRB




10M BW 16QAM Low ch. 1RB




10M BW 16QAM High ch. 1RB



10M BW 16QAM Low ch. FRB



10M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (163) of (278)




15M BW QPSK Low ch. 1RB




15M BW QPSK High ch. 1RB




15M BW QPSK Low ch. FRB




15M BW QPSK High ch. FRB



15M BW 16QAM Low ch. 1RB




15M BW 16QAM High ch. 1RB



15M BW 16QAM Low ch. FRB



15M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (164) of (278)




20M BW QPSK Low ch. 1RB



20M BW QPSK High ch. 1RB




20M BW QPSK Low ch. FRB




20M BW QPSK High ch. FRB



20M BW 16QAM Low ch. 1RB




20M BW 16QAM High ch. 1RB



20M BW 16QAM Low ch. FRB



20M BW 16QAM High ch. FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (165) of (278)




Test mode: LTE Band 5


1.4M BW QPSK Low ch. 1RB




1.4M BW QPSK High ch. 1RB



1.4M BW QPSK Low ch. FRB



1.4M BW QPSK High ch. FRB



1.4M BW 16QAM Low ch. 1RB



1.4M BW 16QAM High ch. 1RB



1.4M BW 16QAM Low ch. FRB



1.4M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (166) of (278)



1.4M BW QPSK Lower extended 1RB




1.4M BW QPSK Upper extended 1RB



1.4M BW QPSK Lower extended FRB




1.4M BW QPSK Upper extended FRB



1.4M BW 16QAM Lower extended 1RB




1.4M BW 16QAM Upper extended 1RB



1.4M BW 16QAM Lower extended FRB



1.4M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (167) of (278)




3M BW QPSK Low ch. 1RB




3M BW QPSK High ch. 1RB




3M BW QPSK Low ch. FRB




3M BW QPSK High ch. FRB



3M BW 16QAM Low ch. 1RB




3M BW 16QAM High ch. 1RB



3M BW 16QAM Low ch. FRB



3M BW 16QAM High ch. FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (168) of (278)




KCTL

3M BW QPSK Lower extended 1RB



3M BW QPSK Upper extended 1RB




3M BW QPSK Lower extended FRB



3M BW QPSK Upper extended FRB



3M BW 16QAM Lower extended 1RB



3M BW 16QAM Upper extended 1RB



3M BW 16QAM Lower extended FRB



3M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (169) of (278)



5M BW QPSK Low ch. 1RB



5M BW QPSK High ch. 1RB




5M BW QPSK Low ch. FRB




5M BW QPSK High ch. FRB




5M BW 16QAM Low ch. 1RB



5M BW 16QAM High ch. 1RB



5M BW 16QAM Low ch. FRB



5M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (170) of (278)



5M BW QPSK Lower extended 1RB




5M BW QPSK Upper extended 1RB




5M BW QPSK Lower extended FRB



5M BW QPSK Upper extended FRB



5M BW 16QAM Lower extended 1RB



5M BW 16QAM Upper extended 1RB



5M BW 16QAM Lower extended FRB



5M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (171) of (278)



10M BW QPSK Low ch. 1RB




10M BW QPSK High ch. 1RB




10M BW QPSK Low ch. FRB




10M BW QPSK High ch. FRB



10M BW 16QAM Low ch. 1RB



10M BW 16QAM High ch. 1RB



10M BW 16QAM Low ch. FRB



10M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (172) of (278)



10M BW QPSK Lower extended 1RB




10M BW QPSK Upper extended 1RB




10M BW QPSK Lower extended FRB




10M BW QPSK Upper extended FRB



10M BW 16QAM Lower extended 1RB



10M BW 16QAM Upper extended 1RB



10M BW 16QAM Lower extended FRB



10M BW 16QAM Upper extended FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (173) of (278)




Test mode: LTE Band 12


1.4M BW QPSK Low ch. 1RB




1.4M BW QPSK High ch. 1RB




1.4M BW QPSK Low ch. FRB




1.4M BW QPSK High ch. FRB



1.4M BW 16QAM Low ch. 1RB




1.4M BW 16QAM High ch. 1RB



1.4M BW 16QAM Low ch. FRB



1.4M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (174) of (278)




1.4M BW QPSK Lower extended 1RB



1.4M BW QPSK Upper extended 1RB




1.4M BW QPSK Lower extended FRB




1.4M BW QPSK Upper extended FRB




1.4M BW 16QAM Lower extended 1RB



1.4M BW 16QAM Upper extended 1RB



1.4M BW 16QAM Lower extended FRB



1.4M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (175) of (278)




3M BW QPSK Low ch. 1RB




3M BW QPSK High ch. 1RB




3M BW QPSK Low ch. FRB




3M BW QPSK High ch. FRB



3M BW 16QAM Low ch. 1RB



3M BW 16QAM High ch. 1RB



3M BW 16QAM Low ch. FRB



3M BW 16QAM High ch. FRB



KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (176) of (278)



3M BW QPSK Lower extended 1RB



3M BW QPSK Upper extended 1RB



3M BW QPSK Lower extended FRB



3M BW QPSK Upper extended FRB



3M BW 16QAM Lower extended 1RB



3M BW 16QAM Upper extended 1RB



3M BW 16QAM Lower extended FRB



3M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (177) of (278)




5M BW QPSK Low ch. 1RB




5M BW QPSK High ch. 1RB




5M BW QPSK Low ch. FRB



5M BW QPSK High ch. FRB



5M BW 16QAM Low ch. 1RB




5M BW 16QAM High ch. 1RB



5M BW 16QAM Low ch. FRB



5M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (178) of (278)




5M BW QPSK Lower extended 1RB



5M BW QPSK Upper extended 1RB




5M BW QPSK Lower extended FRB




5M BW QPSK Upper extended FRB



5M BW 16QAM Lower extended 1RB



5M BW 16QAM Upper extended 1RB



5M BW 16QAM Lower extended FRB



5M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (179) of (278)




10M BW QPSK Low ch. 1RB



10M BW QPSK High ch. 1RB




10M BW QPSK Low ch. FRB




10M BW QPSK High ch. FRB



10M BW 16QAM Low ch. 1RB



10M BW 16QAM High ch. 1RB



10M BW 16QAM Low ch. FRB



10M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (180) of (278)



10M BW QPSK Lower extended 1RB




10M BW QPSK Upper extended 1RB




10M BW QPSK Lower extended FRB



10M BW QPSK Upper extended FRB




10M BW 16QAM Lower extended 1RB



10M BW 16QAM Upper extended 1RB



10M BW 16QAM Lower extended FRB



10M BW 16QAM Upper extended FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (181) of (278)




Test mode: LTE Band 13


5M BW QPSK Low ch. 1RB




5M BW QPSK High ch. 1RB




5M BW QPSK Low ch. FRB




5M BW QPSK High ch. FRB




5M BW 16QAM Low ch. 1RB




5M BW 16QAM High ch. 1RB



5M BW 16QAM Low ch. FRB



5M BW 16QAM High ch. FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (182) of (278)




KCTL


5M BW QPSK Lower extended 1RB




5M BW QPSK Upper extended 1RB




5M BW QPSK Lower extended FRB




5M BW QPSK Upper extended FRB




5M BW 16QAM Lower extended 1RB




5M BW 16QAM Upper extended 1RB



5M BW 16QAM Lower extended FRB



5M BW 16QAM Upper extended FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (183) of (278)



10M BW QPSK Lower 1RB




10M BW QPSK Upper 1RB




10M BW QPSK Lower FRB




10M BW QPSK Upper FRB




10M BW 16QAM Lower 1RB



10M BW 16QAM Upper 1RB



10M BW 16QAM Lower FRB



10M BW 16QAM Upper FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (184) of (278)



10M BW QPSK Lower extended 1RB




10M BW QPSK Upper extended 1RB



10M BW QPSK Lower extended FRB




10M BW QPSK Upper extended FRB




10M BW 16QAM Lower extended 1RB




10M BW 16QAM Upper extended 1RB



10M BW 16QAM Lower extended FRB



10M BW 16QAM Upper extended FRB



KCTL Inc.


65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR22-SRF0094-C
Page (185) of (278)



Test mode: LTE Band 25


1.4M BW QPSK Low ch. 1RB




1.4M BW QPSK High ch. 1RB




1.4M BW QPSK Low ch. FRB




1.4M BW QPSK High ch. FRB




1.4M BW 16QAM Low ch. 1RB



1.4M BW 16QAM High ch. 1RB



1.4M BW 16QAM Low ch. FRB



1.4M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (186) of (278)




3M BW QPSK Low ch. 1RB




3M BW QPSK High ch. 1RB




3M BW QPSK Low ch. FRB




3M BW QPSK High ch. FRB




3M BW 16QAM Low ch. 1RB



3M BW 16QAM High ch. 1RB



3M BW 16QAM Low ch. FRB



3M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (187) of (278)



5M BW QPSK Low ch. 1RB




5M BW QPSK High ch. 1RB




5M BW QPSK Low ch. FRB




5M BW QPSK High ch. FRB



5M BW 16QAM Low ch. 1RB



5M BW 16QAM High ch. 1RB



5M BW 16QAM Low ch. FRB



5M BW 16QAM High ch. FRB




KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr


Report No.:
KR22-SRF0094-C
Page (188) of (278)




10M BW QPSK Low ch. 1RB




10M BW QPSK High ch. 1RB




10M BW QPSK Low ch. FRB




10M BW QPSK High ch. FRB



10M BW 16QAM Low ch. 1RB



10M BW 16QAM High ch. 1RB



10M BW 16QAM Low ch. FRB



10M BW 16QAM High ch. FRB

