


**Test results (Above 1 000 MHz)**


**802.11b\_2 412 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 388.05 <sup>1)</sup>	V	48.80	27.10	-32.87	-	43.03	74.00	30.97
4 823.85 <sup>1)</sup>	V	56.90	32.25	-42.33	-	46.82	74.00	27.18
7 271.93 <sup>1)</sup>	H	53.60	36.94	-41.15	-	49.39	74.00	24.61
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								


**Horizontal/Vertical for Band-edge**



### Horizontal/Vertical for 1 GHz ~ 3.5 GHz




### Horizontal/Vertical for 3.5 GHz ~ 18 GHz




**802.11b\_2 437 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
4 873.63 <sup>1)</sup>	H	58.30	32.49	-42.36	-	48.43	74.00	25.57
7 279.67 <sup>1)</sup>	V	53.10	36.96	-41.16	-	48.90	74.00	25.10
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11b\_2 462 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 484.25 <sup>1)</sup>	V	49.30	27.84	-32.59	-	44.55	74.00	29.45
4 923.42 <sup>1)</sup>	H	54.10	32.84	-42.42	-	44.52	74.00	29.48
7 385.52 <sup>1)</sup>	V	52.90	36.46	-41.26	-	48.10	74.00	25.90
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								


**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11b\_2 467 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 483.69 <sup>1)</sup>	H	46.50	27.84	-32.59		41.75	74.00	32.25
4 954.35 <sup>1)</sup>	V	53.20	32.92	-42.46	-	43.66	74.00	30.34
7 257.92 <sup>1)</sup>	V	52.60	36.92	-41.14	-	48.38	74.00	25.62
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								


**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**



**802.11b\_2 472 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 483.67 <sup>1)</sup>	V	49.30	27.84	-32.59	-	44.55	74.00	29.45
4 914.23 <sup>1)</sup>	H	53.20	32.79	-42.40	-	43.59	74.00	30.41
7 318.33 <sup>1)</sup>	H	52.30	36.76	-41.20	-	47.86	74.00	26.14
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for Band-edge**






**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11g\_2 412 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu$ V))	(dB)	(dB)	(dB)	(dB( $\mu$ V/m))	(dB( $\mu$ V/m))	(dB)
<b>Peak data</b>								
2 389.90 <sup>1)</sup>	V	63.20	27.10	-32.87	-	57.43	74.00	16.57
4 828.20 <sup>1)</sup>	V	53.80	32.26	-42.33	-	43.73	74.00	30.27
7 221.18	V	53.70	36.84	-41.11	-	49.43	74.00	24.57
<b>Average Data</b>								
2 389.90 <sup>1)</sup>	V	50.19	27.10	-32.87	0.40	44.82	54.00	9.18




**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11g\_2 437 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
4 875.08 <sup>1)</sup>	H	54.00	32.50	-42.36	-	44.14	74.00	29.86
7 315.43 <sup>1)</sup>	V	53.40	36.77	-41.19	-	48.98	74.00	25.02
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11g\_2 462 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
2 483.51 <sup>1)</sup>	H	59.80	27.84	-32.59		55.05	74.00	18.95
4 912.78 <sup>1)</sup>	V	52.80	32.78	-42.40		43.18	74.00	30.82
7 424.67 <sup>1)</sup>	H	51.90	36.45	-41.29		47.06	74.00	26.94
<b>Average Data</b>								
2 483.51 <sup>1)</sup>	H	45.67	27.84	-32.59	0.40	41.32	54.00	12.68




**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11g\_2 467 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 483.51 <sup>1)</sup>	H	53.30	27.84	-32.59	-	48.55	74.00	25.45
4 956.28 <sup>1)</sup>	H	52.80	32.93	-42.46	-	43.27	74.00	30.73
7 321.23 <sup>1)</sup>	H	52.30	36.76	-41.20	-	47.86	74.00	26.14
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								


**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**



**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**






**802.11g\_2 472 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
<b>Peak data</b>								
2 483.52 <sup>1)</sup>	V	67.50	27.84	-32.59	-	62.75	74.00	11.25
4 896.83 <sup>1)</sup>	H	53.40	32.59	-42.38	-	43.61	74.00	30.39
7 354.58 <sup>1)</sup>	V	52.30	36.58	-41.23	-	47.65	74.00	26.35
<b>Average Data</b>								
2 483.52 <sup>1)</sup>	V	52.98	27.84	-32.59	0.40	48.63	54.00	5.37

**Average data**




Blank


**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**



**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**



**802.11n HT20\_2 412 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu$ V))	(dB)	(dB)	(dB)	(dB( $\mu$ V/m))	(dB( $\mu$ V/m))	(dB)
<b>Peak data</b>								
2 389.94 <sup>1)</sup>	V	64.10	27.10	-32.87	-	58.33	74.00	15.67
4 798.23 <sup>1)</sup>	H	53.50	32.29	-42.32	-	43.47	74.00	30.53
7 222.15	V	52.20	36.84	-41.11	-	47.93	74.00	26.07
<b>Average Data</b>								
2 389.94 <sup>1)</sup>	V	51.16	27.10	-32.87	0.36	45.75	54.00	8.25

**Average data**




Blank


**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11n HT20\_2 437 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
4 876.05 <sup>1)</sup>	H	53.80	32.50	-42.36	-	43.94	74.00	30.06
7 321.23 <sup>1)</sup>	V	53.60	36.76	-41.20	-	49.16	74.00	24.84
<b>Average Data</b>								
No spurious emissions were detected within 20 dB of the limit.								

**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11n HT20\_2 462 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu$ V))	(dB)	(dB)	(dB)	(dB( $\mu$ V/m))	(dB( $\mu$ V/m))	(dB)
<b>Peak data</b>								
2 483.55 <sup>1)</sup>	V	64.00	27.84	-32.59	-	59.25	74.00	14.75
4 913.27 <sup>1)</sup>	H	52.60	32.78	-42.40	-	42.98	74.00	31.02
7 379.23 <sup>1)</sup>	V	53.70	36.48	-41.25	-	48.93	74.00	25.07
<b>Average Data</b>								
2 483.55 <sup>1)</sup>	V	46.73	27.84	-32.59	0.36	42.34	54.00	11.66




**Horizontal/Vertical for Band-edge**



**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**




**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**




**802.11n HT20\_2 467 MHz**

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB( $\mu V$ ))	(dB)	(dB)	(dB)	(dB( $\mu V/m$ ))	(dB( $\mu V/m$ ))	(dB)
<b>Peak data</b>								
2 483.72 <sup>1)</sup>	H	56.00	27.84	-32.59	-	51.25	74.00	22.75
4 952.90 <sup>1)</sup>	V	52.60	32.91	-42.46	-	43.05	74.00	30.95
7 320.75 <sup>1)</sup>	H	52.10	36.76	-41.20	-	47.66	74.00	26.34
<b>Average Data</b>								
2 483.72 <sup>1)</sup>	H	42.46	27.84	-32.59	0.36	38.07	54.00	15.93




**Horizontal/Vertical for Band-edge**





**Horizontal/Vertical for 1 GHz ~ 3.5 GHz**



**Horizontal/Vertical for 3.5 GHz ~ 18 GHz**

