

APPENDIX G: POWER REDUCTION VERIFICATION

Per the May 2017 TCBC Workshop Notes, demonstration of proper functioning of the power reduction mechanisms is required to support the corresponding SAR configurations. The verification process was to evaluate output power levels for individual or multiple triggering mechanisms.

G.1 Power Verification Procedure

The power verification was performed according to the following procedure:

1. A base station simulator was used to establish a conducted RF connection and the output power was monitored. The power measurements were confirmed to be within expected tolerances for all states before and after a power reduction mechanism was triggered.
2. Step 1 was repeated for all relevant modes and frequency bands for the mechanism being investigated.
3. Steps 1 and 2 were repeated for all individual power reduction mechanisms and combinations thereof. For the combination cases, one mechanism was switched to a 'triggered' state at a time; powers were confirmed to be within tolerances after each additional mechanism was activated.

FCC ID: A3LSMS711U	6 GHZ RF EXPOSURE EVALUATION	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX G: Page 2 of 3

REV 2.0

G.2 WIFI Verification Summary

*Note: MIMO WIFI modes were not evaluated due to equipment limitations. All SISO powers were taken during MIMO conditions.

Table G-1
Power Measurement Verification 6 GHz WIFI – Antenna 1 with RCV active

Mode/Band	Conducted Power (dBm)	
	Un-triggered (Max)	Mechanism #1 RCV Active + NR Active (Reduced)
802.11a 6GHz	8.71	8.58
802.11ax 6GHz 20 MHz	8.66	8.61
802.11ax 6GHz 40 MHz	10.09	9.07
802.11ax 6GHz 80 MHz	9.80	8.60
802.11ax 6GHz 160 MHz	9.99	8.99

Table G-2
Power Measurement Verification 6 GHz WIFI – Antenna 2 with RCV active

Mode/Band	Conducted Power (dBm)	
	Un-triggered (Max)	Mechanism #1 RCV Active +NR Active (Reduced)
802.11a 6GHz	9.48	9.48
802.11ax 6GHz 20 MHz	9.52	9.36
802.11ax 6GHz 40 MHz	10.59	9.33
802.11ax 6GHz 80 MHz	10.76	9.66
802.11ax 6GHz 160 MHz	10.84	9.67

FCC ID: A3LSMS711U	6 GHZ RF EXPOSURE EVALUATION	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX G: Page 3 of 3