



7.6.5 MIMO Radiated Band Edge Measurements (160MHz BW)

Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5250MHz
 Channel: 50




Plot 7-208. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 1)




Plot 7-209. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 1)

Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5250MHz
 Channel: 50



Plot 7-210. Radiated Upper Band Edge Plot MIMO (Average – UNII Band 2A)




Plot 7-211. Radiated Upper Band Edge Plot MIMO (Peak – UNII Band 2A)


FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 142 of 152



Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5570MHz
 Channel: 114




Plot 7-212. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 2C)



Plot 7-213. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 2C)


Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5815MHz
 Channel: 163




Plot 7-214. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 4)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 143 of 152

Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5815MHz
 Channel: 163




Plot 7-215. Radiated Upper Band Edge Plot MIMO (Average – UNII Band 4)




Plot 7-216. Radiated Upper Band Edge Plot MIMO (Peak – UNII Band 4)

Worst Case Mode: 802.11ac
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5250MHz
 Channel: 50



Plot 7-217. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 1) with WCP



Plot 7-218. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 1) with WCP

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 144 of 152

7.7 Line-Conducted Test Data

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst-case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below per FCC §15.207.

Frequency of emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-39. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2013, Section 6.2

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 145 of 152

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-8. Test Instrument & Measurement Setup


Test Notes

1. All modes of operation were investigated, and the worst-case emissions are reported using mid channel. The emissions found were not affected by the choice of channel used during testing.
2. The limit for an intentional radiator from 150kHz to 30MHz is specified in §15.207 and RSS-Gen (8.8).
3. $Corr. (dB) = Cable\ loss (dB) + LISN\ insertion\ factor (dB)$
4. $QP/AV\ Level (dB\mu V) = QP/AV\ Analyzer/Receiver\ Level (dB\mu V) + Corr. (dB)$
5. $Margin (dB) = QP/AV\ Limit (dB\mu V) - QP/AV\ Level (dB\mu V)$
6. Traces shown in plot are made using a peak detector.
7. Deviations to the Specifications: None.

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 146 of 152




Plot 7-219. Line Conducted Plot with 802.11a UNII Band 1 (L1)




Plot 7-220. Line Conducted Plot with 802.11a UNII Band 1 (N)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 147 of 152




Plot 7-221. Line Conducted Plot with 802.11a UNII Band 2A (L1)




Plot 7-222. Line Conducted Plot with 802.11a UNII Band 2A (N)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 148 of 152




Plot 7-223. Line Conducted Plot with 802.11a UNII Band 2C (L1)




Plot 7-224. Line Conducted Plot with 802.11a UNII Band 2C (N)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 149 of 152




Plot 7-225. Line Conducted Plot with 802.11a UNII Band 3 (L1)




Plot 7-226. Line Conducted Plot with 802.11a UNII Band 3 (N)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 150 of 152



Plot 7-227. Line Conducted Plot with 802.11a UNII Band 4 (L1)



Plot 7-228. Line Conducted Plot with 802.11a UNII Band 4 (N)

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 151 of 152

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMS711U** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules.

FCC ID: A3LSMS711U	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2304260060-17-R1.A3L	Test Dates: 5/24-7/31/2023	EUT Type: Portable Handset	Page 152 of 152