

## Appendix L\_NR Bands *P<sub>limit</sub>* Conducted Power

NR FDD Band n2 Conducted Power\_ Measured  $P_{max}$ , RCV(RSI 1) \_ Main1 [Ant A]

NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.65	22.68	22.77	0	
				1	13	22.56	22.51	22.71	0	
				1	23	22.65	22.61	22.83	0	
				12	0	22.11	22.16	22.24	0.5	
				12	7	22.62	22.58	22.81	0	
				12	13	22.15	22.09	22.31	0.5	
			25	0	22.12	22.09	22.30	0.5		
			QPSK	1	1	22.69	22.69	22.75	0	
				1	13	22.54	22.51	22.73	0	
				1	23	22.63	22.58	22.80	0	
				12	0	21.62	21.64	21.76	1	
				12	7	22.62	22.58	22.79	0	
				12	13	21.65	21.58	21.80	1	
			25	0	21.64	21.56	21.80	1		
			16QAM	1	1	21.70	21.73	21.75	1	
			64QAM	1	1	20.21	20.29	20.34	2.5	
			256QAM	1	1	18.10	18.26	18.27	4.5	
			CP	QPSK	1	1	21.18	21.26	21.24	1.5

## NR FDD Band n2\_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.64	22.61	22.79	0
				1	26	22.70	22.61	22.82	0
				1	50	22.66	22.59	22.85	0
				25	0	22.14	22.16	22.26	0.5
				25	14	22.64	22.60	22.76	0
				25	27	22.15	22.11	22.29	0.5
			QPSK	50	0	22.14	22.12	22.24	0.5
				1	1	22.64	22.58	22.75	0
				1	26	22.70	22.65	22.83	0
				1	50	22.64	22.57	22.81	0
				25	0	21.65	21.67	21.76	1
				25	14	22.63	22.59	22.75	0
			16QAM	25	27	21.68	21.60	21.81	1
		50		0	21.64	21.60	21.76	1	
		1		1	21.72	21.62	21.82	1	
		1		1	20.15	20.23	20.31	2.5	
256QAM	1	1	18.15	18.04	18.28	4.5			
	CP	QPSK	1	1	21.21	21.13	21.31	1.5	

## NR FDD Band n2\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.65	22.68	22.65	0
				1	40	22.61	22.52	22.68	0
				1	77	22.66	22.61	22.83	0
				36	0	22.15	22.08	22.25	0.5
				36	22	22.67	22.60	22.75	0
				36	43	22.14	22.08	22.27	0.5
			QPSK	75	0	22.16	22.11	22.25	0.5
				1	1	22.63	22.62	22.67	0
				1	40	22.60	22.48	22.67	0
				1	77	22.65	22.58	22.82	0
				36	0	21.67	21.60	21.73	1
				36	22	22.68	22.61	22.74	0
			16QAM	36	43	21.66	21.58	21.75	1
		75		0	21.66	21.61	21.77	1	
		1		1	21.68	21.72	21.65	1	
		1		1	20.14	20.13	20.25	2.5	
256QAM	1	1	18.14	18.14	18.18	4.5			
	CP	QPSK	1	1	21.15	21.18	21.22	1.5	

## NR FDD Band n2\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.62	22.70	22.66	0
				1	53	22.68	22.79	22.85	0
				1	104	22.69	22.63	22.83	0
				50	0	22.11	22.13	22.19	0.5
				50	28	22.61	22.58	22.76	0
				50	56	22.16	22.11	22.23	0.5
				100	0	22.14	22.12	22.25	0.5
			QPSK	1	1	22.69	22.75	22.67	0
				1	53	22.75	22.70	22.83	0
				1	104	22.72	22.66	22.81	0
				50	0	21.63	21.66	21.70	1
				50	28	22.62	22.59	22.75	0
				50	56	21.65	21.59	21.76	1
				100	0	21.66	21.63	21.76	1
			16QAM	1	1	21.65	21.70	21.68	1
			64QAM	1	1	20.24	20.31	20.29	2.5
			256QAM	1	1	18.15	18.26	18.24	4.5
		CP	QPSK	1	1	21.14	21.22	21.17	1.5

**NR FDD Band n2 Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2) \_ Main1**

**[Ant A]**

**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.92	17.04	17.13	0
				1	13	16.93	16.89	17.09	0
				1	23	17.05	17.01	17.22	0
				12	0	17.00	17.01	17.12	0
				12	7	17.00	16.94	17.16	0
				12	13	17.02	16.95	17.19	0
				25	0	16.98	16.97	17.16	0
			QPSK	1	1	17.00	17.05	17.13	0
				1	13	16.88	16.85	17.10	0
				1	23	16.99	16.94	17.21	0
				12	0	17.01	17.01	17.14	0
				12	7	17.00	16.96	17.17	0
				12	13	17.03	16.96	17.20	0
				25	0	17.01	16.94	17.17	0
			16QAM	1	1	17.00	17.02	17.15	0
			64QAM	1	1	17.07	17.14	17.23	0
			256QAM	1	1	17.04	17.11	17.07	0
CP	QPSK	1	1	17.02	17.00	17.15	0		

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.06	16.99	17.16	0
				1	26	17.08	16.99	17.19	0
				1	50	17.02	16.94	17.23	0
				25	0	17.03	17.04	17.14	0
				25	14	17.01	16.96	17.14	0
				25	27	17.05	16.98	17.18	0
				50	0	17.00	16.98	17.13	0
			QPSK	1	1	16.99	16.96	17.11	0
				1	26	17.05	17.01	17.18	0
				1	50	16.99	16.90	17.19	0
				25	0	17.03	17.04	17.15	0
				25	14	17.00	16.97	17.13	0
				25	27	17.06	16.97	17.19	0
				50	0	17.02	16.98	17.13	0
			16QAM	1	1	17.06	16.97	17.11	0
			64QAM	1	1	17.22	17.05	17.27	0
			256QAM	1	1	17.01	16.99	17.21	0
CP	QPSK	1	1	17.08	16.98	17.11	0		

## NR FDD Band n2\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.02	17.05	17.04	0
				1	40	16.98	16.89	17.04	0
				1	77	17.03	16.99	17.19	0
				36	0	17.04	16.97	17.13	0
				36	22	17.06	16.97	17.12	0
				36	43	17.06	16.95	17.12	0
			75	0	17.05	16.99	17.13	0	
			QPSK	1	1	17.00	17.08	17.00	0
				1	40	16.97	16.91	17.03	0
				1	77	17.02	16.96	17.14	0
				36	0	17.05	17.00	17.13	0
				36	22	17.05	16.98	17.12	0
				36	43	17.04	16.95	17.13	0
			75	0	17.04	17.01	17.14	0	
		16QAM	1	1	16.95	17.01	17.05	0	
		64QAM	1	1	17.04	17.12	17.15	0	
		256QAM	1	1	17.11	16.95	17.03	0	
CP	QPSK	1	1	17.00	17.07	17.04	0		

## NR FDD Band n2\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.04	17.09	17.05	0
				1	53	17.07	17.01	17.24	0
				1	104	17.08	17.01	17.20	0
				50	0	17.00	17.05	17.08	0
				50	28	17.01	17.00	17.13	0
				50	56	17.05	16.97	17.15	0
			100	0	17.04	16.99	17.16	0	
			QPSK	1	1	16.99	17.06	17.05	0
				1	53	17.03	17.02	17.23	0
				1	104	17.05	16.99	17.19	0
				50	0	17.01	17.06	17.08	0
				50	28	17.00	16.99	17.13	0
				50	56	17.06	16.98	17.11	0
			100	0	17.03	16.99	17.15	0	
		16QAM	1	1	17.06	17.17	17.01	0	
		64QAM	1	1	17.08	17.13	17.05	0	
		256QAM	1	1	17.03	17.10	17.02	0	
CP	QPSK	1	1	17.02	17.06	17.02	0		

**NR FDD Band n5 Conducted Power\_ Measured *P<sub>max</sub>* Free(RSI 0), RCV(RSI 1),  
Hotspot(RSI 2) \_ Main1 [Ant A]**

**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	23.93	24.10	0
				1	13	23.78	23.90	24.09	0
				1	23	23.87	23.99	24.16	0
				12	0	23.38	23.44	23.62	0.5
				12	7	23.85	23.97	24.14	0
				12	13	23.35	23.49	23.66	0.5
				25	0	23.36	23.47	23.64	0.5
			QPSK	1	1	23.90	23.96	24.15	0
				1	13	23.82	23.94	24.13	0
				1	23	23.87	24.01	24.18	0
				12	0	22.86	22.94	23.13	1
				12	7	23.88	23.99	24.17	0
				12	13	22.87	22.99	23.16	1
				25	0	22.85	22.96	23.16	1
			16QAM	1	1	22.87	22.92	23.11	1
			64QAM	1	1	21.53	21.53	21.67	2.5
			256QAM	1	1	19.35	19.33	19.68	4.5
CP	QPSK	1	1	22.31	22.50	22.57	1.5		

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300	836.5 MHz	
						10 MHz	15	
1	26	24.01	0					
1	50	23.89	0					
25	0	23.41	0.5					
25	14	23.97	0					
25	27	23.50	0.5					
50	0	23.48	0.5					
QPSK	1	1	23.94	0				
	1	26	24.06	0				
	1	50	23.99	0				
	25	0	22.92	1				
	25	14	23.98	0				
	25	27	22.98	1				
	50	0	22.96	1				
16QAM	1	1	22.92	1				
64QAM	1	1	21.44	2.5				
256QAM	1	1	19.44	4.5				
CP	QPSK	1	1	22.38	1.5			

## NR FDD Band n5\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.89	0	
				1	40	23.91	0	
				1	77	24.07	0	
				36	0	23.38	0.5	
				36	22	23.99	0	
				36	43	23.48	0.5	
				75	0	23.47	0.5	
			QPSK	1	1	23.91	0	
				1	40	23.93	0	
				1	77	24.05	0	
				36	0	22.90	1	
				36	22	23.99	0	
				36	43	22.98	1	
				75	0	22.96	1	
		16QAM	1	1	22.86	1		
		64QAM	1	1	21.51	2.5		
		256QAM	1	1	19.32	4.5		
		CP	QPSK	1	1	22.35	1.5	

## NR FDD Band n5\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	0	
				1	53	24.02	0	
				1	104	24.18	0	
				50	0	23.42	0.5	
				50	28	23.98	0	
				50	56	23.50	0.5	
				100	0	23.46	0.5	
			QPSK	1	1	23.87	0	
				1	53	24.10	0	
				1	104	24.18	0	
				50	0	22.92	1	
				50	28	23.99	0	
				50	56	23.03	1	
				100	0	22.96	1	
		16QAM	1	1	22.94	1		
		64QAM	1	1	21.52	2.5		
		256QAM	1	1	19.31	4.5		
		CP	QPSK	1	1	22.38	1.5	



**NR FDD Band n25 Conducted Power\_ Measured  $P_{max}$  RCV(RSI 1)\_ Main1 [Ant A]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.66	22.60	22.82	0
				1	13	22.56	22.53	22.68	0
				1	23	22.65	22.56	22.75	0
				12	0	22.11	22.08	22.27	0.5
				12	7	22.62	22.60	22.75	0
				12	13	22.14	22.07	22.24	0.5
			QPSK	25	0	22.13	22.08	22.24	0.5
				1	1	22.60	22.54	22.77	0
				1	13	22.53	22.47	22.65	0
				1	23	22.61	22.50	22.72	0
				12	0	21.63	21.58	21.78	1
				12	7	22.63	22.59	22.76	0
			16QAM	12	13	21.64	21.55	21.74	1
				25	0	21.62	21.59	21.77	1
				1	1	21.76	21.68	21.94	1
				1	1	20.36	20.19	20.43	2.5
				1	1	18.09	18.11	18.42	4.5
				CP	QPSK	1	1	21.12	21.17

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.67	22.69	22.78	0
				1	26	22.70	22.76	22.91	0
				1	50	22.66	22.61	22.79	0
				25	0	22.12	22.07	22.31	0.5
				25	14	22.63	22.58	22.85	0
				25	27	22.15	22.06	22.26	0.5
			QPSK	50	0	22.11	22.10	22.33	0.5
				1	1	22.61	22.66	22.76	0
				1	26	22.69	22.66	22.89	0
				1	50	22.64	22.59	22.81	0
				25	0	21.63	21.60	21.79	1
				25	14	22.61	22.60	22.86	0
			16QAM	25	27	21.65	21.60	21.76	1
				50	0	21.63	21.61	21.84	1
				1	1	21.66	21.69	21.81	1
				1	1	20.23	20.24	20.25	2.5
				1	1	18.04	18.15	18.35	4.5
				CP	QPSK	1	1	21.17	21.18

## NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.67	22.61	22.78	0
				1	40	22.60	22.54	22.76	0
				1	77	22.66	22.64	22.78	0
				36	0	22.17	22.18	22.24	0.5
				36	22	22.65	22.59	22.80	0
				36	43	22.16	22.10	22.31	0.5
				75	0	22.13	22.09	22.29	0.5
			QPSK	1	1	22.60	22.58	22.71	0
				1	40	22.55	22.50	22.68	0
				1	77	22.64	22.63	22.74	0
				36	0	21.67	21.68	21.75	1
				36	22	22.67	22.60	22.80	0
				36	43	21.66	21.61	21.82	1
				75	0	21.64	21.61	21.80	1
		16QAM	1	1	21.62	21.58	21.73	1	
		64QAM	1	1	20.23	20.26	20.37	2.5	
256QAM	1	1	18.10	18.10	18.26	4.5			
CP	QPSK	1	1	21.17	21.08	21.27	1.5		

## NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.64	22.72	22.70	0
				1	53	22.69	22.77	22.83	0
				1	104	22.71	22.65	22.76	0
				50	0	22.13	22.16	22.26	0.5
				50	28	22.62	22.61	22.77	0
				50	56	22.15	22.11	22.35	0.5
				100	0	22.14	22.12	22.23	0.5
			QPSK	1	1	22.61	22.63	22.65	0
				1	53	22.65	22.63	22.83	0
				1	104	22.69	22.62	22.75	0
				50	0	21.62	21.66	21.77	1
				50	28	22.63	22.62	22.76	0
				50	56	21.70	21.63	21.86	1
				100	0	21.64	21.62	21.74	1
		16QAM	1	1	21.63	21.73	21.67	1	
		64QAM	1	1	20.27	20.29	20.31	2.5	
256QAM	1	1	18.18	18.25	18.22	4.5			
CP	QPSK	1	1	21.16	21.20	21.24	1.5		

NR FDD Band n25 Conducted Power\_ Measured Free(RSI 0), Hotpost(RSI 2) \_

Main1 [Ant A]

NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.06	16.99	17.23	0
				1	13	16.94	16.92	17.08	0
				1	23	17.05	16.95	17.17	0
				12	0	17.02	16.99	17.17	0
				12	7	17.04	16.98	17.14	0
				12	13	17.05	16.96	17.15	0
			25	0	17.02	16.99	17.15	0	
			QPSK	1	1	17.06	17.02	17.17	0
				1	13	16.92	16.88	17.03	0
				1	23	17.01	16.91	17.10	0
				12	0	17.04	16.99	17.15	0
				12	7	17.03	16.99	17.14	0
				12	13	17.05	16.95	17.13	0
			25	0	17.04	17.00	17.14	0	
			16QAM	1	1	17.11	16.98	17.25	0
			64QAM	1	1	17.14	17.02	17.31	0
			256QAM	1	1	17.07	16.94	17.22	0
			CP	QPSK	1	1	16.98	17.05	17.21

NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.07	17.07	17.17	0
				1	26	17.11	17.15	17.33	0
				1	50	17.07	17.00	17.21	0
				25	0	17.06	16.97	17.20	0
				25	14	17.04	16.99	17.24	0
				25	27	17.08	16.96	17.16	0
			50	0	17.04	17.01	17.23	0	
			QPSK	1	1	17.04	17.07	17.10	0
				1	26	17.10	17.06	17.27	0
				1	50	17.01	16.97	17.12	0
				25	0	17.05	16.99	17.21	0
				25	14	17.03	16.99	17.23	0
				25	27	17.06	16.95	17.20	0
			50	0	17.03	16.97	17.24	0	
			16QAM	1	1	17.07	17.10	17.17	0
			64QAM	1	1	17.23	17.08	17.26	0
			256QAM	1	1	16.99	17.09	17.08	0
			CP	QPSK	1	1	17.04	17.09	17.14

## NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.04	17.03	17.21	0
				1	40	16.98	16.94	17.14	0
				1	77	17.06	17.03	17.20	0
				36	0	17.05	17.07	17.18	0
				36	22	17.08	17.01	17.22	0
				36	43	17.05	17.01	17.20	0
				75	0	17.06	17.01	17.23	0
			QPSK	1	1	17.00	16.98	17.14	0
				1	40	16.98	16.89	17.11	0
				1	77	17.00	17.00	17.15	0
				36	0	17.08	17.06	17.17	0
				36	22	17.07	17.00	17.22	0
				36	43	17.04	16.99	17.23	0
			75	0	17.04	17.00	17.20	0	
		16QAM	1	1	17.10	17.00	17.14	0	
		64QAM	1	1	17.05	17.06	17.21	0	
		256QAM	1	1	17.05	16.97	17.15	0	
CP	QPSK	1	1	17.02	17.01	17.11	0		

## NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.05	17.11	17.10	0
				1	53	17.08	17.18	17.24	0
				1	104	17.11	17.04	17.20	0
				50	0	17.04	17.09	17.20	0
				50	28	17.04	17.02	17.17	0
				50	56	17.10	17.03	17.25	0
				100	0	17.08	17.04	17.17	0
			QPSK	1	1	17.02	17.06	17.06	0
				1	53	17.05	17.07	17.21	0
				1	104	17.07	16.97	17.15	0
				50	0	17.05	17.08	17.19	0
				50	28	17.02	17.01	17.17	0
				50	56	17.07	17.04	17.28	0
			100	0	17.05	17.02	17.17	0	
		16QAM	1	1	17.07	17.05	17.09	0	
		64QAM	1	1	17.10	17.10	17.08	0	
		256QAM	1	1	17.06	17.10	17.07	0	
CP	QPSK	1	1	17.13	17.10	17.15	0		

**NR FDD Band n66 Conducted Power\_ Measured  $P_{max}$ , RCV(RSI 1)\_ MAIN1 [Ant A]**
**NR FDD Band n66\_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.19	22.88	22.99	0
				1	13	23.11	22.82	22.88	0
				1	23	23.24	22.84	22.95	0
				12	0	22.67	22.38	22.43	0.5
				12	7	23.18	22.86	22.94	0
				12	13	22.72	22.39	22.45	0.5
				25	0	22.68	22.38	22.46	0.5
			QPSK	1	1	23.17	22.91	22.96	0
				1	13	23.11	22.82	22.87	0
				1	23	23.20	22.83	22.98	0
				12	0	22.15	21.85	21.96	1
				12	7	23.19	22.88	22.97	0
				12	13	22.20	21.87	21.96	1
			16QAM	25	0	22.19	21.90	21.96	1
				1	1	22.15	21.94	21.93	1
				1	1	20.75	20.38	20.46	2.5
				1	1	18.62	18.44	18.44	4.5
CP	QPSK	1	1	21.68	21.40	21.38	1.5		

**NR FDD Band n66\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.19	22.84	22.90	0
				1	26	23.37	23.02	23.19	0
				1	50	23.07	22.83	22.96	0
				25	0	22.69	22.36	22.44	0.5
				25	14	23.20	22.89	22.96	0
				25	27	22.65	22.35	22.48	0.5
				50	0	22.69	22.40	22.50	0.5
			QPSK	1	1	23.15	22.80	22.89	0
				1	26	23.28	22.94	22.99	0
				1	50	23.05	22.80	22.95	0
				25	0	22.17	21.84	21.91	1
				25	14	23.18	22.89	22.98	0
				25	27	22.13	21.84	21.97	1
			16QAM	50	0	22.20	21.89	21.98	1
				1	1	22.10	21.85	21.96	1
				1	1	20.72	20.42	20.45	2.5
				1	1	18.63	18.34	18.41	4.5
CP	QPSK	1	1	21.66	21.29	21.44	1.5		

## NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.18	22.92	22.90	0
				1	40	23.07	22.81	22.85	0
				1	77	23.09	22.79	22.96	0
				36	0	22.71	22.35	22.39	0.5
				36	22	23.14	22.88	22.92	0
				36	43	22.55	22.32	22.47	0.5
				75	0	22.63	22.38	22.40	0.5
			QPSK	1	1	23.22	22.92	22.93	0
				1	40	23.10	22.83	22.86	0
				1	77	23.12	22.77	22.93	0
				36	0	22.21	21.85	21.89	1
				36	22	23.13	22.88	22.91	0
				36	43	22.07	21.81	21.98	1
			75	0	22.15	21.89	21.89	1	
		16QAM	1	1	22.14	21.85	21.96	1	
		64QAM	1	1	20.78	20.58	20.42	2.5	
256QAM	1	1	18.71	18.44	18.37	4.5			
CP	QPSK	1	1	21.69	21.40	21.37	1.5		

## NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.18	22.90	22.79	0
				1	53	23.18	23.05	23.00	0
				1	104	23.00	22.88	22.95	0
				50	0	22.69	22.36	22.41	0.5
				50	28	23.03	22.87	22.90	0
				50	56	22.58	22.34	22.52	0.5
				100	0	22.58	22.40	22.41	0.5
			QPSK	1	1	23.15	22.85	22.75	0
				1	53	23.10	22.95	22.97	0
				1	104	23.00	22.86	22.96	0
				50	0	22.19	21.85	21.91	1
				50	28	23.02	22.88	22.91	0
				50	56	22.08	21.83	21.99	1
				100	0	22.08	21.89	21.90	1
		16QAM	1	1	22.05	21.86	21.69	1	
		64QAM	1	1	20.54	20.45	20.34	2.5	
256QAM	1	1	18.64	18.49	18.33	4.5			
CP	QPSK	1	1	21.66	21.40	21.32	1.5		

### NR FDD Band n66 Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2) \_

#### Main1 [Ant A]

##### NR FDD Band n66 \_5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.12	16.82	16.89	0
				1	13	17.05	16.73	16.81	0
				1	23	17.15	16.77	16.88	0
				12	0	17.09	16.79	16.89	0
				12	7	17.11	16.80	16.89	0
				12	13	17.13	16.81	16.89	0
			25	0	17.11	16.80	16.89	0	
			QPSK	1	1	17.11	16.78	16.89	0
				1	13	17.02	16.68	16.80	0
				1	23	17.14	16.76	16.86	0
				12	0	17.07	16.80	16.88	0
				12	7	17.10	16.82	16.89	0
				12	13	17.14	16.81	16.88	0
			25	0	17.09	16.81	16.91	0	
			16QAM	1	1	17.12	16.83	16.78	0
		64QAM	1	1	17.12	16.95	16.87	0	
		256QAM	1	1	17.06	16.75	16.90	0	
CP	QPSK	1	1	17.09	16.74	16.88	0		

##### NR FDD Band n66 \_10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.11	16.78	16.83	0
				1	26	17.30	16.93	16.94	0
				1	50	17.00	16.75	16.91	0
				25	0	17.10	16.80	16.85	0
				25	14	17.12	16.82	16.91	0
				25	27	17.08	16.78	16.90	0
				50	0	17.14	16.82	16.90	0
			QPSK	1	1	17.09	16.75	16.81	0
				1	26	17.19	16.91	17.02	0
				1	50	17.00	16.74	16.87	0
				25	0	17.13	16.81	16.86	0
				25	14	17.12	16.83	16.93	0
				25	27	17.06	16.77	16.91	0
			50	0	17.11	16.82	16.93	0	
			16QAM	1	1	17.07	16.77	16.81	0
		64QAM	1	1	17.21	16.84	16.99	0	
		256QAM	1	1	17.02	16.75	16.84	0	
CP	QPSK	1	1	17.02	16.77	16.76	0		

## NR FDD Band n66\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.10	16.84	16.85	0
				1	40	17.00	16.73	16.77	0
				1	77	17.02	16.71	16.90	0
				36	0	17.14	16.80	16.83	0
				36	22	17.05	16.82	16.83	0
				36	43	16.99	16.78	16.91	0
				75	0	17.06	16.82	16.83	0
			QPSK	1	1	17.07	16.81	16.82	0
				1	40	17.00	16.70	16.74	0
				1	77	16.98	16.67	16.84	0
				36	0	17.13	16.78	16.83	0
				36	22	17.07	16.81	16.84	0
				36	43	16.98	16.76	16.89	0
				75	0	17.07	16.81	16.82	0
		16QAM	1	1	17.12	16.79	16.89	0	
		64QAM	1	1	17.15	17.03	16.96	0	
		256QAM	1	1	17.11	16.79	16.86	0	
CP	QPSK	1	1	17.03	16.85	16.82	0		

## NR FDD Band n66\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.11	16.82	16.73	0
				1	53	17.10	16.92	16.93	0
				1	104	16.94	16.85	16.90	0
				50	0	17.11	16.81	16.85	0
				50	28	16.96	16.82	16.86	0
				50	56	17.02	16.77	16.94	0
				100	0	17.00	16.83	16.84	0
			QPSK	1	1	17.16	16.81	16.71	0
				1	53	17.01	17.17	17.09	0
				1	104	16.90	16.79	16.87	0
				50	0	17.12	16.78	16.85	0
				50	28	16.97	17.13	16.84	0
				50	56	17.00	16.74	17.01	0
				100	0	17.02	16.81	16.82	0
		16QAM	1	1	17.18	16.86	16.70	0	
		64QAM	1	1	17.20	17.06	16.81	0	
		256QAM	1	1	17.14	16.74	16.79	0	
CP	QPSK	1	1	17.11	17.12	17.03	0		



### NR TDD Band n41 Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2)\_Main2

[Ant B]

#### NR TDD Band n41\_10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 Mhz	30	DFT-s	pi/2 BPSK	1	1	16.99	17.61	17.12	17.17	17.26	0
				1	12	17.12	17.52	17.15	17.30	17.26	0
				1	22	17.12	17.45	17.16	17.22	17.26	0
				12	0	16.99	17.49	17.12	17.20	17.20	0
				12	6	17.08	17.47	17.16	17.19	17.21	0
				12	12	17.14	17.40	17.12	16.57	17.24	0
			24	0	16.65	17.46	17.11	17.21	17.23	0	
			QPSK	1	1	17.07	17.50	17.12	17.22	17.19	0
				1	12	17.12	17.55	17.20	17.30	17.30	0
				1	22	17.16	17.50	17.16	17.20	17.29	0
				12	0	17.01	17.41	17.18	16.89	17.20	0
				12	6	17.01	17.46	17.16	17.22	17.19	0
				12	12	17.12	17.42	17.13	17.21	17.22	0
			24	0	17.05	17.45	17.13	17.20	17.21	0	
			16QAM	1	1	16.94	17.35	17.15	17.25	17.20	0
		64QAM	1	1	16.94	17.48	17.15	17.22	17.11	0	
256QAM	1	1	16.90	17.44	17.11	17.23	17.24	0			
CP	QPSK	1	1	17.09	17.46	17.20	17.22	16.68	0		

#### NR TDD Band n41\_15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 Mhz	30	DFT-s	pi/2 BPSK	1	1	17.02	17.47	17.50	17.28	17.19	0
				1	18	17.03	17.41	17.10	17.22	17.20	0
				1	36	17.19	17.34	17.14	17.28	17.18	0
				18	0	16.99	17.46	17.16	16.94	17.22	0
				18	9	17.05	17.45	17.16	17.28	17.30	0
				18	18	17.15	17.35	17.18	17.26	17.19	0
			36	0	17.11	17.45	17.15	17.21	17.00	0	
			QPSK	1	1	17.02	17.48	17.10	17.24	17.20	0
				1	18	17.12	17.42	17.05	17.19	17.23	0
				1	36	17.14	17.33	17.13	17.26	17.28	0
				18	0	16.98	17.46	17.13	17.27	17.29	0
				18	9	17.13	17.47	17.16	17.30	17.29	0
				18	18	17.17	17.38	17.16	17.24	17.23	0
			36	0	17.15	17.45	17.13	17.21	17.23	0	
			16QAM	1	1	16.86	17.39	17.32	17.13	16.98	0
		64QAM	1	1	17.34	17.31	17.10	17.25	16.97	0	
256QAM	1	1	17.01	17.37	17.29	17.23	17.24	0			
CP	QPSK	1	1	16.95	16.17	17.03	17.32	17.17	0		

## NR TDD Band n41\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.45	17.42	17.23	17.01	17.23	0
				1	26	17.14	17.40	17.16	16.53	17.25	0
				1	49	17.23	17.32	17.09	17.25	17.30	0
				25	0	16.99	17.37	17.08	17.26	17.26	0
				25	13	17.15	17.45	17.08	17.18	17.32	0
				25	26	17.20	17.36	17.14	17.30	17.25	0
			50	0	17.07	17.38	17.16	17.26	17.34	0	
			QPSK	1	1	16.97	17.46	17.11	17.25	17.18	0
				1	26	17.12	17.39	17.07	17.33	17.28	0
				1	49	17.15	17.37	17.15	17.30	17.24	0
				25	0	17.10	17.47	17.10	17.25	17.24	0
				25	13	17.15	17.31	17.14	17.23	17.34	0
				25	26	17.24	17.42	17.15	17.28	17.24	0
			50	0	17.10	17.32	17.08	17.17	17.30	0	
			16QAM	1	1	16.95	17.24	17.27	17.22	17.35	0
		64QAM	1	1	17.00	17.29	16.75	17.24	17.42	0	
256QAM	1	1	17.19	17.28	17.18	17.22	17.36	0			
CP	QPSK	1	1	17.02	16.20	17.06	16.67	17.20	0		

## NR TDD Band n41\_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.24	17.37	17.10	17.11	17.04	0
				1	39	17.23	17.44	17.20	17.35	17.34	0
				1	76	17.38	17.36	17.18	17.26	17.23	0
				36	0	17.18	17.44	17.11	17.14	17.18	0
				36	21	17.19	17.45	17.07	17.23	17.23	0
				36	42	17.20	17.32	17.14	17.19	17.30	0
				75	0	17.20	17.38	17.14	17.19	17.24	0
			QPSK	1	1	17.04	17.38	17.04	17.11	17.08	0
				1	39	17.21	17.43	17.14	17.17	17.27	0
				1	76	17.36	17.35	17.17	17.23	17.31	0
				36	0	17.14	17.47	17.08	17.16	17.21	0
				36	21	17.10	17.44	17.18	17.23	17.21	0
				36	42	17.27	17.34	17.20	17.23	17.21	0
			75	0	17.10	17.43	17.11	17.18	17.18	0	
			16QAM	1	1	16.93	17.34	17.28	17.22	17.01	0
		64QAM	1	1	17.00	17.32	16.94	17.16	16.90	0	
256QAM	1	1	16.91	17.33	17.14	17.00	17.10	0			
CP	QPSK	1	1	17.05	17.43	17.46	17.10	16.86	0		

## NR TDD Band n41\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						503202	513468		523734	534000		
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.74	17.37		17.02	17.05	0	
				1	53	17.21	17.30		17.27	17.28	0	
				1	104	17.44	17.33		17.26	17.33	0	
				50	0	17.08	17.28		17.14	17.05	0	
				50	28	17.20	17.23		17.19	17.27	0	
				50	56	17.34	17.18		17.21	17.38	0	
			QPSK	100	0	17.17	17.26		17.08	17.24	0	
				1	1	16.96	17.29		17.03	17.09	0	
				1	53	17.17	17.21		17.17	17.33	0	
				1	104	17.43	17.30		17.16	17.38	0	
				50	0	17.11	17.27		17.09	17.12	0	
				50	28	17.19	17.21		17.20	16.99	0	
			CP	QPSK	50	56	17.31	17.21		17.18	17.43	0
					100	0	17.16	17.16		17.07	17.31	0
		16QAM			1	1	16.98	17.32		17.17	17.11	0
		64QAM			1	1	16.99	17.36		17.06	17.11	0
			256QAM	1	1	17.01	17.42		17.00	17.09	0	

## NR TDD Band n41\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						504204		518598		532998		
						2521.02 MHz		2592.99 MHz		2664.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.04		17.10		17.11	0	
				1	67	17.21		17.08		17.25	0	
				1	131	17.48		17.25		17.40	0	
				64	0	17.07		17.05		17.10	0	
				64	35	17.26		17.11		17.18	0	
				64	69	17.40		17.19		17.29	0	
			QPSK	128	0	17.29		17.10		17.18	0	
				1	1	16.96		17.15		17.08	0	
				1	67	17.22		17.11		17.20	0	
				1	131	17.48		17.31		17.38	0	
				64	0	17.04		17.04		17.05	0	
				64	35	17.21		17.13		17.18	0	
			CP	QPSK	64	69	17.36		17.17		17.35	0
					128	0	17.22		17.14		17.26	0
		16QAM			1	1	17.05		17.09		17.17	0
		64QAM			1	1	17.03		17.12		17.07	0
			256QAM	1	1	17.06		17.15		17.17	0	

## NR TDD Band n41\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	16.96		17.19		17.13	0
				1	81	17.38		17.20		17.24	0
				1	160	17.39		17.43		17.47	0
				81	0	17.20		17.06		17.08	0
				81	41	17.34		17.10		17.10	0
				81	81	17.36		17.23		17.40	0
			162	0	17.30		17.18		17.09	0	
			QPSK	1	1	16.97		17.13		17.17	0
				1	81	17.30		17.16		17.20	0
				1	160	17.41		17.42		17.45	0
				81	0	17.15		17.11		17.09	0
				81	41	17.30		17.10		17.15	0
				81	81	17.42		17.25		17.42	0
			162	0	17.31		17.13		17.11	0	
		16QAM	1	1	16.98		17.19		17.16	0	
		64QAM	1	1	17.06		17.15		17.12	0	
		256QAM	1	1	16.99		17.18		17.07	0	
CP	QPSK	1	1	17.01		17.14		17.09	0		

## NR TDD Band n41\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.04				17.11	0
				1	81	17.31				17.27	0
				1	160	17.40				17.56	0
				81	0	17.12				17.18	0
				81	41	17.27				17.22	0
				81	81	17.38				17.42	0
			162	0	17.31				17.27	0	
			QPSK	1	1	17.04				17.20	0
				1	81	17.33				17.20	0
				1	160	17.38				17.58	0
				81	0	17.13				17.16	0
				81	41	17.32				17.26	0
				81	81	17.37				17.37	0
			162	0	17.31				17.20	0	
		16QAM	1	1	17.00				16.99	0	
		64QAM	1	1	17.05				17.05	0	
		256QAM	1	1	17.05				17.20	0	
CP	QPSK	1	1	16.71				17.12	0		

## NR TDD Band n41\_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204			529998		
						2536.02 MHz			2649.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.41				16.71	0
				1	109	17.43				17.24	0
				1	215	17.03				17.69	0
				108	0	17.27				17.16	0
				108	55	17.39				17.19	0
				108	109	17.38				17.41	0
				216	0	17.49				17.23	0
			QPSK	1	1	17.32				16.69	0
				1	109	17.38				17.20	0
				1	215	17.02				17.62	0
				108	0	17.27				17.20	0
				108	55	17.49				17.23	0
				108	109	17.37				17.41	0
			216	0	17.46				17.26	0	
		16QAM	1	1	17.27				16.65	0	
		64QAM	1	1	17.33				16.71	0	
		256QAM	1	1	17.34				16.75	0	
CP	QPSK	1	1	16.41				16.66	0		

## NR TDD Band n41\_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200			528996		
						2541 MHz			2644.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.24				16.69	0
				1	123	17.48				17.11	0
				1	243	17.14				17.64	0
				120	0	17.24				17.15	0
				120	63	17.41				17.23	0
				120	125	17.32				17.39	0
				243	0	17.41				17.26	0
			QPSK	1	1	17.52				16.66	0
				1	123	17.30				17.17	0
				1	243	16.99				17.68	0
				120	0	17.31				17.07	0
				120	63	17.45				17.26	0
				120	125	17.33				17.39	0
			243	0	17.43				17.18	0	
		16QAM	1	1	17.49				16.74	0	
		64QAM	1	1	17.39				16.79	0	
		256QAM	1	1	17.51				16.73	0	
CP	QPSK	1	1	16.98				16.70	0		

## NR TDD Band n41\_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.99 MHz			
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.57			0
				1	137			17.14			0
				1	271			17.76			0
				135	0			17.15			0
				135	69			17.15			0
				135	138			17.36			0
				270	0			17.19			0
			QPSK	1	1			17.53			0
				1	137			17.14			0
				1	271			17.72			0
				135	0			17.15			0
				135	69			17.12			0
				135	138			17.34			0
			16QAM	270	0			17.23			0
				1	1			17.71			0
				1	1			17.70			0
				1	1			17.58			0
		CP		QPSK	1	1			17.13		

### NR TDD Band n41 Conducted Power\_ Measured RCV(RSI 1) \_Main2 [Ant B]

#### NR TDD Band n41\_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.07	18.69	18.22	18.24	18.30	0
				1	12	18.12	18.56	18.19	18.34	18.36	0
				1	22	18.17	18.52	18.22	18.32	18.34	0
				12	0	18.05	18.54	18.12	18.28	18.26	0
				12	6	18.16	18.53	18.20	18.22	18.25	0
				12	12	18.18	18.45	18.20	17.64	18.32	0
				24	0	17.72	18.53	18.15	18.22	18.27	0
			QPSK	1	1	18.10	18.53	18.13	18.28	18.28	0
				1	12	18.18	18.57	18.26	18.31	18.33	0
				1	22	18.24	18.55	18.20	18.26	18.30	0
				12	0	18.10	18.50	18.24	17.95	18.24	0
				12	6	18.03	18.47	18.18	18.29	18.25	0
				12	12	18.20	18.51	18.18	18.24	18.29	0
				24	0	18.09	18.49	18.20	18.23	18.28	0
			16QAM	1	1	17.95	18.44	18.19	18.32	18.30	0
			64QAM	1	1	17.97	18.50	18.22	18.31	18.20	0
		256QAM	1	1	17.99	18.49	18.18	18.27	18.30	0	
CP	QPSK	1	1	18.13	18.55	18.25	18.29	17.74	0		

#### NR TDD Band n41\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.07	18.54	18.60	18.31	18.27	0
				1	18	18.09	18.51	18.15	18.25	18.24	0
				1	36	18.26	18.42	18.18	18.31	18.27	0
				18	0	18.02	18.51	18.19	18.01	18.29	0
				18	9	18.13	18.52	18.20	18.37	18.31	0
				18	18	18.21	18.40	18.25	18.35	18.24	0
				36	0	18.21	18.51	18.22	18.23	18.06	0
			QPSK	1	1	18.04	18.56	18.15	18.25	18.26	0
				1	18	18.13	18.47	18.12	18.20	18.32	0
				1	36	18.16	18.34	18.14	18.32	18.35	0
				18	0	18.01	18.54	18.18	18.35	18.30	0
				18	9	18.20	18.50	18.23	18.34	18.31	0
				18	18	18.25	18.40	18.17	18.26	18.28	0
				36	0	18.18	18.48	18.13	18.25	18.33	0
			16QAM	1	1	17.91	18.39	18.35	18.14	17.99	0
			64QAM	1	1	18.40	18.39	18.15	18.27	18.04	0
		256QAM	1	1	18.07	18.38	18.36	18.32	18.31	0	
CP	QPSK	1	1	18.01	17.22	18.03	18.37	18.25	0		

## NR TDD Band n41\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.52	18.47	18.29	18.07	18.28	0
				1	26	18.18	18.45	18.24	17.60	18.27	0
				1	49	18.27	18.42	18.14	18.32	18.38	0
				25	0	18.06	18.45	18.13	18.32	18.33	0
				25	13	18.18	18.50	18.16	18.27	18.39	0
				25	26	18.27	18.38	18.23	18.32	18.31	0
			50	0	18.14	18.45	18.20	18.35	18.34	0	
			QPSK	1	1	18.04	18.54	18.12	18.26	18.26	0
				1	26	18.17	18.42	18.09	18.34	18.32	0
				1	49	18.23	18.39	18.17	18.37	18.32	0
				25	0	18.17	18.55	18.12	18.30	18.31	0
				25	13	18.16	18.36	18.18	18.28	18.43	0
				25	26	18.30	18.46	18.20	18.38	18.31	0
			50	0	18.16	18.41	18.14	18.21	18.33	0	
			16QAM	1	1	18.04	18.30	18.33	18.26	18.36	0
		64QAM	1	1	18.05	18.37	17.82	18.26	18.43	0	
256QAM	1	1	18.20	18.37	18.22	18.29	18.37	0			
CP	QPSK	1	1	18.04	17.23	18.14	17.69	18.23	0		

## NR TDD Band n41\_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.28	18.47	18.20	18.15	18.14	0
				1	39	18.27	18.45	18.28	18.39	18.37	0
				1	76	18.39	18.38	18.23	18.31	18.25	0
				36	0	18.25	18.50	18.20	18.15	18.20	0
				36	21	18.25	18.46	18.10	18.24	18.27	0
				36	42	18.29	18.32	18.22	18.24	18.36	0
				75	0	18.21	18.45	18.19	18.26	18.30	0
			QPSK	1	1	18.06	18.42	18.10	18.14	18.15	0
				1	39	18.31	18.48	18.16	18.17	18.36	0
				1	76	18.41	18.39	18.20	18.29	18.38	0
				36	0	18.20	18.57	18.14	18.20	18.29	0
				36	21	18.12	18.49	18.18	18.28	18.26	0
				36	42	18.29	18.38	18.28	18.26	18.30	0
			75	0	18.13	18.47	18.19	18.27	18.21	0	
			16QAM	1	1	17.95	18.43	18.29	18.23	18.11	0
		64QAM	1	1	18.02	18.41	18.01	18.19	17.91	0	
256QAM	1	1	18.00	18.34	18.20	18.03	18.18	0			
CP	QPSK	1	1	18.07	18.46	18.51	18.11	17.87	0		



## NR TDD Band n41\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						503202	513468		523734		534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz		2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.75	18.45		18.05	18.09	0	
				1	53	18.26	18.36		18.31	18.29	0	
				1	104	18.46	18.40		18.28	18.35	0	
				50	0	18.12	18.33		18.18	18.08	0	
				50	28	18.23	18.31		18.27	18.36	0	
				50	56	18.40	18.24		18.25	18.39	0	
			QPSK	100	0	18.23	18.34		18.16	18.33	0	
				1	1	18.03	18.39		18.12	18.18	0	
				1	53	18.23	18.23		18.18	18.38	0	
				1	104	18.51	18.37		18.18	18.43	0	
				50	0	18.17	18.37		18.15	18.15	0	
				50	28	18.24	18.24		18.22	17.99	0	
				50	56	18.33	18.24		18.18	18.51	0	
				100	0	18.19	18.19		18.16	18.38	0	
				16QAM	1	1	18.01	18.38		18.22	18.16	0
				64QAM	1	1	18.03	18.45		18.09	18.19	0
256QAM	1	1	18.11	18.47		18.01	18.12	0				
CP	QPSK	1	1	18.05	18.39		17.99	18.22	0			

## NR TDD Band n41\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						504204		518598			532998	
						2521.02 MHz		2592.99 MHz			2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.10		18.18		18.19	0	
				1	67	18.22		18.17		18.27	0	
				1	131	18.55		18.33		18.50	0	
				64	0	18.16		18.05		18.13	0	
				64	35	18.26		18.19		18.23	0	
				64	69	18.49		18.25		18.30	0	
			QPSK	128	0	18.30		18.16		18.26	0	
				1	1	17.97		18.24		18.15	0	
				1	67	18.30		18.20		18.20	0	
				1	131	18.56		18.39		18.39	0	
				64	0	18.07		18.07		18.06	0	
				64	35	18.24		18.14		18.23	0	
				64	69	18.44		18.22		18.38	0	
				128	0	18.25		18.24		18.32	0	
				16QAM	1	1	18.10		18.13		18.24	0
				64QAM	1	1	18.04		18.19		18.12	0
256QAM	1	1	18.11		18.15		18.18	0				
CP	QPSK	1	1	18.14		18.13		18.10	0			

## NR TDD Band n41\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.99		18.21		18.19	0
				1	81	18.39		18.22		18.31	0
				1	160	18.47		18.44		18.51	0
				81	0	18.20		18.09		18.10	0
				81	41	18.42		18.13		18.10	0
				81	81	18.39		18.27		18.46	0
			162	0	18.34		18.24		18.18	0	
			QPSK	1	1	18.06		18.14		18.23	0
				1	81	18.37		18.21		18.23	0
				1	160	18.43		18.49		18.53	0
				81	0	18.22		18.20		18.15	0
				81	41	18.35		18.14		18.15	0
				81	81	18.50		18.31		18.46	0
			162	0	18.41		18.17		18.16	0	
		16QAM	1	1	18.05		18.28		18.22	0	
		64QAM	1	1	18.14		18.18		18.15	0	
		256QAM	1	1	18.01		18.21		18.10	0	
CP	QPSK	1	1	18.04		18.24		18.13	0		

## NR TDD Band n41\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.11				18.12	0
				1	81	18.31				18.29	0
				1	160	18.50				18.57	0
				81	0	18.15				18.21	0
				81	41	18.34				18.31	0
				81	81	18.46				18.43	0
			162	0	18.40				18.32	0	
			QPSK	1	1	18.09				18.30	0
				1	81	18.41				18.20	0
				1	160	18.41				18.58	0
				81	0	18.14				18.25	0
				81	41	18.33				18.32	0
				81	81	18.40				18.42	0
			162	0	18.41				18.24	0	
		16QAM	1	1	18.08				18.09	0	
		64QAM	1	1	18.08				18.11	0	
		256QAM	1	1	18.08				18.21	0	
CP	QPSK	1	1	17.72				18.14	0		

## NR TDD Band n41\_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204			529998		
						2536.02 MHz			2649.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.46				17.80	0
				1	109	18.49				18.25	0
				1	215	18.10				18.69	0
				108	0	18.29				18.22	0
				108	55	18.46				18.27	0
				108	109	18.47				18.46	0
				216	0	18.51				18.28	0
			QPSK	1	1	18.32				17.75	0
				1	109	18.44				18.26	0
				1	215	18.08				18.63	0
				108	0	18.34				18.30	0
				108	55	18.49				18.26	0
				108	109	18.42				18.42	0
			16QAM	216	0	18.53				18.29	0
		1		1	18.28				17.69	0	
		1		1	18.34				17.76	0	
		256QAM	1	1	18.40				17.79	0	
CP	QPSK		1	1	17.49				17.66	0	

## NR TDD Band n41\_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200			528996		
						2541 MHz			2644.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.28				17.73	0
				1	123	18.48				18.19	0
				1	243	18.16				18.66	0
				120	0	18.34				18.23	0
				120	63	18.47				18.24	0
				120	125	18.33				18.46	0
				243	0	18.43				18.35	0
			QPSK	1	1	18.55				17.76	0
				1	123	18.38				18.22	0
				1	243	18.05				18.73	0
				120	0	18.41				18.13	0
				120	63	18.45				18.31	0
				120	125	18.34				18.46	0
			16QAM	243	0	18.46				18.21	0
		1		1	18.58				17.80	0	
		1		1	18.44				17.83	0	
		256QAM	1	1	18.51				17.76	0	
CP	QPSK		1	1	18.07				17.79	0	

## NR TDD Band n41\_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.99			
						MHz					
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.63			0
				1	137			18.15			0
				1	271			18.85			0
				135	0			18.21			0
				135	69			18.23			0
				135	138			18.44			0
				270	0			18.22			0
			QPSK	1	1			18.54			0
				1	137			18.15			0
				1	271			18.79			0
				135	0			18.16			0
				135	69			18.17			0
				135	138			18.43			0
			16QAM	1	1			18.81			0
				1	1			18.78			0
				1	1			18.60			0
			256QAM	1	1			18.60			0
			CP	QPSK	1	1			18.17		

**NR FDD Band n2 Conducted Power\_ Measured Free(RSI 0), RCV(RSI 1), Hotspot(RSI 2)\_ Sub2 [Ant F]**

**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.32	19.26	0	
				1	13	19.16	19.19	19.22	0	
				1	23	19.32	19.27	19.31	0	
				12	0	19.26	19.30	19.25	0	
				12	7	19.26	19.27	19.28	0	
				12	13	19.28	19.26	19.29	0	
			QPSK	25	0	19.27	19.28	19.30	0	
				1	1	19.36	19.29	19.24	0	
				1	13	19.25	19.18	19.21	0	
				1	23	19.40	19.21	19.29	0	
				12	0	19.25	19.27	19.23	0	
				12	7	19.25	19.27	19.28	0	
			16QAM	12	13	19.30	19.27	19.28	0	
				25	0	19.26	19.26	19.29	0	
				16QAM	1	1	19.34	19.25	19.28	0
				64QAM	1	1	19.37	19.32	19.36	0
256QAM	1	1	18.48	18.42	18.33	1.5				
CP	QPSK	1	1	19.30	19.29	19.24	0			

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	19.30	19.33	0	
				1	26	19.44	19.32	19.32	0	
				1	50	19.42	19.23	19.30	0	
				25	0	19.27	19.30	19.27	0	
				25	14	19.33	19.31	19.23	0	
				25	27	19.38	19.23	19.28	0	
			QPSK	50	0	19.35	19.28	19.26	0	
				1	1	19.30	19.27	19.33	0	
				1	26	19.42	19.36	19.34	0	
				1	50	19.41	19.19	19.30	0	
				25	0	19.27	19.29	19.28	0	
				25	14	19.36	19.30	19.25	0	
			16QAM	25	27	19.39	19.25	19.29	0	
				50	0	19.33	19.31	19.24	0	
				16QAM	1	1	19.28	19.28	19.31	0
				64QAM	1	1	19.28	19.38	19.30	0
256QAM	1	1	18.36	18.35	18.52	1.5				
CP	QPSK	1	1	19.29	19.29	19.33	0			

## NR FDD Band n2\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.28	19.29	0
				1	40	19.31	19.21	19.17	0
				1	77	19.35	19.26	19.28	0
				36	0	19.30	19.29	19.31	0
				36	22	19.38	19.27	19.24	0
				36	43	19.40	19.21	19.25	0
			75	0	19.38	19.29	19.27	0	
			QPSK	1	1	19.28	19.30	19.26	0
				1	40	19.32	19.22	19.15	0
				1	77	19.39	19.25	19.21	0
				36	0	19.31	19.32	19.33	0
				36	22	19.39	19.28	19.27	0
				36	43	19.40	19.21	19.25	0
		75	0	19.38	19.30	19.26	0		
		16QAM	1	1	19.26	19.29	19.30	0	
		64QAM	1	1	19.38	19.28	19.21	0	
256QAM	1	1	18.38	18.41	18.41	1.5			
CP	QPSK	1	1	19.31	19.25	19.32	0		

## NR FDD Band n2\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.28	19.33	19.28	0
				1	53	19.47	19.33	19.42	0
				1	104	19.36	19.28	19.28	0
				50	0	19.32	19.30	19.31	0
				50	28	19.41	19.28	19.34	0
				50	56	19.36	19.21	19.25	0
			100	0	19.40	19.32	19.33	0	
			QPSK	1	1	19.30	19.32	19.28	0
				1	53	19.49	19.36	19.41	0
				1	104	19.39	19.25	19.24	0
				50	0	19.31	19.30	19.30	0
				50	28	19.42	19.28	19.35	0
				50	56	19.38	19.22	19.25	0
		100	0	19.41	19.30	19.33	0		
		16QAM	1	1	19.33	19.33	19.33	0	
		64QAM	1	1	19.34	19.40	19.39	0	
256QAM	1	1	18.38	18.35	18.31	1.5			
CP	QPSK	1	1	19.30	19.34	19.32	0		

**NR FDD Band n2 Conducted Power\_ Measured RCV(RSI 1)\_ Sub2 [Ant F]**
**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.25	16.19	16.21	0
				1	13	16.10	16.08	16.13	0
				1	23	16.17	16.19	16.21	0
				12	0	16.23	16.16	16.22	0
				12	7	16.15	16.21	16.20	0
				12	13	16.17	16.14	16.18	0
			25	0	16.16	16.18	16.21	0	
			QPSK	1	1	16.34	16.23	16.23	0
				1	13	16.18	16.09	16.13	0
				1	23	16.21	16.14	16.20	0
				12	0	16.21	16.17	16.19	0
				12	7	16.17	16.19	16.17	0
				12	13	16.15	16.16	16.20	0
			25	0	16.17	16.18	16.20	0	
			16QAM	1	1	16.16	16.11	16.30	0
			64QAM	1	1	16.24	16.20	16.09	0
			256QAM	1	1	16.27	16.22	16.26	0
			CP	QPSK	1	1	16.32	16.17	16.11

**R FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.28	16.14	16.19	0
				1	26	16.23	16.21	16.26	0
				1	50	16.19	16.22	16.21	0
				25	0	16.17	16.19	16.15	0
				25	14	16.11	16.20	16.18	0
				25	27	16.16	16.16	16.22	0
			50	0	16.13	16.18	16.18	0	
			QPSK	1	1	16.31	16.14	16.19	0
				1	26	16.23	16.27	16.30	0
				1	50	16.11	16.23	16.25	0
				25	0	16.15	16.18	16.17	0
				25	14	16.14	16.21	16.17	0
				25	27	16.14	16.18	16.19	0
			50	0	16.16	16.18	16.16	0	
			16QAM	1	1	16.26	16.11	16.17	0
			64QAM	1	1	16.40	16.33	16.14	0
			256QAM	1	1	16.26	16.16	16.19	0
			CP	QPSK	1	1	16.34	16.18	16.18

## NR FDD Band n2\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.23	16.08	16.17	0
				1	40	16.08	16.13	16.07	0
				1	77	16.08	16.25	16.17	0
				36	0	16.17	16.18	16.15	0
				36	22	16.14	16.16	16.14	0
				36	43	16.10	16.23	16.17	0
				75	0	16.12	16.16	16.13	0
			QPSK	1	1	16.20	16.12	16.11	0
				1	40	16.00	16.10	16.05	0
				1	77	16.03	16.23	16.13	0
				36	0	16.19	16.13	16.16	0
				36	22	16.13	16.17	16.10	0
				36	43	16.11	16.23	16.18	0
				75	0	16.11	16.17	16.10	0
		16QAM	1	1	16.28	16.13	16.13	0	
		64QAM	1	1	16.31	16.29	16.11	0	
		256QAM	1	1	16.17	16.17	16.12	0	
CP	QPSK	1	1	16.23	16.13	16.18	0		

## NR FDD Band n2\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.24	16.11	16.21	0
				1	53	16.26	16.18	16.27	0
				1	104	16.12	16.21	16.21	0
				50	0	16.16	16.20	16.15	0
				50	28	16.16	16.16	16.16	0
				50	56	16.07	16.20	16.16	0
				100	0	16.12	16.19	16.14	0
			QPSK	1	1	16.24	16.08	16.16	0
				1	53	16.30	16.32	16.28	0
				1	104	16.11	16.20	16.20	0
				50	0	16.15	16.12	16.18	0
				50	28	16.17	16.16	16.16	0
				50	56	16.07	16.24	16.20	0
				100	0	16.17	16.19	16.19	0
		16QAM	1	1	16.23	16.08	16.13	0	
		64QAM	1	1	16.29	16.15	16.32	0	
		256QAM	1	1	16.19	16.08	16.17	0	
CP	QPSK	1	1	16.27	16.09	16.12	0		



NR FDD Band n25 Conducted Power\_ Measured Free(RSI 0), Hotspot (RSI 2) \_

Sub2 [Ant F]

**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376500	382500		
						1852.5 MHz	1882.5 MHz	1912.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.30	19.26	0	
				1	13	19.20	19.15	19.12	0	
				1	23	19.34	19.24	19.15	0	
				12	0	19.26	19.27	19.21	0	
				12	7	19.26	19.24	19.20	0	
				12	13	19.31	19.20	19.17	0	
				25	0	19.25	19.26	19.19	0	
			QPSK	1	1	19.29	19.28	19.27	0	
				1	13	19.17	19.15	19.14	0	
				1	23	19.32	19.21	19.17	0	
				12	0	19.27	19.27	19.21	0	
				12	7	19.27	19.25	19.18	0	
				12	13	19.29	19.24	19.18	0	
			16QAM	25	0	19.29	19.26	19.19	0	
				16QAM	1	1	19.21	19.18	19.27	0
				64QAM	1	1	19.34	19.25	19.35	0
			256QAM	1	1	18.35	18.34	18.32	1.5	
CP	QPSK	1	1	19.28	19.27	19.25	0			

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376500	382000		
						1855 MHz	1882.5 MHz	1910 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.31	19.23	0	
				1	26	19.44	19.42	19.39	0	
				1	50	19.42	19.27	19.18	0	
				25	0	19.27	19.28	19.29	0	
				25	14	19.35	19.24	19.29	0	
				25	27	19.40	19.24	19.20	0	
				50	0	19.34	19.26	19.29	0	
			QPSK	1	1	19.29	19.25	19.24	0	
				1	26	19.47	19.31	19.32	0	
				1	50	19.41	19.25	19.16	0	
				25	0	19.28	19.30	19.29	0	
				25	14	19.36	19.26	19.29	0	
				25	27	19.39	19.22	19.19	0	
			16QAM	50	0	19.34	19.26	19.28	0	
				16QAM	1	1	19.35	19.23	19.16	0
				64QAM	1	1	19.38	19.44	19.19	0
			256QAM	1	1	18.45	18.31	18.37	1.5	
CP	QPSK	1	1	19.30	19.32	19.20	0			

## NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	19.30	19.29	0
				1	40	19.29	19.16	19.23	0
				1	77	19.37	19.27	19.17	0
				36	0	19.33	19.30	19.24	0
				36	22	19.38	19.24	19.29	0
				36	43	19.39	19.24	19.24	0
				75	0	19.37	19.26	19.27	0
			QPSK	1	1	19.31	19.30	19.31	0
				1	40	19.33	19.15	19.23	0
				1	77	19.39	19.28	19.17	0
				36	0	19.33	19.30	19.25	0
				36	22	19.39	19.24	19.29	0
				36	43	19.40	19.24	19.21	0
				75	0	19.38	19.24	19.28	0
		16QAM	1	1	19.28	19.30	19.22	0	
		64QAM	1	1	19.30	19.32	19.34	0	
256QAM	1	1	18.35	18.42	18.39	1.5			
CP	QPSK	1	1	19.31	19.34	19.32	0		

## NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	19.27	19.32	0
				1	53	19.44	19.38	19.29	0
				1	104	19.36	19.22	19.17	0
				50	0	19.32	19.31	19.34	0
				50	28	19.37	19.25	19.24	0
				50	56	19.35	19.25	19.30	0
				100	0	19.40	19.25	19.27	0
			QPSK	1	1	19.25	19.28	19.29	0
				1	53	19.46	19.50	19.27	0
				1	104	19.32	19.21	19.15	0
				50	0	19.33	19.30	19.35	0
				50	28	19.40	19.46	19.24	0
				50	56	19.34	19.27	19.29	0
				100	0	19.39	19.46	19.24	0
		16QAM	1	1	19.29	19.31	19.38	0	
		64QAM	1	1	19.41	19.43	19.43	0	
256QAM	1	1	18.29	18.31	18.40	1.5			
CP	QPSK	1	1	19.26	19.39	19.34	0		

**NR FDD Band n25 Conducted Power\_ Measured RCV(RSI 1)\_ Sub2 [Ant F]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.28	16.20	16.20	0
				1	13	16.12	16.11	16.06	0
				1	23	16.19	16.21	16.07	0
				12	0	16.20	16.18	16.18	0
				12	7	16.19	16.20	16.16	0
				12	13	16.18	16.17	16.14	0
				25	0	16.19	16.19	16.13	0
			QPSK	1	1	16.29	16.16	16.20	0
				1	13	16.13	16.03	16.07	0
				1	23	16.17	16.19	16.14	0
				12	0	16.22	16.14	16.15	0
				12	7	16.20	16.18	16.17	0
				12	13	16.17	16.21	16.11	0
				25	0	16.17	16.18	16.13	0
			16QAM	1	1	16.27	16.10	16.23	0
			64QAM	1	1	16.27	16.20	16.19	0
			256QAM	1	1	16.20	16.26	16.20	0
			CP	QPSK	1	1	16.27	16.12	16.14

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.25	16.18	16.22	0
				1	26	16.23	16.38	16.32	0
				1	50	16.18	16.26	16.16	0
				25	0	16.18	16.16	16.23	0
				25	14	16.13	16.19	16.20	0
				25	27	16.14	16.23	16.16	0
				50	0	16.17	16.20	16.24	0
			QPSK	1	1	16.24	16.13	16.18	0
				1	26	16.28	16.26	16.28	0
				1	50	16.14	16.22	16.07	0
				25	0	16.18	16.19	16.20	0
				25	14	16.15	16.22	16.21	0
				25	27	16.17	16.25	16.15	0
				50	0	16.17	16.20	16.21	0
			16QAM	1	1	16.30	16.23	16.24	0
			64QAM	1	1	16.34	16.21	16.46	0
			256QAM	1	1	16.31	16.14	16.17	0
			CP	QPSK	1	1	16.31	16.20	16.17

## NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.27	16.19	16.19	0
				1	40	16.09	16.14	16.12	0
				1	77	16.10	16.22	16.14	0
				36	0	16.21	16.19	16.19	0
				36	22	16.13	16.22	16.23	0
				36	43	16.11	16.24	16.16	0
			QPSK	75	0	16.16	16.22	16.20	0
				1	1	16.25	16.14	16.15	0
				1	40	16.07	16.12	16.13	0
				1	77	16.06	16.19	16.06	0
				36	0	16.21	16.21	16.18	0
				36	22	16.17	16.22	16.21	0
			16QAM	36	43	16.11	16.29	16.17	0
		75		0	16.15	16.18	16.20	0	
		1		1	16.34	16.18	16.22	0	
		64QAM	1	1	16.42	16.28	16.22	0	
1	1		16.23	16.24	16.23	0			
256QAM	1	1	16.23	16.24	16.23	0			
CP	QPSK	1	1	16.24	16.16	16.19	0		

## NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.26	16.16	16.18	0
				1	53	16.24	16.34	16.23	0
				1	104	16.11	16.18	16.16	0
				50	0	16.18	16.21	16.23	0
				50	28	16.20	16.20	16.21	0
				50	56	16.11	16.22	16.20	0
				100	0	16.20	16.20	16.17	0
			QPSK	1	1	16.26	16.09	16.20	0
				1	53	16.29	16.25	16.27	0
				1	104	16.13	16.11	16.11	0
				50	0	16.13	16.19	16.21	0
				50	28	16.17	16.18	16.17	0
				50	56	16.08	16.24	16.22	0
		16QAM	100	0	16.15	16.20	16.19	0	
			1	1	16.26	16.12	16.18	0	
			1	1	16.31	16.19	16.30	0	
64QAM	1	1	16.31	16.19	16.30	0			
	1	1	16.24	16.10	16.31	0			
256QAM	1	1	16.24	16.10	16.31	0			
CP	QPSK	1	1	16.26	16.16	16.15	0		

### NR FDD Band n66 Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2) \_ Sub2

[Ant F]

#### NR FDD Band n66 \_5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73	18.22	18.22	0
				1	13	18.68	18.07	18.09	0
				1	23	18.70	18.09	18.15	0
				12	0	18.75	18.23	18.18	0
				12	7	18.77	18.14	18.14	0
				12	13	18.71	18.07	18.16	0
			25	0	18.75	18.14	18.15	0	
			QPSK	1	1	18.74	18.20	18.18	0
				1	13	18.68	18.05	18.05	0
				1	23	18.65	18.09	18.15	0
				12	0	18.74	18.19	18.17	0
				12	7	18.76	18.15	18.15	0
				12	13	18.69	18.08	18.15	0
			25	0	18.75	18.16	18.16	0	
			16QAM	1	1	18.75	18.17	18.17	0
		64QAM	1	1	18.76	18.27	18.25	0	
		256QAM	1	1	18.74	18.17	18.22	0.5	
		CP	QPSK	1	1	18.70	18.18	18.21	0

#### NR FDD Band n66 \_10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.75	18.16	18.17	0
				1	26	18.87	18.27	18.22	0
				1	50	18.60	18.12	18.17	0
				25	0	18.75	18.18	18.25	0
				25	14	18.68	18.16	18.20	0
				25	27	18.61	18.10	18.17	0
				50	0	18.67	18.16	18.20	0
			QPSK	1	1	18.69	18.19	18.16	0
				1	26	18.74	18.28	18.23	0
				1	50	18.58	18.09	18.16	0
				25	0	18.77	18.17	18.25	0
				25	14	18.67	18.13	18.21	0
				25	27	18.60	18.09	18.17	0
			50	0	18.68	18.16	18.20	0	
			16QAM	1	1	18.68	18.26	18.15	0
		64QAM	1	1	18.76	18.27	18.29	0	
		256QAM	1	1	18.76	18.22	18.09	0.5	
		CP	QPSK	1	1	18.73	18.21	18.16	0

## NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73	18.22	18.11	0
				1	40	18.53	18.09	18.18	0
				1	77	18.62	18.17	18.18	0
				36	0	18.72	18.17	18.16	0
				36	22	18.59	18.16	18.24	0
				36	43	18.56	18.10	18.20	0
				75	0	18.62	18.16	18.27	0
			QPSK	1	1	18.68	18.16	18.10	0
				1	40	18.47	18.01	18.16	0
				1	77	18.56	18.11	18.11	0
				36	0	18.70	18.17	18.18	0
				36	22	18.59	18.14	18.25	0
				36	43	18.56	18.10	18.18	0
				75	0	18.61	18.17	18.26	0
			16QAM	1	1	18.73	18.21	18.17	0
		64QAM	1	1	18.81	18.30	18.13	0	
		256QAM	1	1	18.67	18.20	18.09	0.5	
		CP	QPSK	1	1	18.72	18.18	18.04	0

## NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73	18.27	18.10	0
				1	53	18.71	18.26	18.23	0
				1	104	18.50	18.13	18.15	0
				50	0	18.67	18.18	18.14	0
				50	28	18.58	18.16	18.14	0
				50	56	18.55	18.09	18.17	0
				100	0	18.54	18.19	18.14	0
			QPSK	1	1	18.67	18.24	18.07	0
				1	53	18.64	18.22	18.21	0
				1	104	18.47	18.11	18.15	0
				50	0	18.64	18.19	18.15	0
				50	28	18.52	18.18	18.15	0
				50	56	18.55	18.10	18.20	0
				100	0	18.53	18.16	18.17	0
			16QAM	1	1	18.76	18.35	18.05	0
		64QAM	1	1	18.77	18.27	18.14	0	
		256QAM	1	1	18.68	18.29	18.04	0.5	
		CP	QPSK	1	1	18.65	18.27	18.11	0

### NR FDD Band n66 Conducted Power\_ Measured RCV(RSI 2)\_ Sub2 [Ant F]

#### NR FDD Band n66\_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	18.07	17.39	0
				1	13	18.44	17.95	17.41	0
				1	23	18.54	18.04	17.50	0
				12	0	18.51	18.07	17.40	0
				12	7	18.52	18.01	17.42	0
				12	13	18.51	18.00	17.51	0
			25	0	18.52	18.05	17.47	0	
			QPSK	1	1	18.48	18.11	17.34	0
				1	13	18.45	17.99	17.38	0
				1	23	18.54	18.04	17.43	0
				12	0	18.52	18.03	17.40	0
				12	7	18.48	18.00	17.47	0
				12	13	18.53	17.99	17.45	0
			25	0	18.51	18.01	17.46	0	
			16QAM	1	1	18.33	18.14	17.39	0
			64QAM	1	1	18.58	18.06	17.40	0
			256QAM	1	1	18.47	18.09	17.33	0
CP	QPSK	1	1	18.53	18.09	17.32	0		

#### NR FDD Band n66\_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	18.13	17.79	0
				1	26	18.70	18.14	17.42	0
				1	50	18.54	18.08	17.50	0
				25	0	18.50	18.08	17.63	0
				25	14	18.53	18.00	17.37	0
				25	27	18.52	17.99	17.49	0
				50	0	18.52	18.03	17.39	0
			QPSK	1	1	18.50	18.10	17.80	0
				1	26	18.60	18.13	17.44	0
				1	50	18.54	18.04	17.51	0
				25	0	18.51	18.08	17.55	0
				25	14	18.50	18.02	17.37	0
				25	27	18.51	18.01	17.47	0
			50	0	18.51	18.02	17.32	0	
			16QAM	1	1	18.45	18.06	17.81	0
			64QAM	1	1	18.59	18.24	17.84	0
			256QAM	1	1	18.39	18.20	17.81	0
CP	QPSK	1	1	18.50	18.12	17.73	0		

## NR FDD Band n66\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	18.16	17.77	0
				1	40	18.46	17.97	17.46	0
				1	77	18.47	18.08	17.51	0
				36	0	18.49	18.08	17.84	0
				36	22	18.55	18.01	17.58	0
				36	43	18.55	18.04	17.44	0
				75	0	18.51	18.06	17.64	0
			QPSK	1	1	18.46	18.11	17.81	0
				1	40	18.45	17.94	17.49	0
				1	77	18.42	18.05	17.52	0
				36	0	18.52	18.08	17.80	0
				36	22	18.52	18.00	17.60	0
				36	43	18.51	18.05	17.45	0
				75	0	18.52	18.04	17.62	0
		16QAM	1	1	18.51	18.17	17.84	0	
		64QAM	1	1	18.61	18.31	17.82	0	
		256QAM	1	1	18.49	18.11	17.77	0	
CP	QPSK	1	1	18.49	18.14	17.80	0		

## NR FDD Band n66\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	18.19	17.92	0
				1	53	18.68	18.18	17.93	0
				1	104	18.40	18.09	17.53	0
				50	0	18.49	18.11	17.84	0
				50	28	18.51	18.05	17.83	0
				50	56	18.41	18.07	17.45	0
				100	0	18.52	18.07	17.83	0
			QPSK	1	1	18.48	18.16	17.94	0
				1	53	18.63	18.14	17.93	0
				1	104	18.38	18.02	17.50	0
				50	0	18.49	18.09	17.85	0
				50	28	18.60	18.01	17.81	0
				50	56	18.39	18.05	17.39	0
				100	0	18.52	18.01	17.83	0
		16QAM	1	1	18.45	18.13	18.01	0	
		64QAM	1	1	18.60	18.21	17.98	0	
		256QAM	1	1	18.47	18.14	17.94	0	
CP	QPSK	1	1	18.51	18.25	17.98	0		



### NR TDD Band n77 Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2) \_ Sub2

[Ant F]

#### NR TDD Band n77\_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647000	650600	654200	657800	661400	665000		
						3705	3759	3813	3867	3921	3975		
						MHz	MHz	MHz	MHz	MHz	MHz		
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.96	14.38	14.96	14.82	14.16	14.13	0	
				1	12	14.82	14.39	15.07	15.13	14.37	14.17	0	
				1	22	14.82	14.41	15.24	15.11	14.21	14.09	0	
				12	0	15.08	14.31	14.91	15.06	14.28	14.16	0	
				12	6	14.99	14.36	15.09	15.01	14.36	14.12	0	
				12	12	14.85	14.35	15.20	15.12	14.23	14.07	0	
			QPSK	24	0	14.92	14.34	15.00	15.01	14.26	14.13	0	
				1	1	15.14	14.40	14.87	15.01	14.32	14.17	0	
				1	12	14.97	14.34	15.16	15.10	14.33	14.19	0	
				1	22	14.76	14.47	15.28	15.18	14.28	14.03	0	
				12	0	14.97	14.32	14.89	15.06	14.32	14.12	0	
				12	6	14.93	14.31	15.05	15.03	14.33	14.06	0	
				12	12	14.39	14.32	15.17	15.05	14.23	14.03	0	
				24	0	14.87	14.34	14.16	15.05	14.33	14.12	0	
				16QAM	1	1	15.12	14.32	14.22	14.91	14.33	14.41	0
				64QAM	1	1	15.16	14.49	14.90	15.05	14.34	14.25	0
				256QAM	1	1	14.95	14.39	14.88	14.93	14.37	14.25	0
CP	QPSK	1	1	15.12	14.32	14.96	14.71	14.31	14.18	0			

#### NR TDD Band n77\_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.19	14.15	14.88	14.71	14.11	14.43	0	
				1	18	14.72	14.28	14.98	15.03	14.31	14.03	0	
				1	36	14.70	14.49	15.34	15.10	14.19	14.13	0	
				18	0	15.06	14.38	14.93	15.03	14.29	14.15	0	
				18	9	14.90	14.33	15.10	15.06	14.30	14.12	0	
				18	18	14.68	14.43	15.19	15.10	14.35	14.19	0	
			QPSK	36	0	14.87	14.39	15.03	15.01	14.31	14.08	0	
				1	1	15.18	14.44	14.91	14.83	14.34	14.30	0	
				1	18	14.81	14.29	15.02	14.92	14.32	14.08	0	
				1	36	14.69	14.54	15.35	14.99	14.30	14.13	0	
				18	0	14.98	14.35	14.94	14.97	14.29	14.15	0	
				18	9	14.84	14.34	15.01	15.09	14.31	14.10	0	
				18	18	14.69	14.40	15.21	15.08	14.32	14.05	0	
				36	0	14.80	14.27	15.10	15.01	14.31	14.07	0	
				16QAM	1	1	15.18	14.45	14.92	14.99	14.34	14.27	0
				64QAM	1	1	15.14	14.37	14.90	15.04	14.40	14.32	0
				256QAM	1	1	15.09	14.37	14.84	14.97	14.42	14.22	0
CP	QPSK	1	1	15.10	14.34	14.51	14.89	14.37	14.12	0			

## NR TDD Band n77\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.15	14.43	14.02	14.90	14.36	14.32	0
				1	26	14.78	14.34	15.17	15.00	14.32	14.17	0
				1	49	14.64	14.64	15.42	15.02	14.24	14.01	0
				25	0	14.96	14.32	14.91	14.28	14.33	14.06	0
				25	13	14.68	14.37	15.17	15.02	14.39	14.02	0
				25	26	14.62	14.52	15.35	15.08	14.34	14.00	0
			QPSK	50	0	14.76	14.39	15.13	15.09	14.42	14.15	0
				1	1	15.17	14.40	14.97	14.97	14.35	14.31	0
				1	26	14.72	14.38	15.14	14.99	14.35	14.20	0
				1	49	14.56	14.66	15.48	14.99	14.27	14.09	0
				25	0	14.92	14.41	14.89	14.99	14.35	14.27	0
				25	13	14.72	14.42	15.15	15.05	14.35	14.19	0
				25	26	14.66	14.48	15.32	15.16	14.29	14.05	0
				50	0	14.79	14.42	15.11	14.99	14.33	14.20	0
				16QAM	1	1	15.20	14.39	14.93	14.93	14.36	14.19
		64QAM	1	1	15.26	14.35	14.96	14.87	14.32	14.32	0	
256QAM	1	1	15.07	14.41	14.93	14.91	14.44	14.39	0			
CP	QPSK	1	1	15.12	14.32	14.82	14.96	14.27	14.29	0		

## NR TDD Band n77\_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.12	14.39	14.92	14.91	14.42	14.30	0
				1	39	14.73	14.63	15.28	15.05	14.53	14.20	0
				1	76	14.65	14.89	15.54	15.00	14.27	14.09	0
				36	0	14.81	14.39	14.51	14.88	14.39	14.21	0
				36	21	14.65	14.44	15.20	14.97	14.38	14.23	0
				36	42	14.64	14.67	15.44	15.07	14.36	14.07	0
				75	0	14.62	14.42	15.10	14.36	14.38	14.24	0
			QPSK	1	1	15.16	14.36	14.95	14.93	14.41	14.27	0
				1	39	14.63	14.49	15.26	15.12	14.41	14.28	0
				1	76	14.61	14.82	15.48	15.02	14.25	14.04	0
				36	0	14.87	14.35	14.95	14.91	14.36	14.23	0
				36	21	14.66	14.47	15.24	14.97	14.39	14.25	0
				36	42	14.61	14.77	15.40	15.00	14.39	14.10	0
				75	0	14.51	14.54	15.21	14.99	14.37	14.16	0
				16QAM	1	1	15.11	14.37	14.98	14.84	14.42	14.23
		64QAM	1	1	15.01	14.42	14.92	14.80	14.38	14.35	0	
256QAM	1	1	15.14	14.49	14.93	14.85	14.45	14.21	0			
CP	QPSK	1	1	15.15	14.35	14.85	14.85	14.56	14.32	0		

## NR TDD Band n77\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.48	14.35	14.95	15.00	14.51	14.09	0
				1	53	14.70	14.65	15.22	15.00	14.30	14.41	0
				1	104	14.60	14.92	15.35	14.84	14.13	14.19	0
				50	0	14.67	14.36	14.96	14.92	14.40	14.20	0
				50	28	14.61	14.54	15.19	14.97	14.29	14.28	0
				50	56	14.54	14.81	15.46	14.98	14.35	14.16	0
				100	0	14.54	14.53	15.18	14.92	14.39	14.36	0
			QPSK	1	1	15.08	14.46	14.91	14.97	14.46	14.15	0
				1	53	14.68	14.70	15.38	15.00	14.38	14.45	0
				1	104	14.61	15.03	15.32	14.86	14.22	14.05	0
				50	0	14.03	14.32	14.89	14.87	14.33	14.25	0
				50	28	14.02	14.52	15.19	14.95	14.35	14.28	0
				50	56	14.25	14.85	15.46	14.95	14.35	14.19	0
				100	0	14.58	14.59	15.20	14.96	14.34	14.39	0
			16QAM	1	1	14.61	14.45	14.96	14.96	14.52	14.14	0
			64QAM	1	1	14.55	14.44	14.94	14.98	14.49	14.15	0
			256QAM	1	1	14.18	14.39	14.91	14.98	14.55	14.15	0
CP	QPSK	1	1	15.16	14.72	14.38	14.84	14.59	14.24	0		

## NR TDD Band n77\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz	3954.99 MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.15	14.34	15.35		15.09	14.11	0
				1	67	14.56	14.80	15.12		14.56	14.29	0
				1	131	14.52	14.98	15.02		14.52	14.04	0
				64	0	14.69	14.52	15.45		14.84	14.10	0
				64	35	14.58	14.79	15.13		14.53	14.27	0
				64	69	14.41	14.83	14.93		14.46	14.24	0
				128	0	15.00	14.71	15.18		14.57	14.31	0
			QPSK	1	1	15.15	14.32	15.30		15.14	14.04	0
				1	67	14.59	14.81	15.20		14.55	14.20	0
				1	131	14.50	14.92	15.06		14.52	14.02	0
				64	0	14.68	14.53	15.48		14.85	14.09	0
				64	35	14.59	14.82	15.22		14.64	14.25	0
				64	69	14.64	14.85	14.89		14.42	14.25	0
				128	0	14.15	14.73	15.25		14.62	14.24	0
			16QAM	1	1	14.65	14.31	15.32		15.13	14.14	0
			64QAM	1	1	14.85	14.25	15.31		15.01	14.05	0
			256QAM	1	1	15.23	14.35	14.27		14.99	14.02	0
CP	QPSK	1	1	15.13	14.79	15.38		14.24	14.57	0		

## NR TDD Band n77\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						648668	653556				658444	663332
						3730.02 MHz	3803.34 MHz				3876.66 MHz	3949.98 MHz
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.14	14.71			14.98	14.26	0
				1	81	14.62	14.96			15.00	14.30	0
				1	160	14.43	15.37			14.44	14.10	0
				81	0	14.63	14.81			14.95	14.07	0
				81	41	14.61	14.89			15.03	14.28	0
				81	81	14.51	15.25			14.60	14.32	0
				162	0	14.59	14.86			15.05	14.28	0
			QPSK	1	1	15.10	14.69			14.96	14.26	0
				1	81	14.61	14.90			14.98	14.35	0
				1	160	14.42	15.39			14.46	14.01	0
				81	0	14.62	14.87			14.96	14.08	0
				81	41	14.56	14.85			14.97	14.24	0
				81	81	14.54	15.26			14.62	14.32	0
				162	0	14.54	14.89			14.99	14.31	0
			16QAM	1	1	15.18	14.71			15.04	14.35	0
			64QAM	1	1	15.19	14.65			14.91	14.32	0
256QAM	1	1	15.03	14.73			15.01	14.34	0			
CP	QPSK	1	1	14.13	14.50			14.62	14.36	0		

## NR TDD Band n77\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						649000	654336				658334	663000
						3750 MHz	3804.99 MHz				3875.01 MHz	3945 MHz
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.27	15.37			15.28	14.36	0
				1	95	14.65	15.66			15.10	14.28	0
				1	187	14.73	15.48			14.50	14.28	0
				90	0	14.72	14.07			15.01	14.31	0
				90	50	14.70	14.41			14.25	14.02	0
				90	99	14.26	14.26			14.65	14.49	0
				180	0	14.49	15.74			15.13	14.27	0
			QPSK	1	1	15.24	15.36			15.16	14.38	0
				1	95	14.63	15.69			14.96	14.31	0
				1	187	14.69	15.53			14.50	14.25	0
				90	0	14.69	14.89			14.98	14.23	0
				90	50	14.67	15.71			15.12	14.27	0
				90	99	14.55	15.72			14.67	14.46	0
				180	0	14.39	15.71			15.16	14.40	0
			16QAM	1	1	15.19	15.42			15.14	14.42	0
			64QAM	1	1	14.20	15.41			15.24	14.42	0
256QAM	1	1	14.25	14.78			14.29	14.34	0			
CP	QPSK	1	1	14.94	15.42			14.14	14.21	0		

## NR TDD Band n77\_ 80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.72		14.54		14.20		0
				1	109	14.59		15.21		14.12		0
				1	215	14.59		14.68		14.15		0
				108	0	14.57		14.87		14.32		0
				108	55	14.66		15.26		14.07		0
				108	109	14.34		15.01		14.42		0
				216	0	14.69		15.30		14.55		0
			QPSK	1	1	14.64		14.52		14.65		0
				1	109	14.59		15.15		14.63		0
				1	215	14.62		14.84		14.49		0
				108	0	15.18		15.50		14.50		0
				108	55	14.38		15.19		14.51		0
				108	109	14.88		15.02		14.48		0
				216	0	14.73		15.24		14.51		0
			16QAM	1	1	14.56		14.52		14.19		0
			64QAM	1	1	14.60		14.51		14.15		0
			256QAM	1	1	14.71		14.53		14.20		0
CP	QPSK	1	1	14.45		14.23		14.32		0		

## NR TDD Band n77\_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.72		14.59		14.39		0
				1	123	14.47		15.13		14.04		0
				1	243	14.84		14.74		14.17		0
				120	0	14.67		15.40		14.31		0
				120	63	14.55		15.22		14.09		0
				120	125	14.67		15.03		14.37		0
				243	0	14.66		15.25		14.07		0
			QPSK	1	1	14.77		14.65		14.58		0
				1	123	14.52		15.17		14.20		0
				1	243	14.89		14.82		14.24		0
				120	0	14.66		15.34		14.28		0
				120	63	14.56		15.18		14.11		0
				120	125	14.69		15.01		14.31		0
				243	0	14.65		15.31		14.16		0
			16QAM	1	1	14.83		14.62		14.36		0
			64QAM	1	1	14.66		14.58		14.37		0
			256QAM	1	1	14.74		14.60		14.45		0
CP	QPSK	1	1	14.49		14.42		14.38		0		

## NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.30				14.60		0
				1	137	14.47				14.25		0
				1	271	14.74				14.41		0
				135	0	14.65				14.36		0
				135	69	14.50				14.16		0
				135	138	14.86				14.45		0
				270	0	14.52				14.28		0
			QPSK	1	1	14.21				14.63		0
				1	137	14.53				14.33		0
				1	271	14.51				14.38		0
				135	0	14.68				14.42		0
				135	69	14.55				14.20		0
				135	138	14.90				14.42		0
				270	0	14.54				14.24		0
			16QAM	1	1	14.71				14.75		0
			64QAM	1	1	14.75				14.58		0
			256QAM	1	1	14.86				14.60		0
		CP	QPSK	1	1	14.77				14.65		0

NR TDD Band n77 DoD Conducted Power\_ Measured Free(RSI 0), Hotspot(RSI 2)\_  
Sub2 [Ant F]

NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.68	14.31	14.67	0
				1	12	14.67	14.44	14.73	0
				1	22	14.65	14.39	14.71	0
				12	0	14.73	14.28	14.64	0
				12	6	14.70	14.38	14.69	0
				12	12	14.69	14.41	14.71	0
			24	0	14.72	14.36	14.72	0	
			QPSK	1	1	14.70	14.27	14.74	0
				1	12	14.67	14.39	14.73	0
				1	22	14.16	14.43	14.76	0
				12	0	14.50	14.32	14.64	0
				12	6	14.69	14.35	14.65	0
				12	12	14.56	14.42	14.75	0
			24	0	14.68	14.33	14.73	0	
			16QAM	1	1	14.83	14.30	14.60	0
		64QAM	1	1	14.96	14.27	14.67	0	
		256QAM	1	1	14.87	14.35	14.69	0	
		CP	QPSK	1	1	14.52	14.29	14.31	0

NR TDD Band n77 DoD\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	14.92	14.63	14.60	0
				1	18	14.55	14.30	14.61	0
				1	36	14.39	14.40	14.67	0
				18	0	14.81	14.30	14.59	0
				18	9	14.65	14.41	14.62	0
				18	18	14.43	14.34	14.69	0
				36	0	14.62	14.39	14.62	0
			QPSK	1	1	14.97	14.22	14.68	0
				1	18	14.53	14.34	14.55	0
				1	36	14.35	14.44	14.66	0
				18	0	14.78	14.33	14.64	0
				18	9	14.62	14.41	14.62	0
				18	18	14.47	14.37	14.63	0
			36	0	14.60	14.41	14.63	0	
			16QAM	1	1	14.79	14.44	14.88	0
		64QAM	1	1	14.91	14.25	14.76	0	
		256QAM	1	1	14.99	14.10	14.66	0	
		CP	QPSK	1	1	14.08	14.07	14.45	0

## NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.03	14.39	14.55	0
				1	26	14.48	14.35	14.63	0
				1	49	14.24	14.41	14.73	0
				25	0	14.79	14.37	14.61	0
				25	13	14.52	14.38	14.56	0
				25	26	14.34	14.44	14.60	0
				50	0	14.55	14.34	14.57	0
			QPSK	1	1	14.98	14.21	14.59	0
				1	26	14.44	14.39	14.67	0
				1	49	14.19	14.45	14.71	0
				25	0	14.83	14.24	14.57	0
				25	13	14.46	14.41	14.63	0
				25	26	14.29	14.41	14.66	0
			50	0	14.54	14.42	14.56	0	
		16QAM	1	1	15.12	14.28	14.59	0	
		64QAM	1	1	14.99	14.28	14.55	0	
		256QAM	1	1	15.04	14.24	14.52	0	
CP	QPSK	1	1	14.53	14.33	14.38	0		

## NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.03	14.17	14.76	0
				1	39	14.39	14.42	14.71	0
				1	76	14.01	14.44	14.70	0
				36	0	14.70	14.22	14.61	0
				36	21	14.33	14.42	14.58	0
				36	42	14.07	14.46	14.63	0
				75	0	14.37	14.35	14.60	0
			QPSK	1	1	14.94	14.17	14.68	0
				1	39	14.37	14.46	14.63	0
				1	76	13.98	14.44	14.72	0
				36	0	14.42	14.23	14.62	0
				36	21	14.37	14.43	14.55	0
				36	42	14.12	14.20	14.68	0
			75	0	14.13	14.41	14.56	0	
		16QAM	1	1	15.02	14.05	14.79	0	
		64QAM	1	1	14.99	14.18	14.50	0	
		256QAM	1	1	15.11	14.13	14.76	0	
CP	QPSK	1	1	14.97	14.54	14.76	0		



## NR TDD Band n77 DoD\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.06		14.53	0
				1	53	14.31		14.51	0
				1	104	14.06		14.64	0
				50	0	14.58		14.66	0
				50	28	14.15		14.50	0
				50	56	14.03		14.58	0
				100	0	14.23		14.55	0
			QPSK	1	1	15.00		14.62	0
				1	53	14.19		14.55	0
				1	104	14.02		14.72	0
				50	0	14.57		14.65	0
				50	28	14.19		14.49	0
				50	56	13.92		14.56	0
				100	0	14.20		14.57	0
			16QAM	1	1	14.98		14.66	0
		64QAM	1	1	15.13		14.66	0	
256QAM	1	1	15.04		14.54	0			
CP	QPSK	1	1	15.04		14.62	0		

## NR TDD Band n77 DoD\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08		14.56	0
				1	67	14.03		14.48	0
				1	131	14.29		14.64	0
				64	0	14.49		14.56	0
				64	35	14.06		14.51	0
				64	69	14.07		14.49	0
				128	0	14.05		14.55	0
			QPSK	1	1	15.10		14.60	0
				1	67	14.01		14.52	0
				1	131	14.32		14.61	0
				64	0	14.45		14.54	0
				64	35	14.12		14.49	0
				64	69	14.04		14.48	0
				128	0	14.13		14.60	0
			16QAM	1	1	15.08		14.62	0
		64QAM	1	1	14.98		14.67	0	
256QAM	1	1	14.95		14.55	0			
CP	QPSK	1	1	15.05		14.49	0		

## NR TDD Band n77 DoD\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.28	0
				1	81		14.43	0
				1	160		14.37	0
				81	0		14.18	0
				81	41		14.43	0
				81	81		14.42	0
				162	0		14.37	0
			QPSK	1	1		14.27	0
				1	81		14.42	0
				1	160		14.44	0
				81	0		14.13	0
				81	41		14.33	0
				81	81		14.44	0
				162	0		14.35	0
		16QAM	1	1		14.32	0	
		64QAM	1	1		14.40	0	
256QAM	1	1		14.29	0			
CP	QPSK	1	1		14.32	0		

## NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.54	0
				1	95		14.37	0
				1	187		14.46	0
				90	0		14.14	0
				90	50		14.42	0
				90	99		14.51	0
				180	0		14.44	0
			QPSK	1	1		14.48	0
				1	95		14.38	0
				1	187		14.39	0
				90	0		14.08	0
				90	50		14.41	0
				90	99		14.51	0
				180	0		14.33	0
		16QAM	1	1		14.58	0	
		64QAM	1	1		14.50	0	
256QAM	1	1		14.56	0			
CP	QPSK	1	1		14.48	0		

## NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.58		0
				1	109		14.35		0
				1	215		14.49		0
				108	0		14.08		0
				108	55		14.37		0
				108	109		14.57		0
				216	0		14.43		0
			QPSK	1	1		14.57		0
				1	109		14.36		0
				1	215		14.39		0
				108	0		14.16		0
				108	55		14.38		0
				108	109		14.56		0
			216	0		14.39		0	
		16QAM	1	1		14.60		0	
		64QAM	1	1		14.58		0	
		256QAM	1	1		14.58		0	
CP	QPSK	1	1		14.70		0		

## NR TDD Band n77 DoD\_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.71		0
				1	123		14.32		0
				1	243		14.45		0
				120	0		14.18		0
				120	63		14.45		0
				120	125		14.54		0
				243	0		14.46		0
			QPSK	1	1		14.78		0
				1	123		14.35		0
				1	243		14.39		0
				120	0		14.17		0
				120	63		14.47		0
				120	125		14.48		0
				243	0		14.48		0
		16QAM	1	1		14.78		0	
		64QAM	1	1		14.77		0	
		256QAM	1	1		14.66		0	
CP	QPSK	1	1		14.31		0		

## NR TDD Band n77 DoD\_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		15.22		0
				1	137		14.35		0
				1	271		14.53		0
				135	0		14.23		0
				135	69		14.46		0
				135	138		14.45		0
				270	0		14.42		0
			QPSK	1	1		15.18		0
				1	137		14.49		0
				1	271		14.56		0
				135	0		14.26		0
				135	69		14.55		0
				135	138		14.72		0
			270	0		14.41		0	
		16QAM	1	1		15.29		0	
		64QAM	1	1		15.02		0	
		256QAM	1	1		15.26		0	
CP	QPSK	1	1		15.21		0		

### NR TDD Band n77 Conducted Power\_ Measured RCV(RSI 1)\_ Sub2 [Ant F]

#### NR TDD Band n77\_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.84	12.99	13.40	13.34	12.70	12.92	0
				1	12	13.70	12.99	13.59	13.43	12.67	12.87	0
				1	22	13.49	13.01	13.68	13.45	12.57	12.76	0
				12	0	13.28	12.94	13.42	13.31	12.60	12.85	0
				12	6	13.45	12.91	13.51	13.35	12.57	12.81	0
				12	12	13.54	12.92	13.58	13.36	12.56	12.76	0
			24	0	13.64	12.90	13.49	13.35	12.60	12.82	0	
			1	1	13.80	12.94	13.38	13.30	12.63	12.95	0	
			1	12	13.74	12.91	13.55	13.38	12.63	12.90	0	
			1	22	13.48	12.98	13.65	13.44	12.52	12.78	0	
			12	0	13.72	12.93	13.40	13.31	12.62	12.86	0	
			12	6	13.62	12.93	13.50	13.37	12.58	12.81	0	
			12	12	13.53	12.93	13.61	13.42	12.55	12.77	0	
			24	0	13.62	12.91	13.49	13.35	12.58	12.81	0	
			16QAM	1	1	13.81	13.00	13.38	13.30	12.66	12.85	0
			64QAM	1	1	13.76	12.95	13.43	13.27	12.57	12.91	0
			256QAM	1	1	13.89	13.01	13.40	13.40	12.69	13.05	0
CP	QPSK	1	1	13.81	12.97	13.30	13.32	12.64	12.90	0		

#### NR TDD Band n77\_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89	13.09	13.64	13.63	13.05	12.91	0
				1	18	13.55	13.03	13.70	13.71	12.99	12.75	0
				1	36	13.42	13.25	14.07	13.81	12.94	12.67	0
				18	0	13.72	13.05	13.64	13.67	13.03	12.87	0
				18	9	13.58	13.06	13.76	13.72	13.03	12.79	0
				18	18	13.44	13.15	13.92	13.80	12.98	12.72	0
			36	0	13.58	13.05	13.78	13.75	13.05	12.80	0	
			1	1	13.88	13.04	13.64	13.61	13.02	12.89	0	
			1	18	13.51	12.98	13.73	13.69	12.98	12.71	0	
			1	36	13.42	13.23	14.09	13.79	12.92	12.63	0	
			18	0	13.75	13.06	13.65	13.66	13.04	12.86	0	
			18	9	13.59	13.03	13.78	13.74	13.02	12.80	0	
			18	18	13.43	13.14	13.94	13.78	13.00	12.72	0	
			36	0	13.60	13.03	13.78	13.74	13.05	12.78	0	
			16QAM	1	1	13.87	13.15	13.70	13.70	13.04	13.00	0
			64QAM	1	1	13.90	12.99	13.61	13.59	13.01	12.93	0
			256QAM	1	1	13.95	12.92	13.67	13.75	13.12	12.98	0
CP	QPSK	1	1	13.88	12.87	13.70	13.56	13.09	12.93	0		

## NR TDD Band n77\_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.89	13.09	13.64	13.62	13.05	13.09	0
				1	26	13.48	13.11	13.82	13.75	13.06	12.92	0
				1	49	13.39	13.34	14.12	13.77	12.95	12.75	0
				25	0	13.71	13.07	13.62	13.64	13.04	13.02	0
				25	13	13.48	13.10	13.80	13.74	13.06	12.93	0
				25	26	13.41	13.23	14.01	13.82	13.01	12.82	0
				50	0	13.49	13.09	13.81	13.75	13.08	12.94	0
			QPSK	1	1	13.88	13.08	13.59	13.59	13.03	13.08	0
				1	26	13.46	13.08	13.80	13.70	13.02	12.92	0
				1	49	13.35	13.32	14.08	13.74	12.93	12.73	0
				25	0	13.69	13.06	13.63	13.62	13.04	13.01	0
				25	13	13.48	13.11	13.82	13.70	13.06	12.94	0
				25	26	13.41	13.22	14.02	13.79	13.00	12.82	0
				50	0	13.50	13.11	13.81	13.72	13.06	12.92	0
			16QAM	1	1	13.91	13.11	13.57	13.59	13.10	13.11	0
			64QAM	1	1	13.86	13.06	13.61	13.60	13.02	13.11	0
			256QAM	1	1	13.92	13.19	13.74	13.68	13.08	13.18	0
CP	QPSK	1	1	13.88	13.06	13.62	13.60	13.04	13.07	0		

## NR TDD Band n77\_ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.96	13.18	13.89	13.62	13.23	12.79	0
				1	39	13.48	13.28	13.97	13.77	13.22	13.03	0
				1	76	13.43	13.60	14.19	13.73	13.01	12.76	0
				36	0	13.67	13.30	13.47	13.62	13.13	13.01	0
				36	21	13.46	13.26	13.91	13.73	13.13	12.97	0
				36	42	13.39	13.43	14.14	13.78	13.11	12.83	0
				75	0	13.47	13.22	13.88	13.70	13.13	12.97	0
			QPSK	1	1	13.91	13.18	13.22	13.62	13.19	13.00	0
				1	39	13.44	13.31	13.97	13.80	13.18	12.75	0
				1	76	13.40	13.60	14.17	13.72	12.99	12.72	0
				36	0	13.66	13.21	13.67	13.61	13.12	13.00	0
				36	21	13.44	13.25	13.90	13.73	13.14	12.97	0
				36	42	13.39	13.44	14.15	13.81	13.12	12.84	0
				75	0	13.47	13.23	13.91	13.75	13.13	12.98	0
			16QAM	1	1	13.90	13.17	13.76	13.57	13.17	13.04	0
			64QAM	1	1	13.90	12.98	13.78	13.65	13.22	12.98	0
			256QAM	1	1	13.91	13.18	13.68	13.62	13.28	13.10	0
CP	QPSK	1	1	13.95	13.19	13.69	13.57	13.16	13.09	0		

## NR TDD Band n77\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.91	13.19	13.69	13.79	13.21	12.88	0
				1	53	13.41	13.42	14.03	13.82	13.14	13.16	0
				1	104	13.41	13.69	14.11	13.66	12.91	12.80	0
				50	0	13.51	13.12	13.70	13.61	13.12	13.02	0
				50	28	13.36	13.33	13.95	13.72	13.07	13.10	0
				50	56	13.37	13.56	14.17	13.80	13.04	12.96	0
				100	0	13.38	13.31	13.90	13.68	13.05	13.08	0
			QPSK	1	1	13.90	13.18	13.67	13.80	13.20	12.86	0
				1	53	13.38	13.38	14.01	13.76	13.10	13.16	0
				1	104	13.39	13.70	14.10	13.64	12.90	12.78	0
				50	0	13.50	13.11	13.70	13.63	13.11	13.02	0
				50	28	13.35	13.32	13.99	13.73	13.04	13.11	0
				50	56	13.37	13.56	14.19	13.78	13.04	12.96	0
				100	0	13.37	13.28	13.95	13.69	13.06	13.09	0
			16QAM	1	1	13.88	13.19	13.72	13.74	13.26	12.88	0
		64QAM	1	1	13.93	13.14	13.72	13.77	13.25	12.91	0	
256QAM	1	1	13.96	13.29	13.69	13.84	13.23	12.94	0			
CP	QPSK	1	1	13.92	13.12	13.67	13.77	13.21	12.88	0		

## NR TDD Band n77\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz		3954.99 MHz
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.97	13.14	14.08		13.85	12.85	0
				1	67	13.41	13.58	13.92		13.28	13.03	0
				1	131	13.31	13.71	13.76		13.27	12.80	0
				64	0	13.50	13.33	14.20		13.57	12.85	0
				64	35	13.39	13.58	13.90		13.31	13.01	0
				64	69	13.43	13.63	13.60		13.22	12.96	0
				128	0	13.39	13.55	13.93		13.35	13.01	0
			QPSK	1	1	13.93	13.11	14.07		13.83	12.81	0
				1	67	13.39	13.57	13.90		13.27	13.01	0
				1	131	13.30	13.70	13.73		13.26	12.80	0
				64	0	13.49	13.35	14.19		13.55	12.87	0
				64	35	13.37	13.57	13.90		13.31	13.02	0
				64	69	13.43	13.62	13.59		13.21	12.98	0
				128	0	13.40	13.57	13.93		13.33	13.05	0
			16QAM	1	1	13.97	13.16	14.10		13.85	12.84	0
		64QAM	1	1	13.98	13.03	14.07		13.82	12.84	0	
256QAM	1	1	14.01	13.12	13.87		13.91	12.89	0			
CP	QPSK	1	1	13.93	13.11	14.06		13.80	12.85	0		

## NR TDD Band n77\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						648668	653556				658444	663332
						3730.02	3803.34				3876.66	3949.98
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.97	13.45			13.71	13.05	0
				1	81	13.43	13.70			13.80	13.10	0
				1	160	13.24	14.13			13.28	12.85	0
				81	0	13.46	13.63			13.70	12.87	0
				81	41	13.40	13.62			13.77	13.05	0
				81	81	13.34	14.01			13.42	13.12	0
				162	0	13.41	13.60			13.77	13.06	0
			QPSK	1	1	13.96	13.46			13.70	13.06	0
				1	81	13.45	13.64			13.78	13.06	0
				1	160	13.21	14.12			13.25	12.82	0
				81	0	13.46	13.62			13.72	12.86	0
				81	41	13.39	13.61			13.76	13.05	0
				81	81	13.33	14.02			13.41	13.07	0
				162	0	13.41	13.62			13.79	13.04	0
			16QAM	1	1	13.95	13.51			13.72	13.07	0
			64QAM	1	1	13.92	13.46			13.66	13.07	0
			256QAM	1	1	14.07	13.62			13.86	13.10	0
CP	QPSK	1	1	13.95	13.44			13.71	13.07	0		

## NR TDD Band n77\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						649000	654336				658334	663000
						3750	3804.99				3875.01	3945
						MHz	MHz			MHz	MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.03	13.50			13.99	13.18	0
				1	95	13.42	13.66			13.79	13.03	0
				1	187	13.52	14.03			13.33	12.96	0
				90	0	13.47	13.66			13.71	13.00	0
				90	50	13.45	13.69			13.81	13.03	0
				90	99	13.28	14.19			13.43	13.19	0
				180	0	13.47	13.69			13.87	13.03	0
			QPSK	1	1	14.01	13.49			13.98	13.13	0
				1	95	13.42	13.67			13.77	12.97	0
				1	187	13.51	14.02			13.29	12.93	0
				90	0	13.48	13.68			13.70	12.99	0
				90	50	13.46	13.70			13.83	13.04	0
				90	99	13.30	14.20			13.45	13.20	0
				180	0	13.47	13.70			13.86	13.03	0
			16QAM	1	1	14.00	13.44			13.98	13.07	0
			64QAM	1	1	14.01	13.41			13.91	13.15	0
			256QAM	1	1	14.09	13.45			14.07	13.21	0
CP	QPSK	1	1	14.03	13.46			13.96	13.17	0		



## NR TDD Band n77\_ 80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649334		656000		662666		
						3740.01		3840		3939.99		
						MHz		MHz		MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.54		13.34		12.94		0
				1	109	13.42		13.93		12.88		0
				1	215	13.49		13.55		12.94		0
				108	0	13.46		14.26		13.06		0
				108	55	13.47		13.92		12.89		0
				108	109	13.23		13.68		13.16		0
			216	0	13.50		13.98		12.89		0	
			QPSK	1	1	13.52		13.29		12.94		0
				1	109	13.43		13.90		12.86		0
				1	215	13.50		13.55		12.91		0
				108	0	13.45		14.24		13.08		0
				108	55	13.48		13.95		12.91		0
				108	109	13.24		13.69		13.16		0
			216	0	13.50		13.98		12.88		0	
			16QAM	1	1	13.56		13.34		12.93		0
			64QAM	1	1	13.41		13.25		12.94		0
			256QAM	1	1	13.55		13.34		13.06		0
CP	QPSK	1	1	13.23		13.27		12.85		0		

## NR TDD Band n77\_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649668		656000		662332		
						3745.02		3840		3934.98		
						MHz		MHz		MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.54		13.36		13.09		0
				1	123	13.30		13.89		12.80		0
				1	243	13.65		13.51		12.98		0
				120	0	13.47		14.15		13.06		0
				120	63	13.36		13.96		12.87		0
				120	125	13.42		13.76		13.16		0
				243	0	13.41		14.01		12.90		0
			QPSK	1	1	13.52		13.35		13.10		0
				1	123	13.30		13.90		12.82		0
				1	243	13.65		13.48		12.99		0
				120	0	13.46		14.16		13.08		0
				120	63	13.36		13.95		12.88		0
				120	125	13.43		13.76		13.16		0
			243	0	13.42		13.99		12.91		0	
			16QAM	1	1	13.56		13.36		13.08		0
			64QAM	1	1	13.53		13.32		13.04		0
			256QAM	1	1	13.62		13.45		13.16		0
CP	QPSK	1	1	13.56		13.36		13.19		0		

## NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.57				13.37		0
				1	137	13.18				12.87		0
				1	271	13.42				13.18		0
				135	0	13.47				13.18		0
				135	69	13.24				12.91		0
				135	138	13.61				13.20		0
				270	0	13.31				12.95		0
			QPSK	1	1	13.57				13.34		0
				1	137	13.16				12.83		0
				1	271	13.42				13.15		0
				135	0	13.47				13.16		0
				135	69	13.25				12.89		0
				135	138	13.62				13.19		0
				270	0	13.31				12.96		0
			16QAM	1	1	13.56				13.37		0
			64QAM	1	1	13.64				13.29		0
			256QAM	1	1	13.66				13.46		0
		CP	QPSK	1	1	13.59				13.35		0

### NR TDD Band n77 DoD Conducted Power\_ Measured RCV(RSI 1)\_ Sub2 [Ant F]

NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.81	13.20	13.59	0
				1	12	13.62	13.35	13.66	0
				1	22	13.42	13.32	13.66	0
				12	0	13.69	13.20	13.58	0
				12	6	13.57	13.26	13.61	0
				12	12	13.46	13.28	13.61	0
				24	0	13.58	13.26	13.56	0
			QPSK	1	1	13.79	13.21	13.56	0
				1	12	13.65	13.28	13.67	0
				1	22	13.38	13.32	13.63	0
				12	0	13.66	13.19	13.56	0
				12	6	13.56	13.25	13.60	0
				12	12	13.47	13.29	13.63	0
				24	0	13.57	13.28	13.60	0
			16QAM	1	1	13.79	13.20	13.58	0
		64QAM	1	1	13.82	13.13	13.55	0	
		256QAM	1	1	13.75	13.28	13.60	0	
		CP	QPSK	1	1	13.76	13.18	13.52	0

NR TDD Band n77 DoD\_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.80	13.12	13.54	0
				1	18	13.21	13.23	13.54	0
				1	36	13.20	13.31	13.65	0
				18	0	13.62	13.16	13.53	0
				18	9	13.47	13.26	13.55	0
				18	18	13.32	13.28	13.58	0
				36	0	13.49	13.25	13.56	0
			QPSK	1	1	13.78	13.09	13.50	0
				1	18	13.42	13.20	13.49	0
				1	36	13.16	13.31	13.62	0
				18	0	13.64	13.18	13.53	0
				18	9	13.48	13.27	13.55	0
				18	18	13.32	13.28	13.58	0
				36	0	13.47	13.26	13.55	0
			16QAM	1	1	13.79	13.09	13.67	0
		64QAM	1	1	13.77	13.13	13.53	0	
		256QAM	1	1	13.77	13.18	13.54	0	
		CP	QPSK	1	1	13.78	13.08	13.51	0

## NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.84	13.07	13.45	0
				1	26	13.35	13.28	13.50	0
				1	49	13.06	13.32	13.62	0
				25	0	13.59	13.14	13.47	0
				25	13	13.34	13.27	13.48	0
				25	26	13.18	13.28	13.56	0
				50	0	13.36	13.27	13.50	0
			QPSK	1	1	13.80	13.04	13.44	0
				1	26	13.33	13.24	13.48	0
				1	49	13.04	13.30	13.60	0
				25	0	13.60	13.14	13.47	0
				25	13	13.35	13.28	13.51	0
				25	26	13.17	13.27	13.56	0
				50	0	13.36	13.29	13.51	0
		16QAM	1	1	13.81	13.03	13.42	0	
		64QAM	1	1	13.87	13.02	13.36	0	
		256QAM	1	1	13.86	13.17	13.52	0	
CP	QPSK	1	1	13.80	12.97	13.47	0		

## NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.82	13.01	13.62	0
				1	39	13.22	13.34	13.51	0
				1	76	12.81	13.37	13.62	0
				36	0	13.46	13.07	13.48	0
				36	21	13.15	13.25	13.47	0
				36	42	12.92	13.29	13.52	0
				75	0	13.19	13.23	13.46	0
			QPSK	1	1	13.78	12.96	13.59	0
				1	39	13.16	13.26	13.46	0
				1	76	12.82	13.34	13.61	0
				36	0	13.48	13.06	13.48	0
				36	21	13.14	13.28	13.47	0
				36	42	12.92	13.28	13.51	0
				75	0	13.18	13.27	13.47	0
		16QAM	1	1	13.85	12.97	13.59	0	
		64QAM	1	1	13.70	12.94	13.63	0	
		256QAM	1	1	13.89	13.08	13.64	0	
CP	QPSK	1	1	13.78	12.97	13.59	0		

## NR TDD Band n77 DoD\_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.85		13.48	0
				1	53	13.02		13.44	0
				1	104	12.92		13.56	0
				50	0	13.40		13.53	0
				50	28	13.00		13.36	0
				50	56	12.82		13.42	0
				100	0	13.06		13.39	0
			QPSK	1	1	13.85		13.44	0
				1	53	13.01		13.41	0
				1	104	12.92		13.54	0
				50	0	13.38		13.54	0
				50	28	13.02		13.34	0
				50	56	12.84		13.44	0
				100	0	13.06		13.39	0
		16QAM	1	1	13.77		13.42	0	
		64QAM	1	1	13.87		13.47	0	
		256QAM	1	1	13.90		13.55	0	
		CP	QPSK	1	1	13.87		13.45	0

## NR TDD Band n77 DoD\_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87		13.40	0
				1	67	12.89		13.41	0
				1	131	13.16		13.54	0
				64	0	13.27		13.41	0
				64	35	12.89		13.41	0
				64	69	12.85		13.38	0
				128	0	12.92		13.42	0
			QPSK	1	1	13.86		13.39	0
				1	67	12.89		13.40	0
				1	131	13.15		13.54	0
				64	0	13.27		13.42	0
				64	35	12.87		13.40	0
				64	69	12.87		13.39	0
				128	0	12.94		13.43	0
		16QAM	1	1	13.84		13.40	0	
		64QAM	1	1	13.88		13.36	0	
		256QAM	1	1	13.92		13.46	0	
		CP	QPSK	1	1	13.61		13.38	0

## NR TDD Band n77 DoD\_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]		
							633334			
60 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	81				13.16	0
				1	160				13.33	0
				1	160				13.31	0
				81	0				12.96	0
				81	41				13.25	0
				81	81				13.36	0
			162	0				13.28	0	
			1	1				13.11	0	
			1	81				13.28	0	
			1	160				13.29	0	
			81	0				12.97	0	
			81	41				13.27	0	
			81	81				13.36	0	
			162	0				13.27	0	
		16QAM	1	1			13.18	0		
		64QAM	1	1			13.09	0		
		256QAM	1	1			13.24	0		
CP	QPSK	1	1		13.12	0				

## NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]		
							633334			
70 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	95				13.35	0
				1	187				13.28	0
				1	187				13.35	0
				90	0				12.96	0
				90	50				13.30	0
				90	99				13.41	0
			180	0				13.24	0	
			1	1				13.32	0	
			1	95				13.25	0	
			1	187				13.33	0	
			90	0				12.97	0	
			90	50				13.28	0	
			90	99				13.41	0	
			180	0				13.25	0	
		16QAM	1	1			13.29	0		
		64QAM	1	1			13.33	0		
		256QAM	1	1			13.39	0		
CP	QPSK	1	1		13.37	0				

## NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]		
							633334			
80 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	109				13.42	0
				1	215				13.27	0
				108	0				13.35	0
				108	55				12.98	0
				108	109				13.31	0
				216	0				13.44	0
			QPSK	1	1				13.32	0
				1	109				13.39	0
				1	215				13.24	0
				108	0				13.31	0
				108	55				12.97	0
				108	109				13.30	0
			16QAM	216	0				13.47	0
				1	1				13.32	0
				1	1				13.40	0
			CP	64QAM	1	1			13.40	0
		256QAM		1	1			13.48	0	
		QPSK	1	1				13.40	0	

## NR TDD Band n77 DoD\_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]		
							633334			
90 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	123				13.62	0
				1	243				13.27	0
				120	0				13.37	0
				120	63				13.01	0
				120	125				13.27	0
				243	0				13.44	0
			QPSK	1	1				13.32	0
				1	123				13.59	0
				1	243				13.25	0
				120	0				13.35	0
				120	63				13.03	0
				120	125				13.30	0
			16QAM	243	0				13.43	0
				1	1				13.33	0
				1	1				13.54	0
			CP	64QAM	1	1			13.54	0
		256QAM		1	1			13.62	0	
		QPSK	1	1				13.63	0	

## NR TDD Band n77 DoD\_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		14.00		0
				1	137		13.27		0
				1	271		13.52		0
				135	0		13.09		0
				135	69		13.31		0
				135	138		13.40		0
				270	0		13.29		0
			QPSK	1	1		13.97		0
				1	137		13.23		0
				1	271		13.47		0
				135	0		13.08		0
				135	69		13.29		0
				135	138		13.39		0
			270	0		13.32		0	
		16QAM	1	1		13.98		0	
		64QAM	1	1		13.96		0	
		256QAM	1	1		13.96		0	
CP	QPSK	1	1		14.02		0		



## [NR TDD Band n41 SRS Conducted Power]

### Measured Free(RSI 0), Hotspot(RSI 2)

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3(Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		12.50	0

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		14.46	0

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		13.08	0

### Measured RCV(RSI 1) Calculations

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3 (Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		13.52	0

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		15.48	0

NR TDD Band n41\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW		14.09	0

## [NR TDD Band n77 SRS Conducted Power]

### Measured Free(RSI 0), Hotspot(RSI 2)

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3(Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	11.15			12.20	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	15.11			15.40	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	12.47			11.88	0

### Measured RCV(RSI 1)

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3(Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	10.25			11.28	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	14.12			14.43	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	11.42			10.71	0

[NR TDD Band n77 DoD SRS Conducted Power]

Measured Free(RSI 0), Hotspot(RSI 2)

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3(Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		10.62	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		14.42	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		13.50	0

Measured RCV(RSI 1)

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main3(Ant C), SRS1

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		9.71	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		13.50	0

NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW		10.33	0