

Spectrum Analyzer 1 Swept SA	+			Frequency	· · [#
KEYSIGHT Input: RF R L +++ Coupling: DC Align: Auto	Input Z: 50 Ω #Atten: 20 d Corr CCorr Preamp: Off Freq Ref: Int (S) NFE: Off	B PNO: Best Wide #, Gate: Off Ti IF Gain: Low Sig Track: Off	Avg Type: Power (RMS 1 2 3 4 5 6 rig: Free Run	Center Frequency 1.710000000 GHz	Settings
Spectrum v Scale/Div 10 dB	Ref LvI Offse Ref Level 27.	t 27.14 dB	Mkr1 1.709 996 GHz -28.893 dBm	Span 4.00000000 MHz Swept Span	
17.1				Zero Span Full Span	
2.86				Start Freq 1.708000000 GHz	
12.9			DL1 -13.00 dBm	Stop Freq 1.712000000 GHz	
32.9	<u>ليم ا</u>			CF Step 400.000 kHz	
52.9	agargen, and and an and a second and a second at		Martine and and martine and and	Auto Man Freq Offset	
62.9	#Video BW	100 kHz	Span 4.000 MHz	0 Hz X Axis Scale Log	Local
	? Jun 11, 2024		#Sweep ~1.01 s (1001 pts)	Log Lin Signal Track (Span Zoom)	

Sub6 n66_5 M_Band Edge_Low_BPSK_1RB



Spectrum Analyzer 1 Swept SA	+			Frequency	y • 影
KEYSIGHT Input: RF R L + Align: Auto	Input Z: 50 Ω #Atten: 2 Corr CCorr Preamp: Freq Ref: Int (S) NFE: Off		#Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run A WW WW W A A A A A A	Center Frequency 1.710000000 GHz	Settings
1 Spectrum v Scale/Div 10 dB	Ref Lvi Of Ref Level :	fset 27.14 dB 27.14 dBm	Mkr1 1.710 000 GHz -25.234 dBm		
17.1				Full Span	
2.86			in a spiral and the investment of the definition of the spiral spiral spiral spiral spiral spiral spiral spiral	Start Freq 1.708000000 GHz	
12.9			DL1-13.00 dBm	Stop Freq 1.712000000 GHz	
22.9		21/		AUTO TUNE	
32.9				CF Step 400.000 kHz	
42.9 52.9	for the second sec			Auto Man	
62.9				Freq Offset 0 Hz	
Center 1.710000 GHz #Res BW 51 kHz	#Video E	W 160 kHz	Span 4.000 MHz #Sweep ~1.01 s (1001 pts)		Local
1 7 7 1	? Jun 11, 2024 11:35:27 AM			Signal Track (Span Zoom)	

Sub6 n66_5 M_Band Edge_Low_BPSK_FullRB



Spectrum Analy Channel Power	yzer 1	+	-				‡ 🕫	requency 🔹
KEYSIGHT	Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.70850 Avg Hold: 300/300 Radio Std: None	0000 GHz	Center Freque 1.708500000	Setunds
1 Graph Scale/Div 10.0	, dB	R	tef LvI Offset 27.1 tef Value 30.00 dE				Span 4.0000 MHz	
20.0							CF Step 400.000 kHz	
10.0							Auto Man	
-10.0							Freq Offset 0 Hz	
-30.0								
-50.0								
Center 1.7085			/ideo BW 390.00	kHz*	a a	Span 4 MHz		
Res BW 39.00 2 Metrics	U KHZ T				Sweep 3.2	0 ms (1001 pts)		
Total Chann	el Power	-30.03 dBm / 1.00	MHz					
Total Power	Spectral Densit	y -90.03 dB	m/Hz					Local
1	2	? Jun 11, 2024 11:35:37 AM	ÐA		.:: 🕅			

Sub6 n66_5 M_Extended Band Edge_Low_BPSK_FullRB



Spectrum Analyzer 1 Swept SA KEYSIGHT Input: RF	+ Input Z: 50 Ω #	Atten: 20 dB	PNO: Best Wide	#Avg Type: Power (RMS 1 2 3		Frequency	
RL + Coupling: DC Align: Auto	Corr CCorr F Freq Ref: Int (S) NFE: Off		Gate: Off IF Gain: Low Sig Track: Off	Trig: Free Run		enter Frequency .780000000 GHz ban	Settings
1 Spectrum v Scale/Div 10 dB Log		LvI Offset 27.14 Level 27.14 dBn		Mkr1 1.780 000 -30.550	GHz 4	.00000000 MHz Swept Span Zero Span	
17.1	л	7				Full Span	
2.86						art Freq .778000000 GHz	
12.9				DL1-13	DO dDay	op Freq .782000000 GHz	
22.9		1			RMS- C	AUTO TUNE	
42.9		have	howand			00.000 kHz	
52.9 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 						Man eq Offset Hz	
enter 1.780000 GHz Res BW 30 kHz	#1	Video BW 100 kH	łz	Span 4.00 #Sweep ~1.01 s (10	00 MHz ×.	Axis Scale Log Lin	Local
1 つ つ □	? Jun 11, 2024 9 11:41:42 AM	A			X	gnal Track pan Zoom)	

Sub6 n66_5 M_Band Edge_High_BPSK_1RB



Spectrum Analyzer 1 Swept SA		-	#44 00 JD	PNO' Best Wide			\$	Frequency	- E
	l RF pling: DC n: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	#Atten: 20 dB Preamp: Off	Gate: Off IF Gain: Low Sig Track: Off		23456 WWWWW AAAAA	Center Fre 1.780000		Settings
Spectrum icale/Div 10 dB	•		tef LvI Offset 27 tef Level 27.14		Mkr1 1.780 (-25.4)12 GHz 81 dBm	Span 4.0000000 Swep Zero S	t Span	
17.1							-	Span	
2.86	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	un and an and a start and a start and a start a					Start Freq 1.778000	000 GHz	
12.9						L1 -13.00 dBm	Stop Freq 1.782000	000 GHz	
22.9			hu hu	1				TUNE	
32.9				Man Harring Marken and		RMS	CF Step 400.000 k	Hz	
52.9							Auto Man Freq Offse		
62.9							0 Hz X Axis Sca		Local
enter 1.780000 GH Res BW 51 kHz	Hz		#Video BW 16	0 kHz	Span #Sweep ~1.01 s	4.000 MHz (1001 pts)	Log Lin	le si	Loca
1って	2	Jun 11, 2024 11:41:10 AM					Signal Trai (Span Zoon		

Sub6 n66_5 M_Band Edge_High_BPSK_FullRB



Spectrum Analy Channel Power	yzer 1	+	-			.u	Frequer	ncy 🔻 🔛
RL +++	Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.7815000 Avg Hold: 300/300 Radio Std: None	000 GHz	Center Frequency 1.781500000 GHz	Settings
µ। 1 Graph Scale/Div 10.0	T dB		Ref LvI Offset 27. Ref Value 30.00 d				Span 4.0000 MHz	
Log 20.0			Kel Value 50.00 u				CF Step 400.000 kHz	
10.0							Auto Man	
-10.0							Freq Offset 0 Hz	
-30.0	m	~						
-50.0			~~~~~			RMS AVG		
Center 1.78150 Res BW 39.000			Video BW 390.00	kHz*	Sweep 3 20 r	Span 4 MHz ms (1001 pts)		
2 Metrics	*				011000 01201	1001 (1001 (10)		
Total Chann	el Power	-32.47 dBm / 1.0	0 MHz					Loui
Total Power	Spectral Densit	y -92.47 d	Bm/Hz					Local
1	C	Jun 11, 2024 11:41:20 AM						

Sub6 n66_5 M_Extended Band Edge_High_BPSK_FullRB



Spectrum Analyzer 1 Swept SA KEYSIGHT RL + Align: Auto	H Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	20 dB PNO: Best Wide # p: Off Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS <mark>123456</mark> Trig: Free Run A & WW WW A A A A A A	Center Frequency 1.710000000 GHz	Settings
1 Spectrum v Scale/Div 10 dB		Offset 27.14 dB el 27.14 dBm	Mkr1 1.710 000 GHz -38.768 dBm	Span 4.00000000 MHz Swept Span Zero Span	
7.14				Full Span Start Freq 1.708000000 GHz	
2.86 12.9 22.9			DL1 -13.00 dBm	Stop Freq 1.712000000 GHz AUTO TUNE	
42.9		1	RMS	CF Step 400.000 kHz	
52.9 www.humber.com////////////////////////////////////				Man Freq Offset 0 Hz	Loca
Center 1.710000 GHz Res BW 30 kHz	#Video Jun 11, 2024 11:43:45 AM	BW 100 kHz	Span 4.000 MHz #Sweep ~1.01 s (1001 pts)	X Axis Scale Log Lin Signal Track (Span Zoom)	Local

Sub6 n66_10 M_Band Edge_Low_BPSK_1RB



Spectrum Analyze Swept SA	· · · · ·	+		_	_		₽	Frequency	· • 🔛
	put: RF oupling: DC ign: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	#Atten: 20 dB Preamp: Off	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Pow Trig: Free Run	er (RMS <mark>123456</mark> A WW WW W A A A A A A A	1.7100	Frequency 00000 GHz	Settings
Spectrum cale/Div 10 dB			Ref LvI Offset 27 Ref Level 27.14 c		Mkr1	1.710 000 GHz -26.353 dBm	Sw	0000 MHz rept Span ro Span	
17.1							F	ull Span	
2.86						RMS	Start Fr 1.7080	eq 00000 GHz	
12.9						DL1 -13.00 dBm	Stop Fr 1.7120	eq 00000 GHz	
22.9			1	1			AL	ITO TUNE	
32.9							CF Ster 400.00		
52.9							Au Ma		
62.9							Freq Of 0 Hz	fset	
enter 1.710000 Res BW 100 kHz			#Video BW 300) kHz	#Swee	Span 4.000 MHz o ~1.01 s (1001 pts)	X Axis S Lo Lir	g	Local
100		Jun 11, 2024 11:43:14 AM					Signal 1 (Span Ze		

Sub6 n66_10 M_Band Edge_Low_BPSK_FullRB



Spectrum Analy Channel Power	/zer 1	+	-				\$	Frequency	· • 😤
KEYSIGHT	Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.7085000 Avg Hold: 300/300 Radio Std: None	00 GHz	property and the second	requency 0000 GHz	Settings
1 Graph Scale/Div 10.0 Log	₹ dB		Ref LvI Offset 27.4 Ref Value 30.00 di				Span 4.0000 M CF Step	MHz	
20.0						RMS AVG	400.000		
-10.0							Freq Offs 0 Hz	set	
-30.0									
-60.0 Center 1.70850			/ideo BW 390.00	kHz*		Span 4 MHz			
Res BW 39.000 2 Metrics	J KHZ				Sweep 3.20 n	ns (1001 pts)			
Total Chann	el Power	-29.95 dBm / 1.00	MHz						
Total Power	Spectral Densit	y -89.95 dB	m/Hz						Local
ا ک		Jun 11, 2024 11:43:23 AM							

Sub6 n66_10 M_Extended Band Edge_Low_BPSK_FullRB



Swept SA KEYSIGHT Input: RF RL Coupling: DC Align: Auto		#Atten: 20 dB Preamp: Off	PNO Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS 1 2 3 4 Trig: Free Run A A A A	1.780000000 GHz	settings
Spectrum v scale/Div 10 dB		f LvI Offset 27.14 f Level 27.14 dBr		Mkr1 1.780 004 G -40.186 dE	4.000000000000	
17.1	ſ	7			Full Span	
2.86					Start Freq 1.778000000 GHz	
2.9				DL1 -13.00	Stop Freq 1.782000000 GHz	
2.9					AUTO TUNE CF Step	
2.9		1	-		400.000 kHz	
2.9				an group of a state of a	Man Freq Offset	-
62.9 enter 1.780000 GHz Res BW 30 kHz	#	Video BW 100 ki	łz	Span 4.000 #Sweep ~1.01 s (1001		Loca
1 7 7 1	? Jun 11, 2024 💬 11:48:44 AM				Signal Track (Span Zoom)	

Sub6 n66_10 M_Band Edge_High_BPSK_1RB



Spectrum Analyzer 1 Swept SA	+			Frequenc	y • [絵
RL +++ Coupling: DC Align: Auto	Input Z: 50 Ω #Atten: 20 Corr CCorr Preamp: 0 Freq Ref: Int (S) NFE: Off		#Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run A WW WW W A A A A A A	1.780000000 GHz	Settings
1 Spectrum ▼ Scale/Div 10 dB Log	Ref Lvi Offs Ref Level 2		Mkr1 1.780 000 GH -36.537 dBn	Swept Span	
17.1				Zero Span Full Span	
-2.86				Start Freq 1.778000000 GHz Stop Freq	
22.9			DL1 -13.00 dBm	1.782000000 GHz	
32.9		1	BMS	CF Step 400.000 kHz	
52.9				Auto Man Freq Offset	
62.9 Center 1.780000 GHz	#Video B\	N 300 kHz	Span 4.000 MH	0 Hz X Axis Scale Log	Local
#Res BW 100 kHz	? Jun 11, 2024 11:48:12 AM		#Sweep ~1.01 s (1001 pts		

Sub6 n66_10 M_Band Edge_High_BPSK_FullRB



Spectrum Anal Channel Powe	yzer 1	+					\$	Frequency	- T 🔆
KEYSIGHT RL ++-	Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.78150000 Avg Hold: 300/300 Radio Std: None	0 GHz	Center Fre 1.781500		Settings
1 Graph Scale/Div 10.0	Y	I	Ref LvI Offset 27 Ref Value 30.00 d				Span 4.0000 M	Hz	
Log 20.0			ker value 30.00 d				CF Step 400.000 F	Hz	
10.0							Auto Man		
-10.0							Freq Offse 0 Hz	t	
-30.0	m								
-50.0			~~~~~~	~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	RMS AVG			
Center 1.7815 Res BW 39.00			Video BW 390.00) kHz*	Sweep 3.20 m	Span 4 MHz s (1001 pts)			
2 Metrics									
Total Chanr	nel Power	-35.16 dBm / 1.00) MHz						Local
Total Powe	r Spectral Densit	y -95.16 dE	3m/Hz						Locar
د	2	Jun 11, 2024 11:48:22 AM	ÐA						

Sub6 n66_10 M_Extended Band Edge_High_BPSK_FullRB



Spectrum Analyzer 1 Swept SA KEYSIGHT RL Align: Auto	Input Z: 50 Ω #Atten: 20 dB Corr CCorr Preamp: Off Freq Ref: Int (S) NFE: Off	PNO Best Wide ## Gate: Off Tr IF Gain: Low Sig Track: Off	Avg Type: Power (RMS 1 2 3 4 5 6 ig: Free Run A A WW WW W A	Center Frequency 1.71000000 GHz	Settings
1 Spectrum v Scale/Div 10 dB	Ref Lvi Offset Ref Level 27.1		Mkr1 1.709 980 GHz -40.898 dBm	4.00000000 1011 12	
7.14				Full Span Start Freq 1.708000000 GHz	
2.86 12.9 22.9			DL1 -13.00 dBm	Stop Freq 1.712000000 GHz AUTO TUNE	
42.9		1	RMS	CF Step 400.000 kHz Auto Man	
52.9 62.9				Freq Offset 0 Hz X Axis Scale	Local
Center 1.710000 GHz Res BW 30 kHz	#Video BW 1	00 kHz	Span 4.000 MHz #Sweep ~1.01 s (1001 pts)		

Sub6 n66_15 M_Band Edge_Low_BPSK_1RB



Spectrum Analyzer 1 Swept SA KEYSIGHT Input: RF	+ Input Ζ: 50 Ω	#Atten: 20 dB	PNO: Best Wide	#Avg Type_ Power (RM			Frequency	•
Coupling: DC Align: Auto		Preamp: Off	Gate: Off IF Gain: Low Sig Track: Off	Trig: Free Run	A WW WW W A A A A A A A	1.710	Frequency 000000 GHz	Settings
Spectrum v cale/Div 10 dB		Ref LvI Offset 27 Ref Level 27.14 c		Mkr1 1.710 -28	000 GHz .767 dBm	= si	00000 MHz vept Span ero Span	
17.1							Full Span	
2.86					RMS	Start F 1.7080	req 000000 GHz	
12.9					DL1 -13.00 dBm	Stop Fi 1.7120	req 000000 GHz	
22.9		1	/			AI	JTO TUNE	
2.9						CF Ste 400.00	p)0 kHz	
52.9						AL Ma		
52.9						Freq O 0 Hz	ffset	
enter 1.710000 GHz Res BW 150 kHz		#Video BW 470) kHz	Sp #Sweep ~1.0	an 4.000 MHz 1 s (1001 pts)	X Axis Lo Li	g	Loca
1 って -	Jun 11, 2024 11:50:16 AM	ÐA				Signal (Span Z	Track oom)	

Sub6 n66_15 M_Band Edge_Low_BPSK_FullRB



Spectrum Ana Channel Pow	alyzer 1	+					₽	Frequency	- 1
KEYSIGH	Coupling DC	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.708500 Avg Hold: 300/300 Radio Std: None	000 GHz	printing and the second	Frequency 00000 GHz	Settings
1 Graph Scale/Div 10	▼ .0 dB		Ref LvI Offset 27. Ref Value 30.00 d				Span 4.0000 CF Step		
20.0							400.00	0 kHz	
10.0 0.00						RMS AVG	Aut Ma	n	
-10.0 -20.0							Freq Of 0 Hz	Iset	
-30.0						mont			
-50.0 -60.0				~~~~					
Center 1.708 Res BW 39.0			Video BW 390.00	kHz*	Sweep 3.20	Span 4 MHz ms (1001 pts)			
2 Metrics	•								
Total Char	nnel Power	-34.07 dBm / 1.0) MHz						Local
Total Powe	er Spectral Densit	y -94.07 df	3m/Hz						Loudi
1	C	Jun 11, 2024 11:50:25 AM	$\supset \bigtriangleup$						

Sub6 n66_15 M_Extended Band Edge_Low_BPSK_FullRB



KEYSIGHT Input: RF L Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	#Atten: 20 dB Preamp: Off	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS 1 2 3 4 1 Trig: Free Run A WW WW A A A A A	1.780000000 GHz	Settings
Spectrum v cale/Div 10 dB		ef LvI Offset 27. ef Level 27.14 d		Mkr1 1.780 004 G -40.908 dE	4.0000000 MHz	
7.1	~	7			Full Span	
2.86					Start Freq 1.778000000 GHz	
2.9				DL1 -13.00 c	Stop Freq 1.782000000 GHz	
2.9					AUTO TUNE CF Step	
2.9		1			400.000 kHz	
2.9				R R R R R R R R R R R R R R R R R R R	MS Man Freq Offset 0 Hz	
enter 1.780000 GHz Res BW 30 kHz		#Video BW 100	kHz	Span 4.000 N #Sweep ~1.01 s (1001 p	X Axis Scale	Loca
ットー	? Jun 11, 2024 11:55:45 AM	\Box			Signal Track (Span Zoom)	1

Sub6 n66_15 M_Band Edge_High_BPSK_1RB



Spectrum Analyzer 1 Swept SA	• +		_		Frequency	· • 👬
KEYSIGHT Input: RL ↔ Coupl Align:	ing: DC Corr CCorr	Preamp: Off	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS 1 2 3 4 5 Trig: Free Run A WWWW A A A A A	1.780000000 GHz	Settings
1 Spectrum Scale/Div 10 dB	•	Ref LvI Offset 2 Ref Level 27.14		Mkr1 1.780 132 Gi -40.252 dB	4.00000000 1011 12	
17.1					Full Span	
2.86					Start Freq 1.778000000 GHz	
12.9				DL1 -13.00 d	Stop Freq 1.782000000 GHz	
32.9					AUTO TUNE CF Step	
42.9			<u>↓</u> 1	R	400.000 kHz	
52.9 62.9					Man Freq Offset 0 Hz	
Center 1.780000 GH Res BW 150 kHz	z	#Video BW 47	0 kHz	Span 4.000 M #Sweep ~1.01 s (1001 p	X Axis Scale	Local
1 2	Jun 11, 2 11:55:13	2024 AM			Signal Track (Span Zoom)	

Sub6 n66_15 M_Band Edge_High_BPSK_FullRB



Spectrum Analy Channel Power	yzer 1	+				.11	\$	Frequency	- T 😤
KEYSIGHT	Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.781500 Avg Hold: 300/300 Radio Std: None	000 GHz	Center Fr 1.781500	equency 0000 GHz	Settings
1 Graph Scale/Div 10.0	T AR	F	Ref Lvi Offset 27. Ref Value 30.00 d				Span 4.0000 N	٨Hz	
Log 20.0			ter value 50.00 c				CF Step 400.000	kHz	
10.0							Auto Man		
-10.0							Freq Offs 0 Hz	et	
-30.0						RMS AVG			
-50.0									
Center 1.7815 Res BW 39.00			/ideo BW 390.00	kHz*	Sweep 3.20	Span 4 MHz ms (1001 pts)			
2 Metrics	•								
Total Chann	el Power	-35.23 dBm / 1.00	MHz						C tarret
Total Power	Spectral Densi	ity -95.23 dE	sm/Hz						Local
ר <mark>ד</mark>	۲	? Jun 11, 2024 11:55:23 AM							

Sub6 n66_15 M_Extended Band Edge_High_BPSK_FullRB



Spectrum Analyzer 1 Swept SA	• +					₽	Frequency	- · 🔆
RL +++ Align: A	DC Corr CCorr	Preamp: Off Gate	: Best Wide : Off ain: Low frack: Off	#Avg Type: Power (RN Trig: Free Run	IS <mark>123456</mark> AWWWWW AAAAAA	Center Fre 1.710000		Settings
1 Spectrum Scale/Div 10 dB		ef LvI Offset 27.14 dB ef Level 27.14 dBm		Mkr1 1.71 -42	0 000 GHz 2.405 dBm	Span 4.000000 Swep Zero S	t Span	
17.1			\cap			Full	Span	
-2.86						Start Freq 1.708000 Stop Freq	000 GHz	
-12.9					DL1 -13.00 dBm	1.712000	000 GHz	
32.9		↓ 1		5		CF Step 400.000 k	Hz	
52.9	- and a construction of the second				RMS	Auto Man Freq Offse	t	
-62.9 Center 1.710000 GHz		#Video BW 100 kHz			pan 4.000 MHz	0 Hz X Axis Sca Log	ile	Local
#Res BW 30 kHz	Jun 11, 2024 11:57:51 AM	ÐA		#Sweep ~1.0	01 s (1001 pts)	Signal Tra (Span Zoon		

Sub6 n66_20 M_Band Edge_Low_BPSK_1RB



Spectrum Analyzer 1 Swept SA	• +					\$	Frequency	· · 崇
KEYSIGHT Input: RF RL ++ Align: Auto		#Atten: 20 dB Preamp: Off	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RM Trig: Free Run	IS <mark>123456</mark> AWWWWW AAAAAA	1.710	Frequency 000000 GHz	Settings
I Spectrum v Scale/Div 10 dB		ef LvI Offset 27. ef Level 27.14 d		Mkr1 1.70 -29	9 996 GHz 9.409 dBm	s	00000 MHz wept Span ero Span	
17.1							Full Span	
2.86					RMS	Start F 1.708	req 000000 GHz	
12.9					DL1 -13.00 dBm	Stop F 1.712	req 000000 GHz	
22.9		1	+-			A	UTO TUNE	
32.9						CF Ste 400.0	⊧p 00 kHz	
52.9							uto an	
62.9						Freq C 0 Hz	offset	
Center 1.710000 GHz Res BW 200 kHz		#Video BW 620	kHz		oan 4.000 MHz 01 s (1001 pts)	X Axis L	og	Local
1 って	Jun 11, 2024 11:57:18 AM					Signal	Track (oom)	

Sub6 n66_20 M_Band Edge_Low_BPSK_FullRB



Spectrum Anal Channel Powe	lyzer 1	+	-				\$	Frequency	- 湯
KEYSIGHT	Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.7085000 Avg Hold: 300/300 Radio Std: None	00 GHz	Center Fr 1.708500	equency 0000 GHz	Settings
1 Graph Scale/Div 10.	▼ 0 dB	R	Ref LvI Offset 27. Ref Value 30.00 dl				Span 4.0000 M CF Step	IHz	
20.0							400.000	kHz	
10.0 0.00						RMS AVG	Auto Man		
-10.0							Freq Offs 0 Hz	et	
-30.0					~~~	m			
-50.0		~~~~~							
Center 1.7085			/ideo BW 390.00	kHz*		Span 4 MHz			
Res BW 39.00 2 Metrics	VO KHZ				Sweep 3.20 n	ns (1001 pts)			
Total Chan	nel Power	-32.49 dBm / 1.00	MHz						
Total Powe	r Spectral Densit	y -92.49 dB	m/Hz						Local
ส ๖	6	Jun 11, 2024 11:57:30 AM							

Sub6 n66_20 M_Extended Band Edge_Low_BPSK_FullRB



Swept SA KEYSIGHT Input: RF Coupling: DC Align: Auto		n: 20 dB PNO: Best Wide np: Off Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS123456 Trig: Free Run A WWWWW A A A A A A	Center Frequency 1.78000000 GHz	Settings
Spectrum ▼ Scale/Div 10 dB	Ref Lvi	Offset 27.14 dB rel 27.14 dBm	Mkr1 1.780 000 GHz -43.732 dBm	Span 4.00000000 MHz	
17.1	m			Full Span	
2.86				Start Freq 1.778000000 GHz Stop Freq	
12 9 22 9			DL1 -13.00 dBm	1.782000000 GHz	
12.9		1		CF Step 400.000 kHz	
52.9			RMS	Auto Man Freq Offset	
62,9				0 Hz X Axis Scale	Local
enter 1.780000 GHz Res BW 30 kHz		o BW 100 kHz	Span 4.000 MHz #Sweep ~1.01 s (1001 pts)		

Sub6 n66_20 M_Band Edge_High_BPSK_1RB



Spectrum Analyzer 1 Swept SA	• +				₽	Frequency	(
EYSIGHT Input: RF L +++ Coupling: D Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	#Atten: 20 dB Preamp: Off	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	#Avg Type: Power (RMS 1 2 3 4 Trig: Free Run	A A	er Frequency 0000000 GHz	Settings
Spectrum v cale/Div 10 dB		Ref Lvl Offset 27. Ref Level 27.14 d		Mkr1 1.780 044 0 -40.478 d	Bm 🔤 s	000000 MHz Swept Span Zero Span	
17.1						Full Span	
.14					Start 1.77	Freq 3000000 GHz	
12.9				DL1 -13.0	Stop	Freq 2000000 GHz	
2.9						AUTO TUNE	
2.9		••••••••••••••••••••••••••••••••••••••	1		RMS	000 kHz	
2.9						Auto Man	
52.9					Freq 0 Hz		
enter 1.780000 GHz Res BW 200 kHz		#Video BW 620	kHz	Span 4.000 #Sweep ~1.01 s (1001	MHZ	s Scale _og _in	Loca
1	? Jun 11, 2024 12:02:17 PM	$\mathbf{P} \Delta$				l Track Zoom)	

Sub6 n66_20 M_Band Edge_High_BPSK_FullRB



Spectrum An Channel Pov	alyzer 1	+					🗘 Frequ	uency 🔻 🔛
KEYSIGH RL +>	Coupling DC	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Off	Atten: 20 dB Preamp: Off #PNO: Fast	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.78150 Avg Hold: 300/300 Radio Std: None	0000 GHz	Center Frequency 1.781500000 GF	
1 Graph	•		Ref LvI Offset 27				Span 4.0000 MHz	
Scale/Div 10	0.0 dB		Ref Value 30.00 d	IBm			CF Step	
20.0							400.000 kHz Auto Man	
0.00 -10.0 -20.0							Freq Offset 0 Hz	
-40.0						RMS AVG		
Center 1.78 Res BW 39.0			Video BW 390.00	kHz*	Sween 3 20	Span 4 MHz 0 ms (1001 pts)		
2 Metrics	v.					, 100 (1001 p.c.)		
Total Cha	nnel Power	-37.46 dBm / 1.00) MHz					
Total Pow	er Spectral Densit	ty -97.46 dE	8m/Hz					Local
15	6 1	? Jun 11, 2024 12:02:26 PM			.:: 📎			

Sub6 n66_20 M_Extended Band Edge_High_BPSK_FullRB





11. TEST PLOTS (ANT F)



	upling: DC Cor		n: 20 dB amp: Off	Trig: Free Run #IF Gain: Low	Center Freq 1.745000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	•	2 Graph	•			CF Step 20.000000 MHz	
Average Po	wer	Gaussian				Auto Man	1
	22.29 dBm					Freq Offset	1
	47.86 % at 0 dB	10 %				0 Hz	
10.0 %	1.95 dB						
1.0 %	3.47 dB	1%					
0.1 %	4.55 dB						
0.01 %	5.32 dB	0.1 %		$\langle \rangle$			
0.001 %	5.76 dB						
0.0001 %	5.94 dB	0.01 %					
Laure	6.10 dB	0.001 %					
Peak	28.39 dBm						
		0.0001 % 0.00 dB Info BW 5.000) MHz		20.0	0 dB	L

Sub6 n66_5 M_PAR_Mid_BPSK_FullRB



	upling: DC Corr		en: 20 dB amp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics		2 Graph	•			CF Step 5.000000 MHz	
Average Pov	ver	Gaussian				Auto Man	
	21.79 dBm					Freq Offset	
	17.17 % at 0 dB	10 %				0 Hz	
10.0 %	2.31 dB						
1.0 %	4.46 dB	1 %					
0.1 %	5.73 dB						
0.01 %	6.52 dB	0.1 %					
0.001 %	6.98 dB						
0.0001 %	7.30 dB	0.01 %					
-	7.42 dB	0.001 %					
Peak	29.21 dBm						
		0.0001 % 0.00 dB Info BW 5.000	0 MHz		20.0	00 dB	L

Sub6 n66_5 M_PAR_Mid_QPSK_FullRB



	upling: DC Cor			g: Free Run ⁻ Gain: Low	Center Freq. 1.745000000 Counts: 2.00 M/2.00 Mpt Radio Std: None	GHz	Center Frequency 1.745000000 GHz	Setting
trics	¥	2 Graph	•				CF Step 5.000000 MHz	
Average Pov	wer	Gaussian					Auto Man	
	20.80 dBm						Freq Offset	1
	45.68 % at 0 dB	10 %					0 Hz	
10.0 %	2.72 dB							
1.0 %	4.98 dB	1%						
0.1 %	6.42 dB							
0.01 %	7.48 dB	0.1 %						
0.001 %	8.29 dB							
0.0001 %	8.72 dB	0.01 %			x			
	8.75 dB	0.001 %						
Peak	29.55 dBm							
		0.0001 % 0.00 dB Info BW 5.0000	MHz			20.00 dB		L

Sub6 n66_5 M_PAR_Mid_16QAM_FullRB



	upling: DC Cor		en: 20 dB eamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GH	
trics	¥	2 Graph	•			CF Step 5.000000 MHz	
Average Pov	ver	Gaussian				Auto Man	
	20.30 dBm					Freq Offset	
4	15.36 % at 0 dB	10 %				0 Hz	
10.0 %	2.78 dB						
1.0 %	5.20 dB	1%					
0.1 %	6.65 dB						
0.01 %	7.58 dB	0.1 %					
0.001 %	8.39 dB						
0.0001 %	8.75 dB	0.01 %					
	8.81 dB	0.001 %					
Peak	29.11 dBm						
		0.0001 % 0.00 dB Info BW 5.000	00 MHz		20.	00 dB	L

Sub6 n66_5 M_PAR_Mid_64QAM_FullRB



	upling: DC Cor		Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	¥	2 Graph	•			CF Step 5.000000 MHz	
Average Pov	ver	Gaussian				Auto Man	
	18.28 dBm	N.				Freq Offset	
	45.11 % at 0 dB	10 %				0 Hz	
10.0 %	2.80 dB						
1.0 %	5.23 dB	1%					
0.1 %	6.83 dB						
0.01 %	7.64 dB	0.1 %					
0.001 %	8.26 dB						
0.0001 %	8.47 dB	0.01 %					
	8.53 dB	0.001 %					
Peak	26.81 dBm						
		0.0001 % 0.00 dB Info BW 5.0	000 MHz		20.0	00 dB	L

Sub6 n66_5 M_PAR_Mid_256QAM_FullRB



	upling: DC Cor		Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	•	2 Graph	•			CF Step 5.000000 MHz	
Average Pov	ver	Gaussian 100 %				Auto Man	1
	22.35 dBm					Freq Offset	
	46.83 % at 0 dB	10 %				0 Hz	
10.0 %	1.91 dB						
1.0 %	3.72 dB	1%					
0.1 %	4.54 dB						
0.01 %	5.21 dB	0.1 %		\rightarrow			
0.001 %	5.80 dB						
0.0001 %	6.17 dB	0.01 %					
	6.24 dB	0.001 %					
Peak	28.59 dBm						-
		0.0001 % 0.00 dB Info BW 10	.000 MHz		20.00	0 dB	L

Sub6 n66_10 M_PAR_Mid_BPSK_FullRB



	Ipling: DC Corr		ten: 20 dB reamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	•	2 Graph	•			CF Step 10.000000 MHz	
Average Pov	ver	Gaussian				Auto Man	
	21.85 dBm	X				Freq Offset	1
	5.98 % at 0 dB	10 %				0 Hz	
10.0 %	2.33 dB	1%					
1.0 %	4.46 dB	1 7%					
0.1 %	5.74 dB			+			
0.01 %	6.59 dB	0.1 %		\setminus			
0.001 %	7.24 dB						
0.0001 %	7.64 dB	0.01 %					
	7.72 dB	0.001 %					
Peak	29.57 dBm						
		0.0001 % 0.00 dB Info BW 10.0	00 MHz		20.0	0 dB	L

Sub6 n66_10 M_PAR_Mid_QPSK_FullRB



	upling DC Cor		Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequ 1.74500000	
trics	*	2 Graph	•			CF Step 10.000000 M	1Hz
Average Pov	wer	Gaussian				Auto Man	
	20.84 dBm					Freq Offset	
	45.06 % at 0 dB	10 %				0 Hz	
10.0 %	2.83 dB						
1.0 %	5.02 dB	1 %					
0.1 %	6.49 dB						
0.01 %	7.35 dB	0.1 %					
0.001 %	7.80 dB						
0.0001 %	8.06 dB	0.01 %					
	8.20 dB	0.001 %					
Peak	29.04 dBm						
		0.0001 % 0.00 dB Info BW 10.	000 MHz		20.	.00 dB	L

Sub6 n66_10 M_PAR_Mid_16QAM_FullRB



	upling: DC Corr		utten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequen	
trics	*	2 Graph	•			CF Step 10.000000 MH	z
Average Pov	ver	Gaussian				Auto Man	
	20.33 dBm	M				Freq Offset	
	4.36 % at 0 dB	10 %				0 Hz	
10.0 %	2.93 dB						
1.0 %	5.19 dB	1%					
0.1 %	6.54 dB						
0.01 %	7.42 dB	0.1 %					
0.001 %	7.94 dB						
0.0001 %	8.28 dB	0.01 %					
	8.56 dB	0.001 %					
Peak	28.89 dBm						
		0.0001 % 0.00 dB Info BW 10.	000 MHz		20.	.00 dB	L

Sub6 n66_10 M_PAR_Mid_64QAM_FullRB





Sub6 n66_10 M_PAR_Mid_256QAM_FullRB



	upling: DC Cor			Gain: Low C	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequence 1.745000000 GP	
trics	*	2 Graph	*			CF Step 10.000000 MHz	5
Average Pov	ver	Gaussian				Auto Man	
	22.32 dBm					Freq Offset	
	47.10 % at 0 dB	10 %	\searrow			0 Hz	
10.0 %	1.86 dB						
1.0 %	3.43 dB	1%					
0.1 %	4.47 dB						
0.01 %	5.14 dB	0.1 %					
0.001 %	5.55 dB						
0.0001 %	5.89 dB	0.01 %					
	5.95 dB	0.001 %					_
Peak	28.27 dBm						
		0.0001 % 0.00 dB Info BW 15.000	MHz		20.0	00 dB	L

Sub6 n66_15 M_PAR_Mid_BPSK_FullRB



	upling: DC Cor		Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	•	2 Graph	•			CF Step 15.000000 MHz	
Average Pov	ver	Gaussian				Auto Man	
	21.82 dBm	X				Freq Offset	1
	46.32 % at 0 dB	10 %				0 Hz	
10.0 %	2.28 dB						
1.0 %	4.42 dB	1%					
0.1 %	5.65 dB	E					
0.01 %	6.48 dB	0.1 %					
0.001 %	7.09 dB						
0.0001 %	7.44 dB	0.01 %					
	7.56 dB	0.001 %					
Peak	29.38 dBm						
		0.0001 % 0.00 dB Info BW 15	.000 MHz		20.0	0 dB	L

Sub6 n66_15 M_PAR_Mid_QPSK_FullRB



	upling: DC Co	ut Ζ: 50 Ω rr CCorr eq Ref: Int (S)	Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	*	2 Graph	•			CF Step 15.000000 MHz	
Average Pov	ver	Gaussia 100 %	in i			Auto Man	
	20.84 dBm	1				Freq Offset	
	14.95 % at 0 dB	10 %				0 Hz	
10.0 %	2.75 dB						
1.0 %	5.04 dB	1 %					
0.1 %	6.42 dB						
0.01 %	7.30 dB	0.1 %					
0.001 %	7.83 dB						
0.0001 %	8.48 dB	0.01 %					
	8.51 dB	0.001 %					
Peak	29.35 dBm						
		0.0001 % 0.00 dB Info BW 1	5.000 MHz	۲	20.0	0 dB	La

Sub6 n66_15 M_PAR_Mid_16QAM_FullRB



	pling: DC Co	ut Ζ: 50 Ω rr CCorr iq Ref: Int (S)	Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
etrics	*	2 Graph	•			CF Step 15.000000 MHz	
Average Pov	ver	Gaussia	n			Auto Man	
	20.32 dBm					Freq Offset	
4	4.40 % at 0 dB	10 %				0 Hz	
10.0 %	2.83 dB						
1.0 %	5.22 dB	1%					
0.1 %	6.73 dB						
0.01 %	7.51 dB	0.1 %					
0.001 %	8.16 dB						
0.0001 %	8.91 dB	0.01 %					
	9.00 dB	0.001 %					
Peak	29.32 dBm			La L			-
		0.0001 % 0.00 dB Info BW 1	5.000 MHz		20.00	0 dB	La

Sub6 n66_15 M_PAR_Mid_64QAM_FullRB





Sub6 n66_15 M_PAR_Mid_256QAM_FullRB



	upling: DC Cor		n: 20 dB amp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GH Counts: 2.00 M/2.00 Mpt Radio Std: None		enter Frequency 1.745000000 GHz	Setting
trics	*	2 Graph	•				F Step 15.000000 MHz	
Average Pov	wer	Gaussian					Auto Man	
	22.36 dBm						req Offset	
	45.02 % at 0 dB	10 %) Hz	
10.0 %	2.00 dB							
1.0 %	4.22 dB	1%						
0.1 %	5.08 dB							
0.01 %	5.34 dB	0.1 %		λ				
0.001 %	5.69 dB							
0.0001 %	5.89 dB	0.01 %						
	5.91 dB	0.001 %						
Peak	28.27 dBm							-
		0.0001 % 0.00 dB Info BW 20.000) MHz		2	0.00 dB		U

Sub6 n66_20 M_PAR_Mid_BPSK_FullRB



	pling: DC Cor	ut Ζ: 50 Ω r CCorr q Ref: Int (S)	Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq. 1.745000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None	Center Frequency 1.745000000 GHz	Setting
trics	•	2 Graph	•			CF Step 20.000000 MHz	
Average Pov	ver	Gaussian	1			Auto Man	1
	21.89 dBm					Freq Offset	1
4	4.06 % at 0 dB	10 %				0 Hz	
10.0 %	2.57 dB	1%					
1.0 %	4.70 dB						
0.1 %	5.68 dB			+			
0.01 %	6.49 dB	0.1 %		\setminus			
0.001 %	6.98 dB						
0.0001 %	7.37 dB	0.01 %					
	7.39 dB	0.001 %					
Peak	29.28 dBm						
		0.0001 % 0.00 dB Info BW 20	0.000 MHz		20.00) dB	L

Sub6 n66_20 M_PAR_Mid_QPSK_FullRB



	upling: DC Cor		Atten: 20 dB Preamp: Off	Trig: Free Run #IF Gain: Low	Center Freq: 1.745000000 GHz Counts: 2.00 M/2.00 Mpt Radio Std: None	Center Free 1.7450000		tting
trics	•	2 Graph	•			CF Step 20.000000	MHz	
Average Pov	ver	Gaussian				Auto Man		
	20.87 dBm					Freq Offset		
	2.86 % at 0 dB	10 %				0 Hz		
10.0 %	3.03 dB							
1.0 %	5.10 dB	1 %						
0.1 %	6.36 dB			X X				
0.01 %	7.16 dB	0.1 %						
0.001 %	7.79 dB							
0.0001 %	8.24 dB	0.01 %						
	8.49 dB	0.001 %						
Peak	29.36 dBm							
		0.0001 % 0.00 dB Info BW 20.	000 MHz		20.	00 dB		L

Sub6 n66_20 M_PAR_Mid_16QAM_FullRB





Sub6 n66_20 M_PAR_Mid_64QAM_FullRB





Sub6 n66_20 M_PAR_Mid_256QAM_FullRB



Spectrum Analyzer 1 Occupied BW	+					\$	Frequency	- 1 絵
KEYSIGHT Input: RF R L Coupling: DC Align: Auto Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000 Avg Hold: 500/500 Radio Std: None	000 GHz	1.7450	Frequency 000000 GHz	Settings
1 Graph 🔹		Ref LvI Offset 27				Span 10.000	MHz	
Scale/Div 10.0 dB		Ref Value 40.00 (00 MHz	
10.0		Charles Contraction	and the second			Au Ma		
-10.0 -20.0 -30.0				- Manager	PEAK	Freq Ol 0 Hz	ffset	
-40.0								
Center 1.745000 GHz #Res BW 100.00 kHz		#Video BW 390.0	00 kHz		Span 10 MHz ms (1001 pts)			
2 Metrics	43 MHz		Total Power	31.0	dBm			
Transmit Freq Error x dB Bandwidth	7.300 kł 5.394 Mł		% of OBW Pow x dB		00 % 00 dB			Local
1 7 7 1	Jul 08, 2024 4:46:01 PM							

Sub6 n66_5 M_OBW_Mid_BPSK_FullRB



Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF R L + Coupling: DC Align: Auto	+ Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std		1.7450	Frequency Frequency 000000 GHz	v 📩
1 Graph Scale/Div 10.0 dB Log 20.0 20.0 10.0		Ref Lvi Offset 27. Ref Value 40.00 d				AL	p 000 MHz ito	
10.0 10.0 10.0 -20.0 -20.0 -40.0 -55.0 Center 1.745000 GHz		#Video BW 390.0	10 kHz		PEAU Span 10 MH		122	
Res BW 100.00 kHz 2 Metrics v Occupied Bandwidth	96 MHz		Total Power	S	weep 16.7 ms (1001 pts 30.8 dBm			
Transmit Freq Error x dB Bandwidth	-8.377 ki 5.305 Mi		% of OBW Pow x dB	ver	99.00 % -26.00 dB			Local
1 7 7 1 1	Jul 08, 2024 4:46:32 PM				# 🕃 - X			

Sub6 n66_5 M_OBW_Mid_QPSK_FullRB



upied BW	+					₽	Frequency	12
YSIGHT Input: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:			Frequency 00000 GHz	Settings
raph 🔻		Ref LvI Offset 27				Span 10.000	MHz	
le/Div 10.0 dB		Ref Value 40.00	dBm			CF Step 1.0000	o 00 MHz	
0		****	makhter and a first and a second second	man		Aut Ma		
a contraction of the second se					PEAL PEAL	Freq Of 0 Hz	lset	
0					And Sherry and Sherry and Sherry			
ter 1.745000 GHz s BW 100.00 kHz		#Video BW 390.	00 kHz	S	Span 10 MH weep 16.7 ms (1001 pts			
Occupied Bandwidth	70 MHz		Total Power		29.9 dBm			
Transmit Freq Error x dB Bandwidth	-1.345 kl 5.468 Mi		% of OBW Pow x dB	ver	99.00 % -26.00 dB			Loc

Sub6 n66_5 M_OBW_Mid_16QAM_FullRB



The second se		20 dB Trig: Free Run np: Off Gate: Off #IF Gain: Low	Center Freq: 1.745000000 GHz Avg Hold: 500/500 Radio Std: None	Center Frequency 1.745000000 GHz Span	Settings
Sraph 🔻		Offset 27.32 dB		10.000 MHz	
ale/Div 10.0 dB	Ref Val	ue 40.00 dBm		CF Step 1.000000 MHz Auto Man	
				Freq Offset 0 Hz	
nter 1.745000 GHz es BW 100.00 kHz	#Video	BW 390.00 kHz	Span 10 Sweep 16.7 ms (1001		
fetrics v	32 MHz	Total Power	29.2 dBm		
		% of OBW Po	wer 99.00 %		

Sub6 n66_5 M_OBW_Mid_64QAM_FullRB



EYSIGHT Input: RF L + Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: 5 Radio Std		Ĺ		requency 00000 GHz	Settings
Graph v cale/Div 10.0 dB		Ref LvI Offset 27					10.000	MHz	
		Ref Value 40.00 c					CF Step 1.00000	00 MHz	
00		a		m			Aut Mar		
0.0					moremen	PEAK	Freq Off 0 Hz	set	
0.0 0.0 enter 1.745000 GHz Res BW 100.00 kHz		#Video BW 390.0	00 kHz		Span *	0 MHz			
Metrics v									
Occupied Bandwidth 4.53	03 MHz		Total Power		26.8 dBm				
Transmit Freq Error x dB Bandwidth	6.288 k 5.400 M		% of OBW Pow x dB	ver	99.00 % -26.00 dB				Loc
	? Jul 08, 2024 4:48:07 PM								

Sub6 n66_5 M_OBW_Mid_256QAM_FullRB



Spectrum Analyzer 1 Occupied BW	+					Frequency	- 影
RL +++ Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 GHz Avg Hold: 500/500 Radio Std: None	printer and an other state	Frequency 00000 GHz	Settings
1 Graph	F	Ref Lvl Offset 27			Span 20.000	MHz	
Scale/Div 10.0 dB		Ref Value 40.00 c	JBM		CF Step 2.0000	o 00 MHz	
20.0	farman		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Au Ma		
-10.0	/			PEAK	Freq Of 0 Hz	fset	
-30.0							
Center 1.74500 GHz #Res BW 200.00 kHz	#	∜Video BW 820.0	00 kHz	Span 20 MHz Sweep 1.00 ms (1001 pts)			
2 Metrics V							
Occupied Bandwidth	ŝ1 MHz		Total Power	30.5 dBm			
Transmit Freq Error x dB Bandwidth	-195.20 kH 10.06 MH		% of OBW Pow x dB				Local
4 h C L 1	Jul 08, 2024 4:53:23 PM	\mathbb{D}		👪 👪 🔣 🔣			

Sub6 n66_10 M_OBW_Mid_BPSK_FullRB



Spectrum Analyzer 1 Occupied BW	+					\$	Frequency	- *
RL +++ Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.74500 Avg Hold: 500/500 Radio Std: None	0000 GHz	1.74500	requency 0000 GHz	Settings
1 Graph		Ref LvI Offset 27				Span 20.000	MHz ,	
Scale/Div 10.0 dB		Ref Value 40.00 (1Bm			CF Step 2.00000	10 MHz	
20.0	June		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	-		Auto Mar		
-10.0	A			M	PEAK	Freq Off: 0 Hz	set	
-30.0 -40.0 -50.0				- marine	munhanna			
Center 1.74500 GHz #Res BW 200.00 kHz		∜Video BW 820.0	00 kHz	Sweep 1.0	Span 20 MHz 0 ms (1001 pts)			
2 Metrics V								
Occupied Bandwidth	10111-							
	10 MHz		Total Power		.1 dBm			
Transmit Freq Error x dB Bandwidth	-189.82 kH 10.19 MH		% of OBW Pow x dB		9.00 % 6.00 dB			Local
1 576	Jul 08, 2024 4:53:46 PM							

Sub6 n66_10 M_OBW_Mid_QPSK_FullRB



Spectrum Analyzer 1 Occupied BW	+					Frequency	- * 器
RL +++ Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 GHz Avg Hold: 500/500 Radio Std: None	procession and an other state	Frequency 00000 GHz	Settings
1 Graph	F	Ref LvI Offset 27			Span 20.000	MHz	
Scale/Div 10.0 dB		Ref Value 40.00 c	iBm		CF Step 2.0000	o 00 MHz	
20.0	Jamman	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	-n	Au Ma		
-10.0	Jan Start St			han PEAK	Freq Of 0 Hz	fset	
-30.0				PEAK			
Center 1.74500 GHz #Res BW 200.00 kHz		≠Video BW 820.0	00 kHz	Span 20 MHz Sweep 1.00 ms (1001 pts)			
2 Metrics 🔹							
Occupied Bandwidth	09 MHz		Total Power	29.1 dBm			
Transmit Freq Error x dB Bandwidth	-193.89 kH 9.879 MH		% of OBW Pow x dB				Local
	0.070 11			-20,00 00			Local
4 h C l 1	Jul 08, 2024 4:54:07 PM	\odot \triangle		II 🚯 🗄 🔀			

Sub6 n66_10 M_OBW_Mid_16QAM_FullRB



Spectrum Analyzer 1 Occupied BW	+					Frequency	- 絵
KEYSIGHT Input: RF R L Imput: RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq. 1.745000000 GHz Avg Hold: 500/500 Radio Std: None	and the second s	Frequency 000000 GHz	Settings
1 Graph 🔻		Ref LvI Offset 27			Span 20.000) MHz	
Scale/Div 10.0 dB		Ref Value 40.00 c	1Bm		CF Step 2.0000	p 000 MHz	
20.0	Juni	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~	Au Ma		
-10.0				PEA	Freq Of 0 Hz	fset	
-30.0							
Center 1.74500 GHz #Res BW 200.00 kHz		#Video BW 820.0	00 kHz	Span 20 MH Sweep 1.00 ms (1001 pts			
2 Metrics V							
Occupied Bandwidth	58 MHz		Total Power	28.5 dBm			
Transmit Freq Error	-185.87 kH		% of OBW Pow	er 99.00 %			
x dB Bandwidth	9.764 Mł	12	x dB	-26.00 dB			Local
15CD	Jul 08, 2024 4:54:29 PM	ÐA			ī .		

Sub6 n66_10 M_OBW_Mid_64QAM_FullRB



Spectrum Analyzer 1 Occupied BW	+					Frequency	- · 🛞
RL Input: RF RL Image: Complete	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 Avg Hold: 500/500 Radio Std: None		enter Frequency 1.745000000 GHz	Settings
1 Graph Scale/Div 10.0 dB Log 30.0 20.0	R	ef LvI Offset 27 ef Value 40.00 (C	pan 20.000 MHz F Step 2.000000 MHz	
10.0 0.00 -10.0 -20.0			~~d_~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			Auto Man req Offset	
-20.0 -30.0 -40.0 -50.0				human	DEAK	112	
Center 1.74500 GHz #Res BW 200.00 kHz	#	Video BW 820.	00 kHz	Sweep 1.00 ms	pan 20 MHz s (1001 pts)		
2 Metrics Cccupied Bandwidth 8 98	98 MHz		Total Power	26.5 dF	am		
Transmit Freq Error x dB Bandwidth	-172.84 kH 9.945 MH		% of OBW Pow x dB		%		Local
まって	Jul 08, 2024 4:54:52 PM						

Sub6 n66_10 M_OBW_Mid_256QAM_FullRB



Coccupied DVV	+	-		- 4		Frequency	- 湯
RL +++ Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 GHz Avg Hold: 500/500 Radio Std: None	procession in the local division of the loca	requency 00000 GHz	Settings
1 Graph		Ref LvI Offset 27			Span 30.000	MHz	
Scale/Div 10.0 dB		Ref Value 40.00 c	JBM		CF Step 3.00000	And the second second	
20.0	Jamman		~~~~		Aut Mai		
-10.0	1			PEAK	Freq Off 0 Hz	set	
-30.0				March and a second			
Center 1.74500 GHz #Res BW 300.00 kHz	<i>‡</i>	Video BW 1.200	0 MHz	Span 30 MHz Sweep 1.00 ms (1001 pts)			
2 Metrics Y							
Occupied Bandwidth	52 MHz		Total Power	30.5 dBm			
Transmit Freq Error x dB Bandwidth	-346.19 kł 14.56 Mł		% of OBW Pow x dB	70-0-10-000-0-0-00-00-00-00-00-00-00-00-0			Local
まって .	Jul 08, 2024 5:00:06 PM						

Sub6 n66_15 M_OBW_Mid_BPSK_FullRB



Spectrum Analyzer 1 Occupied BW	+					\$	Frequency	- 米
RL +++ Align: Auto		Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.7450000 Avg Hold: 500/500 Radio Std: None	000 GHz	printing and an other state	Frequency 00000 GHz	Settings
Date PASS	Rei	Lvi Offset 27.3				Span 30.000	MHz	
Scale/Div 10.0 dB	Re	f Value 40.00 dE	sm			CF Step 3.0000	o 00 MHz	
20.0	faramana	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	mm			Aut Ma		
-10.0				1 h	PEAK	Freq Of 0 Hz	fset	
-30.0				mannen	wmmmm me			
Center 1.74500 GHz #Res BW 300.00 kHz	1 #Vi	deo BW 1.2000	MHz		Span 30 MHz ms (1001 pts)			
2 Metrics 🔹								
Occupied Bandwidth	82 MHz		Total Power	30.2	dBm			
Transmit Freq Error x dB Bandwidth	-389.71 kHz 14.66 MHz		% of OBW Pow x dB		00 %			Local
<u>+</u> って	2 Jul 08, 2024 5:00:27 PM	Δ						

Sub6 n66_15 M_OBW_Mid_QPSK_FullRB



Spectrum Analyzer 1	+					\$	Frequency	1
EYSIGHT Input: RF L + Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 Avg Hold: 500/500 Radio Std: None) GHz	1.74500	requency 00000 GHz	Settings
Graph ▼		Ref LvI Offset 27				Span 30.000	MHz	
cale/Div 10.0 dB		Ref Value 40.00 o	dBm			CF Step 3.00000		
0.0	Juna	manna	mm	~~~		Aut Mai		
0.0						Freq Off 0 Hz	set	
0.0				Annonimenter m	PEAK			
enter 1.74500 GHz Res BW 300.00 kHz	#	Video BW 1.200	0 MHz	Sp Sweep 1.00 ms	oan 30 MHz s (1001 pts)			
Metrics v				·				
Occupied Bandwidth	5 MHz		Total Power	29.2 dE	m			
Transmit Freq Error x dB Bandwidth	-359.67 kł 14.69 Mł		% of OBW Pow x dB		%			Loc
								200
	Jul 08, 2024 5:00:48 PM			👪 🔛 -				

Sub6 n66_15 M_OBW_Mid_16QAM_FullRB



Spectrum Analyzer 1	+						Frequency	•
Ceysight Input RF Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745 Avg Hold: 500/500 Radio Std: None	000000 GHz		Frequency 00000 GHz	Settings
Graph 🔻	1	Ref LvI Offset 27				Span 30.000	MHz	
cale/Div 10.0 dB og 0.0		Ref Value 40.00	dBm			CF Step 3.0000		
20.0	Jaman	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	**************************************			Aut Ma		
10.0				h h	PEAK	Freq Off 0 Hz	set	
30.0 40.0 50.0				hmininam	Martin and and and and and and and and and an			
Center 1.74500 GHz Res BW 300.00 kHz	#	#Video BW 1.200	00 MHz	Sweep 1	Span 30 MHz .00 ms (1001 pts)			
? Metrics 🔹 🔻								
Occupied Bandwidth	45 MHz		Total Power		8.5 dBm			
Transmit Freq Error x dB Bandwidth	-365.60 kł 14.55 Mł		% of OBW Pow x dB	ver	99.00 % 26.00 dB			Loca
								LOCA
	Jul 08, 2024 5:01:10 PM							

Sub6 n66_15 M_OBW_Mid_64QAM_FullRB



Coccupied Div	+				Frequency	· • 🛞
KEYSIGHT Input: RF R L Imput: RF Align: Auto Align: Auto		Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq. 1.745000000 GHz Avg[Hold: 500/500 Radio Std: None	Center Frequency 1.745000000 GHz	Settings
1 Graph V Scale/Div 10.0 dB Log 30.0	Re	ef LvI Offset 27. ef Value 40.00 d	to the design of the second		Span 30.000 MHz CF Step 3.000000 MHz	
20.0 10.0 0.00		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Auto Man	
-10.0 -20.0 -30.0 -40.0	/			PEA	Freq Offset 0 Hz	
-50.0 Center 1.74500 GHz #Res BW 300.00 kHz	#\	/ideo BW 1.2000) MHz	Span 30 MH Sweep 1.00 ms (1001 pts		
2 Metrics v						
Occupied Bandwidth 13.44	46 MHz		Total Power	26.6 dBm		
Transmit Freq Error x dB Bandwidth	-359.62 kHz 14.55 MHz		% of OBW Powe x dB	er 99.00 % -26.00 dB		Local
ا ۲ ۲	Jul 08, 2024 5:01:33 PM					

Sub6 n66_15 M_OBW_Mid_256QAM_FullRB



Spectrum Analyzer 1	+				,	Ċ	Frequency	
EYSIGHT Input: RF L + Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 Avg Hold: 500/500 Radio Std: None		1.74500	requency 0000 GHz	Settings
Graph v		Ref LvI Offset 27				Span 40.000 I	ИHz	
cale/Div 10.0 dB		Ref Value 40.00	dBm			CF Step 4.00000	0 MHz	
0.0	jamonar	nan an	homenand			Auto Man		
0.0					PEAK	Freq Offs 0 Hz	et	
0.0					- tork the day			
enter 1.74500 GHz Res BW 390.00 kHz	. #	Video BW 1.600	00 MHz	↓ Spa Sweep 1.00 ms	an 40 MHz (1001 pts)			
Metrics v								
Occupied Bandwidth 17.94	4 MHz		Total Power	30.8 dBr	n			
Transmit Freq Error x dB Bandwidth	-546.33 kH 19.24 MH		% of OBW Pow x dB	ver 99.00 % -26.00 dl				Loc
	NH 08 0004		XUD	-20.00 a				

Sub6 n66_20 M_OBW_Mid_BPSK_FullRB



Spectrum Analyzer 1	+					0	Frequency	- * 😤
KEYSIGHT Input: RF RL ↔ Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 (Avg Hold: 500/500 Radio Std: None		1.74500	requency 0000 GHz	Settings
1 Graph 🔹		ef LvI Offset 27				Span 40.000	MHz	
Scale/Div 10.0 dB	R	ef Value 40.00	dBm			CF Step 4.00000	0 MHz	
20.0	Januar	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	un and a second	~		Auto Mar		
-10.0					PEAK	Freq Off: 0 Hz	set	
-30.0				hermoniment				
Center 1.74500 GHz #Res BW 390.00 kHz	#	Video BW 1.600	0 MHz	Spa Sweep 1.00 ms	an 40 MHz (1001 pts)			
2 Metrics V								
Occupied Bandwidth	4 MHz		Total Power	30.4 dBn				
Transmit Freq Error x dB Bandwidth	-534.50 kH 19.21 MH		% of OBW Pow x dB		6			Local
1 n C 1 ?	Jul 08, 2024 5:07:10 PM	∍∆						

Sub6 n66_20 M_OBW_Mid_QPSK_FullRB



ccupied BW	+				Ċ	Frequency	· • 🕄
EYSIGHT Input: RF L +++ Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 1.745000000 GF Avg Hold: 500/500 Radio Std: None	Cei 1.7	nter Frequency 745000000 GHz	Settings
Graph 🔻		Ref LvI Offset 27			Spa 40	an .000 MHz	
ale/Div 10.0 dB		Ref Value 40.00 (dBm			Step 000000 MHz	
0.0		- alman them	mm	~~		Auto Man	
0.0	1				0 H	q Offset Iz	
0.0				how have been and here and her	with denotions		
enter 1.74500 GHz tes BW 390.00 kHz		Video BW 1.600	00 MHz	↓ Span Sweep 1.00 ms (1	40 MHz 001 pts)		
Metrics v							
Occupied Bandwidth 17.92	2 MHz		Total Power	29.4 dBm			
Transmit Freq Error x dB Bandwidth	-552.33 kł 19.12 Mł		% of OBW Pov x dB				Loc
	N 14 08 0004	5					
	Jul 08, 2024 5:07:31 PM				X		

Sub6 n66_20 M_OBW_Mid_16QAM_FullRB



Spectrum Analyzer 1 Occupied BW	+			Frequency	- 影
RL +++ Coupling: DC Align: Auto	Input Z: 50 Ω Atten: 20 d Corr CCorr Preamp: 0 Freq Ref: Int (S) NFE: Adaptive	ff Gate: Off Avg H	r Freq: 1.745000000 GHz old: 500/500 Std: None	Center Frequency 1.745000000 GHz	Settings
1 Graph	Ref Lvi Offs	Span 40.000 MHz			
Scale/Div 10.0 dB	Ref Value 4			CF Step 4.000000 MHz	
20.0	from manual and the second sec			Auto Man	
-10.0			PEAK	Freq Offset 0 Hz	
-30.0 -30.0 -30.0			man and any and and the		
Center 1.74500 GHz #Res BW 390.00 kHz					
2 Metrics v					
Occupied Bandwidth	4 MHz	Total Power	28.9 dBm		
Transmit Freq Error x dB Bandwidth	-565.44 kHz 19.20 MHz	% of OBW Power x dB	99.00 % -26.00 dB		Local
					Locar
= って :	Jul 08, 2024 5:07:52 PM				

Sub6 n66_20 M_OBW_Mid_64QAM_FullRB



Cocupied BW	H Input Z: 50 Ω Corr CCorr	Atten: 20 dB Preamp: Off	Trig: Free Run Gate: Off	Center Freq: 1.74 AvalHold: 500/500		provide and the second s	Frequency	Settings
Align: Auto	Freq Ref: Int (S) NFE: Adaptive		#IF Gain: Low	Radio Std: None		1.74500	0000 GHz	
Graph v		Ref LvI Offset 27				Span 40.000	MHz	
Scale/Div 10.0 dB _og 30.0		Ref Value 40.00	dBm			CF Step 4.00000	0 MHz	
20.0	a	mann	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~		Aut Mar		
10.0						Freq Off 0 Hz	set	
30.0 40.0 50.0	~			himm	PEAK			
Center 1.74500 GHz #Video BW 1.6000 MHz Span 40 MHz #Res BW 390.00 kHz Sweep 1.00 ms (1001 pts								
? Metrics V								
Occupied Bandwidth	ı 894 MHz		Total Power		26.8 dBm			
Transmit Freq Error	-504.61 k	Hz	% of OBW Pow		99.00 %			-
x dB Bandwidth	19.32 M	Hz	x dB		-26.00 dB			Local
	7 Jul 08, 2024	\odot \land						

Sub6 n66_20 M_OBW_Mid_256QAM_FullRB





Sub6 n66_5 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB





Sub6 n66_5 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB





Sub6 n66_5 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB





Sub6 n66_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB





Sub6 n66_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB





Sub6 n66_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB