

RL	RF	zer - Swept SA 50 Ω A			SENS	E:INT		ALIGN AUTO	02:59:50 P	M May 24, 2024	
enter F	req 5.0	150000	PNO: Fa	st 🔸	Trig: Free F #Atten: 20		#Avg Typ	e: RMS	TYP	E 1 2 3 4 5 6 A AAAAAA	Frequency
) dB/div	Ref 1	0.00 dBr	n					Mk	r1 3.698 -67.3	3 5 GHz 94 dBm	Auto Tur
.00 0.0 0.0		2									Center Fro 5.015000000 GI
).0).0).0											Start Fr 30.000000 M
0.0 0.0 0.0		-						~~~~	at the second	RMS	Stop Fr 10.00000000 G
	1.0 MH	z		VBW	3.0 MHz				.33 ms (2		CF Sto 997.000000 M Auto M
			X 3.698 5 GH 1.710 9 GH	z	<u>-67.394 dBr</u> -5.175 dBr	FUNC m	TION FUN	ICTION WIDTH	FUNCTION	DN VALUE	Freq Offs 01
7 8 9 0											
					m						

LTE B66_3 M_Conducted Spurious(30 M-10 G)_Low_QPSK_1RB



				-			alyzer - Swept			
Frequency	03:02:39 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A	ALIGN AUTO	#Avg	SENSE:IN	NO: Fast +			req 5		ente
Auto Tur	3.679 0 GHz -67.445 dBm	Mkr		#Atten: 20 dB	Gain:Low		10.00 d	Ref	J/div	dB/
Center Fre 5.015000000 GR							²			.00 - 0.0 -
Start Fro 30.000000 Mi										0.0 - 0.0 - 0.0 -
Stop Fro 10.000000000 Gi	RMS				1. 	de jang and die antigen began		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	population (income).0).0).0
CF Ste 997.000000 M Auto M	top 10.000 GHz ms (20001 pts)	Sweep 17.3	FUNCTION	3.0 MHz	#VBW	X	ЛНz	1.0 №	30 N BW	les
Freq Offs 01	E			67.445 dBm -4.813 dBm	0 GHz 3 GHz	3.679		f	N 1 N 1	1 1
										8 9 0 1
		STATUS								1

LTE B66_3 M_Conducted Spurious(30 M-10 G)_Mid_QPSK_1RB



RL RL	m Analyzer - Swept SA RF 50 Q AC		SENSE:INT	ALIGN AUTO	03:04:59 PM May 24, 2024	
	q 5.01500000	O GHz PNO: Fast ↔ IFGain:Low		#Avg Type: RMS	TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A	Frequency
0 dB/div	Ref 10.00 dBm	I Guincow		Mk	r1 3.694 5 GHz -67.213 dBm	Auto Tun
0.00						Center Fre 5.015000000 GH
30.0 40.0 50.0						Start Fre 30.000000 M⊦
50.0 70.0 50.0					RMS	Stop Fre 10.000000000 GH
tart 30 MH Res BW 1.	0 MHz	#VBV	V 3.0 MHz	Sweep 17	Stop 10.000 GHz 33 ms (20001 pts)	CF Ste 997.000000 MH Auto Ma
1 N 1 2 N 1 3 4 5 6	f 3	0.694 5 GHz 1.780 2 GHz	-67.213 dBm -5.164 dBm	UNCTION FONCTION WIDTH	FUNCTION VALUE	Freq Offse 0 ⊦
7 8 9 9 9 10 11					-	

LTE B66_3 M_Conducted Spurious(30 M-10 G)_High_QPSK_1RB



Agilent Spect	RF	50 Ω /				SENS	E:INT		A	LIGN AUTO	03:11:	11 PM May	24,2024	
enter Fr	eq 5.0	150000		PNO: Fast IFGain:Low		g: Free F ten: 20 (#Avg	Type	RMS				Frequency
0 dB/div og r	Ref 1	0.00 dB	m							M	kr1 3.6 -67	688 5 .313	GHz dBm	Auto Tu
0.00 10.0 20.0														Center Fr 5.015000000 G
10.0 10.0 10.0														Start Fr 30.000000 M
50.0 70.0 50.0	and the second				1	-				نيو د الار يو اللي			RMS	Stop Fr 10.000000000 G
tart 30 N Res BW	1.0 MH	z	X	#VE	W 3.0		51	NCTION		veep 17	7.33 ms	10.000 (2000	1 pts)	CF St 997.000000 M Auto M
1 N 1 2 N 1 3 4 5 5 6 7	f		3.68	88 5 GHz 10 9 GHz	-67.3	13 dBr 91 dBr	n		FUNC		POI			Freq Offs 0
8 9 0 1						ш							, -	
G										STATU	s			

LTE B66_5 M_Conducted Spurious(30 M-10 G)_Low_QPSK_1RB



Agilent Spectrum Analyzer - Swept SA					
RL RF 50 Ω AC enter Freq 5.01500000	0 GHz	SENSE:INT	#Avg Type: RMS	03:13:59 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWW DET A A A A A A	Frequency
0 dB/div Ref 10.00 dBm	IFGain:Low	#Atten: 20 dB	M	kr1 3.160 1 GHz -67.278 dBm	Auto Tun
					Center Fre 5.015000000 GH
0.0					Start Fre 30.000000 M⊦
50.0 70.0 50.0				RMS	Stop Fre 10.000000000 GF
tart 30 MHz Res BW 1.0 MHz		∜ 3.0 MHz		Stop 10.000 GHz 7.33 ms (20001 pts)	CF Ste 997.000000 MH Auto Ma
1 N 1 f 2 N 1 f 3 4 5 5 6	3.160 1 GHz 1.743 3 GHz	-67.278 dBm -4.936 dBm	ONCTON FUNCTION WIDTH		Freq Offse 0 ⊦
7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9					
012					

LTE B66_5 M_Conducted Spurious(30 M-10 G)_Mid_QPSK_1RB



Agilent Spec	RF	50 Ω AC		s	ENSE:INT		ALIGN AUTO	03:16:20 P	M May 24, 2024	
enter Fi	req 5.0	1500000	PNO: Fast IFGain:Low	40.00	ee Run	#Avg Ty	be: RMS	TRAC	E 1 2 3 4 5 6 E A MMMMM T A A A A A A	Frequency
0 dB/div	Ref 10).00 dBm					Mk	(r1 3.675 -67.10	50 GHz 66 dBm	Auto Tun
0.00 0.00 0.0										Center Fre 5.015000000 GH
10.0 10.0 10.0										Start Fre 30.000000 MH
60.0 70.0 60.0				1					RMS	Stop Fre 10.00000000 GF
tart 30 N Res BW	1.0 MH	z		3W 3.0 MH			weep 17	.33 ms (2	.000 GHz 0001 pts)	CF Ste 997.000000 Mi Auto Ma
1 N 1 2 N 1 3 4 5 5 6 7 8	f		3.675 0 GHz 1.780 2 GHz	-67.166 c -4.119 c	IBm				5	Freq Offs 0 F
9				m			-	1	•	
G							STATUS	S		

LTE B66_5 M_Conducted Spurious(30 M-10 G)_High_QPSK_1RB



RL	RF	zer - Swept SA 50 Ω AC		SENSE:INT	ri i i	ALIGN AUTO	03:20:10 PM M	ay 24, 2024	-
enter F	req 5.0	1500000	PNO: Fast IFGain:Low	Trig: Free Run #Atten: 20 dB	#Avg	Type: RMS	TYPE	23456 A A A A A A	Frequency
) dB/div	Ref 1	0.00 dBm				M	(r1 3.690 (-66.828	5 GHz dBm	Auto Tur
0.0 0.0		²							Center Fre 5.015000000 GR
0.0 0.0 0.0									Start Fro 30.000000 Mi
0.0						~~~~		RMS	Stop Fre 10.000000000 GH
art 30 I Res BW	1.0 MH	lz 、		W 3.0 MHz	FUNCTION	Sweep 17	Stop 10.00 2.33 ms (200	01 pts)	CF Ste 997.000000 Mi Auto M
1 N			3.690 5 GHz 1.711 4 GHz	-66.828 dBm -5.259 dBm	TONCTION		FUNCTION		Freq Offs 01
8									
				m					

LTE B66_10 M_Conducted Spurious(30 M-10 G)_Low_QPSK_1RB



RL	um Analyzer - Sv RF 50	xept SA Ω AC		SENSE:	INT.	ALIGN AUTO	03:22:52 PM M	N: 24 2024	
enter Fre			GHz PNO: Fast -		#Av	g Type: RMS	TRACE	2 3 4 5 6 A MAMMAA A A A A A A	Frequency
0 dB/div	Ref 10.00) dBm	IPGam.Low			Mł	(r1 3.712 4 -67.111	GHz	Auto Tun
0.00 10.0 20.0		2							Center Fre 5.015000000 GH
30.0 40.0 50.0									Start Fre 30.000000 MH
60.0 70.0 60.0						~~~~~		RMS	Stop Fre 10.00000000 GF
tart 30 M Res BW 1	1.0 MHz		#VB	W 3.0 MHz	FUNCTION		Stop 10.00 .33 ms (200	01 pts)	CF Ste 997.000000 Mi Auto Ma
N 1 1 N 1 2 N 1 3 - - 4 - - 5 - - 6 - -	f	× <u>3.7</u> 1.7	12 4 GHz 41 4 GHz	-67.111 dBm -5.561 dBm		FUNCTION WIDTH	FUNCTION	ALUE A	Freq Offs 0 H
7 8 9 10									
1									

LTE B66_10 M_Conducted Spurious(30 M-10 G)_Mid_QPSK_1RB



Agilent Spectro		50 Ω AC		SENSE:IN	т	ALIGN AUTO	03:25:13 PM M	av 24, 2024	
enter Fre			PNO: Fast IFGain:Low		#Avg	Type: RMS	TRACE TYPE	1 2 3 4 5 6 A A A A A A A	Frequency
) dB/div	Ref 10.	00 dBm				M	(r1 3.718 -67.524	4 GHz I dBm	Auto Tur
0.0									Center Fre 5.015000000 GH
0.0									Start Fro 30.000000 Mi
0.0 0.0 0.0	****							RMS	Stop Fr 10.00000000 G
art 30 M Res BW 1	I.0 MHz		#VB	W 3.0 MHz			Stop 10.0 7.33 ms (200	001 pts)	CF Sto 997.000000 M Auto M
N 1 N 1 2 N 1 3 4 5	f	× 3	.718 4 GHz .780 2 GHz	-67.524 dBm -5.064 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION		Freq Offs 0
6 7 8 9 0									
1									

LTE B66_10 M_Conducted Spurious(30 M-10 G)_High_QPSK_1RB



Processor Trig: Free Run #Atten: 20 dB Trig: Free Run #Atten: 20 dB Trig: Free Run Det AAAAAA Auto 0 dB/div Ref 10.00 dBm -67.219 dBm Center 5.01500000 0 dB/div Ref 10.00 dBm -67.219 dBm Start 0 dB/div Quadratic -000000000000000000000000000000000000	Agilent Spec	RF	50 Ω A0			SENSE:IN	Т	ALIGN A	UTO 03:	27:48 PM May 24	2024	
MKr1 3.690 0 GH2 0 dB/div Ref 10.00 dBm -67.219 dBm 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	enter Fi	req 5.0	150000	PNO: Fast				g Type: RMS	3	TYPE A WW	www	Frequency
0.000 	0 dB/div	Ref 1	0.00 dBn	n					Mkr1 3 -6	.690 0 G 7.219 dl	HZ 3m	Auto Tur
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0.00		²									Center Fre 5.015000000 GH
Stop Stop 10.0000000 tart 30 MHz Stop 10.000 GHz Stop 10.000 GHz Res BW 1.0 MHz #VBW 3.0 MHz Sweep 17.33 ms (20001 pts) KR MODE TRC SCL X Y FUNCTION FUNCTION WIDTH FUNCTION VALUE 2 N 1 f 3.690 0 GHz -57.219 dBm -57.219 dBm -57.784 dBm	0.0											Start Fre 30.000000 Mł
Res BW 1.0 MHz #VBW 3.0 MHz Sweep 17.33 ms (20001 pts) 997.00000 KR MODE TRC SCL X Y FUNCTION FUNCTION WIDTH FUNCTION VALUE Auto 1 N 1 f 3.690 0 GHz -67.219 dBm FUNCTION FUNCTION WIDTH FUNCTION VALUE Freq 0 3 - - - - - - Freq 0 4 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	0.0				1			~~~~		مەر بەسىرىلىرومەسىيىيە سەر بەسىرىلىرومەسىيىيە	RMS	Stop Fre 10.00000000 GF
1 1 f 3.690 0 GHz -67.219 dBm 2 N 1 f 1.711 4 GHz -5.784 dBm 2 N 1 f 1.711 4 GHz -5.784 dBm 3 - - - - - 4 - - - - - 5 - - - - - - 6 - - - - - - - 8 - - - - - - - - 1 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	Res BW	1.0 MH			BW 3.0 I	ИНz	FUNCTION		17.33 n	ns (20001	pts)	CF Ste 997.000000 Mi auto Mi
	N 1 2 N 1 3 - - 4 - - 5 - - 6 - - 7 - - 8 - -	f		3.690 0 GHz	-67.2 -5.7	19 dBm 84 dBm					ш	Freq Offs 01
G STATUS	0					"					•	

LTE B66_15 M_Conducted Spurious(30 M-10 G)_Low_QPSK_1RB



RL RL	ctrum Analy: RF	ser - Swept S				CEN	ISE:INT		ALIGN AUTO	02:20:20 0	M May 24, 2024	
enter F				GHz PNO: Fas IFGain:Lo			Run	#Avg Ty	/pe: RMS	TRA		Frequency
0 dB/div	Ref 1	0.00 dE	3m						M	kr1 3.68 -67.3	25GHz 36dBm	Auto Tun
0.00 10.0 20.0		2 										Center Fre 5.015000000 GH
30.0 40.0 50.0												Start Fre 30.000000 MH
60.0 70.0 80.0			an a								RMS	Stop Fre 10.000000000 GH
tart 30 I Res BW	1.0 MH	z	X	#	VBW	3.0 MHz	FI		Sweep 17	7.33 ms (2	0.000 GHz 0001 pts)	CF Ste 997.000000 MH Auto Ma
1 N			3.6	82 5 GHz 38 9 GHz		-67.336 dE -4.493 dE	m					Freq Offse 0 ⊦
8 9 10 11						m					-	

LTE B66_15 M_Conducted Spurious(30 M-10 G)_Mid_QPSK_1RB



RL	RF	er - Swept SA 50 Ω AC		SENSE:INT		ALIGN AUTO	03:32:50 PM M	ay 24, 2024	-
enter F	req 5.0	1500000	O GHz PNO: Fast ← IFGain:Low	Trig: Free Run #Atten: 20 dB	#Avg	Type: RMS	TYPE	1 2 3 4 5 6 A A A A A A A	Frequency
dB/div	Ref 1	0.00 dBm				Mk	r1 3.683 (-67.215	0 GHz 5 dBm	Auto Tur
29 .00 .00 .00		2							Center Fre 5.015000000 Gł
).0).0).0									Start Fr 30.000000 M
1.0 1.0 1.0					***********			RMS	Stop Fr 10.000000000 GI
art 30 N les BW	1.0 MH			W 3.0 MHz	FUNCTION	Sweep 17	Stop 10.0 .33 ms (200	001 pts)	CF Ste 997.000000 M Auto M
1 N 1 2 N 1 3 4 5 5	f		3.683 0 GHz 1.779 7 GHz	-67.215 dBm -4.801 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION		Freq Offs 01

LTE B66_15 M_Conducted Spurious(30 M-10 G)_High_QPSK_1RB



RL	RF	50 Ω A		SEN	SE:INT		ALIGN AUTO		M May 24, 2024	Francisco
enter F	req 5.0	0150000	00 GHz PNO: Fast IFGain:Low	+++ Trig: Free #Atten: 20	Run	#Avg Typ	e:RMS	TYP	E 1 2 3 4 5 6 E A 4 4 A A A A A T A A A A A A A A	Frequency
) dB/div	Ref 1	0.00 dBr	n				Mk	r1 3.686 -67.10	6 0 GHz 01 dBm	Auto Tun
0.00 0.00 0.0		2								Center Fre 5.015000000 GH
0.0 0.0 0.0										Start Fre 30.000000 MH
0.0				1	ار امین اسی ا	الفيود فأنجوهم			RMS	Stop Fre 10.000000000 GF
tart 30 f Res BW	1.0 MH	Iz	#VI	BW 3.0 MHz	FUNCTION		weep 17	.33 ms (2	.000 GHz 0001 pts)	CF Ste 997.000000 MH Auto Ma
1 N 2 2 N 2 3 - - 3 - - 4 - - 5 - - 6 - - 7 - - 8 - - 9 - - 0 - -	1 f		3.686 0 GHz 1.711 9 GHz	-67.101 dE -6.047 dE						Freq Offs 0 F
1				m					•	
G							STATUS			

LTE B66_20 M_Conducted Spurious(30 M-10 G)_Low_QPSK_1RB



Center Freq 5.015000000 GHz Trig: Free Run #Avg Type: RMS TRACE Image: Content of the state of	Agilent Spect	RF	er - Swept SA 50 Ω AC								
Mkr1 3.701 0 GHz Auto Tu 0 dB/div Ref 10.00 dBm -67.255 dBm 0 dB/div Ref 10.00 dBm -67.255 dBm 0 dB/div Q -2 -2 0 dB/div Q -2 -2 -2 0 dB/div Q -2 -2 -2 -2 0 dB/div Q -2 -2 -2 -2 -2 0 dB/div Q -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 </td <td></td> <td></td> <td></td> <td>PNO: Fast</td> <td>Trig: Free</td> <td>Run</td> <td></td> <td></td> <td>TRACE 1</td> <td>23456</td> <td>Frequency</td>				PNO: Fast	Trig: Free	Run			TRACE 1	23456	Frequency
0.00 		Ref 10).00 dBm	111001000000000000000000000000000000000	Writen. 20			Mkr1	3.701 (-67.255) GHz dBm	Auto Tun
100 1 1 1 1 30.000000 M 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.00		²								Center Fre 5.015000000 GH
70.0	40.0										Start Fre 30.000000 MH
Res BW 1.0 MHz #VBW 3.0 MHz Sweep 17.33 ms (20001 pts) 997.00000 N 1 N 1 f 3.701 0 GHz -67.255 dBm Auto 2 N 1 f 1.736 9 GHz -4.997 dBm FUNCTION WIDTH FUNCTION VALUE 3 - - - - - Freq Off 4 - - - - - - 5 - - - - - - 6 - - - - - - 8 - - - - - - 9 - - - - - - 10 - - - - - -	70.0				1					RMS	Stop Fre 10.000000000 GH
1 N 1 f 3.701 0 GHz -67.255 dBm 2 N 1 f 1.736 9 GHz -4.997 dBm 3 - - - - - 3 - - - - - - 4 - - - - - - - 0 5 - - - - - - - 0 - - 0 - - 0 - - - 0 - - - 0 - - - 0 - - - 0 - - 0 - - - 0 - - 0 - - - 0 - - 0 - - - 0 - - 0 - 0 - - 0 - 0 - 0 0 0 - 0 - 0 - 0 - 0 0 0 -	Res BW	1.0 MH			3W 3.0 MHz	SUNCTO		ep 17.33	ms (200	01 pts)	CF Ste 997.000000 MH <u>Auto</u> Ma
	1 N 1 2 N 1 3 4 5 6 7	f		3.701 0 GHz	-67 <u>.255 dB</u> -4.997 dB	m	FUNCTIO		FUNCTION		Freq Offs i 0 ⊦
G STATUS	9				ш			STATUS		•	

LTE B66_20 M_Conducted Spurious(30 M-10 G)_Mid_QPSK_1RB



RL	RF	zer - Swept SA 50 Ω AC		SENSE:IN	Т	ALIGN AUTO	03:40:29 PM	1 May 24, 2024	
enter F	req 5.0	1500000	PNO: Fast IFGain:Low	Trig: Free Run #Atten: 20 dB		ype: RMS	TRACE	1 2 3 4 5 6 A WWWWWW A A A A A A A	Frequency
) dB/div	Ref 1	0.00 dBm				M	(r1 3.709 -67.04	9 GHz 10 dBm	Auto Tur
.00 0.0 0.0		²							Center Fre 5.015000000 GH
0.0 0.0 0.0									Start Fro 30.000000 Mi
0.0 0.0 0.0	and the second secon							RMS	Stop Fr 10.000000000 GI
art 30 M Res BW	1.0 MH		#VB	W 3.0 MHz		Sweep 17	Stop 10. 2.33 ms (20	0001 pts)	CF Ste 997.000000 M <u>Auto</u> M
1 N 1 2 N 1 3 4 5 5 6 7	1 f		3.709 9 GHz 1.779 7 GHz	-67.040 dBm -5.119 dBm	. shorten		, chorio	E	Freq Offs 01
7 8 9 0									
				m				- F	

LTE B66_20 M_Conducted Spurious(30 M-10 G)_High_QPSK_1RB



Milent Spectrum Analyzer - Swept SA					
Center Freq 15.000000	000 GHz	SENSE:INT	#Avg Type: RMS	0 02:51:09 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWW DET A A A A A A	Frequency
10 dB/div Ref -20.00 dB	IFGain:High #Atten		Mk	r1 18.955 47 GHz -83.228 dBm	Auto Tune
-30.0					Center Freq 15.000000000 GHz
-40.0					Start Freq 10.000000000 GHz
-60.0					Stop Freq 20.000000000 GHz
-80.0					CF Step 1.00000000 GHz <u>Auto</u> Man
-100					Freq Offsel 0 Hz
-110 Start 10.000 GHz				Stop 20.000 GHz	
#Res BW 1.0 MHz	#VBW 3.0 MI	lz	Sweep	26.67 ms (40000 pts) ^{πυs}	

LTE B66_1.4M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	ctrum Analyzer - Swept SA					
Center F	RF 50 Ω AC req 15.0000000	000 GHz	SENSE:INT	ALIGN AUTO #Avg Type: RMS	02:54:15 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWWW	Frequency
10 dB/div	Ref -20.00 dBn	PNO: Fast ++- IFGain:High	#Atten: 0 dB	Mkr1	18.903 97 GHz -83.083 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0					Stop 20.000 GHz	
#Res BW	1.0 MHZ	#VBW	3.0 MHz	Sweep 26	6.67 ms (40000 pts)	

LTE B66_1.4M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



	ctrum Analyzer - Swept SA			_		
Center F	req 15.000000		SENSE:INT	#Avg Type: RMS	02:56:35 PM May 24, 2024 TRACE 2 3 4 5 0 TYPE A WWWW DET A A A A A A	Frequency
10 dB/div	Ref -20.00 dB	IFGain:High	#Atten: 0 dB	Mkr	DET AAAAAA 1 18.901 22 GHz -83.049 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0					Stop 20.000 GHz	
#Res BW	1.0 WHZ	#VBW	3.0 MHz	Sweep 2	6.67 ms (40000 pts)	

LTE B66_1.4M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



	ctrum Analyzer - Swept SA					
Center F	RF 50 Ω AC Treq 15.0000000	00 GHz	SENSE:INT	#Avg Type: RMS	03:00:05 PM May 24, 2024	Frequency
		PNO: Fast +++ IFGain:High	Trig: Free Run #Atten: 0 dB	Micro		Auto Tune
10 dB/div Log	Ref -20.00 dBm	1		IVIKE	18.919 97 GHz -83.041 dBm	
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.000000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
-110					Stop 20 000 CH	
Start 10.0 #Res BW		#VBW	3.0 MHz	Sweep 26	Stop 20.000 GHz 5.67 ms (40000 pts)	
MSG				STATU	5	

LTE B66_3 M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	ctrum Analyzer - Swept S	A		_		
Center F	RF 50 Ω req 15.00000	0000 GHz	SENSE:INT	#Avg Type: RMS	03:02:54 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWWW	Frequency
10 dB/div	Ref -20.00 dE	PNO: Fast IFGain:High	#Atten: 0 dB	Mkr1	18.944 22 GHz -83.270 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1RMS	CF Step 1.000000000 GHz <u>Auto</u> Man
-100						Freq Offsel 0 Hz
Start 10.0		#)/[5]4	3.0 MHz	Swaar 26	Stop 20.000 GHz	
WSG	1.0 WH2	#VDV	5.0 WH2	Sweep 20	.67 ms (40000 pts)	

LTE B66_3 M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



	ctrum Analyzer - Swept SA	_	_	_		
Center F	RF 50 Ω AC req 15.0000000	00 GHz	SENSE:INT	#Avg Type: RMS	03:05:15 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW	Frequency
10 dB/div	Ref -20.00 dBm	PNO: Fast ↔ IFGain:High	#Atten: 0 dB	Mkr1	18.881 22 GHz -82.934 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0					Stop 20.000 GHz	
#Res BW	1.0 MHZ	#VBW 3	S.U WIHZ	Sweep 20 Statu	6.67 ms (40000 pts) s	

LTE B66_3 M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



	ctrum Analyzer - Swept SA	_		_		
Center F	req 15.0000000	000 GHz PNO: Fast	SENSE:INT	ALIGN AUTO #Avg Type: RMS	03:11:27 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A A	Frequency
10 dB/div	Ref -20.00 dBn	IFGain:High	#Atten: 0 dB	Mkr1	18.950 22 GHz -83.270 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0		#\/B\//	3.0 MHz	Sween 26	Stop 20.000 GHz 5.67 ms (40000 pts)	
WSG			0.0-11112	SWEEP ZO		

LTE B66_5 M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	trum Analyzer - Swept SA			_		
Center F	RF 50 Ω AC req 15.0000000	000 GHz	SENSE:INT	#Avg Type: RMS	03:14:14 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWWW	Frequency
10 dB/div	Ref -20.00 dBm	PNO: Fast IFGain:High	#Atten: 0 dB	Mkr1	18.947 72 GHz -82.793 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0		#VBW	3.0 MHz	Sween 26	Stop 20.000 GHz 5.67 ms (40000 pts)	
IISG				STATU	1	

LTE B66_5 M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



	ctrum Analyzer - Swept SA					
Center F	RF 50 Ω AC req 15.0000000	000 GHz	SENSE:INT	#Avg Type: RMS	03:16:35 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A	Frequency
10 dB/div	Ref -20.00 dBn	PNO: Fast ++- IFGain:High	#Atten: 0 dB	Mkr	1 18.921 72 GHz -83.092 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0		#\/B\A	3.0 MHz	Sween 2	Stop 20.000 GHz 6.67 ms (40000 pts)	
MSG		# * L) V *		SWEED		

LTE B66_5 M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



	ctrum Analyzer - Swept SA					
Center F	RF 50 Ω AC req 15.0000000	000 GHz	SENSE:INT	#Avg Type: RMS	03:20:25 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW	Frequency
10 dB/div	Ref -20.00 dBn	PNO: Fast ++- IFGain:High	#Atten: 0 dB	Mkr1	18.965 47 GHz -83.204 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0					Stop 20.000 GHz	
#Res BW	1.0 MHz	#VBW	3.0 MHz	Sweep 20	6.67 ms (40000 pts)	

LTE B66_10 M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	ctrum Analyzer - Swept SA			_		
Center F	RF 50 Ω AC req 15.000000		SENSE:INT	#Avg Type: RMS	03:23:07 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWW DET A A A A A A A	Frequency
10 dB/div	Ref -20.00 dBr	IFGain:High	#Atten: 0 dB	Mkr1	18.937 22 GHz -83.274 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0		#VBW	3.0 MHz	Sween 26	Stop 20.000 GHz 5.67 ms (40000 pts)	
MSG				STATU		

LTE B66_10 M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



	ctrum Analyzer - Swept SA			_			
Center F	RF 50 Ω AC req 15.00000000	00 GHz	SENSE:INT	#Avg Type: RM	IS TRAC	M May 24, 2024	Frequency
10 dB/div	Ref -20.00 dBm	IFGain:High	fAtten: 0 dB	N	/kr1 18.928		Auto Tune
-30.0							Center Freq 15.000000000 GHz
-40.0							Start Freq 10.000000000 GHz
-60.0							Stop Freq 20.000000000 GHz
-80.0						1 RMS	CF Step 1.000000000 GHz <u>Auto</u> Man
-100							Freq Offsel 0 Hz
Start 10.0		#VBW 3	0 MHz	Swaa	Stop 20	.000 GHz	
MSG		#4B443		Gwee	STATUS	0000 pts)	

LTE B66_10 M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



							A710.002	um Analyzer - Swe	
Frequency	4 PM May 24, 2024 RACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A A	03:28:04 TRA T	ALIGN AUTO		Trig: Free	GHz PNO: Fast	000000	RF 50 G	nter Fr
Auto Tune	4 97 GHz 936 dBm	18.894	Mkr1	dB	#Atten: 0	FGain:High		Ref -20.00	IB/div
Center Fred 15.00000000 GHz									
Start Fred 10.000000000 GH2									
Stop Fred 20.000000000 GH2									, ,
CF Step 1.00000000 GHz Auto Mar	▶1 RMS)
Freq Offse 0 H									
	20.000 GHz (40000 pts)	Stop 2	Sweep 26		3.0 MHz	#VBW		0 GHz .0 MHz	rt 10.00
			STATUS						

LTE B66_15 M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	trum Analyzer - Swept SA	_				
Center F	RF 50 Ω AC req 15.000000		SENSE:INT	#Avg Type: RMS	03:30:46 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A A	Frequency
10 dB/div	Ref -20.00 dBr	IFGain:High	#Atten: 0 dB	Mkr1	18.923 47 GHz -83.038 dBm	Auto Tune
-30.0						Center Freq 15.000000000 GHz
-40.0						Start Freq 10.000000000 GHz
-60.0						Stop Freq 20.000000000 GHz
-80.0					1 RMS	CF Step 1.00000000 GHz <u>Auto</u> Man
-100						Freq Offset 0 Hz
Start 10.0		#\/B\M	3.0 MHz	Sweep 26	Stop 20.000 GHz 5.67 ms (40000 pts)	
usg	1.0 10112	# 1 500	0A0-MILI2	SWEEP ZO		

LTE B66_15 M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



			_	_	_		trum Analyzer - Sw	
Frequency	3:33:07 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A MANA A A A DET A A A A A A A	ALIGN AUTO	#Avg Ty	SENSE:INT	Hz NO: Fast Trig	000000 G	req 15.000	Center F
Auto Tune	.912 97 GHz -82.694 dBm	Mkr1		Atten: 0 dB	Sain:High #Att	IFG	Ref -20.00	10 dB/div
Center Fred 15.000000000 GH2								-og -30.0
Start Fred 10.000000000 GH2								50.0
Stop Freq 20.000000000 GHz								-60.0
CF Step 1.00000000 GH: Auto Mar	1 RMS							80.0
Freq Offse 0 H:						()) and () you filled before		-100
	top 20.000 GHz ms (40000 pts)	Sweep 26.		0 MHz	#VBW 3.0 N		00 GHz 1.0 MHz	Start 10.0
		STATUS						ISG

LTE B66_15 M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



	trum Analyzer - Swept SA		_	_				
Center F	RF 50 Ω AC req 15.0000000	00 GHz PNO: Fast Tr	ig: Free Run	#Avg Type	RMS	TRACE	May 24, 2024 1 2 3 4 5 6 A 3444 A A A A A A	Frequency
10 dB/div	Ref -20.00 dBm	IFGain:High #A	tten: 0 dB		Mkr1	18.922		Auto Tune
-30.0								Center Freq 15.000000000 GHz
-40.0								Start Freq 10.000000000 GHz
-60.0								Stop Freq 20.000000000 GHz
-80.0					Weighter		1 RMS	CF Step 1.000000000 GHz <u>Auto</u> Man
-100								Freq Offsel 0 Hz
Start 10.0		#VBW 3.0	MHz		weep 26	Stop 20. .67 ms (40	000 GHz	
иsg					STATUS			

LTE B66_20 M_Conducted Spurious(10 G-26.5 G)_Low_QPSK_1RB



	ctrum Analyzer - Swept SA							
Center F	RF 50 Ω AC req 15.00000000	00 GHz	SENSE:INT	#Avg Type	ALIGN AUTO e: RMS	03:38:24 PM May 2 TRACE 1 2	3456	Frequency
10 dB/div	Ref -20.00 dBm	PNO: Fast +++ IFGain:High	Trig: Free Run #Atten: 0 dB	- Stat	Mkr1	TRACE 12 TYPE A W DET A A 18.882 72 -83.289 0	GHz	Auto Tune
-30.0								Center Freq 15.000000000 GHz
-40.0								Start Freq 10.000000000 GHz
-60.0								Stop Freq 20.000000000 GHz
-80.0							RMS	CF Step 1.000000000 GHz Auto Man
-100							_	Freq Offse 0 Hz
-110 Start 10.0	000 GHz					Stop 20.000	GHz	
#Res BW		#VBW	3.0 MHz	S	-	.67 ms (40000) pts)	
ISG					STATUS			

LTE B66_20 M_Conducted Spurious(10 G-26.5 G)_Mid_QPSK_1RB



Agilent Spectrum Analyzer - Swept SA					
M RL RF 50 Ω A Center Freq 15.000000	0000 GHz	SENSE:INT	#Avg Type: RMS	03:40:44 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A A	Frequency
0 dB/div Ref -20.00 dB	PNO: Fast ++ IFGain:High	#Atten: 0 dB	Mkr1	18.899 72 GHz -83.103 dBm	Auto Tune
30.0					Center Fre 15.000000000 GH
50.0					Start Fre 10.000000000 GH
70.0					Stop Fre 20.000000000 GH
80.0				1RMS	CF Ste 1.00000000 GH <u>Auto</u> Ma
100					Freq Offse 0 H
Start 10.000 GHz #Res BW 1.0 MHz	#VBW	3.0 MHz	Sweep 26	Stop 20.000 GHz .67 ms (40000 pts)	
ISG			STATUS		

LTE B66_20 M_Conducted Spurious(10 G-26.5 G)_High_QPSK_1RB



Agilent Spectrum Analyzer - Swept SA						
Center Freq 1.71000000	OGHZ	SENSE:INT	#Avg Type	ALIGN AUTO	02:50:39 PM May 24, 202 TRACE 1 2 3 4 5 TYPE A WWWW	Frequency
Ref Offset 27 dB 10 dB/div Ref 27.00 dBm	IFGain:Low #Att	en: 20 dB		Mkr1	1.710 000 GH -25.595 dBn	
17.0		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				Center Fred 1.710000000 GH:
3.00						Start Free 1.708000000 GH
23.0		/ 1			-13.00 dB	Stop Free 1.712000000 GH
43.0			have been been been been been been been be	~		CF Step 400.000 kH <u>Auto</u> Ma
53.0 martines and a subsection of the second s				\geq	how and and a service and	Freq Offse 0 H
-63.0 Center 1.710000 GHz #Res BW 15 kHz	#VBW 47 k	Hz		#Sween	Span 4.000 MH 1.000 s (1001 pts	Z
ISG				STATUS		4

LTE B66_1.4M_Band Edge_Low_QPSK_1RB



	ctrum Analyzer - Swept SA					
Center F	RF 50 Ω AC req 1.71000000	0 GHz	SENSE:INT	ALIGN AUTO #Avg Type: RMS	02:50:05 PM May 24, 2024 TRACE 1 2 3 4 5 6	Frequency
10 dB/div	Ref Offset 27 dB Ref 27.00 dBm	PNO: Wide ↔ IFGain:Low	Trig: Free Run #Atten: 20 dB	Mkr1	1.709 996 GHz -26.349 dBm	Auto Tune
17.0						Center Freq 1.710000000 GHz
3.00				144,147,49,49,49,49,49,49,49,49,49,49,49,49,49,		Start Fred 1.708000000 GH
-13.0			/		-13.00 dBm	Stop Freq 1.712000000 GHz
33.0		and a second second	and the second s		hand and the sea	CF Step 400.000 kH Auto Mar
53.0 acenter	ann an					Freq Offse 0 H
Center 1. #Res BW	710000 GHz 15 kHz	#VBW	47 kHz	#Sweep	Span 4.000 MHz 1.000 s (1001 pts)	
ASG				STATU		

LTE B66_1.4M_Band Edge_Low_QPSK_FullRB



	trum Analyzer - Chan								00	×
Center Fr	RF 50 Ω Teq 1.70850	AC 0000 GHz #IFGain:Low	1	SENSE:INT Center Freq: 1.7085000 Frig: Free Run Atten: 20 dB		GN AUTO	Radio Std: Radio Dev		Frequency	
10 dB/div Log	Ref Offset: Ref 30.00									
20.0									Center F 1.708500000 (
0.00										
-20.0						سممر	~			
-40.0										
-60.0									CF S 400.000	
Center 1.3 Res BW 3				VBW 390 kHz				an 4 MHz p 3.2 ms	<u>Auto</u> I	Man
Chann	nel Power			Power	Spectral	Dens	ity		Freq Off	f set) Hz
-3	0.56 dE	8m / 1 MHz		-9	0.56 d	IBm	/Hz			
MSG						STATUS	S			

LTE B66_1.4M_Extended Band Edge_Low_QPSK_FullRB



	ctrum Analyzer - Swept SA						-		
Center F	RF 50 Ω AC req 1.78000000	0 GHz		SE:INT	#Avg Type	ALIGN AUTO E: RMS	TRAC	M May 24, 2024	Frequency
10 dB/div	Ref Offset 27 dB Ref 27.00 dBm	PNO: Wide ↔ IFGain:Low	Trig: Free #Atten: 20			Mkr1	DE	100 GHz 35 dBm	Auto Tune
17.0			hund						Center Fred 1.780000000 GHz
3.00									Start Fred 1.778000000 GH:
-13.0				1				-13.00 dBm	Stop Free 1.782000000 GH:
33.0		Ind		harry many					CF Step 400.000 kH Auto Mar
M.M.	North State of the	***			Managenered.	n on have a construction	and the second second	RMS	Freq Offse 0 H
Center 1.	780000 GHz 15 kHz	#VBW	47 kHz			#Sweep	Span 4 1.000 s (.000 MHz 1001 pts)	
ISG						STATUS			

LTE B66_1.4M_Band Edge_High_QPSK_1RB



				_		_			trum Analyzer - Sv	
Frequency	M May 24, 2024 CE 1 2 3 4 5 6 PE A MANAAAA ET A A A A A A A	TRAC	ALIGN AUTO	#Avg Ty			GHz PNO: Wide ↔	50 Ω AC 00000000	req 1.7800	enter F
Auto Tun	000 GHz 01 dBm	1.780 0 -25.7	Mkr1				I Guilleon		Ref Offset 2 Ref 27.00	0 dB/div
Center Fre 1.78000000 GF										17.0
Start Fre 1.778000000 GF						ast	errater for the second	-		.00
Stop Fre 1.782000000 GH	-13.00 dBm				1					3.0
CF Ste 400.000 kł Auto Ma				and agree to	and				enveround of	3.0 pressor
Freq Offs 0 F	RMS	^{wya} nthypaqhetyw	Manahara							3.0
	.000 MHz (1001 pts)	Span 4 1.000 s (#Sweep			47 kHz	#VBW	Hz	780000 GH 15 kHz	enter 1. Res BW
			STATUS							G

LTE B66_1.4M_Band Edge_High_QPSK_FullRB



🚺 Agilent Spectrum Analyz								
Center Freq 1.7	240	ain:Low	SENSE:INT Center Freq: 1.7815 Trig: Free Run #Atten: 20 dB	ALIGN / 000000 GHz Avg Hold: 300/3	Radio Std:	02:55:38 PM May 24, 2024 Radio Std: None Radio Device: BTS		
	Offset 27 dB 30.00 dBm							
20.0							Center Freq 1.781500000 GHz	
-10.0								
-20.0	m							
-40.0								
-60.0 Center 1.782 GH	7				Sn	an 4 MHz	CF Step 400.000 kHz Auto Man	
Res BW 39 kHz	2		VBW 390 k	Hz		p 3.2 ms	Auto Mari	
Channel Po	wer		Powe	r Spectral D	ensity		Freq Offset 0 Hz	
-31.44	dBm / 1	MHz		-91.44 dB	Sm /Hz			
MSG					STATUS			

LTE B66_1.4M_Extended Band Edge_High_QPSK_FullRB



Agilent Spectrum Analyzer - Swept SA						- d -
RL RF 50 Ω AC enter Freq 1.71000000	0 GHz PNO: Wide Tri	SENSE:INT	#Avg Type:	RMS TI	6 PM May 24, 2024 RACE 1 2 3 4 5 6 TYPE A ********	Frequency
Ref Offset 27 dB	IFGain:Low #A	tten: 20 dB		Mkr1 1.710 -20	000 GHz 621 dBm	Auto Tun
7.0		\cap				Center Fre 1.710000000 GH
.00						Start Fre 1.708000000 GH
3.0		1			-13.00 dBm	Stop Fre 1.712000000 G⊦
30			have		RMS	CF Ste 400.000 k⊢ Auto Ma
3.0				toolde a server a		Freq Offs 0 F
enter 1.710000 GHz	40/15/14 64			Span	4.000 MHz	
Res BW 30 kHz	#VBW 91	KHZ	#	Sweep 1.000	s (1001 pts)	

LTE B66_3 M_Band Edge_Low_QPSK_1RB



			-	T		ctrum Analyzer - Swept SA	
Frequency	02:59:01 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A	ALIGN AUTO	#Avg Ty	ig: Free Run	PNO: Wide	req 1.710000000	Center F
Auto Tune	.709 996 GHz -24.789 dBm	Mkr1		tπen: 20 dB	IFGain:Low #	Ref Offset 27 dB Ref 27.00 dBm	10 dB/div
Center Freq 1.710000000 GHz							17.0
Start Fred 1.708000000 GHz	RMS	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					-3.00
Stop Fred 1.712000000 GHz	-13.00 dBm			1			-13.0
CF Step 400.000 kH Auto Mar					www.alleria.com.org.auto	and the second se	-33.0
Freq Offse 0 H							53.0
	Span 4.000 MHz .000 s (1001 pts)	#Sween		kHz	#VBW 9	710000 GHz 30 kHz	Center 1. #Res BW
		STATUS			# V DW 3	00 1112	ISG

LTE B66_3 M_Band Edge_Low_QPSK_FullRB





	um Analyzer - Chann				_			- 6 ×
Center Fre	RF 50 Ω eq 1.708500	AC DOOO GHz #IFGain:Low			ALIGN AUTO GHz g Hold: 300/300	02:59:10 PMMay 24, 2024 Radio Std: None Radio Device: BTS		
10 dB/div	Ref Offset 2 Ref 30.00		r					
20.0								Center Freq 1.708500000 GHz
0.00							\int	
-20.0								
-40.0	~~~~~~							
-60.0								CF Step 400.000 kHz
Center 1.7 Res BW 3			VB	W 390 kHz		Spa Sweer	an 4 MHz p 3.2 ms	<u>Auto</u> Man
Chann	el Power			Power Sp	ectral Dens	sity		Freq Offset 0 Hz
-2	0.50 dB	m / 1 MHz		-80	.50 dBm	/Hz		
MSG					STATU	s		

LTE B66_3 M_Extended Band Edge_Low_QPSK_FullRB



				_			_	m Analyzer - Swept SA	
Frequency	PM May 24, 2024 CE 1 2 3 4 5 6 (PE A 343044444 DET A A A A A A	TRAC	ALIGN AUTO	#Avg Ty	SENSE:INT	Trig: Fi	PNO: Wide ->	RF 50 Ω AC cq 1.780000000	Center F
Auto Tune	000 GHz 751 dBm	1.780 0 -18.7	Mkr1		ten: 20 dB	#Atten.	IFGain:Low	Ref Offset 27 dB Ref 27.00 dBm	10 dB/div
Center Fred 1.780000000 GH:)	\cap			17.0
Start Free 1.778000000 GH									3.00
Stop Fre 1.782000000 GH	-13.00 dBm				1-				13.0
CF Ste 400.000 kH <u>Auto</u> Ma			\sim		- Vorge		and and		33.0
Freq Offse 0 H	RMS	have a second		and and a second second					53.0
	4.000 MHz (1001 pts)	Span 4 1.000 s (#Sweep		(Hz	W 91 kHz	#VBM	0000 GHz	Center 1.
			STATUS						SG

LTE B66_3 M_Band Edge_High_QPSK_1RB



6								ctrum Analyzer - Swept SA	
Frequency	104:07 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A	03:04	ALIGN AUTO	#Avg T			GHz PNO: Wide ↔	req 1.780000000	Center F
Auto Tun	′80 000 GHz 23.557 dBm	1.78	Mkr1		. 20 08	#Atten.	IFGain:Low	Ref Offset 27 dB Ref 27.00 dBm	I0 dB/div
Center Fre 1.780000000 GH									17.0
Start Fre 1.778000000 GH							n daga kanga ka		.00
Stop Fre 1.782000000 GF	-13.00 dBm				1				3.0
CF Ste 400.000 kl Auto Ma	RMS	an a	al anna ann ann ann ann ann ann ann ann	angen weiter treven	and the second second				3.0
Freq Offs 01									3.0
	oan 4.000 MHz 00 s (1001 pts)	Spa	#Sween		,	v 91 kHz	#\/BM	780000 GHz 30 kHz	enter 1. Res BW
			STATUS				<i>"</i> 1 1 1		G

LTE B66_3 M_Band Edge_High_QPSK_FullRB



	rum Analyzer - Channe					_					
Center Fr	eq 1.781500	AC 000 GHz #IFGain:L	-+-	SENSE:I Center Freq: Trig: Free Ru #Atten: 20 dE	1.781500000 n Av		GN AUTO	03:04:18 PM May 24, 2024 Radio Std: None Radio Device: BTS			ency
10 dB/div	Ref Offset 27 Ref 30.00		_								i I
20.0											ter Freq 0000 GHz
-10.0											
-20.0 -30.0	human		~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~							
-40.0 -50.0							مرمر				
-60.0 Center 1.7	782 GHz							Sp	an 4 MHz	400	CF Step 0.000 kHz Man
Res BW 3	9 kHz			VBW :	390 kHz				p 3.2 ms	er de la tra	100000
Chann	el Power			P	ower Sp	ectral	Dens	ity		Fre	q Offset 0 Hz
-1	8.60 dB	т / 1 МН	z		-78	.60 d	Bm	/Hz			
MSG			_				STATUS	3			

LTE B66_3 M_Extended Band Edge_High_QPSK_FullRB



	rum Analyzer - Swept SA						
Center Fr	RF 50 Ω AC req 1.710000000) GHz	SENSE:INT	#Avg Type: I		0:57 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A *******	Frequency
0 dB/div	Ref Offset 27 dB Ref 27.00 dBm	PNO: Wide ++ IFGain:Low	Trig: Free Run #Atten: 20 dB		Mkr1 1.7	10 000 GHz 2.105 dBm	Auto Tun
og 17.0							Center Fre 1.710000000 GF
.00							Start Fre 1.708000000 GH
3.0			1			-13.00 dBm)	Stop Fre 1.712000000 GF
3.0						RMS	CF Ste 400.000 ki <u>Auto</u> M
3.0							Freq Offs 01
enter 1.7 Res BW \$	10000 GHz 51 kHz	#VBW	160 kHz		Sp Sweep 1.00	an 4.000 MHz 0 s (1001 pts)	
3G					STATUS		

LTE B66_5 M_Band Edge_Low_QPSK_1RB



					-	_	trum Analyzer - Swept SA	
Frequency	10:23 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW DET A A A A A A	ro [ALIGN AUTO #Avg Type: RMS	Free Run		PNO: Wide ->	req 1.710000000	Center F
Auto Tune	710 000 GHz 24.552 dBm	r1 1.	Mkr	en. 20 dB	#Atten.	IFGain:Low	Ref Offset 27 dB Ref 27.00 dBm	10 dB/div
Center Freq 1.710000000 GHz								17.0
Start Fred 1.708000000 GHz	RMS							-3.00
Stop Fred 1.712000000 GH2	-13.00 dBm			1				-13.0
CF Step 400.000 kH <u>Auto</u> Mar						and and an over the state of the state of the		43.0
Freq Offse 0 H								53.0
	pan 4.000 MHz 00 s (1001 pts)	ep 1	#Sweet	(H7	∛ 160 kHz	#VBM	710000 GHz	Center 1. #Res BW
	(1001)	-	STAT					NSG

LTE B66_5 M_Band Edge_Low_QPSK_FullRB





	rum Analyzer - Channel Pow	er				
Center Fr	RF 50 Ω AC eq 1.70850000	+ #IFGain:Low	SENSE:INT Center Freq: 1.708500 Trig: Free Run #Atten: 20 dB	ALIGN AUTO 000 GHz Avg Hold: 300/300	03:10:32 PM May 24, 2024 Radio Std: None Radio Device: BTS	Frequency
10 dB/div Log	Ref 30.00 dB				,	
20.0						Center Freq 1.708500000 GHz
0.00						
-20.0						
-40.0	~~~~~					
60.0	700 CH7				Span 4 MHz	CF Step 400.000 kHz Auto Mar
Res BW 3			VBW 390 kH	2	Sweep 3.2 ms	<u>Auto</u> Mar
Chann	el Power		Power	Spectral Dens	sity	Freq Offsel 0 Hz
-2	0.97 dBm	/ 1 MHz	-8	80.97 dBm	/Hz	
ИSG				STATU	s	

LTE B66_5 M_Extended Band Edge_Low_QPSK_FullRB



								trum Analyzer - Swept SA	
Frequency	May 24, 2024	TRAC	ALIGN AUTO	#Avg Ty		. Trig: Fre	GHz PNO: Wide ↔	RF 50 Ω AC req 1.780000000	Center F
Auto Tun	00 GHz 88 dBm	1.780 0 -22.58	Mkr1		: 20 dB	#Atten: 2	IFGain:Low	Ref Offset 27 dB Ref 27.00 dBm	0 dB/div
Center Fre 1.78000000 GF						\cap			7.0
Start Fre 1.778000000 GF									.00
Stop Fre 1.782000000 GH	-13.00 dBm)				1				3.0
CF Ste 400.000 kł Auto Ma	RMS			-	Long		\sim		3.0
Freq Offs 01		and the second second							3.0
	.000 MHz	Span 4.	#Sweep			160 kHz	#\/B\	'80000 GHz	enter 1. Res BW
	roo i pis)	1.000 S (#Sweep		12		#VDV	JENHZ	G G

LTE B66_5 M_Band Edge_High_QPSK_1RB



Center Freq 1.780000000 GHz PRO: Wide + PRO: Wide + Productow Trig: Free Run #Atten: 20 dB #Avg Type: RMS Trace Point Product Prequency 0 dB/div Ref Offset 27 dB Ref 27.00 dBm Mkr1 1.780 004 GHz -23.376 dBm Auto Tun 0 dB/div Ref 27.00 dBm -23.376 dBm Center Free 170 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -		ctrum Analyzer - Swept SA		_		_					- 6 .
PN0: Wide Ing: Free Kun #Atten: 20 dB Mkr1 1.780 004 GHz -23.376 dBm Auto Tun 0 dB/div Ref Offset27 dB Mkr1 1.780 004 GHz -23.376 dBm Center Fre 10	Center F	RF 50 Ω AC reg 1.78000000) GHz					TRAC	E 1 2 3 4 5 6	Fre	quency
		Ref Offset 27 dB	PNO: Wide ↔			Louis.	Mkr1	DE			Auto Tune
Start Fre 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00		Ref 27.00 dBm						-20.0	o ubili		
130 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-3.00		*****								Start Freq 000000 GHz
330 CF Ste 430 Ma 630 Freq Offse 630 Freq Offse 630 Span 4.000 MHz Center 1.780000 GHz #VBW 160 kHz #W 51 kHz #VBW 160 kHz	-13.0				1				-13.00 dBm		Stop Freq 000000 GHz
630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 630 <td>-33.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>and an and a start of the start</td> <td>adarchine transmentations</td> <td>RMS</td> <td>222 B 222</td> <td>CF Step 400.000 kHz Man</td>	-33.0						and an and a start of the start	adarchine transmentations	RMS	222 B 222	CF Step 400.000 kHz Man
Center 1.780000 GHz Span 4.000 MHz #Res BW 51 kHz #VBW 160 kHz #Sweep 1.000 s (1001 pts)	-53.0									F	req Offset 0 Hz
			#\/B\/	(160 kHz			#Sween	Span 4	.000 MHz		
STATUS	MSG	51 KH2	#VDV	7 100 KHZ			status	1.000 5 (roor pts)		

LTE B66_5 M_Band Edge_High_QPSK_FullRB



	um Analyzer - Channe		_					- 6
Center Fre	RF 50 Ω 2q 1.781500	0000 GHz #IFGain:	Low	SENSE:INT Center Freq: 1.78150 Trig: Free Run #Atten: 20 dB	ALIGN AUTO 0000 GHz Avg Hold: 300/300	03:15:37 PM M Radio Std: No Radio Device	one	Frequency
10 dB/div	Ref Offset 2 Ref 30.00							
20.0								Center Freq 1.781500000 GHz
0.00								
-20.0	human			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
-40.0							~~~~	
-60.0 Center 1.7	02 CH-					Snor	n 4 MHz	CF Step 400.000 kHz
Res BW 39				VBW 390 kH	Iz	Sweep		<u>Auto</u> Man
Channe	el Power			Power	Spectral Dens	sity		Freq Offset 0 Hz
-18	8.44 dB	m / 1 MH	lz	-1	78.44 dBm	/Hz		
MSG					STATU	IS		

LTE B66_5 M_Extended Band Edge_High_QPSK_FullRB



	trum Analyzer - Swept SA			_		
Center Fr	RF 50 Ω AC req 1.710000000	O GHz PNO: Wide ↔ IFGain:Low	. Trig: Free Run #Atten: 20 dB	#Avg Type: RMS	03:19:56 PM May 24, 2024 TRACE 2 3 4 5 6 TYPE A WWWW DET A A A A A A	Frequency
0 dB/div	Ref Offset 27 dB Ref 27.00 dBm	IFGain:Low	WAILEN. 20 GB	Mkr	1 1.709 996 GHz -33.033 dBm	Auto Tun
17.0						Center Fre 1.710000000 GH
.00						Start Fre 1.708000000 GF
3.0					-13.00 dBm	Stop Fre 1.712000000 G⊦
I3.0 I3.0			1		RMS	CF Ste 400.000 kH Auto Ma
3.0						Freq Offs 0 F
enter 1.7 Res BW	710000 GHz	#VB\A	/ 300 kHz	#Sween	Span 4.000 MHz 1.000 s (1001 pts)	
SG				STATU		

LTE B66_10 M_Band Edge_Low_QPSK_1RB



	trum Analyzer - Swept SA					
Center F	RF 50 Ω AC req 1.71000000	0 GHz	Trig: Free Run	#Avg Type: RMS	03:19:21 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A WWWWW	Frequency
10 dB/div	Ref Offset 27 dB Ref 27.00 dBm	PNO: Wide ↔ IFGain:Low	#Atten: 20 dB	Mkr	DET A A A A A A 1 1.709 968 GHz -26.728 dBm	Auto Tune
17.0						Center Freq 1.710000000 GHz
-3.00					RMS	Start Fred 1.708000000 GHz
-13.0			1		-13.00 dBm	Stop Fred 1.712000000 GHz
33.0		nga fan i fan i fan de stander fan ser	ana and an and and and and and and and a			CF Step 400.000 kH Auto Mar
53.0						Freq Offse 0 H
	710000 GHz	431014	(200 ////-	40	Span 4.000 MHz	
#Res BW	TUU KHZ	#VBV	/ 300 kHz	#Sweep	1.000 s (1001 pts)	

LTE B66_10 M_Band Edge_Low_QPSK_FullRB



	rum Analyzer - Chan							
Center Fr	RF 50 Ω eq 1.70850	AC 0000 GHz #IFGain:Low			ALIGN AUTO 00 GHz Avg Hold: 300/300	Radio Std		Frequency
10 dB/div	Ref Offset		·		·			
20.0								Center Freq 1.708500000 GHz
0.00 -10.0								
-20.0 -30.0							mar	
-40.0								
-60.0 Center 1.7							an 4 MHz	CF Step 400.000 kHz <u>Auto</u> Man
Res BW 3	9 kHz		VE	390 kHz		Swee	p 3.2 ms	
Chann	el Power			Power S	Spectral Dens	sity		Freq Offset 0 Hz
-2	1.44 dE	8m / 1 MHz		-8	1.44 dBm	/Hz		
MSG	_				STATU	IS		

LTE B66_10 M_Extended Band Edge_Low_QPSK_FullRB



							trum Analyzer - Swept	
Frequency	13:24:59 PM May 24, 2024 TRACE 2 3 4 5 6	ALIGN AUTO e: RMS	#Avg Ty	SENSE:INT			req 1.780000	Center F
Auto Tune	780 008 GHz -32.224 dBm	Mkr1		g: Free Run tten: 20 dB	Wide - Irig: F	PNO: IFGain dB	Ref Offset 27 d	
	-32.224 dBm					IBm	Ref 27.00 de	10 dB/div - ^{og} r
Center Free 1.780000000 GH:					\wedge			17.0
Start Free 1.778000000 GH								3.00
Stop Fre 1.782000000 GH	-13.00 dBm							13.0
CF Ste 400.000 kH <u>Auto</u> Ma				he 1				33.0
Freq Offse 0 ⊦	RMS							i3.0
								53.0
	Span 4.000 MHz 000 s (1001 pts)	#Sweep) kHz	#VBW 300 k		780000 GHz 100 kHz	Center 1. #Res BW
		STATUS						ISG

LTE B66_10 M_Band Edge_High_QPSK_1RB



	50 Ω AC 800000000 5set 27 dB 7.00 dBm	GHZ PNO: Wide → IFGain:Low			#Avg Typ		TRAC TYF DE 1.780 0	May 24, 2024 E 1 2 3 4 5 6 E A WAAAAA T A A A A A A 32 GHz 18 dBm		equency Auto Tune
Ref Off 10 dB/div Ref 27 Log 17.00	set 27 dB	PNO: Wide ↔				Mkr1	DE 1.780 0	32 GHz		Auto Tune
17.00										
and the state of the second second and										enter Freq 0000000 GHz
									1.778	Start Freq 3000000 GHz
-13.0				•1				-13.00 dBm	1.782	Stop Freq 2000000 GHz
-33.0							~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	RMS	Auto	CF Step 400.000 kH Mar
-53.0									I	Freq Offse 0 Ha
-63.0 Center 1.780000 #Res BW 100 kH		#\/B\A	/ 300 kHz			#Sween	Span 4	.000 MHz 1001 pts)		
MSG	6	#VDV	7 300 KHZ			#Sweep	1.000 S (roor pts)		

LTE B66_10 M_Band Edge_High_QPSK_FullRB



	ım Analyzer - Ch			_				- Ø 🔀
Center Fre	RF 50 9 50 9 50 9 50 9 50 9 50 9 50 9 50 9	00000 GHz	in:Low	SENSE:INT Center Freq: 1.7815 Trig: Free Run #Atten: 20 dB	ALIGN A 00000 GHz Avg Hold: 300/30	Radio Std:		Frequency
10 dB/div	Ref Offse Ref 30.0							
20.0								Center Freq 1.781500000 GHz
-10.0								
-20.0				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
-40.0								
-60.0 Center 1.73						Sp	an 4 MHz	CF Step 400.000 kHz <u>Auto</u> Man
Res BW 39	kHz			VBW 390 k	Hz	Swee	p 3.2 ms	
Channe	el Powe	r		Power	r Spectral De	ensity	Free	
-19	9.04 d	Bm / 1 1	/IHz		79.04 dB	m /Hz		
MSG	_				\$	STATUS		

LTE B66_10 M_Extended Band Edge_High_QPSK_FullRB



	n Analyzer - Swept SA		_				
Center Fred	RF 50 Ω AC	GHz	SENSE:INT	#Avg Typ	ALIGN AUTO	03:27:35 PM May 24, 2 TRACE 2 3 4	5 6 Frequency
R 10 dB/div R	tef Offset 27 dB tef 27.00 dBm	PNO: Wide ++ IFGain:Low	Trig: Free Run #Atten: 20 dB		Mkr1	1.710 000 G -24.007 dE	A A Auto Tune
17.0							Center Fred 1.710000000 GHz
-3.00						×	Start Fred 1.708000000 GH:
-13.0			l.			-13.00	GBm Stop Fred RMS 1.712000000 GH;
43.0							CF Step 400.000 kH Auto Ma
53.0							Freq Offse 0 H
63.0 Center 1.710 #Res BW 15		#VBW	470 kHz		#Sweep	Span 4.000 M 1.000 s (1001 p	Hz ts)
ISG					STATUS	-	

LTE B66_15 M_Band Edge_Low_QPSK_1RB



						trum Analyzer - Swept SA	
Frequency	03:27:01 PM May 24, 2024 TRACE 1 2 3 4 5 6 TYPE A A A A A A	SN AUTO SMS	#Avg Type	SENSE:INT	GHz PNO: Wide ↔	RF 50 Ω AC req 1.710000000	Center F
Auto Tur	.709 996 GHz -27.177 dBm	Mkr1		#Atten: 20 dB	IFGain:Low	Ref Offset 27 dB Ref 27.00 dBm	0 dB/div
Center Fre 1.710000000 GF							17.0
Start Fre 1.708000000 GF	RMS	p					.00
Stop Fr 1.712000000 GI	-13.00 dBm			1			3.0
CF St 400.000 k <u>Auto</u> M					••••••		3.0
Freq Offs 0							.0
	Span 4.000 MHz 000 s (1001 pts)	ween		470 kHz	#\/B\A	710000 GHz 150 kHz	
		STATUS			<i>"</i> U D V	TOO KITZ	G

LTE B66_15 M_Band Edge_Low_QPSK_FullRB