

Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.507500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.507500000 GHz ₩ PASS CF Step 1 Graph 6.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Spectrun Span 60.000 MHz 2001 pts Disp Center 2.50750 GHz Chan Det: Average, #Offs Det: Average Power 23.08 dBm / 15 MHz Lower Upper dBm -55.38 Start Freq Stop Freq 8.500 MHz Integ BW Freq (Hz) dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) (-45.38) (-31.07) (-21.54) 7.500 MHz 30.00 kHz 8.410 M 12.50 MHz -41.07 8.500 MHz 1.000 MHz 10.64 M 12.50 MHz 22.50 MHz 1.000 MHz -34.54 21.10 M Local 22.50 MHz 30.00 MHz 1.000 MHz -46.75 23.70 M (-21.75)7.500 MHz 12.50 MHz 30.00 MHz 15.00 MHz -28.58 (-78.58) -7.500 M 220.0 kHz 1 000 MHz May 31, 2024 11:07:29 AM

Low Channel Edge Plot (15 MHz BPSK_RB1)-2

F-TP22-03 (Rev. 06) Page 182 of 455



Low Channel Edge Plot (15 MHz BPSK)-2 Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.507500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.507500000 GHz ₩ PASS CF Step 1 Graph 6.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 60.000 MHz 2001 pts Disp Center 2.50750 GHz Chan Det: Average, #Offs Det: Average Power 23.19 dBm / 15 MHz Lower Upper Start Freq Stop Freq 8.500 MHz dBm Integ BW Freq (Hz) dBm ΔLimit(dB) Freq (Hz) ∆Limit(dB) -40.74 (-30.74) (-25.72) (-22.20) 7.715 M 12.50 M 7.500 MHz 300.0 kHz -35.72 -35.20 12.50 MHz 8.500 MHz 1.000 MHz 12.50 MHz 22.50 MHz 1.000 MHz 12.95 M Local 22.50 MHz 30.00 MHz 1.000 MHz -43.08 23.18 M (-18.08)7.500 MHz 12.50 MHz 30.00 MHz 15.00 MHz -27.49 (-77.49) -7.500 M 220.0 kHz 1 000 MHz

May 31, 2024 11:06:17 AM

F-TP22-03 (Rev. 06) Page 183 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.535000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.535000000 GHz ₩ PASS CF Step 1 Graph 6.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 60.000 MHz 2001 pts Disp Center 2.53500 GHz Chan Det: Average, #Offs Det: Average Power 23.17 dBm / 15 MHz Lower Upper Start Freq Stop Freq 8.500 MHz dBm -33.81 Integ BW ∆Limit(dB) dBm Freq (Hz) ΔLimit(dB) Freq (Hz) (-15.90) (-20.03) (-23.81) (-19.58) (-17.15) -7.500 M 7.500 MHz 300.0 kHz -25.90 8.260 M 8.500 M 12.50 MHz -8.580 M 8.500 MHz 1.000 MHz -30.03 -29.58 12.50 MHz 22.50 MHz 1.000 MHz -33.02 (-20.02) -12.50 M -30.15 14.15 M Local 22.50 MHz 30.00 MHz 1.000 MHz -22.50 M -42.87 (-17.87) 22.50 M -40.91 (-15.91) 12.50 MHz 15.00 MHz 1.000 MHz 8.000 MHz (---) 1 000 MHz

May 31, 2024 11:11:57 AM

Mid Channel Edge Plot (15 MHz BPSK)

F-TP22-03 (Rev. 06) Page 184 of 455





High Channel Edge Plot (15 MHz BPSK RB 1)

F-TP22-03 (Rev. 06) Page 185 of 455





High Channel Edge Plot (15 MHz BPSK)

F-TP22-03 (Rev. 06) Page 186 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.510000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.510000000 GHz ₩ PASS CF Step 1 Graph 7.900000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Ahsalistellimi Freq Offset 0 Hz Span 79.000 MHz 2001 pts Disp Center 2.51000 GHz Chan Det: Average, #Offs Det: Average Power 23.09 dBm / 20 MHz Lower Upper Start Freq Stop Freq 11.00 MHz 14.00 MHz Integ BW dBm ∆Limit(dB) dBm ∆Limit(dB) Freq (Hz) Freq (Hz) (-33.51) (-28.73) 10.00 MHz -43.51 -10.00 M 30.00 kHz -38.73 -11.00 M 11.00 MHz 1.000 MHz (-22.68) 14.00 MHz 19.50 MHz 1.000 MHz -35.68 -19.01 M Local 19.50 MHz 39.50 MHz 1.000 MHz -19.50 M -39.49 (-14.49)39.50 MHz 15.00 MHz -34.99 (-84.99) 28.43 M 10.00 MHz 270.0 kHz 1 000 MHz May 31, 2024 11:18:20 AM

Low Channel Edge Plot (20 MHz BPSK RB 1)-1

F-TP22-03 (Rev. 06) Page 187 of 455



Low Channel Edge Plot (20 MHz BPSK)-1 Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.510000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.510000000 GHz ₩ PASS CF Step 1 Graph 7.900000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Ahsalistellimi Freq Offset 0 Hz Span 79.000 MHz 2001 pts Disp Center 2.51000 GHz Chan Det: Average, #Offs Det: Average 23.22 dBm / 20 MHz Lower Upper Integ BW 430.0 kHz Start Freq Stop Freq 11.00 MHz 14.00 MHz dBm ΔLimit(dB) Freq (Hz) dBm ∆Limit(dB) Freq (Hz) 10.00 MHz -27.24 -37.99 -41.77 (-17.24) (-27.99) -10.01 M -11.00 M -14.00 M 11.00 MHz 1.000 MHz 14.00 MHz 19.50 MHz 1.000 MHz (-28.77)Local 19.50 MHz 39.50 MHz 1.000 MHz -21.50 M -42.18 (-17.18)39.50 MHz 15.00 MHz -41.38 (-91.38) 17.29 M 10.00 MHz 270.0 kHz 1 000 MHz

May 31, 2024 11:17:08 AM

F-TP22-03 (Rev. 06) Page 188 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.510000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Trig: Free Run Gate: Off IF Gain. Low Atten: 20 dB Preamp: Off KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.510000000 GHz ₩ PASS CF Step 1 Graph 8.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 80.000 MHz 2001 pts Disp Center 2.51000 GHz Chan Det: Average, #Offs Det: Average Power 23.09 dBm / 20 MHz Lower Upper dBm Start Freq Stop Freq 11.00 MHz Integ BW dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) Freq (Hz) 10.00 MHz 30.00 kHz -56.20 (-46.20)10.77 M (-29.75) 13.52 M 11.00 MHz 15.00 MHz -39.75 1.000 MHz 15.00 MHz 30.00 MHz 1.000 MHz -32.85 (-19.85) 28.35 M Local 30.00 MHz 40.00 MHz 1.000 MHz -48.46 (-23.46) 30.00 M 40.00 MHz 15.00 MHz -29.98 (-79.98) -10.00 M 10.00 MHz 270.0 kHz 1 000 MHz

May 31, 2024 11:19:02 AM

Low Channel Edge Plot (20 MHz BPSK_RB1)-2

F-TP22-03 (Rev. 06) Page 189 of 455



Low Channel Edge Plot (20 MHz BPSK)-2 Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.510000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.510000000 GHz ₩ PASS CF Step 1 Graph 8.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 80.000 MHz 2001 pts Disp Center 2.51000 GHz Chan Det: Average, #Offs Det: Average Power 23.21 dBm / 20 MHz Lower Upper Integ BW 430.0 kHz Start Freq Stop Freq 11.00 MHz dBm dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) Freq (Hz) (-30.81) (-28.15) (-22.91) 10.00 MHz -40.81 10.02 M 11.00 MHz 15.00 MHz -38.15 14.98 M 1.000 MHz 15.00 MHz 30.00 MHz 1.000 MHz -35.91 16.95 M Local 30.00 MHz 40.00 MHz 1.000 MHz -44.58 30.00 M (-19.58)40.00 MHz 15.00 MHz -30.18 (-80.18) -10.00 M 10.00 MHz 270.0 kHz (----) 1 000 MHz

May 31, 2024 11:17:46 AM

F-TP22-03 (Rev. 06) Page 190 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.535000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.535000000 GHz ₩ PASS CF Step 1 Graph 8.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 80.000 MHz 2001 pts Disp Center 2.53500 GHz Chan Det: Average, #Offs Det: Average Power 23.15 dBm / 20 MHz Lower Upper Integ BW 430.0 kHz dBm -29.31 Start Freq Stop Freq 11.00 MHz dBm Freq (Hz) -10.00 M ΔLimit(dB) ∆Limit(dB) Freq (Hz) (-15.84) (-17.22) (-15.92) (-19.31) (-17.29) (-14.96) 10.00 MHz -25.84 10.02 M 13.92 M -11.00 M -15.00 M -27.29 -27.96 15.00 MHz -27.22 -28.92 11.00 MHz 1.000 MHz 15.00 MHz 30.00 MHz 1.000 MHz 18.15 M Local 30.00 MHz 40.00 MHz 1.000 MHz (-17.22) -30.00 M -41.82 30.00 M -42.22 (-16.82)12.50 MHz 15.00 MHz 1.000 MHz 8.000 MHz (----) 1 000 MHz

May 31, 2024 11:23:17 AM

Mid Channel Edge Plot (20 MHz BPSK)

F-TP22-03 (Rev. 06) Page 191 of 455





High Channel Edge Plot (20 MHz BPSK RB 1)

F-TP22-03 (Rev. 06) Page 192 of 455





High Channel Edge Plot (20 MHz BPSK)

F-TP22-03 (Rev. 06) Page 193 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.512500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.512500000 GHz ₩ PASS CF Step 1 Graph 8.400000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 84.000 MHz 2001 pts Disp Center 2.51250 GHz Chan Det: Average, #Offs Det: Average Power 23.08 dBm / 25 MHz Lower Upper Start Freq Stop Freq 13.50 MHz Integ BW dBm ΔLimit(dB) Freq (Hz) dBm ∆Limit(dB) Freq (Hz) -12.50 M -47.72 -38.80 (-37.72) (-28.80) 12.50 MHz 30.00 kHz 16.50 MHz -13.53 M 13.50 MHz 1.000 MHz (-31.86) 16.50 MHz 22.00 MHz 1.000 MHz -44.86 -17.30 M Local 22.00 MHz 42.00 MHz 1.000 MHz -32.79 (-7.79)-23.80 M 42.00 MHz 15.00 MHz -34.55 (-84.55) 35.72 M 12.50 MHz 270.0 kHz 1 000 MHz

May 31, 2024 11:31:55 AM

Low Channel Edge Plot (25 MHz BPSK RB 1)-1

F-TP22-03 (Rev. 06) Page 194 of 455



Low Channel Edge Plot (25 MHz BPSK)-1 Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.512500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.512500000 GHz ₩ PASS CF Step 1 Graph 8.400000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 84.000 MHz 2001 pts Disp Center 2.51250 GHz Chan Det: Average, #Offs Det: Average Power 23.20 dBm / 25 MHz Lower Upper Integ BW 510.0 kHz Start Freq Stop Freq 13.50 MHz dBm ΔLimit(dB) dBm ∆Limit(dB) Freq (Hz) Freq (Hz) (-13.84) (-23.12) (-25.52) -12.50 M -23.84 12.50 MHz -33.12 -38.52 16.50 MHz -13.52 M 13.50 MHz 1.000 MHz 16.50 MHz 22.00 MHz 1.000 MHz -17.46 M Local 22.00 MHz 42.00 MHz 1.000 MHz -37.72 (-12.72)-23.40 M 42.00 MHz 15.00 MHz -38.47 (-88.47) 12.50 M 12.50 MHz 270.0 kHz 1 000 MHz

May 31, 2024 11:30:43 AM

F-TP22-03 (Rev. 06) Page 195 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.512500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Trig: Free Run Gate: Off IF Gain. Low Atten: 20 dB Preamp: Off KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.512500000 GHz ₩ PASS CF Step 1 Graph 10.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 100.00 MHz 2001 pts Disp Center 2.51250 GHz Chan Det: Average, #Offs Det: Average 23.11 dBm / 25 MHz Lower Upper Start Freq Stop Freq 13.50 MHz dBm Integ BW dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) Freq (Hz) (-42.97) (-32.43) 12.50 MHz 30.00 kHz -52.97 12.50 M 17.50 MHz -42.43 13.50 M 13.50 MHz 1.000 MHz 17.50 MHz 37.50 MHz 1.000 MHz -32.53 (-19.53) 35.70 M Local 37.50 MHz 50.00 MHz 1.000 MHz -45.26 37.63 M (-20.26)50.00 MHz 15.00 MHz 12.50 MHz 360.0 kHz -33.26 (-83.26) -23.74 M (----) 1 000 MHz May 31, 2024 11:32:32 AM

Low Channel Edge Plot (25 MHz BPSK_RB1)-2

F-TP22-03 (Rev. 06) Page 196 of 455



Low Channel Edge Plot (25 MHz BPSK)-2 Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.512500000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.512500000 GHz ₩ PASS CF Step 1 Graph 10.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 100.00 MHz 2001 pts Disp Center 2.51250 GHz Chan Det: Average, #Offs Det: Average Power 23.21 dBm / 25 MHz Lower Upper Stop Freq 13.50 MHz Integ BW 510.0 kHz dBm -35.00 Start Freq dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) Freq (Hz) (-25.00) (-25.66) 12.52 M 13.52 M 12.50 MHz 17.50 MHz -35.66 13.50 MHz 1.000 MHz 17.50 MHz 37.50 MHz 1.000 MHz -34.24 (-21.24) 22.00 M Local 37.50 MHz 50.00 MHz 1.000 MHz -41.49 (-16.49) 38.50 M 50.00 MHz 15.00 MHz 12.50 MHz 360.0 kHz -27.01 (-77.01) -12.50 M (----) 1 000 MHz

May 31, 2024 11:31:21 AM

F-TP22-03 (Rev. 06) Page 197 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.535000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.535000000 GHz ₩ PASS CF Step 1 Graph 10.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 100.00 MHz 2001 pts Disp Center 2.53500 GHz Chan Det: Average, #Offs Det: Average 23.12 dBm / 25 MHz Lower Upper Integ BW 510.0 kHz Start Freq Stop Freq 13.50 MHz dBm -32.87 dBm Freq (Hz) ΔLimit(dB) ∆Limit(dB) Freq (Hz) (-15.53) (-23.90) (-22.87) (-23.73) (-21.14) -25.53 -12.51 M 12.52 M 13.50 M 12.50 MHz 17.50 MHz -33.90 -13.50 M -33.73 13.50 MHz 1.000 MHz (-22.87) 37.50 MHz 1.000 MHz -35.87 -22.50 M -34.14 22.30 M 17.50 MHz Local 37.50 MHz 50.00 MHz 1.000 MHz -37.56 M -45.17 (-20.17) 37.50 M -46.89 (-21.89)12.50 MHz 15.00 MHz 1.000 MHz 8.000 MHz 1 000 MHz

May 31, 2024 11:36:48 AM

Mid Channel Edge Plot (25 MHz BPSK)

F-TP22-03 (Rev. 06) Page 198 of 455





High Channel Edge Plot (25 MHz BPSK RB 1)

F-TP22-03 (Rev. 06) Page 199 of 455





High Channel Edge Plot (25 MHz BPSK)

F-TP22-03 (Rev. 06) Page 200 of 455




Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.515000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Trig: Free Run Gate: Off IF Gain. Low Atten: 20 dB Preamp: Off KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.515000000 GHz LNI PASS CF Step 1 Graph 8.900000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 89.000 MHz 2001 pts Disp Center 2.51500 GHz Chan Det: Average, #Offs Det: Average Power 23.06 dBm / 30 MHz Lower Upper Start Freq Stop Freq 16.00 MHz Integ BW dBm ΔLimit(dB) dBm ∆Limit(dB) Freq (Hz) Freq (Hz) (-34.92) (-27.10) (-29.88) -15.00 M -44.92 15.00 MHz 30.00 kHz -37.10 -42.88 -17.67 M -20.40 M 19.00 MHz 16.00 MHz 1.000 MHz 19.00 MHz 24.50 MHz 1.000 MHz Local 24.50 MHz 44.50 MHz 1.000 MHz -38.00 (-13.00)-28.60 M 44.50 MHz 15.00 MHz -34.27 (-84.27) 43.01 M 15.00 MHz 270.0 kHz 1 000 MHz

May 31, 2024 11:45:07 AM

Low Channel Edge Plot (30 MHz BPSK RB 1)-1

F-TP22-03 (Rev. 06) Page 201 of 455





Low Channel Edge Plot (30 MHz BPSK)-1

F-TP22-03 (Rev. 06) Page 202 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.515000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Trig: Free Run Gate: Off IF Gain. Low Atten: 20 dB Preamp: Off KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.515000000 GHz ₩ PASS CF Step 1 Graph 12.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 120.00 MHz 2001 pts Disp Center 2.51500 GHz Chan Det: Average, #Offs Det: Average Power 23.08 dBm / 30 MHz Lower Upper Start Freq Stop Freq 16.00 MHz dBm Integ BW Freq (Hz) dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) (-46.27) (-31.05) 15.00 MHz 30.00 kHz -56.27 15.96 M 20.00 M 20.00 MHz -41.05 16.00 MHz 1.000 MHz 20.00 MHz 45.00 MHz 1.000 MHz -32.56 (-19.56) 43.00 M Local 45.00 MHz 60.00 MHz 1.000 MHz -42.74 (-17.74) 47.03 M 60.00 MHz 15.00 MHz 430.0 kHz -26.48 (-76.48) -15.00 M 15.00 MHz (---) 1 000 MHz

May 31, 2024 11:45:45 AM

Low Channel Edge Plot (30 MHz BPSK_RB1)-2

F-TP22-03 (Rev. 06) Page 203 of 455



Spectrum Analyzer 1 SEM + Frequency Center Freq: 2.515000000 GHz Avg|Hold: 100.00% of 20 Radio Std. None Input Z: 50 Ω Atten: 20 dB Preamp: Off Trig: Free Run Gate: Off IF Gain. Low KEYSIGHT Input: RF Center Frequency Settings Corr CCorr Freq Ref. Int (S) NFE: Adaptive Align. Auto 2.515000000 GHz ₩ PASS CF Step 1 Graph 12.000000 MHz Ref LvI Offset 27.34 dB Ref Value 30.0 dBm Scale/Div 10 dB Auto Man Freq Offset 0 Hz Span 120.00 MHz 2001 pts Disp Center 2.51500 GHz Chan Det: Average, #Offs Det: Average Power 23.15 dBm / 30 MHz Lower Upper Start Freq Stop Freq 16.00 MHz dBm Integ BW dBm ΔLimit(dB) Freq (Hz) ΔLimit(dB) Freq (Hz) (-12.31) (-18.40) (-20.91) 15.00 MHz 620.0 kHz -22.31 15.00 M -28.40 16.02 M 20.00 MHz 16.00 MHz 1.000 MHz 20.00 MHz 45.00 MHz 1.000 MHz -33.91 26.63 M Local 45.00 MHz 60.00 MHz 1.000 MHz -40.68 (-15.68) 45.53 M 60.00 MHz 15.00 MHz 430.0 kHz -25.67 (-75.67) -15.00 M 15.00 MHz (---) 1 000 MHz

May 31, 2024 11:44:33 AM

Low Channel Edge Plot (30 MHz BPSK)-2

F-TP22-03 (Rev. 06) Page 204 of 455