



n77(3450~3550 MHz)\_60 M\_Band Edge\_High\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 376 of 762

Log Lin

III 🐺



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.450000000 GHz AAAAAA ĻΧI Mkr1 3.449 900 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -20.502 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.448000000 GHz Stop Freq 3.452000000 GHz DL1 -13.00 dB AUTO TUNE 400.000 kHz Auto Man Freq Offset 0 Hz Local X Axis Scale Center 3.450000 GHz #Res BW 200 kHz Span 4.000 MHz #Sweep ~1.01 s (1001 pts) #Video BW 1.0 MHz

## n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 377 of 762





n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 378 of 762

Local

X Axis Scale

Log Lin

Stop 3.449000 GHz #Sweep ~1.01 s (1001 pts)

III 🐺



Start 3.445000 GHz #Res BW 510 kHz

#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.447000000 GHz AAAAAA ĻΧI Mkr1 3.448 932 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -17.865 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.445000000 GHz Stop Freq 3.449000000 GHz DL1-13.00 c AUTO TUNE CF Step 400.000 kHz Auto Man Freq Offset 0 Hz

#Video BW 2.0 MHz

## n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_FullRB(2)

F-TP22-03 (Rev. 06) Page 379 of 762





n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 380 of 762



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive #Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run PNO: Fast Gate: Off IF Gain: Low Sig Track: Off KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.347500000 GHz AAAAAA ĻΧI Mkr1 3.434 860 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 195.000000 MHz -15.796 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.250000000 GHz Stop Freq 3.445000000 GHz DL1-136 1 3 AUTO TUNE CF Step 19.500000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Start 3.25000 GHz #Res BW 1.0 MHz Stop 3.44500 GHz #Sweep 1.00 s (1001 pts) #Video BW 3.0 MHz Log Lin

## n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 381 of 762





n77(3450~3550 MHz)\_70 M\_Band Edge\_Low\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 382 of 762



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.550000000 GHz AAAAAA ĻΧI Mkr1 3.552 05 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 10.0000000 MHz -22.706 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.545000000 GHz Stop Freq 3.555000000 GHz DL1 -13.00 dB AUTO TUNE CF Step 1.000000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Center 3.550000 GHz #Res BW 200 kHz Span 10.00 MHz #Sweep ~1.01 s (1001 pts) #Video BW 1.0 MHz Log Lin

III 🐺

## n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 383 of 762





## n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 384 of 762



## n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_FullRB(2)



F-TP22-03 (Rev. 06) Page 385 of 762





III 🐺

## n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 386 of 762





n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 387 of 762





## n77(3450~3550 MHz)\_70 M\_Band Edge\_High\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 388 of 762

Local

Auto Man Freq Offset 0 Hz

X Axis Scale

Log Lin

Span 4.000 MHz #Sweep ~1.01 s (1001 pts)

III 🐺



Center 3.450000 GHz #Res BW 200 kHz

#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.450000000 GHz AAAAAA ĻΧI Mkr1 3.449 984 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -22.435 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.448000000 GHz Stop Freq 3.452000000 GHz DL1 -13.00 dB AUTO TUNE ուղլերիրությեմիությերի այլերի այրերի այրերի հայարա 400.000 kHz

#Video BW 1.0 MHz

## n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 389 of 762





III 🐺

? May 29, 2024 2:41:04 PM

n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 390 of 762



Start 3.445000 GHz #Res BW 510 kHz

#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.447000000 GHz AAAAAA ĻΧI Mkr1 3.448 988 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -20.509 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.445000000 GHz Stop Freq 3.449000000 GHz DL1 -13.00 dE AUTO TUNE 400.000 kHz Auto Man Freq Offset 0 Hz Local X Axis Scale

#Video BW 2.0 MHz

Stop 3.449000 GHz #Sweep ~1.01 s (1001 pts)

III 🐺

Log Lin

## n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_FullRB(2)

F-TP22-03 (Rev. 06) Page 391 of 762





n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 392 of 762



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive #Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run PNO: Fast Gate: Off IF Gain: Low Sig Track: Off KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.347500000 GHz AAAAAA ĻΧI Mkr1 3.441 685 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 195.000000 MHz -20.229 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.250000000 GHz Stop Freq 3.445000000 GHz AUTO TUNE CF Step 19.500000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Start 3.25000 GHz #Res BW 1.0 MHz Stop 3.44500 GHz #Sweep 1.00 s (1001 pts) #Video BW 3.0 MHz Log Lin

## n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 393 of 762





n77(3450~3550 MHz)\_80 M\_Band Edge\_Low\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 394 of 762




#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.550000000 GHz AAAAAA ĻΧI Mkr1 3.550 08 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 10.0000000 MHz -24.773 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.545000000 GHz Stop Freq 3.555000000 GHz DL1 -13.00 dB AUTO TUNE CF Step 1.000000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Center 3.550000 GHz #Res BW 200 kHz Span 10.00 MHz #Sweep ~1.01 s (1001 pts) #Video BW 1.0 MHz Log Lin

III 🐺

## n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 395 of 762





n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 396 of 762



# n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_FullRB(2)



F-TP22-03 (Rev. 06) Page 397 of 762






## n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 398 of 762





## n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 399 of 762





n77(3450~3550 MHz)\_80 M\_Band Edge\_High\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 400 of 762



# n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_FullRB(1)



F-TP22-03 (Rev. 06) Page 401 of 762





III 🐺

n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 402 of 762



## n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_FullRB(2)



F-TP22-03 (Rev. 06) Page 403 of 762





n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 404 of 762



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive #Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run PNO: Fast Gate: Off IF Gain: Low Sig Track: Off KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.347500000 GHz AAAAAA ĻΧI Mkr1 3.441 880 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 195.000000 MHz -16.602 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.250000000 GHz Stop Freq 3.445000000 GHz DL1-13.00 c AUTO TUNE CF Step 19.500000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Start 3.25000 GHz #Res BW 1.0 MHz Stop 3.44500 GHz #Sweep 1.00 s (1001 pts) #Video BW 3.0 MHz Log Lin

## n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 405 of 762





n77(3450~3550 MHz)\_90 M\_Band Edge\_Low\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 406 of 762




#### Ö Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.550000000 GHz AAAAAA ĻΧI Mkr1 3.552 38 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 10.0000000 MHz -24.509 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.545000000 GHz Stop Freq 3.555000000 GHz DL1 -13.00 dB AUTO TUNE •1 CF Step 1.000000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Center 3.550000 GHz #Res BW 200 kHz Span 10.00 MHz #Sweep ~1.01 s (1001 pts) #Video BW 1.0 MHz Log Lin

...

## n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 407 of 762





n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 408 of 762

Freq Offset 0 Hz

X Axis Scale

Log Lin

Stop 3.555000 GHz #Sweep ~1.01 s (1001 pts)

...

Local



Start 3.551000 GHz #Res BW 510 kHz

#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.553000000 GHz AAAAAA ĻΧI Mkr1 3.551 204 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -21.091 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.551000000 GHz Stop Freq 3.555000000 GHz DL1 -13.00 dB **1** AUTO TUNE 400.000 kHz Auto Man

#Video BW 2.0 MHz

## n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_FullRB(2)

F-TP22-03 (Rev. 06) Page 409 of 762






## n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 410 of 762





## n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 411 of 762





# n77(3450~3550 MHz)\_90 M\_Band Edge\_High\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 412 of 762



#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.450000000 GHz AAAAAA ĻΧI Mkr1 3.449 980 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -24.202 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.448000000 GHz Stop Freq 3.452000000 GHz DL1 -13.00 dB AUTO TUNE **♦**1 400.000 kHz Auto Man Freq Offset 0 Hz Local X Axis Scale Center 3.450000 GHz #Res BW 200 kHz Span 4.000 MHz #Sweep ~1.01 s (1001 pts) #Video BW 1.0 MHz Log Lin

III 🐺

### n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 413 of 762





III 🐺

n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 414 of 762

Log Lin

III 🐺



#### Ö Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS 1 2 3 4 5 6 Trig. Free Run KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.447000000 GHz AAAAAA ĻΧI Mkr1 3.448 992 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 4.00000000 MHz -22.746 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.445000000 GHz Stop Freq 3.449000000 GHz DL1 -13.00 dB AUTO TUNE 400.000 kHz Auto Man Freq Offset 0 Hz Local X Axis Scale Start 3.445000 GHz #Res BW 510 kHz Stop 3.449000 GHz #Sweep ~1.01 s (1001 pts)

#Video BW 2.0 MHz

### n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_FullRB(2)

F-TP22-03 (Rev. 06) Page 415 of 762





### n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 416 of 762




#### ø Frequency Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive #Avg Type: Power (RMS 1 2 3 4 5 6 Trig: Free Run PNO: Fast Gate: Off IF Gain: Low Sig Track: Off KEYSIGHT Input RF #Atten: 20 dB Preamp: Off Center Frequency Settings Align: Auto 3.347500000 GHz AAAAAA ĻΧI Mkr1 3.445 000 GHz 1 Spectrum Ref LvI Offset 34.54 dB Ref Level 34.54 dBm 195.000000 MHz -21.744 dBm Scale/Div 10 dB Swept Span Zero Span Full Span Start Freq 3.250000000 GHz Stop Freq 3.445000000 GHz DL1 -13.00 dB AUTO TUNE 19.500000 MHz Auto Man Freq Offset 0 Hz Local X Axis Scale Start 3.25000 GHz #Res BW 1.0 MHz Stop 3.44500 GHz #Sweep 1.00 s (1001 pts) #Video BW 3.0 MHz Log Lin

### n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 417 of 762





? May 29, 2024 .....

### n77(3450~3550 MHz)\_100 M\_Band Edge\_Low\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 418 of 762





III 🐺

# n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_FullRB(1)

F-TP22-03 (Rev. 06) Page 419 of 762






n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_1RB(1)

F-TP22-03 (Rev. 06) Page 420 of 762






# n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_FullRB(2)

F-TP22-03 (Rev. 06) Page 421 of 762





...

### n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_1RB(2)

F-TP22-03 (Rev. 06) Page 422 of 762





# n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_FullRB(3)

F-TP22-03 (Rev. 06) Page 423 of 762





### n77(3450~3550 MHz)\_100 M\_Band Edge\_High\_BPSK\_1RB(3)

F-TP22-03 (Rev. 06) Page 424 of 762



# 11. TEST PLOTS(3700 MHz - 3980 MHz)

F-TP22-03 (Rev. 06) Page 425 of 762





# n77(3700~3980 MHz)\_10 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 426 of 762





### n77(3700~3980 MHz)\_10 M\_PAR\_Mid\_QPSK\_FullRB

F-TP22-03 (Rev. 06) Page 427 of 762



May 30, 2024 9:02:03 AM



### n77(3700~3980 MHz)\_10 M\_PAR\_Mid\_16QAM\_FullRB

F-TP22-03 (Rev. 06) Page 428 of 762



May 30, 2024 9:02:36 AM

#### ectrum Analyzer 1 ower Stat CCDF ø Amplitude Center Freq: 3.840000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) KEYSIGHT Input RF Trig: RF Burst #IF Gain: Low Ref Level Offset Y Scale R L Align: Auto 27.56 dB On Off Attenuation 2 Graph 1 Metrics Signal Path Average Power 23.03 dBm 43.86 % at 0 dB 10.0 % 3.06 dB 1.0 % 5.09 dB 0.1 % 6.17 dB 0.01 % 6.72 dB 0.001 % 7.00 dB 0.0001 % 7.26 dB 7.26 dB Peak 30.29 dBm Local 0.00 dB Info BW 10.000 MHz 20.00 dB

n77(3700~3980 MHz)\_10 M\_PAR\_Mid\_64QAM\_FullRB

F-TP22-03 (Rev. 06) Page 429 of 762





### n77(3700~3980 MHz)\_10 M\_PAR\_Mid\_256QAM\_FullRB

F-TP22-03 (Rev. 06) Page 430 of 762





### n77(3700~3980 MHz)\_15 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 431 of 762





### n77(3700~3980 MHz)\_15 M\_PAR\_Mid\_QPSK\_FullRB

F-TP22-03 (Rev. 06) Page 432 of 762



May 30, 2024 9:15:58 AM




### n77(3700~3980 MHz)\_15 M\_PAR\_Mid\_16QAM\_FullRB

F-TP22-03 (Rev. 06) Page 433 of 762



May 30, 2024 9:16:31 AM



n77(3700~3980 MHz)\_15 M\_PAR\_Mid\_64QAM\_FullRB

F-TP22-03 (Rev. 06) Page 434 of 762





### n77(3700~3980 MHz)\_15 M\_PAR\_Mid\_256QAM\_FullRB

F-TP22-03 (Rev. 06) Page 435 of 762





### n77(3700~3980 MHz)\_20 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 436 of 762






### n77(3700~3980 MHz)\_20 M\_PAR\_Mid\_QPSK\_FullRB

F-TP22-03 (Rev. 06) Page 437 of 762



May 30, 2024 9:42:07 AM



n77(3700~3980 MHz)\_20 M\_PAR\_Mid\_16QAM\_FullRB

F-TP22-03 (Rev. 06) Page 438 of 762



#### ectrum Analyzer 1 ower Stat CCDF ø Amplitude Center Freq: 3.840000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) KEYSIGHT Input RF Trig: RF Burst #IF Gain: Low Ref Level Offset Y Scale R L Align: Auto 27.56 dB On Off Attenuation 2 Graph 1 Metrics Signal Path Average Power 23.06 dBm 43.90 % at 0 dB 10.0 % 3.04 dB 1.0 % 5.09 dB 0.1 % 6.14 dB 0.01 % 6.69 dB 0.001 % 6.99 dB 0.0001 % 7.18 dB 7.23 dB Peak 30.29 dBm Local 0.00 dB Info BW 20.000 MHz 20.00 dB May 30, 2024 9:42:39 AM

### n77(3700~3980 MHz)\_20 M\_PAR\_Mid\_64QAM\_FullRB

F-TP22-03 (Rev. 06) Page 439 of 762





n77(3700~3980 MHz)\_20 M\_PAR\_Mid\_256QAM\_FullRB

F-TP22-03 (Rev. 06) Page 440 of 762





n77(3700~3980 MHz)\_25 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 441 of 762






### n77(3700~3980 MHz)\_25 M\_PAR\_Mid\_QPSK\_FullRB

F-TP22-03 (Rev. 06) Page 442 of 762



May 30, 2024 9:56:04 AM



### n77(3700~3980 MHz)\_25 M\_PAR\_Mid\_16QAM\_FullRB

F-TP22-03 (Rev. 06) Page 443 of 762



May 30, 2024 9:56:36 AM

#### ectrum Analyzer 1 ower Stat CCDF ø Amplitude Center Freq: 3.840000000 GHz Counts: 2.00 M/2 00 Mpt Radio Std: None Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) KEYSIGHT Input RF Trig: RF Burst #IF Gain: Low Ref Level Offset Y Scale R L Align: Auto 27.56 dB On Off Attenuation 2 Graph 1 Metrics Signal Path Average Power 23.06 dBm 44.03 % at 0 dB 10.0 % 2.97 dB 1.0 % 5.18 dB 0.1 % 6.29 dB 0.01 % 6.83 dB 0.001 % 7.32 dB 0.0001 % 7.73 dB 7.73 dB Peak 30.79 dBm Local 0.00 dB Info BW 25.000 MHz 20.00 dB

n77(3700~3980 MHz)\_25 M\_PAR\_Mid\_64QAM\_FullRB

F-TP22-03 (Rev. 06) Page 444 of 762





### n77(3700~3980 MHz)\_25 M\_PAR\_Mid\_256QAM\_FullRB

F-TP22-03 (Rev. 06) Page 445 of 762





n77(3700~3980 MHz)\_30 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 446 of 762





### n77(3700~3980 MHz)\_30 M\_PAR\_Mid\_QPSK\_FullRB

F-TP22-03 (Rev. 06) Page 447 of 762





### n77(3700~3980 MHz)\_30 M\_PAR\_Mid\_16QAM\_FullRB

F-TP22-03 (Rev. 06) Page 448 of 762



May 30, 2024 11:15:07 AM



### n77(3700~3980 MHz)\_30 M\_PAR\_Mid\_64QAM\_FullRB

F-TP22-03 (Rev. 06) Page 449 of 762





n77(3700~3980 MHz)\_30 M\_PAR\_Mid\_256QAM\_FullRB

F-TP22-03 (Rev. 06) Page 450 of 762





### n77(3700~3980 MHz)\_40 M\_PAR\_Mid\_BPSK\_FullRB

F-TP22-03 (Rev. 06) Page 451 of 762