

## Appendix L\_NR Bands *Plimit* Conducted Power

### 1. NR Band Maximum Conducted Power (Lower Antenna)

#### NR FDD Band n2 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN1

[Ant A]

#### NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	24.44	24.45	0	
				1	13	24.64	24.43	24.32	0	
				1	23	24.69	24.45	24.40	0	
				12	0	24.18	23.96	23.90	0.5	
				12	7	24.70	24.51	24.38	0	
				12	13	24.19	24.01	23.89	0.5	
				25	0	24.17	24.00	23.91	0.5	
			QPSK	1	1	24.71	24.47	24.41	0	
				1	13	24.64	24.42	24.33	0	
				1	23	24.69	24.54	24.45	0	
				12	0	23.70	23.45	23.38	1	
				12	7	24.67	24.54	24.39	0	
				12	13	23.71	23.52	23.39	1	
			CP	25	0	23.66	23.54	23.38	1	
				16QAM	1	1	23.73	23.40	23.40	1
		64QAM		1	1	22.27	21.89	21.90	2.5	
				256QAM	1	1	20.16	19.98	20.05	4.5
				CP	QPSK	1	1	23.30	23.11	22.96

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	24.55	24.43	0
				1	26	24.70	24.55	24.48	0
				1	50	24.59	24.54	24.39	0
				25	0	24.18	23.94	23.91	0.5
				25	14	24.66	24.51	24.42	0
				25	27	24.01	23.99	23.88	0.5
				50	0	24.16	24.00	23.93	0.5
			QPSK	1	1	24.67	24.50	24.45	0
				1	26	24.76	24.64	24.49	0
				1	50	24.62	24.51	24.47	0
				25	0	23.70	23.44	23.42	1
				25	14	24.67	24.50	24.40	0
				25	27	23.56	23.51	23.42	1
			50	0	23.67	23.50	23.44	1	
		16QAM	1	1	23.62	23.47	23.46	1	
		64QAM	1	1	22.22	21.98	22.00	2.5	
256QAM	1	1	20.33	20.01	20.00	4.5			
CP	QPSK	1	1	23.23	23.09	22.96	1.5		

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.54	24.46	0
				1	40	24.46	24.62	24.35	0
				1	77	24.53	24.71	24.38	0
				36	0	24.20	24.03	23.81	0.5
				36	22	24.54	24.56	24.42	0
				36	43	24.06	24.04	23.88	0.5
				75	0	24.06	24.03	23.88	0.5
			QPSK	1	1	24.73	24.53	24.47	0
				1	40	24.48	24.45	24.36	0
				1	77	24.60	24.54	24.41	0
				36	0	23.71	23.51	23.37	1
				36	22	24.54	24.55	24.41	0
				36	43	23.54	23.56	23.39	1
			75	0	23.58	23.52	23.43	1	
		16QAM	1	1	23.59	23.60	23.52	1	
		64QAM	1	1	22.29	22.08	22.00	2.5	
256QAM	1	1	20.23	19.95	20.00	4.5			
CP	QPSK	1	1	23.12	23.14	22.98	1.5		

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	24.57	24.58	0
				1	53	24.87	24.57	24.49	0
				1	104	24.58	24.58	24.37	0
				50	0	24.13	24.02	24.01	0.5
				50	28	24.57	24.51	24.43	0
				50	56	24.05	24.05	23.92	0.5
				100	0	24.06	24.02	23.91	0.5
			QPSK	1	1	24.69	24.54	24.55	0
				1	53	24.67	24.63	24.54	0
				1	104	24.55	24.54	24.39	0
				50	0	23.67	23.54	23.53	1
				50	28	24.56	24.53	24.43	0
				50	56	23.55	23.57	23.44	1
			100	0	23.55	23.51	23.40	1	
		16QAM	1	1	23.76	23.60	23.46	1	
		64QAM	1	1	22.18	22.06	22.16	2.5	
		256QAM	1	1	20.19	20.06	20.15	4.5	
CP	QPSK	1	1	23.15	23.09	23.10	1.5		

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68		24.61	0
				1	66	24.65		24.42	0
				1	131	24.54		24.44	0
				64	0	24.08		24.06	0.5
				64	35	24.53		24.38	0
				64	69	24.05		23.94	0.5
				128	0	24.03		23.90	0.5
			QPSK	1	1	24.66		24.54	0
				1	66	24.68		24.49	0
				1	131	24.54		24.37	0
				64	0	23.62		23.59	1
				64	35	24.51		24.37	0
				64	69	23.56		23.44	1
			128	0	23.53		23.39	1	
		16QAM	1	1	23.70		23.51	1	
		64QAM	1	1	22.27		22.12	2.5	
		256QAM	1	1	20.13		20.22	4.5	
CP	QPSK	1	1	23.18		23.10	1.5		

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						373000	379000	
						1865 MHz	1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.74	24.58	0
				1	80	24.65	24.64	0
				1	158	24.52	24.41	0
				80	0	24.06	24.08	0.5
				80	40	24.52	24.51	0
				80	80	24.04	23.90	0.5
				160	0	24.05	23.99	0.5
			QPSK	1	1	24.74	24.57	0
				1	80	24.65	24.60	0
				1	158	24.53	24.44	0
				80	0	23.55	23.58	1
				80	40	24.56	24.52	0
			16QAM	80	80	23.55	23.44	1
				160	0	23.58	23.52	1
		16QAM		1	1	23.82	23.54	1
		64QAM		1	1	22.39	22.05	2.5
256QAM	1	1	20.31	20.19	4.5			
CP	QPSK	1	1	23.20	23.10	1.5		

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000	1880 MHz	
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.55	24.55	0
				1	98	24.55	24.45	0
				1	186	24.45	24.04	0.5
				90	0	24.04	24.48	0
				90	45	24.48	24.04	0.5
				90	90	24.04	24.00	0.5
				180	0	24.00	24.57	0
			QPSK	1	98	24.55	24.49	0
				1	186	24.49	23.54	1
				90	0	23.54	24.48	0
				90	45	24.48	23.52	1
				90	90	23.52	23.49	1
			16QAM	180	0	23.49	23.54	1
				16QAM	1	1	23.54	22.17
		64QAM		1	1	22.17	20.12	4.5
		256QAM		1	1	20.12	23.02	1.5
CP	QPSK	1	1	23.02		1.5		

## NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	0	
				1	108	24.67	0	
				1	214	24.37	0	
				108	0	24.04	0.5	
				108	54	24.52	0	
				108	108	24.09	0.5	
			216	0	24.04	0.5		
			QPSK	1	1	24.52	0	
				1	108	24.48	0	
				1	214	24.35	0	
				108	0	23.55	1	
				108	54	24.51	0	
				108	108	23.58	1	
			216	0	23.52	1		
			16QAM	1	1	23.49	1	
		64QAM	1	1	22.10	2.5		
		256QAM	1	1	20.09	4.5		
		CP	QPSK	1	1	23.14	1.5	

**NR FDD Band n2 Conducted Power\_ Measured RSI = 0 \_ MAIN1 [Ant A]**
**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	19.99	19.85	0
				1	13	20.07	19.90	19.79	0
				1	23	20.09	19.96	19.83	0
				12	0	20.16	19.99	19.86	0
				12	7	20.13	19.97	19.86	0
				12	13	20.09	19.95	19.85	0
				25	0	20.16	19.97	19.86	0
			QPSK	1	1	20.16	19.99	19.86	0
				1	13	20.04	19.90	19.78	0
				1	23	20.08	19.95	19.82	0
				12	0	20.14	19.99	19.86	0
				12	7	20.14	19.94	19.86	0
				12	13	20.10	19.94	19.84	0
				25	0	20.14	19.97	19.85	0
			16QAM	1	1	20.14	19.98	19.83	0
			64QAM	1	1	20.27	20.05	19.82	0
			256QAM	1	1	20.20	19.88	19.74	0
CP	QPSK	1	1	20.16	19.94	19.77	0		

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.17	19.97	19.86	0
				1	26	20.20	19.97	19.92	0
				1	50	20.07	19.99	19.81	0
				25	0	20.20	19.96	19.89	0
				25	14	20.13	19.95	19.88	0
				25	27	20.09	19.96	19.88	0
				50	0	20.15	19.98	19.84	0
			QPSK	1	1	20.21	19.95	19.90	0
				1	26	20.19	20.04	19.96	0
				1	50	20.09	19.95	19.82	0
				25	0	20.20	19.97	19.91	0
				25	14	20.14	19.96	19.88	0
				25	27	20.09	19.97	19.87	0
				50	0	20.11	19.98	19.87	0
			16QAM	1	1	20.18	19.97	19.77	0
			64QAM	1	1	20.13	20.05	19.90	0
			256QAM	1	1	20.13	19.94	19.83	0
CP	QPSK	1	1	20.14	19.99	19.92	0		

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.19	19.98	19.92	0
				1	40	19.98	19.89	19.75	0
				1	77	19.98	20.01	19.83	0
				36	0	20.15	19.99	19.88	0
				36	22	20.08	19.96	19.85	0
				36	43	20.04	19.99	19.84	0
			QPSK	75	0	20.11	19.95	19.85	0
				1	1	20.17	19.97	19.91	0
				1	40	19.98	19.88	19.78	0
				1	77	19.98	20.02	19.85	0
				36	0	20.15	19.97	19.85	0
				36	22	20.08	19.97	19.87	0
			16QAM	36	43	20.00	19.99	19.86	0
				75	0	20.11	19.96	19.85	0
		1		1	20.21	19.92	19.97	0	
		1		1	20.09	20.03	19.98	0	
CP	QPSK	1	1	20.17	19.84	19.93	0		
		1	1	20.13	19.97	19.92	0		

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	19.98	19.89	0
				1	53	20.09	19.98	19.97	0
				1	104	19.98	19.99	19.85	0
				50	0	20.11	19.99	19.94	0
				50	28	20.05	19.95	19.85	0
				50	56	19.98	20.00	19.87	0
			QPSK	100	0	20.04	19.98	19.89	0
				1	1	20.13	19.94	20.00	0
				1	53	20.10	20.06	19.95	0
				1	104	19.95	20.01	19.88	0
				50	0	20.11	19.96	19.96	0
				50	28	20.02	19.98	19.86	0
			16QAM	50	56	19.97	19.98	19.85	0
				100	0	20.06	19.97	19.88	0
		1		1	20.19	20.04	19.99	0	
		1		1	20.21	19.88	19.96	0	
CP	QPSK	1	1	20.09	19.82	20.08	0		
		1	1	20.16	20.01	20.01	0		



**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						372500	379500		
						1862.5 MHz	1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15		20.02	0
				1	66	20.07		20.08	0
				1	131	19.95		19.82	0
				64	0	20.11		20.00	0
				64	35	20.00		19.93	0
				64	69	19.98		19.87	0
				128	0	19.99		19.95	0
			QPSK	1	1	20.12		20.01	0
				1	66	20.10		20.06	0
				1	131	19.95		19.85	0
				64	0	20.12		19.99	0
				64	35	20.00		19.92	0
				64	69	19.97		19.87	0
				128	0	20.01		19.92	0
		16QAM	1	1	20.12		19.97	0	
		64QAM	1	1	20.20		20.07	0	
256QAM	1	1	20.19		19.93	0			
CP	QPSK	1	1	20.13		19.99	0		

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						373000	379000		
						1865 MHz	1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.22		19.99	0
				1	80	20.09		20.12	0
				1	158	19.94		19.86	0
				80	0	20.10		20.06	0
				80	40	20.02		19.95	0
				80	80	19.99		19.90	0
				160	0	20.01		19.97	0
			QPSK	1	1	20.21		19.99	0
				1	80	20.15		20.04	0
				1	158	20.00		19.85	0
				80	0	20.10		20.05	0
				80	40	20.02		19.98	0
				80	80	19.97		19.89	0
				160	0	19.98		19.96	0
		16QAM	1	1	20.20		20.00	0	
		64QAM	1	1	20.13		19.94	0	
256QAM	1	1	20.25		20.00	0			
CP	QPSK	1	1	20.21		19.98	0		

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.00	0	
				1	98	19.98	0	
				1	186	19.90	0	
				90	0	19.98	0	
				90	45	19.97	0	
				90	90	20.01	0	
			QPSK	180	0	19.99	0	
				1	1	19.98	0	
				1	98	19.97	0	
				1	186	19.94	0	
				90	0	19.96	0	
				90	45	19.98	0	
			16QAM	90	90	20.01	0	
				180	0	19.99	0	
		16QAM		1	1	20.03	0	
		64QAM		1	1	19.89	0	
CP	QPSK	1	1	19.99	0			
		1	1	19.96	0			

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.03	0	
				1	108	20.17	0	
				1	214	19.88	0	
				108	0	19.99	0	
				108	54	19.97	0	
				108	108	19.98	0	
			QPSK	216	0	19.97	0	
				1	1	20.00	0	
				1	108	20.13	0	
				1	214	19.87	0	
				108	0	19.97	0	
				108	54	19.94	0	
			16QAM	108	108	20.01	0	
				216	0	19.96	0	
		16QAM		1	1	20.02	0	
		64QAM		1	1	20.01	0	
CP	QPSK	1	1	19.90	0			
		1	1	20.04	0			

**NR FDD Band n5 Conducted Power\_ Measured Pmax, RSI = 0, RSI = 1 \_ MAIN1**
**[Ant A]**
**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.44	24.21	24.36	0
				1	13	24.37	24.18	24.30	0
				1	23	24.34	24.25	24.32	0
				12	0	23.98	23.70	23.81	0.5
				12	7	24.44	24.25	24.40	0
				12	13	23.89	23.79	23.84	0.5
				25	0	23.95	23.77	23.87	0.5
			QPSK	1	1	24.46	24.22	24.34	0
				1	13	24.34	24.21	24.32	0
				1	23	24.37	24.28	24.39	0
				12	0	23.48	23.22	23.35	1
				12	7	24.43	24.28	24.34	0
				12	13	23.41	23.29	23.34	1
				25	0	23.46	23.27	23.41	1
		16QAM	1	1	23.44	23.22	23.36	1	
		64QAM	1	1	21.99	21.81	21.86	2.5	
		256QAM	1	1	19.93	19.79	19.75	4.5	
		CP	QPSK	1	1	22.55	22.69	22.79	1.5

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300	836.5 MHz	
						10 MHz	15	
1	26	24.35	0					
1	50	24.37	0					
25	0	23.76	0.5					
25	14	24.27	0					
25	27	23.73	0.5					
50	0	23.77	0.5					
QPSK	1	1	24.28	0				
	1	26	24.39	0				
	1	50	24.33	0				
	25	0	23.24	1				
	25	14	24.28	0				
	25	27	23.25	1				
	50	0	23.30	1				
16QAM	1	1	23.28	1				
64QAM	1	1	21.80	2.5				
256QAM	1	1	19.68	4.5				
CP	QPSK	1	1	22.77	1.5			

**NR FDD Band n5\_ 15 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 Mhz		
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.28	0	
				1	40	24.17	0	
				1	77	24.38	0	
				36	0	23.78	0.5	
				36	22	24.28	0	
				36	43	23.80	0.5	
				75	0	23.77	0.5	
			QPSK	1	1	24.31	0	
				1	40	24.16	0	
				1	77	24.40	0	
				36	0	23.25	1	
				36	22	24.28	0	
				36	43	23.33	1	
				75	0	23.24	1	
			16QAM	1	1	23.36	1	
			64QAM	1	1	21.79	2.5	
			256QAM	1	1	19.76	4.5	
			CP	QPSK	1	1	22.83	1.5

**NR FDD Band n5\_ 20 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 Mhz		
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.42	0	
				1	53	24.41	0	
				1	104	24.36	0	
				50	0	23.78	0.5	
				50	28	24.30	0	
				50	56	23.89	0.5	
				100	0	23.78	0.5	
			QPSK	1	1	24.37	0	
				1	53	24.41	0	
				1	104	24.38	0	
				50	0	23.32	1	
				50	28	24.28	0	
				50	56	23.35	1	
				100	0	23.26	1	
			16QAM	1	1	23.49	1	
			64QAM	1	1	21.89	2.5	
			256QAM	1	1	19.78	4.5	
			CP	QPSK	1	1	22.90	1.5

**NR FDD Band n7 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN2 [Ant B]**
**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.72	22.84	23.23	0
				1	13	22.72	22.97	23.30	0
				1	23	22.82	22.89	23.41	0
				12	0	22.25	22.36	22.78	0.5
				12	7	22.77	22.82	23.33	0
				12	13	22.29	22.37	22.89	0.5
				25	0	22.22	22.33	22.83	0.5
			QPSK	1	1	22.71	22.80	23.25	0
				1	13	22.64	22.76	23.27	0
				1	23	22.79	22.87	23.39	0
				12	0	21.74	21.87	22.30	1
				12	7	22.78	22.84	23.35	0
				12	13	21.83	21.89	22.40	1
				25	0	21.79	21.85	22.38	1
			16QAM	1	1	21.77	21.82	22.26	1
			64QAM	1	1	20.35	20.37	20.81	2.5
			256QAM	1	1	18.32	18.34	18.87	4.5
			CP	QPSK	1	1	21.25	21.44	21.74

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.61	22.77	23.25	0
				1	26	22.67	23.02	23.32	0
				1	50	22.83	22.99	23.40	0
				25	0	22.14	22.34	22.71	0.5
				25	14	22.67	22.82	23.25	0
				25	27	22.25	22.43	22.83	0.5
				50	0	22.16	22.37	22.80	0.5
			QPSK	1	1	22.61	22.82	23.25	0
				1	26	22.70	22.91	23.46	0
				1	50	22.80	22.92	23.47	0
				25	0	21.64	21.88	22.19	1
				25	14	22.65	22.88	23.24	0
				25	27	21.77	21.94	22.33	1
				50	0	21.70	21.87	22.26	1
			16QAM	1	1	21.70	21.85	22.33	1
			64QAM	1	1	20.21	20.32	20.75	2.5
			256QAM	1	1	18.17	18.27	18.73	4.5

		CP	QPSK	1	1	21.13	21.37	21.72	1.5
--	--	----	------	---	---	-------	-------	-------	-----

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.72	22.78	23.23	0
				1	40	22.76	22.82	23.13	0
				1	77	22.85	23.05	23.17	0
				36	0	22.28	22.33	22.83	0.5
				36	22	22.85	22.90	23.34	0
				36	43	22.40	22.51	22.97	0.5
				75	0	22.34	22.41	22.83	0.5
			QPSK	1	1	22.68	22.79	23.26	0
				1	40	22.71	22.81	23.27	0
				1	77	22.79	23.11	23.56	0
				36	0	21.75	21.86	22.32	1
				36	22	22.84	22.90	23.35	0
				36	43	21.92	22.02	22.45	1
			16QAM	75	0	21.83	21.90	22.33	1
				1	1	21.81	21.82	22.23	1
		1		1	20.22	20.35	20.62	2.5	
		1		1	18.23	18.53	18.71	4.5	
		CP	QPSK	1	1	21.24	21.35	21.70	1.5

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.76	22.72	23.20	0
				1	53	23.09	23.21	23.31	0
				1	104	22.86	23.10	23.52	0
				50	0	22.33	22.34	22.67	0.5
				50	28	22.96	22.90	23.28	0
				50	56	22.39	22.59	22.86	0.5
				100	0	22.48	22.39	22.80	0.5
			QPSK	1	1	22.78	22.73	23.16	0
				1	53	23.04	22.99	23.35	0
				1	104	22.87	23.13	23.49	0
				50	0	21.85	21.86	22.21	1
				50	28	22.94	22.89	23.28	0
				50	56	21.86	22.09	22.38	1
			16QAM	100	0	21.97	21.94	22.28	1
				1	1	21.79	21.78	22.26	1
		1		1	20.20	20.42	20.63	2.5	
		1		1	18.31	18.31	18.76	4.5	
		CP	QPSK	1	1	21.30	21.29	21.72	1.5

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						502500	511500	
						2512.5 MHz	2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.84	23.08	0
				1	67	22.90	23.06	0
				1	131	22.92	23.47	0
				64	0	22.37	22.64	0.5
				64	35	22.99	23.21	0
				64	39	22.46	22.70	0.5
				128	0	22.54	22.70	0.5
			QPSK	1	1	22.82	23.07	0
				1	67	22.88	23.07	0
				1	131	22.86	23.46	0
				64	0	21.90	22.16	1
				64	35	22.97	23.20	0
				64	69	21.94	22.32	1
			16QAM	128	0	22.02	22.16	1
		16QAM		1	1	21.84	22.07	1
		64QAM		1	1	20.45	20.65	2.5
		256QAM	1	1	18.50	18.81	4.5	
CP	QPSK	1	1	21.38	21.66	1.5		

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						503000	511000	
						2515 MHz	2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.68	23.06	0
				1	80	22.87	23.25	0
				1	158	22.91	23.43	0
				80	0	22.34	22.64	0.5
				80	40	22.80	23.11	0
				80	80	22.30	22.72	0.5
				160	0	22.35	22.61	0.5
			QPSK	1	1	22.71	23.05	0
				1	80	22.84	23.14	0
				1	158	22.86	23.44	0
				80	0	21.84	22.15	1
				80	40	22.79	23.12	0
				80	80	21.81	22.23	1
			16QAM	160	0	21.86	22.12	1
		16QAM		1	1	21.80	22.11	1
		64QAM		1	1	20.13	20.59	2.5
		256QAM	1	1	18.31	18.70	4.5	
CP	QPSK	1	1	21.27	21.61	1.5		



**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.80	0	
				1	98	22.95	0	
				1	186	23.14	0	
				90	0	22.27	0.5	
				90	45	22.91	0	
				90	90	22.60	0.5	
				180	0	22.46	0.5	
			QPSK	1	1	22.85	0	
				1	98	23.01	0	
				1	186	23.20	0	
				90	0	21.77	1	
				90	45	22.92	0	
				90	90	22.11	1	
				180	0	21.95	1	
		16QAM	1	1	21.88	1		
		64QAM	1	1	20.41	2.5		
256QAM	1	1	18.34	4.5				
CP	QPSK	1	1	21.28	1.5			

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.80	0	
				1	108	23.08	0	
				1	214	23.15	0	
				108	0	22.25	0.5	
				108	54	22.92	0	
				108	108	22.58	0.5	
				216	0	22.44	0.5	
			QPSK	1	1	22.97	0	
				1	108	23.10	0	
				1	214	23.31	0	
				108	0	21.91	1	
				108	54	23.09	0	
				108	108	22.92	1	
				216	0	21.96	1	
		16QAM	1	1	21.80	1		
		64QAM	1	1	20.27	2.5		
256QAM	1	1	18.29	4.5				
CP	QPSK	1	1	21.57	1.5			

**NR FDD Band n7 Conducted Power\_ Measured RSI = 0\_ MAIN2 [Ant B]**
**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.47	19.08	18.94	0
				1	13	19.38	18.94	18.98	0
				1	23	19.51	19.06	19.08	0
				12	0	19.42	19.03	18.95	0
				12	7	19.45	19.03	19.03	0
				12	13	19.48	19.03	19.07	0
				25	0	19.43	19.04	19.02	0
			QPSK	1	1	19.43	19.05	18.93	0
				1	13	19.34	18.93	18.94	0
				1	23	19.47	18.99	19.04	0
				12	0	19.45	19.03	18.96	0
				12	7	19.41	19.05	19.04	0
				12	13	19.46	19.03	19.07	0
			25	0	19.43	19.06	19.05	0	
		16QAM	1	1	19.40	18.95	18.87	0	
		64QAM	1	1	19.43	19.19	19.00	0	
		256QAM	1	1	19.15	18.54	18.61	0	
CP	QPSK	1	1	19.48	19.12	18.93	0		

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.30	19.06	18.92	0
				1	26	19.36	19.07	18.96	0
				1	50	19.39	19.15	19.02	0
				25	0	19.32	19.12	18.90	0
				25	14	19.32	19.05	18.90	0
				25	27	19.39	19.04	18.98	0
				50	0	19.34	19.03	18.92	0
			QPSK	1	1	19.31	19.10	18.92	0
				1	26	19.40	19.18	19.00	0
				1	50	19.38	19.12	19.01	0
				25	0	19.30	19.12	18.90	0
				25	14	19.31	19.03	18.90	0
				25	27	19.35	19.04	18.97	0
			50	0	19.32	19.04	18.91	0	
		16QAM	1	1	19.27	19.03	18.98	0	
		64QAM	1	1	19.39	19.12	18.99	0	
		256QAM	1	1	18.87	18.78	18.66	0	
CP	QPSK	1	1	19.23	19.06	18.91	0		

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.40	19.11	19.07	0
				1	40	19.36	18.97	18.96	0
				1	77	19.40	19.10	19.15	0
				36	0	19.39	19.10	19.07	0
				36	22	19.45	19.03	19.05	0
				36	43	19.49	19.10	19.06	0
				75	0	19.39	19.05	19.03	0
			QPSK	1	1	19.36	19.12	19.14	0
				1	40	19.33	18.97	18.98	0
				1	77	19.34	19.10	19.17	0
				36	0	19.40	19.10	19.06	0
				36	22	19.44	19.05	19.06	0
				36	43	19.48	19.08	19.05	0
				75	0	19.42	19.05	19.03	0
		16QAM	1	1	19.30	19.11	19.17	0	
		64QAM	1	1	19.38	19.11	19.15	0	
256QAM	1	1	18.97	18.79	18.73	0			
CP	QPSK	1	1	19.40	19.09	19.10	0		

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.46	19.03	19.10	0
				1	53	19.64	19.06	19.10	0
				1	104	19.30	19.09	19.10	0
				50	0	19.43	19.04	19.06	0
				50	28	19.49	19.03	19.07	0
				50	56	19.43	19.16	19.00	0
				100	0	19.48	19.02	19.05	0
			QPSK	1	1	19.40	19.04	19.14	0
				1	53	19.56	19.09	19.14	0
				1	104	19.31	19.10	19.08	0
				50	0	19.43	19.06	19.05	0
				50	28	19.46	19.03	19.08	0
				50	56	19.43	19.17	19.02	0
				100	0	19.49	19.02	19.04	0
		16QAM	1	1	19.52	19.06	19.12	0	
		64QAM	1	1	19.51	19.17	19.02	0	
256QAM	1	1	19.11	18.69	18.68	0			
CP	QPSK	1	1	19.38	19.05	19.04	0		

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						502500	511500		
						2512.5 MHz	2557.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.52		19.09	0
				1	67	19.49		18.85	0
				1	131	19.20		19.07	0
				64	0	19.48		19.10	0
				64	35	19.60		18.92	0
				64	39	19.55		18.94	0
				128	0	19.60		18.94	0
			QPSK	1	1	19.54		19.03	0
				1	67	19.52		18.85	0
				1	131	19.24		19.05	0
				64	0	19.50		19.09	0
				64	35	19.59		18.96	0
				64	69	19.35		18.98	0
			16QAM	128	0	19.61		18.98	0
		1		1	19.48		19.03	0	
		1		1	19.48		19.10	0	
		256QAM	1	1	19.09		18.60	0	
CP	QPSK	1	1	19.46		19.02	0		

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						503000	511000		
						2515 MHz	2555 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37		19.15	0
				1	80	19.46		19.01	0
				1	158	19.12		19.05	0
				80	0	19.44		19.13	0
				80	40	19.33		18.94	0
				80	80	19.12		18.91	0
				160	0	19.33		18.94	0
			QPSK	1	1	19.41		19.15	0
				1	80	19.41		19.02	0
				1	158	19.09		19.03	0
				80	0	19.41		19.09	0
				80	40	19.31		18.97	0
				80	80	19.12		18.92	0
			16QAM	160	0	19.32		18.96	0
		1		1	19.38		19.20	0	
		1		1	19.33		19.14	0	
		256QAM	1	1	18.97		18.76	0	
CP	QPSK	1	1	19.29		19.10	0		

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.24	0	
				1	98	19.07	0	
				1	186	19.08	0	
				90	0	19.05	0	
				90	45	19.04	0	
				90	90	19.07	0	
			180	0	19.06	0		
			QPSK	1	1	19.25	0	
				1	98	19.04	0	
				1	186	19.06	0	
				90	0	19.05	0	
				90	45	19.03	0	
				90	90	19.09	0	
			16QAM	180	0	19.04	0	
				16QAM	1	1	19.26	0
		64QAM		1	1	19.39	0	
		CP	256QAM	1	1	18.88	0	
			QPSK	1	1	19.18	0	

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37	0	
				1	108	19.23	0	
				1	214	19.00	0	
				108	0	19.05	0	
				108	54	19.07	0	
				108	108	19.09	0	
			216	0	19.06	0		
			QPSK	1	1	19.40	0	
				1	108	19.07	0	
				1	214	18.95	0	
				108	0	19.07	0	
				108	54	19.35	0	
				108	108	19.09	0	
			16QAM	216	0	19.05	0	
				16QAM	1	1	19.33	0
		64QAM		1	1	19.41	0	
		CP	256QAM	1	1	18.89	0	
			QPSK	1	1	19.33	0	

**NR FDD Band n12 Conducted Power\_ Measured Pmax, RSI = 0, RSI = 1\_ MAIN1**
**[Ant A]**
**NR FDD Band n12\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.83	24.83	24.87	0
				1	13	24.77	24.76	24.80	0
				1	23	24.83	24.87	24.91	0
				12	0	24.30	24.31	24.35	0.5
				12	7	24.82	24.83	24.85	0
				12	13	24.30	24.32	24.37	0.5
				25	0	24.29	24.31	24.38	0.5
			QPSK	1	1	24.79	24.86	24.87	0
				1	13	24.76	24.73	24.79	0
				1	23	24.84	24.83	24.85	0
				12	0	23.82	23.82	23.88	1
				12	7	24.80	24.81	24.86	0
				12	13	23.81	23.80	23.85	1
			16QAM	25	0	23.84	23.83	23.86	1
				1	1	23.87	23.81	23.77	1
				1	1	22.28	22.35	22.33	2.5
64QAM	1	1	20.27	20.24	20.36	4.5			
256QAM	1	1	23.38	23.39	23.30	1.5			
CP	QPSK	1	1	23.38	23.39	23.30	1.5		

**NR FDD Band n12\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						141500	707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.87	24.87	0
				1	26	24.87	24.87	0
				1	50	24.92	24.92	0
				25	0	24.30	24.30	0.5
				25	14	24.83	24.83	0
				25	27	24.35	24.35	0.5
				50	0	24.31	24.31	0.5
			QPSK	1	1	24.79	24.79	0
				1	26	24.94	24.94	0
				1	50	24.90	24.90	0
				25	0	23.83	23.83	1
				25	14	24.79	24.79	0
				25	27	23.83	23.83	1
			16QAM	50	0	23.83	23.83	1
				1	1	23.81	23.81	1
				1	1	22.37	22.37	2.5
			64QAM	1	1	20.30	20.30	4.5
			256QAM	1	1	23.37	23.37	1.5
CP	QPSK	1	1	23.37	23.37	1.5		

**NR FDD Band n12\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						141500			
						707.5 MHz			
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.83		0	
				1	40	24.85		0	
				1	77	24.92		0	
				36	0	24.34		0.5	
				36	22	24.81		0	
				36	43	24.38		0.5	
				75	0	24.34		0.5	
			QPSK	1	1	24.84		0	
				1	40	24.72		0	
				1	77	24.88		0	
				36	0	23.83		1	
				36	22	24.81		0	
				36	43	23.87		1	
				75	0	23.84		1	
			16QAM	1	1	23.76		1	
			64QAM	1	1	22.44		2.5	
			256QAM	1	1	20.39		4.5	
			CP	QPSK	1	1	23.32		1.5

**NR FDD Band n25 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN1 [Ant A]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.49	24.32	0
				1	13	24.58	24.40	24.14	0
				1	23	24.65	24.48	24.24	0
				12	0	24.13	23.94	23.77	0.5
				12	7	24.64	24.43	24.22	0
				12	13	24.13	23.97	23.72	0.5
			QPSK	25	0	24.12	23.97	23.75	0.5
				1	1	24.66	24.50	24.30	0
				1	13	24.54	24.42	24.18	0
				1	23	24.64	24.49	24.24	0
				12	0	23.63	23.45	23.27	1
				12	7	24.63	24.44	24.24	0
			16QAM	12	13	23.65	23.49	23.22	1
				25	0	23.65	23.48	23.25	1
				1	1	23.74	23.43	23.30	1
			64QAM	1	1	22.09	21.94	21.91	2.5
				1	1	20.14	19.98	19.88	4.5
			256QAM	1	1	22.92	23.07	22.87	1.5
CP	QPSK	1	1	22.92	23.07	22.87	1.5		

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.63	24.38	24.38	0
				1	26	24.69	24.54	24.44	0
				1	50	24.53	24.51	24.28	0
				25	0	24.11	23.98	23.86	0.5
				25	14	24.59	24.45	24.30	0
				25	27	23.99	23.99	23.77	0.5
			QPSK	50	0	24.10	23.99	23.81	0.5
				1	1	24.63	24.38	24.34	0
				1	26	24.75	24.57	24.45	0
				1	50	24.56	24.51	24.27	0
				25	0	23.66	23.48	23.35	1
				25	14	24.60	24.48	24.31	0
			16QAM	25	27	23.49	23.47	23.25	1
				50	0	23.63	23.46	23.33	1
				1	1	23.61	23.39	23.36	1
			64QAM	1	1	22.20	21.97	21.79	2.5
				1	1	20.08	19.85	19.81	4.5
			256QAM	1	1	20.08	19.85	19.81	4.5



		CP	QPSK	1	1	23.14	22.90	22.90	1.5
--	--	----	------	---	---	-------	-------	-------	-----

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.50	24.35	0
				1	40	24.41	24.38	24.33	0
				1	77	24.50	24.49	24.29	0
				36	0	24.14	23.92	23.92	0.5
				36	22	24.48	24.49	24.36	0
				36	43	23.98	23.99	23.77	0.5
				75	0	23.99	23.96	23.85	0.5
			QPSK	1	1	24.61	24.42	24.37	0
				1	40	24.45	24.32	24.30	0
				1	77	24.57	24.50	24.23	0
				36	0	23.65	23.42	23.41	1
				36	22	24.52	24.45	24.33	0
				36	43	23.53	23.49	23.29	1
			75	0	23.52	23.45	23.35	1	
			16QAM	1	1	23.68	23.58	23.41	1
			64QAM	1	1	22.20	22.07	21.93	2.5
		256QAM	1	1	20.19	20.01	19.89	4.5	
CP	QPSK	1	1	23.05	23.05	22.89	1.5		

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.54	24.46	0
				1	53	24.83	24.58	24.44	0
				1	104	24.50	24.53	24.25	0
				50	0	24.09	23.91	23.85	0.5
				50	28	24.52	24.46	24.36	0
				50	56	23.98	23.97	23.81	0.5
				100	0	23.99	23.95	23.88	0.5
			QPSK	1	1	24.63	24.49	24.49	0
				1	53	24.60	24.56	24.54	0
				1	104	24.51	24.51	24.25	0
				50	0	23.60	23.45	23.36	1
				50	28	24.50	24.45	24.37	0
				50	56	23.49	23.48	23.32	1
			100	0	23.55	23.45	23.39	1	
			16QAM	1	1	23.66	23.44	23.51	1
			64QAM	1	1	22.16	21.95	22.07	2.5

		256QAM	1	1	20.07	20.02	19.99	4.5
	CP	QPSK	1	1	23.19	23.04	23.09	1.5

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						372500	380500		
						1862.5 MHz	1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.56	0	
				1	66	24.59	24.52	0	
				1	131	24.51	24.23	0	
				64	0	24.04	23.91	0.5	
				64	35	24.49	24.36	0	
				64	69	23.99	23.84	0.5	
			QPSK	128	0	23.98	23.83	0.5	
				1	1	24.66	24.51	0	
				1	66	24.63	24.48	0	
				1	131	24.51	24.21	0	
				64	0	23.53	23.37	1	
				64	35	24.48	24.33	0	
			16QAM	64	69	23.51	23.34	1	
				128	0	23.48	23.34	1	
				16QAM	1	1	23.56	23.55	1
				64QAM	1	1	22.26	22.01	2.5
256QAM	1	1	20.22	20.03	4.5				
CP	QPSK	1	1	23.14	23.03	1.5			

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						373000	380000		
						1865 MHz	1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.53	0	
				1	80	24.65	24.60	0	
				1	158	24.52	24.28	0	
				80	0	23.97	24.00	0.5	
				80	40	24.51	24.37	0	
				80	80	24.00	23.82	0.5	
			QPSK	160	0	24.00	23.88	0.5	
				1	1	24.63	24.46	0	
				1	80	24.65	24.47	0	
				1	158	24.52	24.23	0	
				80	0	23.49	23.47	1	
				80	40	24.52	24.38	0	
			16QAM	80	80	23.50	23.36	1	
				160	0	23.50	23.39	1	
				16QAM	1	1	23.61	23.50	1
				64QAM	1	1	22.12	22.14	2.5
256QAM	1	1	20.13	20.00	4.5				

		CP	QPSK	1	1	23.21		23.03	1.5
--	--	----	------	---	---	-------	--	-------	-----

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.49	0	
				1	98	24.53	0	
				1	186	24.36	0	
				90	0	23.98	0.5	
				90	45	24.45	0	
				90	90	24.00	0.5	
			180	0	23.93	0.5		
			QPSK	1	1	24.53	0	
				1	98	24.55	0	
				1	186	24.35	0	
				90	0	23.51	1	
				90	45	24.45	0	
		90		90	23.51	1		
		180	0	23.43	1			
		16QAM	1	1	23.45	1		
		64QAM	1	1	21.96	2.5		
		256QAM	1	1	20.05	4.5		
		CP	QPSK	1	1	22.99	1.5	

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.50	0	
				1	108	24.63	0	
				1	214	24.37	0	
				108	0	23.99	0.5	
				108	54	24.48	0	
				108	108	24.01	0.5	
			216	0	23.94	0.5		
			QPSK	1	1	24.44	0	
				1	108	24.54	0	
				1	214	24.36	0	
				108	0	23.49	1	
				108	54	24.45	0	
		108		108	23.49	1		
		216	0	23.46	1			
		16QAM	1	1	23.52	1		
		64QAM	1	1	22.10	2.5		
		256QAM	1	1	19.96	4.5		
		CP	QPSK	1	1	22.97	1.5	

**NR FDD Band n25 Conducted Power\_ Measured RSI = 0\_ MAIN1 [Ant A]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.14	19.95	19.79	0
				1	13	20.06	19.86	19.63	0
				1	23	20.12	19.95	19.72	0
				12	0	20.14	19.91	19.75	0
				12	7	20.14	19.94	19.70	0
				12	13	20.10	19.94	19.73	0
				25	0	20.13	19.94	19.74	0
			QPSK	1	1	20.14	20.00	19.78	0
				1	13	20.09	19.88	19.64	0
				1	23	20.13	19.98	19.70	0
				12	0	20.16	19.94	19.72	0
				12	7	20.12	19.91	19.72	0
				12	13	20.08	19.93	19.70	0
				25	0	20.16	19.93	19.71	0
			16QAM	1	1	20.18	19.93	19.74	0
			64QAM	1	1	20.11	20.02	19.85	0
			256QAM	1	1	20.25	19.94	19.81	0
			CP	QPSK	1	1	20.12	19.94	19.72

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.77	19.99	19.83	0
				1	26	20.23	19.99	19.85	0
				1	50	20.08	19.99	19.69	0
				25	0	20.20	19.95	19.82	0
				25	14	20.11	19.94	19.79	0
				25	27	20.09	19.98	19.73	0
				50	0	20.13	19.94	19.79	0
			QPSK	1	1	20.14	19.90	19.80	0
				1	26	20.11	19.99	19.85	0
				1	50	20.02	19.93	19.71	0
				25	0	20.17	19.92	19.83	0
				25	14	20.11	19.91	19.77	0
				25	27	20.10	19.95	19.73	0
				50	0	20.12	19.94	19.77	0
			16QAM	1	1	20.17	19.92	19.76	0
			64QAM	1	1	20.28	19.93	19.77	0
			256QAM	1	1	20.21	19.88	19.72	0
			CP	QPSK	1	1	20.13	19.99	19.69

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.18	19.94	19.84	0
				1	40	20.00	19.87	19.78	0
				1	77	19.98	19.97	19.76	0
				36	0	20.12	19.95	19.85	0
				36	22	20.07	19.93	19.83	0
				36	43	20.01	19.98	19.79	0
				75	0	20.08	19.90	19.83	0
			QPSK	1	1	20.16	19.97	19.86	0
				1	40	20.04	19.88	19.77	0
				1	77	19.99	20.00	19.71	0
				36	0	20.12	19.94	19.82	0
				36	22	20.06	19.92	19.83	0
				36	43	20.01	19.95	19.77	0
			75	0	20.08	19.91	19.83	0	
		16QAM	1	1	20.16	19.96	19.78	0	
		64QAM	1	1	20.18	19.97	19.92	0	
		256QAM	1	1	20.19	20.01	19.79	0	
CP	QPSK	1	1	20.17	19.92	19.86	0		

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.14	19.94	19.97	0
				1	53	20.09	20.04	19.90	0
				1	104	19.96	20.00	19.73	0
				50	0	20.10	19.95	19.88	0
				50	28	20.04	19.94	19.85	0
				50	56	19.95	20.00	19.81	0
				100	0	20.02	19.94	19.85	0
			QPSK	1	1	20.14	19.93	19.96	0
				1	53	20.11	20.03	19.93	0
				1	104	19.92	19.93	19.73	0
				50	0	20.08	19.94	19.85	0
				50	28	20.00	19.92	19.81	0
				50	56	19.96	19.97	19.80	0
			100	0	20.02	19.92	19.84	0	
		16QAM	1	1	20.07	19.95	20.06	0	
		64QAM	1	1	20.21	20.07	19.98	0	
		256QAM	1	1	20.16	20.00	20.00	0	
CP	QPSK	1	1	20.17	19.96	19.98	0		

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						372500	380500		
						1862.5 MHz	1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15		19.97	0
				1	66	20.09		19.94	0
				1	131	19.94		19.70	0
				64	0	20.09		19.91	0
				64	35	19.95		19.84	0
				64	69	19.98		19.81	0
				128	0	19.98		19.85	0
			QPSK	1	1	20.14		19.94	0
				1	66	20.01		19.96	0
				1	131	19.94		19.70	0
				64	0	20.06		19.93	0
				64	35	19.96		19.84	0
				64	69	19.97		19.83	0
			16QAM	128	0	19.95		19.83	0
		16QAM		1	1	20.19		19.98	0
		64QAM		1	1	20.19		19.90	0
		CP	QPSK	256QAM	1	1	20.12		20.04
QPSK	1			1	20.12		19.93	0	

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						373000	380000		
						1865 MHz	1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.20		19.99	0
				1	80	20.04		19.96	0
				1	158	19.97		19.99	0
				80	0	20.08		19.96	0
				80	40	19.98		19.85	0
				80	80	19.98		19.85	0
				160	0	19.99		19.88	0
			QPSK	1	1	20.14		20.02	0
				1	80	20.11		19.94	0
				1	158	19.98		19.74	0
				80	0	20.12		19.94	0
				80	40	20.00		19.86	0
				80	80	19.93		19.84	0
			16QAM	160	0	19.99		19.84	0
		16QAM		1	1	20.20		19.96	0
		64QAM		1	1	20.26		19.86	0
		CP	QPSK	256QAM	1	1	20.05		19.88
QPSK	1			1	20.17		20.22	0	

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.98	0	
				1	98	19.98	0	
				1	186	19.86	0	
				90	0	19.91	0	
				90	45	19.94	0	
				90	90	19.98	0	
				180	0	19.94	0	
			QPSK	1	1	19.92	0	
				1	98	19.97	0	
				1	186	19.90	0	
				90	0	19.91	0	
				90	45	19.92	0	
				90	90	19.94	0	
			16QAM	180	0	19.92	0	
		1		1	19.88	0		
		1		1	20.01	0		
		256QAM	1	1	19.84	0		
CP	QPSK		1	1	19.92	0		

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.94	0	
				1	108	20.00	0	
				1	214	19.84	0	
				108	0	19.93	0	
				108	54	19.96	0	
				108	108	19.94	0	
				216	0	19.96	0	
			QPSK	1	1	19.93	0	
				1	108	20.08	0	
				1	214	19.82	0	
				108	0	19.93	0	
				108	54	19.93	0	
				108	108	20.05	0	
			16QAM	216	0	19.92	0	
		1		1	19.95	0		
		1		1	19.97	0		
		256QAM	1	1	19.99	0		
CP	QPSK		1	1	19.94	0		

**NR FDD Band n26 Conducted Power\_ Measured Pmax, RSI = 0, RSI = 1 \_ MAIN1**
**[Ant A]**
**NR FDD Band n26 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.91	24.99	24.86	0
				1	13	24.78	24.93	24.87	0
				1	23	24.94	25.02	24.85	0
				12	0	24.35	24.41	24.32	0.5
				12	7	24.88	24.96	24.84	0
				12	13	24.41	24.45	24.31	0.5
				25	0	24.38	24.46	24.36	0.5
			QPSK	1	1	24.93	24.94	24.88	0
				1	13	24.84	24.90	24.78	0
				1	23	24.96	25.01	24.83	0
				12	0	23.84	23.94	23.86	1
				12	7	24.87	24.95	24.84	0
				12	13	23.88	23.97	23.80	1
			16QAM	25	0	23.89	23.99	23.83	1
				1	1	23.96	23.95	23.85	1
				1	1	22.44	22.43	22.38	2.5
				1	1	20.34	20.41	20.33	4.5
CP	QPSK	1	1	23.32	23.37	23.24	1.5		

**NR FDD Band n26 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.87	24.90	24.90	0
				1	26	25.08	25.16	24.96	0
				1	50	25.00	24.95	24.80	0
				25	0	24.36	24.41	24.41	0.5
				25	14	24.91	24.95	24.90	0
				25	27	24.50	24.50	24.36	0.5
				50	0	24.45	24.46	24.36	0.5
			QPSK	1	1	24.91	24.93	24.91	0
				1	26	24.98	25.02	24.93	0
				1	50	25.02	24.91	24.78	0
				25	0	23.86	23.93	23.92	1
				25	14	24.90	24.97	24.88	0
				25	27	23.99	23.98	23.88	1
			16QAM	50	0	23.91	23.99	23.86	1
				1	1	23.89	23.94	23.99	1
				1	1	22.37	22.55	22.43	2.5
				1	1	20.31	20.37	20.25	4.5
CP	QPSK	1	1	23.21	23.35	23.45	1.5		



**NR FDD Band n26 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						164300	168300	
						821.5 MHz	841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.90	24.94	0
				1	40	24.88	24.87	0
				1	77	24.95	24.88	0
				36	0	24.39	24.42	0.5
				36	22	24.99	24.94	0
				36	43	24.48	24.39	0.5
				75	0	24.44	24.43	0.5
			QPSK	1	1	24.88	24.93	0
				1	40	24.86	24.84	0
				1	77	24.94	24.75	0
				36	0	23.90	23.90	1
				36	22	24.97	24.91	0
				36	43	23.95	23.86	1
				75	0	23.94	23.89	1
		16QAM	1	1	23.86	23.92	1	
		64QAM	1	1	22.29	22.55	2.5	
256QAM	1	1	20.29	20.59	4.5			
CP	QPSK	1	1	23.38	23.44	1.5		

**NR FDD Band n26 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						166300	831.5 MHz	
						831.5 MHz	831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.97	24.97	0
				1	53	25.02	25.02	0
				1	104	24.97	24.97	0
				50	0	24.45	24.45	0.5
				50	28	24.96	24.96	0
				50	56	24.46	24.46	0.5
				100	0	24.44	24.44	0.5
			QPSK	1	1	24.95	24.95	0
				1	53	25.04	25.04	0
				1	104	24.97	24.97	0
				50	0	23.98	23.98	1
				50	28	24.97	24.97	0
				50	56	23.94	23.94	1
				100	0	23.95	23.95	1
		16QAM	1	1	24.00	24.00	1	
		64QAM	1	1	22.60	22.60	2.5	
256QAM	1	1	20.52	20.52	4.5			
CP	QPSK	1	1	23.63	23.63	1.5		

**NR FDD Band n30 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN1 [Ant A]**
**Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000	2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.82	0	
				1	13	22.73	0	
				1	23	22.82	0	
				12	0	22.32	0.5	
				12	7	22.83	0	
				12	13	22.35	0.5	
				25	0	22.34	0.5	
			QPSK	1	1	22.89	0	
				1	13	22.77	0	
				1	23	22.83	0	
				12	0	21.88	1	
				12	7	22.90	0	
				12	13	21.89	1	
				25	0	21.89	1	
			16QAM	1	1	21.97	1	
64QAM	1	1	20.43	2.5				
256QAM	1	1	18.29	4.5				
CP	QPSK	1	1	21.38	1.5			

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000	2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.81	0	
				1	26	22.93	0	
				1	50	22.90	0	
				25	0	22.36	0.5	
				25	14	22.89	0	
				25	27	22.40	0.5	
				50	0	22.40	0.5	
			QPSK	1	1	22.84	0	
				1	26	22.92	0	
				1	50	22.87	0	
				25	0	21.91	1	
				25	14	22.91	0	
				25	27	21.93	1	
				50	0	21.92	1	
			16QAM	1	1	21.82	1	
			64QAM	1	1	20.41	2.5	
			256QAM	1	1	18.39	4.5	
CP	QPSK	1	1	21.34	1.5			

**NR FDD Band n30 Conducted Power\_ Measured RSI = 0\_ MAIN1 [Ant A]**
**NR FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000		
						2310 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.37		0
				1	13	17.28		0
				1	23	17.36		0
				12	0	17.32		0
				12	7	17.32		0
				12	13	17.30		0
			25	0	17.31		0	
			QPSK	1	1	17.28		0
				1	13	17.19		0
				1	23	17.27		0
				12	0	17.32		0
				12	7	17.31		0
				12	13	17.33		0
			25	0	17.32		0	
			16QAM	1	1	17.35		0
			64QAM	1	1	17.26		0
			256QAM	1	1	17.29		0
			CP	QPSK	1	1	17.24	

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000		
						2310 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.27		0
				1	26	17.39		0
				1	50	17.31		0
				25	0	17.30		0
				25	14	17.32		0
				25	27	17.30		0
			50	0	17.32		0	
			QPSK	1	1	17.24		0
				1	26	17.34		0
				1	50	17.30		0
				25	0	17.26		0
				25	14	17.31		0
				25	27	17.30		0
			50	0	17.31		0	
			16QAM	1	1	17.23		0
			64QAM	1	1	17.30		0
			256QAM	1	1	17.19		0
			CP	QPSK	1	1	17.26	

**NR TDD Band n38 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN2 [Ant B]**
**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.29	22.53	23.22	0
				1	12	23.51	23.44	23.20	0
				1	22	23.46	23.35	23.18	0
				12	0	22.45	22.85	22.66	0.5
				12	6	23.43	23.34	23.12	0
				12	12	22.91	22.83	22.64	0.5
				24	0	22.87	22.84	22.62	0.5
			QPSK	1	1	23.43	23.37	23.20	0
				1	12	23.44	23.36	23.22	0
				1	22	23.40	23.32	23.16	0
				12	0	22.12	22.35	22.17	1
				12	6	23.41	23.35	23.13	0
				12	12	22.41	22.33	22.14	1
			16QAM	24	0	22.12	22.34	22.25	1
				1	1	22.42	22.37	22.12	1
				1	1	20.95	20.93	20.72	2.5
			256QAM	1	1	18.99	18.85	18.66	4.5
				CP	QPSK	1	1	21.98	21.93

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.51	23.37	23.43	0
				1	18	23.40	23.32	23.32	0
				1	36	23.48	23.33	23.34	0
				18	0	22.97	22.89	22.90	0.5
				18	9	23.47	23.36	23.34	0
				18	18	22.98	22.84	22.79	0.5
				36	0	22.97	22.86	22.85	0.5
			QPSK	1	1	23.50	23.38	23.39	0
				1	18	23.41	23.31	23.31	0
				1	36	23.48	23.31	23.28	0
				18	0	22.48	22.37	22.39	1
				18	9	23.46	23.36	23.33	0
				18	18	22.48	22.35	22.31	1
			16QAM	36	0	22.47	22.37	22.37	1
				1	1	22.47	22.42	22.32	1
				1	1	22.12	20.94	20.93	2.5
			256QAM	1	1	19.00	18.91	18.92	4.5
				CP	QPSK	1	1	22.03	21.87

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.53	23.38	23.16	0
				1	26	23.48	23.33	23.31	0
				1	49	23.49	23.29	23.29	0
				25	0	23.01	22.87	22.88	0.5
				25	13	23.52	23.37	23.34	0
				25	26	22.99	22.82	22.78	0.5
				50	0	23.03	22.87	22.84	0.5
			QPSK	1	1	23.51	23.37	23.40	0
				1	26	23.47	23.31	23.31	0
				1	49	23.45	23.25	23.25	0
				25	0	22.52	22.37	22.35	1
				25	13	23.52	23.34	23.34	0
				25	26	22.48	22.35	22.29	1
			16QAM	50	0	22.50	22.37	22.35	1
		1		1	22.61	22.45	22.51	1	
		1		1	21.07	20.92	20.99	2.5	
256QAM	1	1	18.87	18.85	18.89	4.5			
	CP	QPSK	1	1	21.87	21.93	21.93	1.5	

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.42		23.46	0
				1	32	23.56		23.30	0
				1	63	23.48		23.26	0
				32	0	23.06		22.86	0.5
				32	17	23.56		23.30	0
				32	33	23.02		22.76	0.5
				64	0	23.07		22.80	0.5
			QPSK	1	1	23.60		23.43	0
				1	32	23.57		23.33	0
				1	63	23.46		23.27	0
				32	0	22.57		22.36	1
				32	17	23.56		23.29	0
				32	33	22.52		22.25	1
			16QAM	64	0	22.57		22.31	1
		1		1	22.67		22.46	1	
		1		1	21.07		20.93	2.5	
256QAM	1	1	19.10		18.96	4.5			
	CP	QPSK	1	1	22.12		21.96	1.5	

**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						517000	521000	
						2585 MHz	2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.47	23.44	0
				1	39	23.47	23.31	0
				1	76	23.40	23.23	0
				36	0	22.91	22.85	0.5
				36	21	23.40	23.25	0
				36	42	22.84	22.72	0.5
				75	0	22.91	22.76	0.5
			QPSK	1	1	23.45	23.43	0
				1	39	23.40	23.30	0
				1	76	23.37	23.21	0
				36	0	22.42	22.36	1
				36	21	23.40	23.26	0
				36	42	22.35	22.22	1
			16QAM	75	0	22.41	22.28	1
		16QAM		1	1	22.41	22.41	1
		64QAM		1	1	20.92	20.97	2.5
CP	QPSK	256QAM	1	1	19.00	18.97	4.5	
		QPSK	1	1	22.00	21.95	1.5	

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						519000	2595 MHz	
						2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.46	23.44	0
				1	53	23.44	23.31	0
				1	104	23.23	23.23	0
				50	0	22.92	22.92	0.5
				50	28	23.39	23.39	0
				50	56	22.78	22.78	0.5
				100	0	22.90	22.90	0.5
			QPSK	1	1	23.48	23.48	0
				1	53	23.35	23.35	0
				1	104	23.25	23.25	0
				50	0	22.39	22.39	1
				50	28	23.37	23.37	0
				50	56	22.28	22.28	1
			16QAM	100	0	22.42	22.42	1
		16QAM		1	1	22.54	22.54	1
		64QAM		1	1	21.21	21.21	2.5
CP	QPSK	256QAM	1	1	18.94	18.94	4.5	
		QPSK	1	1	22.04	22.04	1.5	

**NR TDD Band n38 Conducted Power\_ Measured RSI = 0\_ MAIN2 [Ant B]**
**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.12	19.15	18.98	0
				1	12	19.26	19.21	18.99	0
				1	22	19.20	19.10	18.94	0
				12	0	19.18	19.12	18.93	0
				12	6	19.17	19.10	18.90	0
				12	12	19.17	19.09	18.89	0
				24	0	19.14	19.10	18.90	0
			QPSK	1	1	19.19	19.12	18.97	0
				1	12	19.23	19.12	19.01	0
				1	22	19.17	19.09	18.92	0
				12	0	19.17	19.10	18.94	0
				12	6	19.17	19.11	18.92	0
				12	12	19.16	19.08	18.90	0
			16QAM	24	0	19.17	19.10	18.91	0
		16QAM		1	1	19.17	19.14	18.93	0
		64QAM		1	1	19.17	19.06	18.94	0
		CP	QPSK	256QAM	1	1	18.97	18.92	19.01
QPSK	1			1	19.22	19.12	18.94	0	

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.87	19.96	19.45	0
				1	18	19.16	19.06	19.08	0
				1	36	19.22	19.06	19.09	0
				18	0	19.22	19.12	19.13	0
				18	9	19.21	19.09	19.10	0
				18	18	19.21	19.08	19.05	0
				36	0	19.19	19.10	19.13	0
			QPSK	1	1	19.22	19.11	19.15	0
				1	18	19.15	19.04	19.04	0
				1	36	19.22	19.05	19.04	0
				18	0	19.22	19.12	19.14	0
				18	9	19.20	19.11	19.12	0
				18	18	19.21	19.08	19.05	0
			16QAM	36	0	19.21	19.11	19.12	0
		16QAM		1	1	19.31	19.24	19.01	0
		64QAM		1	1	19.18	19.16	19.15	0
		CP	QPSK	256QAM	1	1	19.00	18.88	18.93
QPSK	1			1	19.17	19.07	19.18	0	

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.13	19.12	0
				1	26	19.26	19.07	19.05	0
				1	49	19.21	19.02	19.03	0
				25	0	19.24	19.11	19.10	0
				25	13	19.26	19.09	19.08	0
				25	26	19.24	19.06	19.02	0
				50	0	19.27	19.11	19.08	0
			QPSK	1	1	19.24	19.10	19.15	0
				1	26	19.22	19.04	19.03	0
				1	49	19.20	19.01	19.01	0
				25	0	19.23	19.11	19.11	0
				25	13	19.25	19.11	19.09	0
				25	26	19.23	19.06	19.03	0
			16QAM	50	0	19.27	19.11	19.08	0
		1		1	19.20	19.15	19.26	0	
		1		1	19.33	19.03	19.16	0	
		64QAM	1	1	19.33	19.03	19.16	0	
1	1		19.06	18.90	18.95	0			
256QAM	1	1	19.06	18.90	18.95	0			
	1	1	19.28	19.05	19.14	0			
CP	QPSK	1	1	19.28	19.05	19.14	0		

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.16		19.15	0
				1	32	19.28		19.02	0
				1	63	19.21		19.01	0
				32	0	19.32		19.10	0
				32	17	19.29		19.02	0
				32	33	19.25		19.00	0
				64	0	19.31		19.02	0
			QPSK	1	1	19.35		19.18	0
				1	32	19.32		19.05	0
				1	63	19.19		19.00	0
				32	0	19.32		19.10	0
				32	17	19.30		19.02	0
				32	33	19.24		19.00	0
			16QAM	64	0	19.31		19.05	0
		1		1	19.33		19.16	0	
		1		1	19.28		19.17	0	
		64QAM	1	1	19.28		19.17	0	
1	1		19.15		18.96	0			
256QAM	1	1	19.15		18.96	0			
	1	1	19.34		19.17	0			
CP	QPSK	1	1	19.34		19.17	0		



**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						517000	521000	
						2585 MHz	2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.13	19.12	0
				1	39	19.20	19.05	0
				1	76	19.14	18.98	0
				36	0	19.16	19.09	0
				36	21	19.14	18.98	0
				36	42	19.07	18.97	0
				75	0	19.16	19.02	0
			QPSK	1	1	19.20	19.19	0
				1	39	19.18	19.04	0
				1	76	19.13	18.97	0
				36	0	19.18	19.09	0
				36	21	19.13	18.99	0
				36	42	19.07	18.97	0
			75	0	19.15	19.02	0	
		16QAM	1	1	19.05	19.22	0	
		64QAM	1	1	19.14	19.19	0	
		256QAM	1	1	19.00	18.94	0	
CP	QPSK	1	1	19.19	19.09	0		

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						519000	2595 MHz	
						2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.12	19.14	0
				1	53	19.14	19.00	0
				1	104	19.00	19.16	0
				50	0	19.16	19.10	0
				50	28	19.10	19.02	0
				50	56	19.02	19.16	0
				100	0	19.16	19.17	0
			QPSK	1	1	19.17	19.14	0
				1	53	19.14	18.99	0
				1	104	18.99	19.16	0
				50	0	19.16	19.13	0
				50	28	19.13	19.03	0
				50	56	19.03	19.16	0
			100	0	19.16	19.34	0	
		16QAM	1	1	19.34	19.22	0	
		64QAM	1	1	19.22	18.92	0	
		256QAM	1	1	18.92	19.21	0	
CP	QPSK	1	1	19.21	19.21	0		

**NR TDD Band n41 (PC2 only) Conducted Power\_ RSI = 0\_ MAIN2 [Ant B]**
**NR TDD Band n41\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						500202	509400	518598	527802	537000		
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz		
10 MHz	30	DFT-s	pi/2 BPSK	1	1	20.12	20.06	20.15	20.01	20.20	0	
				1	12	20.15	20.06	20.16	20.01	20.22	0	
				1	22	20.15	20.06	20.16	19.98	20.24	0	
				12	0	20.15	20.05	20.16	20.01	20.21	0	
				12	6	19.80	20.09	20.15	20.02	20.23	0	
				12	12	19.84	20.09	20.16	20.01	20.26	0	
			QPSK	24	0	20.12	20.07	20.16	20.03	20.24	0	
				1	1	20.13	20.06	20.17	20.06	20.26	0	
				1	12	20.15	20.07	20.17	20.06	20.29	0	
				1	22	20.13	20.06	20.17	20.04	20.28	0	
				12	0	20.13	19.89	20.03	20.02	20.22	0	
				12	6	20.13	20.07	20.18	20.03	20.23	0	
				12	12	20.13	20.08	20.20	20.03	20.25	0	
				24	0	20.13	20.07	20.18	20.02	20.24	0	
				16QAM	1	1	19.81	20.03	20.38	20.14	20.12	0
				64QAM	1	1	20.11	20.11	20.09	20.10	20.28	0
				256QAM	1	1	20.58	20.32	20.60	20.32	20.31	0
CP	QPSK	1	1	20.09	20.03	20.04	20.01	20.14	0			

**NR TDD Band n41\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						500700	509664	518598	527562	536496		
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	20.14	20.06	20.14	20.01	20.26	0	
				1	18	20.15	20.07	20.13	19.99	20.33	0	
				1	36	20.16	20.05	20.16	19.96	20.39	0	
				18	0	20.14	20.09	20.15	20.01	20.31	0	
				18	9	20.15	20.09	20.16	19.99	20.33	0	
				18	18	20.18	20.08	20.17	19.98	20.38	0	
				36	0	20.17	20.08	20.16	20.00	20.33	0	
			QPSK	1	1	20.16	20.08	20.19	20.04	20.31	0	
				1	18	20.17	20.07	20.19	20.01	20.39	0	
				1	36	20.18	20.07	20.19	19.98	20.46	0	
				18	0	20.17	20.10	20.16	20.03	20.32	0	
				18	9	20.18	20.10	20.17	20.01	20.35	0	
				18	18	20.18	20.10	20.17	19.99	20.38	0	
				36	0	20.16	20.10	20.15	20.01	20.36	0	
				16QAM	1	1	20.22	20.16	20.21	20.00	20.29	0
				64QAM	1	1	20.43	20.20	20.21	20.11	20.31	0
				256QAM	1	1	20.59	20.40	20.66	20.25	20.46	0
CP	QPSK	1	1	20.19	20.03	20.18	20.06	20.28	0			

**NR TDD Band n41\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.95	20.07	20.15	20.02	20.11	0
				1	26	19.99	20.10	20.13	19.98	20.19	0
				1	49	19.99	20.09	20.14	19.94	20.29	0
				25	0	19.97	20.11	20.16	20.01	20.17	0
				25	13	20.00	20.12	20.15	19.99	20.21	0
				25	26	20.00	20.12	20.15	20.01	20.26	0
			50	0	20.00	20.11	20.15	19.97	20.20	0	
			QPSK	1	1	19.97	20.11	20.21	20.01	20.11	0
				1	26	20.01	20.13	20.19	19.96	20.22	0
				1	49	19.99	20.14	20.22	19.90	20.30	0
				25	0	19.99	20.11	20.17	20.00	20.17	0
				25	13	19.99	20.12	20.15	19.99	20.21	0
				25	26	20.01	20.10	20.17	19.97	20.27	0
			50	0	20.00	20.12	20.14	19.98	20.22	0	
			16QAM	1	1	19.94	20.18	20.19	20.17	20.12	0
			64QAM	1	1	19.92	20.19	20.32	19.97	20.17	0
256QAM	1	1	20.48	20.45	20.72	20.33	20.24	0			
CP	QPSK	1	1	19.92	20.07	20.13	20.01	20.13	0		

**NR TDD Band n41\_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.99	20.09	20.15	19.94	19.93	0
				1	32	20.04	20.11	20.13	19.94	20.06	0
				1	63	20.04	20.13	20.14	19.91	20.17	0
				32	0	20.03	20.12	20.15	19.97	19.99	0
				32	17	20.06	20.13	20.13	19.97	20.09	0
				32	33	20.05	20.13	20.15	19.94	20.15	0
			64	0	20.04	20.13	20.16	19.97	20.07	0	
			QPSK	1	1	20.06	20.16	20.19	19.97	19.98	0
				1	32	20.09	20.18	20.17	19.96	20.11	0
				1	63	20.07	20.19	20.16	19.90	20.21	0
				32	0	20.04	20.14	20.17	19.99	20.01	0
				32	17	20.06	20.12	20.15	19.98	20.09	0
				32	33	20.06	20.12	20.15	19.96	20.14	0
			64	0	20.05	20.12	20.14	20.00	20.08	0	
			16QAM	1	1	20.00	20.17	20.24	20.09	19.97	0
			64QAM	1	1	20.04	20.20	20.38	20.13	20.08	0
256QAM	1	1	19.94	20.18	20.19	20.17	20.12	0			
CP	QPSK	1	1	20.02	20.15	20.09	19.99	19.96	0		

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.07	20.12	20.16	20.18	20.05	0
				1	39	20.10	20.15	20.13	20.16	20.15	0
				1	76	20.09	20.17	20.14	20.09	20.30	0
				36	0	20.11	20.14	20.17	20.19	20.10	0
				36	21	20.12	20.16	20.15	20.18	20.16	0
				36	42	20.13	20.14	20.14	20.14	20.24	0
			75	0	20.11	20.15	20.16	20.17	20.14	0	
			QPSK	1	1	20.12	20.15	20.14	20.21	20.08	0
				1	39	20.16	20.16	20.12	20.19	20.17	0
				1	76	20.14	20.17	20.14	20.11	20.32	0
				36	0	20.12	20.14	20.17	20.20	20.11	0
				36	21	20.12	20.16	20.15	20.19	20.17	0
				36	42	20.12	20.15	20.15	20.17	20.25	0
			75	0	20.13	20.16	20.16	20.20	20.15	0	
			16QAM	1	1	20.24	20.12	20.16	20.13	20.14	0
		64QAM	1	1	20.09	20.26	20.28	20.23	20.15	0	
256QAM	1	1	20.05	20.12	20.14	20.00	20.08	0			
CP	QPSK	1	1	20.09	20.23	20.18	20.24	20.06	0		

**NR TDD Band n41\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.97	20.05		20.22	19.99	0
				1	53	20.00	20.06		20.11	19.90	0
				1	104	19.97	20.06		20.03	20.04	0
				50	0	20.01	20.07		19.83	19.93	0
				50	28	19.99	20.07		20.13	19.93	0
				50	56	20.00	20.09		19.83	19.99	0
			100	0	20.01	20.05		19.94	19.93	0	
			QPSK	1	1	19.99	20.07		20.22	20.04	0
				1	53	20.00	20.07		20.10	19.93	0
				1	104	20.00	20.08		20.01	20.09	0
				50	0	20.01	20.09		20.04	20.04	0
				50	28	20.01	20.07		20.05	19.95	0
				50	56	20.00	20.08		20.08	20.00	0
			100	0	20.00	20.07		20.12	19.93	0	
			16QAM	1	1	20.10	20.23		19.90	20.00	0
		64QAM	1	1	19.91	20.09		20.24	20.03	0	
256QAM	1	1	20.14	20.00		20.05	20.12	0			
CP	QPSK	1	1	19.99	20.11		20.18	20.00	0		

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						504204		518598			532998	
						2521.02 MHz		2592.99 MHz			2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	20.13		20.12		20.21	0	
				1	67	20.09		20.13		20.05	0	
				1	131	20.09		20.12		20.06	0	
				64	0	20.10		20.16		20.17	0	
				64	35	20.11		20.17		20.07	0	
				64	69	20.10		20.12		20.03	0	
			128	0	20.11		20.18		20.08	0		
			QPSK	1	1	20.10		20.18		20.24	0	
				1	67	20.10		20.20		20.07	0	
				1	131	20.09		20.17		20.09	0	
				64	0	20.13		20.13		20.17	0	
				64	35	20.12		20.17		20.08	0	
				64	69	20.12		20.13		20.03	0	
				128	0	20.11		20.18		20.10	0	
				16QAM	1	1	20.22		20.23		20.31	0
				64QAM	1	1	20.15		20.18		20.28	0
				256QAM	1	1	20.00		20.12		19.91	0
			CP	QPSK	1	1	20.11		20.08		20.24	0

**NR TDD Band n41\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						505200		518598			531996	
						2526 MHz		2592.99 MHz			2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	20.00		20.13		20.11	0	
				1	81	19.99		20.13		19.98	0	
				1	160	19.94		20.07		19.94	0	
				81	0	19.98		20.13		20.44	0	
				81	41	20.14		20.14		19.96	0	
				81	81	19.92		20.13		19.89	0	
			162	0	19.99		20.15		19.95	0		
			QPSK	1	1	19.97		20.15		20.10	0	
				1	81	19.99		20.16		19.97	0	
				1	160	19.91		20.11		19.98	0	
				81	0	19.99		20.14		20.06	0	
				81	41	19.97		20.14		19.97	0	
				81	81	19.91		20.11		19.89	0	
				162	0	19.97		20.16		19.96	0	
				16QAM	1	1	19.98		20.08		20.08	0
				64QAM	1	1	19.88		20.15		20.12	0
				256QAM	1	1	20.12		20.13		20.09	0
			CP	QPSK	1	1	19.94		20.10		20.06	0

**NR TDD Band n41\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						506208			530994	
						2531.04 MHz			2654.97 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	19.82			20.08	0
				1	81	20.05			19.91	0
				1	160	20.00			19.79	0
				81	0	20.06			19.98	0
				81	41	20.07			19.90	0
				81	81	20.02			19.82	0
				162	0	20.06			19.91	0
			QPSK	1	1	20.06			20.06	0
				1	81	20.07			19.89	0
				1	160	19.96			19.80	0
				81	0	20.10			19.97	0
				81	41	20.03			19.90	0
				81	81	20.04			19.79	0
			162	0	20.06			19.91	0	
		16QAM	1	1	20.14			19.98	0	
		64QAM	1	1	20.03			20.15	0	
		256QAM	1	1	20.06			20.12	0	
CP	QPSK	1	1	20.08			20.00	0		

**NR TDD Band n41\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						507204			529998	
						2536.02 MHz			2649.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	20.00			20.17	0
				1	109	19.93			20.00	0
				1	215	19.96			19.95	0
				108	0	19.96			20.10	0
				108	55	19.67			20.02	0
				108	109	19.89			19.89	0
				216	0	19.94			20.03	0
			QPSK	1	1	20.01			20.20	0
				1	109	19.91			20.01	0
				1	215	19.95			19.97	0
				108	0	19.97			20.10	0
				108	55	19.94			20.02	0
				108	109	19.91			19.90	0
			216	0	19.94			20.01	0	
		16QAM	1	1	19.65			20.20	0	
		64QAM	1	1	20.02			20.16	0	
		256QAM	1	1	20.14			19.91	0	
CP	QPSK	1	1	19.99			20.16	0		

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200			528996	
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	20.09			20.28	0
				1	123	20.02			20.16	0
				1	243	20.00			20.01	0
				120	0	20.06			20.23	0
				120	63	20.01			20.14	0
				120	125	19.81			20.00	0
			243	0	19.99			20.11	0	
			QPSK	1	1	20.12			20.30	0
				1	123	20.01			20.14	0
				1	243	20.04			20.02	0
				120	0	20.07			20.24	0
				120	63	20.00			20.14	0
				120	125	20.02			20.00	0
			243	0	19.98			20.12	0	
		16QAM	1	1	20.11			20.21	0	
		64QAM	1	1	20.21			20.32	0	
		256QAM	1	1	20.16			19.99	0	
CP	QPSK	1	1	20.08			20.32	0		

**NR TDD Band n41\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			20.11		0
				1	137			20.10		0
				1	271			20.08		0
				135	0			20.16		0
				135	69			20.14		0
				135	138			20.13		0
			270	0			20.17		0	
			QPSK	1	1			20.26		0
				1	137			20.13		0
				1	271			20.12		0
				135	0			20.20		0
				135	69			20.12		0
				135	138			20.13		0
			270	0			20.16		0	
		16QAM	1	1			20.06		0	
		64QAM	1	1			20.16		0	
		256QAM	1	1			19.27		0	
CP	QPSK	1	1			20.04		0		

**NR TDD Band n41 (PC2 only) Conducted Power\_ RSI = 1\_ MAIN2 [Ant B]**
**NR TDD Band n41\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.07	18.76	18.60	18.71	18.88	0
				1	12	19.18	18.81	18.36	18.54	18.93	0
				1	22	19.03	18.67	18.29	18.48	18.88	0
				12	0	19.04	18.73	18.24	18.39	18.87	0
				12	6	19.06	18.71	18.26	18.44	18.87	0
				12	12	19.05	18.69	18.29	18.45	18.88	0
			24	0	19.04	18.72	18.25	18.44	18.89	0	
			QPSK	1	1	19.02	18.75	18.25	18.37	18.89	0
				1	12	19.05	18.71	18.30	18.44	18.92	0
				1	22	19.03	18.65	18.30	18.51	18.90	0
				12	0	19.05	18.71	18.25	18.41	18.87	0
				12	6	19.04	18.72	18.26	18.43	18.88	0
				12	12	19.03	18.68	18.28	18.47	18.88	0
			24	0	19.05	18.73	18.25	18.44	18.88	0	
			16QAM	1	1	19.06	18.79	18.34	18.47	18.71	0
		64QAM	1	1	18.99	18.74	18.33	18.36	18.84	0	
256QAM	1	1	19.05	18.81	18.30	18.44	18.94	0			
CP	QPSK	1	1	19.05	18.78	18.26	18.33	18.89	0		

**NR TDD Band n41\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.03	18.77	18.02	18.29	18.90	0
				1	18	18.94	18.65	18.04	18.37	18.77	0
				1	36	19.03	18.65	18.06	18.53	18.83	0
				18	0	19.05	18.72	18.27	18.36	18.84	0
				18	9	19.00	18.71	18.24	18.43	18.83	0
				18	18	18.71	18.35	18.29	18.47	18.82	0
			36	0	19.00	18.42	18.25	18.42	18.83	0	
			QPSK	1	1	18.99	18.74	18.25	18.26	18.88	0
				1	18	18.93	18.62	18.15	18.38	18.80	0
				1	36	19.02	18.64	18.29	18.58	18.85	0
				18	0	19.04	18.74	18.27	18.34	18.83	0
				18	9	19.01	18.70	18.23	18.39	18.84	0
				18	18	19.00	18.73	18.29	18.47	18.83	0
			36	0	19.01	18.69	18.24	18.44	18.85	0	
			16QAM	1	1	19.09	18.78	18.34	18.30	18.89	0
		64QAM	1	1	19.11	18.77	18.22	18.25	18.84	0	
256QAM	1	1	19.06	18.82	18.27	18.34	18.88	0			
CP	QPSK	1	1	19.01	18.78	18.31	18.26	18.88	0		



**NR TDD Band n41\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.98	18.77	18.26	18.29	18.83	0
				1	26	18.98	18.61	18.23	18.41	18.86	0
				1	49	19.05	18.63	18.26	18.55	18.86	0
				25	0	18.98	18.71	18.27	18.28	18.91	0
				25	13	19.01	18.68	18.23	18.42	18.89	0
				25	26	19.00	18.63	18.29	18.21	18.87	0
			50	0	19.00	18.71	18.24	18.13	18.89	0	
			QPSK	1	1	18.98	18.76	18.29	18.01	18.84	0
				1	26	18.98	18.63	18.23	18.12	18.87	0
				1	49	19.06	18.61	18.28	18.26	18.86	0
				25	0	19.00	18.71	18.26	18.24	18.89	0
				25	13	19.00	18.67	18.25	18.44	18.87	0
				25	26	19.00	18.71	18.29	18.50	18.86	0
			50	0	19.00	18.65	18.24	18.44	18.88	0	
			16QAM	1	1	19.04	18.80	18.32	18.38	18.70	0
			64QAM	1	1	18.98	18.80	18.27	18.34	18.47	0
256QAM	1	1	19.01	18.82	18.40	18.34	18.92	0			
CP	QPSK	1	1	19.00	18.78	18.27	18.32	18.76	0		

**NR TDD Band n41\_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.98	18.78	18.28	18.24	18.83	0
				1	32	19.09	18.70	18.31	18.49	18.96	0
				1	63	19.04	18.57	18.25	18.57	18.90	0
				32	0	18.99	18.71	18.27	18.29	18.84	0
				32	17	18.99	18.62	18.24	18.44	18.92	0
				32	33	19.04	18.61	18.28	18.50	18.89	0
			64	0	19.00	18.66	18.24	18.40	18.94	0	
			QPSK	1	1	18.99	18.77	18.26	18.24	18.83	0
				1	32	19.00	18.62	18.25	18.41	18.94	0
				1	63	19.03	18.55	18.26	18.55	18.88	0
				32	0	18.98	18.73	18.28	18.30	18.86	0
				32	17	19.00	18.64	18.25	18.43	18.92	0
				32	33	19.04	18.48	18.37	18.50	18.70	0
			64	0	19.02	18.63	18.23	18.39	18.92	0	
			16QAM	1	1	19.04	18.86	18.36	18.26	18.95	0
			64QAM	1	1	18.93	18.83	18.25	18.26	18.81	0
256QAM	1	1	18.97	18.82	18.37	18.24	18.97	0			
CP	QPSK	1	1	19.04	18.76	18.29	18.20	18.83	0		

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.96	18.76	18.28	18.17	18.28	0
				1	39	19.05	18.67	18.28	18.46	19.01	0
				1	76	19.01	18.47	18.30	18.53	18.82	0
				36	0	18.95	18.70	18.25	18.24	18.82	0
				36	21	18.96	18.58	18.22	18.30	18.88	0
				36	42	19.01	18.56	18.28	18.46	18.85	0
			75	0	18.99	18.60	18.24	18.28	18.86	0	
			QPSK	1	1	18.96	18.75	18.29	18.10	18.71	0
				1	39	19.01	18.59	18.27	18.30	18.95	0
				1	76	18.99	18.49	18.26	18.52	18.86	0
				36	0	18.97	18.69	18.27	18.37	18.83	0
				36	21	18.96	18.58	18.24	18.30	18.89	0
				36	42	19.02	18.54	18.27	18.48	18.85	0
			75	0	18.99	18.61	18.24	18.27	18.87	0	
			16QAM	1	1	19.03	18.78	18.24	18.27	18.85	0
		64QAM	1	1	18.99	18.78	18.28	18.15	18.68	0	
256QAM	1	1	19.05	18.80	18.35	18.12	18.83	0			
CP	QPSK	1	1	18.95	18.76	18.33	18.16	18.36	0		

**NR TDD Band n41\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.89	18.61		18.21	18.53	0
				1	53	19.04	18.48		18.38	19.00	0
				1	104	18.91	18.41		18.57	18.93	0
				50	0	18.06	18.54		18.16	18.76	0
				50	28	18.98	18.37		18.29	18.89	0
				50	56	18.89	18.43		18.39	18.93	0
			100	0	18.66	18.41		18.27	18.91	0	
			QPSK	1	1	18.57	18.62		18.20	18.55	0
				1	53	18.75	18.38		18.27	19.06	0
				1	104	18.60	18.38		18.55	18.92	0
				50	0	18.91	18.53		18.16	18.75	0
				50	28	18.71	18.37		18.26	18.91	0
				50	56	18.88	18.41		18.43	18.93	0
			100	0	18.95	18.41		18.28	18.93	0	
			16QAM	1	1	18.62	18.63		18.48	18.45	0
		64QAM	1	1	18.97	18.48		18.16	18.52	0	
256QAM	1	1	18.96	18.80		18.20	18.38	0			
CP	QPSK	1	1	18.87	18.54		18.19	18.53	0		

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			532998
						2521.02 MHz		2592.99 MHz			2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.88		18.31		18.36	0
				1	67	18.88		18.24		18.85	0
				1	131	18.79		18.34		18.95	0
				64	0	18.89		18.28		18.59	0
				64	35	18.88		18.23		18.85	0
				64	69	18.86		18.25		18.95	0
			128	0	18.91		18.21		18.86	0	
			QPSK	1	1	18.19		18.29		18.34	0
				1	67	18.88		18.24		18.80	0
				1	131	18.78		18.35		18.95	0
				64	0	18.87		18.30		18.59	0
				64	35	18.91		18.22		18.84	0
				64	69	18.71		18.24		18.94	0
			128	0	18.87		18.21		18.84	0	
			16QAM	1	1	19.01		18.22		18.62	0
			64QAM	1	1	18.99		18.34		18.35	0
			256QAM	1	1	18.87		18.40		18.37	0
			CP	QPSK	1	1	18.87		18.29		18.43

**NR TDD Band n41\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.88		18.29		18.21	0
				1	81	18.91		18.25		18.93	0
				1	160	18.69		18.27		18.99	0
				81	0	18.86		18.29		18.45	0
				81	41	18.81		18.23		18.84	0
				81	81	18.62		18.24		19.01	0
			162	0	18.81		18.24		18.82	0	
			QPSK	1	1	18.86		18.41		18.19	0
				1	81	18.79		18.23		18.83	0
				1	160	18.67		18.41		19.00	0
				81	0	18.83		18.30		18.43	0
				81	41	18.79		18.23		18.82	0
				81	81	18.37		18.24		19.00	0
			162	0	18.80		18.28		18.82	0	
			16QAM	1	1	18.86		18.45		18.22	0
			64QAM	1	1	18.79		18.49		18.20	0
			256QAM	1	1	18.97		18.36		18.22	0
			CP	QPSK	1	1	18.89		18.40		18.13

**NR TDD Band n41 \_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						506208			530994	
						2531.04 MHz			2654.97 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.90			18.22	0
				1	81	18.80			18.63	0
				1	160	18.70			19.09	0
				81	0	18.62			18.39	0
				81	41	18.80			18.64	0
				81	81	18.80			18.61	0
			162	0	18.80			18.65	0	
			QPSK	1	1	18.88			18.22	0
				1	81	18.81			18.61	0
				1	160	18.67			19.15	0
				81	0	18.86			18.39	0
				81	41	18.78			18.64	0
				81	81	18.52			18.94	0
			162	0	18.79			18.63	0	
			16QAM	1	1	18.68			18.71	0
		64QAM	1	1	18.91			18.11	0	
256QAM	1	1	18.98			18.15	0			
CP	QPSK	1	1	18.61			18.71	0		

**NR TDD Band n41 \_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						507204			529998	
						2536.02 MHz			2649.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	19.18			18.07	0
				1	109	18.79			18.92	0
				1	215	18.47			19.47	0
				108	0	18.62			18.57	0
				108	55	18.84			18.92	0
				108	109	18.61			18.01	0
			216	0	18.85			18.63	0	
			QPSK	1	1	19.19			18.65	0
				1	109	18.77			18.61	0
				1	215	18.36			19.19	0
				108	0	18.62			18.57	0
				108	55	18.86			18.91	0
				108	109	18.74			18.30	0
			216	0	18.86			18.93	0	
			16QAM	1	1	18.74			18.10	0
		64QAM	1	1	19.19			18.01	0	
256QAM	1	1	18.72			18.17	0			
CP	QPSK	1	1	19.23			18.11	0		

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200			528996	
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.38			18.62	0
				1	123	18.74			18.44	0
				1	243	18.19			19.19	0
				120	0	18.02			18.17	0
				120	63	18.79			18.50	0
				120	125	18.64			18.55	0
				243	0	18.84			18.50	0
			QPSK	1	1	19.35			18.37	0
				1	123	18.74			18.48	0
				1	243	18.14			19.19	0
				120	0	18.04			18.17	0
				120	63	18.81			18.50	0
				120	125	18.65			18.62	0
			243	0	18.87			18.51	0	
		16QAM	1	1	19.41			18.16	0	
		64QAM	1	1	19.35			18.14	0	
		256QAM	1	1	19.12			18.09	0	
CP	QPSK	1	1	19.39			18.12	0		

**NR TDD Band n41\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			19.12		0
				1	137			18.51		0
				1	271			19.23		0
				135	0			18.62		0
				135	69			18.57		0
				135	138			18.69		0
				270	0			18.59		0
			QPSK	1	1			19.13		0
				1	137			18.53		0
				1	271			19.24		0
				135	0			18.71		0
				135	69			18.73		0
				135	138			18.70		0
			270	0			18.60		0	
		16QAM	1	1			19.15		0	
		64QAM	1	1			18.62		0	
		256QAM	1	1			19.13		0	
CP	QPSK	1	1			19.09		0		

**NR FDD Band n66 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN1 [Ant A]**
**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	24.24	24.47	0
				1	13	24.56	24.16	24.41	0
				1	23	24.63	24.22	24.50	0
				12	0	24.14	23.70	23.90	0.5
				12	7	24.63	24.19	24.45	0
				12	13	24.09	23.74	23.97	0.5
			QPSK	25	0	24.08	23.72	23.94	0.5
				1	1	24.68	24.30	24.40	0
				1	13	24.54	24.19	24.42	0
				1	23	24.62	24.29	24.46	0
				12	0	23.64	23.18	23.39	1
				12	7	24.60	24.22	24.47	0
			16QAM	12	13	23.56	23.22	23.47	1
				25	0	23.63	23.21	23.44	1
				1	1	23.73	23.29	23.36	1
				1	1	22.13	21.69	21.94	2.5
256QAM	1	1	20.01	19.76	19.92	4.5			
	CP	QPSK	1	1	23.09	22.80	22.95	1.5	

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	24.29	24.42	0
				1	26	24.67	24.38	24.47	0
				1	50	24.44	24.27	24.49	0
				25	0	23.99	23.76	23.92	0.5
				25	14	24.47	24.24	24.41	0
				25	27	23.91	23.71	23.96	0.5
			QPSK	50	0	23.97	23.70	23.90	0.5
				1	1	24.56	24.26	24.39	0
				1	26	24.57	24.32	24.49	0
				1	50	24.44	24.28	24.48	0
				25	0	23.53	23.26	23.42	1
				25	14	24.48	24.20	24.40	0
			16QAM	25	27	23.47	23.26	23.46	1
				50	0	23.50	23.21	23.42	1
				1	1	23.49	23.29	23.43	1
				1	1	22.09	21.83	21.85	2.5

		256QAM	1	1	20.07	19.83	19.92	4.5
	CP	QPSK	1	1	23.08	22.87	22.55	1.5

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.52	24.32	24.37	0
				1	40	24.38	24.17	24.48	0
				1	77	24.35	24.32	24.55	0
				36	0	24.00	23.77	23.87	0.5
				36	22	24.45	24.21	24.44	0
				36	43	23.84	23.71	23.94	0.5
				75	0	23.93	23.70	23.90	0.5
			QPSK	1	1	24.50	24.30	24.40	0
				1	40	24.40	24.14	24.36	0
				1	77	24.29	24.32	24.54	0
				36	0	23.49	23.28	23.34	1
				36	22	24.43	24.21	24.43	0
				36	43	23.39	23.26	23.41	1
				75	0	23.45	23.18	23.41	1
			16QAM	1	1	23.58	23.39	23.37	1
			64QAM	1	1	22.05	21.88	21.90	2.5
			256QAM	1	1	20.02	19.93	19.87	4.5
			CP	QPSK	1	1	23.07	22.82	22.90

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.55	24.28	24.31	0
				1	53	24.52	24.30	24.59	0
				1	104	24.39	24.38	24.50	0
				50	0	23.96	23.78	23.86	0.5
				50	28	24.40	24.22	24.42	0
				50	56	23.83	23.75	23.93	0.5
				100	0	23.90	23.72	23.89	0.5
			QPSK	1	1	24.59	24.30	24.26	0
				1	53	24.48	24.29	24.51	0
				1	104	24.40	24.39	24.48	0
				50	0	23.48	23.28	23.37	1
				50	28	24.41	24.24	24.37	0
				50	56	23.33	23.27	23.43	1
				100	0	23.42	23.23	23.40	1
			16QAM	1	1	23.66	23.29	23.32	1
			64QAM	1	1	22.07	21.91	21.97	2.5
			256QAM	1	1	20.11	19.91	19.83	4.5
			CP	QPSK	1	1	23.04	22.80	22.77





**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.52	24.39	24.30	0
				1	66	24.47	24.27	24.54	0
				1	131	24.41	24.36	24.49	0
				64	0	23.95	23.79	23.81	0.5
				64	35	24.32	24.24	24.33	0
				64	69	23.84	23.78	23.91	0.5
			128	0	23.85	23.70	23.86	0.5	
			QPSK	1	1	24.49	24.35	24.27	0
				1	66	24.50	24.33	24.50	0
				1	131	24.42	24.32	24.50	0
				64	0	23.43	23.30	23.35	1
				64	35	24.35	24.20	24.34	0
				64	69	23.35	23.28	23.46	1
			128	0	23.32	23.21	23.39	1	
			16QAM	1	1	23.56	23.38	23.25	1
			64QAM	1	1	21.97	21.80	21.78	2.5
			256QAM	1	1	20.02	19.96	19.92	4.5
			CP	QPSK	1	1	22.66	22.94	22.63

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000	1745 MHz	
						30 MHz	15	
1	80	24.41	0					
1	158	24.42	0					
80	0	23.81	0.5					
80	40	24.23	0					
80	80	23.83	0.5					
160	0	23.72	0.5					
QPSK	1	1	24.41	0				
	1	80	24.31	0				
	1	158	24.42	0				
	80	0	23.27	1				
	80	40	24.25	0				
	80	80	23.38	1				
160	0	23.26	1					
16QAM	1	1	23.42	1				
64QAM	1	1	21.89	2.5				
256QAM	1	1	19.88	4.5				
CP	QPSK	1	1	22.87	1.5			

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.31	0	
				1	98	24.28	0	
				1	186	24.42	0	
				90	0	23.80	0.5	
				90	45	24.19	0	
				90	90	23.81	0.5	
				180	0	23.75	0.5	
			QPSK	1	1	24.29	0	
				1	98	24.25	0	
				1	186	24.47	0	
				90	0	23.30	1	
				90	45	24.20	0	
				90	90	23.35	1	
			180	0	23.21	1		
			16QAM	1	1	23.27	1	
			64QAM	1	1	21.75	2.5	
			256QAM	1	1	19.74	4.5	
CP	QPSK	1	1	22.72	1.5			

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.28	0	
				1	108	24.38	0	
				1	214	24.45	0	
				108	0	23.87	0.5	
				108	54	24.23	0	
				108	108	23.84	0.5	
				216	0	23.70	0.5	
			QPSK	1	1	24.27	0	
				1	108	24.28	0	
				1	214	24.43	0	
				108	0	23.32	1	
				108	54	24.22	0	
				108	108	23.37	1	
			216	0	23.24	1		
			16QAM	1	1	23.35	1	
			64QAM	1	1	21.87	2.5	
			256QAM	1	1	19.75	4.5	
CP	QPSK	1	1	22.85	1.5			

**NR FDD Band n66 Conducted Power\_ Measured RSI = 0\_ MAIN1 [Ant A]**
**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.96	18.70	18.85	0
				1	13	18.84	18.54	18.86	0
				1	23	18.85	18.71	18.93	0
				12	0	18.89	18.65	18.88	0
				12	7	18.88	18.64	18.91	0
				12	13	18.84	18.69	18.92	0
			25	0	18.89	18.65	18.90	0	
			QPSK	1	1	18.96	18.68	18.81	0
				1	13	18.86	18.56	18.82	0
				1	23	18.86	18.70	18.94	0
				12	0	18.90	18.64	18.83	0
				12	7	18.93	18.63	18.89	0
				12	13	18.89	18.63	18.92	0
			25	0	18.88	18.67	18.91	0	
			16QAM	1	1	18.89	18.73	18.90	0
			64QAM	1	1	19.00	18.68	18.94	0
			256QAM	1	1	18.88	18.50	18.82	0
CP	QPSK	1	1	18.87	18.67	18.82	0		

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.00	18.73	18.87	0
				1	26	18.98	18.84	19.09	0
				1	50	18.83	18.70	18.96	0
				25	0	18.96	18.73	18.87	0
				25	14	18.94	18.66	18.93	0
				25	27	18.91	18.65	18.94	0
				50	0	18.93	18.65	18.91	0
			QPSK	1	1	19.02	18.71	18.91	0
				1	26	19.04	18.74	18.95	0
				1	50	18.82	18.75	18.99	0
				25	0	18.95	18.74	18.90	0
				25	14	18.88	18.69	18.89	0
				25	27	18.87	18.69	18.95	0
			50	0	18.91	18.68	18.90	0	
			16QAM	1	1	18.92	18.66	18.88	0
			64QAM	1	1	18.86	18.73	18.87	0
			256QAM	1	1	18.97	18.77	18.77	0
CP	QPSK	1	1	18.96	18.72	18.82	0		

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.97	18.80	18.76	0
				1	40	18.78	18.56	18.77	0
				1	77	18.73	18.78	18.88	0
				36	0	18.93	18.74	18.79	0
				36	22	18.86	18.65	18.85	0
				36	43	18.78	18.68	18.83	0
				75	0	18.86	18.70	18.85	0
			QPSK	1	1	18.99	18.81	18.79	0
				1	40	18.74	18.60	18.79	0
				1	77	18.74	18.73	18.91	0
				36	0	18.95	18.76	18.75	0
				36	22	18.83	18.70	18.80	0
				36	43	18.76	18.69	18.85	0
				75	0	18.84	18.68	18.81	0
		16QAM	1	1	18.88	18.88	18.86	0	
		64QAM	1	1	19.11	18.84	18.84	0	
		256QAM	1	1	19.05	18.79	18.67	0	
CP	QPSK	1	1	18.95	18.74	18.80	0		

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.90	18.81	18.77	0
				1	53	18.84	18.49	18.52	0
				1	104	18.75	18.53	18.92	0
				50	0	18.86	18.77	18.82	0
				50	28	18.74	18.69	18.83	0
				50	56	18.68	18.71	18.85	0
				100	0	18.77	18.67	18.83	0
			QPSK	1	1	18.91	18.75	18.80	0
				1	53	18.85	18.73	18.96	0
				1	104	18.69	18.81	18.93	0
				50	0	18.85	18.74	18.83	0
				50	28	18.74	18.67	18.83	0
				50	56	18.72	18.70	18.87	0
				100	0	18.76	18.65	18.81	0
		16QAM	1	1	18.98	18.69	18.76	0	
		64QAM	1	1	18.85	18.73	18.84	0	
		256QAM	1	1	18.94	18.84	18.75	0	
CP	QPSK	1	1	18.94	18.77	18.77	0		

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.91	18.85	18.72	0
				1	66	18.77	18.90	19.01	0
				1	131	18.75	18.80	18.95	0
				64	0	18.79	18.76	18.79	0
				64	35	18.70	18.69	18.79	0
				64	69	18.71	18.72	18.91	0
				128	0	18.71	18.65	18.84	0
			QPSK	1	1	18.90	18.81	18.72	0
				1	66	18.77	18.77	18.97	0
				1	131	18.79	18.76	18.98	0
				64	0	18.80	18.77	18.81	0
				64	35	18.70	18.67	18.82	0
				64	69	18.69	18.71	18.89	0
				128	0	18.68	18.67	18.82	0
			16QAM	1	1	18.92	18.85	18.73	0
			64QAM	1	1	18.98	18.77	18.80	0
			256QAM	1	1	18.78	18.78	18.71	0
			CP	QPSK	1	1	18.88	18.83	18.65

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.75		0
				1	80	18.86		0
				1	158	18.81		0
				80	0	18.75		0
				80	40	18.70		0
				80	80	18.76		0
				160	0	18.68		0
			QPSK	1	1	18.77		0
				1	80	18.78		0
				1	158	18.86		0
				80	0	18.77		0
				80	40	18.71		0
				80	80	18.73		0
				160	0	18.67		0
			16QAM	1	1	18.86		0
			64QAM	1	1	18.78		0
			256QAM	1	1	18.75		0
			CP	QPSK	1	1	18.72	

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74	0	
				1	98	18.69	0	
				1	186	18.80	0	
				90	0	18.81	0	
				90	45	18.64	0	
				90	90	18.74	0	
			180	0	18.67	0		
			QPSK	1	1	18.72	0	
				1	98	18.70	0	
				1	186	18.82	0	
				90	0	18.78	0	
				90	45	18.66	0	
				90	90	18.75	0	
			180	0	18.64	0		
			16QAM	1	1	18.75	0	
		64QAM	1	1	18.73	0		
		256QAM	1	1	18.74	0		
		CP	QPSK	1	1	18.73	0	

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.76	0	
				1	108	18.85	0	
				1	214	18.80	0	
				108	0	18.84	0	
				108	54	18.68	0	
				108	108	18.77	0	
				216	0	18.67	0	
			QPSK	1	1	18.75	0	
				1	108	18.72	0	
				1	214	18.76	0	
				108	0	18.78	0	
				108	54	18.64	0	
				108	108	18.77	0	
			216	0	18.75	0		
			16QAM	1	1	18.75	0	
		64QAM	1	1	18.84	0		
		256QAM	1	1	18.79	0		
		CP	QPSK	1	1	18.75	0	

**NR FDD Band n70 Conducted Power\_ Measured Pmax, RSI = 1\_ MAIN1 [Ant A]**
**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.15	24.06	24.15	0
				1	13	24.08	23.97	24.11	0
				1	23	24.17	24.10	24.17	0
				12	0	23.62	23.51	23.58	0.5
				12	7	24.10	23.97	24.09	0
				12	13	23.59	23.51	23.59	0.5
				25	0	23.59	23.51	23.62	0.5
			QPSK	1	1	24.13	24.03	24.09	0
				1	13	23.97	23.95	24.00	0
				1	23	24.06	24.07	24.12	0
				12	0	23.08	23.00	23.09	1
				12	7	24.11	24.03	24.11	0
				12	13	23.10	23.04	23.09	1
				25	0	23.10	23.01	23.10	1
			16QAM	1	1	23.12	23.11	23.04	1
			64QAM	1	1	21.61	21.60	21.42	2.5
256QAM	1	1	19.59	19.56	19.59	4.5			
CP	QPSK	1	1	22.63	22.60	22.56	1.5		

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.15	24.12	24.08	0
				1	26	24.21	24.04	24.30	0
				1	50	24.09	24.14	24.15	0
				25	0	23.55	23.58	23.51	0.5
				25	14	24.08	23.98	24.05	0
				25	27	23.49	23.56	23.65	0.5
				50	0	23.55	23.48	23.53	0.5
			QPSK	1	1	24.09	24.05	24.04	0
				1	26	24.13	24.11	24.20	0
				1	50	24.02	24.16	24.10	0
				25	0	23.06	23.03	23.03	1
				25	14	24.06	23.98	24.03	0
				25	27	23.01	23.03	23.14	1
				50	0	23.06	22.98	23.07	1
			16QAM	1	1	23.11	23.13	22.94	1
			64QAM	1	1	21.59	21.63	21.59	2.5
256QAM	1	1	19.82	19.75	19.60	4.5			
CP	QPSK	1	1	22.61	22.56	22.60	1.5		

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						340500		
						1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.12	0	
				1	40	23.92	0	
				1	77	24.12	0	
				36	0	23.58	0.5	
				36	22	23.99	0	
				36	43	23.61	0.5	
				75	0	23.49	0.5	
			QPSK	1	1	24.11	0	
				1	40	23.92	0	
				1	77	24.14	0	
				36	0	23.08	1	
				36	22	24.02	0	
				36	43	23.12	1	
				75	0	23.02	1	
			16QAM	1	1	23.19	1	
		64QAM	1	1	21.62	2.5		
		256QAM	1	1	19.59	4.5		
		CP	QPSK	1	1	22.56	1.5	



**NR FDD Band n70 Conducted Power\_ Measured RSI = 0\_ MAIN1 [Ant A]**
**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						339500	340500	341500		
						1697.5 MHz	1702.5 MHz	1707.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	19.88	19.99	0	
				1	13	19.94	19.76	19.98	0	
				1	23	20.03	19.91	19.99	0	
				12	0	20.03	19.89	19.96	0	
				12	7	19.97	19.87	20.01	0	
				12	13	20.01	19.84	19.98	0	
			QPSK	25	0	20.02	19.88	20.02	0	
				1	1	20.03	19.87	19.98	0	
				1	13	19.88	19.74	19.97	0	
				1	23	19.98	19.79	20.05	0	
				12	0	20.01	19.85	19.97	0	
				12	7	20.01	19.83	19.99	0	
			16QAM	12	13	20.03	19.84	20.00	0	
				25	0	20.01	19.86	20.00	0	
				16QAM	1	1	20.04	19.85	19.89	0
				64QAM	1	1	19.97	20.01	20.03	0
256QAM	1	1	19.64	19.61	19.56	0				
CP	QPSK	1	1	20.03	19.85	19.95	0			

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						340000	340500	341000		
						1700 MHz	1702.5 MHz	1705 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.05	19.97	19.97	0	
				1	26	20.06	19.54	20.29	0	
				1	50	19.91	19.98	20.02	0	
				25	0	19.97	19.92	19.94	0	
				25	14	19.97	19.85	19.96	0	
				25	27	19.91	19.89	20.04	0	
			QPSK	50	0	19.95	19.84	19.95	0	
				1	1	20.02	19.93	19.94	0	
				1	26	20.03	19.98	20.08	0	
				1	50	19.94	20.01	19.98	0	
				25	0	19.97	19.91	19.91	0	
				25	14	19.96	19.87	19.96	0	
			16QAM	25	27	19.91	19.89	20.07	0	
				50	0	19.97	19.85	19.94	0	
				16QAM	1	1	20.05	19.92	19.92	0
				64QAM	1	1	20.06	19.91	20.01	0
256QAM	1	1	19.82	19.53	19.50	0				
CP	QPSK	1	1	20.00	19.95	19.99	0			

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						340500		
						1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.96	0	
				1	40	19.76	0	
				1	77	19.97	0	
				36	0	19.96	0	
				36	22	19.84	0	
				36	43	19.94	0	
				75	0	19.86	0	
			QPSK	1	1	19.89	0	
				1	40	19.72	0	
				1	77	19.94	0	
				36	0	19.97	0	
				36	22	19.86	0	
				36	43	19.92	0	
				75	0	19.84	0	
			16QAM	1	1	20.01	0	
		64QAM	1	1	19.97	0		
		256QAM	1	1	19.56	0		
		CP	QPSK	1	1	19.93	0	

**NR FDD Band n71 Conducted Power\_ Measured Pmax, RSI = 0, RSI = 1\_ MAIN1**
**[Ant A]**
**NR FDD Band n71 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.10	24.93	24.83	0
				1	13	25.06	24.79	25.04	0
				1	23	25.12	24.88	24.76	0
				12	0	24.60	24.39	24.32	0.5
				12	7	25.12	24.83	24.77	0
				12	13	24.65	24.33	24.26	0.5
				25	0	24.62	24.30	24.28	0.5
			QPSK	1	1	25.09	24.98	24.86	0
				1	13	25.08	24.70	24.67	0
				1	23	25.15	24.86	24.73	0
				12	0	24.09	23.92	23.80	1
				12	7	25.10	24.85	24.76	0
				12	13	24.12	23.83	23.75	1
				25	0	24.10	23.82	23.79	1
			16QAM	1	1	24.04	23.97	23.85	1
			64QAM	1	1	22.61	22.43	22.31	2.5
			256QAM	1	1	20.49	20.35	20.38	4.5
			CP	QPSK	1	1	23.67	23.43	23.07

**NR FDD Band n71 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.09	25.00	24.80	0
				1	26	25.22	24.92	24.96	0
				1	50	25.08	24.79	24.75	0
				25	0	24.64	24.44	24.31	0.5
				25	14	25.11	24.84	24.83	0
				25	27	24.57	24.36	24.28	0.5
				50	0	24.63	24.40	24.32	0.5
			QPSK	1	1	25.14	24.96	24.76	0
				1	26	25.26	24.91	24.86	0
				1	50	25.13	24.80	24.79	0
				25	0	24.12	23.93	23.81	1
				25	14	25.12	24.86	24.81	0
				25	27	24.07	23.86	23.78	1
				50	0	24.13	23.86	23.82	1
			16QAM	1	1	24.19	24.05	23.84	1
			64QAM	1	1	22.57	22.58	22.28	2.5
			256QAM	1	1	20.76	20.52	20.32	4.5
			CP	QPSK	1	1	23.65	23.46	23.32

**NR FDD Band n71 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	0	
				1	40	24.77	0	
				1	77	24.87	0	
				36	0	24.47	0.5	
				36	22	24.87	0	
				36	43	24.38	0.5	
				75	0	24.38	0.5	
			QPSK	1	1	25.04	0	
				1	40	24.75	0	
				1	77	24.85	0	
				36	0	23.98	1	
				36	22	24.87	0	
				36	43	23.87	1	
				75	0	23.91	1	
			16QAM	1	1	24.12	1	
			64QAM	1	1	22.61	2.5	
			256QAM	1	1	20.61	4.5	
			CP	QPSK	1	1	23.58	1.5

**NR FDD Band n71 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.10	0	
				1	53	24.93	0	
				1	104	24.83	0	
				50	0	24.55	0.5	
				50	28	24.87	0	
				50	56	24.35	0.5	
				100	0	24.41	0.5	
			QPSK	1	1	25.11	0	
				1	53	24.97	0	
				1	104	24.82	0	
				50	0	24.03	1	
				50	28	25.13	0	
				50	56	23.87	1	
				100	0	23.93	1	
			16QAM	1	1	24.18	1	
			64QAM	1	1	22.69	2.5	
			256QAM	1	1	20.76	4.5	

		CP	QPSK	1	1	23.65	1.5
--	--	----	------	---	---	-------	-----

## 2. NR Band Maximum Conducted Power (Upper Antenna)

### NR FDD Band n2 Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant F]

#### NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	19.53	19.53	0
				1	13	19.32	19.52	19.52	0
				1	23	19.37	19.48	19.53	0
				12	0	19.46	19.58	19.59	0
				12	7	19.43	19.60	19.60	0
				12	13	19.37	19.53	19.60	0
				25	0	19.41	19.56	19.58	0
			QPSK	1	1	19.40	19.54	19.56	0
				1	13	19.31	19.56	19.56	0
				1	23	19.37	19.47	19.53	0
				12	0	19.43	19.57	19.54	0
				12	7	19.44	19.61	19.61	0
				12	13	19.37	19.51	19.57	0
				25	0	19.40	19.56	19.57	0
			16QAM	1	1	19.40	19.54	19.49	0
			64QAM	1	1	19.57	19.59	19.47	0
			256QAM	1	1	18.04	18.16	18.20	2.5
CP	QPSK	1	1	19.37	19.49	19.48	0		

#### NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.53	19.49	19.58	0
				1	26	19.55	19.62	19.60	0
				1	50	19.52	19.64	19.59	0
				25	0	19.48	19.57	19.41	0
				25	14	19.51	19.58	19.57	0
				25	27	19.56	19.49	19.61	0
				50	0	19.47	19.59	19.63	0
			QPSK	1	1	19.50	19.52	19.67	0
				1	26	19.51	19.74	19.64	0
				1	50	19.49	19.64	19.60	0
				25	0	19.47	19.55	19.39	0
				25	14	19.51	19.59	19.58	0
				25	27	19.51	19.53	19.64	0
				50	0	19.52	19.56	19.60	0
			16QAM	1	1	19.51	19.46	19.58	0
			64QAM	1	1	19.60	19.40	19.61	0
			256QAM	1	1	18.02	17.94	18.12	2.5
CP	QPSK	1	1	19.48	19.51	19.57	0		

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.51	19.47	19.52	0
				1	40	19.39	19.50	19.28	0
				1	77	19.56	19.69	19.53	0
				36	0	19.42	19.55	19.58	0
				36	22	19.46	19.56	19.30	0
				36	43	19.47	19.69	19.55	0
				75	0	19.49	19.54	19.29	0
			QPSK	1	1	19.47	19.44	19.50	0
				1	40	19.37	19.49	19.26	0
				1	77	19.54	19.71	19.51	0
				36	0	19.42	19.54	19.57	0
				36	22	19.45	19.56	19.36	0
				36	43	19.42	19.69	19.54	0
			16QAM	75	0	19.49	19.56	19.31	0
		1		1	19.42	19.37	19.53	0	
		1		1	19.52	19.52	19.65	0	
		256QAM	1	1	17.98	18.05	18.06	2.5	
CP	QPSK	1	1	19.40	19.45	19.51	0		

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	19.52	19.61	0
				1	53	19.49	19.63	19.69	0
				1	104	19.54	19.66	19.56	0
				50	0	19.44	19.51	19.49	0
				50	28	19.44	19.60	19.53	0
				50	56	19.52	19.69	19.60	0
				100	0	19.45	19.53	19.58	0
			QPSK	1	1	19.48	19.52	19.58	0
				1	53	19.52	19.59	19.76	0
				1	104	19.54	19.66	19.57	0
				50	0	19.46	19.48	19.51	0
				50	28	19.45	19.56	19.55	0
				50	56	19.47	19.67	19.61	0
			16QAM	100	0	19.42	19.57	19.59	0
		1		1	19.31	19.52	19.56	0	
		1		1	19.43	19.47	19.68	0	
		256QAM	1	1	18.14	18.12	18.24	2.5	
CP	QPSK	1	1	19.41	19.46	19.55	0		

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.42		19.70	0
				1	66	19.45		19.65	0
				1	131	19.37		19.60	0
				64	0	19.47		19.70	0
				64	35	19.41		19.67	0
				64	69	19.54		19.56	0
				128	0	19.38		19.61	0
			QPSK	1	1	19.36		19.70	0
				1	66	19.34		19.61	0
				1	131	19.28		19.59	0
				64	0	19.47		19.68	0
				64	35	19.37		19.63	0
				64	69	19.51		19.58	0
				128	0	19.36		19.62	0
		16QAM	1	1	19.35		19.73	0	
		64QAM	1	1	19.48		19.85	0	
		256QAM	1	1	18.09		18.22	2.5	
CP	QPSK	1	1	19.38		19.64	0		

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.52		19.59	0
				1	80	19.69		19.73	0
				1	158	19.62		19.63	0
				80	0	19.48		19.67	0
				80	40	19.53		19.56	0
				80	80	19.53		19.40	0
				160	0	19.54		19.57	0
			QPSK	1	1	19.50		19.51	0
				1	80	19.60		19.63	0
				1	158	19.59		19.65	0
				80	0	19.49		19.62	0
				80	40	19.55		19.57	0
				80	80	19.51		19.40	0
				160	0	19.55		19.60	0
		16QAM	1	1	19.38		19.54	0	
		64QAM	1	1	19.55		19.48	0	
		256QAM	1	1	18.14		18.12	2.5	
CP	QPSK	1	1	19.46		19.47	0		

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.47	0	
				1	98	19.57	0	
				1	186	19.52	0	
				90	0	19.51	0	
				90	45	19.58	0	
				90	90	19.65	0	
				180	0	19.53	0	
			QPSK	1	1	19.51	0	
				1	98	19.54	0	
				1	186	19.47	0	
				90	0	19.52	0	
				90	45	19.56	0	
				90	90	19.65	0	
			16QAM	180	0	19.56	0	
		16QAM		1	1	19.53	0	
		64QAM		1	1	19.54	0	
		CP	256QAM	1	1	18.01	2.5	
QPSK	1		1	19.43	0			

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.40	0	
				1	108	19.62	0	
				1	214	19.56	0	
				108	0	19.56	0	
				108	54	19.57	0	
				108	108	19.71	0	
				216	0	19.54	0	
			QPSK	1	1	19.44	0	
				1	108	19.64	0	
				1	214	19.58	0	
				108	0	19.53	0	
				108	54	19.55	0	
				108	108	19.67	0	
			16QAM	216	0	19.54	0	
		16QAM		1	1	19.38	0	
		64QAM		1	1	19.33	0	
		CP	256QAM	1	1	17.95	2.5	
QPSK	1		1	19.38	0			



**NR FDD Band n2 Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant F]**
**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.54	16.66	16.60	0	
				1	13	16.52	16.59	16.66	0	
				1	23	16.64	16.76	16.75	0	
				12	0	16.58	16.70	16.63	0	
				12	7	16.62	16.70	16.68	0	
				12	13	16.58	16.75	16.72	0	
				25	0	16.59	16.66	16.65	0	
			QPSK	1	1	16.54	16.61	16.54	0	
				1	13	16.47	16.59	16.62	0	
				1	23	16.59	16.76	16.70	0	
				12	0	16.56	16.66	16.64	0	
				12	7	16.60	16.68	16.72	0	
				12	13	16.59	16.71	16.72	0	
			16QAM	25	0	16.60	16.68	16.66	0	
				16QAM	1	1	16.50	16.66	16.65	0
				64QAM	1	1	16.54	16.70	16.56	0
				256QAM	1	1	16.65	16.54	16.52	0
CP	QPSK	1	1	16.47	16.66	16.55	0			

**R FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.67	16.68	16.73	0	
				1	26	16.89	16.69	16.67	0	
				1	50	16.73	16.71	16.77	0	
				25	0	16.70	16.68	16.70	0	
				25	14	16.69	16.67	16.65	0	
				25	27	16.69	16.75	16.73	0	
				50	0	16.70	16.66	16.76	0	
			QPSK	1	1	16.66	16.70	16.73	0	
				1	26	16.74	16.77	16.69	0	
				1	50	16.66	16.71	16.76	0	
				25	0	16.70	16.67	16.68	0	
				25	14	16.69	16.67	16.67	0	
				25	27	16.71	16.77	16.69	0	
			16QAM	50	0	16.70	16.66	16.74	0	
				16QAM	1	1	16.69	16.69	16.71	0
				64QAM	1	1	16.73	16.69	16.70	0
				256QAM	1	1	16.61	16.66	16.80	0
CP	QPSK	1	1	16.66	16.68	16.73	0			

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.63	16.72	16.75	0
				1	40	16.58	16.60	16.51	0
				1	77	16.61	16.84	16.68	0
				36	0	16.68	16.71	16.70	0
				36	22	16.66	16.67	16.58	0
				36	43	16.67	16.73	16.61	0
			QPSK	75	0	16.64	16.68	16.58	0
				1	1	16.61	16.73	16.75	0
				1	40	16.57	16.60	16.53	0
				1	77	16.59	16.84	16.66	0
				36	0	16.67	16.71	16.71	0
				36	22	16.66	16.66	16.57	0
			16QAM	36	43	16.68	16.72	16.62	0
				75	0	16.65	16.67	16.56	0
				1	1	16.62	16.70	16.77	0
		64QAM	1	1	16.77	16.73	16.83	0	
			1	1	16.60	16.67	16.71	0	
		256QAM	1	1	16.60	16.67	16.71	0	
1	1		16.64	16.62	16.66	0			
CP	QPSK	1	1	16.64	16.62	16.66	0		

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.60	16.66	16.73	0
				1	53	16.61	16.69	16.67	0
				1	104	16.65	16.78	16.75	0
				50	0	16.63	16.71	16.67	0
				50	28	16.50	16.67	16.60	0
				50	56	16.60	16.75	16.68	0
			QPSK	100	0	16.57	16.66	16.69	0
				1	1	16.55	16.65	16.74	0
				1	53	16.54	16.70	16.72	0
				1	104	16.62	16.81	16.74	0
				50	0	16.66	16.70	16.70	0
				50	28	16.52	16.67	16.59	0
			16QAM	50	56	16.59	16.77	16.68	0
				100	0	16.56	16.69	16.67	0
				1	1	16.52	16.65	16.68	0
		64QAM	1	1	16.61	16.72	16.77	0	
			1	1	16.53	16.66	16.81	0	
		256QAM	1	1	16.53	16.66	16.81	0	
1	1		16.60	16.74	16.69	0			
CP	QPSK	1	1	16.60	16.74	16.69	0		

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						372500	379500		
						1862.5 MHz	1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.56		16.81	0
				1	66	16.63		16.82	0
				1	131	16.65		16.75	0
				64	0	16.60		16.85	0
				64	35	16.63		16.83	0
				64	69	16.64		16.69	0
				128	0	16.64		16.82	0
			QPSK	1	1	16.57		16.84	0
				1	66	16.68		16.80	0
				1	131	16.69		16.72	0
				64	0	16.61		16.83	0
				64	35	16.63		16.81	0
				64	69	16.64		16.69	0
				128	0	16.64		16.81	0
		16QAM	1	1	16.54		16.89	0	
		64QAM	1	1	16.65		16.82	0	
		256QAM	1	1	16.55		16.69	0	
CP	QPSK	1	1	16.55		16.77	0		

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						373000	379000		
						1865 MHz	1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.66		16.82	0
				1	80	16.81		16.99	0
				1	158	16.77		16.77	0
				80	0	16.68		16.83	0
				80	40	16.67		16.81	0
				80	80	16.70		16.66	0
				160	0	16.63		16.79	0
			QPSK	1	1	16.66		16.87	0
				1	80	16.82		16.94	0
				1	158	16.77		16.79	0
				80	0	16.67		16.82	0
				80	40	16.66		16.79	0
				80	80	16.71		16.67	0
				160	0	16.68		16.80	0
		16QAM	1	1	16.65		16.81	0	
		64QAM	1	1	16.78		16.78	0	
		256QAM	1	1	16.58		16.84	0	
CP	QPSK	1	1	16.63		16.79	0		

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.64	0	
				1	98	16.76	0	
				1	186	16.77	0	
				90	0	16.67	0	
				90	45	16.70	0	
				90	90	16.78	0	
				180	0	16.68	0	
			QPSK	1	1	16.66	0	
				1	98	16.78	0	
				1	186	16.74	0	
				90	0	16.68	0	
				90	45	16.69	0	
				90	90	16.79	0	
				180	0	16.67	0	
		16QAM	1	1	16.70	0		
		64QAM	1	1	16.67	0		
		256QAM	1	1	16.67	0		
CP	QPSK	1	1	16.58	0			

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.64	0	
				1	108	16.86	0	
				1	214	16.72	0	
				108	0	16.69	0	
				108	54	16.69	0	
				108	108	16.80	0	
				216	0	16.66	0	
			QPSK	1	1	16.64	0	
				1	108	16.83	0	
				1	214	16.67	0	
				108	0	16.69	0	
				108	54	16.70	0	
				108	108	16.83	0	
				216	0	16.66	0	
		16QAM	1	1	16.70	0		
		64QAM	1	1	16.63	0		
		256QAM	1	1	16.61	0		
CP	QPSK	1	1	16.59	0			

**NR FDD Band n7 Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant F]**
**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.42	19.20	19.58	0
				1	13	19.38	19.14	19.38	0
				1	23	19.53	19.23	19.43	0
				12	0	19.39	19.24	19.52	0
				12	7	19.44	19.18	19.42	0
				12	13	19.47	19.19	19.40	0
			25	0	19.46	19.22	19.45	0	
			QPSK	1	1	19.37	19.23	19.55	0
				1	13	19.35	19.13	19.31	0
				1	23	19.50	19.18	19.39	0
				12	0	19.40	19.22	19.51	0
				12	7	19.45	19.19	19.44	0
				12	13	19.47	19.14	19.37	0
			25	0	19.47	19.18	19.43	0	
			16QAM	1	1	19.41	19.16	19.49	0
			64QAM	1	1	19.30	19.33	19.52	0
			256QAM	1	1	17.89	17.81	18.20	1
			CP	QPSK	1	1	19.43	19.15	19.49

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.20	19.15	19.48	0
				1	26	19.53	19.19	19.63	0
				1	50	19.40	19.25	19.39	0
				25	0	19.27	19.19	19.53	0
				25	14	19.35	19.19	19.50	0
				25	27	19.33	19.23	19.43	0
			50	0	19.30	19.20	19.49	0	
			QPSK	1	1	19.20	19.16	19.46	0
				1	26	19.44	19.30	19.63	0
				1	50	19.39	19.23	19.36	0
				25	0	19.31	19.20	19.51	0
				25	14	19.36	19.18	19.51	0
				25	27	19.34	19.20	19.41	0
			50	0	19.28	19.20	19.51	0	
			16QAM	1	1	19.14	19.11	19.49	0
			64QAM	1	1	19.24	19.15	19.54	0
			256QAM	1	1	17.84	17.78	18.11	1
			CP	QPSK	1	1	19.16	19.19	19.45

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.06	19.49	0
				1	40	19.30	19.11	19.58	0
				1	77	19.37	19.31	19.50	0
				36	0	19.35	19.16	19.63	0
				36	22	19.40	19.18	19.69	0
				36	43	19.46	19.23	19.61	0
				75	0	19.41	19.18	19.66	0
			QPSK	1	1	19.25	19.04	19.45	0
				1	40	19.28	19.06	19.57	0
				1	77	19.33	19.33	19.49	0
				36	0	19.34	19.14	19.60	0
				36	22	19.37	19.16	19.70	0
				36	43	19.43	19.25	19.62	0
				75	0	19.39	19.16	19.67	0
		16QAM	1	1	19.14	18.93	19.43	0	
		64QAM	1	1	19.29	19.10	19.39	0	
		256QAM	1	1	17.82	17.58	18.11	1	
CP	QPSK	1	1	19.17	19.06	19.43	0		

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.33	19.08	19.40	0
				1	53	19.63	19.22	19.65	0
				1	104	19.22	19.30	19.50	0
				50	0	19.43	19.18	19.45	0
				50	28	19.58	19.19	19.52	0
				50	56	19.31	19.26	19.64	0
				100	0	19.52	19.20	19.54	0
			QPSK	1	1	19.25	19.06	19.34	0
				1	53	19.51	19.26	19.61	0
				1	104	19.12	19.28	19.45	0
				50	0	19.44	19.16	19.39	0
				50	28	19.54	19.16	19.51	0
				50	56	19.29	19.27	19.64	0
				100	0	19.52	19.21	19.50	0
		16QAM	1	1	19.38	18.97	19.33	0	
		64QAM	1	1	19.39	19.13	19.27	0	
		256QAM	1	1	17.84	17.76	17.89	1	
CP	QPSK	1	1	19.33	19.05	19.28	0		

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						502500	511500	
						2512.5 MHz	2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.41	19.31	0
				1	67	19.43	19.38	0
				1	131	19.23	19.47	0
				64	0	19.54	19.33	0
				64	35	19.46	19.48	0
				64	39	19.46	19.52	0
				128	0	19.47	19.46	0
			QPSK	1	1	19.35	19.28	0
				1	67	19.36	19.37	0
				1	131	19.23	19.41	0
				64	0	19.48	19.33	0
				64	35	19.49	19.45	0
				64	69	19.28	19.61	0
				128	0	19.49	19.41	0
		16QAM	1	1	19.32	19.17	0	
		64QAM	1	1	19.49	19.31	0	
256QAM	1	1	17.92	17.87	1			
CP	QPSK	1	1	19.43	19.25	0		

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						503000	511000	
						2515 MHz	2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	19.23	0
				1	80	19.33	19.42	0
				1	158	19.16	19.39	0
				80	0	19.33	19.19	0
				80	40	19.21	19.32	0
				80	80	19.13	19.58	0
				160	0	19.18	19.35	0
			QPSK	1	1	19.20	19.26	0
				1	80	19.30	19.47	0
				1	158	19.10	19.37	0
				80	0	19.36	19.15	0
				80	40	19.19	19.31	0
				80	80	19.17	19.54	0
				160	0	19.16	19.32	0
		16QAM	1	1	19.31	19.18	0	
		64QAM	1	1	19.26	19.24	0	
256QAM	1	1	17.76	17.83	1			
CP	QPSK	1	1	19.22	19.28	0		

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.17	0	
				1	98	19.15	0	
				1	186	19.33	0	
				90	0	19.10	0	
				90	45	19.25	0	
				90	90	19.35	0	
				180	0	19.22	0	
			QPSK	1	1	19.07	0	
				1	98	19.15	0	
				1	186	19.32	0	
				90	0	19.07	0	
				90	45	19.25	0	
				90	90	19.33	0	
			16QAM	180	0	19.28	0	
		16QAM		1	1	19.07	0	
		64QAM		1	1	19.07	0	
		CP	QPSK	256QAM	1	1	17.72	1
QPSK	1			1	19.09	0		

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.16	0	
				1	108	19.23	0	
				1	214	19.46	0	
				108	0	19.07	0	
				108	54	19.18	0	
				108	108	19.30	0	
				216	0	19.23	0	
			QPSK	1	1	19.14	0	
				1	108	19.27	0	
				1	214	19.42	0	
				108	0	19.07	0	
				108	54	19.17	0	
				108	108	19.27	0	
			16QAM	216	0	19.20	0	
		16QAM		1	1	19.25	0	
		64QAM		1	1	19.13	0	
		CP	QPSK	256QAM	1	1	17.74	1
QPSK	1			1	19.07	0		



**NR FDD Band n7 Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant F]**
**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.90	15.92	16.35	0
				1	13	15.92	15.80	16.23	0
				1	23	16.04	15.95	16.31	0
				12	0	15.88	15.90	16.35	0
				12	7	15.91	15.90	16.28	0
				12	13	15.95	15.90	16.28	0
				25	0	15.92	15.87	16.27	0
			QPSK	1	1	15.90	15.89	16.31	0
				1	13	15.82	15.84	16.20	0
				1	23	16.00	15.98	16.29	0
				12	0	15.91	15.88	16.30	0
				12	7	15.94	15.90	16.31	0
				12	13	15.94	15.92	16.28	0
			25	0	15.95	15.88	16.32	0	
			16QAM	1	1	15.93	15.94	16.39	0
			64QAM	1	1	15.95	15.98	16.34	0
			256QAM	1	1	16.01	16.00	16.30	0
CP	QPSK	1	1	15.86	15.87	16.30	0		

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.76	15.89	16.42	0
				1	26	15.93	15.92	16.39	0
				1	50	16.02	16.05	16.25	0
				25	0	15.77	15.92	16.36	0
				25	14	15.88	15.89	16.29	0
				25	27	15.99	16.01	16.25	0
				50	0	15.86	15.92	16.28	0
			QPSK	1	1	15.77	15.91	16.41	0
				1	26	15.97	16.00	16.37	0
				1	50	16.04	16.11	16.22	0
				25	0	15.77	15.89	16.33	0
				25	14	15.87	15.89	16.28	0
				25	27	15.98	16.01	16.25	0
			50	0	15.88	15.90	16.28	0	
			16QAM	1	1	15.78	15.86	16.24	0
			64QAM	1	1	15.81	15.83	16.44	0
			256QAM	1	1	15.79	15.84	16.43	0
CP	QPSK	1	1	15.69	15.85	16.37	0		

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.79	15.85	16.40	0
				1	40	15.97	15.84	16.41	0
				1	77	15.90	16.03	16.38	0
				36	0	15.88	15.91	16.55	0
				36	22	16.04	15.93	16.50	0
				36	43	15.97	16.07	16.45	0
				75	0	16.03	15.89	16.52	0
			QPSK	1	1	15.79	15.80	16.38	0
				1	40	15.95	15.80	16.44	0
				1	77	15.87	16.01	16.34	0
				36	0	15.86	15.86	16.51	0
				36	22	16.03	15.89	16.48	0
				36	43	15.99	16.05	16.39	0
				75	0	16.02	15.89	16.49	0
		16QAM	1	1	15.82	15.99	16.25	0	
		64QAM	1	1	15.87	15.85	16.31	0	
256QAM	1	1	15.76	15.83	16.30	0			
CP	QPSK	1	1	15.79	15.79	16.38	0		

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.87	15.75	16.25	0
				1	53	16.26	15.90	16.50	0
				1	104	15.93	16.03	16.33	0
				50	0	15.99	15.84	16.31	0
				50	28	16.10	15.89	16.50	0
				50	56	15.88	16.05	16.38	0
				100	0	16.08	15.90	16.49	0
			QPSK	1	1	15.87	15.75	16.20	0
				1	53	16.17	16.01	16.50	0
				1	104	15.83	16.06	16.32	0
				50	0	16.00	15.86	16.28	0
				50	28	16.11	15.89	16.49	0
				50	56	15.87	16.06	16.39	0
				100	0	16.11	15.91	16.48	0
		16QAM	1	1	15.96	15.70	16.25	0	
		64QAM	1	1	15.87	15.76	16.23	0	
256QAM	1	1	15.90	15.71	16.29	0			
CP	QPSK	1	1	15.82	15.72	16.24	0		

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						502500	511500	
						2512.5 MHz	2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.93	16.09	0
				1	67	15.95	16.27	0
				1	131	15.85	16.33	0
				64	0	16.09	16.20	0
				64	35	16.02	16.36	0
				64	39	15.99	16.41	0
				128	0	16.03	16.34	0
			QPSK	1	1	15.91	16.07	0
				1	67	15.95	16.29	0
				1	131	15.83	16.29	0
				64	0	16.13	16.17	0
				64	35	16.02	16.38	0
				64	69	15.94	16.37	0
				128	0	16.04	16.32	0
		16QAM	1	1	15.93	16.10	0	
		64QAM	1	1	15.86	16.07	0	
256QAM	1	1	15.91	16.03	0			
CP	QPSK	1	1	15.91	16.03	0		

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						503000	511000	
						2515 MHz	2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.77	16.05	0
				1	80	15.89	16.27	0
				1	158	15.94	16.31	0
				80	0	16.02	16.12	0
				80	40	15.79	16.21	0
				80	80	15.70	16.35	0
				160	0	15.78	16.16	0
			QPSK	1	1	15.76	16.02	0
				1	80	15.91	16.27	0
				1	158	15.86	16.28	0
				80	0	16.00	16.10	0
				80	40	15.78	16.16	0
				80	80	15.69	16.35	0
				160	0	15.75	16.16	0
		16QAM	1	1	15.81	15.87	0	
		64QAM	1	1	15.77	16.05	0	
256QAM	1	1	15.80	16.06	0			
CP	QPSK	1	1	15.69	16.06	0		

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.81	0	
				1	98	15.89	0	
				1	186	16.22	0	
				90	0	15.79	0	
				90	45	15.93	0	
				90	90	16.01	0	
				180	0	15.94	0	
			QPSK	1	1	15.79	0	
				1	98	15.86	0	
				1	186	16.14	0	
				90	0	15.77	0	
				90	45	15.89	0	
				90	90	15.99	0	
				180	0	15.92	0	
		16QAM	1	1	15.80	0		
		64QAM	1	1	15.79	0		
		256QAM	1	1	15.84	0		
CP	QPSK	1	1	15.77	0			

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.79	0	
				1	108	15.92	0	
				1	214	16.24	0	
				108	0	15.77	0	
				108	54	15.91	0	
				108	108	15.97	0	
				216	0	15.95	0	
			QPSK	1	1	15.78	0	
				1	108	15.99	0	
				1	214	16.23	0	
				108	0	15.73	0	
				108	54	15.92	0	
				108	108	16.11	0	
				216	0	15.94	0	
		16QAM	1	1	15.63	0		
		64QAM	1	1	15.84	0		
		256QAM	1	1	15.74	0		
CP	QPSK	1	1	15.71	0			

**NR FDD Band n25 Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant F]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.50	19.58	19.41	0
				1	13	19.42	19.48	19.50	0
				1	23	19.45	19.68	19.69	0
				12	0	19.55	19.52	19.50	0
				12	7	19.52	19.56	19.55	0
				12	13	19.47	19.65	19.64	0
			QPSK	25	0	19.49	19.59	19.60	0
				1	1	19.48	19.63	19.40	0
				1	13	19.42	19.50	19.50	0
				1	23	19.44	19.68	19.72	0
				12	0	19.52	19.53	19.49	0
				12	7	19.51	19.58	19.57	0
			16QAM	12	13	19.46	19.67	19.66	0
				25	0	19.50	19.62	19.62	0
				16QAM	1	1	19.58	19.50	19.46
			64QAM	1	1	19.50	19.67	19.48	0
256QAM	1	1	18.12	18.31	18.54	2			
CP	QPSK	1	1	19.59	19.56	19.36	0		

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.58	19.57	19.54	0
				1	26	19.56	19.69	19.56	0
				1	50	19.59	19.75	19.66	0
				25	0	19.55	19.65	19.61	0
				25	14	19.59	19.57	19.58	0
				25	27	19.61	19.73	19.57	0
			QPSK	50	0	19.58	19.58	19.59	0
				1	1	19.61	19.54	19.62	0
				1	26	19.58	19.60	19.52	0
				1	50	19.61	19.73	19.74	0
				25	0	19.56	19.62	19.64	0
				25	14	19.57	19.59	19.55	0
			16QAM	25	27	19.60	19.74	19.59	0
				50	0	19.58	19.59	19.61	0
				16QAM	1	1	19.61	19.61	19.60
			64QAM	1	1	19.56	19.72	19.65	0
256QAM	1	1	18.21	18.17	18.18	2.5			
CP	QPSK	1	1	19.61	19.59	19.52	0		

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.54	19.51	19.66	0
				1	40	19.50	19.47	19.63	0
				1	77	19.61	19.71	19.73	0
				36	0	19.51	19.61	19.63	0
				36	22	19.56	19.61	19.62	0
				36	43	19.54	19.7	19.62	0
				75	0	19.58	19.58	19.62	0
			QPSK	1	1	19.53	19.56	19.69	0
				1	40	19.47	19.49	19.61	0
				1	77	19.60	19.70	19.69	0
				36	0	19.54	19.63	19.64	0
				36	22	19.55	19.62	19.60	0
				36	43	19.51	19.70	19.64	0
				75	0	19.60	19.59	19.66	0
			16QAM	1	1	19.60	19.68	19.70	0
		64QAM	1	1	19.63	19.65	19.65	0	
		256QAM	1	1	18.27	18.12	18.28	2.5	
		CP	QPSK	1	1	19.64	19.53	19.67	0

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.51	19.52	19.67	0
				1	53	19.64	19.73	19.66	0
				1	104	19.58	19.71	19.69	0
				50	0	19.52	19.61	19.71	0
				50	28	19.49	19.60	19.73	0
				50	56	19.57	19.68	19.64	0
				100	0	19.53	19.55	19.74	0
			QPSK	1	1	19.57	19.55	19.67	0
				1	53	19.67	19.65	19.73	0
				1	104	19.64	19.70	19.76	0
				50	0	19.55	19.58	19.68	0
				50	28	19.54	19.62	19.72	0
				50	56	19.58	19.67	19.66	0
				100	0	19.51	19.57	19.70	0
			16QAM	1	1	19.57	19.51	19.56	0
		64QAM	1	1	19.60	19.54	19.66	0	
		256QAM	1	1	18.16	18.07	18.30	2.5	
		CP	QPSK	1	1	19.48	19.50	19.69	0

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						372500	380500	
						1862.5 MHz	1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.48	19.64	0
				1	66	19.50	19.61	0
				1	131	19.46	19.66	0
				64	0	19.55	19.63	0
				64	35	19.48	19.45	0
				64	69	19.62	19.55	0
				128	0	19.42	19.43	0
			QPSK	1	1	19.54	19.67	0
				1	66	19.59	19.52	0
				1	131	19.47	19.70	0
				64	0	19.57	19.62	0
				64	35	19.50	19.46	0
				64	69	19.62	19.57	0
			128	0	19.47	19.42	0	
		16QAM	1	1	19.51	19.64	0	
		64QAM	1	1	19.49	19.63	0	
		256QAM	1	1	18.00	18.21	2.5	
CP	QPSK	1	1	19.48	19.61	0		

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						373000	380000	
						1865 MHz	1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.54	19.75	0
				1	80	19.73	19.78	0
				1	158	19.68	19.68	0
				80	0	19.56	19.64	0
				80	40	19.65	19.65	0
				80	80	19.59	19.62	0
				160	0	19.61	19.70	0
			QPSK	1	1	19.58	19.80	0
				1	80	19.75	19.76	0
				1	158	19.66	19.67	0
				80	0	19.59	19.66	0
				80	40	19.64	19.66	0
				80	80	19.60	19.65	0
			160	0	19.65	19.71	0	
		16QAM	1	1	19.62	19.65	0	
		64QAM	1	1	19.66	19.70	0	
		256QAM	1	1	18.11	18.35	2.5	
CP	QPSK	1	1	19.57	19.73	0		

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.51	0	
				1	98	19.65	0	
				1	186	19.57	0	
				90	0	19.53	0	
				90	45	19.60	0	
				90	90	19.75	0	
				180	0	19.56	0	
			QPSK	1	1	19.53	0	
				1	98	19.66	0	
				1	186	19.60	0	
				90	0	19.50	0	
				90	45	19.59	0	
				90	90	19.74	0	
			16QAM	180	0	19.56	0	
		16QAM		1	1	19.54	0	
		64QAM		1	1	19.53	0	
		CP	QPSK	256QAM	1	1	18.10	2.5
QPSK	1			1	19.52	0		

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.53	0	
				1	108	19.72	0	
				1	214	19.46	0	
				108	0	19.53	0	
				108	54	19.59	0	
				108	108	19.72	0	
				216	0	19.55	0	
			QPSK	1	1	19.53	0	
				1	108	19.71	0	
				1	214	19.47	0	
				108	0	19.50	0	
				108	54	19.70	0	
				108	108	19.65	0	
			16QAM	216	0	19.57	0	
		16QAM		1	1	19.58	0	
		64QAM		1	1	19.62	0	
		CP	QPSK	256QAM	1	1	18.05	2.5
QPSK	1			1	19.48	0		



**NR FDD Band n25 Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant F]**
**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.49	16.63	16.45	0
				1	13	16.43	16.60	16.39	0
				1	23	16.57	16.64	16.63	0
				12	0	16.51	16.66	16.44	0
				12	7	16.55	16.66	16.47	0
				12	13	16.56	16.63	16.58	0
				25	0	16.53	16.68	16.52	0
			QPSK	1	1	16.49	16.60	16.52	0
				1	13	16.43	16.56	16.43	0
				1	23	16.55	16.59	16.68	0
				12	0	16.52	16.64	16.47	0
				12	7	16.55	16.68	16.49	0
				12	13	16.56	16.62	16.56	0
				25	0	16.54	16.67	16.50	0
			16QAM	1	1	16.54	16.58	16.69	0
			64QAM	1	1	16.55	16.71	16.43	0
256QAM	1	1	16.45	16.71	16.60	0			
CP	QPSK	1	1	16.54	16.62	16.41	0		

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.59	16.52	16.49	0
				1	26	16.76	16.71	16.55	0
				1	50	16.66	16.76	16.64	0
				25	0	16.64	16.59	16.59	0
				25	14	16.64	16.67	16.57	0
				25	27	16.61	16.65	16.55	0
				50	0	16.63	16.71	16.57	0
			QPSK	1	1	16.61	16.59	16.52	0
				1	26	16.73	16.78	16.56	0
				1	50	16.64	16.73	16.65	0
				25	0	16.65	16.60	16.60	0
				25	14	16.65	16.67	16.60	0
				25	27	16.63	16.67	16.58	0
				50	0	16.65	16.68	16.57	0
			16QAM	1	1	16.63	16.61	16.49	0
			64QAM	1	1	16.67	16.72	16.52	0
256QAM	1	1	16.58	16.56	16.65	0			
CP	QPSK	1	1	16.64	16.53	16.52	0		

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.57	16.58	16.63	0
				1	40	16.50	16.57	16.55	0
				1	77	16.57	16.70	16.68	0
				36	0	16.61	16.59	16.61	0
				36	22	16.61	16.68	16.58	0
				36	43	16.58	16.7	16.61	0
			QPSK	75	0	16.61	16.70	16.59	0
				1	1	16.60	16.60	16.71	0
				1	40	16.53	16.61	16.59	0
				1	77	16.59	16.69	16.69	0
				36	0	16.64	16.61	16.64	0
				36	22	16.62	16.70	16.61	0
			16QAM	36	43	16.61	16.71	16.65	0
				75	0	16.60	16.71	16.58	0
				16QAM	1	1	16.66	16.63	16.70
			64QAM	1	1	16.60	16.66	16.78	0
			256QAM	1	1	16.49	16.52	16.58	0
			CP	QPSK	1	1	16.63	16.56	16.56

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.55	16.60	16.80	0
				1	53	16.64	16.77	16.63	0
				1	104	16.65	16.74	16.76	0
				50	0	16.58	16.65	16.66	0
				50	28	16.48	16.70	16.72	0
				50	56	16.56	16.68	16.66	0
			QPSK	100	0	16.53	16.70	16.71	0
				1	1	16.59	16.65	16.80	0
				1	53	16.66	16.78	16.68	0
				1	104	16.61	16.73	16.73	0
				50	0	16.61	16.62	16.64	0
				50	28	16.50	16.70	16.71	0
			16QAM	50	56	16.59	16.70	16.68	0
				100	0	16.54	16.72	16.71	0
				16QAM	1	1	16.54	16.63	16.92
			64QAM	1	1	16.66	16.63	16.85	0
			256QAM	1	1	16.61	16.60	16.73	0
			CP	QPSK	1	1	16.54	16.56	16.76

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						372500	380500		
						1862.5 MHz	1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.48		16.65	0
				1	66	16.61		16.72	0
				1	131	16.66		16.68	0
				64	0	16.57		16.71	0
				64	35	16.59		16.55	0
				64	69	16.60		16.51	0
				128	0	16.60		16.55	0
			QPSK	1	1	16.52		16.65	0
				1	66	16.54		16.75	0
				1	131	16.66		16.66	0
				64	0	16.55		16.70	0
				64	35	16.60		16.54	0
				64	69	16.59		16.53	0
				128	0	16.61		16.55	0
		16QAM	1	1	16.56		16.73	0	
		64QAM	1	1	16.62		16.68	0	
		256QAM	1	1	16.37		16.68	0	
CP	QPSK	1	1	16.54		16.58	0		

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						373000	380000		
						1865 MHz	1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.61		16.73	0
				1	80	16.70		16.73	0
				1	158	16.74		16.63	0
				80	0	16.65		16.70	0
				80	40	16.63		16.57	0
				80	80	16.69		16.56	0
				160	0	16.64		16.60	0
			QPSK	1	1	16.64		16.77	0
				1	80	16.88		16.63	0
				1	158	16.76		16.67	0
				80	0	16.65		16.72	0
				80	40	16.65		16.58	0
				80	80	16.70		16.58	0
				160	0	16.62		16.60	0
		16QAM	1	1	16.73		16.78	0	
		64QAM	1	1	16.67		16.71	0	
		256QAM	1	1	16.64		16.82	0	
CP	QPSK	1	1	16.57		16.71	0		

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.58	0	
				1	98	16.72	0	
				1	186	16.63	0	
				90	0	16.63	0	
				90	45	16.71	0	
				90	90	16.77	0	
				180	0	16.67	0	
			QPSK	1	1	16.56	0	
				1	98	16.66	0	
				1	186	16.60	0	
				90	0	16.61	0	
				90	45	16.71	0	
				90	90	16.75	0	
			16QAM	180	0	16.69	0	
		16QAM		1	1	16.55	0	
		64QAM		1	1	16.63	0	
		CP	QPSK	256QAM	1	1	16.62	0
QPSK	1			1	16.56	0		

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376500		
						1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.55	0	
				1	108	16.75	0	
				1	214	16.71	0	
				108	0	16.58	0	
				108	54	16.70	0	
				108	108	16.75	0	
				216	0	16.69	0	
			QPSK	1	1	16.88	0	
				1	108	16.78	0	
				1	214	16.69	0	
				108	0	16.60	0	
				108	54	16.72	0	
				108	108	16.86	0	
			16QAM	216	0	16.72	0	
		16QAM		1	1	16.57	0	
		64QAM		1	1	16.53	0	
		CP	QPSK	256QAM	1	1	16.60	0
QPSK	1			1	16.54	0		

**NR FDD Band n30 Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant F]**
**FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						462000			
						2310 MHz			
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73		0	
				1	13	18.60		0	
				1	23	18.21		0	
				12	0	18.04		0	
				12	7	18.68		0	
				12	13	18.74		0	
			QPSK	25	0	18.69		0	
				1	1	18.70		0	
				1	13	18.62		0	
				1	23	18.79		0	
				12	0	18.71		0	
				12	7	18.71		0	
			16QAM	12	13	18.73		0	
				25	0	18.69		0	
				16QAM	1	1	18.71		0
				64QAM	1	1	18.87		0
				256QAM	1	1	17.82		0
			CP	QPSK	1	1	18.72		0

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]	
						462000			
						2310 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.83		0	
				1	26	18.75		0	
				1	50	18.97		0	
				25	0	18.76		0	
				25	14	18.69		0	
				25	27	18.81		0	
			QPSK	50	0	18.69		0	
				1	1	18.80		0	
				1	26	18.74		0	
				1	50	18.93		0	
				25	0	18.78		0	
				25	14	18.72		0	
			16QAM	25	27	18.81		0	
				50	0	18.70		0	
				16QAM	1	1	18.91		0
				64QAM	1	1	18.86		0
				256QAM	1	1	17.92		0
			CP	QPSK	1	1	18.73		0

**NR FDD Band n30 Conducted Power Measured RSI = 1\_ SUB2 [Ant F]**
**FDD Band n30\_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000		
						2310 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.68	0	
				1	13	16.58	0	
				1	23	16.74	0	
				12	0	16.67	0	
				12	7	16.69	0	
				12	13	16.71	0	
				25	0	16.62	0	
			QPSK	1	1	16.75	0	
				1	13	16.58	0	
				1	23	16.71	0	
				12	0	16.66	0	
				12	7	16.64	0	
				12	13	16.72	0	
				25	0	16.65	0	
			16QAM	1	1	16.81	0	
			64QAM	1	1	16.75	0	
256QAM	1	1	16.81	0				
CP	QPSK	1	1	16.71	0			

**NR FDD Band n30\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000		
						2310 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.75	0	
				1	26	16.73	0	
				1	50	16.90	0	
				25	0	16.73	0	
				25	14	16.67	0	
				25	27	16.74	0	
				50	0	16.65	0	
			QPSK	1	1	16.79	0	
				1	26	16.75	0	
				1	50	16.89	0	
				25	0	16.71	0	
				25	14	16.69	0	
				25	27	16.77	0	
				50	0	16.65	0	
			16QAM	1	1	16.78	0	
			64QAM	1	1	16.72	0	
			256QAM	1	1	16.83	0	
			CP	QPSK	1	1	16.74	0

**NR TDD Band n48 (PC3 only) Conducted Power \_ Measured RSI = 0 \_ SUB2 [Ant**
**F]**
**NR TDD Band n48 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637000	640112	643222	646332		
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz		
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.01	17.29	17.27	16.95	0	
				1	12	17.07	17.31	17.26	16.96	0	
				1	22	17.04	17.27	17.20	16.94	0	
				12	0	16.96	17.26	17.23	16.93	0	
				12	6	16.99	17.27	17.21	16.94	0	
				12	12	17.04	17.05	17.07	16.97	0	
			QPSK	24	0	17.00	17.27	17.27	16.94	0	
				1	1	16.99	17.30	17.27	16.95	0	
				1	12	17.02	17.29	17.26	16.97	0	
				1	22	17.03	17.27	17.19	16.93	0	
				12	0	16.98	17.29	17.24	16.95	0	
				12	6	17.02	17.29	17.21	16.92	0	
			16QAM	12	12	17.02	17.29	17.19	16.95	0	
				24	0	16.99	17.36	17.23	16.92	0	
				16QAM	1	1	16.88	17.39	17.30	17.04	0
				64QAM	1	1	16.96	17.27	17.30	16.95	0
			256QAM	1	1	16.97	17.36	17.26	16.97	0	
				CP	QPSK	1	1	16.97	17.22	17.23	15.83

**NR TDD Band n48 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637166	640166	643166	646166		
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.72	17.28	17.30	17.28	0	
				1	18	16.66	17.23	17.30	17.05	0	
				1	36	16.75	17.27	17.19	17.08	0	
				18	0	17.30	17.27	17.26	17.13	0	
				18	9	17.05	17.28	17.22	17.11	0	
				18	18	17.07	17.29	17.19	16.95	0	
			QPSK	36	0	17.05	17.28	17.21	17.12	0	
				1	1	17.00	17.27	17.27	17.12	0	
				1	18	16.98	17.20	17.17	17.02	0	
				1	36	17.08	17.27	17.17	17.09	0	
				18	0	17.01	17.29	16.07	17.11	0	
				18	9	17.04	17.25	17.21	17.11	0	
			16QAM	18	18	17.10	17.16	17.16	17.10	0	
				36	0	17.01	17.24	17.19	17.01	0	
				16QAM	1	1	17.14	17.17	17.30	17.22	0
				64QAM	1	1	17.08	17.31	17.18	17.10	0
			256QAM	1	1	16.98	17.29	17.30	17.18	0	
				CP	QPSK	1	1	17.02	15.99	17.27	16.00

**NR TDD Band n48 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.13	17.09	17.27	16.07	0
				1	26	17.14	17.03	17.19	17.03	0
				1	49	17.19	17.30	17.17	17.03	0
				25	0	17.11	17.30	17.26	17.11	0
				25	13	17.14	17.30	17.21	17.05	0
				25	26	17.15	17.29	17.17	17.03	0
			QPSK	50	0	17.14	17.30	17.14	17.05	0
				1	1	17.08	17.32	17.26	17.10	0
				1	26	17.12	17.28	17.18	17.01	0
				1	49	17.18	17.27	17.14	17.04	0
				25	0	17.11	16.03	17.26	17.10	0
				25	13	17.14	17.30	17.21	17.06	0
			16QAM	25	26	17.14	17.30	17.16	17.18	0
				50	0	17.26	17.31	17.24	17.08	0
		1		1	17.09	17.32	17.28	17.15	0	
		64QAM	1	1	16.96	17.39	17.18	17.26	0	
1	1		17.10	17.38	17.28	17.07	0			
256QAM	1	1	17.10	17.38	17.28	17.07	0			
	CP	QPSK	1	1	17.05	16.17	17.38	17.26	0	

**NR TDD Band n48 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.11	16.99	17.19	17.21	0
				1	32	17.04	16.57	16.99	17.22	0
				1	63	17.12	17.18	17.14	17.07	0
				32	0	17.04	17.17	17.26	17.23	0
				32	17	17.06	17.18	17.23	17.21	0
				32	33	17.08	16.05	17.17	16.35	0
			QPSK	64	0	17.30	17.17	17.23	17.21	0
				1	1	17.19	17.18	17.28	17.28	0
				1	32	17.07	17.17	17.22	17.24	0
				1	63	17.16	17.22	17.14	17.09	0
				32	0	17.02	17.18	17.26	17.23	0
				32	17	17.06	17.16	17.21	17.20	0
			16QAM	32	33	17.09	17.21	16.20	16.36	0
				64	0	17.26	17.16	17.24	17.21	0
		1		1	17.04	17.23	17.33	17.18	0	
		64QAM	1	1	16.95	17.18	17.21	17.30	0	
1	1		16.96	17.12	17.24	17.19	0			
256QAM	1	1	16.96	17.12	17.24	17.19	0			
	CP	QPSK	1	1	16.94	17.12	17.25	17.24	0	



**NR TDD Band n48 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.09	17.41		17.19	0
				1	53	17.13	17.49		17.15	0
				1	104	17.27	17.36		17.04	0
				50	0	17.13	17.44		17.13	0
				50	28	17.18	17.13		17.13	0
				50	56	17.25	17.27		17.07	0
			100	0	17.18	17.13		17.14	0	
			QPSK	1	1	17.10	17.41		17.17	0
				1	53	17.22	17.50		17.08	0
				1	104	17.24	17.34		17.00	0
				50	0	17.14	17.42		17.13	0
				50	28	17.17	17.48		17.27	0
				50	56	17.27	17.45		17.13	0
			100	0	17.16	17.45		17.13	0	
		16QAM	1	1	17.36	17.42		17.14	0	
		64QAM	1	1	17.07	17.28		17.23	0	
		256QAM	1	1	17.07	17.37		17.20	0	
CP	QPSK	1	1	17.02	17.08		17.36	0		

**NR TDD Band n48 (PC3 only) Conducted Power \_ Measured RSI = 1 \_ SUB2 [Ant F]**
**NR TDD Band n48 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.12	15.08	15.09	15.12	0
				1	12	15.23	15.08	15.09	15.15	0
				1	22	15.17	15.04	15.05	15.17	0
				12	0	15.17	15.05	15.05	15.12	0
				12	6	15.16	15.04	15.17	15.13	0
				12	12	15.16	15.05	15.04	15.16	0
			24	0	15.17	15.03	15.06	15.14	0	
			QPSK	1	1	15.21	15.06	15.10	15.13	0
				1	12	15.22	15.08	15.09	15.15	0
				1	22	15.16	15.06	15.09	15.17	0
				12	0	15.18	15.03	15.05	15.12	0
				12	6	15.16	15.05	15.05	15.13	0
				12	12	15.17	15.05	15.05	15.14	0
			24	0	15.18	15.06	15.06	15.16	0	
			16QAM	1	1	15.14	15.16	15.13	15.06	0
			64QAM	1	1	15.10	15.16	15.06	15.01	0
256QAM	1	1	15.35	15.03	15.01	15.15	0			
CP	QPSK	1	1	15.18	15.07	15.10	15.15	0		

**NR TDD Band n48 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.27	15.10	15.09	15.28	0
				1	18	15.16	15.01	14.98	15.22	0
				1	36	15.19	15.03	15.07	15.32	0
				18	0	15.25	15.05	15.09	15.26	0
				18	9	15.21	15.05	15.07	15.28	0
				18	18	15.21	15.05	15.04	15.29	0
			36	0	15.25	15.05	15.07	15.29	0	
			QPSK	1	1	15.24	15.08	15.07	15.24	0
				1	18	15.14	14.95	14.98	15.19	0
				1	36	15.19	15.00	15.06	15.28	0
				18	0	15.25	15.09	15.09	15.27	0
				18	9	15.22	15.07	15.08	15.28	0
				18	18	15.20	15.06	15.08	15.27	0
			36	0	15.23	15.04	15.06	15.29	0	
			16QAM	1	1	15.29	15.11	15.16	15.20	0
			64QAM	1	1	15.30	15.15	15.13	15.30	0
256QAM	1	1	15.29	15.13	15.06	15.25	0			
CP	QPSK	1	1	15.28	15.13	15.09	15.27	0		

**NR TDD Band n48 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.34	15.15	15.07	15.20	0
				1	26	15.26	15.07	15.02	15.21	0
				1	49	15.20	15.08	15.05	15.24	0
				25	0	15.29	15.10	15.07	15.21	0
				25	13	15.27	15.08	15.05	15.21	0
				25	26	15.23	15.08	15.04	15.22	0
			QPSK	50	0	15.26	15.10	15.06	15.23	0
				1	1	15.32	15.12	15.08	15.19	0
				1	26	15.22	15.04	15.00	15.20	0
				1	49	15.19	15.04	15.04	15.24	0
				25	0	15.31	15.10	15.06	15.21	0
				25	13	15.28	15.10	15.05	15.22	0
			16QAM	25	26	15.23	15.08	15.03	15.25	0
		50		0	15.27	15.07	15.05	15.21	0	
		1		1	15.43	15.14	15.03	15.18	0	
		1		1	15.30	15.16	14.97	15.20	0	
256QAM	1	1	15.33	15.01	15.05	15.15	0			
	CP	QPSK	1	1	15.33	15.14	15.08	15.19	0	

**NR TDD Band n48 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.23	14.98	15.01	15.28	0
				1	32	15.15	14.93	15.05	15.36	0
				1	63	15.10	14.97	15.00	15.35	0
				32	0	15.19	14.95	15.03	15.34	0
				32	17	15.13	14.93	15.04	15.35	0
				32	33	15.08	14.90	15.00	15.36	0
			QPSK	64	0	15.14	14.93	15.02	15.36	0
				1	1	15.23	14.99	15.04	15.33	0
				1	32	15.16	14.93	15.04	15.37	0
				1	63	15.10	14.97	15.03	15.39	0
				32	0	15.18	14.95	15.04	15.33	0
				32	17	15.14	14.92	15.05	15.37	0
			16QAM	32	33	15.08	14.92	15.01	15.36	0
		64		0	15.12	14.92	15.05	15.36	0	
		1		1	15.21	15.00	15.00	15.31	0	
		1		1	15.21	14.99	15.01	15.27	0	
256QAM	1	1	15.16	14.98	15.11	15.32	0			
	CP	QPSK	1	1	15.25	14.97	15.10	15.29	0	

**NR TDD Band n48 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.41	15.26		15.22	0
				1	53	15.32	15.36		15.34	0
				1	104	15.21	15.30		15.38	0
				50	0	15.34	15.29		15.22	0
				50	28	15.27	15.33		15.30	0
				50	56	15.27	15.32		15.33	0
			100	0	15.27	15.34		15.28	0	
			QPSK	1	1	15.42	15.25		15.24	0
				1	53	15.25	15.54		15.36	0
				1	104	15.20	15.28		15.37	0
				50	0	15.35	15.32		15.25	0
				50	28	15.28	15.52		15.29	0
				50	56	15.27	15.33		15.32	0
			100	0	15.30	15.31		15.31	0	
			16QAM	1	1	15.65	15.43		15.41	0
		64QAM	1	1	15.46	15.23		15.23	0	
		256QAM	1	1	15.45	15.25		15.32	0	
		CP	QPSK	1	1	15.46	15.34		15.18	0

**NR FDD Band n66 Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant F]**
**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.14	19.41	19.08	0
				1	13	19.07	19.28	19.01	0
				1	23	19.15	19.42	19.06	0
				12	0	19.16	19.33	19.05	0
				12	7	19.18	19.31	19.06	0
				12	13	19.19	19.25	19.11	0
			25	0	19.20	19.30	19.11	0	
			QPSK	1	1	19.13	19.42	19.13	0
				1	13	19.10	19.30	19.04	0
				1	23	19.13	19.44	19.11	0
				12	0	19.17	19.34	19.09	0
				12	7	19.19	19.31	19.11	0
				12	13	19.19	19.27	19.15	0
			25	0	19.21	19.30	19.11	0	
			16QAM	1	1	19.04	19.41	19.11	0
			64QAM	1	1	19.19	19.42	19.13	0
			256QAM	1	1	18.76	19.01	18.65	0
			CP	QPSK	1	1	19.19	19.42	19.13

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.18	19.47	19.16	0
				1	26	19.40	19.51	19.04	0
				1	50	19.40	19.37	19.04	0
				25	0	19.25	19.31	19.11	0
				25	14	19.24	19.34	19.06	0
				25	27	19.27	19.35	19.09	0
				50	0	19.23	19.32	19.08	0
			QPSK	1	1	19.21	19.51	19.21	0
				1	26	19.31	19.46	19.11	0
				1	50	19.42	19.41	19.14	0
				25	0	19.26	19.34	19.11	0
				25	14	19.27	19.32	19.09	0
				25	27	19.30	19.39	19.12	0
			50	0	19.25	19.33	19.11	0	
			16QAM	1	1	19.26	19.49	19.15	0
			64QAM	1	1	19.28	19.50	19.35	0
			256QAM	1	1	18.76	19.12	18.74	0
			CP	QPSK	1	1	19.19	19.43	19.13

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.20	19.41	19.09	0
				1	40	19.18	19.28	18.94	0
				1	77	19.17	19.28	19.10	0
				36	0	19.22	19.36	19.25	0
				36	22	19.26	19.32	19.09	0
				36	43	19.28	19.36	19.06	0
				75	0	19.28	19.34	19.13	0
			QPSK	1	1	19.26	19.46	19.16	0
				1	40	19.22	19.30	19.01	0
				1	77	19.18	19.31	19.13	0
				36	0	19.23	19.41	19.23	0
				36	22	19.28	19.35	19.12	0
				36	43	19.29	19.37	19.07	0
				75	0	19.29	19.36	19.13	0
			16QAM	1	1	19.23	19.55	19.07	0
		64QAM	1	1	19.11	19.66	19.25	0	
256QAM	1	1	18.87	19.08	18.69	0			
CP	QPSK	1	1	19.18	19.39	19.12	0		

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.19	19.31	19.36	0
				1	53	19.40	19.54	19.15	0
				1	104	19.27	19.29	19.12	0
				50	0	19.22	19.44	19.17	0
				50	28	19.33	19.32	19.14	0
				50	56	19.20	19.28	19.06	0
				100	0	19.33	19.37	19.20	0
			QPSK	1	1	19.17	19.37	19.36	0
				1	53	19.41	19.51	19.16	0
				1	104	19.34	19.33	19.07	0
				50	0	19.24	19.45	19.20	0
				50	28	19.37	19.34	19.17	0
				50	56	19.20	19.33	19.10	0
				100	0	19.35	19.36	19.20	0
			16QAM	1	1	19.35	19.43	19.44	0
		64QAM	1	1	19.20	19.35	19.42	0	
256QAM	1	1	18.75	18.97	18.93	0			
CP	QPSK	1	1	19.45	19.36	19.39	0		

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.17	19.28	19.13	0
				1	66	19.23	19.46	19.36	0
				1	131	19.23	19.25	19.09	0
				64	0	19.23	19.38	19.28	0
				64	35	19.22	19.32	19.26	0
				64	69	19.27	19.25	19.12	0
				128	0	19.23	19.36	19.25	0
			QPSK	1	1	19.21	19.29	19.17	0
				1	66	19.18	19.53	19.22	0
				1	131	19.23	19.37	19.11	0
				64	0	19.25	19.39	19.30	0
				64	35	19.24	19.34	19.26	0
				64	69	19.27	19.27	19.14	0
				128	0	19.22	19.38	19.25	0
			16QAM	1	1	19.23	19.39	19.20	0
			64QAM	1	1	19.37	19.41	19.24	0
			256QAM	1	1	18.85	18.82	18.74	0
			CP	QPSK	1	1	19.19	19.17	19.10

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000	1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.23	0	
				1	80	19.46	0	
				1	158	19.29	0	
				80	0	19.33	0	
				80	40	19.34	0	
				80	80	19.25	0	
				160	0	19.34	0	
			QPSK	1	1	19.20	0	
				1	80	19.50	0	
				1	158	19.23	0	
				80	0	19.37	0	
				80	40	19.37	0	
				80	80	19.28	0	
				160	0	19.37	0	
			16QAM	1	1	19.22	0	
			64QAM	1	1	19.23	0	
			256QAM	1	1	18.81	0	
			CP	QPSK	1	1	19.19	0

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.18	0	
				1	98	19.15	0	
				1	186	19.19	0	
				90	0	19.29	0	
				90	45	19.38	0	
				90	90	19.26	0	
			QPSK	180	0	19.38	0	
				1	1	19.23	0	
				1	98	19.19	0	
				1	186	19.19	0	
				90	0	19.30	0	
				90	45	19.38	0	
				90	90	19.23	0	
				180	0	19.36	0	
				16QAM	1	1	19.13	0
		64QAM	1	1	19.30	0		
		256QAM	1	1	18.79	0		
		CP	QPSK	1	1	19.38	0	

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.23	0	
				1	108	19.52	0	
				1	214	19.24	0	
				108	0	19.26	0	
				108	54	19.35	0	
				108	108	19.23	0	
				216	0	19.33	0	
			QPSK	1	1	19.21	0	
				1	108	19.56	0	
				1	214	19.28	0	
				108	0	19.29	0	
				108	54	19.54	0	
				108	108	19.23	0	
				216	0	19.33	0	
				16QAM	1	1	19.18	0
		64QAM	1	1	19.33	0		
		256QAM	1	1	18.88	0		
		CP	QPSK	1	1	19.20	0	



**NR FDD Band n66 Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant F]**
**NR FDD Band n66\_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.67	17.13	16.72	0
				1	13	16.68	17.01	16.62	0
				1	23	16.71	17.21	16.75	0
				12	0	16.70	17.07	16.69	0
				12	7	16.76	17.05	16.70	0
				12	13	16.77	16.99	16.74	0
			QPSK	25	0	16.75	17.04	16.74	0
				1	1	16.70	17.11	16.72	0
				1	13	16.73	17.01	16.63	0
				1	23	16.68	17.20	16.71	0
				12	0	16.72	17.08	16.68	0
				12	7	16.78	17.04	16.68	0
			16QAM	12	13	16.78	17.01	16.73	0
				25	0	16.74	17.04	16.75	0
				16QAM	1	1	16.67	17.09	16.79
			64QAM	1	1	16.80	17.20	16.84	0
			256QAM	1	1	16.68	17.23	16.66	0
			CP	QPSK	1	1	16.63	17.18	16.68

**NR FDD Band n66\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.77	17.22	16.85	0
				1	26	17.00	17.27	16.82	0
				1	50	17.08	17.10	16.80	0
				25	0	16.85	17.05	16.81	0
				25	14	16.87	17.05	16.75	0
				25	27	16.92	17.11	16.76	0
			QPSK	50	0	16.86	17.05	16.78	0
				1	1	16.78	17.21	16.86	0
				1	26	16.91	17.22	16.69	0
				1	50	17.06	17.11	16.78	0
				25	0	16.86	17.05	16.82	0
				25	14	16.89	17.04	16.76	0
			16QAM	25	27	16.96	17.11	16.79	0
				50	0	16.87	17.06	16.77	0
				16QAM	1	1	16.78	17.21	16.96
			64QAM	1	1	16.78	17.22	16.88	0
			256QAM	1	1	16.84	17.21	16.80	0
			CP	QPSK	1	1	16.79	17.26	16.81

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.77	17.14	16.74	0
				1	40	16.83	17.09	16.51	0
				1	77	16.82	17.05	16.67	0
				36	0	16.84	17.09	16.85	0
				36	22	16.91	17.06	16.72	0
				36	43	16.92	17.12	16.63	0
				75	0	16.91	17.08	16.73	0
			QPSK	1	1	16.76	17.19	16.74	0
				1	40	16.83	17.09	16.52	0
				1	77	16.79	17.02	16.67	0
				36	0	16.83	17.11	16.85	0
				36	22	16.91	17.06	16.73	0
				36	43	16.93	17.11	16.66	0
				75	0	16.90	17.07	16.76	0
			16QAM	1	1	16.69	17.20	16.77	0
		64QAM	1	1	16.77	17.14	16.75	0	
		256QAM	1	1	16.75	17.27	16.64	0	
		CP	QPSK	1	1	16.80	17.14	16.74	0

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.74	17.08	17.01	0
				1	53	16.98	17.29	16.89	0
				1	104	17.01	17.01	16.76	0
				50	0	16.83	17.17	16.89	0
				50	28	16.98	17.06	16.82	0
				50	56	16.86	17.02	16.73	0
				100	0	16.99	17.09	16.85	0
			QPSK	1	1	16.78	17.12	17.07	0
				1	53	17.03	17.27	16.87	0
				1	104	17.00	17.05	16.74	0
				50	0	16.82	17.20	16.89	0
				50	28	17.01	17.06	16.82	0
				50	56	16.86	17.03	16.73	0
				100	0	16.97	17.09	16.87	0
			16QAM	1	1	16.69	17.16	16.98	0
		64QAM	1	1	16.76	17.15	17.13	0	
		256QAM	1	1	16.63	17.04	17.00	0	
		CP	QPSK	1	1	16.72	17.06	17.02	0

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.73	16.98	16.81	0
				1	66	16.77	17.20	17.08	0
				1	131	16.95	17.02	16.76	0
				64	0	16.84	17.12	16.94	0
				64	35	16.85	17.08	16.93	0
				64	69	16.91	17.01	16.76	0
				128	0	16.83	17.09	16.90	0
			QPSK	1	1	16.71	17.02	16.88	0
				1	66	16.80	17.38	17.05	0
				1	131	16.93	17.08	16.75	0
				64	0	16.83	17.11	16.95	0
				64	35	16.86	17.08	16.94	0
				64	69	16.92	16.98	16.77	0
				128	0	16.85	17.11	16.93	0
			16QAM	1	1	16.78	17.05	16.78	0
			64QAM	1	1	16.84	17.01	16.81	0
			256QAM	1	1	16.67	17.01	16.94	0
			CP	QPSK	1	1	16.70	17.03	16.86

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000	1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.89	0	
				1	80	17.33	0	
				1	158	17.08	0	
				80	0	17.08	0	
				80	40	17.06	0	
				80	80	16.99	0	
				160	0	17.08	0	
			QPSK	1	1	16.91	0	
				1	80	17.36	0	
				1	158	17.07	0	
				80	0	17.10	0	
				80	40	17.10	0	
				80	80	16.99	0	
				160	0	17.07	0	
			16QAM	1	1	16.98	0	
			64QAM	1	1	16.97	0	
			256QAM	1	1	16.89	0	
			CP	QPSK	1	1	16.88	0

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.93	0	
				1	98	16.93	0	
				1	186	17.00	0	
				90	0	17.04	0	
				90	45	17.11	0	
				90	90	16.98	0	
			QPSK	180	0	17.09	0	
				1	1	16.97	0	
				1	98	16.92	0	
				1	186	16.94	0	
				90	0	17.05	0	
				90	45	17.12	0	
			16QAM	90	90	16.99	0	
				180	0	17.12	0	
				1	1	17.14	0	
		64QAM	1	1	16.92	0		
			1	1	16.80	0		
			1	1	16.88	0		
CP	QPSK	1	1	16.88	0			

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.95	0	
				1	108	17.23	0	
				1	214	16.99	0	
				108	0	17.01	0	
				108	54	17.07	0	
				108	108	16.97	0	
			QPSK	216	0	17.08	0	
				1	1	17.02	0	
				1	108	17.28	0	
				1	214	16.94	0	
				108	0	17.01	0	
				108	54	17.09	0	
			16QAM	108	108	16.99	0	
				216	0	17.07	0	
				1	1	16.95	0	
		64QAM	1	1	17.06	0		
			1	1	16.85	0		
			1	1	16.88	0		
CP	QPSK	1	1	16.88	0			

**NR TDD Band n77 (PC2 only) Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant**
**F]**
**NR TDD Band n77\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.19	16.95	16.84	16.86	16.93	16.76	0
				1	12	17.04	16.98	16.81	16.84	16.90	16.83	0
				1	22	17.03	16.88	16.78	16.85	16.89	16.87	0
				12	0	17.03	16.88	16.80	16.82	16.90	16.47	0
				12	6	16.97	16.88	16.77	16.83	16.88	16.88	0
				12	12	16.98	16.89	16.75	16.88	16.85	16.88	0
			24	0	16.99	16.88	16.77	16.83	16.88	16.83	0	
			QPSK	1	1	16.98	16.87	16.82	16.80	16.90	16.79	0
				1	12	17.00	16.85	16.83	16.89	16.90	16.87	0
				1	22	16.72	16.84	16.77	16.86	16.89	16.88	0
				12	0	16.97	16.89	16.78	16.54	16.88	16.80	0
				12	6	16.97	16.89	16.77	16.54	16.88	16.81	0
				12	12	17.00	16.88	16.77	16.56	16.88	16.77	0
			24	0	17.01	16.87	16.78	16.85	16.88	16.81	0	
			16QAM	1	1	17.00	16.72	16.89	16.93	16.95	16.80	0
			64QAM	1	1	16.98	16.87	16.77	16.56	16.83	16.78	0
			256QAM	1	1	17.03	16.92	16.81	16.87	16.86	16.78	0
CP	QPSK	1	1	16.98	16.90	16.63	16.81	16.88	16.15	0		

**NR TDD Band n77\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.5 MHz	3760.5 MHz	3813.4 MHz	3866.5 MHz	3919.5 MHz	3972.4 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.04	16.95	16.83	16.80	16.88	16.86	0
				1	18	16.96	16.85	16.72	16.78	16.83	16.81	0
				1	36	17.04	16.86	16.76	16.87	16.85	16.88	0
				18	0	17.02	16.93	16.78	16.83	16.88	16.82	0
				18	9	17.00	16.92	16.77	16.84	16.88	16.83	0
				18	18	17.02	16.89	16.75	17.00	16.85	16.83	0
			36	0	17.01	16.90	16.79	16.83	16.89	16.82	0	
			QPSK	1	1	17.01	16.92	16.82	16.81	16.86	16.78	0
				1	18	16.96	16.84	16.72	16.77	16.82	16.79	0
				1	36	17.02	16.83	16.73	16.88	16.87	16.88	0
				18	0	17.01	16.94	16.78	16.80	16.88	16.81	0
				18	9	17.02	16.90	16.77	16.83	16.88	16.81	0
				18	18	17.03	16.89	17.04	16.98	16.81	16.84	0
			36	0	16.68	16.91	16.79	16.82	16.94	16.83	0	
			16QAM	1	1	16.81	16.92	16.77	16.92	17.06	16.78	0
			64QAM	1	1	16.88	16.82	16.86	16.83	16.85	16.82	0
			256QAM	1	1	17.06	16.92	16.80	16.90	17.05	16.82	0
CP	QPSK	1	1	17.02	16.91	16.84	16.83	17.01	16.78	0		

**NR TDD Band n77\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.0	3762	3813.9	3866.0	3918	3969.9	
						1 MHz	MHz	9 MHz	1 MHz	MHz	9 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.06	16.97	16.86	16.83	16.85	16.82	0
				1	26	16.99	16.89	16.77	16.82	16.86	16.82	0
				1	49	17.00	16.82	16.75	16.86	16.86	16.90	0
				25	0	17.04	16.95	16.83	16.82	16.54	16.50	0
				25	13	16.88	16.93	16.80	16.83	16.55	16.88	0
				25	26	16.81	17.00	16.77	16.88	16.55	16.81	0
			50	0	16.81	17.00	16.80	16.81	16.90	16.81	0	
			QPSK	1	1	17.06	16.95	16.84	16.81	16.84	16.81	0
				1	26	17.02	16.86	16.77	16.79	16.84	16.82	0
				1	49	16.98	16.81	16.76	16.89	16.87	16.89	0
				25	0	17.05	16.93	16.81	16.83	16.86	16.80	0
				25	13	17.03	16.89	16.80	16.83	16.87	16.93	0
				25	26	17.02	17.04	16.88	16.86	16.77	16.92	0
			50	0	16.72	16.79	16.81	16.83	16.88	16.89	0	
			16QAM	1	1	16.61	17.05	16.94	16.84	16.80	16.90	0
			64QAM	1	1	16.77	17.00	16.91	16.77	16.83	16.86	0
			256QAM	1	1	17.03	17.00	16.93	16.84	16.83	16.85	0
			CP	QPSK	1	1	17.03	16.62	16.85	16.82	16.07	16.05

**NR TDD Band n77\_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
						MHz	MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.08	17.03	16.90	16.81	16.79	16.80	0
				1	32	17.15	16.99	16.91	16.91	16.91	16.83	0
				1	63	17.04	16.86	16.77	16.92	16.88	16.94	0
				32	0	16.88	16.97	16.51	16.82	16.84	16.76	0
				32	17	17.06	16.90	16.99	16.89	16.77	16.81	0
				32	33	17.03	16.92	17.00	16.82	16.75	16.77	0
			64	0	17.08	17.02	16.86	16.83	16.85	16.82	0	
			QPSK	1	1	17.12	16.68	16.89	16.82	16.82	16.76	0
				1	32	17.08	16.56	16.82	16.84	16.83	16.76	0
				1	63	16.99	16.49	16.76	16.92	16.87	16.92	0
				32	0	16.76	16.67	16.85	16.82	16.84	16.77	0
				32	17	16.74	16.58	16.80	16.86	16.85	16.82	0
				32	33	16.88	16.82	16.86	16.82	16.86	16.82	0
			64	0	17.06	16.92	16.80	16.84	16.84	16.80	0	
			16QAM	1	1	17.13	17.01	16.88	16.66	16.85	16.79	0
			64QAM	1	1	17.14	17.02	16.97	16.75	16.75	16.79	0
			256QAM	1	1	17.06	17.01	16.90	16.83	16.82	16.73	0
			CP	QPSK	1	1	16.96	16.85	16.72	16.78	16.83	16.81

**NR TDD Band n77\_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647668	651000	654334	657666	661000	664332		
						3715.0	3765	3815.0	3864.9	3915	3964.9		
						2 MHz	MHz	1 MHz	9 MHz	MHz	8 MHz		
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.01	16.92	16.74	16.98	16.86	16.97	0	
				1	39	17.03	16.85	16.75	16.98	16.99	17.00	0	
				1	76	17.02	16.88	16.83	16.87	16.90	16.92	0	
				36	0	17.01	16.88	16.76	16.93	16.82	16.88	0	
				36	21	17.01	16.86	16.76	16.91	16.86	16.85	0	
				36	42	17.01	16.92	16.78	16.98	16.86	16.97	0	
			QPSK	75	0	17.03	16.85	16.74	16.98	16.99	17.00	0	
				1	1	16.99	16.85	16.73	16.56	16.81	16.90	0	
				1	39	17.00	16.85	16.79	16.95	16.93	16.84	0	
				1	76	17.03	16.90	16.83	16.87	16.88	16.87	0	
				36	0	17.00	16.76	16.73	16.96	16.80	16.76	0	
				36	21	17.00	16.84	16.76	16.90	16.85	16.86	0	
				36	42	17.01	16.84	16.78	16.89	16.49	16.84	0	
				75	0	16.98	16.86	16.74	16.85	16.85	16.84	0	
				16QAM	1	1	16.94	16.78	16.82	16.86	16.82	16.94	0
				64QAM	1	1	16.80	16.97	16.89	17.03	16.81	16.91	0
				256QAM	1	1	16.99	16.89	16.75	16.96	16.85	16.93	0
				CP	QPSK	1	1	16.98	16.92	16.73	16.84	16.84	16.84

**NR TDD Band n77\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						648000	651200	654400	657600	660800	664000		
						3720	3768	3816	3864	3912	3960		
						MHz	MHz	MHz	MHz	MHz	MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.08	16.94	16.76	16.95	16.92	16.90	0	
				1	53	17.02	16.82	16.69	16.86	16.89	16.86	0	
				1	104	16.96	16.84	16.85	16.86	16.85	16.92	0	
				50	0	17.08	16.91	16.74	16.92	16.93	16.87	0	
				50	28	17.02	16.84	16.75	16.91	16.89	16.83	0	
				50	56	16.99	16.88	16.80	16.89	16.89	16.85	0	
			QPSK	100	0	17.02	16.85	16.77	16.91	16.89	16.84	0	
				1	1	17.09	16.96	16.74	16.95	16.85	16.88	0	
				1	53	17.06	16.85	16.76	16.95	16.96	16.85	0	
				1	104	16.97	16.86	16.88	16.82	16.87	16.92	0	
				50	0	17.08	16.90	16.76	16.93	16.92	16.88	0	
				50	28	17.02	16.84	16.75	16.90	16.89	16.84	0	
				50	56	16.98	16.88	16.80	16.87	16.89	16.86	0	
				100	0	17.03	16.86	16.77	16.90	16.89	16.85	0	
				16QAM	1	1	17.34	16.90	16.89	16.85	17.08	16.86	0
				64QAM	1	1	16.98	17.03	16.69	16.86	16.91	17.08	0
				256QAM	1	1	17.13	16.82	16.79	16.79	16.91	17.10	0
				CP	QPSK	1	1	17.03	16.95	16.74	16.94	16.94	16.99

**NR TDD Band n77\_ 50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648334	652166	656000		659834		663666	
						3725.0	3782.4	3840		3897.5		3954.9	
						1 MHz	9 MHz	MHz		1 MHz		9 MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.01	16.99	16.79		16.87	16.97	0	
				1	67	16.91	16.82	16.81		16.82	16.83	0	
				1	131	17.00	16.73	16.90		16.94	16.82	0	
				64	0	16.85	16.90	16.79		16.85	16.96	0	
				64	35	16.97	16.88	16.87		16.88	16.87	0	
				64	69	17.01	16.82	16.92		16.90	16.82	0	
			QPSK	128	0	16.79	16.90	16.87		16.84	16.86	0	
				1	1	16.99	17.00	16.79		16.91	16.97	0	
				1	67	16.94	16.86	16.82		16.87	16.84	0	
				1	131	17.03	16.78	16.94		16.92	16.85	0	
				64	0	16.97	16.92	16.79		16.86	16.85	0	
				64	35	16.97	16.88	16.87		16.87	16.97	0	
				64	69	17.03	16.82	16.88		16.82	17.01	0	
				128	0	16.97	16.90	16.87		16.87	16.79	0	
				16QAM	1	1	16.77	17.09	16.94		16.76	17.11	0
			64QAM	1	1	16.87	17.05	16.92		16.82	17.00	0	
			256QAM	1	1	16.80	16.99	16.76		16.85	16.88	0	
			CP	QPSK	1	1	16.88	16.88	16.74		17.00	16.82	0

**NR TDD Band n77\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648668	653556			658444		663332	
						3730.0	3803.3			3876.6		3949.9	
						2 MHz	4 MHz			6 MHz		8 MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.06	16.97			16.80	16.86	0	
				1	81	16.93	16.86			16.90	16.60	0	
				1	160	16.87	16.73			16.94	16.67	0	
				81	0	16.73	16.90			16.82	16.73	0	
				81	41	17.01	16.85			16.89	16.92	0	
				81	81	16.90	16.78			16.82	16.86	0	
			QPSK	162	0	16.79	16.87			16.73	16.88	0	
				1	1	16.87	16.99			16.84	16.88	0	
				1	81	16.92	16.84			16.86	16.85	0	
				1	160	16.87	16.74			16.95	16.92	0	
				81	0	16.79	16.92			16.99	16.89	0	
				81	41	16.82	16.84			17.03	16.88	0	
				81	81	16.94	17.03			17.03	16.86	0	
				162	0	17.03	16.99			16.91	16.88	0	
				16QAM	1	1	16.92	17.03			17.01	16.67	0
			64QAM	1	1	16.92	17.06			16.87	16.92	0	
			256QAM	1	1	16.97	17.20			16.88	16.96	0	
			CP	QPSK	1	1	17.11	16.97			16.90	16.89	0



**NR TDD Band n77\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649000	654336			658334		663000
						3750	3804.9			3875.0		3945
						MHz	9 MHz			1 MHz	MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.09	17.08			16.85	16.96	0
				1	95	16.93	16.81			16.87	16.84	0
				1	187	16.95	16.81			17.08	17.13	0
				90	0	16.96	16.93			16.81	16.80	0
				90	50	16.97	16.84			16.86	16.86	0
				90	99	17.00	16.77			16.92	16.76	0
			QPSK	180	0	16.98	16.84			16.87	16.76	0
				1	1	17.04	16.77			16.79	16.76	0
				1	95	16.95	16.83			16.80	16.79	0
				1	187	16.97	16.79			17.01	17.08	0
				90	0	16.96	16.93			16.81	16.95	0
				90	50	16.97	16.84			16.86	16.96	0
			16QAM	90	99	16.84	16.76			16.91	16.97	0
				180	0	17.01	16.87			16.86	16.81	0
				1	1	16.84	16.95			16.83	16.81	0
			64QAM	1	1	17.06	16.99			16.84	16.83	0
				1	1	17.06	17.05			16.86	16.80	0
				1	1	17.06	17.05			16.86	16.80	0
CP	QPSK	1	1	16.92	11.42			16.80	16.84	0		

**NR TDD Band n77\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649334		656000		662666		
						3740.0		3840		3939.9		
						1 MHz	MHz			9 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.54		16.54		16.15		0
				1	109	16.77		16.80		16.90		0
				1	215	16.30		16.73		17.06		0
				108	0	16.66		16.90		16.90		0
				108	55	17.01		16.87		16.91		0
				108	109	16.91		16.65		16.87		0
			QPSK	216	0	17.03		16.89		16.93		0
				1	1	16.54		16.30		16.66		0
				1	109	16.94		16.78		16.86		0
				1	215	16.61		16.65		17.02		0
				108	0	17.04		16.80		16.91		0
				108	55	17.02		16.87		16.92		0
			16QAM	108	109	16.54		16.66		16.87		0
				216	0	17.03		16.89		16.94		0
				1	1	16.52		16.29		16.61		0
			64QAM	1	1	16.60		16.31		16.68		0
				1	1	16.60		16.78		16.68		0
				1	1	16.60		16.78		16.68		0
CP	QPSK	1	1	16.89		16.32		17.02		0		

**NR TDD Band n77\_ 90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649668		656000		662332		
						3745.0		3840		3934.9		
						2 MHz		MHz		8 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.56		16.87		16.78		0
				1	123	16.87		16.79		16.88		0
				1	243	16.74		16.69		16.88		0
				120	0	16.37		16.81		16.98		0
				120	63	16.96		16.87		16.92		0
				120	125	16.81		16.93		16.78		0
			243	0	17.04		16.88		16.65		0	
			QPSK	1	1	16.50		16.37		16.80		0
				1	123	16.85		16.80		16.83		0
				1	243	16.67		16.68		16.86		0
				120	0	16.90		16.68		16.78		0
				120	63	16.94		16.88		16.65		0
				120	125	16.94		16.87		16.80		0
			243	0	16.94		16.90		16.86		0	
			16QAM	1	1	16.50		16.86		16.84		0
			64QAM	1	1	16.94		16.31		16.74		0
			256QAM	1	1	16.88		16.37		16.77		0
			CP	QPSK	1	1	16.55		16.88		16.83	

**NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						650000				662000		
						3750				3930		
						MHz		MHz				
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.70				16.41		0
				1	137	16.93				16.51		0
				1	271	16.44				16.67		0
				135	0	17.09				16.41		0
				135	69	16.98				16.41		0
				135	138	16.92				16.89		0
			270	0	16.44				17.09		0	
			QPSK	1	1	16.73				16.70		0
				1	137	16.99				16.83		0
				1	271	16.42				17.09		0
				135	0	17.09				16.92		0
				135	69	16.98				16.86		0
				135	138	16.93				16.89		0
			270	0	17.05				16.91		0	
			16QAM	1	1	16.70				16.32		0
			64QAM	1	1	16.75				16.62		0
			256QAM	1	1	16.75				16.31		0
			CP	QPSK	1	1	16.75				16.62	

**NR TDD Band n77 DoD (PC2 only) Conducted Power\_ Measured RSI = 0\_ SUB2**
**[Ant F]**
**NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46	16.70	17.23	0
				1	12	16.44	16.75	17.21	0
				1	22	16.44	16.72	17.23	0
				12	0	16.10	16.65	17.18	0
				12	6	16.06	17.23	17.19	0
				12	12	16.12	16.37	17.20	0
				24	0	17.17	16.35	17.20	0
			QPSK	1	1	16.46	16.33	17.18	0
				1	12	16.46	16.37	17.25	0
				1	22	16.43	16.34	17.17	0
				12	0	16.41	16.67	17.19	0
				12	6	16.41	16.67	17.20	0
				12	12	16.45	16.69	17.19	0
				24	0	16.41	16.67	17.20	0
			16QAM	1	1	16.37	16.66	17.23	0
			64QAM	1	1	16.47	16.66	17.21	0
			256QAM	1	1	16.41	16.66	17.20	0
CP	QPSK	1	1	16.41	16.66	17.20	0		

**NR TDD Band n77 DoD\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.12	16.63	17.10	0
				1	18	16.43	16.61	17.10	0
				1	36	16.50	16.69	17.15	0
				18	0	16.47	16.65	17.12	0
				18	9	16.48	16.69	17.15	0
				18	18	16.48	16.68	17.16	0
				36	0	16.48	16.67	17.14	0
			QPSK	1	1	16.46	16.61	17.07	0
				1	18	16.42	16.61	17.06	0
				1	36	16.47	16.69	17.15	0
				18	0	16.47	16.66	17.12	0
				18	9	16.46	16.69	17.14	0
				18	18	16.48	16.68	17.14	0
				36	0	16.49	16.67	17.13	0
			16QAM	1	1	16.50	16.68	17.07	0
			64QAM	1	1	16.39	16.69	16.97	0
			256QAM	1	1	16.50	16.65	17.16	0
CP	QPSK	1	1	16.55	16.64	17.12	0		

**NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.54	16.64	16.93	0
				1	26	16.51	16.66	17.07	0
				1	49	16.54	16.72	17.13	0
				25	0	16.54	16.66	17.00	0
				25	13	16.53	16.69	17.10	0
				25	26	16.53	16.70	17.11	0
				50	0	16.52	16.67	17.09	0
			QPSK	1	1	16.51	16.61	16.90	0
				1	26	16.51	16.65	17.06	0
				1	49	16.54	16.66	17.09	0
				25	0	16.53	16.66	17.00	0
				25	13	16.54	16.69	17.11	0
				25	26	16.51	16.70	17.10	0
			50	0	16.54	16.68	17.09	0	
			16QAM	1	1	16.60	16.69	16.87	0
			64QAM	1	1	16.49	16.62	16.93	0
			256QAM	1	1	16.52	16.58	16.92	0
		CP	QPSK	1	1	16.49	16.65	16.91	0

**NR TDD Band n77 DoD\_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.63	16.65	16.83	0
				1	26	16.63	16.71	17.03	0
				1	49	16.66	16.75	17.12	0
				25	0	16.59	16.64	16.86	0
				25	13	16.58	16.67	16.99	0
				25	26	16.59	16.69	17.06	0
				50	0	16.59	16.68	16.97	0
			QPSK	1	1	16.59	16.63	16.80	0
				1	26	16.56	16.68	16.98	0
				1	49	16.63	16.72	17.07	0
				25	0	16.59	16.64	16.87	0
				25	13	16.59	16.69	16.99	0
				25	26	16.58	16.68	17.04	0
			50	0	16.61	16.67	16.98	0	
			16QAM	1	1	16.67	16.57	16.78	0
			64QAM	1	1	16.58	16.63	16.82	0
			256QAM	1	1	16.58	16.64	16.81	0
		CP	QPSK	1	1	16.61	16.61	16.80	0

**NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.48	16.65	16.96	0
				1	39	16.49	16.71	17.14	0
				1	76	16.62	16.78	17.22	0
				36	0	16.44	16.64	17.00	0
				36	21	16.44	16.69	17.11	0
				36	42	16.49	16.70	17.21	0
			75	0	16.46	16.69	17.09	0	
			QPSK	1	1	16.43	16.63	16.92	0
				1	39	16.46	16.73	17.11	0
				1	76	16.56	16.74	17.18	0
				36	0	16.43	16.64	16.99	0
				36	21	16.31	16.68	17.11	0
				36	42	16.49	16.71	17.20	0
			75	0	16.46	16.68	17.10	0	
			16QAM	1	1	16.45	16.60	16.94	0
			64QAM	1	1	16.45	16.69	17.00	0
			256QAM	1	1	16.44	16.63	16.95	0
			CP	QPSK	1	1	16.43	16.66	16.50

**NR TDD Band n77 DoD\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.56		16.72	0
				1	53	16.57		16.94	0
				1	104	16.65		17.15	0
				50	0	16.55		16.81	0
				50	28	16.57		16.93	0
				50	56	16.68		17.11	0
			100	0	16.56		16.92	0	
			QPSK	1	1	16.54		16.72	0
				1	53	16.59		16.92	0
				1	104	16.64		17.10	0
				50	0	16.93		16.82	0
				50	28	16.54		16.93	0
				50	56	16.68		16.45	0
			100	0	16.57		16.91	0	
			16QAM	1	1	16.55		16.67	0
			64QAM	1	1	16.55		16.81	0
			256QAM	1	1	16.54		16.91	0
			CP	QPSK	1	1	16.53		16.73

**NR TDD Band n77 DoD\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46		16.61	0
				1	67	16.47		16.74	0
				1	131	16.72		17.03	0
				64	0	16.45		16.65	0
				64	35	16.51		16.77	0
				64	69	16.62		16.99	0
				128	0	16.52		16.47	0
			QPSK	1	1	16.50		16.61	0
				1	67	16.47		16.75	0
				1	131	16.71		17.08	0
				64	0	16.47		16.64	0
				64	35	16.51		16.77	0
				64	69	16.62		16.86	0
			CP	16QAM	1	1	16.52		16.57
		64QAM		1	1	16.44		16.68	0
		256QAM		1	1	16.52		16.69	0
				CP	QPSK	1	1	16.76	

**NR TDD Band n77 DoD\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	16.52			0
				1	81	16.68			0
				1	160	16.89			0
				81	0	16.65			0
				81	41	16.70			0
				81	81	16.50			0
				162	0	16.70			0
			QPSK	1	1	16.53			0
				1	81	16.69			0
				1	160	17.00			0
				81	0	16.64			0
				81	41	16.71			0
				81	81	16.77			0
			CP	16QAM	1	1	16.75		
		64QAM		1	1	16.62			0
		256QAM		1	1	16.53			0
				CP	QPSK	1	1	16.56	

**NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.61		0
				1	95		16.72		0
				1	187		17.10		0
				90	0		16.65		0
				90	50		16.69		0
				90	99		16.82		0
				180	0		16.70		0
			QPSK	1	1		16.58		0
				1	95		16.68		0
				1	187		17.08		0
				90	0		16.64		0
				90	50		16.69		0
				90	99		16.82		0
			16QAM	1	1		16.52		0
		64QAM	1	1		16.63		0	
		256QAM	1	1		16.27		0	
		CP	QPSK	1	1		16.55		0

**NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.38		0
				1	109		16.64		0
				1	215		16.99		0
				108	0		16.64		0
				108	55		16.68		0
				108	109		16.83		0
				216	0		16.73		0
			QPSK	1	1		16.36		0
				1	109		16.63		0
				1	215		16.97		0
				108	0		16.33		0
				108	55		16.37		0
				108	109		16.80		0
			16QAM	1	1		16.33		0
		64QAM	1	1		16.36		0	
		256QAM	1	1		16.41		0	
		CP	QPSK	1	1		16.37		0

**NR TDD Band n77 DoD\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0
				1	123				0
				1	243				0
				120	0				0
				120	63				0
				120	125				0
			243	0				0	
			QPSK	1	1				0
				1	123				0
				1	243				0
				120	0				0
				120	63				0
				120	125				0
			243	0				0	
			16QAM	1	1				0
			64QAM	1	1				0
			256QAM	1	1				0
			CP	QPSK	1	1			0

**NR TDD Band n77 DoD\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
100MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0
				1	137				0
				1	271				0
				135	0				0
				135	69				0
				135	138				0
			270	0				0	
			QPSK	1	1				0
				1	137				0
				1	271				0
				135	0				0
				135	69				0
				135	138				0
			270	0				0	
			16QAM	1	1				0
			64QAM	1	1				0
			256QAM	1	1				0
			CP	QPSK	1	1			0



**NR TDD Band n77 (PC2 only) Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant**
**F]**
**NR TDD Band n77\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.14	15.29	15.18	15.20	15.24	15.04	0
				1	12	15.21	15.31	15.25	15.21	15.27	15.11	0
				1	22	15.21	15.25	15.16	15.21	15.22	15.13	0
				12	0	15.21	15.26	15.15	15.17	15.20	15.04	0
				12	6	15.16	15.26	15.15	15.18	15.21	15.05	0
				12	12	15.16	15.24	15.13	15.19	15.20	15.11	0
				24	0	15.23	15.25	15.12	15.17	15.21	15.07	0
			QPSK	1	1	15.11	15.25	15.16	15.17	15.20	15.02	0
				1	12	15.20	15.30	15.20	15.21	15.23	15.15	0
				1	22	15.20	15.24	15.11	15.19	15.17	15.10	0
				12	0	15.24	15.26	15.13	15.16	15.20	15.05	0
				12	6	15.15	15.26	15.13	15.18	15.21	15.07	0
				12	12	15.17	15.25	15.12	15.22	15.19	15.10	0
			24	0	15.15	15.25	15.15	15.18	15.21	15.07	0	
		16QAM	1	1	15.10	15.35	15.18	15.18	15.25	14.90	0	
		64QAM	1	1	15.14	15.31	15.09	15.15	15.15	14.96	0	
		256QAM	1	1	15.14	15.24	15.20	15.20	15.28	14.99	0	
CP	QPSK	1	1	15.08	15.30	15.13	15.19	15.21	15.04	0		

**NR TDD Band n77\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.5 2 MHz	3760.5 MHz	3813.4 9 MHz	3866.5 MHz	3919.5 MHz	3972.4 8 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.14	15.32	15.19	15.16	15.21	15.09	0
				1	18	15.13	15.22	15.08	15.12	15.16	15.05	0
				1	36	15.22	15.23	15.12	15.22	15.20	15.12	0
				18	0	15.17	15.30	15.16	15.18	15.20	15.07	0
				18	9	15.17	15.28	15.13	15.19	15.20	15.10	0
				18	18	15.21	15.25	15.13	15.19	15.19	15.11	0
				36	0	15.18	15.28	15.13	15.17	15.22	15.10	0
			QPSK	1	1	14.08	15.31	15.18	15.15	15.18	15.07	0
				1	18	15.16	15.24	15.07	15.10	15.14	15.04	0
				1	36	15.22	15.22	15.12	15.21	15.17	15.15	0
				18	0	15.18	15.29	15.16	15.17	15.20	15.09	0
				18	9	15.19	15.29	15.15	15.17	15.20	15.11	0
				18	18	15.21	15.26	15.13	15.21	15.21	15.13	0

			36	0	15.18	15.28	15.15	15.17	15.21	15.14	0
		16QAM	1	1	15.26	15.34	15.25	15.21	15.26	15.11	0
		64QAM	1	1	15.09	15.32	15.26	15.18	15.23	15.12	0
		256QAM	1	1	15.15	15.32	15.23	15.17	15.21	15.13	0
	CP	QPSK	1	1	15.14	15.28	15.16	15.13	15.19	15.13	0

**NR TDD Band n77\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.0 1 MHz	3762 MHz	3813.9 9 MHz	3866.0 1 MHz	3918 MHz	3969.9 9 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.18	15.36	15.22	15.15	15.19	15.05	0
				1	26	15.23	15.28	15.14	15.18	15.17	15.06	0
				1	49	15.25	15.26	15.14	15.27	15.20	15.14	0
				25	0	15.22	15.33	15.19	15.18	15.18	15.04	0
				25	13	15.25	15.31	15.16	15.19	15.18	15.05	0
				25	26	15.26	15.27	15.14	15.22	15.21	15.09	0
			50	0	15.25	15.30	15.17	15.21	15.19	15.06	0	
			QPSK	1	1	15.22	15.36	15.25	15.15	15.19	15.06	0
				1	26	15.20	15.26	15.14	15.16	15.18	15.04	0
				1	49	15.26	15.23	15.12	15.21	15.20	15.14	0
				25	0	15.25	15.34	15.20	15.17	15.18	15.05	0
				25	13	15.26	15.31	15.17	15.22	15.20	15.06	0
				25	26	15.28	15.26	15.14	15.23	15.21	15.10	0
		50	0	15.27	15.29	15.18	15.19	15.19	15.07	0		
		16QAM	1	1	15.25	15.42	15.28	15.32	15.24	15.00	0	
		64QAM	1	1	15.23	15.29	15.34	15.28	15.08	15.08	0	
256QAM	1	1	15.22	15.30	15.26	15.22	15.20	15.09	0			
CP	QPSK	1	1	15.23	15.38	15.23	15.21	15.15	15.05	0		

**NR TDD Band n77\_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.27	15.44	15.31	15.20	15.22	15.13	0
				1	32	15.33	15.32	15.26	15.26	15.24	15.13	0
				1	63	15.31	15.29	15.18	15.33	15.26	15.20	0
				32	0	15.26	15.35	15.23	15.18	15.18	15.06	0
				32	17	15.26	15.29	15.18	15.20	15.23	15.08	0
				32	33	15.25	15.25	15.14	15.23	15.22	15.10	0
			64	0	15.26	15.30	15.16	15.20	15.20	15.07	0	
			QPSK	1	1	15.26	15.37	15.25	15.16	15.18	15.08	0
				1	32	15.30	15.29	15.16	15.23	15.18	15.07	0
				1	63	15.25	15.24	15.11	15.28	15.20	15.19	0
				32	0	15.27	15.36	15.23	15.17	15.17	15.06	0
				32	17	15.28	15.31	15.17	15.19	15.20	15.08	0
				32	33	15.28	15.24	15.14	15.22	15.22	15.13	0
		64	0	15.27	15.30	15.17	15.18	15.21	15.08	0		
		16QAM	1	1	15.30	15.39	15.25	15.16	15.27	15.10	0	

		64QAM	1	1	15.20	15.42	15.28	15.16	15.30	15.09	0
		256QAM	1	1	15.26	15.40	15.26	15.20	15.21	15.11	0
	CP	QPSK	1	1	15.29	15.40	15.32	15.12	15.25	15.08	0

**NR TDD Band n77\_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.0	3765	3815.0	3864.9	3915	3964.9	
						2 MHz	MHz	1 MHz	9 MHz	MHz	8 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.21	15.32	15.22	15.37	15.23	15.30	0
				1	39	15.33	15.30	15.17	15.37	15.34	15.27	0
				1	76	15.39	15.35	15.27	15.29	15.29	15.20	0
				36	0	15.18	15.26	15.14	15.30	15.19	15.17	0
				36	21	15.23	15.25	15.12	15.26	15.20	15.13	0
				36	42	15.30	15.26	15.16	15.24	15.24	15.12	0
				75	0	15.23	15.25	15.11	15.26	15.21	15.14	0
			QPSK	1	1	15.15	15.29	15.16	15.31	15.19	15.23	0
				1	39	15.22	15.26	15.25	15.32	15.27	15.13	0
				1	76	15.19	15.31	15.21	15.26	15.23	15.13	0
				36	0	15.20	15.27	15.12	15.29	15.17	15.17	0
				36	21	15.24	15.23	15.12	15.27	15.21	15.14	0
				36	42	15.28	15.25	15.16	15.25	15.24	15.12	0
			75	0	15.22	15.25	15.12	15.26	15.21	15.13	0	
		16QAM	1	1	15.16	15.30	15.18	15.38	14.99	15.12	0	
		64QAM	1	1	15.18	15.29	15.23	15.35	15.25	15.23	0	
		256QAM	1	1	15.13	15.29	15.18	15.38	15.17	15.18	0	
CP	QPSK	1	1	15.15	15.27	15.14	15.34	15.17	15.19	0		

**NR TDD Band n77\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.26	15.31	15.18	15.30	15.30	15.24	0
				1	53	15.33	15.28	15.17	15.31	15.29	15.16	0
				1	104	15.36	15.27	15.24	15.21	15.21	15.19	0
				50	0	15.28	15.29	15.15	15.27	15.29	15.20	0
				50	28	15.28	15.25	15.14	15.26	15.25	15.13	0
				50	56	15.31	15.28	15.17	15.23	15.25	15.13	0
				100	0	15.28	15.25	15.14	15.26	15.25	15.13	0
			QPSK	1	1	15.30	15.39	15.17	15.29	15.26	15.26	0
				1	53	15.33	15.33	15.19	15.39	15.29	15.21	0
				1	104	15.40	15.28	15.22	15.23	15.19	15.20	0
				50	0	15.28	15.30	15.13	15.27	15.28	15.20	0
				50	28	15.29	15.25	15.12	15.26	15.25	15.13	0
				50	56	15.31	15.28	15.17	15.25	15.23	15.14	0
			100	0	15.29	15.25	15.13	15.26	15.25	15.13	0	
		16QAM	1	1	15.19	15.45	14.89	15.50	15.26	15.18	0	

		64QAM	1	1	15.40	15.30	15.11	15.16	15.22	15.31	0
		256QAM	1	1	15.03	15.33	15.10	15.29	15.28	15.28	0
	CP	QPSK	1	1	15.26	15.29	15.19	15.25	15.30	15.27	0

**NR TDD Band n77\_ 50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.0	3782.4	3840		3897.5		3954.9
						1 MHz	9 MHz	MHz		1 MHz		9 MHz
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.13	15.42	15.19		15.23	15.30	0
				1	67	15.20	15.25	15.19		15.19	15.13	0
				1	131	15.40	15.17	15.29		15.28	15.11	0
				64	0	15.19	15.29	15.17		15.22	15.29	0
				64	35	15.27	15.29	15.22		15.24	15.17	0
				64	69	15.35	15.22	15.26		15.24	15.09	0
				128	0	15.26	15.30	15.23		15.23	15.18	0
			QPSK	1	1	15.13	15.41	15.17		15.23	15.34	0
				1	67	15.21	15.31	15.18		15.18	15.15	0
				1	131	15.39	15.17	15.28		15.28	15.12	0
				64	0	15.21	15.31	15.18		15.20	15.30	0
				64	35	15.25	15.28	15.22		15.23	15.16	0
				64	69	15.36	15.22	15.26		15.24	15.10	0
				128	0	15.25	15.32	15.23		15.23	15.17	0
			16QAM	1	1	15.11	15.56	15.14		15.01	15.33	0
			64QAM	1	1	15.11	15.28	15.07		15.09	15.37	0
			256QAM	1	1	15.32	15.52	15.13		15.22	15.28	0
CP	QPSK	1	1	15.20	15.41	15.24		15.23	15.31	0		

**NR TDD Band n77\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648668	653556			658444		663332
						3730.0	3803.3			3876.6		3949.9
						2 MHz	4 MHz			6 MHz		8 MHz
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.25	15.38			15.19	15.27	0
				1	81	15.35	15.27			15.24	15.19	0
				1	160	15.32	15.16			15.32	15.22	0
				81	0	15.28	15.33			15.19	15.23	0
				81	41	15.28	15.25			15.24	15.20	0
				81	81	15.35	15.16			15.24	15.14	0
				162	0	15.31	15.25			15.25	15.21	0
			QPSK	1	1	15.25	15.45			15.24	15.28	0
				1	81	15.30	15.24			15.30	15.21	0
				1	160	15.38	15.14			15.39	15.22	0
				81	0	15.30	15.31			15.20	15.23	0
				81	41	15.30	15.24			15.25	15.20	0
				81	81	15.35	15.15			15.23	15.15	0
				162	0	15.30	15.27			15.25	15.19	0
			16QAM	1	1	15.34	15.43			15.17	15.41	0

		64QAM	1	1	15.33	15.42			15.10	15.13	0
		256QAM	1	1	15.22	15.41			15.19	15.23	0
	CP	QPSK	1	1	15.28	15.39			15.12	15.29	0



**NR TDD Band n77\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649000	654336			658334		663000
						3750	3804.9			3875.0		3945
						MHz	9 MHz			1 MHz	MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.25	15.50			15.25	15.26	0
				1	95	15.32	15.24			15.25	15.18	0
				1	187	15.44	15.23			15.45	15.43	0
				90	0	15.21	15.34			15.17	15.15	0
				90	50	15.28	15.24			15.23	15.18	0
				90	99	15.37	15.13			15.28	15.19	0
				180	0	15.29	15.28			15.24	15.21	0
			QPSK	1	1	15.19	15.41			15.18	15.20	0
				1	95	15.30	15.21			15.21	15.14	0
				1	187	15.39	15.17			15.41	15.35	0
				90	0	15.21	15.35			15.18	15.16	0
				90	50	15.28	15.23			15.22	15.18	0
				90	99	15.37	15.14			15.28	15.19	0
			16QAM	180	0	15.29	15.26			15.24	15.21	0
		16QAM		1	1	15.15	15.46			15.16	15.24	0
		64QAM		1	1	15.21	15.49			15.16	15.27	0
		256QAM	1	1	15.15	15.42			15.20	15.20	0	
CP	QPSK	1	1	15.15	15.42			15.18	15.21	0		

**NR TDD Band n77\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649334		656000		662666		
						3740.0		3840		3939.9		
						1 MHz	MHz			9 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.78		14.73		15.05		0
				1	109	15.39		15.21		15.24		0
				1	215	15.11		15.12		15.30		0
				108	0	15.31		15.17		15.27		0
				108	55	15.36		15.21		15.24		0
				108	109	15.32		15.26		15.14		0
				216	0	15.36		15.25		15.24		0
			QPSK	1	1	14.72		14.69		15.04		0
				1	109	15.35		15.16		15.20		0
				1	215	15.08		15.05		15.26		0
				108	0	15.33		15.16		15.26		0
				108	55	15.36		15.22		15.24		0
				108	109	15.32		15.26		15.15		0
				216	0	15.37		15.25		15.26		0
16QAM	1	1	14.67		14.69		14.97		0			

			64QAM	1	1	14.68		14.73		15.05		0
			256QAM	1	1	14.70		14.73		15.03		0
		CP	QPSK	1	1	14.72		14.69		15.07		0

**NR TDD Band n77\_ 90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649668		656000		662332		
						3745.0		3840		3934.9		
						2 MHz		MHz		8 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.71		14.77		15.14		0
				1	123	15.28		15.19		15.22		0
				1	243	15.20		15.04		15.16		0
				120	0	15.25		15.22		15.34		0
				120	63	15.32		15.22		15.23		0
				120	125	15.36		15.29		15.10		0
				243	0	15.35		15.27		15.25		0
			QPSK	1	1	14.72		14.76		15.14		0
				1	123	15.28		15.20		15.19		0
				1	243	15.20		15.11		15.17		0
				120	0	15.25		15.19		15.33		0
				120	63	15.31		15.23		15.26		0
				120	125	15.34		15.28		15.07		0
				243	0	15.34		15.28		15.24		0
		16QAM	1	1	14.76		14.79		15.23		0	
		64QAM	1	1	14.75		14.70		15.12		0	
		256QAM	1	1	14.74		14.78		15.14		0	
CP	QPSK	1	1	14.72		14.75		15.19		0		

**NR TDD Band n77\_ 100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						650000				662000		
						3750				3930		
						MHz		MHz				
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.86				15.06		0
				1	137	15.32				15.15		0
				1	271	14.82				15.34		0
				135	0	15.34				15.25		0
				135	69	15.31				15.19		0
				135	138	15.30				15.16		0
				270	0	15.34				15.24		0
			QPSK	1	1	14.85				15.07		0
				1	137	15.31				15.35		0
				1	271	14.82				15.34		0
				135	0	15.34				15.26		0
				135	69	15.36				15.20		0
				135	138	15.30				15.17		0
				270	0	15.35				15.23		0
		16QAM	1	1	14.94				15.13		0	

		64QAM	1	1	14.93				15.05		0
		256QAM	1	1	14.82				15.03		0
	CP	QPSK	1	1	14.87				15.06		0

**NR TDD Band n77 DoD (PC2 only) Conducted Power\_ Measured RSI = 1\_ SUB2**
**[Ant F]**
**NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.82	15.65	15.52	0
				1	12	15.89	15.64	15.50	0
				1	22	15.82	15.57	15.39	0
				12	0	15.80	15.62	15.46	0
				12	6	15.78	15.59	15.43	0
				12	12	15.81	15.58	15.40	0
				24	0	15.80	15.60	15.44	0
			QPSK	1	1	15.77	15.63	15.48	0
				1	12	15.87	15.64	15.49	0
				1	22	15.78	15.55	15.37	0
				12	0	15.79	15.62	15.46	0
				12	6	15.79	15.60	15.43	0
				12	12	15.80	15.58	15.40	0
			24	0	15.81	15.59	15.43	0	
			16QAM	1	1	15.83	15.69	15.49	0
			64QAM	1	1	15.81	15.62	15.48	0
			256QAM	1	1	15.52	15.63	15.49	0
CP	QPSK	1	1	15.54	15.65	15.49	0		

**NR TDD Band n77 DoD \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	15.84	15.65	15.45	0
				1	18	15.75	15.56	15.38	0
				1	36	15.81	15.54	15.34	0
				18	0	15.84	15.64	15.46	0
				18	9	15.82	15.61	15.44	0
				18	18	15.82	15.57	15.38	0
				36	0	15.83	15.60	15.43	0
			QPSK	1	1	15.83	15.65	15.47	0
				1	18	15.75	15.56	15.36	0
				1	36	15.78	15.53	15.31	0
				18	0	15.85	15.63	15.47	0
				18	9	15.84	15.62	15.44	0
				18	18	15.82	15.57	15.37	0

			36	0	15.83	15.62	15.44	0	
		16QAM	1	1	15.88	15.66	15.60	0	
		64QAM	1	1	15.86	15.64	15.40	0	
		256QAM	1	1	15.85	15.70	15.50	0	
		CP	QPSK	1	1	15.86	15.66	15.42	0

NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.47	15.69	15.37	0
				1	26	15.86	15.59	15.38	0
				1	49	15.83	15.52	15.32	0
				25	0	15.91	15.65	15.40	0
				25	13	15.89	15.59	15.42	0
				25	26	15.86	15.53	15.35	0
				50	0	15.91	15.60	15.44	0
			QPSK	1	1	15.93	15.65	15.40	0
				1	26	15.87	15.57	15.38	0
				1	49	15.41	15.49	15.28	0
				25	0	15.93	15.63	15.41	0
				25	13	15.90	15.61	15.42	0
				25	26	15.87	15.54	15.36	0
				50	0	15.75	15.62	15.40	0
			16QAM	1	1	15.54	15.64	15.36	0
			64QAM	1	1	15.93	15.69	15.44	0
			256QAM	1	1	15.93	15.66	15.43	0
			CP	QPSK	1	1	15.93	15.66	15.40

NR TDD Band n77 DoD\_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.48	15.77	15.42	0
				1	26	15.93	15.68	15.40	0
				1	49	15.93	15.56	15.35	0
				25	0	15.97	15.69	15.35	0
				25	13	15.93	15.66	15.37	0
				25	26	15.74	15.56	15.34	0
				50	0	15.93	15.63	15.38	0
			QPSK	1	1	15.84	15.74	15.37	0
				1	26	15.89	15.64	15.36	0
				1	49	15.90	15.51	15.30	0
				25	0	15.87	15.69	15.35	0
				25	13	15.94	15.65	15.37	0
				25	26	15.90	15.57	15.35	0

			50	0	15.80	15.63	15.38	0
		16QAM	1	1	15.57	15.72	15.39	0
		64QAM	1	1	15.53	15.75	15.38	0
		256QAM	1	1	15.98	15.75	15.32	0
	CP	QPSK	1	1	15.99	15.73	15.39	0

**NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.90	15.80	15.62	0
				1	39	15.85	15.70	15.60	0
				1	76	15.83	15.55	15.48	0
				36	0	15.81	15.70	15.53	0
				36	21	15.78	15.63	15.52	0
				36	42	15.77	15.55	15.49	0
				75	0	15.78	15.65	15.51	0
			QPSK	1	1	15.85	15.77	15.58	0
				1	39	15.77	15.66	15.52	0
				1	76	15.81	15.52	15.42	0
				36	0	15.82	15.70	15.53	0
				36	21	15.77	15.64	15.53	0
				36	42	15.76	15.55	15.48	0
				75	0	15.79	15.64	15.53	0
			16QAM	1	1	15.76	15.78	15.51	0
			64QAM	1	1	15.84	15.78	15.56	0
			256QAM	1	1	15.90	15.77	15.59	0
CP	QPSK	1	1	15.87	15.78	15.26	0		

**NR TDD Band n77 DoD\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.96		15.52	0
				1	53	15.86		15.45	0
				1	104	15.81		15.36	0
				50	0	15.91		15.47	0
				50	28	15.83		15.41	0
				50	56	15.87		15.45	0
				100	0	15.86		15.44	0
			QPSK	1	1	15.94		15.50	0
				1	53	15.85		15.48	0
				1	104	15.78		15.34	0
				50	0	15.92		15.46	0
				50	28	15.84		15.41	0
				50	56	15.87		15.46	0
				100	0	15.84		15.43	0
			16QAM	1	1	15.69		15.72	0
			64QAM	1	1	15.87		15.54	0
			256QAM	1	1	15.85		15.59	0



		CP	QPSK	1	1	15.82		15.51	0
--	--	----	------	---	---	-------	--	-------	---

**NR TDD Band n77 DoD\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.87		14.09	0
				1	67	15.71		15.28	0
				1	131	15.69		15.30	0
				64	0	15.80		15.40	0
				64	35	15.75		15.34	0
				64	69	15.73		15.36	0
				128	0	15.75		15.37	0
			QPSK	1	1	15.87		15.56	0
				1	67	15.73		15.28	0
				1	131	15.67		15.28	0
				64	0	15.80		15.41	0
				64	35	15.76		15.33	0
				64	69	15.72		15.36	0
				128	0	15.75		15.36	0
		16QAM	1	1	15.97		15.70	0	
		64QAM	1	1	15.91		15.60	0	
		256QAM	1	1	15.88		15.55	0	
		CP	QPSK	1	1	15.86		15.59	0

**NR TDD Band n77 DoD\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	15.82		0	
				1	81	15.67		0	
				1	160	15.47		0	
				81	0	15.77		0	
				81	41	15.64		0	
				81	81	15.50		0	
				162	0	15.65		0	
			QPSK	1	1	15.84		15.84	0
				1	81	15.66		15.66	0
				1	160	15.47		15.47	0
				81	0	15.78		15.78	0
				81	41	15.65		15.65	0
				81	81	15.51		15.51	0
				162	0	15.65		15.65	0
		16QAM	1	1	15.76		15.76	0	
		64QAM	1	1	15.66		15.66	0	
		256QAM	1	1	15.82		15.82	0	
		CP	QPSK	1	1	15.77		15.77	0



**NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		15.93		0
				1	95		15.65		0
				1	187		15.54		0
				90	0		15.81		0
				90	50		15.64		0
				90	99		15.50		0
				180	0		15.66		0
			QPSK	1	1		15.89		0
				1	95		15.62		0
				1	187		15.50		0
				90	0		15.81		0
				90	50		15.65		0
				90	99		15.49		0
				180	0		15.67		0
		16QAM	1	1		15.84		0	
		64QAM	1	1		15.94		0	
256QAM	1	1		15.93		0			
CP	QPSK	1	1		15.91		0		

**NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		15.79		0
				1	109		15.67		0
				1	215		15.48		0
				108	0		15.84		0
				108	55		15.66		0
				108	109		15.48		0
				216	0		15.67		0
			QPSK	1	1		15.75		0
				1	109		15.61		0
				1	215		15.44		0
				108	0		15.83		0
				108	55		15.64		0
				108	109		15.48		0
				216	0		15.66		0
		16QAM	1	1		15.68		0	
		64QAM	1	1		15.73		0	
256QAM	1	1		15.73		0			
CP	QPSK	1	1		15.75		0		



**NR TDD Band n77 DoD\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
90 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	123				15.70	0
				1	243				15.61	0
				120	0				15.32	0
				120	63				15.84	0
				120	125				15.65	0
				243	0				15.50	0
			QPSK	1	1				15.69	0
				1	123				15.72	0
				1	243				15.61	0
				120	0				15.33	0
				120	63				15.85	0
				120	125				15.65	0
				243	0				15.49	0
			16QAM	1	1				15.67	0
			64QAM	1	1				15.82	0
			256QAM	1	1				15.71	0
			CP	QPSK	1	1			15.68	0
								15.74	0	

**NR TDD Band n77 DoD\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
100MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	137				15.89	0
				1	271				15.60	0
				135	0				15.32	0
				135	69				15.86	0
				135	138				15.64	0
				270	0				15.49	0
			QPSK	1	1				15.70	0
				1	137				15.90	0
				1	271				15.61	0
				135	0				15.91	0
				135	69				15.85	0
				135	138				15.64	0
				270	0				15.86	0
			16QAM	1	1				15.68	0
			64QAM	1	1				15.87	0
			256QAM	1	1				15.73	0
			CP	QPSK	1	1			15.84	0
								15.94	0	



**NR TDD Band n78 (PC2 only) Conducted Power\_ Measured RSI = 0\_ SUB2 [Ant**
**F]**
**NR TDD Band n78\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.79	16.98	16.82	0
				1	12	17.01	17.00	16.81	0
				1	22	17.05	16.96	16.84	0
				12	0	16.99	16.95	16.77	0
				12	6	16.81	16.95	16.77	0
				12	12	17.03	16.43	16.79	0
				24	0	17.01	16.95	16.78	0
			QPSK	1	1	16.74	16.94	16.74	0
				1	12	17.07	16.95	16.81	0
				1	22	17.03	16.92	16.80	0
				12	0	16.79	16.96	16.81	0
				12	6	17.00	16.99	16.77	0
				12	12	17.02	16.99	16.80	0
			24	0	16.67	16.94	16.78	0	
			16QAM	1	1	16.98	17.00	16.60	0
		64QAM	1	1	17.08	16.99	16.67	0	
		256QAM	1	1	17.00	17.00	16.74	0	
		CP	QPSK	1	1	17.01	16.99	16.75	0

**NR TDD Band n78\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.98	17.01	16.86	0
				1	18	16.97	16.91	16.78	0
				1	36	17.05	16.94	16.84	0
				18	0	17.04	16.99	16.84	0
				18	10	17.04	16.90	16.79	0
				18	20	17.04	17.00	16.82	0
				36	0	17.04	16.83	16.85	0
			QPSK	1	1	17.02	16.99	16.86	0
				1	18	16.99	16.86	16.77	0
				1	36	17.05	16.90	16.77	0
				18	0	17.04	16.96	15.66	0
				18	10	17.04	16.94	16.82	0
				18	20	17.05	16.92	16.82	0
			36	0	17.04	16.96	16.85	0	
			16QAM	1	1	17.06	16.91	16.79	0
		64QAM	1	1	17.03	16.97	16.91	0	
		256QAM	1	1	17.03	17.01	16.91	0	
		CP	QPSK	1	1	17.04	16.99	16.88	0



**NR TDD Band n78 \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.73	16.99	16.87	0
				1	26	17.04	16.92	16.79	0
				1	49	17.02	16.89	16.81	0
				25	0	17.07	16.96	16.83	0
				25	13	17.04	16.94	16.81	0
				25	26	17.03	16.91	16.82	0
				50	0	17.05	16.93	17.02	0
			QPSK	1	1	17.03	16.97	16.83	0
				1	26	16.99	16.90	16.79	0
				1	49	17.02	16.89	16.81	0
				25	0	17.06	16.95	16.83	0
				25	13	17.03	16.93	16.82	0
				25	26	17.04	16.91	16.81	0
				50	0	17.05	16.94	16.81	0
			16QAM	1	1	17.08	17.06	16.83	0
			64QAM	1	1	16.99	16.83	16.99	0
			256QAM	1	1	17.04	16.96	16.83	0
			CP	QPSK	1	1	17.05	16.98	16.83

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.80	17.03	16.84	0
				1	32	17.11	17.04	16.80	0
				1	63	17.02	16.90	16.84	0
				32	0	17.07	16.80	16.82	0
				32	17	17.05	16.95	16.80	0
				32	33	16.99	16.89	16.80	0
				64	0	17.06	16.92	16.80	0
			QPSK	1	1	17.07	17.00	16.83	0
				1	32	17.05	16.94	16.83	0
				1	63	16.96	16.90	16.81	0
				32	0	17.08	16.97	16.82	0
				32	17	17.05	16.94	16.78	0
				32	33	17.00	16.91	16.79	0
				64	0	17.05	16.94	16.80	0
			16QAM	1	1	17.06	17.05	16.90	0
			64QAM	1	1	17.13	17.00	16.85	0
			256QAM	1	1	17.08	17.03	16.79	0

		CP	QPSK	1	1	17.08	17.01	16.82	0
--	--	----	------	---	---	-------	-------	-------	---

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.92	17.01	17.00	0
				1	39	17.18	16.98	16.92	0
				1	76	16.99	16.81	16.80	0
				36	0	17.12	17.00	16.92	0
				36	21	17.07	16.96	16.87	0
				36	42	16.99	16.90	16.79	0
				75	0	17.05	16.96	16.87	0
			QPSK	1	1	17.15	17.00	16.95	0
				1	39	17.04	16.98	16.98	0
				1	76	16.94	16.88	16.78	0
				36	0	17.10	17.00	16.92	0
				36	21	17.05	16.94	16.87	0
				36	42	16.99	16.92	16.80	0
			16QAM	75	0	17.05	16.95	16.87	0
				1	1	17.18	16.87	17.01	0
				1	1	17.26	16.94	16.92	0
			256QAM	1	1	17.12	17.02	16.89	0
				CP	QPSK	1	1	17.14	17.00

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.93		16.91	0
				1	53	17.04		16.88	0
				1	104	17.03		16.78	0
				50	0	16.85		16.83	0
				50	28	16.92		16.85	0
				50	56	16.89		16.91	0
				100	0	16.85		16.87	0
			QPSK	1	1	17.01		16.91	0
				1	53	17.02		16.92	0
				1	104	16.98		16.81	0
				50	0	17.01		17.04	0
				50	28	16.87		16.83	0
				50	56	17.00		16.82	0
			16QAM	100	0	17.02		16.86	0
				1	1	17.29		16.90	0
				1	1	17.01		16.92	0
			256QAM	1	1	17.10		17.06	0
				CP	QPSK	1	1	16.91	

**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.96		16.96	0
				1	67	16.91		16.82	0
				1	131	16.99		16.75	0
				64	0	16.95		16.96	0
				64	35	16.93		16.88	0
				64	69	16.98		16.81	0
				128	0	16.95		16.87	0
			QPSK	1	1	16.97		17.02	0
				1	67	16.89		16.81	0
				1	131	16.99		16.73	0
				64	0	16.96		16.94	0
				64	35	16.94		16.86	0
				64	69	16.99		16.80	0
			128	0	16.95		16.88	0	
			16QAM	1	1	16.79		17.12	0
		64QAM	1	1	16.99		17.05	0	
		256QAM	1	1	16.96		17.16	0	
		CP	QPSK	1	1	16.95		17.06	0

**NR TDD Band n78\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.05		0
				1	81		16.95		0
				1	160		16.88		0
				81	0		16.98		0
				81	41		16.94		0
				81	81		16.87		0
				162	0		16.95		0
			QPSK	1	1		17.06		0
				1	81		16.94		0
				1	160		16.90		0
				81	0		16.99		0
				81	41		16.93		0
				81	81		16.88		0
			162	0		16.94		0	
			16QAM	1	1		16.95		0
		64QAM	1	1		17.02		0	
		256QAM	1	1		16.91		0	
		CP	QPSK	1	1		17.02		0

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.14		0
				1	95		16.93		0
				1	187		16.88		0
				90	0		16.99		0
				90	50		16.67		0
				90	99		17.02		0
				180	0		16.81		0
			QPSK	1	1		16.73		0
				1	95		16.94		0
				1	187		16.86		0
				90	0		17.00		0
				90	50		16.93		0
				90	99		16.95		0
				180	0		16.97		0
			16QAM	1	1		16.89		0
		64QAM	1	1		16.99		0	
		256QAM	1	1		16.86		0	
		CP	QPSK	1	1		16.67		0

**NR TDD Band n78\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.83		0
				1	109		16.93		0
				1	215		16.41		0
				108	0		16.93		0
				108	55		16.93		0
				108	109		16.92		0
				216	0		16.96		0
			QPSK	1	1		16.63		0
				1	109		16.88		0
				1	215		16.31		0
				108	0		16.99		0
				108	55		16.92		0
				108	109		16.83		0
				216	0		16.96		0
			16QAM	1	1		16.68		0
		64QAM	1	1		16.96		0	
		256QAM	1	1		16.69		0	
		CP	QPSK	1	1		16.68		0

**NR TDD Band n78\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		16.60		0
				1	123		16.90		0
				1	243		16.37		0
				120	0		16.70		0
				120	63		16.60		0
				120	125		16.89		0
				243	0		16.99		0
			QPSK	1	1		16.86		0
				1	123		16.67		0
				1	243		16.43		0
				120	0		17.01		0
				120	63		16.92		0
				120	125		16.86		0
			16QAM	243	0		16.98		0
		1		1		16.68		0	
		1		1		16.62		0	
		CP	QPSK	1	1		16.63		0
1	1				16.60		0		

**NR TDD Band n78\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		16.98		0
				1	137		16.88		0
				1	271		16.27		0
				135	0		17.02		0
				135	69		16.92		0
				135	138		16.87		0
				270	0		16.98		0
			QPSK	1	1		16.65		0
				1	137		16.89		0
				1	271		16.28		0
				135	0		17.02		0
				135	69		16.91		0
				135	138		16.86		0
			16QAM	270	0		16.98		0
		1		1		16.56		0	
		1		1		16.63		0	
		CP	QPSK	1	1		16.63		0
1	1				16.71		0		

**NR TDD Band n78 (PC2 only) Conducted Power\_ Measured RSI = 1\_ SUB2 [Ant**
**F]**
**NR TDD Band n78\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.04	15.24	15.17	0
				1	12	15.11	15.23	14.97	0
				1	22	15.17	15.16	15.10	0
				12	0	15.06	15.22	15.07	0
				12	6	15.10	15.24	15.14	0
				12	12	15.16	15.24	15.18	0
				24	0	15.07	15.21	15.11	0
			QPSK	1	1	15.01	15.19	15.13	0
				1	12	15.10	15.24	15.17	0
				1	22	15.14	15.17	15.15	0
				12	0	14.79	15.27	15.13	0
				12	6	14.84	15.24	15.18	0
				12	12	14.85	15.20	15.14	0
			24	0	14.84	15.20	15.12	0	
		16QAM	1	1	14.90	15.26	15.09	0	
		64QAM	1	1	14.87	15.29	15.16	0	
		256QAM	1	1	15.15	15.27	15.12	0	
CP	QPSK	1	1	15.04	15.17	15.11	0		

**NR TDD Band n78\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.04	15.22	15.25	0
				1	18	15.04	15.19	15.14	0
				1	36	15.10	15.18	15.20	0
				18	0	15.20	15.27	15.28	0
				18	10	15.15	15.19	15.24	0
				18	20	15.13	15.23	15.17	0
				36	0	15.10	15.26	15.22	0
			QPSK	1	1	15.06	15.24	15.22	0
				1	18	15.04	15.13	15.12	0
				1	36	15.18	15.17	15.19	0
				18	0	15.12	15.21	15.20	0
				18	10	15.14	15.23	15.19	0
				18	20	15.12	15.25	15.21	0
			36	0	15.12	15.23	15.21	0	
		16QAM	1	1	15.04	15.24	15.30	0	
		64QAM	1	1	14.97	15.30	15.32	0	
		256QAM	1	1	15.05	15.25	15.28	0	
CP	QPSK	1	1	15.00	15.23	15.27	0		

**NR TDD Band n78 \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.15	15.26	15.27	0
				1	26	15.12	15.19	15.19	0
				1	49	15.20	15.16	15.11	0
				25	0	15.12	15.24	15.29	0
				25	13	15.21	15.26	15.23	0
				25	26	15.17	15.19	15.24	0
			50	0	15.19	15.23	15.22	0	
			QPSK	1	1	15.11	15.29	15.27	0
				1	26	15.11	15.21	15.12	0
				1	49	15.17	15.20	15.19	0
				25	0	15.16	15.25	14.98	0
				25	13	15.18	15.30	15.02	0
				25	26	15.19	15.16	15.17	0
			50	0	15.19	15.24	15.23	0	
			16QAM	1	1	15.06	15.29	15.42	0
			64QAM	1	1	15.14	15.27	15.31	0
			256QAM	1	1	15.12	14.65	15.26	0
			CP	QPSK	1	1	15.07	15.26	15.18

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.10	15.25	15.28	0
				1	32	15.14	15.21	15.13	0
				1	63	15.19	15.18	15.15	0
				32	0	15.09	15.29	15.24	0
				32	17	15.16	15.23	15.21	0
				32	33	15.22	15.13	15.16	0
			64	0	15.15	15.27	15.15	0	
			QPSK	1	1	15.10	15.27	15.25	0
				1	32	15.20	15.18	15.15	0
				1	63	15.16	15.20	15.19	0
				32	0	15.16	15.24	14.97	0
				32	17	15.18	15.29	14.97	0
				32	33	15.18	15.18	15.19	0
			64	0	15.17	15.24	15.22	0	
			16QAM	1	1	15.00	15.22	15.37	0
			64QAM	1	1	15.14	15.20	15.35	0
			256QAM	1	1	15.09	14.63	15.25	0
			CP	QPSK	1	1	15.02	15.27	15.13

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.14	15.24	15.35	0
				1	39	15.28	15.35	15.28	0
				1	76	15.09	15.23	15.17	0
				36	0	15.18	15.19	15.30	0
				36	21	15.23	15.25	15.25	0
				36	42	15.20	15.13	15.13	0
				75	0	15.23	15.26	15.24	0
			QPSK	1	1	15.10	15.22	15.31	0
				1	39	15.14	15.21	15.27	0
				1	76	15.14	15.12	15.11	0
				36	0	15.20	15.23	15.30	0
				36	21	15.19	15.25	15.20	0
				36	42	15.15	15.13	15.20	0
				75	0	15.23	15.20	15.22	0
			16QAM	1	1	15.19	15.06	15.27	0
			64QAM	1	1	15.08	15.30	15.22	0
			256QAM	1	1	15.03	15.17	15.28	0
			CP	QPSK	1	1	15.16	14.63	15.36

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.34		15.14	0
				1	53	15.18		15.14	0
				1	104	15.25		15.04	0
				50	0	15.06		15.17	0
				50	28	15.12		15.21	0
				50	56	15.14		15.20	0
				100	0	15.11		15.25	0
			QPSK	1	1	14.99		15.08	0
				1	53	15.22		15.10	0
				1	104	15.19		15.19	0
				50	0	15.10		15.17	0
				50	28	15.16		15.20	0
				50	56	15.15		15.13	0
				100	0	15.13		15.25	0
			16QAM	1	1	15.12		15.14	0
			64QAM	1	1	15.10		15.06	0
			256QAM	1	1	14.97		15.20	0
			CP	QPSK	1	1	14.36		15.04



**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.05		15.22	0
				1	67	15.12		15.15	0
				1	131	15.25		15.11	0
				64	0	15.04		15.18	0
				64	35	15.12		15.25	0
				64	69	15.21		15.04	0
				128	0	15.12		15.24	0
			QPSK	1	1	14.98		15.33	0
				1	67	15.11		15.18	0
				1	131	15.22		14.85	0
				64	0	15.06		15.24	0
				64	35	15.12		15.22	0
				64	69	15.21		15.17	0
			16QAM	128	0	15.14		15.21	0
				1	1	15.04		15.50	0
				1	1	15.10		14.37	0
			256QAM	1	1	14.89		15.26	0
			CP	QPSK	1	1	14.91		15.27

**NR TDD Band n78\_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		15.26		0
				1	81		15.17		0
				1	160		15.22		0
				81	0		15.20		0
				81	41		15.19		0
				81	81		15.25		0
				162	0		15.26		0
			QPSK	1	1		15.23		0
				1	81		15.22		0
				1	160		15.24		0
				81	0		15.18		0
				81	41		15.25		0
				81	81		15.11		0
			16QAM	162	0		15.25		0
				1	1		15.17		0
				1	1		14.97		0
			256QAM	1	1		15.27		0
			CP	QPSK	1	1		15.22	

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		15.25		0
				1	95		15.27		0
				1	187		15.35		0
				90	0		15.17		0
				90	50		15.22		0
				90	99		15.20		0
				180	0		15.26		0
			QPSK	1	1		15.23		0
				1	95		15.22		0
				1	187		15.27		0
				90	0		15.25		0
				90	50		15.25		0
				90	99		15.19		0
			16QAM	1	1		15.28		0
			64QAM	1	1		15.28		0
		256QAM	1	1		15.26		0	
		CP	QPSK	1	1		15.20		0

**NR TDD Band n78\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.81		0
				1	109		15.15		0
				1	215		14.77		0
				108	0		15.23		0
				108	55		14.79		0
				108	109		14.67		0
				216	0		15.27		0
			QPSK	1	1		14.75		0
				1	109		15.18		0
				1	215		14.73		0
				108	0		15.23		0
				108	55		15.23		0
				108	109		15.21		0
			16QAM	1	1		14.67		0
			64QAM	1	1		14.77		0
		256QAM	1	1		14.70		0	
		CP	QPSK	1	1		15.23		0

**NR TDD Band n78\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.71		0
				1	123		15.17		0
				1	243		14.83		0
				120	0		14.35		0
				120	63		15.21		0
				120	125		14.67		0
				243	0		15.24		0
			QPSK	1	1		14.69		0
				1	123		15.21		0
				1	243		14.82		0
				120	0		15.18		0
				120	63		15.25		0
				120	125		15.22		0
			16QAM	1	1		14.85		0
			64QAM	1	1		15.22		0
		256QAM	1	1		14.61		0	
		CP	QPSK	1	1		14.81		0

**NR TDD Band n78\_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.70		0
				1	137		15.22		0
				1	271		14.64		0
				135	0		15.17		0
				135	69		15.28		0
				135	138		15.22		0
				270	0		15.22		0
			QPSK	1	1		14.71		0
				1	137		15.19		0
				1	271		14.67		0
				135	0		15.17		0
				135	69		15.23		0
				135	138		15.24		0
			16QAM	1	1		14.81		0
			64QAM	1	1		14.74		0
		256QAM	1	1		14.76		0	
		CP	QPSK	1	1		14.69		0

**NR TDD Band n78 DoD (PC2 only) Conducted Power\_ Measured RSI = 0\_ SUB2**
**[Ant F]**
**NR TDD Band n78 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46	16.68	16.68	0
				1	12	16.44	16.75	17.22	0
				1	22	16.48	16.72	17.22	0
				12	0	16.42	16.66	17.19	0
				12	6	16.42	16.66	17.18	0
				12	12	16.43	16.68	17.19	0
			24	0	16.42	16.67	17.18	0	
			QPSK	1	1	16.41	16.63	17.17	0
				1	12	16.44	16.67	17.23	0
				1	22	16.43	16.69	17.17	0
				12	0	17.19	16.66	17.17	0
				12	6	15.87	16.67	17.18	0
				12	12	16.12	16.67	17.18	0
			24	0	15.98	16.68	17.19	0	
			16QAM	1	1	16.15	16.64	17.20	0
			64QAM	1	1	16.19	16.75	17.22	0
			256QAM	1	1	16.14	16.71	16.89	0
			CP	QPSK	1	1	16.39	16.63	17.16

**NR TDD Band n78 DoD\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46	16.63	17.05	0
				1	18	16.40	16.62	17.07	0
				1	36	16.49	16.69	17.13	0
				18	0	16.46	16.63	17.08	0
				18	10	16.47	16.67	17.12	0
				18	20	16.47	16.67	17.13	0
			36	0	16.48	16.65	17.11	0	
			QPSK	1	1	16.45	16.63	17.02	0
				1	18	16.41	16.60	17.03	0
				1	36	16.48	16.66	17.11	0
				18	0	16.46	16.64	17.07	0
				18	10	16.48	16.68	17.12	0
				18	20	16.49	16.68	17.12	0
			36	0	16.48	16.66	17.10	0	
			16QAM	1	1	16.50	16.69	17.03	0
			64QAM	1	1	16.45	16.62	17.03	0

		256QAM	1	1	16.52	16.68	17.10	0
	CP	QPSK	1	1	16.52	16.75	17.04	0

**NR TDD Band n78 DoD \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.51	16.33	16.62	0
				1	26	16.50	16.35	16.66	0
				1	49	16.54	16.39	16.71	0
				25	0	16.52	16.31	16.65	0
				25	13	16.53	16.35	16.67	0
				25	26	16.51	16.34	16.67	0
				50	0	16.52	16.34	16.67	0
			QPSK	1	1	16.50	16.28	16.61	0
				1	26	16.50	16.32	16.63	0
				1	49	16.53	16.37	16.68	0
				25	0	16.51	16.33	16.66	0
				25	13	16.53	16.34	16.67	0
				25	26	16.52	16.36	16.69	0
				50	0	16.53	16.36	16.67	0
			16QAM	1	1	16.57	16.41	16.63	0
			64QAM	1	1	16.51	16.27	16.57	0
			256QAM	1	1	16.21	16.65	16.64	0
CP	QPSK	1	1	16.52	16.61	16.63	0		

**NR TDD Band n78 DoD \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.64	16.65	16.64	0
				1	32	16.61	16.73	17.00	0
				1	63	16.66	16.74	17.10	0
				32	0	16.59	16.64	16.86	0
				32	17	16.59	16.68	16.96	0
				32	33	16.58	16.69	17.06	0
				64	0	16.58	16.55	16.97	0
			QPSK	1	1	16.60	16.48	16.78	0
				1	32	16.55	16.68	16.97	0
				1	63	16.62	16.71	17.07	0
				32	0	16.58	16.63	16.86	0
				32	17	16.57	16.67	16.97	0
				32	33	16.58	16.68	17.04	0
				64	0	16.58	16.67	16.98	0
			16QAM	1	1	16.53	16.63	16.71	0
			64QAM	1	1	16.55	16.45	16.84	0
			256QAM	1	1	16.32	16.37	16.77	0

		CP	QPSK	1	1	16.59	16.63	16.43	0
--	--	----	------	---	---	-------	-------	-------	---

**NR TDD Band n78 DoD\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.45	16.65	16.65	0
				1	39	16.46	16.73	17.15	0
				1	76	16.59	16.78	17.21	0
				36	0	16.43	16.65	17.01	0
				36	21	16.43	16.70	17.10	0
				36	42	16.48	16.70	17.19	0
				75	0	16.46	16.68	17.09	0
			QPSK	1	1	16.40	16.62	16.91	0
				1	39	16.45	16.72	17.11	0
				1	76	16.58	16.76	17.17	0
				36	0	16.43	16.64	16.99	0
				36	21	16.43	16.68	17.12	0
				36	42	16.49	16.72	17.20	0
				75	0	16.44	16.70	17.09	0
			16QAM	1	1	16.28	16.67	16.82	0
		64QAM	1	1	16.44	16.57	16.83	0	
		256QAM	1	1	16.43	16.60	16.96	0	
		CP	QPSK	1	1	16.43	16.59	16.64	0

**NR TDD Band n78 DoD\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.23		16.73	0
				1	53	16.55		16.96	0
				1	104	16.57		17.15	0
				50	0	16.56		16.81	0
				50	28	16.55		16.92	0
				50	56	16.69		17.12	0
				100	0	16.56		16.92	0
			QPSK	1	1	16.60		16.73	0
				1	53	16.55		16.94	0
				1	104	16.70		17.11	0
				50	0	16.56		16.82	0
				50	28	16.56		16.92	0
				50	56	16.82		17.13	0
				100	0	16.56		16.91	0
			16QAM	1	1	16.53		16.65	0
		64QAM	1	1	16.73		16.77	0	
		256QAM	1	1	16.54		16.71	0	
		CP	QPSK	1	1	16.53		16.93	0

**NR TDD Band n78 DoD \_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.72		16.45	0
				1	67	16.48		16.43	0
				1	131	16.72		16.73	0
				64	0	16.44		16.62	0
				64	35	16.51		16.75	0
				64	69	16.61		16.97	0
				128	0	16.52		16.43	0
			QPSK	1	1	16.44		16.33	0
				1	67	16.49		16.37	0
				1	131	16.69		16.73	0
				64	0	16.45		16.31	0
				64	35	16.51		16.43	0
				64	69	16.60		16.48	0
				128	0	16.52		16.44	0
			16QAM	1	1	16.47		16.30	0
			64QAM	1	1	16.56		16.41	0
			256QAM	1	1	16.50		16.74	0
			CP	QPSK	1	1	16.08		16.62

**NR TDD Band n78 DoD \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		16.62		0
				1	81		16.70		0
				1	160		16.93		0
				81	0		16.63		0
				81	41		16.70		0
				81	81		16.79		0
				162	0		16.72		0
			QPSK	1	1		16.56		0
				1	81		16.72		0
				1	160		16.97		0
				81	0		16.65		0
				81	41		16.70		0
				81	81		16.78		0
				162	0		16.72		0
			16QAM	1	1		16.43		0
			64QAM	1	1		16.63		0
			256QAM	1	1		16.55		0
			CP	QPSK	1	1		16.53	

**NR TDD Band n78 DoD \_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.05	0
				1	95		16.70	0
				1	187		17.08	0
				90	0		16.63	0
				90	50		16.70	0
				90	99		16.81	0
			180	0		16.69	0	
			QPSK	1	1		16.56	0
				1	95		16.67	0
				1	187		17.05	0
				90	0		16.64	0
				90	50		16.68	0
				90	99		16.81	0
			180	0		16.70	0	
			16QAM	1	1		16.57	0
			64QAM	1	1		16.51	0
			256QAM	1	1		16.59	0
			CP	QPSK	1	1		16.53

**NR TDD Band n78 DoD \_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.83	0
				1	109		16.62	0
				1	215		17.48	0
				108	0		16.67	0
				108	55		16.57	0
				108	109		16.83	0
			216	0		16.19	0	
			QPSK	1	1		16.17	0
				1	109		16.66	0
				1	215		17.55	0
				108	0		16.64	0
				108	55		16.63	0
				108	109		16.83	0
			216	0		16.72	0	
			16QAM	1	1		16.20	0
			64QAM	1	1		16.19	0
			256QAM	1	1		16.20	0
			CP	QPSK	1	1		16.19



**NR TDD Band n78 DoD \_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		16.71		0
				1	123		16.61		0
				1	243		17.47		0
				120	0		16.02		0
				120	63		16.70		0
				120	125		16.87		0
				243	0		16.74		0
			QPSK	1	1		16.02		0
				1	123		16.66		0
				1	243		17.63		0
				120	0		16.63		0
				120	63		16.71		0
				120	125		16.87		0
				243	0		16.73		0
			16QAM	1	1		16.11		0
			64QAM	1	1		16.07		0
			256QAM	1	1		16.73		0
			CP	QPSK	1	1		16.72	

**NR TDD Band n78 DoD \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		16.76		0
				1	137		16.66		0
				1	271		17.71		0
				135	0		16.62		0
				135	69		16.68		0
				135	138		16.90		0
				270	0		16.76		0
			QPSK	1	1		16.07		0
				1	137		16.66		0
				1	271		17.73		0
				135	0		16.62		0
				135	69		16.70		0
				135	138		16.90		0
				270	0		16.75		0
			16QAM	1	1		16.07		0
			64QAM	1	1		16.09		0
			256QAM	1	1		16.03		0
			CP	QPSK	1	1		16.62	

**NR TDD Band n78 DoD (PC2 only) Conducted Power\_ Measured RSI = 1\_ SUB2**
**[Ant F]**
**NR TDD Band n78 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.79	15.89	15.95	0
				1	12	15.78	15.85	15.91	0
				1	22	15.77	15.84	15.75	0
				12	0	15.73	15.94	15.75	0
				12	6	15.75	15.92	15.74	0
				12	12	15.79	15.82	15.76	0
			24	0	15.75	15.85	15.79	0	
			QPSK	1	1	15.78	15.90	15.80	0
				1	12	15.84	15.91	15.77	0
				1	22	15.79	15.85	15.71	0
				12	0	15.73	15.90	15.83	0
				12	6	15.73	15.87	15.78	0
				12	12	15.73	15.84	15.74	0
			24	0	15.79	15.85	15.78	0	
			16QAM	1	1	15.79	15.91	15.90	0
		64QAM	1	1	15.83	15.91	15.77	0	
		256QAM	1	1	15.74	15.87	15.80	0	
		CP	QPSK	1	1	15.80	15.87	15.81	0

**NR TDD Band n78 DoD\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.82	15.91	15.88	0
				1	18	15.78	15.81	15.71	0
				1	36	15.88	15.87	15.70	0
				18	0	15.81	15.93	15.77	0
				18	10	15.85	15.86	15.79	0
				18	20	15.80	15.82	15.73	0
			36	0	15.80	15.89	15.74	0	
			QPSK	1	1	15.82	15.88	15.80	0
				1	18	15.70	15.76	15.69	0
				1	36	15.81	15.80	15.68	0
				18	0	15.84	15.93	15.83	0
				18	10	15.79	15.90	15.79	0
				18	20	15.73	15.83	15.76	0
			36	0	15.75	15.86	15.79	0	
			16QAM	1	1	15.88	15.85	15.87	0
		64QAM	1	1	15.83	15.92	15.76	0	
		256QAM	1	1	15.85	15.92	15.82	0	
		CP	QPSK	1	1	15.80	15.93	15.77	0

**NR TDD Band n78 DoD \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.85	15.95	15.96	0
				1	26	15.82	15.81	15.88	0
				1	49	15.86	15.85	15.83	0
				25	0	15.90	15.92	15.89	0
				25	13	15.81	15.85	15.82	0
				25	26	15.91	15.86	15.85	0
				50	0	15.81	15.84	15.88	0
			QPSK	1	1	15.87	15.91	15.94	0
				1	26	15.83	15.81	15.87	0
				1	49	15.97	15.81	15.82	0
				25	0	15.87	15.86	15.92	0
				25	13	15.87	15.86	15.88	0
				25	26	15.94	15.81	15.87	0
			50	0	15.81	15.88	15.87	0	
		16QAM	1	1	15.79	15.92	15.95	0	
		64QAM	1	1	15.91	15.87	15.83	0	
		256QAM	1	1	15.80	15.98	15.97	0	
CP	QPSK	1	1	15.79	15.87	15.84	0		

**NR TDD Band n78 DoD \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.93	15.93	15.64	0
				1	32	15.94	15.91	15.86	0
				1	63	15.68	15.90	15.69	0
				32	0	15.90	15.93	15.74	0
				32	17	15.90	15.85	15.70	0
				32	33	15.68	15.87	15.65	0
				64	0	15.91	15.92	15.70	0
			QPSK	1	1	15.97	15.98	15.74	0
				1	32	15.84	15.94	15.64	0
				1	63	15.91	15.81	15.64	0
				32	0	15.90	15.95	15.69	0
				32	17	15.95	15.86	15.68	0
				32	33	15.92	15.85	15.71	0
				64	0	15.90	15.91	15.70	0
		16QAM	1	1	15.90	15.65	15.76	0	
		64QAM	1	1	15.88	15.95	15.79	0	
		256QAM	1	1	15.97	15.97	15.47	0	
CP	QPSK	1	1	15.63	15.96	15.85	0		

**NR TDD Band n78 DoD \_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.53	15.87	15.90	0
				1	39	15.90	15.94	15.91	0
				1	76	15.93	15.91	15.74	0
				36	0	15.76	15.93	15.90	0
				36	21	15.78	15.92	15.87	0
				36	42	15.87	15.83	15.81	0
			75	0	15.77	15.91	15.79	0	
			QPSK	1	1	15.81	15.85	15.94	0
				1	39	15.78	15.90	15.86	0
				1	76	15.97	15.87	15.76	0
				36	0	15.79	15.84	15.84	0
				36	21	15.82	15.85	15.85	0
				36	42	15.88	15.87	15.81	0
			75	0	15.79	15.89	15.84	0	
			16QAM	1	1	15.75	15.89	15.97	0
			64QAM	1	1	15.77	15.83	15.80	0
			256QAM	1	1	15.81	15.98	15.90	0
			CP	QPSK	1	1	15.69	15.86	15.97

**NR TDD Band n78 DoD \_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.96		15.85	0
				1	53	15.96		15.77	0
				1	104	15.90		15.70	0
				50	0	15.85		15.83	0
				50	28	15.95		15.78	0
				50	56	15.83		15.72	0
			100	0	15.96		15.77	0	
			QPSK	1	1	15.94		15.78	0
				1	53	15.98		15.75	0
				1	104	15.76		15.67	0
				50	0	15.87		15.84	0
				50	28	15.95		15.73	0
				50	56	15.98		15.75	0
			100	0	15.92		15.72	0	
			16QAM	1	1	15.88		15.94	0
			64QAM	1	1	15.95		15.83	0
			256QAM	1	1	15.95		15.83	0
			CP	QPSK	1	1	15.76		15.18

**NR TDD Band n78 DoD \_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.81		15.78	0
				1	67	15.62		15.66	0
				1	131	15.68		15.63	0
				64	0	15.29		15.00	0
				64	35	15.92		15.65	0
				64	69	15.97		15.70	0
				128	0	15.89		15.68	0
			QPSK	1	1	15.83		15.80	0
				1	67	15.85		15.62	0
				1	131	15.95		15.62	0
				64	0	15.39		15.76	0
				64	35	15.89		15.70	0
				64	69	15.90		15.67	0
				128	0	15.88		15.72	0
			16QAM	1	1	15.86		15.96	0
			64QAM	1	1	15.72		15.89	0
			256QAM	1	1	15.93		15.58	0
			CP	QPSK	1	1	15.70		15.81

**NR TDD Band n78 DoD \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		c		0
				1	81		15.81		0
				1	160		15.78		0
				81	0		15.87		0
				81	41		15.89		0
				81	81		15.86		0
				162	0		15.87		0
			QPSK	1	1		15.95		0
				1	81		15.84		0
				1	160		15.81		0
				81	0		15.81		0
				81	41		15.88		0
				81	81		15.81		0
				162	0		15.83		0
			16QAM	1	1		15.79		0
			64QAM	1	1		15.78		0
			256QAM	1	1		15.89		0
			CP	QPSK	1	1		15.45	

**NR TDD Band n78 DoD \_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
70 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	95				15.94	0
				1	187				15.84	0
				90	0				15.81	0
				90	50				15.87	0
				90	99				15.85	0
				180	0				15.78	0
			QPSK	1	1				15.89	0
				1	95				15.79	0
				1	187				15.84	0
				90	0				15.74	0
				90	50				15.94	0
				90	99				15.84	0
				180	0				15.87	0
			16QAM	1	1				15.83	0
			64QAM	1	1				15.82	0
			256QAM	1	1				15.94	0
			CP	QPSK	1	1			15.86	0
									15.94	0

**NR TDD Band n78 DoD \_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
80 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0	
				1	109				15.96	0
				1	215				15.81	0
				108	0				15.82	0
				108	55				15.97	0
				108	109				15.87	0
				216	0				15.83	0
			QPSK	1	1				15.48	0
				1	109				15.80	0
				1	215				15.82	0
				108	0				15.91	0
				108	55				15.97	0
				108	109				15.84	0
				216	0				15.87	0
			16QAM	1	1				15.80	0
			64QAM	1	1				15.45	0
			256QAM	1	1				15.43	0
			CP	QPSK	1	1			15.43	0
									15.56	0

**NR TDD Band n78 DoD \_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		15.31		0
				1	123		15.89		0
				1	243		15.99		0
				120	0		15.95		0
				120	63		15.83		0
				120	125		15.83		0
				243	0		15.82		0
			QPSK	1	1		15.29		0
				1	123		15.80		0
				1	243		15.84		0
				120	0		15.98		0
				120	63		15.20		0
				120	125		15.81		0
				243	0		15.86		0
		16QAM	1	1		15.40		0	
		64QAM	1	1		15.38		0	
		256QAM	1	1		15.26		0	
		CP	QPSK	1	1		15.25		0

**NR TDD Band n78 DoD \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		15.31		0
				1	137		15.84		0
				1	271		15.85		0
				135	0		15.87		0
				135	69		15.87		0
				135	138		15.79		0
				270	0		15.37		0
			QPSK	1	1		15.37		0
				1	137		15.81		0
				1	271		15.94		0
				135	0		15.74		0
				135	69		15.84		0
				135	138		15.85		0
				270	0		15.88		0
		16QAM	1	1		15.34		0	
		64QAM	1	1		15.37		0	
		256QAM	1	1		15.42		0	

		CP	QPSK	1	1		15.20		0
--	--	----	------	---	---	--	-------	--	---