

TEST REPORT

FCC PART 25 SCS Test for SM-S721U

Certification

APPLICANT SAMSUNG Electronics Co., Ltd.

REPORT NO. HCT-RF-2410-FC072

DATE OF ISSUE October 31, 2024

Tested byJae Ryang Do

Technical Manager Jong Seok Lee

HCT CO., LTD.

Bongjai Huh / CEO



HCT CO.,LTD.

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea Tel. +82 31 645 6300 Fax. +82 31 645 6401

TEST REPORT

REPORT NO. HCT-RF-2410-FC072

DATE OF ISSUE October 31, 2024

Additional Model SM-S721U1

Applicant	SAMSUNG Electronics Co., Ltd. 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Rep. of Korea
Product Name Model Name	Mobile Phone SM-S721U
FCC ID	A3LSMS721U
Date of Test	May 16, 2024 ~ July 19, 2024
FCC Classification:	PCS Licensed Transmitter Held to Ear (PCE)
Test Standard Used	FCC 47 CFR PART 25
Test Results	PASS
Location of Test	■ Permanent Testing Lab □ On Site Testing Lab (Address: 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggido, Republic of Korea)

F-TP22-03 (Rev. 06) Page 2 of 7



REVISION HISTORY

The revision history for this test report is shown in table.

Revision No. Date of Issue		Description	
0	October 31, 2024	Initial Release	

Notice

-		
	Content	

Engineering Statement:

The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of the FCC Rules under normal use and maintenance.

The results shown in this test report only apply to the sample(s), as received, provided by the applicant, unless otherwise stated.

The test results have only been applied with the test methods required by the standard(s).

When confirmation of authenticity of this test report is required, please contact www.hct.co.kr

The test results in this test report are not associated with the ((KS Q) ISO/IEC 17025) accreditation by KOLAS (Korea Laboratory Accreditation Scheme) / A2LA (American Association for Laboratory Accreditation) that are under the ILAC (International Laboratory Accreditation Cooperation) Mutual Recognition Agreement (MRA).

F-TP22-03 (Rev. 06) Page 3 of 7



CONTENTS

1. GENERAL INFORMATION	5
2. INTRODUCTION	6
2.1. DESCRIPTION OF EUT	6
2.2. MEASURING INSTRUMENT CALIBRATION	6
2.3. TEST FACILITY	6
3. SUPPLEMENTAL COVERAGE FROM SPACE (SCS)	7

F-TP22-03 (Rev. 06) Page 4 of 7



1. GENERAL INFORMATION

Applicant Name:	SAMSUNG Electronics Co., Ltd.	
Address:	ss: 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Rep	
FCC ID:	A3LSMS721U	
Application Type:	Certification	
FCC Classification:	PCS Licensed Transmitter Held to Ear (PCE)	
FCC Rule Part(s):	§ 25	
EUT Type:	Mobile phone	
Model(s):	SM-S721U	
Additional Model(s)	SM-S721U1	
Date(s) of Tests:	May 16, 2024 ~ July 19, 2024	

F-TP22-03 (Rev. 06) Page 5 of 7



2. INTRODUCTION

2.1. DESCRIPTION OF EUT

The EUT was a Mobile Phone with GSM/GPRS/EGPRS/UMTS and LTE, Sub 6, mmWave. It also supports IEEE 802.11 a/b/g/n/ac/ax (20/40/80/160 MHz), Bluetooth(iPA, ePA), BT LE(iPA, ePA), NFC, WPT, WIFI 6E.

2.2. MEASURING INSTRUMENT CALIBRATION

The measuring equipment, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipment, which is traceable to recognized national standards.

2.3. TEST FACILITY

The Fully-anechoic chamber and conducted measurement facility used to collect the radiated data are located at the **74**, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea

F-TP22-03 (Rev. 06) Page 6 of 7



3. SUPPLEMENTAL COVERAGE FROM SPACE (SCS)

Under section § 25.109 (f) of the FCC rules Space and SCS earth stations providing SCS are subject to technical rules in parts 2, 22, 24, and 27 of this chapter based on the operating frequency band. Section §

25.204 (g) specifies that earth stations providing SCS pursuant to § § 25.125 and 25.115 shall comply with the power requirements and out-of-band emission limits corresponding to devices operating in parts 22, 24, or 27 of this chapter (e.g., § § 22.913, 24.232, 27.50), as required for their operating frequencies. We have clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.

The table below identifies the SCS frequencies available for use and, for each band, the applicable FCC Part 22, 24, 27, and 90R technical requirements, the air interfaces supported by the device for SCS use and, in the final column, the reference to the test report containing the relevant test data showing compliance with the technical requirements.

The bands available for SCS and the bands supported by the devices in the scope of this report are:

Band	Frequency					Reference to test report showing
	DL (MHz)	UL (MHz)	Part 22/24/27 Rule parts	3GPP Band	Supported	compliance with § 25.204 (g) for power requirements and out-of-band emission limits Note 1
600 MHz:	614-652	663-698	27.5 (c) 27.50 (c) 27.53 (g)	71/n71	Yes	HCT-RF-2407-FC014 HCT-RF-2407-FC033
700 MHz:	729 – 746	699 –716	27.5 (c) 27.50 (c) 27.53 (g)	12/n12 17	Yes	HCT-RF-2407-FC022 HCT-RF-2407-FC027
	746 – 756	777 – 787	27.5 (b) 27.50 (b) 27.53 (f)	13/n13	Yes	HCT-RF-2407-FC023
	758 - 769	788 - 799	90R	14 / n14	Yes	HCT-RF-2407-FC024
	805-806 MHz				No	-
800 MHz:	869 - 894	824-849	22H	WCDMA 5 5/n5 26/N26	Yes	HCT-RF-2407-FC013 HCT-RF-2407-FC021 HCT-RF-2407-FC045 HCT-RF-2407-FC019 HCT-RF-2407-FC026 HCT-RF-2407-FC029 HCT-RF-2407-FC030
Broadband PCS:	1930 - 1995	1850-1915	24E 24E	WCDMA 2 2/n2 25/n25	Yes	HCT-RF-2407-FC013 HCT-RF-2407-FC025 HCT-RF-2407-FC037

Note 1: Test reports are for the reference model FCC ID A3LSMS721U.

F-TP22-03 (Rev. 06) Page 7 of 7