

7.4 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW \geq 1% of the emission bandwidth
4. VBW \geq 3 x RBW
5. Detector = RMS
6. Number of sweep points \geq 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 68 of 149 |


Test Notes

Per 22.917(b) 24.238(a) 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMS757BL |  | <p align="center">MEASUREMENT REPORT (CERTIFICATION)</p> |  | <p>Approved by: Quality Manager</p> |
| <p>Test Report S/N: 1M1805090103-03.A3L</p> | <p>Test Dates: 3/8 - 4/17/2018</p> | <p>EUT Type: Portable Handset</p> | <p>Page 69 of 149</p> | |

Band 71




Plot 7-94. Lower Band Edge Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-95. Upper Band Edge Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 70 of 149 |




Plot 7-98. Lower Band Edge Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-99. Upper Band Edge Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)

| | | | |
|---|---|-------------------------------|---------------------------------|
| FCC ID: A3LSMS757BL |  MEASUREMENT REPORT (CERTIFICATION)  | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 72 of 149 |



Plot 7-100. Lower Band Edge Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-101. Upper Band Edge Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 73 of 149 |

Band 12



Plot 7-102. Lower Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-103. Upper Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 74 of 149 |



Plot 7-104. Lower Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-105. Upper Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 75 of 149 |




Plot 7-106. Lower Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-107. Upper Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 76 of 149 |



Plot 7-108. Lower Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-109. Upper Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 77 of 149 |

Band 5



Plot 7-110. Lower Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-111. Lower Extended Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|-------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 78 of 149 |



Plot 7-112. Upper Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-113. Upper Extended Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 79 of 149 |



Plot 7-114. Lower Band Edge Plot (Band 5 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-115. Upper Band Edge Plot (Band 5 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 80 of 149 |




Plot 7-116. Lower Band Edge Plot (Band 5 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-117. Upper Band Edge Plot (Band 5 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 81 of 149 |



Plot 7-118. Lower Band Edge Plot (Band 5 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-119. Upper Band Edge Plot (Band 5 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 82 of 149 |

Band 66/4



Plot 7-120. Lower Band Edge Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-121. Lower Extended Band Edge Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 83 of 149 |



Plot 7-122. Upper Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-123. Upper Extended Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 84 of 149 |




Plot 7-124. Upper Band Edge Plot (Band 66 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-125. Upper Extended Band Edge Plot (Band 66 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 85 of 149 |



Plot 7-126. Lower Band Edge Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-127. Lower Extended Band Edge Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 86 of 149 |



Plot 7-128. Upper Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-129. Upper Extended Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 87 of 149 |




Plot 7-130. Upper Band Edge Plot (Band 66 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-131. Upper Extended Band Edge Plot (Band 66 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 88 of 149 |



Plot 7-132. Lower Band Edge Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-133. Lower Extended Band Edge Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 89 of 149 |



Plot 7-134. Upper Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-135. Upper Extended Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 90 of 149 |




Plot 7-136. Upper Band Edge Plot (Band 66 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-137. Upper Extended Band Edge Plot (Band 66 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 91 of 149 |



Plot 7-138. Lower Band Edge Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-139. Lower Extended Band Edge Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 92 of 149 |




Plot 7-140. Upper Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-141. Upper Extended Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 93 of 149 |



Plot 7-142. Upper Band Edge Plot (Band 66 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-143. Upper Extended Band Edge Plot (Band 66 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 94 of 149 |



Plot 7-144. Lower Band Edge Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-145. Lower Extended Band Edge Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 95 of 149 |




Plot 7-146. Upper Band Edge Plot (Band 4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-147. Upper Extended Band Edge Plot (Band 4 - 15.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 96 of 149 |



Plot 7-148. Upper Band Edge Plot (Band 66 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-149. Upper Extended Band Edge Plot (Band 66 - 15.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|-------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMS757BL | | | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 97 of 149 | |



Plot 7-150. Lower Band Edge Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-151. Lower Extended Band Edge Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 98 of 149 |



Plot 7-152. Upper Band Edge Plot (Band 4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-153. Upper Extended Band Edge Plot (Band 4 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 99 of 149 |



Plot 7-154. Upper Band Edge Plot (Band 66 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-155. Upper Extended Band Edge Plot (Band 66 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|-------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 100 of 149 | |

Band 2



Plot 7-156. Lower Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-157. Lower Extended Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)

| | | | | | |
|---|--------------------------------|-------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | | Page 101 of 149 |



Plot 7-158. Upper Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-159. Upper Extended Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 102 of 149 |



Plot 7-160. Lower Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-161. Lower Extended Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 103 of 149 |




Plot 7-162. Upper Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-163. Upper Extended Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 104 of 149 |



Plot 7-164. Lower Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-165. Lower Extended Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 105 of 149 |



Plot 7-166. Upper Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-167. Upper Extended Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 106 of 149 |



Plot 7-168. Lower Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-169. Lower Extended Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 107 of 149 |



Plot 7-170. Upper Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-171. Upper Extended Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 108 of 149 |



Plot 7-172. Lower Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-173. Lower Extended Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 109 of 149 |




Plot 7-174. Upper Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-175. Upper Extended Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 110 of 149 |



Plot 7-176. Lower Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-177. Lower Extended Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 111 of 149 |



Plot 7-178. Upper Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-179. Upper Extended Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 112 of 149 |

7.5 Peak-Average Ratio

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 D01 v03 – Section 5.7.1

Test Settings

1. The signal analyzer’s CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW > Emission bandwidth of signal
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Test Instrument & Measurement Setup

Test Notes


None.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 113 of 149 | |

Band 2




Plot 7-180. PAR Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-181. PAR Plot (Band 2 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 114 of 149 |




Plot 7-182. PAR Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-183. PAR Plot (Band 2 - 3.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 115 of 149 |




Plot 7-184. PAR Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-185. PAR Plot (Band 2 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 116 of 149 |




Plot 7-186. PAR Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-187. PAR Plot (Band 2 - 10.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 117 of 149 |




Plot 7-188. PAR Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-189. PAR Plot (Band 2 - 15.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 118 of 149 |



Plot 7-190. PAR Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-191. PAR Plot (Band 2 - 20.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 119 of 149 |

7.6 Radiated Power (ERP/EIRP)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v03 – Section 5.2.1

ANSI/TIA-603-E-2016 – Section 2.2.17

Test Settings

1. Radiated power measurements are performed using the signal analyzer’s “channel power” measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW \geq 3 x RBW
4. Span = 1.5 times the OBW
5. No. of sweep points \geq 2 x span / RBW
6. Detector = RMS
7. Trigger is set to “free run” for signals with continuous operation with the sweep times set to “auto”.
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 120 of 149 | |

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Radiated Test Setup <1GHz




Figure 7-6. Radiated Test Setup >1GHz

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 121 of 149 | |

| Frequency [MHz] | Channel Bandwidth [MHz] | Mod. | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | RB Size/Offset | Substitute Level [dBm] | Ant. Gain [dBi] | ERP [dBm] | ERP [Watts] | ERP Limit [dBm] | Margin [dB] |
|-----------------|-------------------------|--------|-----------------|---------------------|----------------------------|----------------|------------------------|-----------------|--------------|--------------|-----------------|-------------|
| 665.50 | 5 | QPSK | H | 150 | 200 | 1 / 24 | 17.00 | 1.10 | 15.95 | 0.039 | 34.77 | -18.82 |
| 680.50 | 5 | QPSK | H | 150 | 200 | 1 / 24 | 18.51 | 1.10 | 17.46 | 0.056 | 34.77 | -17.31 |
| 695.50 | 5 | QPSK | H | 150 | 200 | 1 / 24 | 18.73 | 1.10 | 17.68 | 0.059 | 34.77 | -17.09 |
| 695.50 | 5 | 16-QAM | H | 150 | 200 | 1 / 24 | 17.56 | 1.10 | 16.51 | 0.045 | 34.77 | -18.26 |
| 668.00 | 10 | QPSK | H | 150 | 196 | 1 / 49 | 18.08 | 1.10 | 17.03 | 0.050 | 34.77 | -17.74 |
| 680.50 | 10 | QPSK | H | 150 | 196 | 1 / 49 | 18.50 | 1.10 | 17.45 | 0.056 | 34.77 | -17.32 |
| 693.00 | 10 | QPSK | H | 150 | 196 | 1 / 49 | 18.97 | 1.10 | 17.92 | 0.062 | 34.77 | -16.85 |
| 693.00 | 10 | 16-QAM | H | 150 | 196 | 1 / 49 | 17.77 | 1.10 | 16.72 | 0.047 | 34.77 | -18.05 |
| 670.50 | 15 | QPSK | H | 150 | 195 | 1 / 74 | 18.40 | 1.10 | 17.35 | 0.054 | 34.77 | -17.42 |
| 680.50 | 15 | QPSK | H | 150 | 195 | 1 / 74 | 18.42 | 1.10 | 17.37 | 0.055 | 34.77 | -17.40 |
| 690.50 | 15 | QPSK | H | 150 | 195 | 1 / 74 | 18.79 | 1.10 | 17.74 | 0.059 | 34.77 | -17.03 |
| 690.50 | 15 | 16-QAM | H | 150 | 195 | 1 / 74 | 17.62 | 1.10 | 16.57 | 0.045 | 34.77 | -18.20 |
| 673.00 | 20 | QPSK | H | 150 | 191 | 1 / 99 | 18.73 | 1.10 | 17.68 | 0.059 | 34.77 | -17.09 |
| 680.50 | 20 | QPSK | H | 150 | 191 | 1 / 99 | 18.02 | 1.10 | 16.97 | 0.050 | 34.77 | -17.80 |
| 688.00 | 20 | QPSK | H | 150 | 191 | 1 / 99 | 18.81 | 1.10 | 17.76 | 0.060 | 34.77 | -17.01 |
| 688.00 | 20 | 16-QAM | H | 150 | 191 | 1 / 99 | 17.72 | 1.10 | 16.67 | 0.046 | 34.77 | -18.10 |
| 693.00 | 10 | QPSK | V | 150 | 341 | 1 / 99 | 18.59 | 1.10 | 17.54 | 0.057 | 34.77 | -17.23 |

Table 7-3. ERP Data (Band 71)

| | | | | |
|---|---|---|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 122 of 149 | |

| Frequency [MHz] | Channel Bandwidth [MHz] | Mod. | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | RB Size/Offset | Substitute Level [dBm] | Ant. Gain [dBi] | ERP [dBm] | ERP [Watts] | ERP Limit [dBm] | Margin [dB] | EIRP [dBm] | EIRP [Watts] | EIRP Limit [dBm] | Margin [dB] |
|-----------------|-------------------------|--------|-----------------|---------------------|----------------------------|----------------|------------------------|-----------------|--------------|--------------|-----------------|-------------|--------------|--------------|------------------|-------------|
| 699.70 | 1.4 | QPSK | V | 150 | 13 | 3 / 2 | 20.32 | 1.10 | 19.27 | 0.085 | 34.77 | -15.50 | 21.42 | 0.139 | 36.99 | -15.57 |
| 707.50 | 1.4 | QPSK | V | 150 | 13 | 3 / 2 | 20.64 | 1.13 | 19.62 | 0.092 | 34.77 | -15.15 | 21.77 | 0.150 | 36.99 | -15.22 |
| 715.30 | 1.4 | QPSK | V | 150 | 13 | 3 / 2 | 20.78 | 1.16 | 19.79 | 0.095 | 34.77 | -14.98 | 21.94 | 0.156 | 36.99 | -15.05 |
| 715.30 | 1.4 | 16-QAM | V | 150 | 13 | 3 / 2 | 20.07 | 1.16 | 19.08 | 0.081 | 34.77 | -15.69 | 21.23 | 0.133 | 36.99 | -15.76 |
| 700.50 | 3 | QPSK | V | 150 | 345 | 1 / 14 | 20.39 | 1.10 | 19.34 | 0.086 | 34.77 | -15.43 | 21.49 | 0.141 | 36.99 | -15.50 |
| 707.50 | 3 | QPSK | V | 150 | 345 | 1 / 14 | 20.75 | 1.13 | 19.73 | 0.094 | 34.77 | -15.04 | 21.88 | 0.154 | 36.99 | -15.11 |
| 714.50 | 3 | QPSK | V | 150 | 345 | 1 / 14 | 20.88 | 1.16 | 19.89 | 0.097 | 34.77 | -14.88 | 22.04 | 0.160 | 36.99 | -14.95 |
| 714.50 | 3 | 16-QAM | V | 150 | 345 | 1 / 14 | 19.86 | 1.16 | 18.87 | 0.077 | 34.77 | -15.90 | 21.02 | 0.126 | 36.99 | -15.97 |
| 701.50 | 5 | QPSK | V | 150 | 357 | 1 / 24 | 20.42 | 1.11 | 19.38 | 0.087 | 34.77 | -15.40 | 21.53 | 0.142 | 36.99 | -15.46 |
| 707.50 | 5 | QPSK | V | 150 | 357 | 1 / 24 | 20.87 | 1.13 | 19.85 | 0.097 | 34.77 | -14.92 | 22.00 | 0.159 | 36.99 | -14.99 |
| 713.50 | 5 | QPSK | V | 150 | 357 | 1 / 24 | 20.85 | 1.15 | 19.85 | 0.097 | 34.77 | -14.92 | 22.00 | 0.159 | 36.99 | -14.99 |
| 713.50 | 5 | 16-QAM | V | 150 | 357 | 1 / 24 | 19.94 | 1.15 | 18.94 | 0.078 | 34.77 | -15.83 | 21.09 | 0.129 | 36.99 | -15.90 |
| 704.00 | 10 | QPSK | V | 150 | 17 | 1 / 49 | 20.83 | 1.12 | 19.80 | 0.095 | 34.77 | -14.97 | 21.95 | 0.157 | 36.99 | -15.04 |
| 707.50 | 10 | QPSK | V | 150 | 17 | 1 / 49 | 20.97 | 1.13 | 19.95 | 0.099 | 34.77 | -14.82 | 22.10 | 0.162 | 36.99 | -14.89 |
| 711.00 | 10 | QPSK | V | 150 | 17 | 1 / 49 | 20.75 | 1.14 | 19.74 | 0.094 | 34.77 | -15.03 | 21.89 | 0.155 | 36.99 | -15.10 |
| 711.00 | 10 | 16-QAM | V | 150 | 17 | 1 / 49 | 19.89 | 1.14 | 18.88 | 0.077 | 34.77 | -15.89 | 21.03 | 0.127 | 36.99 | -15.96 |
| 707.50 | 10 | QPSK | H | 150 | 341 | 1 / 49 | 19.14 | 1.13 | 18.12 | 0.065 | 34.77 | -16.65 | 20.27 | 0.106 | 36.99 | -16.72 |

Table 7-4. ERP Data (Band 12)

| Frequency [MHz] | Channel Bandwidth [MHz] | Mod. | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | RB Size/Offset | Substitute Level [dBm] | Ant. Gain [dBi] | ERP [dBm] | ERP [Watts] | ERP Limit [dBm] | Margin [dB] | EIRP [dBm] | EIRP [Watts] | EIRP Limit [dBm] | Margin [dB] |
|-----------------|-------------------------|--------|-----------------|---------------------|----------------------------|----------------|------------------------|-----------------|--------------|--------------|-----------------|-------------|--------------|--------------|------------------|-------------|
| 824.70 | 1.4 | QPSK | H | 150 | 11 | 1 / 0 | 20.11 | 1.50 | 19.46 | 0.088 | 38.45 | -18.99 | 21.61 | 0.145 | 40.61 | -19.00 |
| 836.50 | 1.4 | QPSK | H | 150 | 10 | 1 / 0 | 22.06 | 1.50 | 21.41 | 0.138 | 38.45 | -17.04 | 23.56 | 0.227 | 40.61 | -17.05 |
| 848.30 | 1.4 | QPSK | H | 150 | 10 | 1 / 0 | 22.93 | 1.50 | 22.28 | 0.169 | 38.45 | -16.17 | 24.43 | 0.277 | 40.61 | -16.18 |
| 848.30 | 1.4 | 16-QAM | H | 150 | 10 | 1 / 0 | 21.72 | 1.50 | 21.07 | 0.128 | 38.45 | -17.38 | 23.22 | 0.210 | 40.61 | -17.39 |
| 825.50 | 3 | QPSK | H | 150 | 5 | 1 / 0 | 20.26 | 1.50 | 19.61 | 0.091 | 38.45 | -18.84 | 21.76 | 0.150 | 40.61 | -18.85 |
| 836.50 | 3 | QPSK | H | 150 | 5 | 1 / 0 | 21.96 | 1.50 | 21.31 | 0.135 | 38.45 | -17.14 | 23.46 | 0.222 | 40.61 | -17.15 |
| 847.50 | 3 | QPSK | H | 150 | 5 | 1 / 0 | 22.92 | 1.50 | 22.27 | 0.169 | 38.45 | -16.18 | 24.42 | 0.277 | 40.61 | -16.19 |
| 847.50 | 3 | 16-QAM | H | 150 | 5 | 1 / 0 | 21.59 | 1.50 | 20.94 | 0.124 | 38.45 | -17.51 | 23.09 | 0.204 | 40.61 | -17.52 |
| 826.50 | 5 | QPSK | H | 150 | 3 | 1 / 0 | 19.99 | 1.50 | 19.34 | 0.086 | 38.45 | -19.11 | 21.49 | 0.141 | 40.61 | -19.12 |
| 836.50 | 5 | QPSK | H | 150 | 3 | 1 / 0 | 21.76 | 1.50 | 21.11 | 0.129 | 38.45 | -17.34 | 23.26 | 0.212 | 40.61 | -17.35 |
| 846.50 | 5 | QPSK | H | 15 | 3 | 1 / 0 | 22.45 | 1.50 | 21.80 | 0.151 | 38.45 | -16.65 | 23.95 | 0.248 | 40.61 | -16.66 |
| 846.50 | 5 | 16-QAM | H | 15 | 3 | 1 / 0 | 21.09 | 1.50 | 20.44 | 0.111 | 38.45 | -18.01 | 22.59 | 0.182 | 40.61 | -18.02 |
| 829.00 | 10 | QPSK | H | 150 | 3 | 1 / 49 | 21.26 | 1.50 | 20.61 | 0.115 | 38.45 | -17.84 | 22.76 | 0.189 | 40.61 | -17.85 |
| 836.50 | 10 | QPSK | H | 150 | 3 | 1 / 49 | 21.84 | 1.50 | 21.19 | 0.132 | 38.45 | -17.26 | 23.34 | 0.216 | 40.61 | -17.27 |
| 844.00 | 10 | QPSK | H | 150 | 3 | 1 / 49 | 22.44 | 1.50 | 21.79 | 0.151 | 38.45 | -16.66 | 23.94 | 0.248 | 40.61 | -16.67 |
| 844.00 | 10 | 16-QAM | H | 150 | 3 | 1 / 49 | 21.69 | 1.50 | 21.04 | 0.127 | 38.45 | -17.41 | 23.19 | 0.208 | 40.61 | -17.42 |
| 848.30 | 1.4 | QPSK | V | 150 | 359 | 1 / 0 | 19.87 | 1.50 | 19.22 | 0.084 | 38.45 | -19.23 | 21.37 | 0.137 | 40.61 | -19.24 |

Table 7-5. ERP Data (Band 5)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 123 of 149 | |

| Frequency [MHz] | Channel Bandwidth [MHz] | Mod. | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | RB Size/Offset | Substitute Level [dBm] | Ant. Gain [dBi] | EIRP [dBm] | EIRP [Watts] | EIRP Limit [dBm] | Margin [dB] |
|-----------------|-------------------------|--------|-----------------|---------------------|----------------------------|----------------|------------------------|-----------------|--------------|--------------|------------------|-------------|
| 1710.70 | 1.4 | QPSK | V | 150 | 92 | 1 / 0 | 19.28 | 5.56 | 24.84 | 0.305 | 30.00 | -5.16 |
| 1745.00 | 1.4 | QPSK | V | 150 | 92 | 6 / 0 | 19.84 | 5.32 | 25.16 | 0.328 | 30.00 | -4.84 |
| 1779.30 | 1.4 | QPSK | V | 150 | 89 | 1 / 0 | 20.56 | 5.09 | 25.65 | 0.367 | 30.00 | -4.35 |
| 1779.30 | 1.4 | 16-QAM | V | 150 | 89 | 1 / 0 | 20.40 | 5.09 | 25.49 | 0.354 | 30.00 | -4.51 |
| 1711.50 | 3 | QPSK | V | 150 | 94 | 1 / 0 | 19.33 | 5.55 | 24.88 | 0.308 | 30.00 | -5.12 |
| 1745.00 | 3 | QPSK | V | 150 | 94 | 1 / 0 | 20.05 | 5.32 | 25.37 | 0.345 | 30.00 | -4.63 |
| 1778.50 | 3 | QPSK | V | 150 | 94 | 1 / 0 | 20.49 | 5.10 | 25.59 | 0.362 | 30.00 | -4.41 |
| 1778.50 | 3 | 16-QAM | V | 150 | 94 | 1 / 0 | 20.24 | 5.10 | 25.34 | 0.342 | 30.00 | -4.66 |
| 1712.50 | 5 | QPSK | V | 150 | 85 | 1 / 0 | 18.75 | 5.55 | 24.30 | 0.269 | 30.00 | -5.70 |
| 1745.00 | 5 | QPSK | V | 150 | 85 | 1 / 0 | 19.55 | 5.32 | 24.87 | 0.307 | 30.00 | -5.13 |
| 1777.50 | 5 | QPSK | V | 150 | 85 | 1 / 0 | 20.38 | 5.10 | 25.48 | 0.354 | 30.00 | -4.52 |
| 1777.50 | 5 | 16-QAM | V | 150 | 85 | 1 / 0 | 20.01 | 5.10 | 25.11 | 0.325 | 30.00 | -4.89 |
| 1715.00 | 10 | QPSK | V | 150 | 93 | 1 / 0 | 19.51 | 5.53 | 25.04 | 0.319 | 30.00 | -4.96 |
| 1745.00 | 10 | QPSK | V | 150 | 93 | 1 / 0 | 20.10 | 5.32 | 25.42 | 0.349 | 30.00 | -4.58 |
| 1775.00 | 10 | QPSK | V | 150 | 93 | 1 / 0 | 20.26 | 5.12 | 25.38 | 0.345 | 30.00 | -4.62 |
| 1745.00 | 10 | 16-QAM | V | 150 | 93 | 1 / 0 | 19.89 | 5.32 | 25.21 | 0.332 | 30.00 | -4.79 |
| 1717.50 | 15 | QPSK | V | 150 | 91 | 1 / 0 | 19.37 | 5.51 | 24.88 | 0.308 | 30.00 | -5.12 |
| 1745.00 | 15 | QPSK | V | 150 | 91 | 1 / 0 | 19.77 | 5.32 | 25.09 | 0.323 | 30.00 | -4.91 |
| 1772.50 | 15 | QPSK | V | 150 | 91 | 1 / 0 | 20.19 | 5.14 | 25.33 | 0.341 | 30.00 | -4.67 |
| 1772.50 | 15 | 16-QAM | V | 150 | 91 | 1 / 0 | 19.98 | 5.14 | 25.12 | 0.325 | 30.00 | -4.88 |
| 1720.00 | 20 | QPSK | V | 150 | 92 | 1 / 99 | 19.51 | 5.49 | 25.00 | 0.316 | 30.00 | -5.00 |
| 1745.00 | 20 | QPSK | V | 150 | 92 | 1 / 99 | 19.93 | 5.32 | 25.25 | 0.335 | 30.00 | -4.75 |
| 1770.00 | 20 | QPSK | V | 150 | 92 | 1 / 99 | 20.71 | 5.15 | 25.86 | 0.386 | 30.00 | -4.14 |
| 1770.00 | 20 | 16-QAM | V | 150 | 92 | 1 / 99 | 20.20 | 5.15 | 25.35 | 0.343 | 30.00 | -4.65 |
| 1770.00 | 20 | QPSK | H | 150 | 100 | 100 / 0 | 20.69 | 5.15 | 25.84 | 0.384 | 30.00 | -4.16 |

Table 7-6. EIRP Data (Band 66/4)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 124 of 149 | |

| Frequency [MHz] | Channel Bandwidth [MHz] | Mod. | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | RB Size/Offset | Substitute Level [dBm] | Ant. Gain [dBi] | EIRP [dBm] | EIRP [Watts] | EIRP Limit [dBm] | Margin [dB] |
|-----------------|-------------------------|--------|-----------------|---------------------|----------------------------|----------------|------------------------|-----------------|--------------|--------------|------------------|-------------|
| 1850.70 | 1.4 | QPSK | V | 150 | 339 | 1 / 5 | 17.44 | 4.82 | 22.26 | 0.168 | 33.01 | -10.75 |
| 1880.00 | 1.4 | QPSK | V | 150 | 334 | 1 / 5 | 18.11 | 4.74 | 22.85 | 0.193 | 33.01 | -10.16 |
| 1909.30 | 1.4 | QPSK | V | 150 | 330 | 1 / 5 | 16.45 | 4.68 | 21.13 | 0.130 | 33.01 | -11.88 |
| 1850.70 | 1.4 | 16-QAM | V | 150 | 339 | 1 / 0 | 16.55 | 4.82 | 21.37 | 0.137 | 33.01 | -11.64 |
| 1851.50 | 3 | QPSK | V | 150 | 68 | 1 / 0 | 18.28 | 4.82 | 23.10 | 0.204 | 33.01 | -9.91 |
| 1880.00 | 3 | QPSK | V | 150 | 83 | 1 / 0 | 19.16 | 4.74 | 23.90 | 0.245 | 33.01 | -9.11 |
| 1908.50 | 3 | QPSK | V | 150 | 83 | 1 / 14 | 19.46 | 4.68 | 24.14 | 0.260 | 33.01 | -8.87 |
| 1880.00 | 3 | 16-QAM | V | 150 | 83 | 1 / 14 | 18.38 | 4.74 | 23.12 | 0.205 | 33.01 | -9.89 |
| 1852.50 | 5 | QPSK | V | 150 | 114 | 1 / 24 | 19.80 | 4.81 | 24.61 | 0.289 | 33.01 | -8.40 |
| 1880.00 | 5 | QPSK | V | 150 | 116 | 1 / 0 | 19.85 | 4.74 | 24.59 | 0.288 | 33.01 | -8.42 |
| 1907.50 | 5 | QPSK | V | 150 | 115 | 1 / 24 | 19.16 | 4.68 | 23.84 | 0.242 | 33.01 | -9.17 |
| 1880.00 | 5 | 16-QAM | V | 150 | 116 | 1 / 0 | 18.41 | 4.74 | 23.15 | 0.207 | 33.01 | -9.86 |
| 1855.00 | 10 | QPSK | V | 150 | 116 | 1 / 0 | 19.78 | 4.81 | 24.59 | 0.287 | 33.01 | -8.42 |
| 1880.00 | 10 | QPSK | V | 150 | 114 | 1 / 0 | 19.80 | 4.74 | 24.54 | 0.284 | 33.01 | -8.47 |
| 1905.00 | 10 | QPSK | V | 150 | 118 | 1 / 0 | 19.88 | 4.68 | 24.56 | 0.286 | 33.01 | -8.45 |
| 1855.00 | 10 | 16-QAM | V | 150 | 116 | 1 / 0 | 18.85 | 4.81 | 23.66 | 0.232 | 33.01 | -9.35 |
| 1857.50 | 15 | QPSK | V | 150 | 113 | 1 / 0 | 19.30 | 4.80 | 24.10 | 0.257 | 33.01 | -8.91 |
| 1880.00 | 15 | QPSK | V | 150 | 114 | 1 / 0 | 19.82 | 4.74 | 24.56 | 0.286 | 33.01 | -8.45 |
| 1902.50 | 15 | QPSK | V | 150 | 114 | 1 / 0 | 19.50 | 4.69 | 24.19 | 0.262 | 33.01 | -8.82 |
| 1857.50 | 15 | 16-QAM | V | 150 | 113 | 1 / 0 | 19.04 | 4.80 | 23.84 | 0.242 | 33.01 | -9.17 |
| 1860.00 | 20 | QPSK | V | 150 | 128 | 1 / 0 | 19.67 | 4.79 | 24.46 | 0.279 | 33.01 | -8.55 |
| 1880.00 | 20 | QPSK | V | 150 | 123 | 1 / 0 | 19.44 | 4.74 | 24.18 | 0.262 | 33.01 | -8.83 |
| 1900.00 | 20 | QPSK | V | 150 | 120 | 1 / 0 | 19.02 | 4.69 | 23.71 | 0.235 | 33.01 | -9.30 |
| 1860.00 | 20 | 16-QAM | V | 150 | 128 | 1 / 0 | 18.51 | 4.79 | 23.30 | 0.214 | 33.01 | -9.71 |
| 1852.50 | 5 | QPSK | H | 150 | 185 | 1 / 99 | 19.29 | 4.81 | 24.10 | 0.257 | 33.01 | -8.91 |

Table 7-7. EIRP Data (Band 2)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 125 of 149 | |

7.7 Radiated Spurious Emissions Measurements

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas.

Test Procedures Used

KDB 971168 D01 v03 – Section 5.8

ANSI/TIA-603-E-2016 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW \geq 3 x RBW
3. Span = 1.5 times the OBW
4. No. of sweep points \geq 2 x span / RBW
5. Detector = RMS
6. Trace mode = Average (Max Hold for pulsed emissions)
7. The trace was allowed to stabilize

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 126 of 149 |

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-7. Test Instrument & Measurement Setup

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.
- 3) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
- 4) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
- 5) The "-" shown in the following RSE tables are used to denote a noise floor measurement.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 127 of 149 | |

Band 71



Plot 7-192. Radiated Spurious Plot above 1GHz (Band 71)

OPERATING FREQUENCY: 673.00 MHz
 CHANNEL: 133222
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1346.00 | H | 206 | 50 | -63.70 | 3.87 | -59.83 | -46.8 |
| 2019.00 | H | 395 | 157 | -69.17 | 4.74 | -64.43 | -51.4 |
| 2692.00 | H | 181 | 22 | -69.63 | 6.50 | -63.12 | -50.1 |
| 3365.00 | H | - | - | -71.54 | 7.93 | -63.61 | -50.6 |
| 4038.00 | H | - | - | -71.95 | 9.07 | -62.88 | -49.9 |

Table 7-8. Radiated Spurious Data (Band 71 – Low Channel)

| | | | |
|---|---|-------------------------------|---------------------------------|
| FCC ID: A3LSMS757BL | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 128 of 149 |

OPERATING FREQUENCY: 680.50 MHz
 CHANNEL: 133297
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1361.00 | H | 125 | 44 | -64.76 | 4.00 | -60.76 | -47.8 |
| 2041.50 | H | 11 | 2 | -68.95 | 4.89 | -64.06 | -51.1 |
| 2722.00 | H | 112 | 17 | -70.42 | 6.64 | -63.79 | -50.8 |
| 3402.50 | H | - | - | -71.06 | 7.99 | -63.07 | -50.1 |
| 4083.00 | H | - | - | -72.03 | 9.05 | -62.98 | -50.0 |

Table 7-9. Radiated Spurious Data (Band 71 – Mid Channel)


OPERATING FREQUENCY: 688.00 MHz
 CHANNEL: 133372
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1376.00 | H | 172 | 47 | -67.99 | 8.00 | -59.99 | -47.0 |
| 2064.00 | H | 158 | 16 | -69.69 | 8.75 | -60.94 | -47.9 |
| 2752.00 | H | 104 | 39 | -75.83 | 9.73 | -66.10 | -53.1 |
| 3440.00 | H | - | - | -74.06 | 9.48 | -64.58 | -51.6 |

Table 7-10. Radiated Spurious Data (Band 71 – High Channel)

| | | | | | |
|---|---|-------------------------------|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | | Page 129 of 149 |

Band 12



Plot 7-193. Radiated Spurious Plot above 1GHz (Band 12)

OPERATING FREQUENCY: 704.00 MHz
 CHANNEL: 23060
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1408.00 | H | 149 | 135 | -62.30 | 8.00 | -54.29 | -41.3 |
| 2112.00 | H | 200 | 186 | -73.96 | 8.89 | -65.06 | -52.1 |
| 2816.00 | H | - | - | -77.82 | 10.10 | -67.72 | -54.7 |

Table 7-11. Radiated Spurious Data (Band 12 – Low Channel)

| | | | | |
|---|--------------------------------|------------------------------------|--|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 130 of 149 |

OPERATING FREQUENCY: 707.50 MHz
 CHANNEL: 23095
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1415.00 | H | 153 | 132 | -62.11 | 8.09 | -54.02 | -41.0 |
| 2122.50 | H | 104 | 221 | -74.24 | 8.88 | -65.36 | -52.4 |
| 2830.00 | H | 173 | 211 | -76.25 | 10.13 | -66.12 | -53.1 |
| 3537.50 | H | - | - | -74.41 | 9.69 | -64.71 | -51.7 |

Table 7-12. Radiated Spurious Data (Band 12 – Mid Channel)


OPERATING FREQUENCY: 711.00 MHz
 CHANNEL: 23130
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1422.00 | H | 100 | 129 | -60.87 | 8.17 | -52.70 | -39.7 |
| 2133.00 | H | 188 | 188 | -72.73 | 8.87 | -63.86 | -50.9 |
| 2844.00 | H | 140 | 203 | -75.97 | 10.16 | -65.80 | -52.8 |
| 3555.00 | H | - | - | -74.62 | 9.71 | -64.91 | -51.9 |

Table 7-13. Radiated Spurious Data (Band 12 – High Channel)

| | | | | | |
|---|---|---------------------------------------|--|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 131 of 149 | |

Band 5



Plot 7-194. Radiated Spurious Plot above 1GHz (Band 5)

OPERATING FREQUENCY: 824.70 MHz
 CHANNEL: 20407
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 1.4 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1649.40 | H | 120 | 41 | -73.39 | 9.01 | -64.38 | -51.4 |
| 2474.10 | H | 113 | 50 | -74.19 | 9.12 | -65.07 | -52.1 |
| 3298.80 | H | - | - | -74.93 | 9.37 | -65.56 | -52.6 |

Table 7-14. Radiated Spurious Data (Band 5 – Low Channel)

| | | | | | |
|---|--------------------------------|---------------------------------------|--|-----------------|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 132 of 149 | |

OPERATING FREQUENCY: 836.50 MHz
 CHANNEL: 20525
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 1.4 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1673.00 | H | 144 | 144 | -73.57 | 8.85 | -64.72 | -51.7 |
| 2509.50 | H | 139 | 52 | -75.98 | 9.17 | -66.81 | -53.8 |
| 3346.00 | H | - | - | -75.24 | 9.36 | -65.88 | -52.9 |


Table 7-15. Radiated Spurious Data (Band 5 – Mid Channel)

OPERATING FREQUENCY: 848.30 MHz
 CHANNEL: 20643
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 1.4 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 1696.60 | H | 177 | 147 | -70.48 | 8.68 | -61.80 | -48.8 |
| 2544.90 | H | 149 | 49 | -76.32 | 9.27 | -67.05 | -54.0 |
| 3393.20 | H | - | - | -73.87 | 9.46 | -64.41 | -51.4 |

Table 7-16. Radiated Spurious Data (Band 5 – High Channel)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 133 of 149 | |



Plot 7-195. Radiated Spurious Plot above 1GHz (Band 66/4)

OPERATING FREQUENCY: 1720.00 MHz
 CHANNEL: 132072
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3440.00 | H | 104 | 172 | -45.52 | 9.54 | -35.98 | -23.0 |
| 5160.00 | H | 113 | 38 | -55.41 | 10.79 | -44.61 | -31.6 |
| 6880.00 | H | 130 | 24 | -57.45 | 10.86 | -46.60 | -33.6 |
| 8600.00 | H | 104 | 185 | -68.99 | 11.69 | -57.30 | -44.3 |
| 10320.00 | H | - | - | -68.38 | 12.49 | -55.88 | -42.9 |

Table 7-17. Radiated Spurious Data (Band 66/4 – Low Channel)

| | | | | | |
|---|--------------------------------|---------------------------------------|--|-----------------|---------------------------------|
| FCC ID: A3LSMS757BL | | MEASUREMENT REPORT (CERTIFICATION) | | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 134 of 149 | |

OPERATING FREQUENCY: 1745.00 MHz
 CHANNEL: 132322
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3490.00 | H | 131 | 172 | -47.63 | 9.65 | -37.98 | -25.0 |
| 5235.00 | H | 100 | 188 | -49.26 | 10.93 | -38.33 | -25.3 |
| 6980.00 | H | 100 | 22 | -59.09 | 10.96 | -48.13 | -35.1 |
| 8725.00 | H | - | - | -69.01 | 11.83 | -57.18 | -44.2 |

Table 7-18. Radiated Spurious Data (Band 66/4 – Mid Channel)


OPERATING FREQUENCY: 1770.00 MHz
 CHANNEL: 132572
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3540.00 | H | 130 | 173 | -50.54 | 9.69 | -40.84 | -27.8 |
| 5310.00 | H | 100 | 182 | -44.92 | 10.97 | -33.96 | -21.0 |
| 7080.00 | H | 104 | 312 | -58.07 | 11.01 | -47.06 | -34.1 |
| 8850.00 | H | - | - | -68.95 | 11.95 | -57.00 | -44.0 |

Table 7-19. Radiated Spurious Data (Band 66/4 – High Channel)

| | | | | | |
|---|---|---------------------------------------|--|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | | Page 135 of 149 | |

Band 2



Plot 7-196. Radiated Spurious Plot above 1GHz (Band 2)

OPERATING FREQUENCY: 1857.50 MHz
 CHANNEL: 18675
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 15.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3715.00 | H | 120 | 45 | -60.47 | 9.72 | -50.75 | -37.8 |
| 5572.50 | H | 112 | 127 | -58.79 | 10.99 | -47.80 | -34.8 |
| 7430.00 | H | - | - | -66.43 | 10.79 | -55.64 | -42.6 |
| 9287.50 | H | - | - | -67.60 | 12.28 | -55.32 | -42.3 |

Table 7-20. Radiated Spurious Data (Band 2 – Low Channel)

| | | | |
|---|---|-------------------------------|---------------------------------|
| FCC ID: A3LSMS757BL |  MEASUREMENT REPORT (CERTIFICATION)  | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 136 of 149 |

OPERATING FREQUENCY: 1880.00 MHz
 CHANNEL: 18900
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 15.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3760.00 | H | 113 | 44 | -63.95 | 9.50 | -54.45 | -41.5 |
| 5640.00 | H | 161 | 110 | -65.99 | 11.16 | -54.83 | -41.8 |
| 7520.00 | H | - | - | -67.60 | 11.03 | -56.57 | -43.6 |
| 9400.00 | H | - | - | -67.91 | 12.19 | -55.72 | -42.7 |

Table 7-21. Radiated Spurious Data (Band 2 – Mid Channel)

OPERATING FREQUENCY: 1902.50 MHz
 CHANNEL: 19125
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 15.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

| Frequency [MHz] | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Level at Antenna Terminals [dBm] | Substitute Antenna Gain [dBi] | Spurious Emission Level [dBm] | Margin [dB] |
|-----------------|-----------------|---------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|-------------|
| 3805.00 | H | 109 | 39 | -56.81 | 9.31 | -47.51 | -34.5 |
| 5707.50 | H | 109 | 118 | -53.95 | 11.33 | -42.62 | -29.6 |
| 7610.00 | H | - | - | -67.43 | 11.26 | -56.17 | -43.2 |
| 9512.50 | H | - | - | -67.37 | 12.23 | -55.14 | -42.1 |

Table 7-22. Radiated Spurious Data (Band 2 – High Channel)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 137 of 149 | |

7.8 Frequency Stability / Temperature Variation

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-E-2016. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5 ppm) of the center frequency. For Part 24, Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI/TIA-603-E-2016

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 138 of 149 | |

Band 71 Frequency Stability Measurements

OPERATING FREQUENCY: 680,500,000 Hz
 CHANNEL: 133297
 REFERENCE VOLTAGE: 3.85 VDC

| VOLTAGE (%) | POWER (VDC) | TEMP (°C) | FREQUENCY (Hz) | Freq. Dev. (Hz) | Deviation (%) |
|----------------|-------------|------------|----------------|-----------------|---------------|
| 100 % | 3.85 | + 20 (Ref) | 680,499,804 | -196 | -0.0000288 |
| 100 % | | - 30 | 680,500,079 | 79 | 0.0000116 |
| 100 % | | - 20 | 680,500,444 | 444 | 0.0000652 |
| 100 % | | - 10 | 680,500,045 | 45 | 0.0000066 |
| 100 % | | 0 | 680,499,859 | -141 | -0.0000207 |
| 100 % | | + 10 | 680,499,892 | -108 | -0.0000159 |
| 100 % | | + 20 | 680,499,756 | -244 | -0.0000359 |
| 100 % | | + 30 | 680,500,165 | 165 | 0.0000242 |
| 100 % | | + 40 | 680,499,926 | -74 | -0.0000109 |
| 100 % | | + 50 | 680,499,898 | -102 | -0.0000150 |
| BATT. ENDPOINT | | 3.45 | + 20 | 680,499,926 | -74 |

Table 7-23. Frequency Stability Data (Band 71)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 139 of 149 | |

Band 71 Frequency Stability Measurements




Figure 7-8. Frequency Stability Graph (Band 71)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 140 of 149 | |

Band 12 Frequency Stability Measurements

OPERATING FREQUENCY: 707,500,000 Hz
 CHANNEL: 23790
 REFERENCE VOLTAGE: 3.85 VDC

| VOLTAGE (%) | POWER (VDC) | TEMP (°C) | FREQUENCY (Hz) | Freq. Dev. (Hz) | Deviation (%) |
|----------------|-------------|------------|----------------|-----------------|---------------|
| 100 % | 3.85 | + 20 (Ref) | 707,500,373 | 373 | 0.0000527 |
| 100 % | | - 30 | 707,499,873 | -127 | -0.0000180 |
| 100 % | | - 20 | 707,499,723 | -277 | -0.0000392 |
| 100 % | | - 10 | 707,499,998 | -2 | -0.0000003 |
| 100 % | | 0 | 707,499,994 | -6 | -0.0000008 |
| 100 % | | + 10 | 707,499,844 | -156 | -0.0000220 |
| 100 % | | + 20 | 707,500,051 | 51 | 0.0000072 |
| 100 % | | + 30 | 707,499,891 | -109 | -0.0000154 |
| 100 % | | + 40 | 707,499,883 | -117 | -0.0000165 |
| 100 % | | + 50 | 707,500,130 | 130 | 0.0000184 |
| BATT. ENDPOINT | | 3.45 | + 20 | 707,500,080 | 80 |

Table 7-24. Frequency Stability Data (Band 12)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 141 of 149 | |

Band 12 Frequency Stability Measurements




Figure 7-9. Frequency Stability Graph (Band 12)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 142 of 149 | |

Band 5 Frequency Stability Measurements

OPERATING FREQUENCY: 836,500,000 Hz
 CHANNEL: 20525
 REFERENCE VOLTAGE: 3.85 VDC
 DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

| VOLTAGE (%) | POWER (VDC) | TEMP (°C) | FREQUENCY (Hz) | Freq. Dev. (Hz) | Deviation (%) |
|----------------|-------------|------------|----------------|-----------------|---------------|
| 100 % | 3.85 | + 20 (Ref) | 836,499,733 | -267 | -0.0000319 |
| 100 % | | - 30 | 836,499,871 | -129 | -0.0000154 |
| 100 % | | - 20 | 836,500,316 | 316 | 0.0000378 |
| 100 % | | - 10 | 836,500,164 | 164 | 0.0000196 |
| 100 % | | 0 | 836,499,898 | -102 | -0.0000122 |
| 100 % | | + 10 | 836,499,940 | -60 | -0.0000072 |
| 100 % | | + 20 | 836,499,957 | -43 | -0.0000051 |
| 100 % | | + 30 | 836,500,044 | 44 | 0.0000053 |
| 100 % | | + 40 | 836,500,371 | 371 | 0.0000444 |
| 100 % | | + 50 | 836,499,948 | -52 | -0.0000062 |
| BATT. ENDPOINT | | 3.45 | + 20 | 836,500,177 | 177 |

Table 7-25. Frequency Stability Data (Band 5)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 143 of 149 | |

Band 5 Frequency Stability Measurements




Figure 7-10. Frequency Stability Graph (Band 5)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 144 of 149 | |

Band 66/4 Frequency Stability Measurements

OPERATING FREQUENCY: 1,745,000,000 Hz
 CHANNEL: 132322
 REFERENCE VOLTAGE: 3.85 VDC

| VOLTAGE (%) | POWER (VDC) | TEMP (°C) | FREQUENCY (Hz) | Freq. Dev. (Hz) | Deviation (%) |
|----------------|-------------|------------|----------------|-----------------|---------------|
| 100 % | 3.85 | + 20 (Ref) | 1,745,000,025 | 25 | 0.0000014 |
| 100 % | | - 30 | 1,745,000,408 | 408 | 0.0000234 |
| 100 % | | - 20 | 1,745,000,105 | 105 | 0.0000060 |
| 100 % | | - 10 | 1,744,999,798 | -202 | -0.0000116 |
| 100 % | | 0 | 1,745,000,089 | 89 | 0.0000051 |
| 100 % | | + 10 | 1,745,000,407 | 407 | 0.0000233 |
| 100 % | | + 20 | 1,744,999,894 | -106 | -0.0000061 |
| 100 % | | + 30 | 1,744,999,867 | -133 | -0.0000076 |
| 100 % | | + 40 | 1,744,999,701 | -299 | -0.0000171 |
| 100 % | | + 50 | 1,744,999,711 | -289 | -0.0000166 |
| BATT. ENDPOINT | | 3.45 | + 20 | 1,745,000,106 | 106 |

Table 7-26. Frequency Stability Data (Band 66/4)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

| | | | |
|---|---|-------------------------------|---------------------------------|
| FCC ID: A3LSMS757BL |  MEASUREMENT REPORT (CERTIFICATION)  | | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 145 of 149 |

Band 66/4 Frequency Stability Measurements




Figure 7-11. Frequency Stability Graph (Band 66/4)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 146 of 149 | |

Band 2 Frequency Stability Measurements

OPERATING FREQUENCY: 1,880,000,000 Hz
 CHANNEL: 18900
 REFERENCE VOLTAGE: 3.85 VDC
 DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

| VOLTAGE (%) | POWER (VDC) | TEMP (°C) | FREQUENCY (Hz) | Freq. Dev. (Hz) | Deviation (%) |
|----------------|-------------|------------|----------------|-----------------|---------------|
| 100 % | 3.85 | + 20 (Ref) | 1,879,999,921 | -79 | -0.0000042 |
| 100 % | | - 30 | 1,879,999,934 | -66 | -0.0000035 |
| 100 % | | - 20 | 1,879,999,949 | -51 | -0.0000027 |
| 100 % | | - 10 | 1,879,999,972 | -28 | -0.0000015 |
| 100 % | | 0 | 1,879,999,999 | -1 | -0.0000001 |
| 100 % | | + 10 | 1,879,999,752 | -248 | -0.0000132 |
| 100 % | | + 20 | 1,880,000,409 | 409 | 0.0000218 |
| 100 % | | + 30 | 1,880,000,019 | 19 | 0.0000010 |
| 100 % | | + 40 | 1,880,000,310 | 310 | 0.0000165 |
| 100 % | | + 50 | 1,879,999,969 | -31 | -0.0000016 |
| BATT. ENDPOINT | | 3.45 | + 20 | 1,880,000,076 | 76 |

Table 7-27. Frequency Stability Data (Band 2)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 147 of 149 | |

Band 2 Frequency Stability Measurements




Figure 7-12. Frequency Stability Graph (Band 2)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 148 of 149 | |

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMS757BL** complies with all the requirements of Part 22, 24, & 27 of the FCC Rules for LTE operation only.

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMS757BL |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1805090103-03.A3L | Test Dates: 3/8 - 4/17/2018 | EUT Type: Portable Handset | Page 149 of 149 | |