

PCTEST

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com

PART 27 MEASUREMENT REPORT

Applicant Name:

Samsung Electronics Co., Ltd. 129, Samsung-ro, Yeongtong-gu, Suwon-si Gyeonggi-do, 16677, Korea **Date of Testing:**

09/10/2021 - 11/12/2021 **Test Report Issue Date:**

12/2/2021

Test Site/Location:

PCTEST Lab. Columbia, MD, USA

Test Report Serial No.: 1M2109090103-05-R1.A3L

FCC ID: A3LSMS906U

Applicant Name: Samsung Electronics Co., Ltd.

Application Type: Certification

Model: SM-S906U

Additional Model(s): SM-S906U1

EUT Type: Portable Handset

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part: 27

Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01

v03r01, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

Note: This revised Test Report (S/N: 1M2109090103-05-R1.A3L) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.







FCC ID: A3LSMS906U	PROUD to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 1 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage 1 01 200




TABLE OF CONTENTS

1.0	INTF	RODUCTION	5
	1.1	Scope	5
	1.2	PCTEST Test Location	5
	1.3	Test Facility / Accreditations	5
2.0	PRC	DUCT INFORMATION	6
	2.1	Equipment Description	6
	2.2	Device Capabilities	6
	2.3	Test Configuration	6
	2.4	EMI Suppression Device(s)/Modifications	6
3.0	DES	CRIPTION OF TESTS	7
	3.1	Evaluation Procedure	7
	3.2	Radiated Power and Radiated Spurious Emissions	7
4.0	MEA	SUREMENT UNCERTAINTY	8
5.0	TES	T EQUIPMENT CALIBRATION DATA	9
6.0	SAM	IPLE CALCULATIONS	10
7.0	TES	T RESULTS	11
	7.1	Summary	11
	7.2	Transmitter Conducted Output Power	12
	7.3	Occupied Bandwidth	19
	7.4	Spurious and Harmonic Emissions at Antenna Terminal	61
	7.5	ULCA Conducted Power Output Data	110
	7.6	Band Edge Emissions at Antenna Terminal	113
	7.7	Radiated Power (EIRP)	155
	7.8	Radiated Spurious Emissions Measurements	162
	7.9	Frequency Stability / Temperature Variation	193
8.0	CON	ICLUSION	200

FCC ID: A3LSMS906U	Proud to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	Dates: EUT Type:	
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 2 of 200





PART 27 MEASUREMENT REPORT



		EIRP				
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	Max. Power [W]	Max. Power [dBm]	Emission Designator
	10 MH=	QPSK	2310.0	0.169	22.28	9M02G7D
LTE Band 30	10 MHz	16QAM	2310.0	0.141	21.51	9M07W7D
LIE Ballu 30	5 MHz	QPSK	2307.5 - 2312.5	0.174	22.41	4M53G7D
	0 1011 12	16QAM	2307.5 - 2312.5	0.147	21.68	4M53W7D
	20 MHz	QPSK	2510.0 - 2560.0	0.148	21.71	18M0G7D
		16QAM	2510.0 - 2560.0	0.116	20.64	18M0W7D
	15 MHz	QPSK 16QAM	2507.5 - 2562.5 2507.5 - 2562.5	0.146 0.110	21.63 20.40	13M6G7D 13M5W7D
LTE Band 7		QPSK	2507.5 - 2562.5	0.110	21.83	9M04G7D
	10 MHz	16QAM	2505.0 - 2565.0	0.111	20.47	9M03W7D
		QPSK	2502.5 - 2567.5	0.159	22.01	4M53G7D
	5 MHz	16QAM	2502.5 - 2567.5	0.119	20.74	4M55W7D
	20 MHz	QPSK	2506.0 - 2680.0	0.266	24.25	18M0G7D
	20 1011 12	16QAM	2506.0 - 2680.0	0.212	23.27	18M0W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.264	24.21	13M5G7D
LTE Band 41(PC2)		16QAM	2503.5 - 2682.5	0.206	23.13	13M5W7D
, ,	10 MHz	QPSK	2501.0 - 2685.0	0.270	24.32	9M04G7D
		16QAM QPSK	2501.0 - 2685.0 2498.5 - 2687.5	0.221 0.265	23.45 24.23	9M02W7D 4M53G7D
	5 MHz	16QAM	2498.5 - 2687.5	0.217	23.36	4M53W7D
		π/2 BPSK	2310.0	0.196	22.92	9M03G7D
	10 MHz	QPSK	2310.0	0.191	22.82	9M34G7D
NR Band n30		16QAM	2310.0	0.162	22.09	9M31W7D
Ant A		π/2 BPSK	2307.5 - 2312.5	0.190	22.79	4M52G7D
	5 MHz	QPSK	2307.5 - 2312.5	0.182	22.60	4M51G7D
		16QAM	2307.5 - 2312.5	0.165	22.17	4M48W7D
		π/2 BPSK	2520.0 - 2550.0	0.142	21.51	39M0G7D
	40MHz	QPSK	2520.0 - 2550.0	0.148	21.69	38M8G7D
		16QAM	2520.0 - 2550.0	0.112	20.49	38M8W7D
		π/2 BPSK	2515.0 - 2555.0	0.139	21.43	28M8G7D
	30MHz	QPSK	2515.0 - 2555.0	0.160	22.04	28M7G7D
		16QAM	2515.0 - 2555.0	0.116	20.65	28M6W7D
		π/2 BPSK	2512.5 - 2557.5	0.132	21.22	23M0G7D
	25MHz	QPSK	2512.5 - 2557.5	0.145	21.62	23M9G7D
		16QAM	2512.5 - 2557.5	0.105	20.20	23M9W7D
NR Band n7	20MHz	π/2 BPSK QPSK	2510.0 - 2560.0 2510.0 - 2560.0	0.128 0.138	21.08	18M0G7D 19M0G7D
Ant B	ZUMITZ	16QAM	2510.0 - 2560.0	0.101	20.04	19M0W7D
		π/2 BPSK	2507.5 - 2562.5	0.101	20.94	13M5G7D
	15 MHz	QPSK	2507.5 - 2562.5	0.127	21.36	14M2G7D
	10 1111 12	16QAM	2507.5 - 2562.5	0.099	19.97	14M2W7D
		π/2 BPSK	2505.0 - 2565.0	0.134	21.27	9M02G7D
	10MHz	QPSK	2505.0 - 2565.0	0.142	21.52	9M36G7D
		16QAM	2505.0 - 2565.0	0.101	20.03	9M35W7D
		π/2 BPSK	2502.5 - 2567.5	0.129	21.11	4M54G7D
	5 MHz	QPSK	2502.5 - 2567.5	0.141	21.48	4M53G7D
		16QAM	2502.5 - 2567.5	0.102	20.09	4M51W7D
		π/2 BPSK	2546.0 - 2640.0	0.275	24.40	97M0G7D
	100 MHz	QPSK	2546.0 - 2640.0	0.227	23.55	97M6G7D
		16QAM	2546.0 - 2640.0	0.157	21.95	97M6W7D
	00.111	π/2 BPSK	2541.0 - 2645.0	0.258	24.11	87M0G7D
	90 MHz	QPSK 16OAM	2541.0 - 2645.0	0.216	23.34	87M8G7D
	-	16QAM π/2 BPSK	2541.0 - 2645.0 2536.0 - 2650.0	0.171 0.271	22.33 24.34	87M9W7D 77M4G7D
	80 MHz	QPSK	2536.0 - 2650.0	0.211	23.33	77M7G7D
		16QAM	2536.0 - 2650.0	0.176	22.45	77M7W7D
		π/2 BPSK	2531.0 - 2655.0	0.347	25.40	64M7G7D
	70 MHz	QPSK	2531.0 - 2655.0	0.288	24.59	67M8G7D
		16QAM	2531.0 - 2655.0	0.228	23.58	67M6W7D
NR Band n41 (PC2) Ant I		π/2 BPSK	2526.0 - 2660.0	0.255	24.06	58M2G7D
	60 MHz	QPSK	2526.0 - 2660.0	0.216	23.35	58M1G7D
		16QAM	2526.0 - 2660.0	0.172	22.36	58M2W7D
	50 MHz	π/2 BPSK QPSK	2521.0 - 2665.0 2521.0 - 2665.0	0.263	24.20	45M9G7D 47M7G7D
	33 1411 12	16QAM	2521.0 - 2665.0	0.188	22.74	47M6W7D
		π/2 BPSK	2516.0 - 2670.0	0.390	25.91	35M8G7D
	40 MHz	QPSK	2516.0 - 2670.0	0.322	25.08	38M1G7D
		16QAM	2516.0 - 2670.0	0.207	23.16	38M0W7D
		π/2 BPSK	2511.0 - 2675.0	0.353	25.47	26M9G7D
	30 MHz	QPSK	2511.0 - 2675.0	0.324	25.11	28M0G7D
		16QAM	2511.0 - 2675.0	0.213	23.29	28M0W7D
	20.541.1-	π/2 BPSK	2506.0 - 2680.0	0.372	25.71	18M0G7D
	20 MHz	QPSK 16QAM	2506.0 - 2680.0 2506.0 - 2680.0	0.304 0.247	24.83 23.92	18M3G7D 18M3W7D
	I)vorviow	5.241	20.32	TOWOVYTO

EUT Overview

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates: EUT Type:		Page 3 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 3 01 200



				EIRP			
Mode	Bandwidth	vidth Modulation Tx Frequency Range [MHz]		Max. Power [W]	Max. Power [dBm]	Emission Designator	
NR Band n30 Ant I	10 MHz	π/2 BPSK	2310.0	0.084	19.26	9M06G7D	
		QPSK	2310.0	0.076	18.83	9M35G7D	
		16QAM	2310.0	0.064	18.08	9M37W7D	
		π/2 BPSK	2307.5 - 2312.5	0.091	19.57	4M53G7D	
	5 MHz	QPSK	2307.5 - 2312.5	0.078	18.92	4M54G7D	
		16QAM	2307.5 - 2312.5	0.065	18.12	4M52W7D	

EUT Overview

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	est Dates: EUT Type:	
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 4 of 200



INTRODUCTION 1.0

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 **PCTEST Test Location**

These measurement tests were conducted at the PCTEST Engineering Laboratory facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 **Test Facility / Accreditations**

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates: EUT Type:		Page 5 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage 3 of 200



2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMS906U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 0100M, 0061M, 0097M, 0045M, 0044M, 0080M, 1218M, 0359M, 0364M, 0379M, 0361M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, Multi-band 5G NR, 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), NFC, UWB, Wireless Power Transfer.

The device has 1 Tx antenna for n41 data (Ant I) and 3 Rx antennas (Ant B, E, D). With SRS operations, all 4 antennas can transmit the SRS signal to check for the channel quality of n41. The antennas cannot simultaneously transmit. Only the single TX/RX antenna is used for Data transmission.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMS906U	Proud to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 6 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage o oi 200



3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Measurement Guidance for Certification of Licensed Digital Transmitters" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure......None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI/TIA-603-E-2016. A half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

 $P_{d [dBm]} = P_{g [dBm]} - cable loss [dB] + antenna gain [dBd/dBi];$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to P_{g [dBm]} – cable loss [dB].

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

 $E_{[dB\mu V/m]} = Measured amplitude level_{[dBm]} + 107 + Cable Loss_{[dB]} + Antenna Factor_{[dB/m]}$ And

 $EIRP_{[dBm]} = E_{[dB\mu V/m]} + 20logD - 104.8$; where D is the measurement distance in meters.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI/TIA-603-E-2016.

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates: EUT Type:		Page 7 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage / 0/ 200

© 2021 PCTEST

V2.0 3/28/2021

All rights respond. Upless atherwise specified, no part of this report may be reproduced or utilized in any part form or by any mages electronic or mechanical including photocopying and



MEASUREMENT UNCERTAINTY 4.0

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k = 2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	est Dates: EUT Type:	
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 8 of 200



TEST EQUIPMENT CALIBRATION DATA 5.0

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurement antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AP2	EMC Cable and Switch System	3/4/2021	Annual	3/4/2022	AP2
-	AP1	EMC Cable and Switch System	3/9/2021	Annual	3/9/2022	AP1
-	ETS	EMC Cable and Switch System	3/4/2021	Annual	3/4/2022	ETS
-	LTx4	Licensed Transmitter Cable Set	3/12/2021	Annual	3/12/2022	LTx4
-	LTx5	LIcensed Transmitter Cable Set	3/3/2021	Annual	3/3/2022	LTx5
Agilent	N9030A	50GHz PXA Signal Analyzer	1/20/2021	Annual	1/20/2022	US51350301
Anritsu	MT8821C	Radio Communication Analyzer		N/A		6201525694
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	7/21/2021	Annual	7/21/2022	MY52350166
Keysight Technologies	N9030A	PXA Signal Analyzer	10/16/2020	Annual	12/16/2021	MY54490576
Keysight Technologies	N9030A	PXA Signal Analyzer	9/20/2020	Annual	12/20/2021	MY55410501
Keysight Technologies	N9038A	MXE EMI Receiver	8/11/2020	Annual	12/11/2021	MY51210133
Rohde & Schwarz	CMW500	Radio Communication Tester		N/A		112347
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	4/30/2021	Annual	4/30/2022	100348
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	1/21/2021	Annual	1/21/2022	101716
Rohde & Schwarz	FSW26	2Hz-26.5GHz Signal and Spectrum Analyzer	2/10/2021	Annual	2/10/2022	103187

Table 5-1. Test Equipment

Notes:

- 1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- 2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 9 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	raye 9 01 200



SAMPLE CALCULATIONS 6.0

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz G = Phase Modulation 7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHzW = Amplitude/Angle Modulated 7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So, 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm - (-24.80) = 50.3 dBc.

FCC ID: A3LSMS906U	Proud to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 10 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage 10 01 200



7.0 TEST RESULTS

7.1 Summary

Company Name: <u>Samsung Electronics Co., Ltd.</u>

FCC ID: <u>A3LSMS906U</u>

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

Mode(s): <u>LTE/NR/ULCA</u>

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
	Transmitter Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	PASS	Section 7.2
	ULCA Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	PASS	Section 7.5
CTED	Occupied Bandwidth	2.1049(h)	N/A	PASS	Section 7.3
CONDUCTED	Conducted Band Edge / Spurious Emissions (LTE Band 30; NR Band n30)	2.1051, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Sections 7.4, 7.6
	Conducted Band Edge / Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1051, 27.53(m)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Sections 7.4, 7.6
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	PASS	Section 7.9
	Equivalent Isotropic Radiated Power (LTE Band 30; NR Band n30)	27.50(a)(3)	≤ 250mW / 5MHz max. EIRP	PASS	Section 7.7
АТЕР	Equivalent Isotropic Radiated Power (LTE Band 7, 38, 41; NR Band n7, n38, n41)	27.50(h)(2)	≤ 2 Watts max. EIRP	PASS	Section 7.7
RADIATED	Radiated Spurious Emissions (LTE Band 30; NR Band n30)	2.1053, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Section 7.8
	Radiated Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1053, 27.53(m)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Section 7.8

^{*} The only transmitter output conducted powers included in this report are those where the Pmax value, per the tune-up document, is higher than any of the DSI power levels. For the remaining conducted power measurements, see the **RF Exposure Report**.

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST EMC Software Tool v1.1.

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 11 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage IT 01 200



7.2 Transmitter Conducted Output Power §2.1046

Test Overview

The EUT is set up to transmit at maximum power for LTE. All power levels are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Span = $2 \times OBW$ to $3 \times OBW$
- 2. RBW = 1% to 5% of the OBW
- 3. Number of measurement points in sweep $\geq 2 \times \text{span} / \text{RBW}$
- 4. Sweep = auto-couple (less than transmission burst duration)
- 5. Detector = RMS (power)
- 6. Trigger was set to enable power measurements only on full power bursts
- 7. Trace was allowed to stabilize
- 8. Spectrum analyzer's "Channel Power" function was used to compute the power by integrating the spectrum across the OBW of the signal

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 12 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 12 01 200

© 2021 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and



Test Notes:

- Conducted power measurements were evaluated for the two contiguous channels using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
- 2. All other conducted power measurements are contained in the RF exposure report for this filing.

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 13 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 13 01 200



Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
N		20850	2510.0	1/0	22.88
I S	QPSK 16-QAM	21100	2535.0	1 / 50	23.61
20 MHz		21350	2560.0	1 / 99	23.43
7		21350	2560.0	1 / 50	23.14
QP:		20825	2507.5	1/0	22.79
	QPSK	21100	2535.0	1 / 74	22.73
		21375	2562.5	1 / 74	22.92
	16-QAM	21375	2562.5	1 / 74	22.17
N		20800	2505.0	1/0	23.00
MHz	QPSK	21100	2535.0	1 / 49	22.99
0		21400	2565.0	1 / 49	22.99
7	16-QAM	21400	2565.0	1 / 49	22.40
N		20775	2502.5	1 / 12	23.08
MHZ	QPSK	21100	2535.0	1 / 24	23.12
2 N		21425	2567.5	1 / 12	23.08
	16-QAM	20775	2502.5	1 / 12	22.47

Table 7-2. Conducted Power Output Data (LTE Band 7)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
N		39750	2506.0	1/0	27.45
Z Z	QPSK	40620	2593.0	1 / 50	27.22
16-QAM		41490	2680.0	1 / 99	27.44
	16-QAM	39750	2506.0	1/0	26.98
15 MHz	QPSK	39725	2503.5	1/0	27.48
		40620	2593.0	1 / 74	27.18
		41515	2682.5	1 / 74	27.28
	16-QAM	41515	2682.5	1/0	26.98
N		39700	2501.0	1 / 25	27.48
Ī	QPSK	40620	2593.0	1 / 49	27.29
10 MHz		41540	2685.0	1 / 25	27.38
	16-QAM	40620	2593.0	1/0	26.90
N		39675	2498.5	1 / 12	27.29
MHz	QPSK	40620	2593.0	1 / 24	27.20
2 N		41565	2687.5	1 / 12	27.29
	16-QAM	40620	2593.0	1/0	26.81

Table 7-3. Conducted Power Output Data (LTE Band 41 (PC2))

FCC ID: A3LSMS906U	Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 14 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 14 01 200
© 2021 PCTEST			V2.0 3/28/2021



Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
	π/2 BPSK	27710	2310.0	1 / 13	22.69
10 MHz	QPSK	27710	2310.0	1 / 13	22.87
	16-QAM	27710	2310.0	1 / 13	22.11
5 MHz	π/2 BPSK	27685	2307.5	1/6	23.01
		27710	2310.0	1/6	22.15
		27735	2312.5	1/6	21.83
		27685	2307.5	1/6	22.97
	QPSK	27710	2310.0	1/6	22.34
		27735	2312.5	1 / 18	21.71
	16-QAM	27685	2307.5	1/6	22.15

Table 7-4. Conducted Power Output Data (n30 - ANT I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 15 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 13 01 200



Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
		504000	2520.0	1 / 54	23.62
40 MHz	π/2 BPSK	507000	2535.0	1 / 161	23.64
		510000	2550.0	1 / 161	23.49
	QPSK	504000	2520.0	1 / 54	23.41
		507000	2535.0	1 / 161	23.75
		510000	2550.0	1 / 161	23.56
	16-QAM	504000	2520.0	1 / 54	22.85
		503000	2515.0	1 / 119	23.54
N	π/2 BPSK	507000	2535.0	1 / 80	23.66
구		511000	2555.0	1 / 40	23.66
30 MHz		503000	2515.0	1 / 119	23.76
30	QPSK	507000	2535.0	1 / 80	23.62
		511000	2555.0	1 / 40	23.67
	16-QAM	507000	2535.0	1 / 80	22.92
		502500	2512.5	1 / 66	23.33
	π/2 BPSK	507000	2535.0	1 / 99	23.46
¥		511500	2557.5	1 / 99	23.46
Σ		502500	2512.5	1 / 66	23.34
25 MHz	QPSK	507000	2535.0	1 / 99	23.43
		511500	2557.5	1 / 99	23.62
	16-QAM	511500	2557.5	1 / 99	22.71
20 MHz	π/2 BPSK	502000	2510.0	1 / 53	23.17
		507000	2535.0	1 / 53	23.23
		512000	2560.0	1 / 53	23.20
	QPSK	502000	2510.0	1 / 26	23.10
		507000	2535.0	1 / 26	23.14
		512000	2560.0	1 / 26	23.22
	16-QAM	507000	2535.0	1 / 79	22.31
		501500	2507.5	1 / 58	23.04
	π/2 BPSK	507000	2535.0	1 / 20	23.17
부		512500	2562.5	1 / 58	23.22
Ė		501500	2507.5	1 / 20	23.07
15	QPSK	507000	2535.0	1 / 39	23.15
		512500	2562.5	1 / 58	23.11
	16-QAM	507000	2535.0	1 / 58	22.24
		501000	2505.0	1 / 13	23.37
	π/2 BPSK	507000	2535.0	1 / 26	23.40
부		513000	2565.0	1 / 38	23.48
10 MHz		501000	2505.0	1 / 38	23.24
10	QPSK	507000	2535.0	1 / 38	23.30
		513000	2565.0	1 / 38	23.41
	16-QAM	513000	2565.0	1 / 26	22.38
		500500	2502.5	1 / 18	23.21
<u>N</u>	π/2 BPSK	507000	2535.0	1 / 18	23.33
		513500	2567.5	1/6	23.48
5 MHz		500500	2502.5	1/6	23.20
5	QPSK	507000	2535.0	1 / 18	23.32
		513500	2567.5	1 / 18	23.44
	16-QAM	513500	2567.5	1/6	22.69
			ar Outnut		\NT R\

Table 7-5. Conducted Power Output Data (n7 – ANT B)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 16 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage 10 01 200



Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
		509202	2546.0	1 / 136	24.69
N	π/2 BPSK	518598	2593.0	1 / 136	25.05
Ψ̈́		528000	2640.0	1 / 68	24.89
100 MHz		509202	2546.0	1 / 136	24.65
10	QPSK	518598	2593.0	1 / 136	24.99
90 MHz 100	40.0414	528000	2640.0	1 / 68	24.87
	16-QAM	518598	2593.0	1 / 136	24.00
	π/2 BPSK	508200 518592	2541.0 2593.0	1 / 61	24.65 24.76
Ŋ	II/2 DF SK	529002	2645.0	1 / 61	24.76
Ξ		508200	2541.0	1 / 61	24.80
06 QP	QPSK	518592	2593.0	1 / 183	24.78
0,		529002	2645.0	1 / 61	24.83
	16-QAM	529002	2645.0	1 / 61	23.94
		507204	2536.0	1 / 54	24.63
	π/2 BPSK	518598	2593.0	1 / 162	24.99
보		529998	2650.0	1 / 162	24.94
80 MHz		507204	2536.0	1 / 54	25.28
80	QPSK	518598	2593.0	1 / 162	24.66
		529998	2650.0	1 / 162	24.71
	16-QAM	507204	2536.0	1 / 54	24.44
		506196	2531.0	1 / 94	26.19
N	π/2 BPSK	518598	2593.0	1 / 47	26.05
Ę		531000	2655.0	1 / 47	26.15
70 MHz	0001	506196	2531.0	1 / 94	26.08
	QPSK	518598	2593.0	1 / 47	26.03
	46 OAM	531000	2655.0	1 / 47	26.06
	16-QAM	531000 505200	2655.0 2526.0	1 / 47	25.20 24.94
60 MHz	π/2 BPSK	518598	2593.0	1 / 40	24.94
		531996	2660.0	1 / 81	24.69
	QPSK	505200	2526.0	1 / 81	24.90
		518598	2593.0	1 / 40	24.79
		531996	2660.0	1 / 81	24.89
	16-QAM	531996	2660.0	1 / 81	23.97
		504204	2521.0	1 / 33	25.25
	π/2 BPSK	518598	2593.0	1 / 33	24.64
50 MHz		532998	2665.0	1 / 66	25.36
2		504204	2521.0	1 / 33	24.87
2(QPSK	518598	2593.0	1 / 33	24.47
		532998	2665.0	1 / 66	24.59
	16-QAM	504204	2521.0	1 / 33	24.74
	T/2 PDCI/	503202	2516.0	1 / 26	26.11
보	π/2 BPSK	518598 534000	2593.0 2670.0	1 / 79	26.56 26.59
		503202	2516.0	1 / 26	26.59
40 MI	QPSK	518598	2593.0	1 / 79	26.52
4	Qi Oit	534000	2670.0	1 / 26	26.33
	16-QAM	503202	2516.0	1 / 26	25.15
		502203	2511.0	1 / 19	26.23
	π/2 BPSK	518598	2593.0	1 / 19	26.10
¥		534999	2675.0	1 / 19	26.63
30 MHz		502203	2511.0	1 / 19	26.65
30	QPSK	518598	2593.0	1 / 19	26.55
16-QAM		534999	2675.0	1 / 19	26.32
	534999	2675.0	1 / 19	24.91	
		501204	2506.0	1 / 37	26.06
,,	π/2 BPSK	518598	2593.0	1 / 37	26.30
Ĭ		535998	2680.0	1 / 37	26.87
20 MHz	ODOL	501204	2506.0	1 / 37	26.54
N	QPSK	518598	2593.0	1 / 37	26.27
	16-QAM	535998	2680.0 2680.0	1 / 37	26.59
Conduc	ted Powe	535998		1/37	25.54 2) – SRS-1

Table 7-6. Conducted Power Output Data (n41 (PC2) - SRS-1 - ANT I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 17 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 17 01 200



Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
		509202	2546.0	1 / 68	21.65
N	THW 001 QPSK	518598	2593.0	1 / 204	20.70
꿀		528000	2640.0	1 / 68	20.82
		509202	2546.0	1 / 68	21.57
100		518598	2593.0	1 / 204	20.71
		528000	2640.0	1 / 68	21.19
	16-QAM	509202	2546.0	1 / 68	20.89

Table 7-7. Conducted Power Output Data (n41 (PC2) – SRS-2 – ANT B)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
		509202	2546.0	1 / 68	20.40
	π/2 BPSK	518598	2593.0	1 / 68	19.60
MHZ		528000	2640.0	1 / 68	19.46
100 M	QPSK	509202	2546.0	1 / 68	20.08
		518598	2593.0	1 / 68	19.30
		528000	2640.0	1 / 68	19.56
	16-QAM	518598	2593.0	1 / 68	18.92

Table 7-8. Conducted Power Output Data (n41 PC2 – SRS-3 – ANT E)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
		509202	2546.0	1 / 68	18.77
	π/2 BPSK	518598	2593.0	1 / 136	18.21
MHz		528000	2640.0	1 / 68	18.37
100 M	QPSK	509202	2546.0	1 / 68	18.56
		518598	2593.0	1 / 136	18.07
		528000	2640.0	1 / 68	18.18
	16-QAM	509202	2546.0	1 / 68	17.90

Table 7-9. Conducted Power Output Data (n41 PC2 – SRS-4 – ANT D)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 18 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 10 01 200



7.3 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 4.2

Test Settings

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW \geq 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2-7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 19 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 13 01 200



LTE Band 30



Plot 7-1. Occupied Bandwidth Plot (LTE Band 30 - 10MHz QPSK - Full RB)



Plot 7-2. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 20 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 20 01 200





Plot 7-3. Occupied Bandwidth Plot (LTE Band 30 - 5MHz QPSK - Full RB)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 21 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 21 01 200



LTE Band 7



Plot 7-5. Occupied Bandwidth Plot (LTE Band 7 - 20MHz QPSK - Full RB)



Plot 7-6. Occupied Bandwidth Plot (LTE Band 7 - 20MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 22 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 22 01 200





Plot 7-7. Occupied Bandwidth Plot (LTE Band 7 - 15MHz QPSK - Full RB)



Plot 7-8. Occupied Bandwidth Plot (LTE Band 7 - 15MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 23 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 23 01 200





Plot 7-9. Occupied Bandwidth Plot (LTE Band 7 - 10MHz QPSK - Full RB)



Plot 7-10. Occupied Bandwidth Plot (LTE Band 7 - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 24 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 24 01 200





Plot 7-11. Occupied Bandwidth Plot (LTE Band 7 - 5MHz QPSK - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 16-QAM - Full RB)


FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 25 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 23 01 200



LTE Band 41(PC2)



Plot 7-13. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz QPSK - Full RB)



Plot 7-14. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 26 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 20 01 200






Plot 7-15. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz QPSK - Full RB)



Plot 7-16. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 27 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 27 01 200





Plot 7-17. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz QPSK - Full RB)



Plot 7-18. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 28 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 20 01 200





Plot 7-19. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz QPSK - Full RB)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz 16-QAM - Full RB)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 29 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 29 01 200



NR Band n30 - Ant A




Plot 7-21. Occupied Bandwidth Plot (NR Band n30 - 10MHz π/2 BPSK - Full RB - Ant A)



Plot 7-22. Occupied Bandwidth Plot (NR Band n30 - 10MHz QPSK - Full RB - Ant A)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 30 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 30 of 200






Plot 7-23. Occupied Bandwidth Plot (NR Band n30 - 10MHz 16-QAM - Full RB - Ant A)




Plot 7-24. Occupied Bandwidth Plot (NR Band n30 - 5MHz π/2 BPSK - Full RB - Ant A)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 31 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 31 01 200





Plot 7-25. Occupied Bandwidth Plot (NR Band n30 - 5MHz QPSK - Full RB - Ant A)



Plot 7-26. Occupied Bandwidth Plot (NR Band n30 - 5MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 32 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 32 01 200



NR Band n30 - Ant I




Plot 7-27. Occupied Bandwidth Plot (NR Band n30 - 10MHz π/2 BPSK - Full RB - Ant I)



Plot 7-28. Occupied Bandwidth Plot (NR Band n30 - 10MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 33 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 33 of 200





Plot 7-29. Occupied Bandwidth Plot (NR Band n30 - 10MHz 16-QAM - Full RB - Ant I)



Plot 7-30. Occupied Bandwidth Plot (NR Band n30 - 5MHz π/2 BPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 34 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 34 01 200





Plot 7-31. Occupied Bandwidth Plot (NR Band n30 - 5MHz QPSK - Full RB - Ant I)



Plot 7-32. Occupied Bandwidth Plot (NR Band n30 - 5MHz 16-QAM - Full RB - Ant I)


FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 35 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 33 01 200



NR Band n7 - Ant B




Plot 7-33. Occupied Bandwidth Plot (NR Band n7 - 40MHz π/2 BPSK - Full RB - Ant B)




Plot 7-34. Occupied Bandwidth Plot (NR Band n7 - 40MHz QPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 36 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 30 01 200






Plot 7-35. Occupied Bandwidth Plot (NR Band n7 - 40MHz 16-QAM - Full RB - Ant B)




Plot 7-36. Occupied Bandwidth Plot (NR Band n7 - 30MHz π/2 BPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 37 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 37 01 200






Plot 7-37. Occupied Bandwidth Plot (NR Band n7 - 30MHz QPSK - Full RB - Ant B)




Plot 7-38. Occupied Bandwidth Plot (NR Band n7 - 30MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 38 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 30 01 200






Plot 7-39. Occupied Bandwidth Plot (NR Band n7 - 25MHz π/2 BPSK - Full RB - Ant B)



Plot 7-40. Occupied Bandwidth Plot (NR Band n7 - 25MHz QPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 39 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 39 01 200





Plot 7-41. Occupied Bandwidth Plot (NR Band n7 - 25MHz 16-QAM - Full RB - Ant B)



Plot 7-42. Occupied Bandwidth Plot (NR Band n7 - 20MHz π /2 BPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 40 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 40 01 200






Plot 7-43. Occupied Bandwidth Plot (NR Band n7 - 20MHz QPSK - Full RB - Ant B)



Plot 7-44. Occupied Bandwidth Plot (NR Band n7 - 20MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 41 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 41 01 200






Plot 7-45. Occupied Bandwidth Plot (NR Band n7 - 15MHz π/2 BPSK - Full RB - Ant B)



Plot 7-46. Occupied Bandwidth Plot (NR Band n7 - 15MHz QPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 42 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 42 01 200






Plot 7-47. Occupied Bandwidth Plot (NR Band n7 - 15MHz 16-QAM - Full RB - Ant B)




Plot 7-48. Occupied Bandwidth Plot (NR Band n7 - 10MHz π/2 BPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 43 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 43 01 200





Plot 7-49. Occupied Bandwidth Plot (NR Band n7 - 10MHz QPSK - Full RB - Ant B)



Plot 7-50. Occupied Bandwidth Plot (NR Band n7 - 10MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 44 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 44 01 200






Plot 7-51. Occupied Bandwidth Plot (NR Band n7 - 5MHz π/2 BPSK - Full RB - Ant B)



Plot 7-52. Occupied Bandwidth Plot (NR Band n7 - 5MHz QPSK - Full RB - Ant B)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 45 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 45 01 200





Plot 7-53. Occupied Bandwidth Plot (NR Band n7 - 5MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 46 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 40 01 200



NR Band n41 - Ant I




Plot 7-54. Occupied Bandwidth Plot (NR Band n41 - 100MHz π/2 BPSK - Full RB - Ant I)




Plot 7-55. Occupied Bandwidth Plot (NR Band n41 - 100MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 47 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 47 01 200





Plot 7-56. Occupied Bandwidth Plot (NR Band n41 - 100MHz 16-QAM - Full RB - Ant I)




Plot 7-57. Occupied Bandwidth Plot (NR Band n41 - 90MHz π/2 BPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 48 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 40 01 200





Plot 7-58. Occupied Bandwidth Plot (NR Band n41 - 90MHz QPSK - Full RB - Ant I)



Plot 7-59. Occupied Bandwidth Plot (NR Band n41 - 90MHz 16-QAM - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 49 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 49 01 200






Plot 7-60. Occupied Bandwidth Plot (NR Band n41 - 80MHz π/2 BPSK - Full RB - Ant I)




Plot 7-61. Occupied Bandwidth Plot (NR Band n41 - 80MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 50 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 30 01 200





Plot 7-62. Occupied Bandwidth Plot (NR Band n41 - 80MHz 16-QAM - Full RB - Ant I)




Plot 7-63. Occupied Bandwidth Plot (NR Band n41 - 70MHz π/2 BPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of ® element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 51 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage 31 of 200





Plot 7-64. Occupied Bandwidth Plot (NR Band n41 - 70MHz QPSK - Full RB - Ant I)



Plot 7-65. Occupied Bandwidth Plot (NR Band n41 - 70MHz 16-QAM - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 52 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 32 01 200





Plot 7-66. Occupied Bandwidth Plot (NR Band n41 - 60MHz π/2 BPSK - Full RB - Ant I)




Plot 7-67. Occupied Bandwidth Plot (NR Band n41 - 60MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 53 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 33 01 200






Plot 7-68. Occupied Bandwidth Plot (NR Band n41 - 60MHz 16-QAM - Full RB - Ant I)




Plot 7-69. Occupied Bandwidth Plot (NR Band n41 - 50MHz π/2 BPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 54 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 34 01 200





Plot 7-70. Occupied Bandwidth Plot (NR Band n41 - 50MHz QPSK - Full RB - Ant I)




Plot 7-71. Occupied Bandwidth Plot (NR Band n41 - 50MHz 16-QAM - Full RB - Ant I)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 55 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 33 01 200






Plot 7-72. Occupied Bandwidth Plot (NR Band n41 - 40MHz π/2 BPSK - Full RB - Ant I)




Plot 7-73. Occupied Bandwidth Plot (NR Band n41 - 40MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 56 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 30 01 200





Plot 7-74. Occupied Bandwidth Plot (NR Band n41 - 40MHz 16-QAM - Full RB - Ant I)



Plot 7-75. Occupied Bandwidth Plot (NR Band n41 - 30MHz π/2 BPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Product to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 57 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 57 of 200





Plot 7-76. Occupied Bandwidth Plot (NR Band n41 - 30MHz QPSK - Full RB - Ant I)



Plot 7-77. Occupied Bandwidth Plot (NR Band n41 - 30MHz 16-QAM - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 58 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 30 01 200






Plot 7-78. Occupied Bandwidth Plot (NR Band n41 - 20MHz π/2 BPSK - Full RB - Ant I)



Plot 7-79. Occupied Bandwidth Plot (NR Band n41 - 20MHz QPSK - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 59 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 39 01 200





Plot 7-80. Occupied Bandwidth Plot (NR Band n41 - 20MHz 16-QAM - Full RB - Ant I)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 60 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 60 of 200



7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10 $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is $70 + 10 \log_{10}(P_{[Watts]})$.

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is $55 + 10log_{10}(P_{[Watts]})$.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 61 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage of or 200



Test Notes

- 1. Per Part 27, RSS-195 and RSS-199, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
- 2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 62 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 02 01 200


assembly of contents thereof, please contact INFO@PCTEST.COM.



LTE Band 30




Plot 7-81. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-82. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 63 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 63 of 200





Plot 7-83. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 64 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 04 01 200



LTE Band 7




Plot 7-84. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-85. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 65 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Page 65 of 200





Plot 7-86. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-87. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 66 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 00 01 200






Plot 7-88. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-89. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 67 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage of oi 200





Plot 7-90. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-91. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMS906U	Proud to be part of @element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 68 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 00 01 200






Plot 7-92. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMS906U	PCTEST* Proud to be part of @ element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 69 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 09 01 200



LTE Band 41(PC2)




Plot 7-93. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-94. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 70 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 70 of 200






Plot 7-95. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-96. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 71 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	rage / For 200






Plot 7-97. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-98. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMS906U	PCTEST* Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 72 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	Fage 72 01 200





Plot 7-99. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-100. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMS906U	Proud to be part of & element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 73 of 200
1M2109090103-05-R1.A3L	09/10/2021 - 11/12/2021	Portable Handset	