

APPENDIX K: IEEE 802.11AX RU SAR EXCLUSION

K.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T and 996T.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

K.2 IEEE 802.11ax RU Target Powers

K.2.1 2.4 GHz Maximum 802.11ax RU WLAN Output Power

IEEE 802.11ax RU (in dBm)		
MIMO		
Tones	2.4G	
	Nominal	Maximum
26T	16.0	17.0
52T	17.0	18.0
106T	18.0	19.0
242T	18.0	19.0
	ch 11: 17.5	ch 11: 18.5

K.2.2 2.4 GHz Reduced 802.11ax RU WLAN Output Powers

The below table is applicable in the following conditions:



- RCV Active
- Simultaneous conditions with 5/6 GHz WLAN
- Simultaneous conditions with 5G NR
- RCV Active during simultaneous conditions with 5G NR

IEEE 802.11ax RU (in dBm)		
MIMO		
Tones	2.4G	
	Nominal	Maximum
26T	16.0	17.0
52T	17.0	18.0
106T	18.0	19.0
242T	18.0	19.0
	ch 11: 17.5	ch 11: 18.5

The below table is applicable in the following conditions:

- RCV Active during simultaneous conditions with 5/6 GHz WLAN

IEEE 802.11ax RU (in dBm)		
MIMO		
Tones	2.4G	
	Nominal	Maximum
26T	16.0	17.0
52T	16.0	17.0
106T	16.0	17.0
242T	16.0	17.0

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 1 of 16

K.2.3 5 GHz Maximum 802.11ax RU WLAN Output Power

IEEE 802.11ax RU (in dBm)								
MIMO								
Tones	5G 20MHz		5G 40MHz		5G 80MHz		5G 160MHz	
	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum
26T	10.0	11.0	10.0	11.0	10.0	11.0	10.0	11.0
52T	10.0	11.0	12.0	13.0	11.0	12.0	13.0	14.0
106T	14.0	15.0	14.0	15.0	14.0	15.0	14.0	15.0
242T	19.0	20.0	18.0	19.0	17.0	18.0	17.0	18.0
484T			18.0	19.0	17.0	18.0	17.0	18.0
996T					17.0	18.0	17.0	18.0

K.2.4 5 GHz Reduced 802.11ax RU WLAN Output Powers

The below table is applicable in the following conditions:



- RCV Active
- Simultaneous conditions with 5G NR FR1
- RCV Active during simultaneous conditions with 5G NR FR1

IEEE 802.11ax RU (in dBm)								
MIMO								
Tones	5G 20MHz		5G 40MHz		5G 80MHz		5G 160MHz	
	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum
26T	10.0	11.0	10.0	11.0	10.0	11.0	10.0	11.0
52T	10.0	11.0	12.0	13.0	11.0	12.0	13.0	14.0
106T	14.0	15.0	14.0	15.0	14.0	15.0	14.0	15.0
242T	16.0	17.0	16.0	17.0	16.0	17.0	16.0	17.0
484T			16.0	17.0	16.0	17.0	16.0	17.0
996T					16.0	17.0	16.0	17.0

The below table is applicable in the following conditions:

- Simultaneous conditions with 2.4 GHz WLAN
- Simultaneous conditions with 5G NR FR2
- RCV Active during simultaneous conditions with 2.4 GHz WLAN
- RCV Active during simultaneous conditions with 5G NR FR2

IEEE 802.11ax RU (in dBm)								
MIMO								
Tones	5G 20MHz		5G 40MHz		5G 80MHz		5G 160MHz	
	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum
26T	10.0	11.0	10.0	11.0	10.0	11.0	10.0	11.0
52T	10.0	11.0	12.0	13.0	11.0	12.0	13.0	14.0
106T	14.0	15.0	14.0	15.0	14.0	15.0	14.0	15.0
242T	15.0	16.0	15.0	16.0	15.0	16.0	15.0	16.0
484T			15.0	16.0	15.0	16.0	15.0	16.0
996T					15.0	16.0	15.0	16.0

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 2 of 16

K.2.5 6 GHz Maximum 802.11ax RU WLAN Output Power



IEEE 802.11ax RU (in dBm)								
MIMO								
Tones	6G 20MHz		6G 40MHz		6G 80MHz		6G 160MHz	
	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum
26T	1.0	2.0	1.0	2.0	1.0	2.0	1.0	2.0
52T	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0
106T	7.0	8.0	7.0	8.0	7.0	8.0	7.0	8.0
242T	13.0	14.0	13.0	14.0	13.0	14.0	13.0	14.0
484T			12.0	13.0	12.0	13.0	12.0	13.0
996T					12.0	13.0	12.0	13.0

K.2.6 6 GHz Reduced 802.11ax RU WLAN Output Powers

The below table is applicable in the following conditions:

- Simultaneous conditions with 5G NR

IEEE 802.11ax RU (in dBm)								
MIMO								
Tones	6G 20MHz		6G 40MHz		6G 80MHz		6G 160MHz	
	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum	Nominal	Maximum
26T	1.0	2.0	1.0	2.0	1.0	2.0	1.0	2.0
52T	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0
106T	7.0	8.0	7.0	8.0	7.0	8.0	7.0	8.0
242T	11.0	12.0	11.0	12.0	11.0	12.0	11.0	12.0
484T			11.0	12.0	11.0	12.0	11.0	12.0
996T					11.0	12.0	11.0	12.0

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 3 of 16

K.3 IEEE 802.11ax Measured Powers

**Table K-1
Maximum 2.4 GHz 802.11ax RU Output Power – MIMO**

Freq [MHz]	Channel	Tones	RU Index	Conducted Power [dBm]		
				Antenna-1	Antenna-2	MIMO
				AVG	AVG	AVG
2412	1	26T	0	14.00	13.72	16.87
			4	13.37	13.57	16.48
			8	13.49	13.75	16.63
2437	6	26T	0	12.89	13.23	16.07
			4	12.69	13.38	16.06
			8	13.53	13.99	16.78
2462	11	26T	0	13.26	13.00	16.14
			4	13.32	13.92	16.64
			8	13.05	13.60	16.34
Freq [MHz]	Channel	Tones	RU Index	Conducted Power [dBm]		
				Antenna-1	Antenna-2	MIMO
				AVG	AVG	AVG
2412	1	52T	37	14.94	14.78	17.87
			38	14.88	14.93	17.92
			40	14.06	14.36	17.22
2437	6	52T	37	14.06	14.70	17.40
			38	14.00	14.75	17.40
			40	14.42	14.86	17.66
2462	11	52T	37	14.20	14.52	17.37
			38	13.94	14.50	17.24
			40	13.79	14.39	17.11
Freq [MHz]	Channel	Tones	RU Index	Conducted Power [dBm]		
				Antenna-1	Antenna-2	MIMO
				AVG	AVG	AVG
2412	1	106T	53	15.51	15.24	18.39
			54	15.13	15.29	18.22
2437	6	106T	53	15.45	15.99	18.74
			54	15.12	15.68	18.42
2462	11	106T	53	15.48	15.98	18.75
			54	14.90	15.53	18.24
Freq [MHz]	Channel	Tones	RU Index	Conducted Power [dBm]		
				Antenna-1	Antenna-2	MIMO
				AVG	AVG	AVG
2412	1	242T	61	15.26	15.39	18.34
2437	6	242T	61	15.16	15.18	18.18
2457	10	242T	61	15.18	15.27	18.24
2462	11	242T	61	14.68	14.93	17.82



FCC ID: A3LSMS906U	 PCTEST <small>Proud to be part of element</small>	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 4 of 16




Table K-2
Maximum 5 GHz 802.11ax RU Output Power – MIMO

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)												
					RU Index: 0			RU Index: 4			RU Index: 8						
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO				
1	5180	36	26T	26T	7.15	7.58	10.38	7.10	7.99	10.58	6.62	7.78	10.25				
					5200	40	26T	7.57	7.67	10.63	6.99	7.83	10.44	7.57	7.95	10.77	
					5240	48	26T	6.84	7.39	10.13	7.57	7.98	10.79	7.75	7.96	10.87	
	2A	5260	52	26T	26T	6.95	7.59	10.29	7.06	7.88	10.50	7.23	7.84	10.56			
						5280	56	26T	7.63	7.94	10.80	7.20	7.67	10.45	7.37	7.94	10.67
						5320	64	26T	7.13	7.75	10.46	7.26	7.99	10.65	7.47	7.98	10.74
	2C	5500	100	26T	26T	7.13	6.97	10.06	7.84	7.91	10.89	7.73	7.77	10.76			
						5600	120	26T	7.49	7.63	10.57	7.15	7.11	10.14	7.54	7.42	10.49
						5720	144	26T	7.22	7.15	10.20	7.77	7.91	10.85	7.18	6.98	10.09
3	5745	149	26T	26T	7.41	7.38	10.41	7.08	6.93	10.02	7.22	7.40	10.32				
					5785	157	26T	7.65	7.56	10.62	7.78	7.90	10.85	7.44	7.18	10.32	
					5825	165	26T	7.69	7.67	10.69	8.00	7.84	10.93	7.37	7.23	10.31	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)												
					RU Index: 37			RU Index: 39			RU Index: 40						
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO				
1	5180	36	52T	52T	7.39	7.88	10.65	7.33	8.00	10.69	6.92	7.90	10.45				
					5200	40	52T	7.10	7.64	10.39	7.89	7.82	10.87	7.02	7.92	10.50	
					5240	48	52T	7.25	7.76	10.52	7.36	7.56	10.47	7.58	7.96	10.78	
	2A	5260	52	52T	52T	6.75	7.80	10.32	7.31	7.34	10.34	6.56	7.57	10.10			
						5280	56	52T	7.66	7.92	10.80	7.89	7.98	10.95	7.74	7.92	10.84
						5320	64	52T	6.93	7.84	10.42	7.64	7.85	10.76	7.52	7.98	10.77
	2C	5500	100	52T	52T	7.05	7.01	10.04	7.46	6.93	10.21	7.44	7.19	10.33			
						5600	120	52T	7.11	7.52	10.33	7.77	7.01	10.42	7.41	7.25	10.34
						5720	144	52T	7.13	7.08	10.12	7.84	7.29	10.58	7.18	7.13	10.17
3	5745	149	52T	52T	7.22	7.47	10.36	7.55	7.14	10.36	7.39	7.14	10.28				
					5785	157	52T	7.33	7.11	10.23	7.76	7.46	10.62	7.08	6.98	10.04	
					5825	165	52T	7.25	7.58	10.43	8.00	7.59	10.81	7.27	7.04	10.17	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									
					RU Index: 53			RU Index: 54						
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO				
1	5180	36	106T	106T	10.87	11.36	14.13	10.69	11.41	14.08				
					5200	40	106T	10.61	12.00	14.37	10.71	11.99	14.41	
					5240	48	106T	9.89	11.99	14.08	10.92	11.98	14.49	
	2A	5260	52	106T	106T	11.33	11.93	14.65	11.88	10.01	14.06			
						5280	56	106T	10.77	11.81	14.33	12.00	10.93	14.50
						5320	64	106T	11.14	11.94	14.57	11.94	9.89	14.05
	2C	5500	100	106T	106T	11.86	11.91	14.90	11.99	9.73	14.02			
						5600	120	106T	11.45	10.93	14.21	12.00	11.14	14.60
						5720	144	106T	10.59	11.42	14.04	11.98	10.32	14.24
3	5745	149	106T	106T	11.00	11.11	14.07	11.93	10.78	14.40				
					5785	157	106T	10.70	11.89	14.35	11.29	11.45	14.38	
					5825	165	106T	11.19	11.23	14.22	10.54	11.42	14.01	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)						
					RU Index: 61						
					ANT1	ANT2	MIMO				
1	5180	36	242T	242T	16.72	16.52	19.63				
					5200	40	242T	16.86	16.60	19.74	
					5240	48	242T	16.98	16.87	19.94	
	2A	5260	52	242T	242T	16.55	16.36	19.47			
						5280	56	242T	16.50	16.37	19.45
						5320	64	242T	16.80	16.68	19.75
	2C	5500	100	242T	242T	16.27	15.90	19.10			
						5600	120	242T	16.62	16.00	19.33
						5720	144	242T	16.87	16.19	19.55
3	5745	149	242T	242T	16.48	15.85	19.19				
					5785	157	242T	16.57	15.95	19.28	
					5825	165	242T	16.61	15.79	19.23	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of 	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 5 of 16



40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 8			RU Index: 17		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5190	38	26T	7.85	7.00	10.46	7.87	7.23	10.57	7.58	7.06	10.34	
	5230	46	26T	7.65	7.50	10.59	7.43	7.44	10.45	7.45	7.26	10.37	
2A	5270	54	26T	7.97	7.59	10.79	7.96	8.00	10.99	7.90	7.91	10.92	
	5310	62	26T	7.48	7.27	10.39	7.28	8.00	10.67	7.84	7.93	10.90	
2C	5510	102	26T	7.59	7.07	10.35	7.37	6.91	10.16	7.05	6.98	10.03	
	5590	118	26T	7.30	6.91	10.12	7.82	7.31	10.58	7.89	7.69	10.80	
	5710	142	26T	7.95	7.58	10.78	7.68	7.51	10.61	7.91	7.73	10.83	
3	5755	151	26T	7.31	7.23	10.28	7.38	7.03	10.22	7.27	7.05	10.17	
	5795	159	26T	7.67	7.38	10.54	7.56	7.19	10.39	7.48	7.56	10.53	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 40			RU Index: 44		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5190	38	52T	9.51	9.24	12.39	9.13	9.13	12.14	9.15	9.04	12.11	
	5230	46	52T	9.76	9.06	12.43	9.71	9.36	12.55	9.58	9.74	12.67	
2A	5270	54	52T	9.13	8.89	12.02	9.34	9.45	12.41	9.35	9.39	12.38	
	5310	62	52T	8.96	9.11	12.05	9.46	9.49	12.49	9.30	9.25	12.29	
2C	5510	102	52T	9.85	9.95	12.91	9.79	9.75	12.78	9.94	9.91	12.93	
	5590	118	52T	10.00	9.79	12.90	9.80	9.67	12.75	9.95	9.27	12.63	
	5710	142	52T	9.50	8.85	12.20	9.97	9.69	12.84	9.07	8.95	12.02	
3	5755	151	52T	9.56	8.50	12.07	10.00	9.91	12.97	9.98	9.17	12.60	
	5795	159	52T	9.44	8.68	12.08	9.98	9.07	12.56	9.99	9.54	12.78	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 54			RU Index: 56		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5190	38	106T	11.50	11.90	14.71	11.87	10.56	14.27	11.43	10.59	14.04	
	5230	46	106T	11.64	12.00	14.83	11.98	11.60	14.80	12.00	11.20	14.63	
2A	5270	54	106T	11.09	11.36	14.24	11.57	10.70	14.17	11.61	10.41	14.06	
	5310	62	106T	11.18	11.40	14.30	11.56	10.49	14.07	11.34	10.68	14.03	
2C	5510	102	106T	11.68	11.97	14.84	11.90	11.93	14.93	11.62	11.92	14.78	
	5590	118	106T	11.13	11.11	14.13	11.92	11.00	14.49	11.42	11.11	14.28	
	5710	142	106T	12.00	11.01	14.54	11.56	10.42	14.04	11.94	10.43	14.26	
3	5755	151	106T	11.99	11.32	14.68	11.72	10.35	14.10	11.89	9.93	14.03	
	5795	159	106T	10.85	11.24	14.06	12.00	11.10	14.58	12.00	10.90	14.50	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 61			RU Index: 62		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5190	38	242T	15.10	15.00	18.06	14.89	15.23	18.07	
	5230	46	242T	15.00	15.21	18.12	14.92	15.21	18.08	
2A	5270	54	242T	15.60	15.65	18.64	15.63	15.59	18.62	
	5310	62	242T	15.68	15.82	18.76	15.45	15.98	18.73	
2C	5510	102	242T	15.19	15.34	18.28	15.12	15.65	18.40	
	5590	118	242T	15.55	15.33	18.45	15.30	15.65	18.49	
	5710	142	242T	15.72	15.59	18.67	15.74	15.55	18.66	
3	5755	151	242T	15.55	15.27	18.42	15.15	15.48	18.33	
	5795	159	242T	15.57	15.14	18.37	15.25	15.48	18.38	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 65		
					ANT1	ANT2	MIMO
1	5190	38	484T	15.31	15.55	18.44	
	5230	46	484T	15.47	15.66	18.58	
2A	5270	54	484T	15.70	15.60	18.66	
	5310	62	484T	15.58	15.37	18.49	
2C	5510	102	484T	16.00	15.70	18.86	
	5590	118	484T	15.94	15.65	18.81	
	5710	142	484T	15.20	15.20	18.21	
3	5755	151	484T	15.97	16.00	19.00	
	5795	159	484T	15.95	15.91	18.94	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 6 of 16

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5210	42	26T	7.85	7.57	10.72	7.64	7.97	10.82	7.34	7.91	10.64	
2A	5290	58	26T	7.27	7.99	10.66	6.23	7.92	10.17	6.71	8.00	10.41	
2C	5530	106	26T	7.81	7.37	10.61	7.96	7.99	10.99	7.91	7.79	10.86	
	5610	122	26T	7.98	7.49	10.75	7.96	7.79	10.89	7.93	7.65	10.80	
3	5690	138	26T	8.00	7.54	10.79	7.49	7.31	10.41	7.73	7.43	10.59	
	5775	155	26T	8.00	7.38	10.71	7.93	7.88	10.92	7.92	7.57	10.76	



80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5210	42	52T	9.00	7.45	11.30	8.95	8.65	11.81	8.87	8.67	11.78	
2A	5290	58	52T	8.97	7.14	11.16	8.50	8.61	11.57	8.95	8.64	11.81	
2C	5530	106	52T	8.96	7.55	11.32	8.84	8.66	11.76	8.87	8.91	11.90	
	5610	122	52T	8.71	8.66	11.70	8.72	8.93	11.84	8.57	8.97	11.78	
3	5690	138	52T	8.68	8.82	11.76	8.75	8.80	11.79	8.81	8.39	11.62	
	5775	155	52T	8.57	8.67	11.63	8.94	8.99	11.98	8.73	9.00	11.88	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5210	42	106T	11.80	11.94	14.88	11.68	11.93	14.82	11.89	11.94	14.93	
2A	5290	58	106T	11.72	11.66	14.70	11.33	11.81	14.59	11.53	11.88	14.72	
2C	5530	106	106T	11.44	11.59	14.53	11.34	11.62	14.49	11.47	11.45	14.47	
	5610	122	106T	11.69	11.62	14.67	11.62	11.42	14.53	11.87	11.36	14.63	
3	5690	138	106T	11.75	11.69	14.73	11.88	11.75	14.83	11.90	11.54	14.73	
	5775	155	106T	11.45	11.52	14.50	11.25	11.60	14.44	11.35	11.42	14.40	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5210	42	242T	14.69	14.56	17.64	14.45	14.71	17.59	14.55	14.63	17.60	
2A	5290	58	242T	14.32	14.23	17.29	14.14	14.70	17.44	13.87	14.30	17.10	
2C	5530	106	242T	14.07	13.82	16.96	14.81	14.78	17.81	14.91	14.83	17.88	
	5610	122	242T	14.37	13.81	17.11	14.32	13.82	17.09	14.34	13.91	17.14	
3	5690	138	242T	14.80	14.18	17.51	14.44	14.23	17.35	14.37	14.17	17.28	
	5775	155	242T	14.88	14.50	17.70	14.76	14.65	17.72	14.76	14.66	17.72	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5210	42	484T	14.20	14.14	17.18	13.89	14.29	17.10	
2A	5290	58	484T	14.53	14.81	17.68	14.22	14.97	17.62	
2C	5530	106	484T	14.73	14.59	17.67	14.44	14.59	17.53	
	5610	122	484T	14.60	14.68	17.65	14.92	14.57	17.76	
3	5690	138	484T	14.72	14.43	17.59	14.76	14.65	17.72	
	5775	155	484T	14.70	14.64	17.68	14.35	14.59	17.48	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
1	5210	42	996T	14.68	14.93	17.82	
2A	5290	58	996T	14.69	15.00	17.86	
2C	5530	106	996T	14.52	14.54	17.54	
	5610	122	996T	14.91	14.45	17.70	
3	5690	138	996T	14.94	14.48	17.73	
	5775	155	996T	14.86	14.67	17.78	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset	APPENDIX K: Page 7 of 16		

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	26T	7.32	7.42	10.38	7.55	7.56	10.57	7.36	7.30	10.34	
2A	5570	114	26T	7.48	7.52	10.51	6.99	7.01	10.01	7.68	7.98	10.84	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	52T	10.70	9.90	13.33	10.37	9.64	13.03	10.60	10.10	13.37	
2C	5570	114	52T	10.97	9.80	13.43	10.96	9.77	13.42	10.82	9.50	13.22	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	106T	11.24	11.52	14.39	10.98	11.75	14.39	11.10	11.38	14.25	
2C	5570	114	106T	11.08	11.54	14.33	11.16	11.54	14.36	11.19	11.21	14.21	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	242T	14.30	14.90	17.62	14.30	14.86	17.60	14.51	14.60	17.57	
2C	5570	114	242T	14.09	14.64	17.38	13.93	14.25	17.10	14.29	14.20	17.26	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	484T	13.72	14.90	17.36	14.20	14.68	17.46	
2C	5570	114	484T	13.50	14.56	17.07	14.05	14.36	17.22	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
1	5250	50	996T	14.81	14.95	17.89	
2C	5570	114	996T	14.90	14.86	17.89	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	26T	7.13	7.98	10.59	6.68	7.99	10.40	6.90	8.00	10.50	
2C	5570	114	26T	6.55	8.00	10.35	6.90	7.10	10.01	7.25	7.26	10.27	



160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	52T	10.41	9.69	13.07	10.45	9.76	13.13	9.61	10.58	13.13	
2C	5570	114	52T	10.13	9.89	13.02	10.44	9.86	13.17	9.71	10.33	13.04	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	106T	9.90	11.98	14.07	9.88	12.00	14.08	9.78	12.00	14.04	
2C	5570	114	106T	11.10	12.00	14.58	9.81	11.99	14.05	9.78	11.96	14.02	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	242T	12.90	14.91	17.03	12.85	14.96	17.04	12.74	15.00	17.03	
2C	5570	114	242T	13.65	14.92	17.34	12.85	14.94	17.03	12.98	14.98	17.10	



160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	484T	13.13	14.92	17.13	12.72	15.00	17.02	
2C	5570	114	484T	13.25	14.96	17.20	13.10	14.99	17.16	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
1	5250	50	996T	13.28	15.00	17.23	
2C	5570	114	996T	13.32	14.97	17.23	



FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset	APPENDIX K: Page 8 of 16		

**Table K-3
Maximum 5 GHz UNII-4 802.11ax RU Output Power – MIMO**

Band	Frequency	Bandwidth	Channel	Mode	Tone	RU index	Detector	Ant1 Power [dBm]	Ant2 Power [dBm]	MIMO Power [dBm]
UNII4	5845	20MHz	169	ax RU	26T	0	Average	7.69	7.35	10.53
UNII4	5845	20MHz	169	ax RU	26T	4	Average	7.59	7.40	10.51
UNII4	5845	20MHz	169	ax RU	26T	8	Average	7.49	7.01	10.27
UNII4	5845	20MHz	169	ax RU	52T	37	Average	7.14	7.21	10.19
UNII4	5845	20MHz	169	ax RU	52T	39	Average	7.24	7.33	10.30
UNII4	5845	20MHz	169	ax RU	52T	40	Average	7.36	7.45	10.42
UNII4	5845	20MHz	169	ax RU	106T	53	Average	11.16	11.12	14.15
UNII4	5845	20MHz	169	ax RU	106T	54	Average	12.00	11.60	14.87
UNII4	5845	20MHz	169	ax RU	242T	61	Average	17.00	16.70	19.98
UNII4	5865	20MHz	173	ax RU	26T	0	Average	7.62	7.40	10.52
UNII4	5865	20MHz	173	ax RU	26T	4	Average	7.78	7.40	10.60
UNII4	5865	20MHz	173	ax RU	26T	8	Average	7.58	7.20	10.40
UNII4	5865	20MHz	173	ax RU	52T	37	Average	7.52	7.63	10.59
UNII4	5865	20MHz	173	ax RU	52T	39	Average	7.49	7.32	10.42
UNII4	5865	20MHz	173	ax RU	52T	40	Average	7.56	7.44	10.51
UNII4	5865	20MHz	173	ax RU	106T	53	Average	11.02	11.03	14.04
UNII4	5865	20MHz	173	ax RU	106T	54	Average	11.89	11.56	14.74
UNII4	5865	20MHz	173	ax RU	242T	61	Average	17.00	16.70	19.98
UNII4	5885	20MHz	177	ax RU	26T	0	Average	7.89	7.96	10.94
UNII4	5885	20MHz	177	ax RU	26T	4	Average	7.88	7.57	10.74
UNII4	5885	20MHz	177	ax RU	26T	8	Average	7.87	7.42	10.66
UNII4	5885	20MHz	177	ax RU	52T	37	Average	7.64	7.82	10.74
UNII4	5885	20MHz	177	ax RU	52T	39	Average	7.63	7.42	10.54
UNII4	5885	20MHz	177	ax RU	52T	40	Average	7.24	7.66	10.47
UNII4	5885	20MHz	177	ax RU	106T	53	Average	11.32	11.40	14.37
UNII4	5885	20MHz	177	ax RU	106T	54	Average	12.00	11.65	14.94
UNII4	5885	20MHz	177	ax RU	242T	61	Average	16.34	16.00	19.18

FCC ID: A3LSMS906U	 PCTEST <small>Proud to be part of element</small>	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset		APPENDIX K: Page 9 of 16	

Band	Frequency	Bandwidth	Channel	Mode	Tone	RU index	Detector	Ant1 Power [dBm]	Ant2 Power [dBm]	MIMO Power [dBm]
UNII4	5835	40MHz	167	ax RU	26T	0	Average	8.00	7.67	10.96
UNII4	5835	40MHz	167	ax RU	26T	8	Average	7.58	7.85	10.73
UNII4	5835	40MHz	167	ax RU	26T	17	Average	7.79	7.43	10.62
UNII4	5835	40MHz	167	ax RU	52T	37	Average	9.12	8.87	12.01
UNII4	5835	40MHz	167	ax RU	52T	40	Average	9.35	9.13	12.25
UNII4	5835	40MHz	167	ax RU	52T	44	Average	9.23	9.11	12.18
UNII4	5835	40MHz	167	ax RU	106T	53	Average	12.00	11.91	14.99
UNII4	5835	40MHz	167	ax RU	106T	54	Average	11.98	11.50	14.87
UNII4	5835	40MHz	167	ax RU	106T	56	Average	11.77	11.57	14.68
UNII4	5835	40MHz	167	ax RU	242T	61	Average	15.77	15.32	18.56
UNII4	5835	40MHz	167	ax RU	242T	62	Average	15.27	15.22	18.26
UNII4	5835	40MHz	167	ax RU	484T	65	Average	16.00	15.67	18.86
UNII4	5875	40MHz	175	ax RU	26T	0	Average	8.00	7.73	10.90
UNII4	5875	40MHz	175	ax RU	26T	8	Average	7.45	7.52	10.50
UNII4	5875	40MHz	175	ax RU	26T	17	Average	7.86	7.34	10.62
UNII4	5875	40MHz	175	ax RU	52T	37	Average	9.30	8.76	12.05
UNII4	5875	40MHz	175	ax RU	52T	40	Average	9.47	9.32	12.41
UNII4	5875	40MHz	175	ax RU	52T	44	Average	9.23	8.85	12.05
UNII4	5875	40MHz	175	ax RU	106T	53	Average	11.12	11.09	14.12
UNII4	5875	40MHz	175	ax RU	106T	54	Average	12.00	11.78	14.91
UNII4	5875	40MHz	175	ax RU	106T	56	Average	11.99	11.56	14.79
UNII4	5875	40MHz	175	ax RU	242T	61	Average	15.60	15.03	18.33
UNII4	5875	40MHz	175	ax RU	242T	62	Average	15.41	15.05	18.24
UNII4	5875	40MHz	175	ax RU	484T	65	Average	16.00	15.60	18.84
UNII4	5855	80MHz	171	ax RU	26T	0	Average	8.00	7.76	10.97
UNII4	5855	80MHz	171	ax RU	26T	18	Average	7.75	7.45	10.61
UNII4	5855	80MHz	171	ax RU	26T	36	Average	8.00	7.34	10.75
UNII4	5855	80MHz	171	ax RU	52T	37	Average	8.87	8.96	11.93
UNII4	5855	80MHz	171	ax RU	52T	44	Average	8.86	8.91	11.90
UNII4	5855	80MHz	171	ax RU	52T	52	Average	8.69	8.77	11.74
UNII4	5855	80MHz	171	ax RU	106T	53	Average	11.87	11.67	14.78
UNII4	5855	80MHz	171	ax RU	106T	56	Average	11.73	11.43	14.59
UNII4	5855	80MHz	171	ax RU	106T	60	Average	11.99	11.23	14.64
UNII4	5855	80MHz	171	ax RU	242T	61	Average	15.00	14.58	17.98
UNII4	5855	80MHz	171	ax RU	242T	62	Average	14.90	14.65	17.89
UNII4	5855	80MHz	171	ax RU	242T	64	Average	14.89	14.33	17.73
UNII4	5855	80MHz	171	ax RU	484T	65	Average	14.80	14.65	17.74
UNII4	5855	80MHz	171	ax RU	484T	66	Average	14.37	14.03	17.21
UNII4	5855	80MHz	171	ax RU	996T	67	Average	14.71	14.22	17.48

FCC ID: A3LSMS906U	 PCTEST <small>Proud to be part of element</small>	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset		APPENDIX K: Page 10 of 16	

Band	Frequency	Bandwidth	Channel	Mode	Tone	RU index	Detector	Ant1 Power [dBm]	Ant2 Power [dBm]	MIMO Power [dBm]
UNII3&4	5775	L160MHz	155	ax RU	26T	0	Average	8.00	7.82	10.98
UNII3&4	5775	L160MHz	155	ax RU	26T	18	Average	7.82	7.52	10.68
UNII3&4	5775	L160MHz	155	ax RU	26T	36	Average	8.00	7.24	10.76
UNII3&4	5775	L160MHz	155	ax RU	52T	37	Average	10.15	9.87	13.02
UNII3&4	5775	L160MHz	155	ax RU	52T	44	Average	10.38	9.70	13.06
UNII3&4	5775	L160MHz	155	ax RU	52T	52	Average	10.32	9.72	13.04
UNII3&4	5775	L160MHz	155	ax RU	106T	53	Average	11.97	11.58	14.79
UNII3&4	5775	L160MHz	155	ax RU	106T	56	Average	11.68	11.46	14.58
UNII3&4	5775	L160MHz	155	ax RU	106T	60	Average	11.78	11.32	14.57
UNII3&4	5775	L160MHz	155	ax RU	242T	61	Average	15.00	14.48	17.93
UNII3&4	5775	L160MHz	155	ax RU	242T	62	Average	14.99	14.82	17.98
UNII3&4	5775	L160MHz	155	ax RU	242T	64	Average	14.80	14.27	17.77
UNII3&4	5775	L160MHz	155	ax RU	484T	65	Average	14.81	14.56	17.80
UNII3&4	5775	L160MHz	155	ax RU	484T	66	Average	14.56	14.11	17.35
UNII3&4	5775	L160MHz	155	ax RU	996T	67	Average	14.77	14.27	17.54
UNII3&4	5855	H160MHz	171	ax RU	26T	0	Average	7.98	7.76	10.88
UNII3&4	5855	H160MHz	171	ax RU	26T	18	Average	7.77	7.32	10.56
UNII3&4	5855	H160MHz	171	ax RU	26T	36	Average	7.99	7.41	10.72
UNII3&4	5855	H160MHz	171	ax RU	52T	37	Average	10.31	10.00	13.17
UNII3&4	5855	H160MHz	171	ax RU	52T	44	Average	10.35	10.13	13.25
UNII3&4	5855	H160MHz	171	ax RU	52T	52	Average	10.10	9.97	13.05
UNII3&4	5855	H160MHz	171	ax RU	106T	53	Average	11.76	11.65	14.72
UNII3&4	5855	H160MHz	171	ax RU	106T	56	Average	11.58	11.70	14.65
UNII3&4	5855	H160MHz	171	ax RU	106T	60	Average	11.69	11.19	14.46
UNII3&4	5855	H160MHz	171	ax RU	242T	61	Average	15.00	14.36	17.90
UNII3&4	5855	H160MHz	171	ax RU	242T	62	Average	14.81	14.44	17.85
UNII3&4	5855	H160MHz	171	ax RU	242T	64	Average	14.91	14.53	17.84
UNII3&4	5855	H160MHz	171	ax RU	484T	65	Average	14.77	14.72	17.88
UNII3&4	5855	H160MHz	171	ax RU	484T	66	Average	14.46	14.21	17.35
UNII3&4	5855	H160MHz	171	ax RU	996T	67	Average	14.47	14.19	17.34




FCC ID: A3LSMS906U	 PCTEST Proud to be part of 	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset		APPENDIX K: Page 11 of 16	

Table K-4
Maximum 6GHz 802.11ax RU Output Power – MIMO

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 4			RU Index: 8		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5955	1	26T	-2.50	-1.39	1.10	-2.03	-1.21	1.41	-2.75	-1.11	1.16	
	6175	45	26T	-2.44	-1.23	1.22	-2.01	-1.82	1.10	-2.50	-1.26	1.17	
	6415	93	26T	-1.68	-1.17	1.59	-1.65	-1.48	1.45	-1.68	-1.00	1.68	
6	6435	97	26T	-1.65	-1.52	1.43	-1.39	-1.97	1.34	-1.25	-1.42	1.68	
	6475	105	26T	-1.37	-1.36	1.65	-1.06	-1.99	1.51	-1.36	-1.23	1.72	
	6515	113	26T	-1.00	-1.29	1.87	-1.10	-2.27	1.36	-1.01	-1.06	1.98	
7	6535	117	26T	-1.23	-1.44	1.68	-1.18	-1.95	1.46	-1.31	-1.09	1.81	
	6695	149	26T	-1.50	-1.71	1.41	-1.06	-1.99	1.51	-1.04	-1.02	1.98	
	6875	185	26T	-1.24	-1.06	1.86	-1.50	-2.25	1.15	-1.42	-1.54	1.53	
8	6895	189	26T	-1.24	-1.26	1.76	-1.34	-2.08	1.32	-1.50	-1.38	1.57	
	6995	209	26T	-1.95	-1.98	1.05	-1.25	-1.84	1.48	-1.84	-1.58	1.30	
	7115	233	26T	-1.07	-1.08	1.94	-1.45	-1.00	1.79	-1.23	-1.13	1.83	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 39			RU Index: 40		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5955	1	52T	0.55	1.99	4.34	0.73	1.99	4.42	0.68	2.00	4.40	
	6175	45	52T	1.08	1.99	4.57	0.91	1.99	4.49	0.61	1.99	4.36	
	6415	93	52T	1.32	1.30	4.32	1.60	1.85	4.74	0.26	1.72	4.06	
6	6435	97	52T	1.84	1.42	4.65	2.00	1.77	4.90	1.87	1.41	4.66	
	6475	105	52T	1.07	1.13	4.11	0.91	1.11	4.02	1.27	1.31	4.30	
	6515	113	52T	1.91	2.00	4.97	1.74	1.69	4.73	1.47	1.46	4.48	
7	6535	117	52T	1.53	1.65	4.60	1.65	1.94	4.81	1.50	1.89	4.71	
	6695	149	52T	1.19	1.25	4.23	1.29	1.34	4.33	1.39	1.52	4.47	
	6875	185	52T	1.89	1.91	4.91	1.48	2.00	4.76	1.38	1.05	4.23	
8	6895	189	52T	1.29	1.25	4.28	2.00	1.63	4.83	1.89	1.89	4.90	
	6995	209	52T	1.75	1.50	4.64	1.70	1.71	4.72	1.46	1.44	4.46	
	7115	233	52T	1.87	1.61	4.75	2.00	1.73	4.88	2.00	1.79	4.91	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 53			RU Index: 54		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5955	1	106T	3.84	5.00	7.47	4.05	4.95	7.53	
	6175	45	106T	4.20	4.78	7.51	4.05	4.70	7.40	
	6415	93	106T	4.57	4.55	7.57	4.33	4.40	7.38	
6	6435	97	106T	4.90	4.85	7.89	4.80	4.87	7.85	
	6475	105	106T	4.90	4.70	7.81	4.75	4.80	7.79	
	6515	113	106T	4.79	4.30	7.56	4.93	4.90	7.93	
7	6535	117	106T	4.48	4.45	7.48	4.25	4.24	7.26	
	6695	149	106T	4.99	4.88	7.95	4.84	4.80	7.83	
	6875	185	106T	4.45	5.00	7.74	4.50	4.48	7.50	
8	6895	189	106T	5.00	4.58	7.81	5.00	4.40	7.72	
	6995	209	106T	4.86	4.90	7.89	4.90	5.00	7.96	
	7115	233	106T	4.45	4.14	7.31	4.54	3.90	7.24	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 61		
					ANT1	ANT2	MIMO
5	5955	1	242T	9.46	10.90	13.25	
	6175	45	242T	9.92	10.90	13.45	
	6415	93	242T	10.56	11.00	13.80	
6	6435	97	242T	10.71	10.67	13.70	
	6475	105	242T	10.61	10.20	13.42	
	6515	113	242T	10.37	10.36	13.38	
7	6535	117	242T	10.44	10.85	13.66	
	6695	149	242T	10.94	10.99	13.98	
	6875	185	242T	10.29	11.00	13.67	
8	6895	189	242T	10.81	10.90	13.87	
	6995	209	242T	10.38	10.82	13.62	
	7115	233	242T	10.51	10.59	13.56	

FCC ID: A3LSMS906U



SAR EVALUATION REPORT



Approved by:
Quality Manager

Test Dates:
09/19/21 - 11/15/21

DUT Type:
Portable Handset

APPENDIX K:
Page 12 of 16

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 8			RU Index: 17		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	5965	3	26T	-3.23	-1.04	1.01	-2.26	-1.18
	6165	43	26T	-2.98	-1.00	1.13	-2.10	-1.15	1.41	-3.17	-1.00	1.06	
	6405	91	26T	-1.90	-1.56	1.28	-2.33	-1.45	1.14	-2.34	-1.40	1.17	
	6445	99	26T	-1.04	-1.45	1.77	-1.10	-1.50	1.71	-1.20	-1.40	1.71	
6	6485	107	26T	-1.00	-1.25	1.89	-1.10	-1.54	1.70	-1.10	-1.50	1.71	
	6525	115	26T	-1.00	-1.23	1.90	-1.23	-1.64	1.58	-1.00	-1.50	1.77	
7	6565	123	26T	-1.70	-2.10	1.11	-1.02	-1.27	1.87	-1.36	-1.57	1.55	
	6725	155	26T	-1.15	-1.05	1.91	-1.22	-1.12	1.84	-1.00	-1.07	1.98	
	6845	179	26T	-2.12	-1.06	1.45	-2.00	-1.20	1.43	-2.35	-1.50	1.11	
8	6885	187	26T	-2.19	-1.10	1.40	-2.37	-1.05	1.35	-2.46	-1.10	1.28	
	7005	211	26T	-1.56	-1.92	1.27	-2.22	-1.42	1.21	-2.26	-1.50	1.15	
	7085	227	26T	-2.11	-1.57	1.18	-2.00	-1.70	1.16	-2.30	-1.60	1.07	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 40			RU Index: 44		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	5965	3	52T	0.88	2.00	4.49	0.66	2.00
	6165	43	52T	0.90	1.70	4.33	0.60	1.50	4.08	0.24	1.91	4.17	
	6405	91	52T	0.90	1.70	4.33	0.45	1.70	4.13	0.82	1.27	4.06	
	6445	99	52T	1.61	1.77	4.70	1.10	1.00	4.06	2.00	1.80	4.91	
6	6485	107	52T	2.00	1.47	4.75	1.80	1.30	4.57	1.80	0.79	4.33	
	6525	115	52T	2.00	1.57	4.80	1.60	1.59	4.61	1.77	1.20	4.50	
7	6565	123	52T	1.60	1.40	4.51	1.45	1.51	4.49	1.31	1.10	4.22	
	6725	155	52T	0.97	1.20	4.10	0.81	1.37	4.11	1.50	1.57	4.55	
	6845	179	52T	0.80	1.67	4.27	0.67	1.65	4.20	0.97	1.22	4.11	
8	6885	187	52T	1.17	1.50	4.35	1.10	1.45	4.29	1.51	1.70	4.62	
	7005	211	52T	1.56	1.65	4.62	1.47	1.97	4.74	1.42	1.33	4.39	
	7085	227	52T	1.27	1.96	4.64	1.39	1.69	4.55	1.73	1.16	4.46	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 54			RU Index: 56		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	5965	3	106T	3.30	4.65	7.04	3.50	5.00
	6165	43	106T	4.04	5.00	7.56	3.45	4.98	7.29	3.71	4.77	7.28	
	6405	91	106T	4.21	4.98	7.62	4.31	4.60	7.47	4.26	4.90	7.60	
	6445	99	106T	4.83	4.62	7.74	4.92	4.92	7.93	5.00	4.59	7.81	
6	6485	107	106T	4.95	4.70	7.84	4.96	4.77	7.88	5.00	4.37	7.71	
	6525	115	106T	4.93	4.45	7.71	5.00	4.73	7.88	4.95	4.35	7.67	
7	6565	123	106T	4.99	4.95	7.98	4.99	4.96	7.99	4.53	4.35	7.45	
	6725	155	106T	4.87	4.95	7.92	4.92	5.00	7.97	5.00	4.89	7.96	
	6845	179	106T	4.48	4.92	7.72	4.49	4.30	7.41	4.59	4.60	7.61	
8	6885	187	106T	4.54	4.91	7.74	4.68	3.95	7.34	4.63	4.76	7.71	
	7005	211	106T	4.54	4.86	7.71	4.66	4.84	7.76	4.92	4.63	7.79	
	7085	227	106T	4.74	4.86	7.81	5.00	4.68	7.85	4.95	4.27	7.63	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62					
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO			
					5	5965	3	242T	9.25	10.88	13.15	9.94	10.76
	6165	43	242T	10.33	11.00	13.69	10.41	10.56	13.50				
	6405	91	242T	10.43	10.95	13.71	9.56	11.00	13.35				
	6445	99	242T	10.66	10.83	13.76	9.51	10.84	13.24				
6	6485	107	242T	10.49	10.53	13.52	9.31	10.79	13.12				
	6525	115	242T	10.19	10.12	13.17	9.09	10.79	13.03				
	6565	123	242T	10.56	10.73	13.66	9.81	10.30	13.07				
7	6725	155	242T	10.71	10.60	13.67	9.45	10.75	13.16				
	6845	179	242T	10.45	10.94	13.71	9.31	11.00	13.25				
8	6885	187	242T	10.25	11.00	13.65	9.10	10.79	13.04				
	7005	211	242T	10.41	10.67	13.55	9.42	10.81	13.18				
	7085	227	242T	10.61	10.50	13.57	9.81	10.25	13.05				

40MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 65		
					ANT1	ANT2	MIMO
					5	5965	3
	6165	43	484T	9.22	9.98	12.63	
	6405	91	484T	9.35	9.50	12.44	
	6445	99	484T	9.76	8.86	12.34	
6	6485	107	484T	9.83	8.55	12.25	
	6525	115	484T	9.75	8.63	12.24	
	6565	123	484T	9.62	8.81	12.24	
7	6725	155	484T	9.34	8.80	12.09	
	6845	179	484T	9.34	8.80	12.09	
8	6885	187	484T	9.20	8.99	12.11	
	7005	211	484T	9.75	8.31	12.10	
	7085	227	484T	9.78	8.21	12.08	

FCC ID: A3LSMS906U



SAR EVALUATION REPORT



Approved by:
Quality Manager

Test Dates:
09/19/21 - 11/15/21

DUT Type:
Portable Handset

APPENDIX K:
Page 13 of 16

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5985	7	26T	-1.07	-2.45	1.30	-2.22	-1.00	1.44	-1.05	-3.05	1.07	
	6145	39	26T	-2.41	-1.41	1.13	-2.13	-1.08	1.44	-2.19	-1.65	1.10	
	6385	87	26T	-1.35	-1.85	1.42	-1.56	-1.33	1.57	-1.27	-1.10	1.83	
6	6465	103	26T	-1.90	-1.24	1.45	-1.32	-1.57	1.57	-1.47	-1.10	1.73	
	6545	119	26T	-1.49	-1.84	1.35	-1.08	-1.65	1.65	-1.01	-1.60	1.72	
7	6705	151	26T	-1.40	-1.81	1.41	-1.02	-1.80	1.62	-1.09	-2.15	1.42	
	6865	183	26T	-1.16	-1.10	1.88	-1.46	-1.24	1.66	-1.78	-1.32	1.47	
8	6945	199	26T	-1.93	-1.13	1.50	-1.88	-1.95	1.10	-1.19	-1.40	1.72	
	7025	215	26T	-1.31	-1.28	1.72	-1.26	-1.48	1.64	-1.36	-1.29	1.69	



80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5985	7	52T	1.42	0.80	4.13	2.00	0.69	4.40	2.00	0.44	4.30	
	6145	39	52T	2.00	0.48	4.32	1.77	0.52	4.20	0.26	2.00	4.23	
	6385	87	52T	1.16	2.00	4.61	1.70	1.80	4.76	1.42	1.40	4.42	
6	6465	103	52T	1.47	1.55	4.52	1.68	1.89	4.80	1.75	1.87	4.82	
	6545	119	52T	1.90	0.70	4.35	1.92	0.66	4.35	1.89	0.65	4.32	
7	6705	151	52T	1.61	2.00	4.82	1.37	1.61	4.50	1.70	1.18	4.46	
	6865	183	52T	1.72	1.98	4.86	1.32	1.76	4.56	1.20	1.97	4.61	
8	6945	199	52T	1.45	1.51	4.49	1.67	1.97	4.83	1.60	1.38	4.50	
	7025	215	52T	0.79	1.65	4.25	1.51	1.89	4.71	0.86	1.38	4.14	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5985	7	106T	3.17	5.00	7.19	3.11	4.89	7.10	2.70	5.00	7.01	
	6145	39	106T	3.45	4.62	7.08	3.38	4.56	7.02	3.40	4.65	7.08	
	6385	87	106T	3.62	4.44	7.06	4.27	4.57	7.43	3.94	4.45	7.21	
6	6465	103	106T	4.11	4.84	7.50	4.01	4.92	7.50	5.00	4.91	7.97	
	6545	119	106T	4.61	4.66	7.65	4.80	3.85	7.36	4.99	4.44	7.73	
7	6705	151	106T	4.70	4.85	7.79	4.67	4.85	7.77	4.72	5.00	7.87	
	6865	183	106T	3.75	4.40	7.10	3.60	4.48	7.07	3.74	4.88	7.36	
8	6945	199	106T	4.58	4.15	7.38	4.84	5.00	7.93	4.95	4.66	7.82	
	7025	215	106T	4.40	4.45	7.44	4.45	4.59	7.53	4.51	4.20	7.37	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5985	7	242T	8.99	10.84	13.02	9.37	11.00	13.27	8.80	11.00	13.05	
	6145	39	242T	8.90	11.00	13.09	9.80	10.63	13.25	9.27	10.81	13.12	
	6385	87	242T	10.70	10.48	13.60	10.65	11.00	13.84	10.94	10.74	13.85	
6	6465	103	242T	10.87	9.83	13.39	10.23	9.89	13.07	10.33	9.71	13.04	
	6545	119	242T	11.00	9.36	13.27	11.00	10.04	13.56	10.63	10.01	13.34	
7	6705	151	242T	10.77	9.10	13.03	10.60	10.11	13.37	10.77	9.88	13.36	
	6865	183	242T	10.82	10.20	13.53	10.49	10.38	13.45	10.18	10.36	13.28	
8	6945	199	242T	10.65	9.77	13.24	11.00	10.30	13.67	10.90	9.99	13.48	
	7025	215	242T	10.70	10.76	13.74	10.36	9.98	13.18	10.45	9.99	13.24	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	5985	7	484T	9.35	9.98	12.69	9.08	10.00	12.57	
	6145	39	484T	9.10	10.00	12.58	8.90	10.00	12.50	
	6385	87	484T	9.40	9.55	12.49	8.98	9.61	12.32	
6	6465	103	484T	9.56	9.78	12.68	9.80	9.90	12.86	
	6545	119	484T	9.87	9.21	12.56	9.54	9.30	12.43	
7	6705	151	484T	9.70	8.42	12.12	9.93	9.50	12.73	
	6865	183	484T	9.77	9.40	12.60	9.82	9.40	12.63	
8	6945	199	484T	9.89	9.42	12.67	9.67	9.44	12.57	
	7025	215	484T	10.00	9.30	12.67	9.62	9.48	12.56	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
5	5985	7	996T	9.30	10.00	12.67	
	6145	39	996T	9.40	9.96	12.70	
	6385	87	996T	9.92	9.54	12.74	
6	6465	103	996T	9.83	9.41	12.64	
	6545	119	996T	10.00	9.24	12.65	
7	6705	151	996T	9.85	9.08	12.49	
	6865	183	996T	9.63	9.41	12.53	
8	6945	199	996T	9.89	9.32	12.62	
	7025	215	996T	10.00	9.42	12.73	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset	APPENDIX K: Page 14 of 16		

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	6025	15	26T	-2.51	-1.04	1.30	-2.16	-1.03	1.45	-2.72	-1.28	1.07	
	6185	47	26T	-2.61	-1.00	1.28	-1.91	-1.20	1.47	-1.85	-1.00	1.61	
	6345	79	26T	-1.34	-1.39	1.65	-1.81	-1.49	1.36	-1.45	-1.25	1.66	
6	6505	111	26T	-1.43	-1.97	1.32	-1.05	-1.11	1.93	-1.76	-1.77	1.25	
	6665	143	26T	-1.00	-1.18	1.92	-1.81	-1.71	1.25	-1.76	-1.82	1.22	
7	6825	175	26T	-1.02	-1.05	1.98	-1.27	-1.29	1.73	-1.82	-1.13	1.55	
	6985	207	26T	-1.33	-1.11	1.79	-1.68	-1.87	1.24	-1.34	-1.10	1.79	



160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	6025	15	52T	0.59	2.00	4.36	0.73	2.00	4.42	0.76	2.00	4.43	
	6185	47	52T	0.13	1.75	4.03	0.56	1.45	4.04	0.78	1.80	4.33	
	6345	79	52T	1.01	1.80	4.43	1.44	1.87	4.67	1.31	1.41	4.37	
6	6505	111	52T	1.65	1.65	4.66	1.67	1.57	4.63	1.93	1.99	4.97	
	6665	143	52T	1.89	1.96	4.94	1.93	1.99	4.97	1.87	1.30	4.60	
7	6825	175	52T	1.42	1.83	4.64	1.33	1.59	4.47	1.14	1.34	4.25	
	6985	207	52T	1.77	2.00	4.90	1.75	2.00	4.89	1.44	1.60	4.53	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	6025	15	106T	3.38	4.94	7.24	3.53	4.61	7.11	3.96	4.66	7.33	
	6185	47	106T	3.37	5.00	7.27	3.38	4.86	7.19	3.61	5.00	7.37	
	6345	79	106T	4.19	4.65	7.44	4.44	5.00	7.74	4.51	4.22	7.38	
6	6505	111	106T	4.61	4.22	7.43	4.55	4.37	7.47	4.90	4.95	7.94	
	6665	143	106T	4.90	4.67	7.80	4.75	4.28	7.53	4.59	4.89	7.75	
7	6825	175	106T	4.74	4.74	7.75	4.81	4.67	7.75	4.24	4.41	7.34	
	6985	207	106T	4.30	4.42	7.37	4.58	4.69	7.65	4.47	4.29	7.39	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	6025	15	242T	9.69	10.52	13.14	10.60	11.00	13.81	9.97	10.98	13.51	
	6185	47	242T	10.40	11.00	13.72	10.50	10.98	13.76	10.48	11.00	13.76	
	6345	79	242T	10.98	10.97	13.99	9.99	10.22	13.12	10.93	10.80	13.88	
6	6505	111	242T	11.00	10.10	13.58	10.30	9.99	13.16	10.92	10.25	13.61	
	6665	143	242T	10.90	10.78	13.85	10.70	10.67	13.69	10.81	10.88	13.86	
7	6825	175	242T	10.60	9.88	13.27	10.82	9.59	13.26	10.99	10.21	13.63	
	6985	207	242T	10.50	9.81	13.18	10.62	9.44	13.08	10.90	10.06	13.51	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
5	6025	15	484T	8.90	9.60	12.27	8.80	9.56	12.21	
	6185	47	484T	9.20	9.87	12.56	9.00	9.66	12.35	
	6345	79	484T	9.10	9.55	12.34	9.60	9.60	12.61	
6	6505	111	484T	9.90	9.60	12.76	9.86	9.20	12.55	
	6665	143	484T	9.82	9.78	12.81	9.60	9.40	12.51	
7	6825	175	484T	9.89	9.61	12.76	10.00	9.31	12.68	
	6985	211	484T	9.90	9.40	12.67	9.80	8.80	12.34	

160MHz BW 80L	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
5	6025	15	996T	9.58	9.76	12.68	
	6185	47	996T	9.58	9.78	12.69	
	6345	79	996T	9.40	9.33	12.38	
6	6505	111	996T	9.90	8.95	12.46	
	6665	143	996T	9.74	9.98	12.87	
7	6825	175	996T	10.00	9.21	12.63	
	6985	207	996T	9.87	9.70	12.80	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset			APPENDIX K: Page 15 of 16

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	6025	15	26T	-2.15	-1.09	1.42	-2.45	-1.04
	6185	47	26T	-1.99	-1.00	1.54	-1.91	-1.04	1.56	-2.38	-1.31	1.20	
	6345	79	26T	-1.81	-1.33	1.45	-1.96	-1.00	1.56	-2.14	-1.36	1.28	
6	6505	111	26T	-1.81	-1.69	1.26	-1.66	-1.69	1.34	-1.10	-1.18	1.87	
7	6665	143	26T	-1.43	-1.13	1.73	-1.23	-1.42	1.69	-1.00	-1.20	1.91	
	6825	175	26T	-1.09	-1.12	1.91	-1.07	-1.67	1.65	-1.22	-1.55	1.63	
8	6985	207	26T	-1.55	-1.68	1.40	-1.35	-1.27	1.70	-1.28	-1.59	1.58	



160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	6025	15	52T	0.81	2.00	4.46	0.65	2.00
	6185	47	52T	0.67	1.32	4.02	0.39	1.54	4.01	0.50	2.00	4.32	
	6345	79	52T	0.70	1.54	4.15	0.73	1.42	4.10	1.03	1.24	4.15	
6	6505	111	52T	1.43	1.62	4.54	1.71	1.18	4.46	1.53	1.42	4.49	
7	6665	143	52T	1.90	1.21	4.58	1.44	1.72	4.59	1.95	1.88	4.93	
	6825	175	52T	1.92	1.80	4.87	1.78	1.97	4.89	1.78	1.26	4.54	
8	6985	207	52T	1.77	1.24	4.52	1.77	1.19	4.50	1.87	1.15	4.54	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	6025	15	106T	3.82	5.00	7.46	3.25	5.00
	6185	47	106T	3.81	4.88	7.39	3.18	4.75	7.05	4.04	5.00	7.56	
	6345	79	106T	3.61	4.45	7.06	4.15	4.98	7.60	3.88	4.84	7.40	
6	6505	111	106T	4.51	4.51	7.52	4.60	4.60	7.61	4.82	4.59	7.72	
7	6665	143	106T	4.62	4.66	7.65	4.90	4.38	7.66	4.72	4.55	7.65	
	6825	175	106T	5.00	4.79	7.91	4.98	4.75	7.88	4.75	4.65	7.71	
8	6985	207	106T	4.51	4.78	7.66	4.58	4.94	7.77	4.52	4.90	7.72	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	6025	15	242T	9.18	11.00	13.19	9.37	11.00
	6185	47	242T	9.18	10.77	13.06	9.54	10.50	13.06	9.97	10.96	13.50	
	6345	79	242T	10.23	10.87	13.57	9.54	10.86	13.26	10.26	10.90	13.60	
6	6505	111	242T	10.26	10.32	13.30	10.14	10.46	13.31	10.31	10.43	13.38	
7	6665	143	242T	10.79	10.58	13.70	10.72	11.00	13.87	10.24	10.45	13.36	
	6825	175	242T	10.59	10.34	13.48	11.00	10.19	13.62	10.25	10.46	13.37	
8	6985	207	242T	11.00	10.47	13.75	10.58	10.33	13.47	10.82	10.65	13.75	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					5	6025	15	484T	9.60	10.00
	6185	47	484T	9.40	9.73	12.58	9.54	9.81	12.69	
	6345	79	484T	9.81	9.99	12.91	9.40	9.82	12.63	
6	6505	111	484T	9.80	9.11	12.48	9.60	9.47	12.55	
7	6665	143	484T	9.80	9.76	12.79	9.54	9.55	12.55	
	6825	175	484T	10.00	9.40	12.72	10.00	9.50	12.77	
8	6985	207	484T	9.70	8.90	12.33	9.70	8.50	12.15	

160MHz BW 80H	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
					5	6025	15
	6185	47	996T	8.90	9.50	12.22	
	6345	79	996T	9.50	9.63	12.58	
6	6505	111	996T	9.90	8.90	12.44	
7	6665	143	996T	9.79	9.95	12.88	
	6825	175	996T	9.86	9.30	12.60	
8	6985	207	996T	10.00	9.48	12.76	

FCC ID: A3LSMS906U	 PCTEST Proud to be part of element	SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 09/19/21 - 11/15/21	DUT Type: Portable Handset	APPENDIX K: Page 16 of 16		