



Plot 7-121. 6dB Bandwidth Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3/4) – Ch. 169)




Plot 7-122. 6dB Bandwidth Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 173)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 86 of 242




Plot 7-123. 6dB Bandwidth Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 177)




Plot 7-124. 6dB Bandwidth Plot MIMO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3/4) – Ch. 167)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 87 of 242



Plot 7-125. 6dB Bandwidth Plot MIMO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 4) – Ch. 175)




Plot 7-126. 6dB Bandwidth Plot MIMO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 171)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 88 of 242



Plot 7-127. 6dB Bandwidth Plot MIMO ANT1 (160MHz BW L 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)



Plot 7-128. 6dB Bandwidth Plot MIMO ANT1 (160MHz BW U 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)


FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 89 of 242

## MIMO Antenna-2 6dB Bandwidth Measurements (26 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
<b>Band 3</b>	5745	149	ax (20MHz)	26T	MCS0	2.65
	5785	157	ax (20MHz)	26T	MCS0	2.65
	5825	165	ax (20MHz)	26T	MCS0	2.68
	5755	151	ax (40MHz)	26T	MCS0	2.12
	5795	159	ax (40MHz)	26T	MCS0	2.13
	5775	155	ax (80MHz)	26T	MCS0	2.80

**Table 7-10. Conducted Bandwidth Measurements MIMO ANT2 (26 Tones)**

FCC ID: A3LSMS908E	 <b>PCTEST</b> Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 90 of 242




Plot 7-129. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 149)




Plot 7-130. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 157)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 91 of 242




Plot 7-131. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 165)




Plot 7-132. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 151)

FCC ID: A3LSMS908E	Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 92 of 242



Plot 7-133. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 159)



Plot 7-134. 6dB Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 155)


FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 93 of 242




	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
Band 3/4	5845	169	ax (20MHz)	26T	MCS0	2.09
Band 4	5865	173	ax (20MHz)	26T	MCS0	2.11
	5885	177	ax (20MHz)	26T	MCS0	2.09
Band 3/4	5835	167	ax (40MHz)	26T	MCS0	2.10
Band 4	5875	175	ax (40MHz)	26T	MCS0	2.07
Band 3/4	5855	171	ax (80MHz)	26T	MCS0	2.73
	5815	163	ax (160MHz L)	26T	MCS0	3.05
	5815	163	ax (160MHz U)	26T	MCS0	2.99

**Table 7-11. Conducted Bandwidth Measurements MIMO ANT2 (26 Tones)**

FCC ID: A3LSMS908E	 <b>PCTEST</b> Proud to be part of 	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 94 of 242




Plot 7-135. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 169)




Plot 7-136. 6dB Bandwidth Plot MIMO ANT2(20MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 173)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 95 of 242




Plot 7-137. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 177)




Plot 7-138. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 167)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 96 of 242




Plot 7-139. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 175)




Plot 7-140. 6dB Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 171)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 97 of 242



Plot 7-141. 6dB Bandwidth Plot MIMO ANT2 (160MHz BW L 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 163)



Plot 7-142. 6dB Bandwidth Plot MIMO ANT2 (160MHz BW U 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 163)


FCC ID: A3LSMS908E	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 98 of 242

### MIMO Antenna-2 6dB Bandwidth Measurements (Full Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
<b>Band 3</b>	5745	149	ax (20MHz)	242T	MCS0	19.02
	5785	157	ax (20MHz)	242T	MCS0	19.08
	5825	165	ax (20MHz)	242T	MCS0	19.01
	5755	151	ax (40MHz)	484T	MCS0	37.36
	5795	159	ax (40MHz)	484T	MCS0	37.48
	5775	155	ax (80MHz)	996T	MCS0	77.10

**Table 7-12. Conducted Bandwidth Measurements MIMO ANT2 (Full Tones)**

FCC ID: A3LSMS908E		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2109220110-10.A3L	<b>Test Dates:</b> 9/14/2021 - 12/8/2021	<b>EUT Type:</b> Portable Handset	Page 99 of 242	




Plot 7-143. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 149)




Plot 7-144. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 157)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 100 of 242




Plot 7-145. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 165)




Plot 7-146. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 151)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 101 of 242





Plot 7-147. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 159)




Plot 7-148. 6dB Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax – 996 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 102 of 242


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
Band 3/4	5845	169	ax (20MHz)	242T	MCS0	18.95
Band 4	5865	173	ax (20MHz)	242T	MCS0	18.92
	5885	177	ax (20MHz)	242T	MCS0	18.92
Band 3/4	5835	167	ax (40MHz)	484T	MCS0	37.62
Band 4	5875	175	ax (40MHz)	484T	MCS0	37.32
Band 3/4	5855	171	ax (80MHz)	996T	MCS0	77.36
	5815	163	ax (160MHz L)	996T	MCS0	77.78
	5815	163	ax (160MHz U)	996T	MCS0	77.09

**Table 7-13. Conducted Bandwidth Measurements MIMO ANT2 (Full Tones)**

FCC ID: A3LSMS908E	 <b>PCTEST</b> Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 103 of 242




Plot 7-149. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 242 Tones (UNII Band 3/4) – Ch. 169)




Plot 7-150. 6dB Bandwidth Plot MIMO ANT2(20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 173)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 104 of 242




Plot 7-151. 6dB Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 177)




Plot 7-152. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 484 Tones (UNII Band 3/4) – Ch. 167)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 105 of 242




Plot 7-153. 6dB Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax – 484 Tones (UNII Band 4) – Ch. 175)




Plot 7-154. 6dB Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 171)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 106 of 242



Plot 7-155. 6dB Bandwidth Plot MIMO ANT2 (160MHz BW L 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)



Plot 7-156. 6dB Bandwidth Plot MIMO ANT2 (160MHz BW U 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 107 of 242

## 7.4 UNII Output Power Measurement – 802.11ax OFDMA

§15.407(a.1.iv) §15.407(a.2) §15.407(a.3); RSS-247 [6.2]

### Test Overview and Limits

A transmitter antenna terminal of the EUT is connected to the input of an RF pulse power sensor. Measurement is made using a broadband average power meter while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

***In the 5.15 – 5.25GHz band, the maximum permissible conducted output power is 250mW (23.98dBm). The maximum e.i.r.p. shall not exceed the lesser of 200 mW or  $10 + 10 \log_{10}B$ , dBm.***

***In the 5.25 – 5.35GHz band, the maximum permissible conducted output power is the lesser of 250mW (23.98dBm) or  $11 \text{ dBm} + 10\log_{10}(26\text{dB BW}) = 11 \text{ dBm} + 10\log_{10}(18.49) = 23.67\text{dBm}$ . The maximum e.i.r.p. shall not exceed the lesser of 1.0 W or  $17 + 10 \log_{10}B$ , dBm.***

***In the 5.47 – 5.725GHz band, the maximum permissible conducted output power is the lesser of 250mW (23.98dBm) or  $11 \text{ dBm} + 10\log_{10}(26\text{dB BW}) = 11 \text{ dBm} + 10\log_{10}(18.49) = 23.67\text{dBm}$ . The maximum e.i.r.p. shall not exceed the lesser of 1.0 W or  $17 + 10 \log_{10}B$ , dBm.***

***In the 5.725 – 5.850GHz band, the maximum permissible conducted output power is 1W (30dBm). The maximum e.i.r.p. is 36 dBm.***

***In the 5.850 – 5.895 GHz band, the maximum permissible e.i.r.p is 30dBm.***

### Test Procedure Used

ANSI C63.10-2013 – Section 12.3.3.2 Method PM-G  
KDB 789033 D02 v02r01 – Section E)3)b) Method PM-G  
ANSI C63.10-2013 – Section 14.2 Measure-and-Sum Technique  
KDB 662911 v02r01 – Section E)1) Measure-and-Sum Technique

### Test Settings

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter. The trace was averaged over 100 traces to obtain the final measured average power.

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-3. Test Instrument & Measurement Setup**

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 108 of 242

## MIMO Maximum Conducted Output Power Measurements (26 Tones)

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					0			4			8				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5180	36	AVG	26T	8.37	9.20	11.81	8.93	9.45	12.21	8.82	9.36	12.11	23.98	-11.77	
5200	40	AVG	26T	8.76	8.93	11.85	9.26	9.42	12.35	9.03	9.09	12.07	23.98	-11.63	
5240	48	AVG	26T	9.07	8.92	12.00	9.49	9.37	12.44	9.22	9.03	12.14	23.98	-11.54	
5260	52	AVG	26T	8.92	8.80	11.87	9.47	9.38	12.44	9.16	9.08	12.13	23.47	-11.03	
5280	56	AVG	26T	9.02	8.63	11.84	9.38	9.17	12.29	9.42	8.93	12.19	23.47	-11.18	
5320	64	AVG	26T	9.46	8.87	12.18	9.44	9.45	12.46	9.38	9.05	12.23	23.47	-11.01	
5500	100	AVG	26T	8.85	8.21	11.55	9.16	8.53	11.87	8.97	8.01	11.53	22.80	-10.93	
5600	120	AVG	26T	8.87	8.55	11.72	9.24	9.46	12.36	8.65	8.94	11.81	22.80	-10.44	
5720	144	AVG	26T	9.07	9.03	12.06	9.60	9.35	12.49	9.49	9.36	12.44	22.80	-10.31	
5745	149	AVG	26T	8.91	8.87	11.90	9.21	9.31	12.27	8.91	8.77	11.85	30.00	-17.73	
5785	157	AVG	26T	8.77	8.82	11.81	9.41	9.15	12.29	8.78	9.05	11.93	30.00	-17.71	
5825	165	AVG	26T	9.01	9.40	12.22	9.39	9.55	12.48	9.05	9.15	12.11	30.00	-17.52	

Table 7-14. MIMO 20MHz BW (UNII) Maximum Conducted Output Power (26 Tones)

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					0			8			17				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5190	38	AVG	26T	8.38	8.65	11.53	9.09	9.56	12.34	8.93	9.07	12.01	23.98	-11.64	
5230	46	AVG	26T	8.52	8.72	11.63	9.33	9.40	12.38	8.81	8.93	11.88	23.98	-11.60	
5270	54	AVG	26T	8.98	8.80	11.90	9.41	9.46	12.45	9.01	8.95	11.99	23.47	-11.02	
5310	62	AVG	26T	8.74	8.29	11.53	9.26	9.00	12.14	8.81	8.90	11.87	23.47	-11.33	
5510	102	AVG	26T	8.87	8.54	11.72	9.11	8.83	11.98	8.90	8.83	11.88	22.80	-10.82	
5590	118	AVG	26T	8.73	8.29	11.53	9.48	8.75	12.14	8.84	8.19	11.54	22.80	-10.66	
5710	142	AVG	26T	9.22	9.16	12.20	9.38	9.04	12.22	9.54	9.41	12.49	22.80	-10.31	
5755	151	AVG	26T	8.88	8.63	11.77	9.55	9.39	12.48	8.96	9.20	12.09	30.00	-17.52	
5795	159	AVG	26T	9.21	8.75	12.00	9.26	9.24	12.26	8.64	8.77	11.72	30.00	-17.74	

Table 7-15. MIMO 40MHz BW (UNII) Maximum Conducted Output Power (26 Tones)

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					0			18			36				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5210	42	AVG	26T	8.76	9.26	12.03	9.18	9.16	12.18	9.10	8.57	11.85	23.98	-11.80	
5290	58	AVG	26T	9.12	9.36	12.25	9.52	9.37	12.46	9.16	9.00	12.09	23.47	-11.01	
5530	106	AVG	26T	9.27	8.59	11.95	9.28	8.92	12.11	8.71	8.54	11.64	22.80	-10.69	
5610	122	AVG	26T	9.35	8.50	11.96	9.22	8.21	11.75	9.37	8.53	11.98	22.80	-10.82	
5690	138	AVG	26T	9.22	8.65	11.95	9.13	9.19	12.17	8.70	8.94	11.83	22.80	-10.63	
5775	155	AVG	26T	9.24	8.75	12.01	9.28	9.22	12.26	9.12	9.19	12.17	30.00	-17.74	

Table 7-16. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (26 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	26T	9.57	10.09	12.85	10.07	9.70	12.90	9.04	9.24	12.15	
2A	5570	114	26T	9.91	9.85	12.89	9.97	9.78	12.89	9.49	9.26	12.39	

Table 7-17. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (26 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 0			RU Index: 18			RU Index: 36		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	26T	9.88	10.01	12.96	9.78	9.42	12.61	9.25	9.33	12.30	
2C	5570	114	26T	9.65	9.38	12.53	9.76	9.24	12.52	9.68	9.10	12.41	

Table 7-18. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (26 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 109 of 242



## MIMO Conducted Output Power Measurements (52 Tones)

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					37			39			40				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5180	36	AVG	52T	12.34	12.85	15.61	12.58	13.21	15.92	12.56	12.98	15.79	23.98	-8.06	
5200	40	AVG	52T	12.39	12.81	15.62	12.77	13.15	15.97	12.51	12.98	15.76	23.98	-8.00	
5240	48	AVG	52T	12.65	12.94	15.81	12.86	13.09	15.99	12.75	13.11	15.94	23.98	-7.99	
5260	52	AVG	52T	12.64	12.64	15.65	12.34	12.16	15.26	12.83	12.91	15.88	23.47	-7.59	
5280	56	AVG	52T	12.75	12.76	15.76	13.01	12.94	15.99	12.84	12.78	15.82	23.47	-7.48	
5320	64	AVG	52T	13.05	12.69	15.88	12.38	12.22	15.31	13.11	12.81	15.97	23.47	-7.50	
5500	100	AVG	52T	12.69	12.46	15.59	12.96	12.81	15.90	12.33	12.41	15.38	22.80	-6.90	
5600	120	AVG	52T	12.95	12.76	15.87	12.94	12.93	15.95	12.86	12.79	15.84	22.80	-6.85	
5720	144	AVG	52T	12.16	12.39	15.29	12.53	12.66	15.61	12.05	12.15	15.11	22.80	-7.19	
5745	149	AVG	52T	12.45	12.53	15.50	12.73	12.93	15.84	12.46	12.61	15.55	30.00	-14.16	
5785	157	AVG	52T	12.46	12.67	15.58	12.88	12.92	15.91	12.53	12.85	15.70	30.00	-14.09	
5825	165	AVG	52T	12.51	12.86	15.70	12.80	12.99	15.91	12.55	12.82	15.69	30.00	-14.09	

Table 7-19. MIMO 20MHz BW (UNII) Maximum Conducted Output Power (52 Tones)

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					37			40			44				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5190	38	AVG	52T	11.82	12.55	15.21	12.36	12.73	15.56	12.23	12.76	15.51	23.98	-8.42	
5230	46	AVG	52T	12.04	12.46	15.27	12.24	12.54	15.40	12.27	12.68	15.49	23.98	-8.49	
5270	54	AVG	52T	12.15	12.29	15.23	12.46	12.52	15.50	12.64	12.63	15.65	23.47	-7.82	
5310	62	AVG	52T	12.47	12.08	15.29	12.71	12.49	15.61	12.82	12.60	15.72	23.47	-7.75	
5510	102	AVG	52T	12.42	12.28	15.36	13.07	12.87	15.98	12.38	12.42	15.41	22.80	-6.82	
5590	118	AVG	52T	12.62	12.17	15.41	13.06	12.89	15.99	12.67	12.42	15.56	22.80	-6.81	
5710	142	AVG	52T	12.94	12.87	15.92	12.41	12.55	15.49	12.97	12.98	15.99	22.80	-6.81	
5755	151	AVG	52T	12.18	12.29	15.25	12.89	12.73	15.82	12.21	12.18	15.21	30.00	-14.18	
5795	159	AVG	52T	12.41	12.48	15.46	13.01	12.92	15.98	12.59	12.65	15.63	30.00	-14.02	

Table 7-20. MIMO 40MHz BW (UNII) Maximum Conducted Output Power (52 Tones)

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					37			44			52				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5210	42	AVG	52T	12.42	12.77	15.61	12.48	12.45	15.48	12.40	12.16	15.29	23.98	-8.37	
5290	58	AVG	52T	12.65	12.64	15.66	12.43	12.32	15.39	12.35	12.09	15.23	23.47	-7.81	
5530	106	AVG	52T	12.82	12.99	15.92	12.85	13.10	15.99	12.66	12.89	15.79	22.80	-6.81	
5610	122	AVG	52T	12.00	12.75	15.40	13.01	12.81	15.92	12.86	12.79	15.84	22.80	-6.88	
5690	138	AVG	52T	12.85	12.98	15.93	12.26	12.62	15.46	12.32	12.67	15.51	22.80	-6.87	
5775	155	AVG	52T	12.58	12.82	15.71	12.10	12.46	15.29	12.01	12.33	15.18	30.00	-14.29	

Table 7-21. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (52 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	52T	12.75	13.15	15.96	12.58	12.81	15.71	12.93	12.94	15.95	
2C	5570	114	52T	12.81	12.97	15.90	12.19	12.51	15.36	12.20	12.37	15.30	

Table 7-22. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (52 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 37			RU Index: 44			RU Index: 52		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	52T	12.76	12.63	15.71	12.75	12.60	15.68	13.13	12.78	15.97	
2C	5570	114	52T	12.25	12.41	15.34	12.89	12.99	15.95	12.38	12.57	15.49	

Table 7-23. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (52 Tones)

## MIMO Conducted Output Power Measurements (106 Tones)

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index						Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					53			54				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5180	36	AVG	106T	14.42	14.98	17.72	14.68	15.22	17.97	23.98	-6.01	
5200	40	AVG	106T	14.24	14.86	17.57	14.52	14.96	17.75	23.98	-6.23	
5240	48	AVG	106T	14.46	14.86	17.67	14.65	14.94	17.81	23.98	-6.17	
5260	52	AVG	106T	14.57	14.64	17.62	14.96	14.98	17.98	23.47	-5.49	
5280	56	AVG	106T	14.83	14.82	17.84	14.89	14.96	17.94	23.47	-5.53	
5320	64	AVG	106T	15.07	14.85	17.97	15.05	14.88	17.98	23.47	-5.49	
5500	100	AVG	106T	14.47	14.34	17.42	14.46	14.42	17.45	22.80	-5.35	
5600	120	AVG	106T	14.98	14.87	17.94	14.71	14.84	17.79	22.80	-4.86	
5720	144	AVG	106T	14.28	14.43	17.37	14.26	14.35	17.31	22.80	-5.43	
5745	149	AVG	106T	14.51	14.48	17.50	14.44	14.52	17.49	30.00	-12.50	
5785	157	AVG	106T	14.66	14.76	17.72	14.43	14.78	17.62	30.00	-12.28	
5825	165	AVG	106T	14.59	14.93	17.78	14.68	14.82	17.76	30.00	-12.22	

Table 7-24. MIMO 20MHz BW (UNII) Maximum Conducted Output Power (106 Tones)

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					53			54			56				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5190	38	AVG	106T	13.99	14.65	17.34	14.68	15.26	17.99	14.53	14.93	17.74	23.98	-5.99	
5230	46	AVG	106T	14.41	14.65	17.54	14.72	15.16	17.96	14.51	14.97	17.76	23.98	-6.02	
5270	54	AVG	106T	14.75	14.64	17.71	14.46	14.33	17.40	14.84	14.88	17.87	23.47	-5.60	
5310	62	AVG	106T	14.85	14.68	17.78	14.65	14.27	17.47	14.94	14.78	17.87	23.47	-5.60	
5510	102	AVG	106T	14.64	14.30	17.48	14.96	14.74	17.86	14.61	14.35	17.49	22.80	-4.94	
5590	118	AVG	106T	14.71	14.42	17.58	15.08	14.86	17.98	14.72	14.62	17.68	22.80	-4.82	
5710	142	AVG	106T	14.93	15.01	17.98	14.61	14.65	17.64	14.36	14.40	17.39	22.80	-4.82	
5755	151	AVG	106T	14.28	14.26	17.28	14.69	14.60	17.66	14.23	14.45	17.35	30.00	-12.34	
5795	159	AVG	106T	14.48	14.46	17.48	14.88	14.83	17.86	14.59	14.71	17.66	30.00	-12.14	

Table 7-25. MIMO 40MHz BW (UNII) Maximum Conducted Output Power (106 Tones)

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					53			56			60				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
5210	42	AVG	106T	14.37	14.70	17.55	14.36	14.35	17.37	14.38	14.12	17.26	23.98	-6.43	
5290	58	AVG	106T	14.91	14.59	17.76	14.38	14.26	17.33	14.26	14.15	17.22	23.47	-5.71	
5530	106	AVG	106T	14.04	14.26	17.16	14.15	14.37	17.27	14.83	15.11	17.98	22.80	-4.82	
5610	122	AVG	106T	14.74	14.91	17.84	14.34	14.02	17.19	14.26	14.18	17.23	22.80	-4.96	
5690	138	AVG	106T	14.86	15.06	17.97	14.34	14.43	17.40	14.36	14.68	17.53	22.80	-4.83	
5775	155	AVG	106T	14.48	14.57	17.54	14.89	15.05	17.98	14.72	15.18	17.97	30.00	-12.02	

Table 7-26. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (106 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	106T	14.40	14.89	17.66	14.26	14.40	17.34	14.74	14.66	17.71	
2C	5570	114	106T	14.88	15.07	17.99	14.19	14.39	17.30	14.04	14.41	17.24	

Table 7-27. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (106 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 53			RU Index: 56			RU Index: 60		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
1	5250	50	106T	14.78	14.59	17.70	14.84	14.59	17.73	14.83	14.49	17.67	
2C	5570	114	106T	14.25	14.41	17.34	14.16	14.32	17.25	14.01	14.34	17.19	

Table 7-28. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (106 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 111 of 242

## MIMO Conducted Output Power Measurements (242 Tones)

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					61				
					ANT1	ANT2	MIMO		
					5180	36	AVG		
5200	40	AVG	242T	14.49	14.94	17.73	23.98	-6.25	
5240	48	AVG	242T	14.58	14.89	17.75	23.98	-6.23	
5260	52	AVG	242T	14.56	14.72	17.65	23.47	-5.82	
5280	56	AVG	242T	14.74	14.72	17.74	23.47	-5.73	
5320	64	AVG	242T	15.03	14.85	17.95	23.47	-5.52	
5500	100	AVG	242T	14.58	14.49	17.55	22.80	-5.25	
5600	120	AVG	242T	14.83	14.93	17.89	22.80	-4.91	
5720	144	AVG	242T	15.17	15.38	18.29	22.80	-4.51	
5745	149	AVG	242T	15.25	15.69	18.49	30.00	-11.51	
5785	157	AVG	242T	14.59	14.73	17.67	30.00	-12.33	
5825	165	AVG	242T	14.56	14.78	17.68	30.00	-12.32	

Table 7-29. MIMO 20MHz BW (UNII) Maximum Conducted Output Power (242 Tones)

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index						Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					61			62				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
					5190	38	AVG	242T	14.48	15.12		
5230	46	AVG	242T	14.46	14.84	17.66	14.65	15.17	17.93	23.98	-6.05	
5270	54	AVG	242T	14.96	14.98	17.98	15.15	15.13	18.15	23.47	-5.32	
5310	62	AVG	242T	15.12	14.93	18.04	15.18	15.01	18.11	23.47	-5.36	
5510	102	AVG	242T	14.58	14.43	17.52	14.72	14.76	17.75	22.80	-5.05	
5590	118	AVG	242T	14.72	14.46	17.60	14.88	14.75	17.83	22.80	-4.97	
5710	142	AVG	242T	15.01	15.04	18.04	15.41	15.51	18.47	22.80	-4.33	
5755	151	AVG	242T	15.35	15.54	18.46	14.65	14.79	17.73	30.00	-11.54	
5795	159	AVG	242T	15.37	15.58	18.49	14.62	14.91	17.78	30.00	-11.51	

Table 7-30. MIMO 40MHz BW (UNII) Maximum Conducted Output Power (242 Tones)

5GHz (60MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index									Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					61			62			64				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
					5210	42	AVG	242T	14.74	14.91	17.84	15.26	15.23		
5290	58	AVG	242T	14.26	15.19	17.76	14.84	14.53	17.70	15.41	15.28	18.36	23.47	-5.11	
5530	106	AVG	242T	15.09	15.39	18.25	15.12	15.40	18.27	15.19	15.41	18.31	22.80	-4.49	
5610	122	AVG	242T	14.91	15.02	17.98	14.94	15.12	18.04	15.26	15.14	18.21	22.80	-4.59	
5690	138	AVG	242T	15.05	15.26	18.17	15.33	15.57	18.46	14.63	14.93	17.79	22.80	-4.34	
5775	155	AVG	242T	14.84	14.99	17.93	15.01	15.14	18.09	14.91	15.49	18.22	30.00	-11.78	

Table 7-31. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (242 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					1	5250	50	242T	14.93	15.36	18.16	14.81	15.04
2C	5570	114	242T	14.76	15.09	17.94	15.14	15.71	18.44	15.15	15.29	18.23	

Table 7-32. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (242 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)								
					RU Index: 61			RU Index: 62			RU Index: 64		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
					1	5250	50	242T	14.96	14.80	17.89	15.34	15.23
2C	5570	114	242T	15.24	15.51	18.39	15.22	15.42	18.33	15.31	15.64	18.49	

Table 7-33. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (242 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 112 of 242

## MIMO Conducted Output Power Measurements (484 Tones)

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index						Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					65			66				
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO		
	5210	42	AVG	484T	14.31	14.26	17.30	13.83	13.79	16.82	23.98	-6.68
	5290	58	AVG	484T	15.13	14.90	18.03	15.32	15.15	18.25	23.47	-5.22
	5530	106	AVG	484T	14.83	15.16	18.01	14.75	15.09	17.93	22.80	-4.79
	5610	122	AVG	484T	14.72	14.64	17.69	14.75	14.83	17.80	22.80	-5.00
	5690	138	AVG	484T	14.68	14.96	17.83	15.25	15.49	18.38	22.80	-4.42
	5775	155	AVG	484T	14.58	14.81	17.71	14.71	15.05	17.89	30.00	-12.11

Table 7-34. MIMO 40MHz BW (UNII) Maximum Conducted Output Power (484 Tones)

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					65				
					ANT1	ANT2	MIMO		
	5190	38	AVG	484T	13.47	13.97	16.74	23.98	-7.24
	5230	46	AVG	484T	15.14	15.32	18.24	23.98	-5.74
	5270	54	AVG	484T	15.52	15.29	18.42	23.47	-5.05
	5310	62	AVG	484T	15.55	15.40	18.49	23.47	-4.98
	5510	102	AVG	484T	15.21	14.82	18.03	22.80	-4.77
	5590	118	AVG	484T	15.27	14.95	18.12	22.80	-4.68
	5710	142	AVG	484T	15.38	15.57	18.49	22.80	-4.31
	5755	151	AVG	484T	14.84	14.82	17.84	30.00	-12.16
	5795	159	AVG	484T	15.07	15.14	18.12	30.00	-11.88

Table 7-35. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (484 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
	1	5250	50	484T	14.27	14.49	17.39	13.65	13.69	16.68
	2C	5570	114	484T	14.75	15.09	17.93	15.14	15.56	18.37

Table 7-36. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (484 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)					
					RU Index: 65			RU Index: 66		
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO
	1	5250	50	484T	14.20	13.93	17.08	14.13	13.86	17.01
	2C	5570	114	484T	15.27	15.46	18.38	15.21	15.41	18.32

Table 7-37. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (484 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 113 of 242

## MIMO Conducted Output Power Measurements (996 Tones)

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Tones	RU Index			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
					67				
					ANT1	ANT2	MIMO		
					5210	42	AVG		
5290	58	AVG	996T	15.15	14.81	17.99	23.47	-5.48	
5530	106	AVG	996T	15.27	15.67	18.48	22.80	-4.32	
5610	122	AVG	996T	15.41	15.39	18.41	22.80	-4.39	
5690	138	AVG	996T	14.68	14.86	17.78	22.80	-5.02	
5775	155	AVG	996T	15.27	15.50	18.40	30.00	-11.60	

Table 7-38. MIMO 80MHz BW (UNII) Maximum Conducted Output Power (996 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
					1	5250	50
2C	5570	114	996T	14.74	15.04	17.90	

Table 7-39. MIMO 160MHz BW L (UNII) Maximum Conducted Output Power (996 Tones)

160MHz BW	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)		
					RU Index: 67		
					ANT1	ANT2	MIMO
					1	5250	50
2C	5570	114	996T	15.17	15.33	18.26	

Table 7-40. MIMO 160MHz BW U (UNII) Maximum Conducted Output Power (996 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 114 of 242

Frequency	Bandwidth	Channel	Mode	Tone	RU index	Detector	Ant1 Power [dBm]	Ant2 Power [dBm]	MIMO Power [dBm]	Directional Gain [dBi]	Max e.i.r.p [dBm]	Max e.i.r.p Limit [dB]	e.i.r.p Margin [dB]
5845	20MHz	169	ax RU	26T	0	Average	9.08	9.28	12.19	-3.27	8.92	30.00	-21.08
5845	20MHz	169	ax RU	26T	4	Average	8.68	9.04	11.87	-3.27	8.60	30.00	-21.40
5845	20MHz	169	ax RU	26T	8	Average	9.13	9.27	12.21	-3.27	8.94	30.00	-21.06
5845	20MHz	169	ax RU	52T	37	Average	12.65	13.24	15.97	-3.27	12.70	30.00	-17.30
5845	20MHz	169	ax RU	52T	39	Average	11.93	12.49	15.23	-3.27	11.96	30.00	-18.04
5845	20MHz	169	ax RU	52T	40	Average	12.68	13.22	15.97	-3.27	12.70	30.00	-17.30
5845	20MHz	169	ax RU	106T	53	Average	14.54	15.19	17.89	-3.27	14.62	30.00	-15.38
5845	20MHz	169	ax RU	106T	54	Average	14.68	15.13	17.92	-3.27	14.65	30.00	-15.35
5845	20MHz	169	ax RU	242T	61	Average	14.58	15.20	17.91	-3.27	14.64	30.00	-15.36
5865	20MHz	173	ax RU	26T	0	Average	9.35	9.38	12.38	-3.27	9.11	30.00	-20.89
5865	20MHz	173	ax RU	26T	4	Average	8.72	9.04	11.89	-3.27	8.62	30.00	-21.38
5865	20MHz	173	ax RU	26T	8	Average	9.21	9.13	12.18	-3.27	8.91	30.00	-21.09
5865	20MHz	173	ax RU	52T	37	Average	12.64	13.28	15.98	-3.27	12.71	30.00	-17.29
5865	20MHz	173	ax RU	52T	39	Average	11.86	12.34	15.12	-3.27	11.85	30.00	-18.15
5865	20MHz	173	ax RU	52T	40	Average	12.43	13.02	15.75	-3.27	12.48	30.00	-17.52
5865	20MHz	173	ax RU	106T	53	Average	14.68	15.15	17.93	-3.27	14.66	30.00	-15.34
5865	20MHz	173	ax RU	106T	54	Average	14.66	15.25	17.98	-3.27	14.71	30.00	-15.29
5865	20MHz	173	ax RU	242T	61	Average	14.47	15.28	17.90	-3.27	14.63	30.00	-15.37
5885	20MHz	177	ax RU	26T	0	Average	8.77	9.03	11.91	-3.27	8.64	30.00	-21.36
5885	20MHz	177	ax RU	26T	4	Average	8.98	9.44	12.23	-3.27	8.96	30.00	-21.04
5885	20MHz	177	ax RU	26T	8	Average	9.27	9.63	12.47	-3.27	9.20	30.00	-20.80
5885	20MHz	177	ax RU	52T	37	Average	12.63	13.27	15.97	-3.27	12.70	30.00	-17.30
5885	20MHz	177	ax RU	52T	39	Average	11.83	12.51	15.19	-3.27	11.92	30.00	-18.08
5885	20MHz	177	ax RU	52T	40	Average	12.69	13.25	15.99	-3.27	12.72	30.00	-17.28
5885	20MHz	177	ax RU	106T	53	Average	14.61	15.31	17.98	-3.27	14.71	30.00	-15.29
5885	20MHz	177	ax RU	106T	54	Average	14.63	15.25	17.96	-3.27	14.69	30.00	-15.31
5885	20MHz	177	ax RU	242T	61	Average	14.54	15.20	17.89	-3.27	14.62	30.00	-15.38
5835	40MHz	167	ax RU	26T	0	Average	9.11	9.16	12.14	-3.27	8.87	30.00	-21.13
5835	40MHz	167	ax RU	26T	8	Average	8.92	8.78	11.86	-3.27	8.59	30.00	-21.41
5835	40MHz	167	ax RU	26T	17	Average	9.24	9.27	12.27	-3.27	9.00	30.00	-21.00
5835	40MHz	167	ax RU	52T	37	Average	12.47	12.65	15.57	-3.27	12.30	30.00	-17.70
5835	40MHz	167	ax RU	52T	40	Average	12.25	12.41	15.34	-3.27	12.07	30.00	-17.93
5835	40MHz	167	ax RU	52T	44	Average	12.46	12.92	15.71	-3.27	12.44	30.00	-17.56
5835	40MHz	167	ax RU	106T	53	Average	14.57	14.85	17.72	-3.27	14.45	30.00	-15.55
5835	40MHz	167	ax RU	106T	54	Average	14.72	15.11	17.93	-3.27	14.66	30.00	-15.34
5835	40MHz	167	ax RU	106T	56	Average	14.45	15.00	17.74	-3.27	14.47	30.00	-15.53
5835	40MHz	167	ax RU	242T	61	Average	14.53	15.00	17.78	-3.27	14.51	30.00	-15.49
5835	40MHz	167	ax RU	242T	62	Average	14.61	15.22	17.94	-3.27	14.67	30.00	-15.33
5835	40MHz	167	ax RU	484T	65	Average	15.05	15.43	18.25	-3.27	14.98	30.00	-15.02
5875	40MHz	175	ax RU	26T	0	Average	9.07	9.32	12.21	-3.27	8.94	30.00	-21.06
5875	40MHz	175	ax RU	26T	8	Average	9.28	9.30	12.30	-3.27	9.03	30.00	-20.97
5875	40MHz	175	ax RU	26T	17	Average	9.27	9.35	12.32	-3.27	9.05	30.00	-20.95
5875	40MHz	175	ax RU	52T	37	Average	12.11	12.81	15.48	-3.27	12.21	30.00	-17.79
5875	40MHz	175	ax RU	52T	40	Average	12.14	12.55	15.36	-3.27	12.09	30.00	-17.91
5875	40MHz	175	ax RU	52T	44	Average	12.46	12.97	15.73	-3.27	12.46	30.00	-17.54
5875	40MHz	175	ax RU	106T	53	Average	14.28	14.94	17.63	-3.27	14.36	30.00	-15.64
5875	40MHz	175	ax RU	106T	54	Average	14.12	14.53	17.34	-3.27	14.07	30.00	-15.93
5875	40MHz	175	ax RU	106T	56	Average	14.50	15.11	17.83	-3.27	14.56	30.00	-15.44
5875	40MHz	175	ax RU	242T	61	Average	14.40	15.05	17.75	-3.27	14.48	30.00	-15.52
5875	40MHz	175	ax RU	242T	62	Average	14.73	15.37	18.07	-3.27	14.80	30.00	-15.20
5875	40MHz	175	ax RU	484T	65	Average	14.77	15.42	18.12	-3.27	14.85	30.00	-15.15
5855	80MHz	171	ax RU	26T	0	Average	8.65	8.96	11.82	-3.27	8.55	30.00	-21.45
5855	80MHz	171	ax RU	26T	18	Average	9.20	9.71	12.47	-3.27	9.20	30.00	-20.80
5855	80MHz	171	ax RU	26T	36	Average	8.87	9.21	12.05	-3.27	8.78	30.00	-21.22
5855	80MHz	171	ax RU	52T	37	Average	12.61	13.05	15.85	-3.27	12.58	30.00	-17.42
5855	80MHz	171	ax RU	52T	44	Average	11.93	12.49	15.23	-3.27	11.96	30.00	-18.04
5855	80MHz	171	ax RU	52T	52	Average	11.83	12.47	15.17	-3.27	11.90	30.00	-18.10
5855	80MHz	171	ax RU	106T	53	Average	14.74	15.10	17.93	-3.27	14.66	30.00	-15.34
5855	80MHz	171	ax RU	106T	56	Average	13.95	14.36	17.17	-3.27	13.90	30.00	-16.10
5855	80MHz	171	ax RU	106T	60	Average	13.80	14.42	17.13	-3.27	13.86	30.00	-16.14
5855	80MHz	171	ax RU	242T	61	Average	14.88	15.15	18.03	-3.27	14.76	30.00	-15.24
5855	80MHz	171	ax RU	242T	62	Average	14.97	15.42	18.21	-3.27	14.94	30.00	-15.06
5855	80MHz	171	ax RU	242T	64	Average	15.08	15.62	18.37	-3.27	15.10	30.00	-14.90
5855	80MHz	171	ax RU	484T	65	Average	14.46	14.87	17.68	-3.27	14.41	30.00	-15.59
5855	80MHz	171	ax RU	484T	66	Average	14.62	15.16	17.91	-3.27	14.64	30.00	-15.36
5855	80MHz	171	ax RU	996T	67	Average	15.18	15.64	18.43	-3.27	15.16	30.00	-14.84

Table 7-41. UNII-4 Maximum 20/40/80MHz Conducted Output Power (all Tones)

FCC ID: A3LSMS908E	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset	Page 115 of 242	

Frequency	Bandwidth	Channel	Mode	Tone	RU index	Detector	Ant1 Power [dBm]	Ant2 Power [dBm]	MIMO Power [dBm]	Directional Gain [dBi]	Max e.i.r.p [dBm]	Max e.i.r.p Limit [dBm]	e.i.r.p Margin [dB]
5775	L160MHz	ax RU	26T	ax RU	26T	Average	9.77	9.07	12.44	-3.27	9.17	36.00	-26.83
5775	L160MHz	ax RU	26T	ax RU	26T	Average	10.07	9.87	12.98	-3.27	9.71	36.00	-26.29
5775	L160MHz	ax RU	26T	ax RU	26T	Average	9.47	9.23	12.36	-3.27	9.09	36.00	-26.91
5775	L160MHz	ax RU	52T	ax RU	52T	Average	12.93	12.68	15.82	-3.27	12.55	36.00	-23.45
5775	L160MHz	ax RU	52T	ax RU	52T	Average	13.01	12.92	15.98	-3.27	12.71	36.00	-23.29
5775	L160MHz	ax RU	52T	ax RU	52T	Average	12.03	12.25	15.15	-3.27	11.88	36.00	-24.12
5775	L160MHz	ax RU	106T	ax RU	106T	Average	14.47	14.26	17.38	-3.27	14.11	36.00	-21.89
5775	L160MHz	ax RU	106T	ax RU	106T	Average	14.86	14.74	17.81	-3.27	14.54	36.00	-21.46
5775	L160MHz	ax RU	106T	ax RU	106T	Average	14.86	14.92	17.90	-3.27	14.63	36.00	-21.37
5775	L160MHz	ax RU	242T	ax RU	242T	Average	14.94	14.68	17.82	-3.27	14.55	36.00	-21.45
5775	L160MHz	ax RU	242T	ax RU	242T	Average	15.35	15.05	18.21	-3.27	14.94	36.00	-21.06
5775	L160MHz	ax RU	242T	ax RU	242T	Average	15.08	15.15	18.13	-3.27	14.86	36.00	-21.14
5775	L160MHz	ax RU	484T	ax RU	484T	Average	14.76	14.66	17.72	-3.27	14.45	36.00	-21.55
5775	L160MHz	ax RU	484T	ax RU	484T	Average	15.06	15.09	18.09	-3.27	14.82	36.00	-21.18
5775	L160MHz	ax RU	996T	ax RU	996T	Average	15.44	15.31	18.39	-3.27	15.12	36.00	-20.88
5855	H160MHz	ax RU	26T	ax RU	26T	Average	9.38	9.50	12.45	-3.27	9.18	36.00	-26.82
5855	H160MHz	ax RU	26T	ax RU	26T	Average	9.81	10.01	12.92	-3.27	9.65	36.00	-26.35
5855	H160MHz	ax RU	26T	ax RU	26T	Average	9.33	9.98	12.68	-3.27	9.41	36.00	-26.59
5855	H160MHz	ax RU	52T	ax RU	52T	Average	12.19	12.40	15.31	-3.27	12.04	36.00	-23.96
5855	H160MHz	ax RU	52T	ax RU	52T	Average	12.05	12.30	15.19	-3.27	11.92	36.00	-24.08
5855	H160MHz	ax RU	52T	ax RU	52T	Average	12.08	12.46	15.28	-3.27	12.01	36.00	-23.99
5855	H160MHz	ax RU	106T	ax RU	106T	Average	14.03	14.27	17.16	-3.27	13.89	36.00	-22.11
5855	H160MHz	ax RU	106T	ax RU	106T	Average	14.02	14.25	17.15	-3.27	13.88	36.00	-22.12
5855	H160MHz	ax RU	106T	ax RU	106T	Average	13.89	14.38	17.15	-3.27	13.88	36.00	-22.12
5855	H160MHz	ax RU	242T	ax RU	242T	Average	15.06	15.25	18.16	-3.27	14.89	36.00	-21.11
5855	H160MHz	ax RU	242T	ax RU	242T	Average	15.40	15.55	18.49	-3.27	15.22	36.00	-20.78
5855	H160MHz	ax RU	242T	ax RU	242T	Average	15.23	15.55	18.40	-3.27	15.13	36.00	-20.87
5855	H160MHz	ax RU	484T	ax RU	484T	Average	15.16	15.36	18.27	-3.27	15.00	36.00	-21.00
5855	H160MHz	ax RU	484T	ax RU	484T	Average	15.26	15.40	18.34	-3.27	15.07	36.00	-20.93
5855	H160MHz	ax RU	996T	ax RU	996T	Average	15.21	15.38	18.31	-3.27	15.04	36.00	-20.96

Table 7-42. UNII-4 Maximum 160MHz Conducted Output Power (all Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 116 of 242

**Note:**

Per ANSI C63.10-2013 and KDB 662911 v02r01 Section E)1), the conducted powers at Antenna-1 and Antenna-2 were first measured separately during MIMO transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2013 Section 14.4.3, the directional gain is calculated using the following formula, where  $G_N$  is the gain of the nth antenna and  $N_{ANT}$ , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}] \text{ dBi}$$

**Sample MIMO Calculation:**

At 5180MHz in 802.11n (20MHz BW) mode, the average conducted output power was measured to be N/A dBm for Antenna-1 and N/A dBm for Antenna-2.

$$\text{Antenna 1} + \text{Antenna 2} = \text{MIMO}$$

$$(N/A \text{ dBm} + N/A \text{ dBm}) = (N/A \text{ mW} + N/A \text{ mW}) = N/A \text{ mW} = N/A \text{ dBm}$$

**Sample e.i.r.p. Calculation:**

At 5180MHz in 802.11n (20MHz BW) mode, the average MIMO conducted power was calculated to be N/A dBm with directional gain of -3.27dBi.

$$\text{e.i.r.p. (dBm)} = \text{Conducted Power (dBm)} + \text{Ant gain (dBi)}$$

$$N/A \text{ dBm} + (-3.27) \text{ dBi} = 14.48 \text{ dBm}$$

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset	Page 117 of 242	



## 7.5 Maximum Power Spectral Density – 802.11ax OFDMA

§15.407(a.1.iv) §15.407(a.2) §15.407(a.3); RSS-247 [6.2]

### Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. Method SA-1, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, was used to measure the power spectral density.

***In the 5.15 – 5.25GHz, 5.25 – 5.35GHz, 5.47 – 5.725GHz bands, the maximum permissible power spectral density is 11dBm/MHz.***

***In the 5.725 – 5.850GHz band, the maximum permissible power spectral density is 30dBm/500kHz.***

***In the 5.850 – 5.855, the maximum power spectral density must not exceed 14dBm/MHz e.i.r.p.***

### Test Procedure Used

ANSI C63.10-2013 – Section 12.3.2.2  
KDB 789033 D02 v02r01 – Section F  
ANSI C63.10-2013 – Section 14.3.2.2 Measure-and-Sum Technique  
KDB 662911 v02r01 – Section E)2) Measure-and-Sum Technique

### Test Settings

1. Analyzer was set to the center frequency of the UNII channel under investigation
2. Span was set to encompass the entire emission bandwidth of the signal
3. RBW = 1MHz
4. VBW = 3MHz
5. Number of sweep points  $\geq 2 \times$  (span/RBW)
6. Sweep time = auto
7. Detector = power averaging (RMS)
8. Trigger was set to free run for all modes
9. Trace was averaged over 100 sweeps
10. The peak search function of the spectrum analyzer was used to find the peak of the spectrum.

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-4. Test Instrument & Measurement Setup**

### Test Notes

The power spectral density for each channel was measured with the RU index showing the highest conducted power.

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 118 of 242

## Summed MIMO Power Spectral Density Measurements (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26T	MCS0	5.07	6.18	8.67	11.00	-2.33
	5200	40	ax (20MHz)	26T	MCS0	5.49	6.41	8.99	11.00	-2.01
	5240	48	ax (20MHz)	26T	MCS0	5.52	6.30	8.94	11.00	-2.06
	5190	38	ax (40MHz)	26T	MCS0	6.36	7.63	10.05	11.00	-0.95
	5230	46	ax (40MHz)	26T	MCS0	6.66	7.81	10.28	11.00	-0.72
Band 1/2A	5210	42	ax (80MHz)	26T	MCS0	5.14	6.18	8.70	11.00	-2.30
	5250	50	ax (160MHz L)	26T	MCS0	4.22	5.16	7.73	11.00	-3.27
Band 2A	5250	50	ax (160MHz U)	26T	MCS0	6.43	7.21	9.85	11.00	-1.15
	5260	52	ax (20MHz)	26T	MCS0	5.73	6.15	8.95	11.00	-2.05
	5280	56	ax (20MHz)	26T	MCS0	5.74	6.43	9.11	11.00	-1.89
	5320	64	ax (20MHz)	26T	MCS0	5.15	6.02	8.62	11.00	-2.38
	5270	54	ax (40MHz)	26T	MCS0	7.00	7.84	10.45	11.00	-0.55
Band 2C	5310	62	ax (40MHz)	26T	MCS0	6.74	7.54	10.17	11.00	-0.83
	5290	58	ax (80MHz)	26T	MCS0	6.02	5.74	8.89	11.00	-2.11
	5500	100	ax (20MHz)	26T	MCS0	4.66	4.65	7.67	11.00	-3.33
	5600	120	ax (20MHz)	26T	MCS0	5.31	5.24	8.29	11.00	-2.71
	5720	144	ax (20MHz)	26T	MCS0	6.25	5.82	9.05	11.00	-1.95
	5510	102	ax (40MHz)	26T	MCS0	5.79	5.74	8.77	11.00	-2.23
	5590	118	ax (40MHz)	26T	MCS0	6.45	5.64	9.07	11.00	-1.93
	5710	142	ax (40MHz)	26T	MCS0	6.31	6.10	9.22	11.00	-1.78
	5530	106	ax (80MHz)	26T	MCS0	3.69	4.65	7.21	11.00	-3.79
	5610	122	ax (80MHz)	26T	MCS0	5.91	5.14	8.55	11.00	-2.45
5690	138	ax (80MHz)	26T	MCS0	5.13	5.61	8.39	11.00	-2.61	
5570	114	ax (160MHz L)	26T	MCS0	5.59	5.40	8.51	11.00	-2.49	
5570	114	ax (160MHz U)	26T	MCS0	6.57	6.13	9.37	11.00	-1.63	

Table 7-43. Bands 1, 2A, 2C MIMO Conducted Power Spectral Density Measurements MIMO (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Permissible Power Density	Margin [dB]
Band 3	5745	149	ax (20MHz)	26T	MCS0	3.71	3.16	6.45	30.00	-23.55
	5785	157	ax (20MHz)	26T	MCS0	3.24	3.68	6.48	30.00	-23.52
	5825	165	ax (20MHz)	26T	MCS0	3.41	3.72	6.58	30.00	-23.42
	5755	151	ax (40MHz)	26T	MCS0	4.17	3.87	7.03	30.00	-22.97
	5795	159	ax (40MHz)	26T	MCS0	3.96	4.16	7.07	30.00	-22.93
	5775	155	ax (80MHz)	26T	MCS0	3.10	3.77	6.46	30.00	-23.54

Table 7-44. Band 3 MIMO Conducted Power Spectral Density Measurements MIMO (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm/MHz]	Antenna-2 Power Density [dBm/MHz]	MIMO Summed Power Density [dBm/MHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]	Directional Antenna Gain [dBi]	EIRP Power Density [dBm/MHz]	Max EIRP Power Density [dBm/MHz]	Margin [dB]
Band 3/4	5845	169	ax (20MHz)	26T	MCS0	6.38	6.82	9.62	30.00	-20.38	-3.27	6.35	14.00	-7.65
Band 4	5865	173	ax (20MHz)	26T	MCS0	6.45	7.10	9.79			-3.27	6.52	14.00	-7.48
	5885	177	ax (20MHz)	26T	MCS0	6.73	7.26	10.01			-3.27	6.74	14.00	-7.26
Band 3/4	5835	167	ax (40MHz)	26T	MCS0	6.44	6.77	9.62	30.00	-20.38	-3.27	6.35	14.00	-7.65
Band 4	5875	175	ax (40MHz)	26T	MCS0	7.04	7.57	10.32			-3.27	7.05	14.00	-6.95
Band 3/4	5855	171	ax (80MHz)	26T	MCS0	5.88	6.19	9.04	30.00	-20.96	-3.27	5.77	14.00	-8.23
	5815	163	ax (160MHz L)	26T	MCS0	6.67	6.41	9.55	30.00	-20.45	-3.27	6.28	14.00	-7.72
	5815	163	ax (160MHz U)	26T	MCS0	5.49	6.40	8.98	30.00	-21.02	-3.27	5.71	14.00	-8.29

Table 7-45. Band 4 MIMO Conducted Power Spectral Density Measurements MIMO (26 Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 119 of 242

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242T	MCS0	2.44	3.98	6.29	11.00	-4.71
	5200	40	ax (20MHz)	242T	MCS0	2.76	3.58	6.20	11.00	-4.80
	5240	48	ax (20MHz)	242T	MCS0	3.06	4.03	6.58	11.00	-4.42
	5190	38	ax (40MHz)	484T	MCS0	0.29	1.27	3.82	11.00	-7.18
	5230	46	ax (40MHz)	484T	MCS0	0.67	1.33	4.02	11.00	-6.98
	5210	42	ax (80MHz)	996T	MCS0	-2.25	-1.78	1.00	11.00	-10.00
Band 1/2A	5250	50	ax (160MHz L)	996T	MCS0	-2.70	-1.35	1.04	11.00	-9.96
	5250	50	ax (160MHz U)	996T	MCS0	-2.90	-2.09	0.53	11.00	-10.47
Band 2A	5260	52	ax (20MHz)	242T	MCS0	3.02	3.15	6.10	11.00	-4.90
	5280	56	ax (20MHz)	242T	MCS0	3.08	3.17	6.14	11.00	-4.86
	5320	64	ax (20MHz)	242T	MCS0	3.20	3.32	6.27	11.00	-4.73
	5270	54	ax (40MHz)	484T	MCS0	1.13	1.32	4.24	11.00	-6.76
	5310	62	ax (40MHz)	484T	MCS0	1.01	1.39	4.21	11.00	-6.79
	5290	58	ax (80MHz)	996T	MCS0	-1.85	-1.95	1.11	11.00	-9.89
Band 2C	5500	100	ax (20MHz)	242T	MCS0	2.15	2.42	5.30	11.00	-5.70
	5600	120	ax (20MHz)	242T	MCS0	2.37	2.77	5.59	11.00	-5.41
	5720	144	ax (20MHz)	242T	MCS0	2.67	3.33	6.02	11.00	-4.98
	5510	102	ax (40MHz)	484T	MCS0	0.02	0.22	3.13	11.00	-7.87
	5590	118	ax (40MHz)	484T	MCS0	0.26	0.32	3.30	11.00	-7.70
	5710	142	ax (40MHz)	484T	MCS0	0.52	1.40	3.99	11.00	-7.01
	5530	106	ax (80MHz)	996T	MCS0	-2.88	-3.11	0.02	11.00	-10.98
	5610	122	ax (80MHz)	996T	MCS0	-2.32	-2.38	0.66	11.00	-10.34
	5690	138	ax (80MHz)	996T	MCS0	-1.67	-1.42	1.47	11.00	-9.53
	5570	114	ax (160MHz L)	996T	MCS0	-3.58	-2.52	-0.01	11.00	-11.01
5570	114	ax (160MHz U)	996T	MCS0	-2.24	-1.69	1.05	11.00	-9.95	



Table 7-46. Bands 1, 2A, 2C MIMO Conducted Power Spectral Density Measurements MIMO (Full Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Permissible Power Density	Margin [dB]
Band 3	5745	149	ax (20MHz)	242T	MCS0	-0.53	-0.13	2.68	30.00	-27.32
	5785	157	ax (20MHz)	242T	MCS0	-0.55	0.24	2.87	30.00	-27.13
	5825	165	ax (20MHz)	242T	MCS0	0.64	0.14	3.40	30.00	-26.60
	5755	151	ax (40MHz)	484T	MCS0	-2.76	-2.17	0.56	30.00	-29.44
	5795	159	ax (40MHz)	484T	MCS0	-2.91	-2.16	0.49	30.00	-29.51
	5775	155	ax (80MHz)	996T	MCS0	-4.45	-4.54	-1.48	30.00	-31.48

Table 7-47. Band 3 MIMO Conducted Power Spectral Density Measurements MIMO (Full Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Antenna-1 Power Density [dBm/MHz]	Antenna-2 Power Density [dBm/MHz]	MIMO Summed Power Density [dBm/MHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]	Directional Antenna Gain [dBi]	EIRP Power Density [dBm/MHz]	Max EIRP Power Density [dBm/MHz]	Margin [dB]
Band 3/4	5845	169	ax (20MHz)	242T	MCS0	2.48	3.18	5.86	30.00	-24.14	-3.27	2.59	14.00	-11.41
Band 4	5865	173	ax (20MHz)	242T	MCS0	2.49	3.22	5.88			-3.27	2.61	14.00	-11.39
	5885	177	ax (20MHz)	242T	MCS0	2.92	3.32	6.13			-3.27	2.86	14.00	-11.14
Band 3/4	5835	167	ax (40MHz)	484T	MCS0	0.38	1.05	3.74	30.00	-26.26	-3.27	0.46	14.00	-13.54
Band 4	5875	175	ax (40MHz)	484T	MCS0	0.47	1.25	3.88			-3.27	0.61	14.00	-13.39
	5855	171	ax (80MHz)	996T	MCS0	-2.01	-1.37	1.33	30.00	-28.67	-3.27	-1.94	14.00	-15.94
Band 3/4	5815	163	ax (160MHz L)	996T	MCS0	-1.89	-2.10	1.02	30.00	-28.98	-3.27	-2.25	14.00	-16.25
	5815	163	ax (160MHz U)	996T	MCS0	-2.28	-1.47	1.15	30.00	-28.85	-3.27	-2.12	14.00	-16.12

Table 7-48. Band 4 MIMO Conducted Power Spectral Density Measurements MIMO (Full Tones)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 120 of 242

**Note:**

Per ANSI C63.10-2013 Section 14.3.2.2 and KDB 662911 v02r01 Section E)2), the power spectral density at Antenna-1 and Antenna-2 were first measured separately with reduced Antenna-1 and Antenna-2 powers per manufacture's tune-up document. The measured values were then summed in linear power units then converted back to dBm.

**Sample Directional Gain Calculation:**

Assuming the antenna gain is -6.53 dBi for Antenna-1 and -6.04 dBi for Antenna-2.

$$\begin{aligned} \text{Directional gain} &= 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{\text{ANT}}] \text{ dBi} \\ &= 10 \log[(10^{-8.61/20} + 10^{-7.68/20} / 2] \text{ dBi} \\ &= (-3.27) \text{ dBi} \end{aligned}$$

**Sample MIMO Calculation:**

Assuming the average conducted power spectral density was measured to be 5.88 dBm for Antenna-1 and 6.27 dBm for Antenna-2.

$$\begin{aligned} \text{Antenna-1} + \text{Antenna-2} &= \text{MIMO} \\ (5.88 \text{ dBm} + 6.27 \text{ dBm}) &= (3.87 \text{ mW} + 4.24 \text{ mW}) = 8.11 \text{ mW} = 9.09 \text{ dBm} \end{aligned}$$


**Sample e.i.r.p Power Spectral Density Calculation:**

Assuming the average MIMO power density was calculated to be 9.09 dBm with directional gain of -3.27 dBi.


$$\begin{aligned} \text{e.i.r.p. Power Spectral Density(dBm)} &= \text{Power Spectral Density (dBm)} + \text{directional gain (dBi)} \\ 9.09 \text{ dBm} + (-3.27) \text{ dBi} &= 5.82 \text{ dBm} \end{aligned}$$

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 121 of 242

## MIMO Antenna-1 Power Spectral Density Measurements (26 Tones)




Plot 7-157. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 36)




Plot 7-158. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 122 of 242




Plot 7-159. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 48)




Plot 7-160. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMS908E		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 123 of 242




Plot 7-161. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 46)




Plot 7-162. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 124 of 242



Plot 7-163. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – 26 Tones (UNII Band 1/2A) – Ch. 50)




Plot 7-164. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – 26 Tones (UNII Band 1/2A) – Ch. 50)


FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 125 of 242








Plot 7-167. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 64)




Plot 7-168. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 127 of 242




Plot 7-169. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 62)




Plot 7-170. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 128 of 242






Plot 7-173. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 144)




Plot 7-174. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 130 of 242




Plot 7-175. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 118)




Plot 7-176. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 131 of 242




Plot 7-177. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 106)




Plot 7-178. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 132 of 242




Plot 7-179. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 138)




Plot 7-180. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – 26 Tones (UNII Band 2C) – Ch. 114)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 133 of 242






Plot 7-181. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – 26 Tones (UNII Band 2C) – Ch. 114)




Plot 7-182. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 134 of 242




Plot 7-183. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 157)




Plot 7-184. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMS908E	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 135 of 242




Plot 7-185. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 151)




Plot 7-186. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 136 of 242




Plot 7-187. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 155)




Plot 7-188. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 137 of 242




Plot 7-189. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 173)




Plot 7-190. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 177)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 138 of 242




Plot 7-191. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 167)




Plot 7-192. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 26 Tones (UNII Band 4) – Ch. 175)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 139 of 242




Plot 7-193. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 171)



Plot 7-194. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 163)


FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 140 of 242




Plot 7-195. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – 26 Tones (UNII Band 3/4) – Ch. 163)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 141 of 242






Plot 7-196. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 36)




Plot 7-197. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 142 of 242




Plot 7-198. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 48)




Plot 7-199. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 143 of 242




Plot 7-200. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 46)




Plot 7-201. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 144 of 242




Plot 7-202. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – Full Tones (UNII Band 1/2A) – Ch. 50)




Plot 7-203. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – Full Tones (UNII Band 1/2A) – Ch. 50)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 145 of 242




Plot 7-204. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 52)




Plot 7-205. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 146 of 242




Plot 7-206. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 64)




Plot 7-207. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 147 of 242




Plot 7-208. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 62)




Plot 7-209. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 148 of 242




Plot 7-210. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 100)




Plot 7-211. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 149 of 242






Plot 7-212. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 144)




Plot 7-213. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMS908E	 <b>PCTEST</b> Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 150 of 242




Plot 7-214. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 118)




Plot 7-215. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 151 of 242




Plot 7-216. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 106)




Plot 7-217. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 152 of 242




Plot 7-218. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 2C) – Ch. 138)




Plot 7-219. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – Full Tones (UNII Band 2C) – Ch. 114)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 153 of 242




Plot 7-220. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – Full Tones (UNII Band 2C) – Ch. 114)




Plot 7-221. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 154 of 242




Plot 7-222. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 157)




Plot 7-223. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 155 of 242




Plot 7-224. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 151)




Plot 7-225. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMS908E	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 156 of 242




Plot 7-226. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – Full Tones (UNII Band 3) – Ch. 155)




Plot 7-227. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 157 of 242






Plot 7-228. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 173)




Plot 7-229. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 4) – Ch. 177)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 158 of 242




Plot 7-230. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3/4) – Ch. 167)




Plot 7-231. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 4) – Ch. 175)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 159 of 242




Plot 7-232. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 171)



Plot 7-233. Power Spectral Density Plot MIMO ANT1 (160MHz BW L 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)


FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 160 of 242




Plot 7-234. Power Spectral Density Plot MIMO ANT1 (160MHz BW U 802.11ax – 996 Tones (UNII Band 3/4) – Ch. 163)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 161 of 242

## MIMO Antenna-2 Power Spectral Density Measurements (26 Tones)




Plot 7-235. Power Spectral Density Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 36)




Plot 7-236. Power Spectral Density Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 162 of 242




Plot 7-237. Power Spectral Density Plot MIMO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 48)




Plot 7-238. Power Spectral Density Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 163 of 242




Plot 7-239. Power Spectral Density Plot MIMO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 46)




Plot 7-240. Power Spectral Density Plot MIMO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMS908E	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 164 of 242



Plot 7-241. Power Spectral Density Plot MIMO ANT2 (160MHz BW L 802.11ax – 26 Tones (UNII Band 1/2A) – Ch. 50)



Plot 7-242. Power Spectral Density Plot MIMO ANT2 (160MHz BW U 802.11ax – 26 Tones (UNII Band 1/2A) – Ch. 50)

FCC ID: A3LSMS908E	Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2109220110-10.A3L	Test Dates: 9/14/2021 - 12/8/2021	EUT Type: Portable Handset		Page 165 of 242