



# ELEMENT WASHINGTON DC LLC

7185 Oakland Mills Road, Columbia, MD 21046 USA  
Tel. 410.290.6652 / Fax 410.290.6654  
<http://www.element.com>

## PART 27 MEASUREMENT REPORT

**Applicant Name:**  
Samsung Electronics Co., Ltd.  
129, Samsung-ro,  
Yeongtong-gu, Suwon-si  
Gyeonggi-do, 16677, Korea

**Date of Testing:**  
9/05/2022 - 11/22/2022  
**Test Report Issue Date:**  
11/22/2022  
**Test Site/Location:**  
Element lab., Columbia, MD, USA  
**Test Report Serial No.:**  
1M2209010096-03.A3L

<b>FCC ID:</b>	<b>A3LSMS911U</b>
<b>APPLICANT:</b>	<b>Samsung Electronics Co., Ltd.</b>

**Application Type:** Certification  
**Model:** SM-S911U  
**Additional Model(s):** SM-S911U1  
**EUT Type:** Portable Handset  
**FCC Classification:** PCS Licensed Transmitter Held to Ear (PCE)  
**FCC Rule Part:** 27  
**Test Procedure(s):** ANSI C63.26-2015, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

**RJ Ortanez**  
Executive Vice President



<b>FCC ID:</b> A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2209010096-03.A3L	<b>Test Dates:</b> 9/05/2022 - 11/22/2022	<b>EUT Type:</b> Portable Handset	Page 1 of 322

## TABLE OF CONTENTS

1.0	INTRODUCTION .....	5
1.1	Scope .....	5
1.2	Element Test Location.....	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION.....	6
2.1	Equipment Description .....	6
2.2	Device Capabilities.....	6
2.3	Test Configuration .....	6
2.4	Software and Firmware .....	6
2.5	EMI Suppression Device(s)/Modifications .....	6
3.0	DESCRIPTION OF TESTS .....	7
3.1	Evaluation Procedure .....	7
3.2	Radiated Power and Radiated Spurious Emissions .....	7
4.0	MEASUREMENT UNCERTAINTY .....	8
5.0	TEST EQUIPMENT CALIBRATION DATA .....	9
6.0	SAMPLE CALCULATIONS .....	10
7.0	TEST RESULTS .....	11
7.1	Summary .....	11
7.2	Conducted Output Power Data .....	13
7.3	Occupied Bandwidth .....	19
7.4	Spurious and Harmonic Emissions at Antenna Terminal .....	76
7.5	Band Edge Emissions at Antenna Terminal .....	136
7.6	Peak-Average Ratio .....	227
7.7	Radiated Power (ERP/EIRP).....	263
7.8	Radiated Spurious Emissions Measurements.....	271
7.9	Frequency Stability / Temperature Variation .....	313
8.0	CONCLUSION.....	322

<b>FCC ID:</b> A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2209010096-03.A3L	<b>Test Dates:</b> 9/05/2022 - 11/22/2022	<b>EUT Type:</b> Portable Handset	Page 2 of 322

## MEASUREMENT REPORT

### FCC Part 27

Antenna A								
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	ERP		EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	Max. Power [W]	Max. Power [dBm]	
LTE Band 71	20 MHz	QPSK	673.0 - 688.0	0.074	18.70	0.122	20.85	17M9G7D
		16QAM	673.0 - 688.0	0.070	18.48	0.116	20.63	18M0W7D
	15 MHz	QPSK	670.5 - 690.5	0.075	18.78	0.124	20.93	13M5G7D
		16QAM	670.5 - 690.5	0.072	18.56	0.118	20.71	13M5W7D
	10 MHz	QPSK	668.0 - 693.0	0.080	19.04	0.132	21.19	9M04G7D
		16QAM	668.0 - 693.0	0.068	18.35	0.112	20.50	9M02W7D
5 MHz	QPSK	665.5 - 695.5	0.078	18.93	0.128	21.08	4M53G7D	
	16QAM	665.5 - 695.5	0.077	18.88	0.127	21.03	4M54W7D	
LTE Band 12	10 MHz	QPSK	704.0 - 711.0	0.067	18.27	0.110	20.42	9M00G7D
		16QAM	704.0 - 711.0	0.059	17.70	0.097	19.85	9M04W7D
	5 MHz	QPSK	701.5 - 713.5	0.068	18.30	0.111	20.45	4M53G7D
		16QAM	701.5 - 713.5	0.058	17.66	0.096	19.81	4M52W7D
	3 MHz	QPSK	700.5 - 714.5	0.068	18.32	0.111	20.47	2M73G7D
		16QAM	700.5 - 714.5	0.059	17.73	0.097	19.88	2M73W7D
1.4 MHz	QPSK	699.7 - 715.3	0.067	18.27	0.110	20.42	1M11G7D	
	16QAM	699.7 - 715.3	0.058	17.66	0.096	19.81	1M11W7D	
LTE Band 13	10 MHz	QPSK	782.0	0.100	20.00	0.164	22.15	9M00G7D
		16QAM	782.0	0.082	19.16	0.135	21.31	9M00W7D
	5 MHz	QPSK	779.5 - 784.5	0.103	20.12	0.169	22.27	4M54G7D
16QAM		779.5 - 784.5	0.093	19.68	0.152	21.83	4M54W7D	
NR Band n71	20 MHz	$\pi/2$ BPSK	673.0 - 688.0	0.071	18.53	0.117	20.68	18M0G7D
		QPSK	673.0 - 688.0	0.074	18.71	0.122	20.86	18M9G7D
		16QAM	673.0 - 688.0	0.058	17.63	0.095	19.78	19M0W7D
	15 MHz	$\pi/2$ BPSK	670.5 - 690.5	0.070	18.48	0.116	20.63	13M5G7D
		QPSK	670.5 - 690.5	0.072	18.58	0.118	20.73	14M2G7D
		16QAM	670.5 - 690.5	0.057	17.55	0.093	19.70	14M2W7D
	10 MHz	$\pi/2$ BPSK	668.0 - 693.0	0.068	18.30	0.111	20.45	9M01G7D
		QPSK	668.0 - 693.0	0.074	18.71	0.122	20.86	9M34G7D
		16QAM	668.0 - 693.0	0.056	17.50	0.092	19.65	9M34W7D
	5 MHz	$\pi/2$ BPSK	665.5 - 695.5	0.065	18.16	0.107	20.31	4M54G7D
		QPSK	665.5 - 695.5	0.067	18.28	0.110	20.43	4M52G7D
		16QAM	665.5 - 695.5	0.055	17.40	0.090	19.55	4M51W7D
NR Band n12	15 MHz	$\pi/2$ BPSK	706.5 - 708.5	0.060	17.75	0.098	19.90	13M5G7D
		QPSK	706.5 - 708.5	0.058	17.60	0.094	19.75	14M2G7D
		16QAM	706.5 - 708.5	0.050	16.96	0.081	19.11	14M2W7D
	10 MHz	$\pi/2$ BPSK	704.0 - 711.0	0.059	17.69	0.096	19.84	9M00G7D
		QPSK	704.0 - 711.0	0.059	17.69	0.096	19.84	9M33G7D
		16QAM	704.0 - 711.0	0.050	16.97	0.082	19.12	9M33W7D
	5 MHz	$\pi/2$ BPSK	701.5 - 713.5	0.062	17.95	0.102	20.10	4M55G7D
		QPSK	701.5 - 713.5	0.059	17.67	0.096	19.82	4M51G7D
		16QAM	701.5 - 713.5	0.048	16.84	0.079	18.99	4M53W7D

**Overview Table (<1GHz Bands)**

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 3 of 322

Antenna A						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
WCDMA1700	N/A	Spread Spectrum	1712.4 - 1752.6	0.243	23.86	4M18F9W
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.168	22.26	18M1G7D
		16QAM	1720.0 - 1770.0	0.133	21.23	18M0W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.171	22.34	13M5G7D
		16QAM	1717.5 - 1772.5	0.128	21.08	13M5W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.178	22.50	9M02G7D
		16QAM	1715.0 - 1775.0	0.133	21.22	9M06W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.172	22.35	4M55G7D
		16QAM	1712.5 - 1777.5	0.133	21.24	4M53W7D
	3 MHz	QPSK	1711.5 - 1778.5	0.177	22.47	2M72G7D
		16QAM	1711.5 - 1778.5	0.134	21.28	2M72W7D
	1.4 MHz	QPSK	1710.7 - 1779.3	0.175	22.43	1M11G7D
		16QAM	1710.7 - 1779.3	0.135	21.30	1M11W7D
NR Band n66	40 MHz	$\pi/2$ BPSK	1730.0 - 1760.0	0.180	22.55	38M8G7D
		QPSK	1730.0 - 1760.0	0.167	22.23	38M8G7D
		16QAM	1730.0 - 1760.0	0.151	21.80	38M8W7D
	30 MHz	$\pi/2$ BPSK	1725.0 - 1765.0	0.172	22.35	28M9G7D
		QPSK	1725.0 - 1765.0	0.165	22.17	28M8G7D
		16QAM	1725.0 - 1765.0	0.136	21.34	28M7W7D
	25MHz	$\pi/2$ BPSK	1722.5 - 1767.5	0.191	22.81	23M0W7D
		QPSK	1722.5 - 1767.5	0.176	22.47	23M9W7D
		16QAM	1722.5 - 1767.5	0.163	22.12	23M9W7D
	20 MHz	$\pi/2$ BPSK	1720.0 - 1770.0	0.184	22.65	18M0G7D
		QPSK	1720.0 - 1770.0	0.174	22.40	19M0G7D
		16QAM	1720.0 - 1770.0	0.154	21.87	19M1W7D
	15 MHz	$\pi/2$ BPSK	1717.5 - 1772.5	0.189	22.77	13M5G7D
		QPSK	1717.5 - 1772.5	0.174	22.40	14M2G7D
		16QAM	1717.5 - 1772.5	0.155	21.91	14M2W7D
	10 MHz	$\pi/2$ BPSK	1715.0 - 1775.0	0.176	22.45	9M03G7D
		QPSK	1715.0 - 1775.0	0.165	22.19	9M35G7D
		16QAM	1715.0 - 1775.0	0.145	21.60	9M35W7D
	5 MHz	$\pi/2$ BPSK	1712.5 - 1777.5	0.175	22.44	4M54G7D
		QPSK	1712.5 - 1777.5	0.171	22.34	4M52G7D
		16QAM	1712.5 - 1777.5	0.152	21.81	4M51W7D

Overview Table (>1GHz Bands)

Antenna F						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.173	22.38	18M0G7D
		16QAM	1720.0 - 1770.0	0.149	21.73	18M0W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.166	22.20	13M5G7D
		16QAM	1717.5 - 1772.5	0.151	21.78	13M5W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.182	22.59	9M04G7D
		16QAM	1715.0 - 1775.0	0.148	21.69	9M02W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.179	22.52	4M54G7D
		16QAM	1712.5 - 1777.5	0.153	21.86	4M53W7D
	3 MHz	QPSK	1711.5 - 1778.5	0.171	22.34	2M73G7D
		16QAM	1711.5 - 1778.5	0.153	21.86	2M72W7D
	1.4 MHz	QPSK	1710.7 - 1779.3	0.173	22.38	1M11G7D
		16QAM	1710.7 - 1779.3	0.147	21.66	1M11W7D
NR Band n66	40 MHz	$\pi/2$ BPSK	1730.0 - 1760.0	0.172	22.35	38M7G7D
		QPSK	1730.0 - 1760.0	0.170	22.29	38M9G7D
		16QAM	1730.0 - 1760.0	0.138	21.40	38M8W7D
	30 MHz	$\pi/2$ BPSK	1725.0 - 1765.0	0.175	22.44	28M8G7D
		QPSK	1725.0 - 1765.0	0.166	22.20	28M7G7D
		16QAM	1725.0 - 1765.0	0.144	21.58	28M7W7D
	25MHz	$\pi/2$ BPSK	1722.5 - 1767.5	0.171	22.33	23M0W7D
		QPSK	1722.5 - 1767.5	0.160	22.04	23M9W7D
		16QAM	1722.5 - 1767.5	0.137	21.36	23M9W7D
	20 MHz	$\pi/2$ BPSK	1720.0 - 1770.0	0.171	22.34	18M0G7D
		QPSK	1720.0 - 1770.0	0.173	22.39	19M1G7D
		16QAM	1720.0 - 1770.0	0.146	21.65	19M1W7D
	15 MHz	$\pi/2$ BPSK	1717.5 - 1772.5	0.171	22.32	13M5G7D
		QPSK	1717.5 - 1772.5	0.169	22.28	14M2G7D
		16QAM	1717.5 - 1772.5	0.141	21.48	14M2W7D
	10 MHz	$\pi/2$ BPSK	1715.0 - 1775.0	0.160	22.04	9M03G7D
		QPSK	1715.0 - 1775.0	0.160	22.04	9M39G7D
		16QAM	1715.0 - 1775.0	0.140	21.45	9M34W7D
	5 MHz	$\pi/2$ BPSK	1712.5 - 1777.5	0.173	22.39	4M55G7D
		QPSK	1712.5 - 1777.5	0.163	22.11	4M53G7D
		16QAM	1712.5 - 1777.5	0.145	21.61	4M51W7D

Overview Table (>1GHz Bands)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 4 of 322

# 1.0 INTRODUCTION

## 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

## 1.2 Element Test Location

These measurement tests were conducted at the Element laboratory located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

## 1.3 Test Facility / Accreditations

**Measurements were performed at Element lab located in Columbia, MD 21046, U.S.A.**

- Element Washington DC LLC is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Washington DC LLC facility is a registered (2451B) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under the U.S. and Canada Mutual Recognition Agreement.

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2209010096-03.A3L	<b>Test Dates:</b> 9/05/2022 - 11/22/2022	<b>EUT Type:</b> Portable Handset	Page 5 of 322

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMS911U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

**Test Device Serial No.:** 0441M, 0179M, 0441M, 0236M, 0237M, 0238M, 0241M

### 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, Multi-band 5G NR (FR1 and FR2), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), NFC, Wireless Power Transfer

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

### 2.3 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

### 2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version S911USQU0AVJM installed on the EUT.

### 2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 6 of 322

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015) were used in the measurement of the EUT.

**Deviation from Measurement Procedure.....None**

### 3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI C63.26-2015. For emissions below 1GHz, a half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss} [dB] + \text{antenna gain} [dBd/dBi];$$

where  $P_d$  is the dipole equivalent power,  $P_g$  is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to  $P_g [dBm] - \text{cable loss} [dB]$ .

For radiated spurious emissions measurements, the field strength conversion method is used per the formulas in Section 5.2.7 of ANSI C63.26-2015. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

<b>FCC ID:</b> A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2209010096-03.A3L	<b>Test Dates:</b> 9/05/2022 - 11/22/2022	<b>EUT Type:</b> Portable Handset	Page 7 of 322

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{CISPR}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ( $\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 8 of 322



## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AP2	EMC Cable and Switch System	8/11/2022	Annual	8/11/2023	AP2
-	AP1	EMC Cable and Switch System	8/15/2022	Annual	8/15/2023	AP1
-	ETS	EMC Cable and Switch System	8/11/2022	Annual	8/11/2023	ETS
-	LTx1	Licensed Transmitter Cable Set	7/29/2022	Annual	7/29/2023	LTx1
-	LTx2	Licensed Transmitter Cable Set	8/15/2022	Annual	8/15/2023	LTx2
-	LTx3	Licensed Transmitter Cable Set	8/15/2022	Annual	8/15/2023	LTx3
-	LTx4	Licensed Transmitter Cable Set	7/29/2022	Annual	7/29/2023	LTx4
-	LTx5	Licensed Transmitter Cable Set	7/29/2022	Annual	7/29/2023	LTx5
Agilent	E5515C	Wireless Communications Test Set	N/A			GB45360985
Agilent	E5515C	Wireless Communications Test Set	N/A			GB46310798
Anritsu	MT8820C	Radio Communication Analyzer	N/A			6201300731
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6201381794
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6200901190
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6201525694
Com-Power	AL-130R	Active Loop Antenna	1/19/2022	Biennial	1/19/2024	121085
Emco	3115	Horn Antenna (1-18GHz)	8/8/2022	Biennial	8/8/2024	9704-5182
Espec	ESX-2CA	Environmental Chamber	5/25/2022	Biennial	5/25/2024	17620
ETS Lindgren	3117	1-18 GHz DRG Horn (Medium)	4/20/2021	Biennial	4/20/2023	00125518
ETS Lindgren	3164-10	Quad Ridge Horn 400MHz - 10000MHz	5/10/2021	Biennial	5/10/2023	00166283
ETS Lindgren	3816/2NM	LISN	8/11/2022	Biennial	8/11/2024	00114451
Keysight Technologies	N9020A	MXA Signal Analyzer	3/15/2022	Annual	3/15/2023	MY54500644
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	8/18/2022	Annual	8/18/2023	MY49430494
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	2/14/2022	Annual	2/14/2023	MY52350166
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11208010032
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11403100002
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			100976
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	8/29/2022	Annual	8/29/2023	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	8/25/2022	Annual	8/25/2023	100348
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	3/28/2022	Annual	3/28/2023	101716
Rohde & Schwarz	FSW26	2Hz-26.5GHz Signal and Spectrum Analyzer	4/14/2022	Annual	4/14/2023	103187
Sunol	JB6	LB6 Antenna	11/13/2020	Biennial	11/13/2022	A082816

**Table 5-1. Test Equipment**

**Notes:**

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 9 of 322

## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### QPSK Modulation

**Emission Designator = 8M62G7D**

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

#### QAM Modulation

**Emission Designator = 8M45W7D**

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

### Spurious Radiated Emission – LTE Band

#### **Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)**

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was  $-81.0$  dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of  $-81.0$  dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of  $-30.9$  dBm yielding  $-24.80$  dBm. The fundamental EIRP was 25.501 dBm so this harmonic was  $25.501$  dBm  $- (-24.80) = 50.3$  dBc.

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 10 of 322

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Samsung Electronics Co., Ltd.  
 FCC ID: A3LSMS911U  
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)  
 Mode(s): WCDMA/LTE/NR/UL-CA

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
<b>CONDUCTED</b>	Transmitter Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	<b>PASS</b>	Section 7.2
	Occupied Bandwidth	2.1049(h)	N/A	<b>PASS</b>	Section 7.3
	Conducted Band Edge / Spurious Emissions (LTE Band 13)	2.1051, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	<b>PASS</b>	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (LTE Band 12, 17, 71; NR Band n12, n71)	2.1051, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	<b>PASS</b>	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (WCDMA AWS; LTE Band 4, 66; NR Band n66)	2.1051, 27.53(h)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	<b>PASS</b>	Sections 7.4, 7.5
	Peak-to-Average Ratio (WCDMA AWS; LTE Band 4, 66; NR Band n66)	27.50(d)(5)	$\leq 13$ dB	<b>PASS</b>	Section 7.6
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	<b>PASS</b>	Section 7.9
<b>RADIATED</b>	Effective Radiated Power (LTE Band 13)	27.50(b)(10)	$\leq 3$ Watts max. ERP	<b>PASS</b>	Section 7.7
	Effective Radiated Power (LTE Band 12, 17, 71; NR Band n12, n71)	27.50(c)(10)	$\leq 3$ Watts max. ERP	<b>PASS</b>	Section 7.7
	Equivalent Isotropic Radiated Power (WCDMA AWS; LTE Band 4, 66; NR Band n66)	27.50(d)(4)	$\leq 1$ Watt max. EIRP	<b>PASS</b>	Section 7.7
	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	<b>PASS</b>	Section 7.8
	Radiated Spurious Emissions (LTE Band 12, 17, 71; NR Band n12, n71)	2.1053, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	<b>PASS</b>	Section 7.8
	Radiated Spurious Emissions (WCDMA AWS; LTE Band 4, 66; NR Band n66)	2.1053, 27.53(h)(1)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	<b>PASS</b>	Section 7.8

\* The only transmitter output conducted powers included in this report are those where the Pmax value, per the tune-up document, is higher than any of the DSI power levels. For the remaining conducted power measurements, see the **RF Exposure Report**.

**Table 7-1. Summary of Test Results (FCC)**

**Notes:**

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 11 of 322



- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is EMC Software Tool v1.1.

<b>FCC ID:</b> A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2209010096-03.A3L	<b>Test Dates:</b> 9/05/2022 - 11/22/2022	<b>EUT Type:</b> Portable Handset	Page 12 of 322

## 7.2 Conducted Output Power Data

### Test Overview

All emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

### Test Procedure Used


ANSI C63.26-2015 – Section 5.2

### Test Settings

1. Detector = RMS
2. Trace mode = trace average for continuous emissions, max hold for pulse emissions
3. Sweep time = auto couple
4. The trace was allowed to stabilize
5. Please see test notes below for RBW and VBW settings

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-1. Test Instrument & Measurement Setup**

### Test Notes

1. Uplink carrier aggregation is only supported in this EUT while operating in Power Class 3.
2. Conducted power measurements were evaluated using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
3. All other conducted power measurements are contained in the RF exposure report for this filing.

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 13 of 322

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	132072	1720.0	1 / 0	23.46
		132322	1745.0	1 / 0	23.41
		132572	1770.0	1 / 99	23.28
	16-QAM	132322	1745.0	1 / 0	22.62
15 MHz	QPSK	132047	1717.5	1 / 0	23.53
		132322	1745.0	1 / 0	23.23
		132597	1772.5	1 / 0	23.34
	16-QAM	132322	1745.0	1 / 0	22.67
10 MHz	QPSK	132022	1715.0	1 / 0	23.63
		132322	1745.0	1 / 0	23.62
		132622	1775.0	1 / 0	23.44
	16-QAM	132322	1745.0	1 / 0	22.58
5 MHz	QPSK	131997	1712.5	1 / 0	23.56
		132322	1745.0	1 / 24	23.55
		132647	1777.5	1 / 12	23.43
	16-QAM	132322	1745.0	1 / 24	22.74
3 MHz	QPSK	131987	1711.5	1 / 14	23.48
		132322	1745.0	1 / 0	23.37
		132657	1778.5	1 / 7	23.52
	16-QAM	132322	1745.0	1 / 0	22.74
1.4 MHz	QPSK	131979	1710.7	1 / 0	23.50
		132322	1745.0	1 / 3	23.41
		132665	1779.3	1 / 0	23.40
	16-QAM	132322	1745.0	1 / 3	22.55

Table 7-2. Conducted Powers (LTE Band 66B/C – Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 14 of 322

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
40 MHz	π/2 BPSK	346000	1730.0	1 / 108	23.39
		349000	1745.0	1 / 54	23.27
		352000	1760.0	1 / 161	23.33
	QPSK	346000	1730.0	1 / 108	23.44
		349000	1745.0	1 / 54	23.25
		352000	1760.0	1 / 161	23.27
	16-QAM	349000	1745.0	1 / 54	22.11
30 MHz	π/2 BPSK	345000	1725.0	1 / 40	23.22
		349000	1745.0	1 / 40	23.35
		353000	1765.0	1 / 40	23.36
	QPSK	345000	1725.0	1 / 40	23.39
		349000	1745.0	1 / 40	23.15
		353000	1765.0	1 / 40	23.18
	16-QAM	349000	1745.0	1 / 40	22.34
25 MHz	π/2 BPSK	344500	1722.5	1 / 99	23.45
		349000	1745.0	1 / 66	23.23
		353500	1767.5	1 / 99	23.19
	QPSK	344500	1725.0	1 / 99	23.23
		349000	1745.0	1 / 66	22.99
		353500	1765.0	1 / 99	23.19
	16-QAM	344500	1725.0	1 / 99	22.34
20 MHz	π/2 BPSK	344000	1720.0	1 / 79	23.46
		349000	1745.0	1 / 26	23.05
		354000	1770.0	1 / 79	23.15
	QPSK	344000	1720.0	1 / 79	23.39
		349000	1745.0	1 / 26	23.34
		354000	1770.0	1 / 79	23.09
	16-QAM	344000	1720.0	1 / 79	22.54
15 MHz	π/2 BPSK	343500	1717.5	1 / 20	23.36
		349000	1745.0	1 / 20	23.23
		354500	1772.5	1 / 58	23.15
	QPSK	343500	1717.5	1 / 20	23.36
		349000	1745.0	1 / 20	23.23
		354500	1772.5	1 / 58	23.12
	16-QAM	349000	1745.0	1 / 20	22.24
10 MHz	π/2 BPSK	343000	1715.0	1 / 13	23.16
		349000	1745.0	1 / 13	22.94
		355000	1775.0	1 / 38	23.05
	QPSK	343000	1715.0	1 / 13	23.14
		349000	1745.0	1 / 13	23.00
		355000	1775.0	1 / 38	22.92
	16-QAM	349000	1745.0	1 / 13	22.21
5 MHz	π/2 BPSK	342500	1712.5	1 / 6	22.93
		349000	1745.0	1 / 6	23.30
		355500	1777.5	1 / 18	23.09
	QPSK	342500	1712.5	1 / 6	22.86
		349000	1745.0	1 / 6	23.07
		355500	1777.5	1 / 18	23.07
	16-QAM	349000	1745.0	1 / 6	22.37

**Table 7-3. Conducted Powers (NR Band n66 – Ant F)**

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 15 of 322

Power State	Band	Bandwidth (PCC + SCC)	PCC					SCC					ULCA Tx. Power [dBm]
			Modulation	UL Channel	UL Frequency	UL # RB	UL RB Offset	Modulation	UL Channel	UL Frequency	UL # RB	UL RB Offset	
Max	LTE B66	20MHz + 20MHz	QPSK	132072	1720.0	1	99	QPSK	132270	1739.8	1	0	24.10
				132322	1745.0	1	99		132520	1764.8	1	0	24.02
				132572	1770.0	1	0		132374	1750.2	1	99	23.80
			QPSK	132072	1720	100	0	QPSK	132270	1739.8	100	0	22.30
			16-QAM	132072	1720	100	0	16-QAM	132270	1739.8	100	0	21.27
			64-QAM	132072	1720	100	0	64-QAM	132270	1739.8	100	0	21.26
			256-QAM	132072	1720	100	0	256-QAM	132270	1739.8	100	0	19.33

**Table 7-4. Conducted Powers (Uplink CA LTE Band 66B/C – Ant A)**

Power State	Band	Bandwidth (PCC + SCC)	PCC					SCC					ULCA Tx. Power [dBm]
			Modulation	UL Channel	UL Frequency	UL # RB	UL RB Offset	Modulation	UL Channel	UL Frequency	UL # RB	UL RB Offset	
Max	LTE B66	20MHz + 20MHz	QPSK	132072	1720.0	1	99	QPSK	132270	1739.8	1	0	23.38
				132322	1745.0	1	99		132520	1764.8	1	0	23.27
				132572	1770.0	1	0		132374	1750.2	1	99	23.08
			QPSK	132072	1720	100	0	QPSK	132270	1739.8	100	0	21.60
			16-QAM	132072	1720	100	0	16-QAM	132270	1739.8	100	0	20.62
			64-QAM	132072	1720	100	0	64-QAM	132270	1739.8	100	0	20.63
			256-QAM	132072	1720	100	0	256-QAM	132270	1739.8	100	0	18.59

**Table 7-5. Conducted Powers (Uplink CA LTE Band 66B/C – Ant F)**

NR (SCS 15kHz)						LTE						NR Conducted Power [dBm]	LTE Conducted Power [dBm]	EN-DC Total Tx. Power [dBm]
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset			
n71 ANT A	20	Mid	680.5	QPSK	100/0	B66 ANT A	20	Mid	1745	QPSK	100/0	20.24	22.25	24.37
				QPSK	100/0					QPSK	1/50	19.26	22.77	24.37
				QPSK	1/53					QPSK	100/0	20.12	22.27	24.34
				QPSK	1/53					QPSK	1/50	19.14	22.80	24.35
				16Q	1/53					16Q	1/50	20.44	22.65	24.69

**Table 7-6. EN-DC Conducted Powers (NR n71 - LTE Band 66 [Ant A])**

NR (SCS 15kHz)						LTE						NR Conducted Power [dBm]	LTE Conducted Power [dBm]	EN-DC Total Tx. Power [dBm]
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset			
n71 ANT A	20	Mid	680.5	QPSK	100/0	B66 ANT F	20	Mid	1745	QPSK	100/0	20.18	21.61	23.96
				QPSK	100/0					QPSK	1/50	19.27	22.11	23.93
				QPSK	1/53					QPSK	100/0	20.10	21.60	23.92
				QPSK	1/53					QPSK	1/50	19.11	22.07	23.85
				16Q	100/0					16Q	100/0	18.33	20.67	22.67

**Table 7-7. EN-DC Conducted Powers (NR n71 - LTE Band 66 [Ant F])**

NR (SCS 15kHz)						LTE						NR Conducted Power [dBm]	LTE Conducted Power [dBm]	EN-DC Total Tx. Power [dBm]
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset			
n71 ANT A	20	Mid	680.5	QPSK	100/0	48 ANT F	20	Mid	3625	QPSK	100/0	19.73	20.79	23.30
				QPSK	100/0					QPSK	1/50	19.56	21.83	23.85
				QPSK	1/53					QPSK	100/0	20.84	20.80	23.83
				QPSK	1/53					QPSK	1/50	19.30	21.82	23.75
				16Q	100/0					16Q	1/50	19.56	21.74	23.80

**Table 7-8. EN-DC Conducted Powers (NR n71 - LTE Band 48 [Ant F])**

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 16 of 322



NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n12 ANT A	15	Mid	707.5	QPSK	75/0	B66 ANT A	20	Mid	1745	QPSK	100/0	20.25	22.32	24.42
				QPSK	75/0					QPSK	1/50	19.12	22.82	24.36
				QPSK	1/39					QPSK	100/0	19.81	22.31	24.25
				QPSK	1/39					QPSK	1/50	18.83	22.82	24.28
				16Q	1/39					16Q	1/50	20.29	22.68	24.66

**Table 7-9. EN-DC Conducted Powers (NR n12 - LTE Band 66 [Ant A])**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n12 ANT A	15	Mid	707.5	QPSK	75/0	B66 ANT F	20	Mid	1745	QPSK	100/0	20.15	21.60	23.95
				QPSK	75/0					QPSK	1/50	19.17	22.07	23.87
				QPSK	1/39					QPSK	100/0	19.91	21.62	23.86
				QPSK	1/39					QPSK	1/50	18.94	22.19	23.87
				16Q	75/0					16Q	100/0	21.51	20.63	24.10

**Table 7-10. EN-DC Conducted Powers (NR n12 - LTE Band 66 [Ant F])**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n12	15	Mid	707.5	QPSK	75/0	B48	20	Mid	3625	QPSK	100/0	20.72	22.57	24.75
				QPSK	75/0					QPSK	1/50	18.98	23.50	24.81
				QPSK	1/39					QPSK	100/0	20.54	22.63	24.72
				QPSK	1/39					QPSK	1/50	18.65	23.59	24.80
				16Q	1/39					16Q	1/50	20.90	22.80	24.96

**Table 7-11. EN-DC Conducted Powers (NR n12 - LTE Band 48)**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n66 ANT A	40	Mid	1745	QPSK	216/0	B12 ANT A	10	Mid	782	QPSK	50/0	17.35	22.83	23.91
				QPSK	216/0					QPSK	1/25	17.38	22.86	23.94
				QPSK	1/108					QPSK	50/0	17.18	22.79	23.84
				QPSK	1/108					QPSK	1/25	17.25	22.88	23.93
				16Q	1/108					16Q	1/25	17.53	23.13	24.19

**Table 7-12. EN-DC Conducted Powers (NR n66 [Ant A] - LTE Band 12 [Ant A])**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n66 ANT F	40	Mid	1745	QPSK	216/0	B12 ANT A	10	Mid	782	QPSK	50/0	16.77	22.58	23.59
				QPSK	216/0					QPSK	1/25	16.77	22.72	23.70
				QPSK	1/108					QPSK	50/0	16.71	22.66	23.64
				QPSK	1/108					QPSK	1/25	16.72	22.67	23.65
				16Q	1/108					16Q	1/25	16.83	23.09	24.01

**Table 7-13. EN-DC Conducted Powers (NR n66 [Ant F] - LTE Band 12 [Ant A])**

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 17 of 322	

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n66 ANT F	40	Mid	1745	QPSK	216/0	B2 ANT A	20	Mid	1880	QPSK	100/0	18.41	21.63	23.32
				QPSK	216/0					QPSK	1/50	16.89	22.01	23.17
				QPSK	1/108					QPSK	100/0	18.30	21.63	23.29
				QPSK	1/108					QPSK	1/50	16.82	22.08	23.21
				16Q	1/108					16Q	1/50	20.26	20.64	23.46

**Table 7-14. EN-DC Conducted Powers (NR n66 [Ant F] - LTE Band 2 [Ant A])**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n66 ANT F	40	Mid	1745	QPSK	216/0	B30 ANT A	10	Mid	2310	QPSK	50/0	20.03	20.42	23.24
				QPSK	216/0					QPSK	1/25	18.17	21.38	23.08
				QPSK	1/108					QPSK	50/0	20.49	20.38	23.45
				QPSK	1/108					QPSK	1/25	18.51	21.47	23.25
				16Q	1/108					16Q	1/25	20.69	19.38	23.09

**Table 7-15. EN-DC Conducted Powers (NR n66 [Ant F] - LTE Band 30 [Ant A])**

NR (SCS 15kHz)						LTE						NR	LTE	EN-DC
NR Band	NR Bandwidth [MHz]	NR Channel	NR Frequency [MHz]	Mod.	NR RB#/Offset	LTE Band	LTE Bandwidth [MHz]	LTE Channel	LTE Frequency [MHz]	Mod.	LTE RB#/Offset	Conducted Power [dBm]	Conducted Power [dBm]	Total Tx. Power [dBm]
n66 ANT A	40	Mid	1745	QPSK	216/0	48 ANT F	20	Mid	3625	QPSK	100/0	18.66	20.73	22.83
				QPSK	216/0					QPSK	1/50	16.63	21.68	22.86
				QPSK	1/108					QPSK	100/0	19.02	20.77	22.99
				QPSK	1/108					QPSK	1/50	16.88	21.73	22.96
				16Q	1/108					16Q	100/0	18.99	20.78	22.99

**Table 7-16. EN-DC Conducted Powers (NR n66 [Ant A] - LTE Band 48 [Ant F])**

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 18 of 322

### 7.3 Occupied Bandwidth

#### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst-case configuration results are reported in this section.

#### Test Procedure Used

ANSI C63.26-2015 – Section 5.4.4

#### Test Settings

1. The signal analyzer’s automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW  $\geq$  3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-2. Test Instrument & Measurement Setup

#### Test Notes


None.

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 19 of 322

# LTE Band 71 – Ant A




Plot 7-1. Occupied Bandwidth Plot (LTE Band 71 - 20MHz QPSK - Full RB – Ant A)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 71 - 20MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 20 of 322




Plot 7-3. Occupied Bandwidth Plot (LTE Band 71 - 15MHz QPSK - Full RB – Ant A)



Plot 7-4. Occupied Bandwidth Plot (LTE Band 71 - 15MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 21 of 322




Plot 7-5. Occupied Bandwidth Plot (LTE Band 71 - 10MHz QPSK - Full RB – Ant A)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 71 - 10MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 22 of 322



Plot 7-7. Occupied Bandwidth Plot (LTE Band 71 - 5MHz QPSK - Full RB – Ant A)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 71 - 5MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 23 of 322

# LTE Band 12 – Ant A




Plot 7-9. Occupied Bandwidth Plot (LTE Band 12 - 10MHz QPSK - Full RB – Ant A)



Plot 7-10. Occupied Bandwidth Plot (LTE Band 12 - 10MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 24 of 322






Plot 7-11. Occupied Bandwidth Plot (LTE Band 12 - 5MHz QPSK - Full RB – Ant A)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 12 - 5MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 25 of 322



Plot 7-13. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 26 of 322




Plot 7-15. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz QPSK - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 27 of 322

### LTE Band 13 – Ant A




Plot 7-17. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB – Ant A)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 28 of 322




Plot 7-19. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB - Ant A)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 29 of 322

# NR Band n71 – Ant A




Plot 7-21. Occupied Bandwidth Plot (NR Band n71 - 20MHz DFT's BPSK - Full RB – Ant A)




Plot 7-22. Occupied Bandwidth Plot (NR Band n71 - 20MHz CP-OFDM QPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 30 of 322




Plot 7-23. Occupied Bandwidth Plot (NR Band n71 - 20MHz CP-OFDM 16-QAM - Full RB – Ant A)




Plot 7-24. Occupied Bandwidth Plot (NR Band n71 - 15MHz DFT's BPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 31 of 322



Plot 7-25. Occupied Bandwidth Plot (NR Band n71 - 15MHz QPSK - Full RB – Ant A)




Plot 7-26. Occupied Bandwidth Plot (NR Band n71 - 15MHz CP-OFDM 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 32 of 322






Plot 7-27. Occupied Bandwidth Plot (NR Band n71 - 10MHz DFT's BPSK - Full RB – Ant A)




Plot 7-28. Occupied Bandwidth Plot (NR Band n71 - 10MHz CP-OFDM QPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 33 of 322




Plot 7-29. Occupied Bandwidth Plot (NR Band n71 - 10MHz CP-OFDM 16-QAM - Full RB – Ant A)




Plot 7-30. Occupied Bandwidth Plot (NR Band n71 - 5MHz DFT's BPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 34 of 322




Plot 7-31. Occupied Bandwidth Plot (NR Band n71 - 5MHz CP-OFDM QPSK - Full RB – Ant A)




Plot 7-32. Occupied Bandwidth Plot (NR Band n71 - 5MHz CP-OFDM 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 35 of 322

## NR Band n12 – Ant A




Plot 7-33. Occupied Bandwidth Plot (NR Band n12 - 15MHz DFT's BPSK - Full RB – Ant A)




Plot 7-34. Occupied Bandwidth Plot (NR Band n12 - 15MHz CP-OFDM QPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 36 of 322




Plot 7-35. Occupied Bandwidth Plot (NR Band n12 - 15MHz CP-OFDM 16-QAM - Full RB – Ant A)



Plot 7-36. Occupied Bandwidth Plot (NR Band n12 - 10MHz DFT's BPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 37 of 322




Plot 7-37. Occupied Bandwidth Plot (NR Band n12 - 10MHz CP-OFDM QPSK - Full RB – Ant A)



Plot 7-38. Occupied Bandwidth Plot (NR Band n12 - 10MHz CP-OFDM 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 38 of 322




Plot 7-39. Occupied Bandwidth Plot (NR Band n12 - 5MHz DFT's BPSK - Full RB – Ant A)



Plot 7-40. Occupied Bandwidth Plot (NR Band n12 - 5MHz CP-OFDM QPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 39 of 322




Plot 7-41. Occupied Bandwidth Plot (NR Band n12 - 5MHz CP-OFDM 16-QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 40 of 322




WCDMA AWS – Ant A




Plot 7-42. Occupied Bandwidth Plot (WCDMA, Ch. 1413 – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 41 of 322

### LTE Band 66/4 - Ant A




Plot 7-43. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB - Ant A)




Plot 7-44. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 42 of 322




Plot 7-45. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB - Ant A)



Plot 7-46. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 43 of 322




Plot 7-47. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB - Ant A)




Plot 7-48. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 44 of 322




Plot 7-49. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB - Ant A)




Plot 7-50. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 45 of 322




Plot 7-51. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB - Ant A)




Plot 7-52. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 46 of 322





Plot 7-53. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB - Ant A)



Plot 7-54. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB - Ant A)



FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 47 of 322

# NR Band n66 – Ant A




FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 48 of 322






FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 49 of 322





Plot 7-59. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM QPSK - Full RB – Ant A)





Plot 7-60. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM 16QAM - Full RB – Ant A)


FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 50 of 322




FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 51 of 322



FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 52 of 322




Plot 7-65. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM QPSK - Full RB – Ant A)




Plot 7-66. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 16QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 53 of 322




Plot 7-67. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz DFT's BPSK - Full RB – Ant A)




Plot 7-68. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM QPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 54 of 322





Plot 7-69. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 16QAM - Full RB – Ant A)




Plot 7-70. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz DFT's BPSK - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 55 of 322




FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 56 of 322






Plot 7-73. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz DFT's BPSK - Full RB – Ant A)



Plot 7-74. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM QPSK - Full RB – Ant A)


FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 57 of 322




Plot 7-75. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – Ant A)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 58 of 322

# LTE Band 66/4 - Ant F




Plot 7-76. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB - Ant F)




Plot 7-77. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 59 of 322




Plot 7-78. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB - Ant F)



Plot 7-79. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 60 of 322




Plot 7-80. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB - Ant F)




Plot 7-81. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 61 of 322




Plot 7-82. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB - Ant F)




Plot 7-83. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 62 of 322




Plot 7-84. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB - Ant F)




Plot 7-85. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 63 of 322



Plot 7-86. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB - Ant F)





Plot 7-87. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB - Ant F)


FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 64 of 322




# NR Band n66 – Ant F



FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 65 of 322




Plot 7-90. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM 16QAM - Full RB – Ant F)




Plot 7-91. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz DFT's BPSK - Full RB – Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 66 of 322



Plot 7-92. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM QPSK - Full RB – Ant F)



Plot 7-93. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM 16QAM - Full RB – Ant F)

FCC ID: A3LSMS911U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2209010096-03.A3L	Test Dates: 9/05/2022 - 11/22/2022	EUT Type: Portable Handset	Page 67 of 322