

CERTIFICATION TEST REPORT

Report Number. : 4790976523-E4V3

Applicant : SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 16677, KOREA

Model : SM-S921U, SM-S921U1

FCC ID : A3LSMS921U

EUT Description : GSM/WCDMA/LTE 5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax,
NFC and WPT

Test Standard(s) : FCC 47 CFR PART 27 SUBPART D,F,H,L,M,O,Q

Date Of Issue:

2023-11-16

Prepared by:

UL KOREA LTD.

26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL KOREA LTD. Suwon Laboratory

218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16675, Korea
TEL: (031) 337-9902
FAX: (031) 213-5433

Revision History

<u>Rev.</u>	<u>Issue Date</u>	<u>Revisions</u>	<u>Revised By</u>
V1	2023-10-25	Initial issue	Yeonhee Lim
V2	2023-11-03	Updated to address TCB's question	Yeonhee Lim
V3	2023-11-16	Updated to address TCB's question	Yeonhee Lim

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	4
2. TEST METHODOLOGY	5
3. FACILITIES AND ACCREDITATION	5
4. CALIBRATION AND UNCERTAINTY	6
4.1. <i>MEASURING INSTRUMENT CALIBRATION.....</i>	6
4.2. <i>SAMPLE CALCULATION.....</i>	6
4.3. <i>MEASUREMENT UNCERTAINTY.....</i>	6
4.4. <i>DECISION RULE.....</i>	6
5. EQUIPMENT UNDER TEST.....	7
5.1. <i>DESCRIPTION OF EUT.....</i>	7
5.2. <i>MAXIMUM OUTPUT POWER.....</i>	7
5.3. <i>DESCRIPTION OF AVAILABLE ANTENNAS</i>	37
5.4. <i>WORST-CASE ORIENTATION.....</i>	38
5.5. <i>DESCRIPTION OF TEST SETUP.....</i>	47
6. TEST AND MEASUREMENT EQUIPMENT	49
7. SUMMARY TABLE.....	50
8. CONDUCTED RESULTS.....	51
8.1. <i>CONDUCTED OUTPUT POWER</i>	51
8.1.1. <i>CONDUCTED AVERAGE OUTPUT POWER</i>	52
8.2. <i>PEAK TO AVERAGE RATIO.....</i>	128
8.2.1. <i>CONDUCTED PEAK TO AVERAGE RESULT</i>	129
8.3. <i>OCCUPIED BANDWIDTH.....</i>	171
8.3.1. <i>OCCUPIED BANDWIDTH RESULTS.....</i>	179
8.4. <i>BAND EDGE EMISSIONS</i>	208
8.4.1. <i>BAND EDGE RESULT.....</i>	212
8.4.2. <i>EMISSION MASK RESULT</i>	275
8.5. <i>CONDUCTED SPURIOUS EMISSIONS</i>	367
8.5.1. <i>OUT OF BAND EMISSIONS RESULT.....</i>	369
8.6. <i>FREQUENCY STABILITY.....</i>	389
8.6.1. <i>FREQUENCY STABILITY RESULTS</i>	390
9. RADIATED RESULTS.....	399
9.1. <i>RADIATED POWER (ERP & EIRP)</i>	399
9.1.1. <i>ERP/EIRP Results.....</i>	401
9.2. <i>RADIATED SPURIOUS EMISSION</i>	423
9.2.1. <i>SPURIOUS RADIATION PLOTS</i>	425

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.

EUT DESCRIPTION: GSM/WCDMA/LTE 5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax, NFC and WPT

MODEL NUMBER: SM-S921U, SM-S921U1

SERIAL NUMBER: R3CW80J5C8X, R3CW80J5CEF, R3CW805ZKBW, R3CW805ZK6Y, R3CW90BXLKA, R3CW80PHSXB, R3CW80BFFWT (CONDUCTED); R3CW80J5BBF, R3CW80J5C0Y, R3CW70MMKRX, R3CW80J5ERY, R3CW90HRRPN, R3CW90BXLCD, (RADIATED);

DATE TESTED: 2023-08-30 - 2023-10-25;


APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 27D,F,H,L,M,O,Q	Complies

UL KOREA LTD. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL KOREA LTD. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and Modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL KOREA LTD. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL KOREA LTD. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL KOREA LTD. By:

Tested By:



Seokhwan Hong
Suwon Lab Engineer
UL KOREA LTD.

Yeonhee Lim
Suwon Lab Engineer
UL KOREA LTD.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

1. FCC 47 CFR Part 2.
2. FCC 47 CFR Part 27.
3. ANSI TIA-603-E, 2016
4. ANSI C63.26, 2015
5. KDB 971168 D01 Power Meas License Digital Systems v03r01
6. KDB 971168 D02 Misc Rev Approv License Devices v02r02
7. KDB 412172 D01 Determining ERP and EIRP v01r01

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro	
<input checked="" type="checkbox"/>	Chamber 1(3m semi-anechoic chamber)
<input checked="" type="checkbox"/>	Chamber 2(3m semi-anechoic chamber)
<input type="checkbox"/>	Chamber 3(3m semi-anechoic chamber)
<input checked="" type="checkbox"/>	Chamber 4(3m Full-anechoic chamber)
<input type="checkbox"/>	Chamber 5(3m Full-anechoic chamber)

UL KOREA LTD. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at <https://www.iasonline.org/wp-content/uploads/2017/05/TL-637-cert-New.pdf>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$EIRP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$

$ERP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)}$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	2.80 dB
Radiated Disturbance, 30 MHz to 1 GHz	3.92 dB
Radiated Disturbance, 1 GHz to 18 GHz	5.06 dB
Radiated Disturbance, 18 GHz to 40 GHz	6.02 dB

Uncertainty figures are valid to a confidence level of 95%.

4.4. DECISION RULE

Decision rule for statement(s) of conformity is based on Procedure 2, Clause 4.4.3 in IEC Guide 115:2021.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE 5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax, NFC and WPT.

This test report addresses the WWAN operational mode.

Representative model	Difference	Derivative model
		SM-S921U1
SM-S921U	Hardware	Same as SM-S921U
	Software	Different UI

The model SM-S921U was used for final testing and is representative of the test results in this report.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum average radiated ERP / EIRP output powers as follows: Radiated samples were set to a higher power than conducted resulting in radiated ERP greater than conducted measurements.

WCDMA

FCC Part 27						
Band	Frequency Range [MHz]	Modulation	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 4_ANT A	1712.40 ~ 1752.60	Rel. 99	22.86	193.20	23.51	224.39
		HSDPA	21.82	152.05	22.51	178.24

LTE Band 7

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 7_ANT B	2510.00 ~ 2560.00	20	QPSK	23.29	213.30	23.30	213.96
			16QAM	22.68	185.35	22.02	159.34
			64QAM	21.49	140.93		
			256QAM	18.48	70.47		
	2507.50 ~ 2562.50	15	QPSK	23.35	216.27	23.24	211.02
			16QAM	22.69	185.78	22.04	160.08
			64QAM	21.55	142.89		
			256QAM	18.52	71.12		
	2505.00 ~ 2565.00	10	QPSK	23.42	219.79	23.24	211.05
			16QAM	22.70	186.21	22.22	166.88
			64QAM	21.67	146.89		
			256QAM	18.69	73.96		
	2502.50 ~ 2567.50	5	QPSK	23.40	218.78	23.07	202.92
			16QAM	22.82	191.43	22.10	162.30
			64QAM	21.67	146.89		
			256QAM	18.74	74.82		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 7_ANT F	2510.00 ~ 2560.00	20	QPSK	23.05	201.84	23.65	231.81
			16QAM	22.44	175.39	23.14	205.98
			64QAM	21.22	132.43		
			256QAM	18.34	68.23		
	2507.50 ~ 2562.50	15	QPSK	22.97	198.15	23.44	220.56
			16QAM	22.27	168.66	22.93	196.21
			64QAM	21.29	134.59		
			256QAM	18.19	65.92		
	2505.00 ~ 2565.00	10	QPSK	23.08	203.24	23.67	233.04
			16QAM	22.34	171.40	23.23	210.44
			64QAM	21.40	138.04		
			256QAM	18.24	66.68		
	2502.50 ~ 2567.50	5	QPSK	23.05	201.84	23.30	213.81
			16QAM	22.49	177.42	22.68	185.42
			64QAM	21.28	134.28		
			256QAM	18.32	67.92		

LTE Band 12

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12_ANT A	704.00 – 711.00	10	QPSK	24.02	252.35	18.45	69.98
			16QAM	23.41	219.28	17.62	57.80
			64QAM	22.43	174.98		
			256QAM	19.28	84.72		
	701.50 – 713.50	5	QPSK	24.19	262.42	18.44	69.82
			16QAM	23.60	229.09	17.55	56.88
			64QAM	22.62	182.81		
			256QAM	19.44	87.90		
	700.50 – 714.50	3	QPSK	24.25	266.07	18.63	72.94
			16QAM	23.54	225.94	17.70	58.88
			64QAM	22.53	179.06		
			256QAM	19.53	89.74		
	699.70 – 715.30	1.4	QPSK	24.21	263.63	18.43	69.66
			16QAM	23.53	225.42	17.71	59.01
			64QAM	22.58	181.13		
			256QAM	19.51	89.33		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12_ANT E	704.00 – 711.00	10	QPSK	24.20	263.03	21.62	145.30
			16QAM	23.51	224.39	20.66	116.49
			64QAM	22.40	173.78		
			256QAM	19.35	86.10		
	701.50 – 713.50	5	QPSK	24.24	265.46	21.88	154.01
			16QAM	23.62	230.14	21.02	126.34
			64QAM	22.36	172.19		
			256QAM	19.51	89.33		
	700.50 – 714.50	3	QPSK	24.21	263.63	22.10	162.26
			16QAM	23.51	224.39	21.12	129.48
			64QAM	22.49	177.42		
			256QAM	19.43	87.70		
	699.70 – 715.30	1.4	QPSK	24.10	257.04	22.07	161.17
			16QAM	23.47	222.33	21.03	126.85
			64QAM	22.40	173.78		
			256QAM	19.36	86.30		

LTE Band 13

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13_ANT A	782.00	10	QPSK	24.07	255.27	20.38	109.14
			16QAM	23.38	217.77	19.39	86.90
			64QAM	22.22	166.72		
			256QAM	19.15	82.22		
	779.50 - 784.50	5	QPSK	24.21	263.63	20.49	111.94
			16QAM	23.59	228.56	19.57	90.57
			64QAM	22.37	172.58		
			256QAM	19.43	87.70		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13_ANT E	782.00	10	QPSK	24.27	267.30	19.09	81.07
			16QAM	23.46	221.82	18.13	64.99
			64QAM	22.40	173.78		
			256QAM	19.45	88.10		
	779.50 - 784.50	5	QPSK	24.20	263.03	19.05	80.33
			16QAM	23.65	231.74	18.10	64.55
			64QAM	22.39	173.38		
			256QAM	19.49	88.92		

LTE Band 30

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 30_ANT A	2310.00	10	QPSK	22.77	189.23	20.20	104.82
			16QAM	21.96	157.04	19.37	86.58
			64QAM	20.90	123.03		
			256QAM	17.94	62.23		
	2307.50 - 2312.50	5	QPSK	22.84	192.31	20.47	111.54
			16QAM	22.22	166.72	19.67	92.63
			64QAM	21.07	127.94		
			256QAM	18.06	63.97		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 30_ANT F	2310.00	10	QPSK	22.03	159.59	20.98	125.44
			16QAM	21.43	139.00	20.25	106.03
			64QAM	20.23	105.44		
			256QAM	17.31	53.83		
	2307.50 - 2312.50	5	QPSK	22.18	165.20	20.93	123.87
			16QAM	21.59	144.21	20.38	109.03
			64QAM	20.40	109.65		
			256QAM	17.49	56.10		

LTE Band 41 (PC2)

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41_ANT B	2506.00 ~ 2680.00	20	QPSK	26.13	410.20	24.72	296.21
			16QAM	25.39	345.94	24.20	262.79
			64QAM	24.51	282.49		
			256QAM	21.25	133.35		
	2503.50 ~ 2682.50	15	QPSK	25.99	397.19	25.24	334.20
			16QAM	25.34	341.98	24.42	276.69
			64QAM	24.36	272.90		
			256QAM	21.12	129.42		
	2501.00 ~ 2685.00	10	QPSK	25.97	395.37	24.18	261.82
			16QAM	25.37	344.35	23.67	232.81
			64QAM	24.23	264.85		
			256QAM	21.03	126.77		
	2498.50 ~ 2687.50	5	QPSK	26.06	403.65	24.45	278.61
			16QAM	25.46	351.56	23.66	232.27
			64QAM	24.30	269.15		
			256QAM	20.98	125.31		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41_ANT F	2506.00 ~ 2680.00	20	QPSK	25.71	372.39	23.95	248.14
			16QAM	25.05	319.89	23.45	221.16
			64QAM	24.00	251.19		
			256QAM	20.90	123.03		
	2503.50 ~ 2682.50	15	QPSK	25.69	370.68	24.18	261.97
			16QAM	25.08	322.11	23.35	216.40
			64QAM	23.96	248.89		
			256QAM	20.97	125.03		
	2501.00 ~ 2685.00	10	QPSK	25.81	381.07	23.68	233.33
			16QAM	25.06	320.63	22.86	193.18
			64QAM	24.10	257.04		
			256QAM	21.08	128.23		
	2498.50 ~ 2687.50	5	QPSK	25.65	367.28	24.35	272.13
			16QAM	25.17	328.85	23.42	219.68
			64QAM	24.06	254.68		
			256QAM	20.99	125.60		

LTE Band 41C (UL CA)

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
41C_ANT B	2506.00 ~ 2680.00	40MHz (20MHz / 20MHz)	QPSK	25.50	354.81	23.86	243.16
			16QAM	24.08	255.86	22.72	187.06
	2503.50 ~ 2682.50	35MHz (15MHz / 20MHz)	QPSK	25.43	349.14		
			16QAM	24.84	304.79		
	2503.50 ~ 2682.50	30MHz (15MHz / 15MHz)	QPSK	25.49	354.00		
			16QAM	24.76	299.23		
	2498.50 ~ 2680.0	25MHz (5MHz / 20MHz)	QPSK	25.47	352.37		
			16QAM	24.45	278.61		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
41C_ANT F	2506.00 ~ 2680.00	40MHz (20MHz / 20MHz)	QPSK	25.83	382.82	22.48	176.92
			16QAM	24.97	314.05	21.78	150.83
	2503.50 ~ 2682.50	35MHz (15MHz / 20MHz)	QPSK	25.74	374.97		
			16QAM	24.44	277.97		
	2503.50 ~ 2682.50	30MHz (15MHz / 15MHz)	QPSK	25.80	380.19		
			16QAM	24.65	291.74		
	2498.50 ~ 2680.0	25MHz (5MHz / 20MHz)	QPSK	25.81	381.07		
			16QAM	24.71	295.80		

LTE Band 66

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66_ANT A	1720.00 ~ 1770.00	20	QPSK	24.11	257.63	23.98	250.03
			16QAM	23.45	221.31	23.19	208.45
			64QAM	22.33	171.00		
			256QAM	19.35	86.10		
	1717.50 ~ 1772.50	15	QPSK	24.11	257.63	23.92	246.60
			16QAM	23.36	216.77	23.26	211.84
			64QAM	22.38	172.98		
			256QAM	19.23	83.75		
	1715.00 ~ 1775.00	10	QPSK	24.10	257.04	23.94	247.74
			16QAM	23.38	217.77	23.18	207.97
			64QAM	22.34	171.40		
			256QAM	19.23	83.75		
	1712.50 ~ 1777.50	5	QPSK	24.09	256.45	23.83	241.55
			16QAM	23.46	221.82	23.13	205.59
			64QAM	22.33	171.00		
			256QAM	19.25	84.14		
	1711.50 ~ 1778.50	3	QPSK	24.09	256.45	23.86	243.22
			16QAM	23.36	216.77	23.20	208.93
			64QAM	22.32	170.61		
			256QAM	19.17	82.60		
	1710.70 ~ 1779.30	1.4	QPSK	23.95	248.31	23.90	245.47
			16QAM	23.24	210.86	23.28	212.81
			64QAM	22.36	172.19		
			256QAM	19.17	82.60		

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66_ANT F	1720.00 ~ 1770.00	20	QPSK	23.94	247.74	22.08	161.32
			16QAM	23.04	201.37	21.19	131.43
			64QAM	22.34	171.40		
			256QAM	19.23	83.75		
	1717.50 ~ 1772.50	15	QPSK	23.89	244.91	21.89	154.60
			16QAM	23.04	201.37	22.63	183.35
			64QAM	22.10	162.18		
			256QAM	19.07	80.72		
	1715.00 ~ 1775.00	10	QPSK	23.85	242.66	22.01	158.99
			16QAM	23.00	199.53	20.67	116.78
			64QAM	22.12	162.93		
			256QAM	19.08	80.91		
	1712.50 ~ 1777.50	5	QPSK	23.86	243.22	21.16	130.73
			16QAM	23.07	202.77	20.41	109.99
			64QAM	22.09	161.81		
			256QAM	19.14	82.04		
	1711.50 ~ 1778.50	3	QPSK	23.92	246.60	21.43	139.07
			16QAM	23.07	202.77	20.63	115.54
			64QAM	22.33	171.00		
			256QAM	19.23	83.75		
	1710.70 ~ 1779.30	1.4	QPSK	23.93	247.17	21.67	146.87
			16QAM	23.16	207.01	20.84	121.32
			64QAM	22.41	174.18		
			256QAM	19.17	82.60		

LTE Band 66B (UL CA)

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
66B_ANT A	1715.00 ~ 1775.00	20MHz (10MHz / 10MHz)	QPSK	23.83	241.55	23.22	209.95
			16QAM	23.42	219.79	22.52	178.49
	1712.50 ~ 1775.00	15MHz (5MHz / 10MHz)	QPSK	23.72	235.50		
			16QAM	23.32	214.78		
	1712.50 ~ 1777.50	10MHz (5MHz / 5MHz)	QPSK	23.81	240.44		
			16QAM	22.99	199.07		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
66B_ANT F	1715.00 ~ 1775.00	20MHz (10MHz / 10MHz)	QPSK	24.25	266.07	21.33	135.93
			16QAM	23.92	246.60	20.53	112.88
	1712.50 ~ 1775.00	15MHz (5MHz / 10MHz)	QPSK	24.22	264.24		
			16QAM	23.88	244.34		
	1712.50 ~ 1777.50	10MHz (5MHz / 5MHz)	QPSK	24.12	258.23		
			16QAM	23.73	236.05		

LTE Band 66C (UL CA)

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
66C_ANT A	1720.00 ~ 1770.00	40MHz (20MHz / 20MHz)	QPSK	23.93	247.17	22.82	191.32
			16QAM	23.41	219.28	22.04	159.87
	1717.80 ~ 1770.00	35MHz (15MHz / 20MHz)	QPSK	23.85	242.66		
			16QAM	23.31	214.29		
	1717.50 ~ 1772.50	30MHz (15MHz / 15MHz)	QPSK	23.71	234.96		
			16QAM	23.34	215.77		
	1712.50 ~ 1770.00	25MHz (5MHz / 20MHz)	QPSK	23.75	237.14		
			16QAM	23.14	206.06		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
66C_ANT F	1720.00 ~ 1770.00	40MHz (20MHz / 20MHz)	QPSK	24.61	289.07	20.55	113.41
			16QAM	24.14	259.42	19.77	94.83
	1717.80 ~ 1770.00	35MHz (15MHz / 20MHz)	QPSK	24.41	276.06		
			16QAM	23.93	247.17		
	1717.50 ~ 1772.50	30MHz (15MHz / 15MHz)	QPSK	24.41	276.06		
			16QAM	23.99	250.61		
	1712.50 ~ 1770.00	25MHz (5MHz / 20MHz)	QPSK	24.33	271.02		
			16QAM	23.89	244.91		

LTE Band 71

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 71_ANT A	673.00 – 688.00	20	QPSK	24.32	270.40	17.63	57.94
			16QAM	23.71	234.96	16.52	44.87
			64QAM	22.56	180.30		
			256QAM	19.48	88.72		
	670.50 – 690.50	15	QPSK	24.53	283.79	18.11	64.71
			16QAM	23.83	241.55	17.05	50.70
			64QAM	22.70	186.21		
			256QAM	19.68	92.90		
	668.00 – 693.00	10	QPSK	24.53	283.79	18.35	68.39
			16QAM	23.86	243.22	17.33	54.08
			64QAM	22.78	189.67		
			256QAM	19.72	93.76		
	665.50 – 695.50	5	QPSK	24.61	289.07	16.75	47.32
			16QAM	23.94	247.74	15.88	38.73
			64QAM	22.68	185.35		
			256QAM	19.72	93.76		
FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 71_ANT E	673.00 – 688.00	20	QPSK	24.46	279.25	14.65	29.17
			16QAM	23.90	245.47	13.69	23.39
			64QAM	22.67	184.93		
			256QAM	19.68	92.90		
	670.50 – 690.50	15	QPSK	24.42	276.69	14.23	26.52
			16QAM	23.77	238.23	13.25	21.16
			64QAM	22.65	184.08		
			256QAM	19.57	90.57		
	668.00 – 693.00	10	QPSK	24.49	281.19	14.83	30.38
			16QAM	23.76	237.68	13.81	24.02
			64QAM	22.73	187.50		
			256QAM	19.63	91.83		
	665.50 – 695.50	5	QPSK	24.44	277.97	14.52	28.29
			16QAM	23.87	243.78	13.44	22.06
			64QAM	22.75	188.36		
			256QAM	19.70	93.33		

NR Band n7

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n7_ANT B	2520.00 ~ 2550.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.63	230.67		
				QPSK	23.59	228.56	23.62	230.26
				16QAM	22.42	174.58	22.49	177.54
				64QAM	21.19	131.52		
				256QAM	18.90	77.62		
	2517.50 ~ 2552.50	35	DFT-s OFDM	$\pi/2$ BPSK	23.51	224.39		
				QPSK	23.29	213.30	23.80	239.81
				16QAM	22.32	170.61	22.65	184.17
				64QAM	20.72	118.03		
				256QAM	18.92	77.98		
	2515.00 ~ 2555.00	30	DFT-s OFDM	$\pi/2$ BPSK	23.81	240.44		
				QPSK	23.58	228.03	23.39	218.39
				16QAM	22.39	173.38	22.81	191.02
				64QAM	21.19	131.52		
				256QAM	18.71	74.30		
	2512.50 ~ 2557.50	25	DFT-s OFDM	$\pi/2$ BPSK	23.91	246.04		
				QPSK	23.94	247.74	23.32	214.75
				16QAM	22.42	174.58	22.10	162.16
				64QAM	21.16	130.62		
				256QAM	18.92	77.98		
	2510.00 ~ 2560.00	20	DFT-s OFDM	$\pi/2$ BPSK	23.44	220.80		
				QPSK	23.46	221.82	22.32	170.70
				16QAM	22.39	173.38	21.41	138.43
				64QAM	21.09	128.53		
				256QAM	18.36	68.55		
	2507.50 ~ 2562.50	15	DFT-s OFDM	$\pi/2$ BPSK	23.44	220.80		
				QPSK	23.48	222.84	22.36	172.28
				16QAM	22.36	172.19	21.15	130.45
				64QAM	21.13	129.72		
				256QAM	18.48	70.47		
	2505.00 ~ 2565.00	10	DFT-s OFDM	$\pi/2$ BPSK	23.37	217.27		
				QPSK	23.46	221.82	22.88	194.19
16QAM				22.35	171.79	21.98	157.84	
64QAM				21.11	129.12			
256QAM				19.43	87.70			
2502.50 ~ 2567.50	5	DFT-s OFDM	$\pi/2$ BPSK	22.54	179.47			
			QPSK	22.56	180.30	22.40	173.87	
			16QAM	22.42	174.58	21.69	147.65	
			64QAM	21.16	130.62			
			256QAM	18.42	69.50			
		CP-OFDM	QPSK	22.13	163.31			

FCC Part 27									
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated		
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]	
n7_ANT F	2520.00 ~ 2550.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.45	221.31			
				QPSK	23.41	219.28	23.11	204.78	
				16QAM	22.39	173.38	22.50	177.91	
				64QAM	20.96	124.74			
				256QAM	18.38	68.87			
	2517.50 ~ 2552.50	35	DFT-s OFDM	CP-OFDM	QPSK	21.93	155.96		
					$\pi/2$ BPSK	23.49	223.36		
					QPSK	23.51	224.39	23.64	231.33
					16QAM	22.25	167.88	22.85	192.85
					64QAM	20.95	124.45		
	2515.00 ~ 2555.00	30	DFT-s OFDM	CP-OFDM	256QAM	18.33	68.08		
					QPSK	21.38	137.40		
					$\pi/2$ BPSK	23.48	222.84		
					QPSK	23.44	220.80	23.74	236.72
					16QAM	22.14	163.68	22.74	188.03
	2512.50 ~ 2557.50	25	DFT-s OFDM	CP-OFDM	64QAM	20.89	122.74		
					256QAM	18.26	66.99		
					QPSK	21.95	156.68		
					$\pi/2$ BPSK	23.43	220.29		
					QPSK	23.37	217.27	23.20	208.87
	2510.00 ~ 2560.00	20	DFT-s OFDM	CP-OFDM	16QAM	22.53	179.06	22.10	162.14
					64QAM	20.84	121.34		
					256QAM	18.22	66.37		
					QPSK	21.87	153.82		
					$\pi/2$ BPSK	23.37	217.27		
	2507.50 ~ 2562.50	15	DFT-s OFDM	CP-OFDM	QPSK	23.31	214.29	22.54	179.57
					16QAM	22.17	164.82	21.72	148.67
					64QAM	20.79	119.95		
					256QAM	18.18	65.77		
					QPSK	21.88	154.17		
	2505.00 ~ 2565.00	10	DFT-s OFDM	CP-OFDM	$\pi/2$ BPSK	23.30	213.80		
					QPSK	23.23	210.38	22.88	194.19
16QAM					22.17	164.82	21.85	153.19	
64QAM					20.84	121.34			
256QAM					18.24	66.68			
2502.50 ~ 2567.50	5	DFT-s OFDM	CP-OFDM	QPSK	21.86	153.46			
				$\pi/2$ BPSK	23.25	211.35			
				QPSK	23.23	210.38	22.84	192.41	
				16QAM	22.11	162.55	21.68	147.31	
				64QAM	20.84	121.34			
				256QAM	18.12	64.86			
				QPSK	21.84	152.76			
				$\pi/2$ BPSK	23.27	212.32			
				QPSK	23.24	210.86	22.75	188.44	
				16QAM	22.07	161.06	21.72	148.67	
				64QAM	20.86	121.90			
				256QAM	18.13	65.01			
				CP-OFDM	QPSK	21.83	152.41		

NR Band n12

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n12_ANT A	706.50 ~ 708.50	15	DFT-s OFDM	$\pi/2$ BPSK	24.32	270.40		
				QPSK	24.21	263.63	18.47	70.25
				16QAM	23.04	201.37	17.39	54.79
				64QAM	21.80	151.36		
				256QAM	19.16	82.41		
	CP-OFDM	QPSK	22.80	190.55				
	704.00 ~ 711.00	10	DFT-s OFDM	$\pi/2$ BPSK	24.32	270.40		
				QPSK	24.33	271.02	18.69	73.95
				16QAM	23.01	199.99	17.77	59.84
				64QAM	21.81	151.71		
				256QAM	19.05	80.35		
	CP-OFDM	QPSK	22.74	187.93				
	701.50 ~ 713.50	5	DFT-s OFDM	$\pi/2$ BPSK	24.26	266.69		
				QPSK	24.30	269.15	18.74	74.81
				16QAM	23.08	203.24	17.95	62.37
64QAM				21.87	153.82			
256QAM				19.21	83.37			
CP-OFDM	QPSK	22.82	191.43					
FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n12_ANT E	706.50 ~ 708.50	15	DFT-s OFDM	$\pi/2$ BPSK	24.36	272.90		
				QPSK	24.42	276.69	22.32	170.59
				16QAM	23.97	249.46	21.15	130.31
				64QAM	21.96	157.04		
				256QAM	19.28	84.72		
	CP-OFDM	QPSK	22.95	197.24				
	704.00 ~ 711.00	10	DFT-s OFDM	$\pi/2$ BPSK	24.55	285.10		
				QPSK	24.54	284.45	22.49	177.41
				16QAM	23.39	218.27	21.39	137.72
				64QAM	22.03	159.59		
				256QAM	19.32	85.51		
	CP-OFDM	QPSK	23.00	199.53				
	701.50 ~ 713.50	5	DFT-s OFDM	$\pi/2$ BPSK	24.61	289.07		
				QPSK	24.57	286.42	22.46	176.38
				16QAM	23.29	213.30	21.31	135.34
64QAM				21.99	158.12			
256QAM				19.34	85.90			
CP-OFDM	QPSK	23.04	201.37					

NR Band n30

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n30_ANT A	2310.00	10	DFT-s OFDM	$\pi/2$ BPSK	22.72	187.07		
				QPSK	22.72	187.07	20.95	124.58
				16QAM	21.69	147.57	20.01	100.33
				64QAM	20.23	105.44		
				256QAM	17.56	57.02		
	CP-OFDM	QPSK	21.37	137.09				
	2307.50 ~ 2312.50	5	DFT-s OFDM	$\pi/2$ BPSK	22.86	193.20		
				QPSK	22.93	196.34	20.76	119.24
				16QAM	21.69	147.57	19.79	95.33
				64QAM	20.47	111.43		
256QAM				17.75	59.57			
CP-OFDM	QPSK	21.49	140.93					
FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n30_ANT F	2310.00	10	DFT-s OFDM	$\pi/2$ BPSK	22.23	167.15		
				QPSK	22.28	169.08	21.23	132.87
				16QAM	21.11	129.15	20.20	104.82
				64QAM	19.77	94.86		
				256QAM	17.15	51.89		
	CP-OFDM	QPSK	20.63	115.64				
	2307.50 ~ 2312.50	5	DFT-s OFDM	$\pi/2$ BPSK	22.25	167.88		
				QPSK	22.23	167.11	21.49	141.07
				16QAM	21.14	130.02	20.63	115.73
				64QAM	19.87	97.05		
256QAM				17.07	50.93			
CP-OFDM	QPSK	20.84	121.34					

NR Band n41 (PC2)

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT B	2546.01 ~ 2640.00	100	DFT-s OFDM	$\pi/2$ BPSK	26.86	485.57		
				QPSK	26.90	489.78	25.11	324.05
				16QAM	25.79	379.58	24.28	267.99
				64QAM	24.37	273.47		
				256QAM	22.39	173.38		
	CP-OFDM	QPSK	25.49	353.62				
	2541.00 ~ 2644.98	90	DFT-s OFDM	$\pi/2$ BPSK	26.81	479.99		
				QPSK	26.85	484.67	25.84	383.74
				16QAM	25.91	389.91	25.09	322.65
				64QAM	24.40	275.14		
				256QAM	22.46	176.20		
	CP-OFDM	QPSK	25.41	347.66				
	2536.02 ~ 2649.99	80	DFT-s OFDM	$\pi/2$ BPSK	26.82	480.90		
				QPSK	26.73	471.48	25.80	379.89
				16QAM	25.58	361.73	24.99	315.25
				64QAM	24.27	267.13		
				256QAM	22.06	160.69		
	CP-OFDM	QPSK	25.30	338.60				
	2531.02 ~ 2654.98	70	DFT-s OFDM	$\pi/2$ BPSK	26.78	476.73		
				QPSK	26.68	465.97	25.89	387.86
				16QAM	25.57	360.90	25.14	326.35
				64QAM	24.14	259.22		
				256QAM	22.02	159.22		
	CP-OFDM	QPSK	25.25	335.20				
	2526.00 ~ 2659.98	60	DFT-s OFDM	$\pi/2$ BPSK	26.43	439.47		
				QPSK	26.30	426.60	25.81	381.26
				16QAM	25.14	326.70	24.97	314.21
				64QAM	24.00	250.96		
				256QAM	21.68	147.23		
	CP-OFDM	QPSK	24.90	309.03				
	2521.01 ~ 2665.00	50	DFT-s OFDM	$\pi/2$ BPSK	26.51	447.89		
				QPSK	26.51	447.34	25.87	386.04
				16QAM	25.29	338.10	25.08	322.21
				64QAM	23.90	245.53		
				256QAM	21.94	156.31		
	CP-OFDM	QPSK	25.08	321.74				
	2516.01 ~ 2670.00	40	DFT-s OFDM	$\pi/2$ BPSK	26.34	430.79		
				QPSK	26.24	421.04	25.96	394.61
				16QAM	25.05	320.16	24.97	313.73
				64QAM	23.79	239.07		
256QAM				21.79	151.01			
CP-OFDM	QPSK	24.75	298.66					
2511.00 ~ 2675.00	30	DFT-s OFDM	$\pi/2$ BPSK	26.43	439.70			
			QPSK	26.41	437.92	25.62	365.09	
			16QAM	25.13	326.10	24.75	298.33	
			64QAM	23.86	242.99			
			256QAM	21.77	150.31			
CP-OFDM	QPSK	24.72	296.81					
2508.51 ~ 2677.50	25	DFT-s OFDM	$\pi/2$ BPSK	26.35	431.52			
			QPSK	26.45	441.57	25.60	362.72	
			16QAM	25.20	331.13	24.84	304.77	
			64QAM	23.77	238.23			
			256QAM	21.74	149.28			
CP-OFDM	QPSK	24.66	292.42					

n41_ANT B	2506.02 ~ 2679.99	20	DFT-s OFDM	$\pi/2$ BPSK	26.20	416.87		
				QPSK	26.31	427.56	25.51	355.69
				16QAM	25.11	324.63	24.62	289.71
				64QAM	23.79	239.28		
			256QAM	22.42	174.58			
	CP-OFDM	QPSK	24.61	288.98				
	2503.50 ~ 2682.48	15	DFT-s OFDM	$\pi/2$ BPSK	26.29	425.95		
				QPSK	26.15	412.27	25.44	350.03
				16QAM	25.14	326.30	24.63	290.27
				64QAM	23.77	238.43		
			256QAM	22.35	171.79			
	CP-OFDM	QPSK	24.77	299.63				
	2501.01 ~ 2685.00	10	DFT-s OFDM	$\pi/2$ BPSK	26.38	434.36		
				QPSK	26.25	421.85	25.31	339.62
				16QAM	25.11	324.33	24.49	281.19
64QAM				23.83	241.60			
256QAM			22.14	163.68				
CP-OFDM	QPSK	24.77	299.58					

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT F	2546.01 ~ 2640.00	100	DFT-s OFDM	$\pi/2$ BPSK	25.66	368.07		
				QPSK	25.85	384.71	25.93	391.36
				16QAM	24.81	302.49	24.85	305.19
				64QAM	23.24	210.65		
				256QAM	21.32	135.63		
	CP-OFDM	QPSK	24.27	267.42				
	2541.00 ~ 2644.98	90	DFT-s OFDM	$\pi/2$ BPSK	25.68	370.16		
				QPSK	25.82	381.93	25.88	386.88
				16QAM	24.88	307.79	24.70	294.83
				64QAM	23.29	213.06		
				256QAM	21.22	132.41		
	CP-OFDM	QPSK	24.19	262.65				
	2536.02 ~ 2649.99	80	DFT-s OFDM	$\pi/2$ BPSK	25.78	378.22		
				QPSK	25.85	384.32	25.24	334.23
				16QAM	24.65	291.91	24.16	260.64
				64QAM	23.09	203.66		
				256QAM	21.23	132.73		
	CP-OFDM	QPSK	24.13	258.95				
	2531.02 ~ 2654.98	70	DFT-s OFDM	$\pi/2$ BPSK	25.74	374.71		
				QPSK	25.79	379.31	24.90	308.94
				16QAM	24.38	273.97	23.91	245.97
				64QAM	22.98	198.49		
				256QAM	21.07	128.04		
	CP-OFDM	QPSK	24.03	252.69				
	2526.00 ~ 2659.98	60	DFT-s OFDM	$\pi/2$ BPSK	25.53	357.46		
				QPSK	25.52	356.23	24.93	311.44
				16QAM	24.61	289.06	24.09	256.67
				64QAM	22.85	192.79		
				256QAM	20.97	125.13		
	CP-OFDM	QPSK	24.02	252.34				
	2521.01 ~ 2665.00	50	DFT-s OFDM	$\pi/2$ BPSK	25.72	372.89		
				QPSK	25.67	369.28	24.97	314.09
				16QAM	24.65	291.47	23.98	250.07
				64QAM	22.96	197.78		
				256QAM	21.14	130.06		
	CP-OFDM	QPSK	24.18	262.03				
	2516.01 ~ 2670.00	40	DFT-s OFDM	$\pi/2$ BPSK	25.56	359.89		
				QPSK	25.59	362.38	24.68	293.48
				16QAM	24.40	275.32	23.78	238.93
				64QAM	22.72	186.91		
256QAM				20.86	121.79			
CP-OFDM	QPSK	23.97	249.22					
2511.00 ~ 2675.00	30	DFT-s OFDM	$\pi/2$ BPSK	25.70	371.37			
			QPSK	25.77	377.55	24.72	296.49	
			16QAM	24.56	285.92	23.71	234.97	
			64QAM	22.92	196.01			
			256QAM	21.07	127.89			
CP-OFDM	QPSK	24.14	259.67					
2508.51 ~ 2677.50	25	DFT-s OFDM	$\pi/2$ BPSK	25.69	370.68			
			QPSK	25.80	380.19	25.19	330.33	
			16QAM	24.35	272.27	24.12	258.19	
			64QAM	22.90	194.98			
			256QAM	21.11	129.12			
CP-OFDM	QPSK	24.12	258.23					

n41_ANT F	2506.02 ~ 2679.99	20	DFT-s OFDM	$\pi/2$ BPSK	25.64	366.30		
				QPSK	25.59	362.53	25.05	319.82
				16QAM	24.50	282.07	24.28	267.86
				64QAM	22.80	190.45		
			256QAM	20.90	123.03			
	CP-OFDM	QPSK	24.03	252.79				
	2503.50 ~ 2682.48	15	DFT-s OFDM	$\pi/2$ BPSK	25.61	364.19		
				QPSK	25.54	357.92	25.05	319.82
				16QAM	24.48	280.27	25.27	336.24
				64QAM	22.85	192.64		
			256QAM	20.89	122.78			
	CP-OFDM	QPSK	24.07	255.40				
	2501.01 ~ 2685.00	10	DFT-s OFDM	$\pi/2$ BPSK	25.88	386.97		
				QPSK	25.72	373.21	25.27	336.24
				16QAM	24.56	285.62	24.05	253.89
64QAM				22.85	192.92			
256QAM			20.97	124.89				
CP-OFDM	QPSK	24.09	256.20					

NR Band n41 (PC2, SRS1)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT B	2546.01 ~ 2640.00	100	23.74	236.59	22.16	164.27
	2541.00 ~ 2644.98	90	23.71	234.96		
	2536.02 ~ 2649.99	80	23.71	234.96		
	2531.02 ~ 2654.98	70	23.57	227.51		
	2526.00 ~ 2659.98	60	23.63	230.67		
	2521.01 ~ 2665.00	50	23.66	232.27		
	2516.01 ~ 2670.00	40	23.73	236.05		
	2511.00 ~ 2675.00	30	23.65	231.74		
	2508.51 ~ 2677.50	25	23.63	230.67		
	2506.02 ~ 2679.99	20	23.55	226.46		
	2503.5 ~ 2682.48	15	23.54	225.94		
	2501.01 ~ 2685.00	10	23.41	219.28		
FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT F	2546.01 ~ 2640.00	100	23.80	239.88	24.16	260.35
	2541.00 ~ 2644.98	90	23.51	224.39		
	2536.02 ~ 2649.99	80	23.38	217.77		
	2531.02 ~ 2654.98	70	23.23	210.38		
	2526.00 ~ 2659.98	60	22.93	196.34		
	2521.01 ~ 2665.00	50	23.11	204.64		
	2516.01 ~ 2670.00	40	23.22	209.89		
	2511.00 ~ 2675.00	30	23.19	208.45		
	2508.51 ~ 2677.50	25	23.36	216.77		
	2506.02 ~ 2679.99	20	23.43	220.29		
	2503.5 ~ 2682.48	15	23.51	224.39		
	2501.01 ~ 2685.00	10	23.23	210.38		

NR Band n41 (PC2, SRS2)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT E	2546.01 ~ 2640.00	100	23.80	239.88	14.32	27.02
	2541.00 ~ 2644.98	90	23.64	231.21		
	2536.02 ~ 2649.99	80	23.60	229.09		
	2531.02 ~ 2654.98	70	23.60	229.09		
	2526.00 ~ 2659.98	60	23.60	229.09		
	2521.01 ~ 2665.00	50	23.61	229.61		
	2516.01 ~ 2670.00	40	23.41	219.28		
	2511.00 ~ 2675.00	30	23.66	232.27		
	2508.51 ~ 2677.50	25	23.56	226.99		
	2506.02 ~ 2679.99	20	23.50	223.87		
	2503.5 ~ 2682.48	15	23.38	217.77		
	2501.01 ~ 2685.00	10	23.50	223.87		
FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT D	2546.01 ~ 2640.00	100	23.40	218.78		
	2541.00 ~ 2644.98	90	23.31	214.29		
	2536.02 ~ 2649.99	80	23.30	213.80		
	2531.02 ~ 2654.98	70	23.21	209.41		
	2526.00 ~ 2659.98	60	23.03	200.91		
	2521.01 ~ 2665.00	50	23.50	223.87	17.98	62.74
	2516.01 ~ 2670.00	40	23.02	200.45		
	2511.00 ~ 2675.00	30	23.02	200.45		
	2508.51 ~ 2677.50	25	23.11	204.64		
	2506.02 ~ 2679.99	20	22.95	197.24		
	2503.5 ~ 2682.48	15	22.98	198.61		
	2501.01 ~ 2685.00	10	22.93	196.34		

NR Band n41 (PC2, SRS3)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT D	2546.01 ~ 2640.00	100	21.03	126.77	14.26	26.64
	2541.00 ~ 2644.98	90	20.91	123.31		
	2536.02 ~ 2649.99	80	20.88	122.46		
	2531.02 ~ 2654.98	70	20.74	118.58		
	2526.00 ~ 2659.98	60	20.63	115.61		
	2521.01 ~ 2665.00	50	20.82	120.78		
	2516.01 ~ 2670.00	40	20.58	114.29		
	2511.00 ~ 2675.00	30	20.72	118.03		
	2508.51 ~ 2677.50	25	20.68	116.95		
	2506.02 ~ 2679.99	20	20.73	118.30		
	2503.5 ~ 2682.48	15	20.79	119.95		
	2501.01 ~ 2685.00	10	20.83	121.06		
FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41_ANT E	2546.01 ~ 2640.00	100	17.41	55.08	8.37	6.87
	2541.00 ~ 2644.98	90	17.36	54.45		
	2536.02 ~ 2649.99	80	17.33	54.08		
	2531.02 ~ 2654.98	70	17.35	54.33		
	2526.00 ~ 2659.98	60	16.96	49.66		
	2521.01 ~ 2665.00	50	16.68	46.56		
	2516.01 ~ 2670.00	40	16.31	42.76		
	2511.00 ~ 2675.00	30	16.17	41.40		
	2508.51 ~ 2677.50	25	16.37	43.35		
	2506.02 ~ 2679.99	20	16.29	42.56		
	2503.5 ~ 2682.48	15	16.41	43.75		
	2501.01 ~ 2685.00	10	16.64	46.13		

NR Band n66

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n66_ANT A	1730.00 ~ 1760.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.86	243.22		
				QPSK	23.98	250.03	24.86	306.45
				16QAM	22.82	191.43	24.05	254.31
				64QAM	21.48	140.60		
			256QAM	18.78	75.51			
	CP-OFDM	QPSK	22.41	174.18				
	1727.50 ~ 1762.50	35	DFT-s OFDM	$\pi/2$ BPSK	23.72	235.50		
				QPSK	23.62	230.14	24.68	294.01
				16QAM	22.63	183.23	23.63	230.87
				64QAM	20.95	124.45		
			256QAM	18.99	79.25			
	CP-OFDM	QPSK	22.13	163.31				
	1725.00 ~ 1765.00	30	DFT-s OFDM	$\pi/2$ BPSK	23.79	239.33		
				QPSK	23.76	237.68	23.82	240.96
				16QAM	22.67	184.93	23.04	201.54
				64QAM	21.34	136.14		
			256QAM	18.73	74.64			
	CP-OFDM	QPSK	22.35	171.79				
	1722.50 ~ 1767.50	25	DFT-s OFDM	$\pi/2$ BPSK	23.80	239.88		
				QPSK	23.86	243.22	24.33	271.25
				16QAM	22.74	187.93	23.28	212.99
				64QAM	21.41	138.36		
			256QAM	18.85	76.74			
	CP-OFDM	QPSK	22.39	173.38				
	1720.00 ~ 1770.00	20	DFT-s OFDM	$\pi/2$ BPSK	23.60	229.09		
				QPSK	23.64	231.21	24.57	286.66
				16QAM	22.52	178.65	23.21	209.59
				64QAM	21.25	133.35		
			256QAM	18.60	72.44			
	CP-OFDM	QPSK	22.21	166.34				
	1717.50 ~ 1772.50	15	DFT-s OFDM	$\pi/2$ BPSK	23.68	233.35		
				QPSK	23.70	234.42	24.21	263.85
16QAM				22.51	178.24	23.54	226.13	
64QAM				21.29	134.59			
256QAM			18.72	74.47				
CP-OFDM	QPSK	22.27	168.66					
1715.00 ~ 1775.00	10	DFT-s OFDM	$\pi/2$ BPSK	23.66	232.27			
			QPSK	23.74	236.59	24.52	283.38	
			16QAM	22.65	184.08	23.41	219.46	
			64QAM	21.31	135.21			
		256QAM	18.71	74.30				
CP-OFDM	QPSK	22.26	168.27					
1712.50 ~ 1777.50	5	DFT-s OFDM	$\pi/2$ BPSK	23.69	233.88			
			QPSK	23.69	233.88	24.17	261.44	
			16QAM	22.66	184.50	23.50	224.06	
			64QAM	21.30	134.90			
		256QAM	18.75	74.99				
CP-OFDM	QPSK	22.32	170.61					

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n66_ANT F	1730.00 ~ 1760.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.76	237.68		
				QPSK	23.64	231.21	21.31	135.32
				16QAM	22.62	182.81	20.79	119.91
				64QAM	21.05	127.35		
			256QAM	18.43	69.66			
	CP-OFDM	QPSK	22.05	160.32				
	1727.50 ~ 1762.50	35	DFT-s OFDM	$\pi/2$ BPSK	23.73	236.05		
				QPSK	23.80	239.88	22.22	166.86
				16QAM	22.51	178.24	21.04	127.16
				64QAM	21.09	128.53		
			256QAM	18.50	70.79			
	CP-OFDM	QPSK	22.18	165.20				
	1725.00 ~ 1765.00	30	DFT-s OFDM	$\pi/2$ BPSK	23.91	246.04		
				QPSK	23.90	245.47	22.16	164.51
				16QAM	22.60	181.97	20.93	123.94
				64QAM	21.30	134.90		
			256QAM	18.54	71.45			
	CP-OFDM	QPSK	22.30	169.82				
	1722.50 ~ 1767.50	25	DFT-s OFDM	$\pi/2$ BPSK	23.93	247.17		
				QPSK	23.95	248.31	21.93	155.90
				16QAM	22.63	183.23	20.84	121.30
				64QAM	21.33	135.83		
			256QAM	18.60	72.44			
	CP-OFDM	QPSK	22.28	169.04				
	1720.00 ~ 1770.00	20	DFT-s OFDM	$\pi/2$ BPSK	23.71	234.96		
				QPSK	23.63	230.67	21.90	155.01
				16QAM	22.36	172.19	20.75	118.95
				64QAM	21.12	129.42		
			256QAM	18.44	69.82			
	CP-OFDM	QPSK	22.17	164.82				
	1717.50 ~ 1772.50	15	DFT-s OFDM	$\pi/2$ BPSK	23.62	230.14		
				QPSK	23.55	226.46	22.14	163.82
16QAM				22.44	175.39	21.01	126.29	
64QAM				21.21	132.13			
256QAM			18.53	71.29				
CP-OFDM	QPSK	22.21	166.34					
1715.00 ~ 1775.00	10	DFT-s OFDM	$\pi/2$ BPSK	23.69	233.88			
			QPSK	23.68	233.35	22.12	163.07	
			16QAM	22.35	171.79	20.98	125.36	
			64QAM	21.17	130.92			
		256QAM	18.45	69.98				
CP-OFDM	QPSK	22.17	164.82					
1712.50 ~ 1777.50	5	DFT-s OFDM	$\pi/2$ BPSK	23.70	234.42			
			QPSK	23.70	234.42	21.81	151.65	
			16QAM	22.43	174.98	20.82	120.74	
			64QAM	21.11	129.12			
		256QAM	18.47	70.31				
CP-OFDM	QPSK	22.21	166.34					

NR Band n70

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n70_ANT A	1702.5	15	DFT-s OFDM	$\pi/2$ BPSK	23.32	214.78		
				QPSK	23.25	211.35	22.92	195.67
				16QAM	22.24	167.49	22.35	171.60
				64QAM	20.91	123.31		
			256QAM	18.24	66.68			
	CP-OFDM	QPSK	21.87	153.82				
	1700.0 -1705.0	10	DFT-s OFDM	$\pi/2$ BPSK	23.29	213.30		
				QPSK	23.32	214.78	23.36	216.53
				16QAM	22.91	195.43	22.36	172.00
				64QAM	20.84	121.34		
			256QAM	18.73	74.64			
	CP-OFDM	QPSK	21.83	152.41				
	1697.5 - 1707.5	5	DFT-s OFDM	$\pi/2$ BPSK	23.32	214.78		
				QPSK	23.36	216.77	23.38	217.92
				16QAM	22.23	167.11	22.35	171.60
64QAM				20.91	123.31			
256QAM			18.11	64.71				
CP-OFDM	QPSK	21.93	155.96					
FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n70_ANT F	1702.5	15	DFT-s OFDM	$\pi/2$ BPSK	23.13	205.59		
				QPSK	23.14	206.06	21.55	142.73
				16QAM	22.78	189.67	20.55	113.56
				64QAM	20.91	123.31		
			256QAM	18.28	67.30			
	CP-OFDM	QPSK	21.25	133.35				
	1700.0 -1705.0	10	DFT-s OFDM	$\pi/2$ BPSK	23.64	231.21		
				QPSK	23.58	228.03	22.28	168.92
				16QAM	22.38	172.98	21.26	133.56
				64QAM	21.11	129.12		
			256QAM	18.36	68.55			
	CP-OFDM	QPSK	22.15	164.06				
	1697.5 - 1707.5	5	DFT-s OFDM	$\pi/2$ BPSK	23.61	229.61		
				QPSK	23.63	230.67	22.16	164.26
				16QAM	22.34	171.40	21.15	130.17
64QAM				21.07	127.94			
256QAM			18.33	68.08				
CP-OFDM	QPSK	22.11	162.55					

NR Band n71

FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n71_ANT A	673.00 ~ 688.00	20	DFT-s OFDM	$\pi/2$ BPSK	24.53	283.79		
				QPSK	24.65	291.74	17.31	53.83
				16QAM	23.47	222.33	16.23	41.98
				64QAM	22.31	170.22		
				256QAM	19.47	88.51		
	CP-OFDM	QPSK	23.09	203.70				
	670.50 ~ 690.50	15	DFT-s OFDM	$\pi/2$ BPSK	24.65	291.74		
				QPSK	24.72	296.48	17.44	55.46
				16QAM	23.57	227.51	16.44	44.06
				64QAM	22.24	167.49		
				256QAM	19.82	95.94		
	CP-OFDM	QPSK	22.90	194.98				
	668.00 ~ 693.00	10	DFT-s OFDM	$\pi/2$ BPSK	24.59	287.74		
				QPSK	24.76	299.23	18.24	66.68
				16QAM	23.49	223.36	16.97	49.77
				64QAM	22.22	166.72		
				256QAM	19.52	89.54		
	CP-OFDM	QPSK	22.99	199.07				
	665.50 ~ 695.50	5	DFT-s OFDM	$\pi/2$ BPSK	24.44	277.97		
				QPSK	24.52	283.14	17.57	57.15
16QAM				23.58	228.03	16.51	44.77	
64QAM				22.47	176.60			
256QAM				19.79	95.28			
CP-OFDM	QPSK	22.72	187.07					
FCC Part 27								
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n71_ANT E	673.00 ~ 688.00	20	DFT-s OFDM	$\pi/2$ BPSK	24.84	304.79		
				QPSK	24.99	315.50	16.14	41.08
				16QAM	23.70	234.42	14.94	31.16
				64QAM	22.43	174.98		
				256QAM	19.68	92.90		
	CP-OFDM	QPSK	23.47	222.33				
	670.50 ~ 690.50	15	DFT-s OFDM	$\pi/2$ BPSK	24.80	302.00		
				QPSK	24.83	304.09	15.73	37.38
				16QAM	23.63	230.67	14.68	29.35
				64QAM	22.37	172.58		
				256QAM	19.92	98.17		
	CP-OFDM	QPSK	23.35	216.27				
	668.00 ~ 693.00	10	DFT-s OFDM	$\pi/2$ BPSK	24.94	311.89		
				QPSK	24.92	310.46	15.84	38.34
				16QAM	23.75	237.14	14.61	28.88
				64QAM	22.30	169.82		
				256QAM	19.74	94.19		
	CP-OFDM	QPSK	23.31	214.29				
	665.50 ~ 695.50	5	DFT-s OFDM	$\pi/2$ BPSK	24.93	311.17		
				QPSK	24.90	309.03	15.43	34.92
16QAM				23.72	235.50	14.31	26.98	
64QAM				22.53	179.06			
256QAM				19.81	95.72			
CP-OFDM	QPSK	23.28	212.81					

NR Band n77(PC2, 3450-3550 MHz)

FCC Part 27								
Band	Frequency Range	BandWidth	Modulation	Mode	Conducted		Radiated	
	[MHz]	[MHz]			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT F	3499.98	100	DFT-s OFDM	$\pi/2$ BPSK	26.59	456.04		
				QPSK	26.68	465.44	25.08	322.18
				16QAM	25.21	331.72	24.13	258.88
				64QAM	23.53	225.47		
				256QAM	21.61	144.87		
	CP-OFDM	QPSK	24.78	300.34				
	3495.00 ~ 3504.99	90	DFT-s OFDM	$\pi/2$ BPSK	26.07	404.85		
				QPSK	26.79	477.80	25.01	317.03
				16QAM	25.53	357.30	24.02	252.59
				64QAM	23.75	236.90		
				256QAM	21.84	152.71		
	CP-OFDM	QPSK	24.98	314.55				
	3490.02 ~ 3510.00	80	DFT-s OFDM	$\pi/2$ BPSK	26.14	411.38		
				QPSK	26.85	484.42	25.15	327.42
				16QAM	25.53	357.56	23.99	250.85
				64QAM	23.77	238.43		
				256QAM	21.96	157.01		
	CP-OFDM	QPSK	25.24	334.16				
	3485.01 ~ 3514.98	70	DFT-s OFDM	$\pi/2$ BPSK	26.35	431.72		
				QPSK	26.86	485.64	24.01	251.83
				16QAM	25.68	370.11	23.18	208.07
				64QAM	23.87	243.55		
				256QAM	21.92	155.66		
	CP-OFDM	QPSK	25.11	324.12				
	3480.00 ~ 3519.99	60	DFT-s OFDM	$\pi/2$ BPSK	26.25	421.55		
				QPSK	26.70	467.68	24.11	257.69
				16QAM	25.45	351.00	22.97	198.01
				64QAM	23.91	246.08		
				256QAM	21.94	156.36		
	CP-OFDM	QPSK	25.30	338.92				
	3475.02 ~ 3525.00	50	DFT-s OFDM	$\pi/2$ BPSK	26.53	450.14		
				QPSK	26.94	494.04	24.23	264.90
				16QAM	25.73	374.19	23.38	217.74
				64QAM	24.06	254.53		
				256QAM	22.28	169.13		
	CP-OFDM	QPSK	25.33	341.35				
	3470.01 ~ 3529.98	40	DFT-s OFDM	$\pi/2$ BPSK	26.37	433.10		
				QPSK	26.76	473.98	24.13	258.88
				16QAM	25.58	361.71	23.20	208.98
				64QAM	23.91	246.31		
256QAM				22.00	158.64			
CP-OFDM	QPSK	25.12	324.81					
3465.00 ~ 3535.02	30	DFT-s OFDM	$\pi/2$ BPSK	26.37	433.78			
			QPSK	26.81	480.03	24.12	258.43	
			16QAM	25.63	365.78	23.22	210.06	
			64QAM	23.99	250.67			
			256QAM	22.13	163.39			
CP-OFDM	QPSK	25.34	342.19					

n77_ANT F	3462.51 ~ 3527.48	25	DFT-s OFDM	$\pi/2$ BPSK	26.68	465.59		
				QPSK	26.93	493.17	24.17	261.28
				16QAM	25.77	377.90	23.16	207.06
				64QAM	24.05	253.98		
			256QAM	22.16	164.34			
	CP-OFDM	QPSK	25.23	333.26				
	3460.02 ~ 3540.00	20	DFT-s OFDM	$\pi/2$ BPSK	26.03	401.06		
				QPSK	26.81	479.36	24.25	266.30
				16QAM	25.57	360.41	23.32	214.97
				64QAM	23.89	244.91		
			256QAM	21.97	157.36			
	CP-OFDM	QPSK	25.24	334.45				
	3457.50 ~ 3542.49	15	DFT-s OFDM	$\pi/2$ BPSK	26.83	482.46		
				QPSK	26.68	466.06	24.12	257.94
				16QAM	25.64	366.68	23.09	203.79
				64QAM	23.95	248.11		
			256QAM	22.02	159.33			
	CP-OFDM	QPSK	25.18	329.52				
	3455.01 ~ 3544.98	10	DFT-s OFDM	$\pi/2$ BPSK	26.95	495.35		
				QPSK	26.82	480.78	24.32	270.46
16QAM				25.74	374.57	23.18	208.09	
64QAM				23.97	249.67			
256QAM			22.08	161.56				
CP-OFDM	QPSK	25.25	334.77					

NR Band n77(PC2, 3450-3550 MHz, SRS1)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT C	3499.98	100	21.95	156.68		
	3495.00 ~ 3504.99	90	22.26	168.27		
	3490.02 ~ 3510.00	80	22.31	170.22		
	3485.01 ~ 3514.98	70	22.28	169.04		
	3480.00 ~ 3519.99	60	22.33	171.00		
	3475.02 ~ 3525.00	50	22.15	164.06		
	3470.01 ~ 3529.98	40	22.19	165.58		
	3465.00 ~ 3535.02	30	22.25	167.88		
	3462.51 ~ 3537.48	25	22.31	170.22		
	3460.02 ~ 3540.00	20	22.33	171.00		
	3457.50 ~ 3542.49	15	22.43	174.98	20.92	123.62
3455.01 ~ 3549.99	10	22.37	172.58			

NR Band n77(PC2, 3450-3550 MHz, SRS2)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT I	3499.98	100	24.01	251.77		
	3495.00 ~ 3504.99	90	23.99	250.61		
	3490.02 ~ 3510.00	80	23.98	250.03		
	3485.01 ~ 3514.98	70	23.95	248.31		
	3480.00 ~ 3519.99	60	23.98	250.03		
	3475.02 ~ 3525.00	50	24.02	252.35		
	3470.01 ~ 3529.98	40	24.05	254.10		
	3465.00 ~ 3535.02	30	24.11	257.63	23.61	229.80
	3462.51 ~ 3537.48	25	24.01	251.77		
	3460.02 ~ 3540.00	20	24.03	252.93		
	3457.50 ~ 3542.49	15	23.96	248.89		
3455.01 ~ 3549.99	10	23.91	246.04			

NR Band n77(PC2, 3450-3550 MHz, SRS3)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT D	3499.98	100	21.58	143.88		
	3495.00 ~ 3504.99	90	21.85	153.11		
	3490.02 ~ 3510.00	80	21.74	149.28		
	3485.01 ~ 3514.98	70	21.81	151.71		
	3480.00 ~ 3519.99	60	21.85	153.11		
	3475.02 ~ 3525.00	50	21.71	148.25		
	3470.01 ~ 3529.98	40	21.73	148.94		
	3465.00 ~ 3535.02	30	21.66	146.55		
	3462.51 ~ 3537.48	25	21.71	148.25		
	3460.02 ~ 3540.00	20	21.64	145.88		
	3457.50 ~ 3542.49	15	21.73	148.94		
3455.01 ~ 3549.99	10	21.86	153.46	20.86	121.93	

NR Band n77(PC2, 3700-3980 MHz)

FCC Part 27								
Band	Frequency Range	BandWidth	Modulation	Mode	Conducted		Radiated	
	[MHz]	[MHz]			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT F	3750.00 – 3930.00	100	DFT-s OFDM	$\pi/2$ BPSK	26.38	434.90		
				QPSK	26.59	455.96	26.69	466.98
				16QAM	25.37	344.67	25.43	349.38
				64QAM	23.75	236.90		
				256QAM	21.87	153.77		
	CP-OFDM	QPSK	25.02	317.49				
	3745.02 – 3934.98	90	DFT-s OFDM	$\pi/2$ BPSK	26.06	403.60		
				QPSK	26.52	448.25	26.54	450.69
				16QAM	25.45	350.48	25.88	386.96
				64QAM	23.78	238.93		
				256QAM	21.91	155.21		
	CP-OFDM	QPSK	25.07	321.11				
	3740.01 – 3939.99	80	DFT-s OFDM	$\pi/2$ BPSK	25.53	357.32		
				QPSK	26.38	434.58	26.66	463.35
				16QAM	25.39	345.65	25.93	391.68
				64QAM	23.72	235.26		
				256QAM	21.81	151.75		
	CP-OFDM	QPSK	24.95	312.90				
	3735.02 – 3944.98	70	DFT-s OFDM	$\pi/2$ BPSK	25.71	372.26		
				QPSK	26.31	427.52	26.70	467.78
				16QAM	25.26	335.92	25.97	395.41
				64QAM	23.55	226.57		
				256QAM	21.65	146.15		
	CP-OFDM	QPSK	24.85	305.70				
	3730.02 – 3949.98	60	DFT-s OFDM	$\pi/2$ BPSK	25.68	369.60		
				QPSK	26.19	416.05	27.22	526.96
				16QAM	25.15	327.38	26.16	412.84
				64QAM	23.40	218.52		
				256QAM	21.49	140.87		
	CP-OFDM	QPSK	24.73	297.18				
	3725.01 – 3954.99	50	DFT-s OFDM	$\pi/2$ BPSK	25.86	385.40		
				QPSK	26.46	442.60	27.47	558.18
				16QAM	25.25	334.60	26.34	430.30
				64QAM	23.55	226.69		
				256QAM	21.68	147.33		
	CP-OFDM	QPSK	24.94	312.09				
3720.02 – 3960.0	40	DFT-s OFDM	$\pi/2$ BPSK	25.74	375.02			
			QPSK	26.26	422.58	27.12	515.80	
			16QAM	25.15	327.59	26.17	413.55	
			64QAM	23.46	221.72			
			256QAM	21.56	143.36			
CP-OFDM	QPSK	24.69	294.18					
3715.02 – 3964.98	30	DFT-s OFDM	$\pi/2$ BPSK	25.78	378.03			
			QPSK	26.40	436.76	26.88	488.07	
			16QAM	25.29	338.37	25.86	385.05	
			64QAM	23.50	224.11			
			256QAM	21.61	144.98			
CP-OFDM	QPSK	24.84	304.62					

n77_ANT F	3712.50 - 3967.50	25	DFT-s OFDM	$\pi/2$ BPSK	26.01	399.02		
				QPSK	26.62	459.20	25.76	376.33
				16QAM	25.28	337.16	25.55	358.57
				64QAM	23.56	227.01		
			256QAM	21.60	144.62			
	CP-OFDM	QPSK	24.78	300.90				
	3710.01 - 3969.99	20	DFT-s OFDM	$\pi/2$ BPSK	25.46	351.93		
				QPSK	26.30	426.58	26.70	468.21
				16QAM	25.14	326.54	25.46	351.92
				64QAM	23.41	219.41		
			256QAM	21.60	144.62			
	CP-OFDM	QPSK	24.78	300.90				
	3707.52 - 3972.48	15	DFT-s OFDM	$\pi/2$ BPSK	25.32	340.25		
				QPSK	26.22	418.37	26.43	439.76
				16QAM	25.24	334.43	25.47	352.62
				64QAM	23.48	223.00		
			256QAM	21.58	143.97			
	CP-OFDM	QPSK	24.67	293.02				
	3705.00 - 3975.00	10	DFT-s OFDM	$\pi/2$ BPSK	26.62	459.58		
				QPSK	26.46	442.48	26.39	435.17
16QAM				25.22	332.60	25.23	333.24	
64QAM				23.58	227.87			
256QAM			21.60	144.43				
CP-OFDM	QPSK	24.85	305.60					

NR Band n77(PC2, 3700-3980 MHz, SRS1)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT C	3750.00 ~ 3930.00	100	22.94	196.79		
	3745.02 ~ 3934.98	90	22.96	197.70	16.13	40.99
	3740.01 ~ 3939.99	80	22.83	191.87		
	3735.02 ~ 3944.98	70	22.91	195.43		
	3730.02 ~ 3949.98	60	22.95	197.24		
	3725.01 ~ 3954.99	50	22.88	194.09		
	3720.02 ~ 3960.00	40	22.75	188.36		
	3715.02 ~ 3964.98	30	22.57	180.72		
	3712.50 ~ 3967.50	25	22.58	181.13		
	3710.01 ~ 3969.99	20	22.63	183.23		
	3707.52 ~ 3972.48	15	22.55	179.89		
3705.00 ~ 3975.00	10	22.59	181.55			

NR Band n77(PC2, 3700-3980 MHz, SRS2)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT I	3750.00 ~ 3930.00	100	24.89	308.32	24.85	305.70
	3745.02 ~ 3934.98	90	24.74	297.85		
	3740.01 ~ 3939.99	80	24.05	254.10		
	3735.02 ~ 3944.98	70	24.14	259.42		
	3730.02 ~ 3949.98	60	24.08	255.86		
	3725.01 ~ 3954.99	50	24.01	251.77		
	3720.02 ~ 3960.0	40	24.10	257.04		
	3715.02 ~ 3964.98	30	24.04	253.51		
	3712.50 ~ 3967.50	25	24.01	251.77		
	3710.01 ~ 3969.99	20	24.28	267.92		
	3707.52 ~ 3972.48	15	24.11	257.63		
3705.00 ~ 3975.00	10	23.92	246.60			

NR Band n77(PC2, 3700-3980 MHz, SRS3)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77_ANT D	3750.00 ~ 3930.00	100	21.84	152.76		
	3745.02 ~ 3934.98	90	21.81	151.71		
	3740.01 ~ 3939.99	80	21.77	150.31		
	3735.02 ~ 3944.98	70	21.83	152.41		
	3730.02 ~ 3949.98	60	21.71	148.25		
	3725.01 ~ 3954.99	50	21.75	149.62		
	3720.02 ~ 3960.0	40	21.71	148.25		
	3715.02 ~ 3964.98	30	21.91	155.24		
	3712.50 ~ 3967.50	25	21.81	151.71		
	3710.01 ~ 3969.99	20	21.76	149.97		
	3707.52 ~ 3972.48	15	21.74	149.28		
3705.00 ~ 3975.00	10	21.92	155.60	18.06	64.03	

5.3. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a internal antenna for the supported bands with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi/dBd)
LTE Band 4 / LTE Band 66 / NR Band n66 1710 - 1780 MHz	-2.5 (ANT A)
	-4.2 (ANT F)
LTE Band 38, 41 / NR Band n38, n41 2496 - 2690 MHz	-4.1 (ANT B)
	-4.7 (ANT F)
NR Band n41 (SRS) 2496 - 2690 MHz	-4.1 (ANT B)
	-8.2 (ANT D)
	-10.4 (ANT E)
LTE Band 7 / n7 2500 - 2570 MHz	-4.1 (ANT B)
	-4.7 (ANT F)
LTE Band 12 / NR Band n12 699 - 716 MHz	-5.2 (ANT A)
	-5.1 (ANT E)
LTE Band 13 777 - 787 MHz	-4.2 (ANT A)
	-7.4 (ANT E)
LTE Band 30 / NR Band n30 2305 - 2315 MHz	-3.1 (ANT A)
	-6.6 (ANT F)
NR Band n70 1695 - 1710 MHz	-2.5 (ANT A)
	-4.2 (ANT F)
LTE Band 71 / NR Band n71 663 – 698 MHz	-5.4 (ANT A)
	-5.4 (ANT E)
NR Band n77 3450-3550 MHz	-6.2 (ANT F)
	-6.7 (ANT C)
	-7.0 (ANT I)
NR Band n77 3700-3980 MHz	-6.1 (ANT D)
	-6.2 (ANT F)
	-6.7 (ANT C)
	-7.0 (ANT I)
	-6.1 (ANT D)

5.4. WORST-CASE ORIENTATION

Following Modes should be considered as worst-case scenario for all other measurements.

- UMTS REL 99/HSDPA

For LTE Bands the worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on QPSK, 16QAM, 64QAM and 256QAM modulations. It was found QPSK and 16QAM results were worst case.

For 5G NR the worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on $\pi/2$ BPSK, QPSK, 16QAM, 64QAM and 256QAM modulations. It was found QPSK and 16QAM results were worst case.

This device supports both NSA and SA Mode. Output power measurements were measured on NSA/SA/AS(Antenna Switching)/PS(Path Switching) Mode.

This device supports SRS (sounding reference signal) 1, 2, 3 Mode for NR TDD bands. For each SRS 1, 2 and 3, Conducted power and radiated measurement were performed through FTM Mode provide by the customer. The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. SRS1,2,3 the worstcase scenario was radiated tested and reported.

BAND	SA or SRS	Antenna
n41 (PC2)	SA	F
	SRS1	B
	SRS2	E
	SRS3	D
n41 (PC2)	SA	B
	SRS1	F
	SRS2	D
	SRS3	E
n77 (PC2)	SA	F
	SRS1	C
	SRS2	I
	SRS3	D

This device supports AS (Antenna Switching) and PS (Path Switching) Mode.
 So the test case is as below.

Test Item	Test case antenna & port
Conducted output power	All
RF port test	Worst case
e.r.p/e.i.r.p	All
Radiated Spurious Emissions	All

As for the conducted test, 'Main ANT' is the same or higher than 'Sub ANT', so we tested with 'Main ANT'.

Band	Main antenna	Tune up Limit (dBm)	Sub antenna	Tune up Limit (dBm)
WCDMA B4	<u>A</u>	<u>24.0</u>		
LTE B7	<u>B</u>	<u>24.0</u>	F	24.0
LTE B12	<u>A</u>	<u>25.2</u>	E	25.2
LTE B13	<u>A</u>	<u>25.0</u>	E	25.0
LTE B30	<u>A</u>	<u>23.5</u>	F	23.0
LTE B41 (PC2)	<u>B</u>	<u>26.7</u>	F	26.7
LTE B41C ULCA	<u>B</u>	<u>26.7</u>	F	26.7
LTE B66	<u>A</u>	<u>24.7</u>	F	24.7
LTE B66B	<u>A</u>	<u>24.7</u>	F	24.7
LTE B66C	<u>A</u>	<u>24.7</u>	F	24.7
LTE B71	<u>A</u>	<u>25.3</u>	E	25.3
NR n7	<u>B</u>	<u>24.0</u>	F	24.0
NR n12	<u>A</u>	<u>25.2</u>	E	25.2
NR n30	<u>A</u>	<u>23.5</u>	F	23.0
NR n41	<u>E</u>	<u>27.0</u>	B	27.0
			SRS 1,2,3	-
NR n66	<u>A</u>	<u>24.5</u>	F	24.5
NR n70	<u>A</u>	<u>24.0</u>	F	24.0
NR n71	<u>A</u>	<u>25.3</u>	E	25.3
NR n77	<u>E</u>	<u>27.0</u>	SRS 1,2,3	-

For LTE anchor, the band with highest output power was chosen among the possible combinations with NR Bands.

NR Band	LTE Band
7	N/A (Stand Alone)
12	2, 48, <u>66</u>
30	N/A (Stand Alone)
41	2, 4, 5, <u>12</u> , 66
66	2, 5, <u>12</u> , 13, 14, 30, 48
70	N/A (Stand Alone)
71	2, 48, <u>66</u>
77	2, 5, <u>12</u> , 13, 14, 30, 66, 71

LTE Band 4 (ANT A) (ANT F)

LTE Band 4 (Frequency range: 1710-1755 MHz) is covered by LTE Band 66 (Frequency range: 1710-1780 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 38 (ANT B) (ANT F)

LTE Band 38 (Frequency range: 2570-2620 MHz) is covered by LTE Band 41(PC2) (Frequency range: 2496-2690 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 41(PC3) (ANT B) (ANT F)

LTE Band 41(PC3, Frequency range : 2496-2690 MHz) is covered by LTE Band 41(PC2) (Frequency range: 2496-2690 MHz) due to same frequency range, same channel bandwidth and maximum tune-up limit is higher than LTE Band41(PC3).

NR Band 38 (ANT B) (ANT F)

NR Band 38 (Frequency range: 2570-2620 MHz) is covered by NR Band 41(PC2) (Frequency range: 2496-2690 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

NR Band 41(PC3, SRS 1, 2, 3) (ANT F) (ANT B)

NR Band 41(PC3, Frequency range : 2496-2690 MHz) is covered by NR Band 41(PC2) (Frequency range: 2496-2690 MHz) due to same frequency range, same channel bandwidth and maximum tune-up limit is higher than NR Band 41(PC3).

NR Band 77(PC3, SRS 1, 2, 3) (ANT F)

NR Band 77(PC3, Frequency range : 3450-3550 MHz, 3700-3980 MHz) is covered by NR Band 77(PC2, Frequency range : 3450-3550 MHz, 3700-3980 MHz) due to same frequency range, same channel bandwidth and maximum tune-up limit is higher than NR Band 77(PC3).

● Conducted Spurious Emission (ANT A)

Highest conducted output power setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	700.5	3	1	0
	707.5		1	8
	714.5		1	14
13	779.5	5	1	24
	782.0		1	12
	784.5		1	12
30	2307.5	5	1	12
	2310.0		1	12
	2312.5		1	0
66	1717.5	15	1	37
	1745.0		1	37
	1772.5		1	0
71	665.5	5	1	0
	680.5		1	12
	695.5		1	12
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	704.0	10	1	50
	707.5		1	1
	711.0		1	50
30	2307.5	5	1	1
	2310.0		1	1
	2312.5		1	1
66	1730.0	40	1	214
	1745.0		1	1
	1760.0		1	214
70	1697.5	5	1	1
	1702.5		1	1
	1707.5		1	1
71	668.0	10	1	50
	680.5		1	1
	693.0		1	26

● Uplink CA Conducted Spurious Emission (ANT A)

Highest conducted output power setting for each bands					
LTE Band	Component Carrier	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
66B	PCC	1715.0	10+10	1	49
	SCC	1724.9		1	0
	PCC	1740.1		1	49
	SCC	1750.0		1	0
	PCC	1765.1		1	49
	SCC	1775.0		1	0
66C	PCC	1720.0	20+20	1	99
	SCC	1739.8		1	0
	PCC	1735.0		1	99
	SCC	1754.9		1	0
	PCC	1750.2		1	99
	SCC	1770.0		1	0

● Conducted Spurious Emission (ANT B)

Highest conducted output power setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2510.0	10	1	25
	2535.0		1	25
	2560.0		1	25
41(PC2)	2506.0	20	1	49
	2593.0		1	49
	2680.0		1	49
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2512.5	25	1	131
	2535.0		1	1
	2557.5		1	1

● Uplink CA Conducted Spurious Emission (ANT B)

Highest conducted output power setting for each bands					
LTE Band	Component Carrier	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
41C(PC2)	PCC	2506.0	20+20	1	99
	SCC	2525.8		1	0
	PCC	2583.1		1	99
	SCC	2602.9		1	0
	PCC	2660.2		1	99
	SCC	2680.0		1	0

● Conducted Spurious Emission (ANT F)

Highest conducted output power setting for each bands				
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
41(PC2)	2546.01	100	1	1
	2592.99		1	1
	2640.00		1	1
77(PC2) (3450-3550 MHz)	3455.01	10	1	22
	3499.98		1	1
	3544.98		1	1
77(PC2) (3700-3980 MHz)	3705.00	10	1	22
	3840.00		1	22
	3975.00		1	22

● Radiated Spurious Emission (ANT A)

Highest ERP/EIRP setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	700.5	3	1	0
	707.5		1	8
	714.5		1	14
13	779.5	5	1	24
	782.0		1	12
	784.5		1	12
30	2307.5	5	1	12
	2310.0		1	12
	2312.5		1	0
66	1720.0	20	1	0
	1745.0		1	0
	1770.0		1	49
71	668.0	10	1	25
	680.5		1	0
	693.0		1	0
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	701.5	5	1	1
	707.5		1	1
	713.5		1	13
30	2310.0	10	1	1
66	1730.0	40	1	214
	1745.0		1	1
	1760.0		1	214
70	1697.5	5	1	1
	1702.5		1	1
	1707.5		1	1
71	668.0	10	1	50
	680.5		1	1
	693.0		1	26

● Uplink CA Radiated Spurious Emission (ANT A)

Highest EIRP setting for each bands					
LTE Band	Component Carrier	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
66B	PCC	1715.0	10+10	1	49
	SCC	1724.9		1	0
	PCC	1740.1		1	49
	SCC	1750.0		1	0
	PCC	1765.1		1	49
	SCC	1775.0		1	0
66C	PCC	1720.0	20+20	1	99
	SCC	1739.8		1	0
	PCC	1735.0		1	99
	SCC	1754.9		1	0
	PCC	1750.2		1	99
	SCC	1770.0		1	0

● Radiated Spurious Emission (ANT B)

Highest EIRP setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2510.0	20	1	49
	2535.0		1	49
	2560.0		1	0
41 (PC2)	2503.5	15	1	37
	2593.0		1	37
	2682.5		1	0
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2517.5	35	1	93
	2535.0		1	93
	2552.5		1	93
41(PC2)	2516.01	40	1	53
	2592.99		1	53
	2670.00		1	53

● Radiated Spurious Emission (ANT B)

Highest EIRP setting for each bands					
LTE Band	Component Carrier	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
41C(PC2)	PCC	2506.0	20+20	1	99
	SCC	2525.8		1	0
	PCC	2583.1		1	99
	SCC	2602.9		1	0
	PCC	2660.2		1	99
	SCC	2680.0		1	0

● Radiated Spurious Emission (ANT E)

Highest ERP/EIRP setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	700.5	3	1	8
	707.5		1	8
	714.5		1	8
13	782.0	10	1	25
71	668.0	10	1	49
	680.5		1	0
	693.0		1	0
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	704.0	10	1	26
	707.5		1	1
	711.0		1	1
71	673.0	20	1	53
	680.5		1	53
	688.0		1	53

● Radiated Spurious Emission (ANT F)

Highest EIRP setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2505.00	10	1	25
	2535.00		1	25
	2565.00		1	25
30	2310.00	10	1	13
41 (PC2)	2498.50	5	1	12
	2593.00		1	12
	2687.50		1	12
66	1720.00	20	1	0
	1745.00		1	99
	1770.00		1	0
NR Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
7	2515.00	30	1	158
	2535.00		1	80
	2555.00		1	1
30	2307.50	5	1	13
	2310.00		1	13
	2312.50		1	13
41 (PC2)	2546.01	100	1	1
	2592.99		1	1
	2640.00		1	1
66	1727.50	35	1	93
	1745.00		1	186
	1765.50		1	186
70	1700.00	10	1	26
	1702.50		1	1
	1705.00		1	1
77(PC2) (3450-3550 MHz)	3490.02	80	1	215
	3499.98		1	215
	3510.00		1	109
77(PC2) (3700-3980 MHz)	3725.01	50	1	1
	3840.00		1	131
	3954.99		1	67

● Uplink CA Radiated Spurious Emission (ANT F)

Highest EIRP setting for each bands					
LTE Band	Component Carrier	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
66B	PCC	1715.0	10+10	1	49
	SCC	1724.9		1	0
	PCC	1740.1		1	49
	SCC	1750.0		1	0
	PCC	1765.1		1	49
	SCC	1775.0		1	0
66C	PCC	1720.0	20+20	1	99
	SCC	1739.8		1	0
	PCC	1735.0		1	99
	SCC	1754.9		1	0
	PCC	1750.2		1	99
	SCC	1770.0		1	0
41C(PC2)	PCC	2506.0	20+20	1	99
	SCC	2525.8		1	0
	PCC	2583.1		1	99
	SCC	2602.9		1	0
	PCC	2660.2		1	99
	SCC	2680.0		1	0

The fundamental and radiated spurious emission were investigated in three orthogonal orientations X, Y and Z, it was determined that below orientation was worst-case orientation for each band.

Band	ANT	ERP/EIRP			RSE		
		X	Y	Z	X	Y	Z
WCDMA B4	A	0	-	-	0	-	-
LTE B7	B	0	-	-	-	-	0
	F	0	-	-	0	-	-
LTE B12	A	-	-	0	-	-	0
	E	-	-	0	0	-	-
LTE B13	A	-	-	0	-	0	-
	E	-	-	0	-	-	0
LTE B30	A	0	-	-	-	-	0
	F	0	-	-	-	-	0
LTE B41(PC2)	B	-	-	0	0	-	-
	F	0	-	-	-	0	-
LTE B66	A	0	-	-	0	-	-
	F	0	-	-	-	0	-
LTE B71	A	-	-	0	-	-	0
	E	-	-	0	-	-	0
NR n7	B	0	-	-	-	-	0
	F	0	-	-	-	-	0
NR n12	A	-	-	0	-	-	0
	E	-	-	0	-	0	-
NR n30	A	0	-	-	-	-	0
	F	0	-	-	-	0	-
NR n41(PC2)	F	-	0	-	-	-	0
	B (SRS1)	0	-	-	-	0	-
	E (SRS2)	-	0	-	-	0	-
	D (SRS3)	-	-	0	-	-	0
NR n41(PC2)	B	0	-	-	0	-	-
	F (SRS1)	0	-	-	0	-	-
	D (SRS2)	-	0	-	-	-	0
	E (SRS3)	-	0	-	0	-	-
NR n66	A	0	-	-	0	-	-
	F	-	-	0	-	-	0
NR n70	A	0	-	-	-	-	-
	F	0	-	-	-	-	-
NR n71	A	-	-	0	-	-	0
	E	-	-	0	-	-	0
NR n77(PC2) (3450 - 3550 MHz)	F	0	-	-	0	-	-
	C (SRS1)	0	-	-	0	-	-
	I (SRS2)	-	-	0	-	-	0
	D (SRS3)	-	0	-	-	0	-
NR n77(PC2) (3700 - 3980 MHz)	F	-	-	0	-	-	0
	C (SRS1)	0	-	-	0	-	-
	I (SRS2)	-	-	0	-	-	0
	D (SRS3)	-	-	0	-	-	0
LTE B41C(UL CA)	B	0	-	-	0	-	-
	F	0	-	-	-	-	0
LTE B66B(UL CA)	A	0	-	-	0	-	-
	F	0	-	-	0	-	-
LTE B66C(UL CA)	A	0	-	-	0	-	-
	F	0	-	-	0	-	-

Note : For the radiated testing, the EUT attached with travel adapter for the worst case condition. The EUT is continuously communicated with the call box during the tests.

5.5. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacture	Model	Serial Number	FCC ID
Charger	SAMSUNG	EP-TA800	R37MC7X35P7DK3	N/A
Data Cable	SAMSUNG	EP-DN980	GH39-02112A	N/A


I/O CABLE

I/O Cable List						
Cable No.	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	DC Power	1	C Type	Shielded	1.0 m	N/A


TEST SETUP

The EUT is continuously communicated with the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List				
Description	Manufacturer	Model	S/N	Cal Due
Antenna, Tuned Dipole 400~1000 MHz	ETS	3121D DB4	00164753	2025-01-17
Directional Antenna	Cobham	FPA3-0.8-6.0R/1329	110367-0003	N/A
Directional Antenna	Cobham	FPA3-0.8-6.0R/1329	80108-0004	N/A
Antenna, Horn, 40 GHz	ETS	3116C	00166155	2024-08-02
Antenna, Horn, 40 GHz	ETS	3116C	00168645	2025-10-05
Preamplifier	ETS	3115-PA	00167475	2024-07-25
Preamplifier	ETS	3116C-PA	00168841	2024-07-25
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	750	2024-08-15
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	845	2024-08-15
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	749	2024-08-15
Antenna, Horn, 18 GHz	ETS	3115	00167211	2024-08-04
Antenna, Horn, 18 GHz	ETS	3115	00161451	2024-08-21
Antenna, Horn, 18 GHz	ETS	3117	00168724	2024-08-04
Antenna, Horn, 18 GHz	ETS	3117	00168717	2024-08-21
Communications Test Set	R&S	CMV500	169796	2024-01-05
DC Power Supply	Agilent / HP	E3640A	MY54226395	2024-07-24
Preamplifier, 1000 MHz	Sonoma	310N	341282	2024-07-24
Preamplifier, 1000 MHz	Sonoma	310N	370599	2024-07-24
Preamplifier, 1000 MHz	Sonoma	310N	351741	2024-07-24
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	2029169	2024-07-24
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1896138	2024-07-25
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54170614	2024-07-25
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54490312	2024-07-24
Spectrum Analyzer, 44 GHz	KEYSIGHT	N9030B	MY60070693	2024-01-09
EMI Test Receive, 40 GHz	R&S	ESU40	100439	2024-07-23
EMI Test Receive, 40 GHz	R&S	ESU40	100457	2024-07-24
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G005	2024-07-23
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G006	2024-07-23
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	010	2024-07-24
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	011	2024-07-24
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G001	2024-07-24
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G002	2024-07-24
Attenuator	PASTERNAK	PE7087-10	A009	2024-07-24
Attenuator	PASTERNAK	PE7087-10	A001	2024-07-24
Attenuator	PASTERNAK	PE7087-10	A008	2024-07-27
Attenuator	PASTERNAK	PE7004-10	2	2024-07-23
Attenuator	PASTERNAK	PE7395-10	A011	2024-07-25
Antenna, Loop, 9kHz-30MHz	R&S	HFH2-Z2	100418	2025-09-06
Temperature Chamber	ESPEC	SH-642	93001109	2024-07-24
Power Splitter	MINI-CIRCUITS	WA1534	UL003	2024-01-09
Power Splitter	MINI-CIRCUITS	WA1534	UL004	2024-01-09
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	MY57510655	2024-01-09
UL Software				
Description	Manufacturer	Model	Version	
Antenna port test software	UL	CLT	Ver 3.4	
Radiated software	UL	UL EMC	Ver 9.5	
Antenna port test software (5G NR FR1)	UL	UL iM	Ver 1.06	

7. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result
2.1049	Occupied Band width (99%)	N/A	Conducted	Pass
27.53(g),(h),(c) 27.53(l)(2) 27.53(n)(2)	Band Edge / Conducted Spurious Emission	-13dBm		Pass
27.53(m), 27.53(c)(2)	Conducted Spurious Emission	-25dBm		Pass
27.53(a),(m)	Emission mask	Section 9.2.2		Pass
2.1046	Conducted output power	N/A		Pass
27.54	Frequency Stability	2.5PPM		Pass
27.50(c)(10) 27.50(b)(10)	Effective Radiated Power	34.77dBm		Radiated
27.50(h)(2) 27.50(j)(3) 27.50(k)(3)	Equivalent Isotropic Radiated Power	33dBm	Pass	
27.50(a)(3)		24dBm		
27.50(d)(4)		30dBm	Pass	
27.53 (g),(h),(c)		-13dBm	Pass	
27.53(f)	Radiated Spurious Emission	-40dBm	Pass	
27.53(m) 27.53(l)(2) 27.53(n)(2)		-25dBm	Pass	

8. CONDUCTED RESULTS

8.1. CONDUCTED OUTPUT POWER

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03r01;

The transmitter output was connected to either CMW500 Test Set or E7515B Test set and configured to operate at maximum power.

NOTE

5G NR: All Waveforms (CP-OFDM vs DFT-s_OFDM) and modulations ($\pi/2$ BPSK, QPSK, 16QAM, 64QAM, 256QAM) were investigated to determine the worst case configuration. All Modes of operation were investigated and the worst case configuration results are reported in this section.

RESULTS

See the following pages.

8.1.1. CONDUCTED AVERAGE OUTPUT POWER

WCDMA B4

Mode		UL Ch No.	Freq. (MHz)	Maximum Average Power (dBm)		
				Measured Pwr	MPR	Tune-up Limit
Release 99	Rel 99 (RMC, 12.2 kbps)	1312	1712.4	22.86	N/A	24.0
		1413	1732.6	22.77		
		1513	1752.6	22.75		
HSDPA	Subtest 1	1312	1712.4	21.78	0	23.0
		1413	1732.6	21.77		
		1513	1752.6	21.76		
	Subtest 2	1312	1712.4	21.82	0	23.0
		1413	1732.6	21.78		
		1513	1752.6	21.76		
	Subtest 3	1312	1712.4	21.28	0.5	22.5
		1413	1732.6	21.26		
		1513	1752.6	21.22		
	Subtest 4	1312	1712.4	21.26	0.5	22.5
		1413	1732.6	21.24		
		1513	1752.6	21.26		
HSUPA	Subtest 1	1312	1712.4	21.71	0	23.0
		1413	1732.6	21.76		
		1513	1752.6	21.71		
	Subtest 2	1312	1712.4	19.87	2	21.0
		1413	1732.6	19.73		
		1513	1752.6	19.79		
	Subtest 3	1312	1712.4	20.84	1	22.0
		1413	1732.6	20.76		
		1513	1752.6	20.76		
	Subtest 4	1312	1712.4	19.97	2	21.0
		1413	1732.6	19.89		
		1513	1752.6	19.86		
	Subtest 5	1312	1712.4	21.84	0	23.0
		1413	1732.6	21.89		
		1513	1752.6	21.88		
DC-HSDPA	Subtest 1	1312	1712.4	21.98	0	23.0
		1413	1732.6	21.91		
		1513	1752.6	21.91		
	Subtest 2	1312	1712.4	21.94	0	23.0
		1413	1732.6	21.91		
		1513	1752.6	21.87		
	Subtest 3	1312	1712.4	21.45	0.5	22.5
		1413	1732.6	21.46		
		1513	1752.6	21.78		
	Subtest 4	1312	1712.4	21.37	0.5	22.5
		1413	1732.6	21.43		
		1513	1752.6	21.41		

LTE Band 7 (ANT B)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm) Pmax / DSI 1				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				20850	21100	21350		
				2510 MHz	2535 MHz	2560 MHz		
20 MHz	QPSK	1	0	23.15	23.23	23.25	0.0	24.0
		1	49	23.26	23.28	23.23	0.0	24.0
		1	99	23.16	23.29	23.20	0.0	24.0
		50	0	22.27	22.27	22.22	1.0	23.0
		50	24	22.35	22.27	22.31	1.0	23.0
		50	50	22.31	22.38	22.28	1.0	23.0
	100	0	22.33	22.24	22.30	1.0	23.0	
	16QAM	1	0	22.68	22.51	22.52	1.0	23.0
		1	49	22.61	22.58	22.51	1.0	23.0
		1	99	22.62	22.55	22.44	1.0	23.0
		50	0	21.36	21.30	21.21	2.0	22.0
		50	24	21.39	21.31	21.32	2.0	22.0
		50	50	21.36	21.34	21.30	2.0	22.0
	100	0	21.38	21.27	21.30	2.0	22.0	
	64QAM	1	0	20.98	21.37	21.28	2.0	22.0
		1	49	21.36	21.41	21.38	2.0	22.0
		1	99	21.43	21.49	21.20	2.0	22.0
		50	0	20.28	20.24	20.16	3.0	21.0
		50	24	20.34	20.25	20.24	3.0	21.0
		50	50	20.27	20.29	20.23	3.0	21.0
	100	0	20.32	20.22	20.28	3.0	21.0	
	256QAM	1	0	18.41	18.26	18.31	5.0	19.0
		1	49	18.48	18.37	18.41	5.0	19.0
		1	99	18.36	18.36	18.40	5.0	19.0
50		0	18.21	18.23	18.16	5.0	19.0	
50		24	18.28	18.27	18.27	5.0	19.0	
50		50	18.27	18.30	18.23	5.0	19.0	
100	0	18.31	18.20	18.23	5.0	19.0		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				20825	21100	21375		
				2507.5 MHz	2535 MHz	2562.5 MHz		
				15 MHz	QPSK	1	0	23.31
1	37	23.35	23.29			23.24	0.0	24.0
1	74	23.30	23.32			23.22	0.0	24.0
36	0	22.30	22.36			22.23	1.0	23.0
36	20	22.39	22.30			22.32	1.0	23.0
36	39	22.34	22.34			22.32	1.0	23.0
75	0	22.33	22.24		22.28	1.0	23.0	
16QAM	1	0	22.61		22.55	22.53	1.0	23.0
	1	37	22.69		22.61	22.59	1.0	23.0
	1	74	22.60		22.54	22.57	1.0	23.0
	36	0	21.32		21.30	21.26	2.0	22.0
	36	20	21.42		21.32	21.36	2.0	22.0
	36	39	21.39		21.38	21.33	2.0	22.0
75	0	21.41	21.27		21.34	2.0	22.0	
64QAM	1	0	21.43		21.39	21.43	2.0	22.0
	1	37	21.55		21.47	21.49	2.0	22.0
	1	74	21.43		21.38	21.48	2.0	22.0
	36	0	20.34		20.32	20.23	3.0	21.0
	36	20	20.39		20.34	20.33	3.0	21.0
	36	39	20.37		20.37	20.31	3.0	21.0
75	0	20.38	20.30		20.34	3.0	21.0	
256QAM	1	0	18.44		18.51	18.39	5.0	19.0
	1	37	18.43		18.52	18.47	5.0	19.0
	1	74	18.40		18.50	18.45	5.0	19.0
	36	0	18.33	18.34	18.25	5.0	19.0	
	36	20	18.41	18.34	18.35	5.0	19.0	
	36	39	18.40	18.44	18.38	5.0	19.0	
75	0	18.40	18.33	18.34	5.0	19.0		

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				20800	21100	21400		
				2505 MHz	2535 MHz	2565 MHz		
10 MHz	QPSK	1	0	23.40	23.32	23.25	0.0	24.0
		1	25	23.42	23.38	23.30	0.0	24.0
		1	49	23.35	23.33	23.26	0.0	24.0
		25	0	22.29	22.31	22.24	1.0	23.0
		25	12	22.37	22.30	22.32	1.0	23.0
		25	25	22.39	22.38	22.33	1.0	23.0
	16QAM	50	0	22.35	22.30	22.33	1.0	23.0
		1	0	22.70	22.54	22.59	1.0	23.0
		1	25	22.67	22.54	22.62	1.0	23.0
		1	49	22.58	22.54	22.56	1.0	23.0
		25	0	21.31	21.35	21.34	2.0	22.0
		25	12	21.43	21.39	21.37	2.0	22.0
	64QAM	25	25	21.37	21.41	21.34	2.0	22.0
		50	0	21.40	21.32	21.36	2.0	22.0
		1	0	21.54	19.51	19.61	2.0	22.0
		1	25	21.67	19.53	20.21	2.0	22.0
		1	49	21.59	19.98	19.60	2.0	22.0
		25	0	20.38	20.36	20.26	3.0	21.0
	256QAM	25	12	20.45	20.36	20.41	3.0	21.0
		25	25	20.45	20.42	20.36	3.0	21.0
		50	0	20.44	20.32	20.38	3.0	21.0
		1	0	18.58	18.42	18.44	5.0	19.0
		1	25	18.69	18.55	18.54	5.0	19.0
		1	49	18.51	18.51	18.40	5.0	19.0
5 MHz	QPSK	25	0	18.42	18.36	18.33	5.0	19.0
		25	12	18.46	18.37	18.39	5.0	19.0
		25	25	18.44	18.42	18.36	5.0	19.0
		50	0	18.45	18.34	18.38	5.0	19.0
		1	0	23.32	23.37	23.31	0.0	24.0
		1	12	23.40	23.35	23.36	0.0	24.0
	16QAM	1	24	23.37	23.38	23.37	0.0	24.0
		12	0	22.39	22.26	22.25	1.0	23.0
		12	7	22.43	22.41	22.42	1.0	23.0
		12	13	22.41	22.39	22.38	1.0	23.0
		25	0	22.38	22.35	22.31	1.0	23.0
		1	0	22.68	22.64	22.58	1.0	23.0
	64QAM	1	12	22.82	22.73	22.59	1.0	23.0
		1	24	22.78	22.77	22.65	1.0	23.0
		12	0	21.43	21.19	21.30	2.0	22.0
		12	7	21.49	21.33	21.43	2.0	22.0
		12	13	21.47	21.30	21.42	2.0	22.0
		25	0	21.41	21.44	21.39	2.0	22.0
	256QAM	1	0	21.07	21.35	19.87	2.0	22.0
		1	12	21.34	21.67	19.55	2.0	22.0
		1	24	21.43	21.52	21.30	2.0	22.0
		12	0	20.48	20.31	20.29	3.0	21.0
		12	7	20.52	20.49	20.50	3.0	21.0
		12	13	20.49	20.46	20.46	3.0	21.0
256QAM	25	0	20.43	20.43	20.42	3.0	21.0	
	1	0	18.41	18.52	18.37	5.0	19.0	
	1	12	18.58	18.74	18.53	5.0	19.0	
	1	24	18.48	18.55	18.45	5.0	19.0	
	12	0	18.42	18.33	18.32	5.0	19.0	
	12	7	18.48	18.49	18.46	5.0	19.0	
256QAM	12	13	18.46	18.44	18.42	5.0	19.0	
	25	0	18.43	18.42	18.41	5.0	19.0	

LTE Band 7 (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				20850	21100	21350		
				2510 MHz	2535 MHz	2560 MHz		
20 MHz	QPSK	1	0	22.63	23.01	22.98	0.0	24.0
		1	49	22.97	23.02	22.98	0.0	24.0
		1	99	22.99	23.05	22.99	0.0	24.0
		50	0	22.02	22.11	22.05	1.0	23.0
		50	24	22.08	22.06	22.05	1.0	23.0
		50	50	22.05	22.04	22.02	1.0	23.0
	100	0	22.07	22.01	22.02	1.0	23.0	
	16QAM	1	0	22.34	22.38	22.26	1.0	23.0
		1	49	22.44	22.33	22.22	1.0	23.0
		1	99	22.38	22.39	22.23	1.0	23.0
		50	0	21.03	21.08	21.04	2.0	22.0
		50	24	21.12	21.09	21.05	2.0	22.0
		50	50	21.08	21.14	21.06	2.0	22.0
	100	0	21.12	21.07	21.04	2.0	22.0	
	64QAM	1	0	20.56	21.07	21.13	2.0	22.0
		1	49	21.18	21.21	21.13	2.0	22.0
		1	99	21.19	21.22	21.12	2.0	22.0
		50	0	20.01	20.02	20.03	3.0	21.0
		50	24	20.10	20.04	20.06	3.0	21.0
		50	50	20.07	20.10	20.01	3.0	21.0
	100	0	20.09	20.04	20.04	3.0	21.0	
	256QAM	1	0	18.18	18.02	18.21	5.0	19.0
		1	49	18.34	18.15	18.16	5.0	19.0
		1	99	18.21	18.12	18.11	5.0	19.0
50		0	18.00	18.02	18.02	5.0	19.0	
50		24	18.10	18.02	18.03	5.0	19.0	
50		50	18.04	18.09	18.01	5.0	19.0	
100	0	18.07	18.00	18.01	5.0	19.0		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				20825	21100	21375		
				2507.5 MHz	2535 MHz	2562.5 MHz		
				15 MHz	QPSK	1	0	22.92
1	37	22.95	22.97			22.91	0.0	24.0
1	74	22.87	22.97			22.94	0.0	24.0
36	0	21.94	21.94			21.97	1.0	23.0
36	20	22.01	21.95			21.95	1.0	23.0
36	39	21.99	22.00			21.96	1.0	23.0
75	0	21.96	21.89			21.93	1.0	23.0
16QAM	1	0	22.22		22.24	22.24	1.0	23.0
	1	37	22.21		22.27	22.24	1.0	23.0
	1	74	22.25		22.25	22.25	1.0	23.0
	36	0	20.96		20.96	21.00	2.0	22.0
	36	20	21.06		20.97	21.01	2.0	22.0
	36	39	21.01		21.03	20.98	2.0	22.0
	75	0	21.00		20.94	20.98	2.0	22.0
64QAM	1	0	21.05		21.10	21.11	2.0	22.0
	1	37	21.29		21.25	21.18	2.0	22.0
	1	74	21.19		21.23	21.13	2.0	22.0
	36	0	19.97		20.01	19.96	3.0	21.0
	36	20	20.08		20.03	19.98	3.0	21.0
	36	39	20.07		20.08	19.99	3.0	21.0
	75	0	20.05		20.01	20.00	3.0	21.0
256QAM	1	0	17.92		18.14	18.17	5.0	19.0
	1	37	18.02		18.19	18.12	5.0	19.0
	1	74	17.95		18.19	18.13	5.0	19.0
	36	0	17.94	18.00	17.97	5.0	19.0	
	36	20	18.05	18.01	17.98	5.0	19.0	
	36	39	18.06	18.08	17.99	5.0	19.0	
	75	0	18.03	17.99	17.97	5.0	19.0	

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
				20800	21100	21400			
				2505 MHz	2535 MHz	2565 MHz			
10 MHz	QPSK	1	0	22.93	23.08	22.99	0.0	24.0	
		1	25	23.01	23.03	22.96	0.0	24.0	
		1	49	22.99	23.04	22.94	0.0	24.0	
		25	0	21.90	21.99	22.03	1.0	23.0	
		25	12	22.01	21.96	22.03	1.0	23.0	
		25	25	22.01	22.06	22.00	1.0	23.0	
	16QAM	50	0	21.98	21.98	22.03	1.0	23.0	
		1	0	22.24	22.24	22.34	1.0	23.0	
		1	25	22.30	22.27	22.32	1.0	23.0	
		1	49	22.26	22.19	22.33	1.0	23.0	
		25	0	20.97	21.03	21.10	2.0	22.0	
		25	12	21.08	21.02	21.11	2.0	22.0	
	64QAM	25	25	21.08	21.10	21.09	2.0	22.0	
		50	0	21.03	20.98	21.03	2.0	22.0	
		1	0	21.11	21.30	21.15	2.0	22.0	
		1	25	21.19	21.40	21.15	2.0	22.0	
		1	49	21.18	21.36	21.09	2.0	22.0	
		25	0	19.95	20.02	20.02	3.0	21.0	
	256QAM	25	12	20.10	20.04	20.06	3.0	21.0	
		25	25	20.08	20.08	20.01	3.0	21.0	
		50	0	20.05	20.00	20.03	3.0	21.0	
		1	0	18.03	18.06	18.14	5.0	19.0	
		1	25	18.18	18.16	18.24	5.0	19.0	
		1	49	18.09	18.14	18.11	5.0	19.0	
	5 MHz	QPSK	25	0	17.98	18.05	18.02	5.0	19.0
			25	12	18.05	18.01	18.03	5.0	19.0
			25	25	18.03	18.07	17.99	5.0	19.0
			50	0	18.03	17.97	17.99	5.0	19.0
1			0	22.92	23.02	23.04	0.0	24.0	
1			12	22.98	23.05	23.02	0.0	24.0	
16QAM		1	24	22.96	23.05	23.03	0.0	24.0	
		12	0	21.93	21.99	22.00	1.0	23.0	
		12	7	21.95	21.99	22.06	1.0	23.0	
		12	13	21.94	22.08	22.06	1.0	23.0	
		25	0	21.97	21.94	22.00	1.0	23.0	
		1	0	22.38	22.37	22.30	1.0	23.0	
64QAM		1	12	22.38	22.49	22.29	1.0	23.0	
		1	24	22.37	22.38	22.37	1.0	23.0	
		12	0	20.98	21.00	21.05	2.0	22.0	
		12	7	21.05	21.05	21.10	2.0	22.0	
		12	13	21.03	21.11	21.07	2.0	22.0	
		25	0	20.98	21.00	21.03	2.0	22.0	
256QAM		1	0	21.12	21.12	21.12	2.0	22.0	
		1	12	21.28	21.25	21.18	2.0	22.0	
		1	24	21.19	21.18	21.15	2.0	22.0	
		12	0	19.99	20.01	19.99	3.0	21.0	
		12	7	20.04	20.07	20.07	3.0	21.0	
		12	13	20.03	20.09	20.07	3.0	21.0	
256QAM		25	0	19.98	20.01	20.03	3.0	21.0	
		1	0	18.06	18.11	18.18	5.0	19.0	
		1	12	18.24	18.32	18.28	5.0	19.0	
		1	24	18.10	18.24	18.14	5.0	19.0	
	12	0	17.99	17.96	18.00	5.0	19.0		
	12	7	18.05	18.05	18.04	5.0	19.0		
256QAM	12	13	18.02	18.07	18.01	5.0	19.0		
	25	0	17.98	17.99	18.02	5.0	19.0		

LTE Band 12 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm) Pmax / DSI 0 / DSI 1				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23060	23095	23130		
				704 MHz	707.5 MHz	711 MHz		
10 MHz	QPSK	1	0	24.28	24.23	24.27	0.0	25.2
		1	25	24.28	24.29	24.23	0.0	25.2
		1	49	24.26	24.15	24.13	0.0	25.2
		25	0	23.18	23.17	23.16	1.0	24.2
		25	12	23.25	23.17	23.17	1.0	24.2
		25	25	23.22	23.26	23.23	1.0	24.2
	50	0	23.20	23.16	23.21	1.0	24.2	
	16QAM	1	0	23.46	23.47	23.51	1.0	24.2
		1	25	23.46	23.49	23.57	1.0	24.2
		1	49	23.39	23.46	23.48	1.0	24.2
		25	0	22.19	22.21	22.22	2.0	23.2
		25	12	22.30	22.19	22.21	2.0	23.2
		25	25	22.23	22.26	22.26	2.0	23.2
	50	0	22.24	22.17	22.22	2.0	23.2	
	64QAM	1	0	22.45	22.49	22.41	2.0	23.2
		1	25	22.43	22.45	22.41	2.0	23.2
		1	49	22.36	22.36	22.36	2.0	23.2
		25	0	21.19	21.20	21.19	3.0	22.2
		25	12	21.28	21.17	21.17	3.0	22.2
		25	25	21.24	21.26	21.23	3.0	22.2
	50	0	21.26	20.57	21.26	3.0	22.2	
	256QAM	1	0	19.28	19.28	19.29	5.0	20.2
		1	25	19.32	19.39	19.42	5.0	20.2
		1	49	19.30	19.25	19.28	5.0	20.2
25		0	19.20	19.17	19.17	5.0	20.2	
25		12	19.29	19.18	19.19	5.0	20.2	
25		25	19.25	19.21	19.25	5.0	20.2	
50	0	19.26	19.16	19.25	5.0	20.2		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				23035	23095	23155		
				701.5 MHz	707.5 MHz	713.5 MHz		
				5 MHz	QPSK	1	0	24.23
1	12	24.23	24.20			24.22	0.0	25.2
1	24	24.15	24.14			24.15	0.0	25.2
12	0	23.14	23.18			23.16	1.0	24.2
12	7	23.29	23.19			23.22	1.0	24.2
12	13	23.22	23.20			23.15	1.0	24.2
25	0	23.20	23.12		23.18	1.0	24.2	
16QAM	1	0	23.57		23.48	23.59	1.0	24.2
	1	12	23.63		23.54	23.61	1.0	24.2
	1	24	23.55		23.48	23.58	1.0	24.2
	12	0	22.20		22.16	22.25	2.0	23.2
	12	7	22.31		22.20	22.34	2.0	23.2
	12	13	22.29		22.21	22.29	2.0	23.2
25	0	22.27	22.17		22.25	2.0	23.2	
64QAM	1	0	22.37		22.43	22.31	2.0	23.2
	1	12	22.46		22.48	22.38	2.0	23.2
	1	24	22.34		22.37	22.29	2.0	23.2
	12	0	21.22		21.20	21.19	3.0	22.2
	12	7	21.33		21.31	21.26	3.0	22.2
	12	13	21.24		21.26	21.23	3.0	22.2
25	0	21.27	21.19		21.24	3.0	22.2	
256QAM	1	0	19.34		19.23	19.34	5.0	20.2
	1	12	19.45		19.38	19.46	5.0	20.2
	1	24	19.32		19.29	19.35	5.0	20.2
	12	0	19.19	19.20	19.17	5.0	20.2	
	12	7	19.34	19.22	19.27	5.0	20.2	
	12	13	19.24	19.25	19.21	5.0	20.2	
25	0	19.25	19.13	19.23	5.0	20.2		

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				23025	23095	23165		
				700.5 MHz	707.5 MHz	714.5 MHz		
3 MHz	QPSK	1	0	24.18	24.18	24.13	0.0	25.2
		1	8	24.29	24.26	24.26	0.0	25.2
		1	14	24.14	24.18	24.10	0.0	25.2
		8	0	23.24	23.15	23.15	1.0	24.2
		8	4	23.26	23.15	23.23	1.0	24.2
		8	7	23.24	23.24	23.23	1.0	24.2
	16QAM	15	0	23.22	23.14	23.13	1.0	24.2
		1	0	23.53	23.33	23.44	1.0	24.2
		1	8	23.62	23.51	23.52	1.0	24.2
		1	14	23.49	23.34	23.45	1.0	24.2
		8	0	22.28	22.22	22.22	2.0	23.2
		8	4	22.33	22.25	22.28	2.0	23.2
	64QAM	8	7	22.32	22.32	22.28	2.0	23.2
		15	0	22.26	22.15	22.13	2.0	23.2
		1	0	22.35	22.31	22.31	2.0	23.2
		1	8	22.45	22.45	22.48	2.0	23.2
		1	14	22.34	22.31	22.27	2.0	23.2
		8	0	21.26	20.92	21.22	3.0	22.2
	256QAM	8	4	21.27	21.26	21.30	3.0	22.2
		8	7	21.27	21.27	19.96	3.0	22.2
		15	0	21.23	21.17	21.19	3.0	22.2
		1	0	19.26	19.26	19.25	5.0	20.2
		1	8	19.40	19.44	19.38	5.0	20.2
		1	14	19.28	19.28	19.26	5.0	20.2
1.4 MHz	QPSK	8	0	19.27	19.20	19.19	5.0	20.2
		8	4	19.29	19.23	19.27	5.0	20.2
		8	7	19.26	19.28	19.26	5.0	20.2
		15	0	19.23	19.17	19.15	5.0	20.2
		1	0	24.10	24.11	24.07	0.0	25.2
		1	3	24.15	24.16	24.12	0.0	25.2
	16QAM	1	5	24.03	24.13	24.07	0.0	25.2
		3	0	24.13	24.08	24.08	0.0	25.2
		3	1	24.02	24.10	24.11	0.0	25.2
		3	3	24.02	24.10	24.11	0.0	25.2
		6	0	23.13	23.03	23.15	1.0	24.2
		1	0	23.52	23.39	23.36	1.0	24.2
	64QAM	1	3	23.50	23.38	23.40	1.0	24.2
		1	5	23.48	23.39	23.33	1.0	24.2
		3	0	23.26	23.27	23.27	1.0	24.2
		3	1	23.29	23.27	23.27	1.0	24.2
		3	3	23.26	23.28	23.23	1.0	24.2
		6	0	22.17	22.20	22.16	2.0	23.2
	256QAM	1	0	22.23	22.38	22.38	2.0	23.2
		1	3	22.32	22.51	22.45	2.0	23.2
		1	5	22.22	22.41	22.36	2.0	23.2
		3	0	22.28	22.25	22.25	2.0	23.2
		3	1	22.30	22.24	22.31	2.0	23.2
		3	3	22.30	22.28	22.29	2.0	23.2
QPSK	6	0	21.22	21.19	21.21	3.0	22.2	
	1	0	19.27	19.24	17.87	5.0	20.2	
	1	3	19.32	19.41	18.02	5.0	20.2	
	1	5	19.25	19.31	18.12	5.0	20.2	
	3	0	19.19	19.18	19.32	5.0	20.2	
	3	1	19.20	19.23	19.31	5.0	20.2	
16QAM	3	3	19.22	19.27	19.30	5.0	20.2	
	6	0	19.27	19.16	19.17	5.0	20.2	

LTE Band 12 (ANT E)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23060	23095	23130		
				704 MHz	707.5 MHz	711 MHz		
10 MHz	QPSK	1	0	24.14	24.14	24.15	0.0	25.2
		1	25	24.19	24.20	24.18	0.0	25.2
		1	49	24.19	24.07	24.16	0.0	25.2
		25	0	23.15	23.12	23.11	1.0	24.2
		25	12	23.15	23.20	23.15	1.0	24.2
		25	25	23.19	23.15	23.16	1.0	24.2
	16QAM	50	0	23.20	23.11	23.22	1.0	24.2
		1	0	23.43	23.34	23.51	1.0	24.2
		1	25	23.45	23.36	23.48	1.0	24.2
		1	49	23.49	23.31	23.43	1.0	24.2
		25	0	22.17	22.16	22.17	2.0	23.2
		25	12	22.28	22.13	22.19	2.0	23.2
	64QAM	25	25	22.26	22.17	22.23	2.0	23.2
		50	0	22.20	22.12	22.20	2.0	23.2
		1	0	22.31	22.34	22.39	2.0	23.2
		1	25	22.33	22.39	22.40	2.0	23.2
		1	49	22.37	22.29	22.31	2.0	23.2
		25	0	21.13	21.13	21.14	3.0	22.2
	256QAM	25	12	21.22	21.13	21.15	3.0	22.2
		25	25	21.21	21.19	21.21	3.0	22.2
		50	0	21.20	21.09	21.21	3.0	22.2
		1	0	19.21	19.19	19.16	5.0	20.2
		1	25	19.31	19.31	19.30	5.0	20.2
		1	49	19.35	19.22	19.17	5.0	20.2
5 MHz	QPSK	25	0	19.12	19.11	19.11	5.0	20.2
		25	12	19.18	19.14	19.12	5.0	20.2
		25	25	19.17	19.16	19.19	5.0	20.2
		50	0	19.18	19.10	19.18	5.0	20.2
		1	0	24.24	24.17	24.20	0.0	25.2
		1	12	24.20	24.17	24.13	0.0	25.2
16QAM	QPSK	1	24	24.15	24.12	24.12	0.0	25.2
		12	0	23.18	23.12	23.12	1.0	24.2
		12	7	23.27	23.18	23.17	1.0	24.2
		12	13	23.19	23.15	23.18	1.0	24.2
		25	0	23.20	23.08	23.06	1.0	24.2
		1	0	23.52	23.44	23.56	1.0	24.2
	16QAM	1	12	23.62	23.38	23.59	1.0	24.2
		1	24	23.53	23.31	23.54	1.0	24.2
		12	0	22.15	22.27	22.18	2.0	23.2
		12	7	22.26	22.31	22.20	2.0	23.2
		12	13	22.19	22.31	22.21	2.0	23.2
		25	0	22.25	22.12	22.12	2.0	23.2
64QAM	1	0	22.32	22.27	22.35	2.0	23.2	
	1	12	22.34	22.36	22.36	2.0	23.2	
	1	24	22.20	22.22	22.36	2.0	23.2	
	12	0	21.19	21.16	21.16	3.0	22.2	
	12	7	21.30	21.17	21.17	3.0	22.2	
	12	13	21.22	21.19	21.19	3.0	22.2	
256QAM	25	0	21.23	21.11	21.12	3.0	22.2	
	1	0	19.34	19.16	19.22	5.0	20.2	
	1	12	19.51	19.27	19.32	5.0	20.2	
	1	24	19.37	19.12	19.20	5.0	20.2	
	12	0	19.16	19.11	19.13	5.0	20.2	
	12	7	19.28	19.11	19.15	5.0	20.2	
5 MHz	256QAM	12	13	19.21	19.12	19.16	5.0	20.2
		25	0	19.21	19.04	19.09	5.0	20.2

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				23025	23095	23165		
				700.5 MHz	707.5 MHz	714.5 MHz		
3 MHz	QPSK	1	0	24.19	24.02	24.06	0.0	25.2
		1	8	24.21	24.14	24.16	0.0	25.2
		1	14	24.10	24.02	24.05	0.0	25.2
		8	0	23.25	23.09	23.09	1.0	24.2
		8	4	23.28	23.13	23.16	1.0	24.2
		8	7	23.25	23.16	23.17	1.0	24.2
	16QAM	15	0	23.22	23.06	23.09	1.0	24.2
		1	0	23.38	23.42	23.40	1.0	24.2
		1	8	23.41	23.51	23.51	1.0	24.2
		1	14	23.41	23.34	23.38	1.0	24.2
		8	0	22.26	22.18	22.20	2.0	23.2
		8	4	22.28	22.21	22.25	2.0	23.2
	64QAM	8	7	22.27	22.27	22.24	2.0	23.2
		15	0	22.26	22.13	22.12	2.0	23.2
		1	0	22.28	22.37	22.22	2.0	23.2
		1	8	22.47	22.49	22.34	2.0	23.2
		1	14	22.31	22.33	22.23	2.0	23.2
		8	0	21.31	21.16	21.11	3.0	22.2
	256QAM	8	4	21.33	21.14	21.32	3.0	22.2
		8	7	21.31	21.20	21.22	3.0	22.2
		15	0	21.28	21.11	21.10	3.0	22.2
1		0	19.27	19.15	19.15	5.0	20.2	
1		8	19.43	19.33	19.35	5.0	20.2	
1		14	19.26	19.17	19.19	5.0	20.2	
1.4 MHz	QPSK	8	0	19.25	19.17	19.13	5.0	20.2
		8	4	19.28	19.16	19.23	5.0	20.2
		8	7	19.26	19.23	19.18	5.0	20.2
		15	0	19.23	19.10	19.07	5.0	20.2
		1	0	24.05	24.02	24.03	0.0	25.2
		1	3	24.07	24.06	24.10	0.0	25.2
	16QAM	1	5	24.02	24.03	24.03	0.0	25.2
		3	0	24.08	24.01	24.07	0.0	25.2
		3	1	24.05	24.08	24.02	0.0	25.2
		3	3	24.05	24.10	24.03	0.0	25.2
		6	0	23.11	23.08	23.06	1.0	24.2
		1	0	23.29	23.43	23.32	1.0	24.2
	64QAM	1	3	23.35	23.47	23.35	1.0	24.2
		1	5	23.29	23.40	23.31	1.0	24.2
		3	0	23.22	23.18	23.23	1.0	24.2
		3	1	23.22	23.19	23.23	1.0	24.2
		3	3	23.22	23.24	23.19	1.0	24.2
		6	0	22.22	22.14	22.19	2.0	23.2
	256QAM	1	0	22.32	22.27	22.27	2.0	23.2
		1	3	22.40	22.37	22.40	2.0	23.2
		1	5	22.21	22.29	22.31	2.0	23.2
3		0	22.34	22.17	22.16	2.0	23.2	
3		1	22.34	22.19	22.22	2.0	23.2	
3		3	22.35	22.20	22.17	2.0	23.2	
256QAM	6	0	21.21	21.10	21.15	3.0	22.2	
	1	0	19.28	19.11	19.31	5.0	20.2	
	1	3	19.33	19.22	19.36	5.0	20.2	
	1	5	19.23	19.17	19.28	5.0	20.2	
	3	0	19.16	19.07	19.22	5.0	20.2	
	3	1	19.22	19.17	19.21	5.0	20.2	
256QAM	3	3	19.22	19.17	19.21	5.0	20.2	
	6	0	19.11	19.10	19.22	5.0	20.2	

LTE Band 13 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm) Pmax / DSI 0 / DSI 1				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23230	782 MHz	23230		
10 MHz	QPSK	1	0	23.89			0.0	25.0
		1	25	24.07			0.0	25.0
		1	49	23.98			0.0	25.0
		25	0	22.89			1.0	24.0
		25	12	23.06			1.0	24.0
		25	25	22.75			1.0	24.0
	16QAM	50	0	23.08			1.0	24.0
		1	0	22.54			1.0	24.0
		1	25	23.38			1.0	24.0
		1	49	23.24			1.0	24.0
		25	0	22.08			2.0	23.0
		25	12	22.16			2.0	23.0
	64QAM	25	25	22.09			2.0	23.0
		50	0	22.11			2.0	23.0
		1	0	21.91			2.0	23.0
		1	25	22.22			2.0	23.0
		1	49	22.08			2.0	23.0
		25	0	20.98			3.0	22.0
	256QAM	25	12	21.02			3.0	22.0
		25	25	21.00			3.0	22.0
		50	0	21.03			3.0	22.0
		1	0	18.94			5.0	20.0
		1	25	19.15			5.0	20.0
		1	49	19.00			5.0	20.0
5 MHz	QPSK	25	0	18.92			5.0	20.0
		25	12	19.04			5.0	20.0
		25	25	19.00			5.0	20.0
		50	0	19.05			5.0	20.0
		1	0	23.43	23.95	24.10	0.0	25.0
		1	12	24.03	24.21	24.11	0.0	25.0
	16QAM	1	24	24.12	23.59	24.06	0.0	25.0
		12	0	23.13	22.75	23.15	1.0	24.0
		12	7	23.14	22.78	23.17	1.0	24.0
		12	13	23.19	22.82	23.03	1.0	24.0
		25	0	23.16	23.12	23.10	1.0	24.0
		1	0	23.59	23.10	23.56	1.0	24.0
	64QAM	1	12	23.44	23.50	23.53	1.0	24.0
		1	24	23.42	22.86	23.46	1.0	24.0
		12	0	22.19	21.70	22.23	2.0	23.0
		12	7	22.29	21.72	22.25	2.0	23.0
		12	13	22.21	21.84	22.14	2.0	23.0
		25	0	22.16	22.20	22.15	2.0	23.0
	256QAM	1	0	20.92	21.85	22.31	2.0	23.0
		1	12	22.16	22.18	22.35	2.0	23.0
		1	24	22.14	21.69	22.37	2.0	23.0
		12	0	21.13	20.65	21.23	3.0	22.0
		12	7	21.21	20.73	21.25	3.0	22.0
		12	13	21.14	21.16	21.21	3.0	22.0
256QAM	25	0	21.21	21.17	21.22	3.0	22.0	
	1	0	19.38	19.17	19.29	5.0	20.0	
	1	12	19.27	19.43	19.32	5.0	20.0	
	1	24	19.29	18.78	19.18	5.0	20.0	
	12	0	19.13	19.14	19.17	5.0	20.0	
	12	7	19.20	19.23	19.21	5.0	20.0	
12	13	19.19	18.83	19.38	5.0	20.0		
25	0	19.19	18.27	19.14	5.0	20.0		

LTE Band 13(ANT E)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)					
				Measured Pwr (dBm)			MPR	Tune-up Limit	
				23230	782 MHz	23230			
10 MHz	QPSK	1	0		24.07		0.0	25.0	
		1	25		24.27		0.0	25.0	
		1	49		24.22		0.0	25.0	
		25	0		23.15		1.0	24.0	
		25	12		23.22		1.0	24.0	
		25	25		23.19		1.0	24.0	
	16QAM	50	0		23.27		1.0	24.0	
		1	0		23.40		1.0	24.0	
		1	25		23.46		1.0	24.0	
		1	49		23.46		1.0	24.0	
		25	0		22.26		2.0	23.0	
		25	12		22.25		2.0	23.0	
	64QAM	25	25		22.20		2.0	23.0	
		50	0		22.29		2.0	23.0	
		1	0		21.93		2.0	23.0	
		1	25		22.40		2.0	23.0	
		1	49		22.28		2.0	23.0	
		25	0		21.21		3.0	22.0	
	256QAM	25	12		21.25		3.0	22.0	
		25	25		21.20		3.0	22.0	
		50	0		21.32		3.0	22.0	
		1	0		19.39		5.0	20.0	
		1	25		19.45		5.0	20.0	
		1	49		19.33		5.0	20.0	
5 MHz	QPSK	25	0		19.25		5.0	20.0	
		25	12		19.26		5.0	20.0	
		25	25		19.26		5.0	20.0	
		50	0		19.29		5.0	20.0	
		1	0		22.60	24.08	24.15	0.0	25.0
		1	12		23.65	24.19	24.20	0.0	25.0
	16QAM	1	24		24.20	24.06	24.16	0.0	25.0
		12	0		23.13	23.14	23.26	1.0	24.0
		12	7		23.18	23.20	23.27	1.0	24.0
		12	13		23.15	23.18	23.24	1.0	24.0
		25	0		23.17	23.15	23.23	1.0	24.0
		1	0		23.12	23.52	23.53	1.0	24.0
	64QAM	1	12		23.40	23.65	23.55	1.0	24.0
		1	24		23.40	23.57	23.58	1.0	24.0
		12	0		22.14	22.21	22.28	2.0	23.0
		12	7		22.22	22.25	22.34	2.0	23.0
		12	13		22.15	22.18	22.24	2.0	23.0
		25	0		22.14	22.25	22.22	2.0	23.0
	256QAM	1	0		21.87	22.21	22.38	2.0	23.0
		1	12		22.30	22.37	22.39	2.0	23.0
		1	24		22.26	22.29	22.26	2.0	23.0
		12	0		20.43	21.16	21.23	3.0	22.0
		12	7		21.19	21.23	21.27	3.0	22.0
		12	13		21.11	21.16	21.22	3.0	22.0
256QAM	25	0		21.18	21.19	21.21	3.0	22.0	
	1	0		19.23	19.31	19.29	5.0	20.0	
	1	12		19.25	19.49	19.38	5.0	20.0	
	1	24		19.12	19.29	19.20	5.0	20.0	
	12	0		19.11	19.13	19.20	5.0	20.0	
	12	7		19.17	19.21	19.22	5.0	20.0	
256QAM	12	13		19.10	19.17	19.18	5.0	20.0	
	25	0		19.16	19.15	19.19	5.0	20.0	

LTE Band 30 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm) Pmax / DSI 1					
				Measured Pwr (dBm)			MPR	Tune-up Limit	
				27710	2310 MHz				
10 MHz	QPSK	1	0		22.76		0.0	23.5	
		1	25		22.77		0.0	23.5	
		1	49		22.66		0.0	23.5	
		25	0		21.71		1.0	22.5	
		25	12		21.73		1.0	22.5	
		25	25		21.69		1.0	22.5	
	16QAM	50	0		21.68		1.0	22.5	
		1	0		21.92		1.0	22.5	
		1	25		21.96		1.0	22.5	
		1	49		21.82		1.0	22.5	
		25	0		20.69		2.0	21.5	
		25	12		20.69		2.0	21.5	
	64QAM	25	25		20.68		2.0	21.5	
		50	0		20.70		2.0	21.5	
		1	0		20.90		2.0	21.5	
		1	25		20.88		2.0	21.5	
		1	49		20.86		2.0	21.5	
		25	0		19.71		3.0	20.5	
	256QAM	25	12		19.72		3.0	20.5	
		25	25		19.69		3.0	20.5	
		50	0		19.72		3.0	20.5	
		1	0		17.86		5.0	18.5	
		1	25		17.94		5.0	18.5	
		1	49		17.76		5.0	18.5	
5 MHz	QPSK	25	0		17.71		5.0	18.5	
		25	12		17.73		5.0	18.5	
		25	25		17.70		5.0	18.5	
		50	0		17.70		5.0	18.5	
		1	0		22.71	22.74	22.84	0.0	23.5
		1	12		22.76	22.84	22.77	0.0	23.5
	16QAM	1	24		22.74	22.77	22.77	0.0	23.5
		12	0		21.70	21.75	21.82	1.0	22.5
		12	7		21.82	21.76	21.85	1.0	22.5
		12	13		21.75	21.72	21.78	1.0	22.5
		25	0		21.74	21.70	21.78	1.0	22.5
		1	0		22.09	22.16	22.21	1.0	22.5
	64QAM	1	12		22.17	22.19	22.22	1.0	22.5
		1	24		22.13	22.05	22.10	1.0	22.5
		12	0		20.79	20.67	20.86	2.0	21.5
		12	7		20.89	20.67	20.88	2.0	21.5
		12	13		20.82	20.59	20.81	2.0	21.5
		25	0		20.72	20.71	20.81	2.0	21.5
	256QAM	1	0		20.97	20.98	21.05	2.0	21.5
		1	12		21.05	21.07	21.07	2.0	21.5
		1	24		21.00	20.93	20.97	2.0	21.5
		12	0		19.70	19.77	19.86	3.0	20.5
		12	7		19.86	19.79	19.92	3.0	20.5
		12	13		19.80	19.74	19.79	3.0	20.5
256QAM	25	0		19.79	19.75	19.80	3.0	20.5	
	1	0		17.69	17.87	17.86	5.0	18.5	
	1	12		17.87	18.06	17.95	5.0	18.5	
	1	24		17.76	17.85	17.70	5.0	18.5	
	12	0		17.69	17.74	17.81	5.0	18.5	
	12	7		17.79	17.75	17.86	5.0	18.5	
256QAM	12	13		17.76	17.69	17.78	5.0	18.5	
	25	0		17.76	17.71	17.78	5.0	18.5	

LTE Band 30 (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)						
				Measured Pwr (dBm)			MPR	Tune-up Limit		
				27710	2310 MHz	27710				
10 MHz	QPSK	1	0		21.92		0.0	23.0		
		1	25		22.03		0.0	23.0		
		1	49		21.98		0.0	23.0		
		25	0		21.03		1.0	22.0		
		25	12		21.11		1.0	22.0		
		25	25		21.10		1.0	22.0		
	16QAM	50	0		21.08		1.0	22.0		
		1	0		21.43		1.0	22.0		
		1	25		21.42		1.0	22.0		
		1	49		21.27		1.0	22.0		
		25	0		20.13		2.0	21.0		
		25	12		20.15		2.0	21.0		
	64QAM	25	25		20.12		2.0	21.0		
		50	0		20.12		2.0	21.0		
		1	0		20.18		2.0	21.0		
		1	25		20.23		2.0	21.0		
		1	49		20.15		2.0	21.0		
		25	0		19.15		3.0	20.0		
	256QAM	25	12		19.17		3.0	20.0		
		25	25		19.13		3.0	20.0		
		50	0		19.13		3.0	20.0		
		1	0		17.26		5.0	18.0		
		1	25		17.31		5.0	18.0		
		1	49		17.18		5.0	18.0		
5 MHz	QPSK	25	0		17.14		5.0	18.0		
		25	12		17.14		5.0	18.0		
		25	25		17.12		5.0	18.0		
		50	0		17.10		5.0	18.0		
		1	0		22.06	22.14	22.18	0.0	23.0	
		1	12		22.13	22.16	22.16	0.0	23.0	
	1	24		22.12	22.12	22.08	0.0	23.0		
	16QAM	12	0		21.11	21.17	21.09	1.0	22.0	
		12	7		21.18	21.20	21.15	1.0	22.0	
		12	13		21.05	21.15	21.13	1.0	22.0	
		25	0		21.10	21.13	21.05	1.0	22.0	
		1	0		21.48	21.48	21.42	1.0	22.0	
		1	12		21.59	21.47	21.57	1.0	22.0	
	64QAM	1	24		21.50	21.44	21.43	1.0	22.0	
		12	0		20.15	20.22	20.12	2.0	21.0	
		12	7		20.21	20.25	20.13	2.0	21.0	
		12	13		20.08	20.20	20.14	2.0	21.0	
		25	0		20.14	20.12	20.04	2.0	21.0	
		1	0		20.29	20.33	20.33	2.0	21.0	
	256QAM	1	12		20.40	20.36	20.31	2.0	21.0	
		1	24		20.38	20.29	20.22	2.0	21.0	
		12	0		19.18	19.17	19.09	3.0	20.0	
		12	7		19.26	19.21	19.12	3.0	20.0	
		12	13		19.17	19.12	19.13	3.0	20.0	
25		0		19.21	19.12	19.08	3.0	20.0		
256QAM	1	0		17.35	17.22	17.16	5.0	18.0		
	1	12		17.49	17.30	17.35	5.0	18.0		
	1	24		17.24	17.16	17.10	5.0	18.0		
	12	0		17.20	17.13	17.10	5.0	18.0		
	12	7		17.25	17.18	17.12	5.0	18.0		
	12	13		17.15	17.12	17.14	5.0	18.0		
			25	0		17.20	17.12	17.07	5.0	18.0

LTE Band 41 (PC2) (ANT B)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				39750	40620	41490		
				2506 MHz	2593 MHz	2680 MHz		
20 MHz	QPSK	1	0	25.96	25.89	25.88	0.0	26.7
		1	49	26.13	25.95	25.94	0.0	26.7
		1	99	26.05	25.81	25.81	0.0	26.7
		50	0	24.91	24.89	24.92	1.0	25.7
		50	24	25.07	25.04	24.86	1.0	25.7
		50	50	25.06	24.87	24.90	1.0	25.7
	100	0	24.99	24.86	24.84	1.0	25.7	
	16QAM	1	0	25.31	25.23	25.10	1.0	25.7
		1	49	25.39	25.30	25.29	1.0	25.7
		1	99	25.33	25.33	24.96	1.0	25.7
		50	0	23.96	23.86	23.98	2.0	24.7
		50	24	24.10	24.00	23.93	2.0	24.7
		50	50	24.03	23.91	23.94	2.0	24.7
	100	0	24.01	23.98	23.88	2.0	24.7	
	64QAM	1	0	24.35	24.04	24.07	2.0	24.7
		1	49	24.51	24.22	24.11	2.0	24.7
		1	99	24.27	24.18	24.03	2.0	24.7
		50	0	23.10	22.80	22.83	3.0	23.7
		50	24	23.12	22.91	22.85	3.0	23.7
		50	50	23.10	22.87	22.87	3.0	23.7
	100	0	23.06	22.86	22.77	3.0	23.7	
	256QAM	1	0	20.95	20.83	20.66	5.0	21.7
		1	49	21.16	21.07	21.03	5.0	21.7
		1	99	21.11	20.96	20.26	5.0	21.7
50		0	20.91	20.69	20.88	5.0	21.7	
50		24	20.99	20.78	20.65	5.0	21.7	
50		50	21.01	21.25	20.43	5.0	21.7	
100	0	20.98	20.98	20.67	5.0	21.7		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				39725	40620	41515		
				2503.5 MHz	2593 MHz	2682.5 MHz		
				15 MHz	QPSK	1	0	25.82
1	37	25.92	25.88			25.91	0.0	26.7
1	74	25.99	25.79			25.89	0.0	26.7
36	0	24.94	24.81			24.90	1.0	25.7
36	20	24.93	25.01			24.86	1.0	25.7
36	39	24.92	24.91			24.92	1.0	25.7
75	0	24.91	24.81		24.84	1.0	25.7	
16QAM	1	0	25.30		25.17	25.12	1.0	25.7
	1	37	25.22		25.34	25.23	1.0	25.7
	1	74	25.25		25.22	25.11	1.0	25.7
	36	0	24.01		23.92	23.87	2.0	24.7
	36	20	24.03		24.05	23.81	2.0	24.7
	36	39	23.94		23.95	23.95	2.0	24.7
75	0	23.93	23.98		23.82	2.0	24.7	
64QAM	1	0	24.25		23.81	24.12	2.0	24.7
	1	37	24.36		24.11	24.22	2.0	24.7
	1	74	24.25		23.92	24.11	2.0	24.7
	36	0	23.11		22.83	22.80	3.0	23.7
	36	20	23.14		23.00	22.94	3.0	23.7
	36	39	23.10		22.85	22.84	3.0	23.7
75	0	23.07	22.91		22.79	3.0	23.7	
256QAM	1	0	20.96		20.56	20.65	5.0	21.7
	1	37	21.12		21.01	21.11	5.0	21.7
	1	74	21.10		20.84	21.05	5.0	21.7
	36	0	20.94	20.77	20.90	5.0	21.7	
	36	20	21.00	20.80	20.94	5.0	21.7	
	36	39	20.96	20.86	20.99	5.0	21.7	
75	0	20.98	20.28	20.54	5.0	21.7		

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				39700	40620	41540		
				2501 MHz	2593 MHz	2685 MHz		
10 MHz	QPSK	1	0	25.89	25.85	25.81	0.0	26.7
		1	25	25.89	25.87	25.92	0.0	26.7
		1	49	25.97	25.79	25.84	0.0	26.7
		25	0	25.00	24.98	24.81	1.0	25.7
		25	12	24.98	25.00	24.84	1.0	25.7
		25	25	24.97	24.96	24.92	1.0	25.7
		50	0	24.95	24.97	24.79	1.0	25.7
	16QAM	1	0	25.19	25.03	25.06	1.0	25.7
		1	25	25.26	25.01	25.37	1.0	25.7
		1	49	25.33	25.09	25.12	1.0	25.7
		25	0	24.08	23.98	23.92	2.0	24.7
		25	12	24.15	23.93	23.92	2.0	24.7
		25	25	23.99	23.96	24.00	2.0	24.7
		50	0	23.97	23.98	23.90	2.0	24.7
	64QAM	1	0	24.05	23.82	24.05	2.0	24.7
		1	25	24.21	24.11	24.09	2.0	24.7
		1	49	24.23	23.90	23.11	2.0	24.7
		25	0	23.07	22.84	23.02	3.0	23.7
		25	12	23.09	22.98	23.12	3.0	23.7
		25	25	23.07	22.94	22.98	3.0	23.7
		50	0	23.07	22.89	23.05	3.0	23.7
	256QAM	1	0	21.00	20.85	20.74	5.0	21.7
		1	25	20.94	20.89	21.02	5.0	21.7
		1	49	20.80	20.87	20.94	5.0	21.7
		25	0	21.00	20.70	20.26	5.0	21.7
		25	12	21.03	20.85	20.95	5.0	21.7
		25	25	21.03	20.75	20.88	5.0	21.7
		50	0	20.94	20.76	20.76	5.0	21.7
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				39675	40620	41565		
				2498.5 MHz	2593 MHz	2687.5 MHz		
5 MHz	QPSK	1	0	26.06	25.98	25.88	0.0	26.7
		1	12	26.06	25.89	25.94	0.0	26.7
		1	24	25.82	25.87	25.86	0.0	26.7
		12	0	24.96	24.97	24.94	1.0	25.7
		12	7	24.98	24.94	24.89	1.0	25.7
		12	13	24.94	24.94	24.90	1.0	25.7
		25	0	24.93	24.90	24.91	1.0	25.7
	16QAM	1	0	25.31	25.40	25.08	1.0	25.7
		1	12	25.45	25.27	25.19	1.0	25.7
		1	24	25.46	25.16	25.20	1.0	25.7
		12	0	24.09	23.94	23.99	2.0	24.7
		12	7	24.09	23.95	23.92	2.0	24.7
		12	13	24.06	23.95	23.94	2.0	24.7
		25	0	23.95	23.95	23.92	2.0	24.7
	64QAM	1	0	24.05	24.11	24.08	2.0	24.7
		1	12	24.22	24.30	24.21	2.0	24.7
		1	24	24.05	24.15	24.09	2.0	24.7
		12	0	23.33	23.00	23.12	3.0	23.7
		12	7	23.12	22.91	23.01	3.0	23.7
		12	13	23.07	22.91	23.03	3.0	23.7
		25	0	22.98	22.93	22.95	3.0	23.7
	256QAM	1	0	20.38	20.77	20.49	5.0	21.7
		1	12	20.78	20.89	20.39	5.0	21.7
		1	24	20.98	20.94	19.91	5.0	21.7
		12	0	20.00	20.81	20.33	5.0	21.7
		12	7	20.46	20.83	20.43	5.0	21.7
		12	13	20.68	20.77	20.47	5.0	21.7
		25	0	20.57	20.78	20.35	5.0	21.7

LTE Band 41 (PC2) (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				39750	40620	41490		
				2506 MHz	2593 MHz	2680 MHz		
20 MHz	QPSK	1	0	25.49	25.50	25.58	0.0	26.7
		1	49	25.51	25.67	25.71	0.0	26.7
		1	99	25.60	25.56	25.61	0.0	26.7
		50	0	24.51	24.63	24.64	1.0	25.7
		50	24	24.60	24.66	24.64	1.0	25.7
		50	50	24.55	24.62	24.67	1.0	25.7
	100	0	24.51	24.64	24.56	1.0	25.7	
	16QAM	1	0	24.79	24.69	24.95	1.0	25.7
		1	49	25.03	24.93	25.04	1.0	25.7
		1	99	24.97	25.05	24.90	1.0	25.7
		50	0	23.54	23.60	24.42	2.0	24.7
		50	24	23.61	23.74	23.66	2.0	24.7
		50	50	23.66	23.60	23.67	2.0	24.7
	64QAM	100	0	23.66	23.65	23.58	2.0	24.7
		1	0	24.00	23.78	23.83	2.0	24.7
		1	49	23.93	23.98	23.76	2.0	24.7
		1	99	23.97	23.67	23.84	2.0	24.7
		50	0	22.59	22.58	22.63	3.0	23.7
		50	24	22.64	22.62	22.69	3.0	23.7
	256QAM	50	50	22.62	22.65	22.71	3.0	23.7
		100	0	22.62	22.69	22.64	3.0	23.7
		1	0	20.50	20.61	20.74	5.0	21.7
		1	49	20.81	20.68	20.64	5.0	21.7
		1	99	20.90	20.69	20.71	5.0	21.7
50		0	20.52	20.52	20.59	5.0	21.7	
15 MHz	QPSK	50	24	20.64	20.66	20.59	5.0	21.7
		50	50	20.62	20.61	20.66	5.0	21.7
		100	0	20.62	20.66	20.60	5.0	21.7
		1	0	25.35	25.59	25.64	0.0	26.7
		1	37	25.43	25.61	25.69	0.0	26.7
		1	74	25.38	25.64	25.31	0.0	26.7
		36	0	24.49	24.56	24.61	1.0	25.7
	16QAM	36	20	24.45	24.67	24.60	1.0	25.7
		36	39	24.46	24.65	24.62	1.0	25.7
		75	0	24.48	24.59	24.54	1.0	25.7
		1	0	24.65	24.78	25.01	1.0	25.7
		1	37	24.65	24.86	25.08	1.0	25.7
		1	74	24.71	24.86	24.88	1.0	25.7
		36	0	23.54	23.59	23.64	2.0	24.7
	64QAM	36	20	23.50	23.64	23.69	2.0	24.7
		36	39	23.49	23.59	23.69	2.0	24.7
		75	0	23.50	23.63	23.60	2.0	24.7
		1	0	23.74	23.64	23.84	2.0	24.7
		1	37	23.88	23.93	23.87	2.0	24.7
		1	74	23.71	23.96	23.89	2.0	24.7
		36	0	22.48	22.56	22.60	3.0	23.7
	256QAM	36	20	22.56	22.69	22.66	3.0	23.7
		36	39	22.51	22.64	22.65	3.0	23.7
		75	0	22.54	22.66	22.62	3.0	23.7
1		0	20.49	20.67	20.60	5.0	21.7	
1		37	20.49	20.97	20.69	5.0	21.7	
1		74	20.35	20.79	20.53	5.0	21.7	
36		0	20.56	20.60	20.59	5.0	21.7	
256QAM	36	20	20.47	20.75	20.63	5.0	21.7	
	36	39	20.47	20.66	20.71	5.0	21.7	
	75	0	20.48	20.67	20.58	5.0	21.7	

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
				39700	40620	41540			
				2501 MHz	2593 MHz	2685 MHz			
10 MHz	QPSK	1	0	25.45	25.81	25.54	0.0	26.7	
		1	25	25.53	25.72	25.66	0.0	26.7	
		1	49	25.58	25.61	25.22	0.0	26.7	
		25	0	24.63	24.63	24.64	1.0	25.7	
		25	12	24.69	24.76	24.67	1.0	25.7	
		25	25	24.66	24.74	24.69	1.0	25.7	
	16QAM	50	0	24.61	24.70	24.59	1.0	25.7	
		1	0	24.94	25.01	24.89	1.0	25.7	
		1	25	24.98	25.02	24.99	1.0	25.7	
		1	49	24.80	25.06	24.84	1.0	25.7	
		25	0	23.71	23.77	23.63	2.0	24.7	
		25	12	23.75	23.83	23.73	2.0	24.7	
	64QAM	25	25	23.68	23.82	23.68	2.0	24.7	
		50	0	23.64	23.77	23.68	2.0	24.7	
		1	0	23.93	23.74	24.01	2.0	24.7	
		1	25	23.83	23.92	24.10	2.0	24.7	
		1	49	23.78	24.03	23.63	2.0	24.7	
		25	0	22.61	22.72	22.69	3.0	23.7	
	256QAM	25	12	22.63	22.79	22.68	3.0	23.7	
		25	25	22.64	22.71	22.72	3.0	23.7	
		50	0	22.63	22.69	22.67	3.0	23.7	
		1	0	20.86	20.52	20.57	5.0	21.7	
		1	25	20.79	20.94	21.08	5.0	21.7	
		1	49	20.89	21.04	20.68	5.0	21.7	
	5 MHz	QPSK	25	0	20.58	20.65	20.62	5.0	21.7
			25	12	20.59	20.79	20.65	5.0	21.7
			25	25	20.52	20.76	20.70	5.0	21.7
			50	0	20.50	20.68	20.62	5.0	21.7
16QAM			1	0	25.49	25.59	25.61	0.0	26.7
			1	12	25.45	25.58	25.65	0.0	26.7
		1	24	25.45	25.64	25.54	0.0	26.7	
		12	0	24.57	24.68	24.65	1.0	25.7	
		12	7	24.59	24.62	24.65	1.0	25.7	
		12	13	24.58	24.68	24.67	1.0	25.7	
		25	0	24.54	24.63	24.75	1.0	25.7	
		64QAM	1	0	24.79	24.94	24.98	1.0	25.7
			1	12	24.84	24.92	25.17	1.0	25.7
			1	24	24.79	24.99	25.02	1.0	25.7
			12	0	23.75	23.70	23.73	2.0	24.7
			12	7	23.68	23.67	23.73	2.0	24.7
12			13	23.70	23.71	23.69	2.0	24.7	
256QAM		25	0	23.65	23.75	23.71	2.0	24.7	
		1	0	23.95	23.70	23.97	2.0	24.7	
		1	12	23.94	23.97	24.06	2.0	24.7	
		1	24	23.74	23.96	23.86	2.0	24.7	
		12	0	22.63	22.65	22.82	3.0	23.7	
		12	7	22.59	22.67	22.77	3.0	23.7	
16QAM		12	13	22.59	22.63	22.79	3.0	23.7	
		25	0	22.58	22.69	22.73	3.0	23.7	
		1	0	20.87	20.93	20.78	5.0	21.7	
		1	12	20.97	20.88	20.99	5.0	21.7	
		1	24	20.83	20.82	20.74	5.0	21.7	
	12	0	20.61	20.59	20.73	5.0	21.7		
	64QAM	12	7	20.52	20.63	20.63	5.0	21.7	
		12	13	20.57	20.73	20.74	5.0	21.7	
		25	0	20.57	20.64	20.70	5.0	21.7	

LTE Band 41 (PC2, UL CA) (ANT B)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
40MHz (20MHz / 20MHz)	2506	2525.8	1	99	1	0	25.29	24.00
			1	0	1	99	17.12	17.28
			100	0	100	0	23.71	22.76
	2583.1	2602.9	1	99	1	0	25.50	24.07
			1	0	1	99	17.18	17.23
			100	0	100	0	23.70	22.39
	2660.2	2680	1	99	1	0	25.26	24.08
			1	0	1	99	16.98	16.79
			100	0	100	0	23.65	22.33

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
35MHz (15MHz / 20MHz)	2503.5	2520.6	1	74	1	0	25.30	24.36
			1	0	1	99	17.40	17.62
			75	0	100	0	23.63	22.76
	2583.2	2600.3	1	74	1	0	25.43	24.37
			1	0	1	99	17.43	17.55
			75	0	100	0	23.85	22.85
	2662.9	2680	1	74	1	0	25.42	24.84
			1	0	1	99	17.19	17.37
			75	0	100	0	23.69	22.69

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
30MHz (15MHz / 15MHz)	2503.5	2518.5	1	74	1	0	25.31	24.07
			1	0	1	74	17.46	17.65
			75	0	75	0	23.66	22.75
	2585.5	2600.5	1	74	1	0	25.47	24.72
			1	0	1	74	17.30	17.33
			75	0	75	0	23.70	22.72
	2667.5	2682.5	1	74	1	0	25.49	24.76
			1	0	1	74	17.27	17.35
			75	0	75	0	23.66	22.67

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
25MHz (5MHz / 20MHz)	2498.5	2510.2	1	24	1	0	25.25	24.27
			1	0	1	99	17.21	17.37
			25	0	100	0	23.76	22.88
	2583.6	2595.3	1	24	1	0	25.47	24.45
			1	0	1	99	17.30	17.32
			25	0	100	0	23.40	22.78
	2668.3	2680	1	24	1	0	25.45	24.40
			1	0	1	99	17.30	17.25
			25	0	100	0	23.65	22.73

LTE Band 41 (PC2, UL CA) (ANT F)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
40MHz (20MHz / 20MHz)	2506	2525.8	1	99	1	0	25.73	24.47
			1	0	1	99	17.57	17.72
			100	0	100	0	24.23	23.16
	2583.1	2602.9	1	99	1	0	25.76	24.43
			1	0	1	99	17.53	17.61
			100	0	100	0	24.17	23.14
	2660.2	2680	1	99	1	0	25.83	24.97
			1	0	1	99	17.49	17.63
			100	0	100	0	24.02	23.08

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
35MHz (15MHz / 20MHz)	2503.5	2520.6	1	74	1	0	25.58	24.33
			1	0	1	99	17.53	17.64
			75	0	100	0	24.04	23.11
	2583.2	2600.3	1	74	1	0	25.74	24.44
			1	0	1	99	17.62	17.76
			75	0	100	0	24.17	23.12
	2662.9	2680	1	74	1	0	25.62	24.25
			1	0	1	99	17.68	17.71
			75	0	100	0	24.15	23.17

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
30MHz (15MHz / 15MHz)	2503.5	2518.5	1	74	1	0	25.73	24.51
			1	0	1	74	17.63	18.03
			75	0	75	0	24.07	23.14
	2585.5	2600.5	1	74	1	0	25.80	24.65
			1	0	1	74	17.61	17.71
			75	0	75	0	24.11	23.27
	2667.5	2682.5	1	74	1	0	25.59	24.51
			1	0	1	74	17.70	17.96
			75	0	75	0	24.20	23.15

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
25MHz (5MHz / 20MHz)	2498.5	2510.2	1	24	1	0	25.75	24.61
			1	0	1	99	17.61	17.80
			25	0	100	0	24.12	23.09
	2583.6	2595.3	1	24	1	0	25.81	24.71
			1	0	1	99	17.59	17.83
			25	0	100	0	24.09	23.13
	2668.3	2680	1	24	1	0	25.61	24.49
			1	0	1	99	17.58	17.85
			25	0	100	0	24.27	23.16

LTE Band 66 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Pmax			MPR	Tune-up Limit
				Measured Pwr (dBm)				
				132072 1720 MHz	132322 1745 MHz	132572 1770 MHz		
20 MHz	QPSK	1	0	23.99	24.11	23.93	0.0	24.7
		1	49	24.10	24.08	23.85	0.0	24.7
		1	99	23.91	23.87	23.81	0.0	24.7
		50	0	23.02	23.09	23.01	1.0	23.7
		50	24	23.07	23.03	22.99	1.0	23.7
		50	50	23.07	22.94	22.87	1.0	23.7
	100	0	23.06	23.02	22.95	1.0	23.7	
	16QAM	1	0	23.32	23.34	23.34	1.0	23.7
		1	49	23.45	23.35	23.29	1.0	23.7
		1	99	23.41	23.18	23.19	1.0	23.7
		50	0	22.02	22.06	22.00	2.0	22.7
		50	24	22.12	22.03	21.97	2.0	22.7
		50	50	22.08	21.97	21.84	2.0	22.7
	100	0	22.07	22.01	21.96	2.0	22.7	
	64QAM	1	0	22.33	22.30	22.23	2.0	22.7
		1	49	22.29	22.30	22.25	2.0	22.7
		1	99	22.22	22.09	22.15	2.0	22.7
		50	0	20.99	21.04	21.00	3.0	21.7
		50	24	21.06	21.08	20.98	3.0	21.7
		50	50	21.03	20.94	20.85	3.0	21.7
	100	0	21.07	21.03	20.93	3.0	21.7	
	256QAM	1	0	19.13	19.16	19.06	5.0	19.7
		1	49	19.30	19.35	19.07	5.0	19.7
		1	99	19.12	19.02	18.79	5.0	19.7
50		0	18.93	19.01	18.95	5.0	19.7	
50		24	19.03	19.01	18.95	5.0	19.7	
50		50	18.99	18.90	18.81	5.0	19.7	
100	0	19.00	18.96	18.93	5.0	19.7		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				132047				
				132047 1717.5 MHz	132322 1745 MHz	132597 1772.5 MHz		
				132047	132322	132597		
15 MHz	QPSK	1	0	24.09	23.97	23.92	0.0	24.7
		1	37	24.11	24.05	23.92	0.0	24.7
		1	74	23.99	23.93	23.83	0.0	24.7
		36	0	22.98	23.01	23.00	1.0	23.7
		36	20	23.06	22.99	22.98	1.0	23.7
		36	39	23.07	22.94	22.94	1.0	23.7
		75	0	23.00	22.93	22.95	1.0	23.7
	16QAM	1	0	23.32	23.28	23.20	1.0	23.7
		1	37	23.36	23.27	23.26	1.0	23.7
		1	74	23.33	23.19	23.16	1.0	23.7
		36	0	22.01	22.01	22.00	2.0	22.7
		36	20	22.11	21.98	22.01	2.0	22.7
		36	39	22.09	21.97	21.95	2.0	22.7
		75	0	22.04	21.97	21.97	2.0	22.7
	64QAM	1	0	22.33	22.38	22.23	2.0	22.7
		1	37	22.23	22.33	22.16	2.0	22.7
		1	74	22.10	22.15	22.04	2.0	22.7
		36	0	20.95	21.02	20.99	3.0	21.7
		36	20	21.03	20.97	20.97	3.0	21.7
		36	39	21.02	20.97	20.92	3.0	21.7
		75	0	21.02	20.98	20.96	3.0	21.7
	256QAM	1	0	19.13	19.04	19.21	5.0	19.7
		1	37	19.23	19.13	19.07	5.0	19.7
		1	74	19.14	18.93	18.92	5.0	19.7
36		0	18.91	18.98	18.95	5.0	19.7	
36		20	19.02	18.97	18.93	5.0	19.7	
36		39	18.98	18.90	18.89	5.0	19.7	
75		0	18.98	18.94	18.93	5.0	19.7	

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				132022	132322	132622		
				1715 MHz	1745 MHz	1775 MHz		
10 MHz	QPSK	1	0	23.99	24.01	23.97	0.0	24.7
		1	25	24.10	24.05	23.97	0.0	24.7
		1	49	23.99	24.07	23.83	0.0	24.7
		25	0	22.98	23.03	22.98	1.0	23.7
		25	12	23.04	23.03	22.96	1.0	23.7
		25	25	23.03	23.00	22.94	1.0	23.7
	16QAM	50	0	23.05	22.99	22.94	1.0	23.7
		1	0	23.11	23.38	23.30	1.0	23.7
		1	25	23.26	23.36	23.32	1.0	23.7
		1	49	23.16	23.29	23.05	1.0	23.7
		25	0	22.02	22.05	22.05	2.0	22.7
		25	12	22.13	22.07	22.00	2.0	22.7
	64QAM	25	25	22.12	22.03	21.96	2.0	22.7
		50	0	22.06	22.01	21.98	2.0	22.7
		1	0	22.15	22.33	22.09	2.0	22.7
		1	25	22.30	22.34	22.24	2.0	22.7
		1	49	22.19	22.12	22.17	2.0	22.7
		25	0	20.96	21.03	21.17	3.0	21.7
	256QAM	25	12	21.03	21.05	21.22	3.0	21.7
		25	25	21.03	20.99	21.14	3.0	21.7
		50	0	21.04	21.02	21.01	3.0	21.7
		1	0	19.08	19.00	19.07	5.0	19.7
		1	25	19.07	19.21	19.23	5.0	19.7
		1	49	19.02	19.06	19.09	5.0	19.7
5 MHz	QPSK	25	0	18.91	18.97	18.99	5.0	19.7
		25	12	19.00	18.97	19.02	5.0	19.7
		25	25	19.01	18.95	19.00	5.0	19.7
		50	0	18.99	18.96	18.98	5.0	19.7
		1	0	23.95	24.03	24.00	0.0	24.7
		1	12	23.95	24.09	23.99	0.0	24.7
	16QAM	1	24	23.97	24.05	23.87	0.0	24.7
		12	0	23.05	23.01	22.95	1.0	23.7
		12	7	23.11	23.07	22.98	1.0	23.7
		12	13	23.05	23.08	22.97	1.0	23.7
		25	0	23.03	22.98	22.92	1.0	23.7
		1	0	23.37	23.41	23.29	1.0	23.7
	64QAM	1	12	23.41	23.46	23.24	1.0	23.7
		1	24	23.36	23.41	23.06	1.0	23.7
		12	0	22.03	22.06	22.01	2.0	22.7
		12	7	22.03	22.09	22.03	2.0	22.7
		12	13	22.02	22.13	22.01	2.0	22.7
		25	0	22.05	22.02	21.97	2.0	22.7
	256QAM	1	0	22.09	22.25	22.30	2.0	22.7
		1	12	22.24	22.33	22.28	2.0	22.7
		1	24	22.17	22.16	22.21	2.0	22.7
		12	0	21.17	21.08	20.99	3.0	21.7
		12	7	21.22	21.16	20.95	3.0	21.7
		12	13	21.14	21.20	20.89	3.0	21.7
256QAM	25	0	21.01	21.02	20.94	3.0	21.7	
	1	0	19.07	19.04	19.15	5.0	19.7	
	1	12	19.23	19.25	19.20	5.0	19.7	
	1	24	19.09	19.16	19.15	5.0	19.7	
	12	0	18.99	18.96	18.95	5.0	19.7	
	12	7	19.02	19.04	18.97	5.0	19.7	
256QAM	12	13	19.00	19.06	18.89	5.0	19.7	
	25	0	18.98	18.96	18.90	5.0	19.7	

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
				131987	132322	132657			
				1711.5 MHz	1745 MHz	1778.5 MHz			
3 MHz	QPSK	1	0	23.94	23.91	23.90	0.0	24.7	
		1	8	24.08	24.09	23.99	0.0	24.7	
		1	14	23.91	23.92	23.82	0.0	24.7	
		8	0	23.02	23.01	23.01	1.0	23.7	
		8	4	23.09	23.11	22.96	1.0	23.7	
		8	7	23.08	23.10	22.97	1.0	23.7	
	16QAM	15	0	23.05	22.98	22.93	1.0	23.7	
		1	0	23.23	23.24	23.25	1.0	23.7	
		1	8	23.30	23.36	23.31	1.0	23.7	
		1	14	23.17	23.26	23.14	1.0	23.7	
		8	0	22.12	22.10	21.98	2.0	22.7	
		8	4	22.12	22.20	22.06	2.0	22.7	
	64QAM	8	7	22.10	22.22	22.02	2.0	22.7	
		15	0	22.08	22.01	21.96	2.0	22.7	
		1	0	22.10	22.16	21.94	2.0	22.7	
		1	8	22.24	22.32	22.06	2.0	22.7	
		1	14	22.13	22.24	21.89	2.0	22.7	
		8	0	21.02	21.07	20.91	3.0	21.7	
	256QAM	8	4	21.05	21.16	20.97	3.0	21.7	
		8	7	21.03	21.18	20.97	3.0	21.7	
		15	0	21.01	20.99	20.91	3.0	21.7	
		1	0	19.07	18.96	18.91	5.0	19.7	
		1	8	19.17	19.16	18.95	5.0	19.7	
		1	14	19.00	19.00	18.92	5.0	19.7	
	1.4 MHz	QPSK	8	0	18.96	18.97	18.89	5.0	19.7
			8	4	19.00	19.10	18.87	5.0	19.7
			8	7	19.03	19.13	18.87	5.0	19.7
			15	0	18.99	18.98	18.85	5.0	19.7
1			0	23.87	23.94	23.81	0.0	24.7	
1			3	23.91	23.90	23.78	0.0	24.7	
16QAM		1	5	23.89	23.91	23.83	0.0	24.7	
		3	0	23.91	23.95	23.76	0.0	24.7	
		3	1	23.89	23.93	23.82	0.0	24.7	
		3	3	23.87	23.90	23.79	0.0	24.7	
		6	0	22.94	22.98	22.81	1.0	23.7	
		1	0	23.19	23.14	23.24	1.0	23.7	
64QAM		1	3	23.22	23.12	23.22	1.0	23.7	
		1	5	23.17	23.20	23.17	1.0	23.7	
		3	0	23.12	23.09	22.97	1.0	23.7	
		3	1	23.15	23.10	22.93	1.0	23.7	
		3	3	23.12	23.07	22.95	1.0	23.7	
		6	0	22.02	22.06	21.89	2.0	22.7	
256QAM		1	0	22.13	22.36	22.00	2.0	22.7	
		1	3	22.16	22.30	22.06	2.0	22.7	
		1	5	22.19	22.20	22.05	2.0	22.7	
		3	0	22.02	22.13	22.01	2.0	22.7	
		3	1	22.04	22.13	22.02	2.0	22.7	
		3	3	22.08	22.09	22.00	2.0	22.7	
256QAM		6	0	21.05	21.11	20.95	3.0	21.7	
		1	0	19.04	19.11	18.97	5.0	19.7	
		1	3	19.00	19.17	18.98	5.0	19.7	
		1	5	18.96	19.15	19.04	5.0	19.7	
	3	0	19.01	19.05	18.88	5.0	19.7		
	3	1	18.98	19.04	18.85	5.0	19.7		
256QAM	3	3	18.94	19.08	18.84	5.0	19.7		
	6	0	18.86	19.02	18.75	5.0	19.7		

LTE Band 66 (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				132072	132322	132572		
				1720 MHz	1745 MHz	1770 MHz		
20 MHz	QPSK	1	0	22.84	23.88	23.87	0.0	24.7
		1	49	23.79	23.84	23.86	0.0	24.7
		1	99	23.67	23.94	23.70	0.0	24.7
		50	0	22.82	22.94	22.85	1.0	23.7
		50	24	22.89	22.90	22.79	1.0	23.7
		50	50	22.81	22.85	22.83	1.0	23.7
	100	0	22.85	22.87	22.78	1.0	23.7	
	16QAM	1	0	22.96	22.98	22.97	1.0	23.7
		1	49	23.04	23.01	22.81	1.0	23.7
		1	99	22.79	22.92	22.84	1.0	23.7
		50	0	21.86	21.86	21.83	2.0	22.7
		50	24	21.92	21.90	21.82	2.0	22.7
		50	50	21.83	21.83	21.81	2.0	22.7
	64QAM	100	0	21.90	21.88	21.79	2.0	22.7
		1	0	22.15	22.33	22.09	2.0	22.7
		1	49	22.31	22.34	22.16	2.0	22.7
		1	99	22.10	22.12	22.17	2.0	22.7
		50	0	20.96	21.03	21.17	3.0	21.7
		50	24	21.21	21.05	21.21	3.0	21.7
	256QAM	50	50	21.03	20.99	21.14	3.0	21.7
		100	0	21.11	21.02	21.01	3.0	21.7
		1	0	19.08	19.00	19.07	5.0	19.7
		1	49	19.07	19.21	19.23	5.0	19.7
		1	99	19.11	19.06	19.09	5.0	19.7
50		0	18.91	18.97	18.88	5.0	19.7	
15 MHz	QPSK	50	24	19.00	18.97	19.10	5.0	19.7
		50	50	19.01	18.95	19.07	5.0	19.7
		100	0	18.99	18.96	18.96	5.0	19.7
		1	0	23.84	23.81	23.85	0.0	24.7
		1	37	23.83	23.85	23.89	0.0	24.7
		1	74	23.66	23.74	23.81	0.0	24.7
	16QAM	36	0	22.73	22.78	22.81	1.0	23.7
		36	20	22.80	22.75	22.87	1.0	23.7
		36	39	22.79	22.82	22.82	1.0	23.7
		75	0	22.74	22.80	22.84	1.0	23.7
		1	0	22.96	22.96	22.97	1.0	23.7
		1	37	22.98	22.91	23.04	1.0	23.7
	64QAM	1	74	22.86	22.95	22.93	1.0	23.7
		36	0	21.76	21.79	21.86	2.0	22.7
		36	20	21.80	21.76	21.90	2.0	22.7
		36	39	21.80	21.82	21.87	2.0	22.7
		75	0	21.78	21.83	21.86	2.0	22.7
		1	0	22.06	22.06	22.03	2.0	22.7
	256QAM	1	37	22.02	22.04	22.10	2.0	22.7
		1	74	21.97	21.91	22.01	2.0	22.7
		36	0	20.81	20.84	20.87	3.0	21.7
		36	20	20.89	20.81	20.90	3.0	21.7
		36	39	20.84	20.86	20.87	3.0	21.7
		75	0	20.88	20.88	20.90	3.0	21.7
256QAM	1	0	18.99	19.04	19.07	5.0	19.7	
	1	37	18.99	19.05	19.07	5.0	19.7	
	1	74	18.91	18.93	18.94	5.0	19.7	
	36	0	18.81	18.83	18.88	5.0	19.7	
	36	20	18.88	18.80	18.92	5.0	19.7	
	36	39	18.84	18.86	18.86	5.0	19.7	
75	0	18.87	18.87	18.91	5.0	19.7		

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				132022	132322	132622		
				1715 MHz	1745 MHz	1775 MHz		
10 MHz	QPSK	1	0	23.84	23.79	23.83	0.0	24.7
		1	25	23.83	23.85	23.84	0.0	24.7
		1	49	23.66	23.75	23.80	0.0	24.7
		25	0	22.73	22.79	22.84	1.0	23.7
		25	12	22.80	22.79	22.90	1.0	23.7
		25	25	22.79	22.85	22.86	1.0	23.7
		50	0	22.74	22.84	22.88	1.0	23.7
	16QAM	1	0	22.96	22.90	23.00	1.0	23.7
		1	25	22.98	22.96	22.99	1.0	23.7
		1	49	22.86	22.95	22.94	1.0	23.7
		25	0	21.76	21.85	21.85	2.0	22.7
		25	12	21.80	21.87	21.92	2.0	22.7
		25	25	21.80	21.86	21.94	2.0	22.7
		50	0	21.78	21.88	21.87	2.0	22.7
	64QAM	1	0	22.04	22.01	22.04	2.0	22.7
		1	25	22.11	22.06	22.12	2.0	22.7
		1	49	22.03	21.95	21.96	2.0	22.7
		25	0	20.83	20.83	20.83	3.0	21.7
		25	12	20.90	20.84	20.91	3.0	21.7
		25	25	20.87	20.86	20.87	3.0	21.7
		50	0	20.88	20.89	20.90	3.0	21.7
	256QAM	1	0	18.95	18.93	18.96	5.0	19.7
		1	25	19.08	19.08	19.07	5.0	19.7
		1	49	18.95	18.88	18.94	5.0	19.7
		25	0	18.80	18.85	18.83	5.0	19.7
		25	12	18.91	18.84	18.94	5.0	19.7
		25	25	18.87	18.88	18.87	5.0	19.7
		50	0	18.89	18.89	18.89	5.0	19.7
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131997	132322	132647		
				1712.5 MHz	1745 MHz	1777.5 MHz		
5 MHz	QPSK	1	0	23.74	23.83	23.83	0.0	24.7
		1	12	23.86	23.81	23.84	0.0	24.7
		1	24	23.83	23.79	23.85	0.0	24.7
		12	0	22.86	22.77	22.81	1.0	23.7
		12	7	22.91	22.90	22.86	1.0	23.7
		12	13	22.84	22.84	22.87	1.0	23.7
		25	0	22.85	22.85	22.81	1.0	23.7
	16QAM	1	0	23.07	22.90	22.96	1.0	23.7
		1	12	23.04	22.92	22.96	1.0	23.7
		1	24	22.98	22.90	22.96	1.0	23.7
		12	0	22.01	21.87	21.92	2.0	22.7
		12	7	21.92	21.95	21.97	2.0	22.7
		12	13	21.87	21.90	22.00	2.0	22.7
		25	0	21.85	21.87	21.78	2.0	22.7
	64QAM	1	0	21.97	21.98	21.87	2.0	22.7
		1	12	22.09	22.06	21.96	2.0	22.7
		1	24	22.00	21.96	21.91	2.0	22.7
		12	0	20.92	20.82	20.82	3.0	21.7
		12	7	20.96	20.95	20.85	3.0	21.7
		12	13	20.86	20.87	20.90	3.0	21.7
		25	0	20.88	20.88	20.80	3.0	21.7
	256QAM	1	0	18.92	18.95	18.99	5.0	19.7
		1	12	19.07	19.07	19.14	5.0	19.7
		1	24	18.88	18.94	19.00	5.0	19.7
		12	0	18.91	18.85	18.82	5.0	19.7
		12	7	18.94	18.93	18.83	5.0	19.7
		12	13	18.92	18.88	18.88	5.0	19.7
		25	0	18.91	18.85	18.84	5.0	19.7

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131987	132322	132657		
				1711.5 MHz	1745 MHz	1778.5 MHz		
3 MHz	QPSK	1	0	23.78	23.84	23.80	0.0	24.7
		1	8	23.92	23.89	23.90	0.0	24.7
		1	14	23.75	23.75	23.75	0.0	24.7
		8	0	22.87	22.81	22.80	1.0	23.7
		8	4	22.87	22.89	22.81	1.0	23.7
		8	7	22.87	22.87	22.77	1.0	23.7
	16QAM	15	0	22.86	22.88	22.77	1.0	23.7
		1	0	22.96	23.01	22.89	1.0	23.7
		1	8	23.07	23.02	23.01	1.0	23.7
		1	14	22.79	22.90	22.91	1.0	23.7
		8	0	21.88	21.80	21.82	2.0	22.7
		8	4	21.90	21.86	21.84	2.0	22.7
	64QAM	8	7	21.91	21.91	21.83	2.0	22.7
		15	0	21.90	21.88	21.81	2.0	22.7
		1	0	22.01	22.25	22.00	2.0	22.7
		1	8	21.93	22.33	22.06	2.0	22.7
		1	14	22.17	22.16	22.11	2.0	22.7
		8	0	20.11	21.08	20.66	3.0	21.7
	256QAM	8	4	20.66	20.95	20.85	3.0	21.7
		8	7	21.14	20.89	20.84	3.0	21.7
		15	0	21.01	20.94	20.95	3.0	21.7
		1	0	19.07	19.15	18.97	5.0	19.7
		1	8	19.23	19.20	19.20	5.0	19.7
		1	14	19.09	19.15	19.15	5.0	19.7
1.4 MHz	QPSK	8	0	18.99	18.95	18.95	5.0	19.7
		8	4	19.02	19.04	18.77	5.0	19.7
		8	7	19.00	19.06	18.89	5.0	19.7
		15	0	18.98	18.96	18.82	5.0	19.7
		1	0	22.84	23.86	22.89	0.0	24.7
		1	3	23.78	23.93	23.87	0.0	24.7
	16QAM	1	5	23.89	23.92	23.91	0.0	24.7
		3	0	23.87	23.84	23.87	0.0	24.7
		3	1	23.83	23.89	23.89	0.0	24.7
		3	3	23.91	23.83	23.87	0.0	24.7
		6	0	23.45	23.44	23.47	1.0	23.7
		1	0	23.16	23.08	23.01	1.0	23.7
	64QAM	1	3	23.00	22.97	23.12	1.0	23.7
		1	5	23.14	23.07	23.11	1.0	23.7
		3	0	23.13	23.00	23.03	1.0	23.7
		3	1	23.04	23.01	23.00	1.0	23.7
		3	3	23.07	23.05	23.06	1.0	23.7
		6	0	22.47	22.41	22.41	2.0	22.7
	256QAM	1	0	22.41	21.87	22.31	2.0	22.7
		1	3	22.33	21.96	22.21	2.0	22.7
		1	5	22.09	22.13	22.32	2.0	22.7
		3	0	22.00	21.02	21.11	2.0	22.7
		3	1	20.92	21.05	21.14	2.0	22.7
		3	3	20.96	21.03	21.06	2.0	22.7
256QAM	6	0	20.86	21.01	21.11	3.0	21.7	
	1	0	19.03	19.07	18.88	5.0	19.7	
	1	3	18.92	19.17	18.94	5.0	19.7	
	1	5	19.07	19.00	18.85	5.0	19.7	
	3	0	18.88	18.73	18.93	5.0	19.7	
	3	1	18.77	18.66	18.88	5.0	19.7	
256QAM	3	3	18.69	18.65	18.85	5.0	19.7	
	6	0	18.8	18.7	18.7	5.0	19.7	

LTE Band 66B (UL CA) (ANT A)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
20MHz (10MHz / 10MHz)	1715.0	1724.9	1	49	1	0	23.48	22.85
			1	0	1	49	12.97	13.34
			50	0	50	0	21.62	20.65
	1740.1	1750	1	49	1	0	23.83	23.42
			1	0	1	49	13.45	13.61
			50	0	50	0	22.02	21.10
	1765.1	1775.0	1	49	1	0	23.79	22.96
			1	0	1	49	13.12	13.28
			50	0	50	0	22.09	21.05

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
15MHz (5MHz / 10MHz)	1712.5	1719.7	1	24	1	0	23.44	22.92
			1	0	1	49	13.49	14.21
			25	0	50	0	21.63	20.66
	1740.2	1747.5	1	24	1	0	23.72	23.32
			1	0	1	49	14.16	14.25
			25	0	50	0	22.02	21.05
	1767.8	1775.0	1	24	1	0	23.55	22.94
			1	0	1	49	13.51	13.78
			25	0	50	0	22.14	21.09

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
10MHz (5MHz / 5MHz)	1712.5	1717.3	1	24	1	0	23.51	22.74
			1	0	1	24	13.41	13.63
			25	0	25	0	22.15	21.33
	1742.6	1747.4	1	24	1	0	23.81	22.99
			1	0	1	24	13.48	13.54
			25	0	25	0	22.04	21.17
	1772.7	1777.5	1	24	1	0	23.48	22.85
			1	0	1	24	13.41	13.73
			25	0	25	0	22.18	21.22

LTE Band 66B (UL CA) (ANT F)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
20MHz (10MHz / 10MHz)	1715.0	1724.9	1	49	1	0	24.22	23.81
			1	0	1	49	13.81	14.39
			50	0	50	0	22.45	21.49
	1740.1	1750	1	49	1	0	24.25	23.92
			1	0	1	49	13.83	14.45
			50	0	50	0	22.42	21.61
	1765.1	1775.0	1	49	1	0	24.04	23.58
			1	0	1	49	13.49	14.06
			50	0	50	0	22.22	21.24

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
15MHz (5MHz / 10MHz)	1712.5	1719.7	1	24	1	0	24.07	23.82
			1	0	1	49	14.36	15.07
			25	0	50	0	22.47	21.52
	1740.2	1747.5	1	24	1	0	24.22	23.88
			1	0	1	49	14.88	15.32
			25	0	50	0	22.51	21.82
	1767.8	1775.0	1	24	1	0	23.84	23.42
			1	0	1	49	14.33	15.65
			25	0	50	0	22.53	21.81

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
10MHz (5MHz / 5MHz)	1712.5	1717.3	1	24	1	0	24.11	23.71
			1	0	1	24	14.29	14.94
			25	0	25	0	22.44	21.62
	1742.6	1747.4	1	24	1	0	24.12	23.73
			1	0	1	24	14.35	14.95
			25	0	25	0	22.41	21.45
	1772.7	1777.5	1	24	1	0	23.94	23.61
			1	0	1	24	14.51	14.86
			25	0	25	0	22.18	21.26

LTE Band 66C (UL CA) (ANT A)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
40MHz (20MHz / 20MHz)	1720.0	1739.8	1	99	1	0	23.81	23.41
			1	0	1	99	15.07	15.61
			100	0	100	0	21.85	20.83
	1735.1	1754.9	1	99	1	0	23.93	22.86
			1	0	1	99	15.41	15.53
			100	0	100	0	22.12	21.15
	1750.2	1770.0	1	99	1	0	23.75	23.22
			1	0	1	99	15.74	15.97
			100	0	100	0	22.34	21.03

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
35MHz (15MHz / 20MHz)	1717.5	1734.6	1	74	1	0	23.73	23.00
			1	0	1	99	15.21	15.34
			75	0	100	0	22.63	21.21
	1735.2	1752.3	1	74	1	0	23.85	23.31
			1	0	1	99	15.36	15.41
			75	0	100	0	22.38	21.63
	1752.9	1770.0	1	74	1	0	23.76	23.14
			1	0	1	99	15.12	15.25
			75	0	100	0	22.54	21.31

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
30MHz (15MHz / 15MHz)	1717.5	1732.5	1	74	1	0	23.63	23.34
			1	0	1	74	15.86	15.99
			75	0	75	0	21.78	20.87
	1737.5	1752.5	1	74	1	0	23.71	22.98
			1	0	1	74	15.23	15.41
			75	0	75	0	21.85	21.12
	1757.5	1772.5	1	74	1	0	23.61	22.89
			1	0	1	74	15.23	15.35
			75	0	75	0	21.75	21.08

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
25MHz (5MHz / 20MHz)	1712.5	1724.2	1	24	1	0	23.55	23.14
			1	0	1	99	15.21	15.58
			25	0	100	0	21.83	20.89
	1735.4	1747.1	1	24	1	0	23.75	22.76
			1	0	1	99	15.23	15.25
			25	0	100	0	21.86	20.91
	1758.3	1770.0	1	24	1	0	23.74	22.93
			1	0	1	99	15.57	15.88
			25	0	100	0	21.94	21.06

LTE Band 66C (UL CA) (ANT F)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
40MHz (20MHz / 20MHz)	1720.0	1739.8	1	99	1	0	24.61	24.14
			1	0	1	99	15.87	16.54
			100	0	100	0	22.56	21.52
	1735.1	1754.9	1	99	1	0	24.25	23.91
			1	0	1	99	15.85	16.61
			100	0	100	0	22.57	21.55
	1750.2	1770.0	1	99	1	0	24.11	23.74
			1	0	1	99	15.85	16.43
			100	0	100	0	22.51	21.55

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
35MHz (15MHz / 20MHz)	1717.5	1734.6	1	74	1	0	24.41	23.93
			1	0	1	99	15.88	16.21
			75	0	100	0	22.62	21.63
	1735.2	1752.3	1	74	1	0	24.30	23.83
			1	0	1	99	15.89	16.51
			75	0	100	0	22.63	21.65
	1752.9	1770.0	1	74	1	0	24.41	23.88
			1	0	1	99	16.01	16.63
			75	0	100	0	22.45	21.57

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
30MHz (15MHz / 15MHz)	1717.5	1732.5	1	74	1	0	24.12	23.74
			1	0	1	74	15.93	16.57
			75	0	75	0	22.60	21.62
	1737.5	1752.5	1	74	1	0	24.41	23.99
			1	0	1	74	16.12	16.57
			75	0	75	0	22.62	21.66
	1757.5	1772.5	1	74	1	0	24.06	23.73
			1	0	1	74	15.83	16.49
			75	0	75	0	22.43	21.42

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average Power (dBm)	
			Size	Offset	Size	Offset	QPSK	16QAM
25MHz (5MHz / 20MHz)	1712.5	1724.2	1	24	1	0	24.28	23.89
			1	0	1	99	16.08	16.55
			25	0	100	0	22.69	21.70
	1735.4	1747.1	1	24	1	0	24.33	23.83
			1	0	1	99	15.96	16.67
			25	0	100	0	22.63	21.70
	1758.3	1770.0	1	24	1	0	24.21	23.85
			1	0	1	99	15.89	16.55
			25	0	100	0	22.44	21.45

LTE Band 71 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm) Pmax / DSI 0 / DSI 1				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				133222	133297	133372		
				673 MHz	680.5 MHz	688 MHz		
20 MHz	QPSK	1	0	23.74	24.05	23.85	0.0	25.3
		1	49	24.02	24.32	24.28	0.0	25.3
		1	99	24.12	24.17	24.21	0.0	25.3
		50	0	23.37	23.43	23.36	1.0	24.3
		50	24	23.42	23.33	23.31	1.0	24.3
		50	50	23.32	23.32	23.13	1.0	24.3
	100	0	23.28	23.37	23.23	1.0	24.3	
	16QAM	1	0	23.23	23.71	23.13	1.0	24.3
		1	49	23.61	23.64	23.55	1.0	24.3
		1	99	23.65	23.58	23.45	1.0	24.3
		50	0	22.42	22.41	22.37	2.0	23.3
		50	24	22.45	22.36	22.33	2.0	23.3
		50	50	22.37	22.34	22.29	2.0	23.3
	100	0	22.41	22.39	22.25	2.0	23.3	
	64QAM	1	0	21.87	21.95	22.47	2.0	23.3
		1	49	22.03	22.55	22.56	2.0	23.3
		1	99	22.22	22.51	22.45	2.0	23.3
		50	0	20.87	21.38	21.36	3.0	22.3
		50	24	21.46	21.41	21.30	3.0	22.3
		50	50	21.38	21.31	21.31	3.0	22.3
	100	0	21.41	21.31	21.27	3.0	22.3	
	256QAM	1	0	18.82	18.71	19.48	5.0	20.3
		1	49	18.92	19.45	19.41	5.0	20.3
		1	99	19.19	19.34	19.30	5.0	20.3
50		0	18.97	19.19	19.12	5.0	20.3	
50		24	19.10	19.32	19.32	5.0	20.3	
50		50	19.35	19.35	19.29	5.0	20.3	
100	0	19.34	19.37	19.31	5.0	20.3		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				133197	133297	133397		
				670.5 MHz	680.5 MHz	690.5 MHz		
15 MHz	QPSK	1	0	24.50	24.53	24.43	0.0	25.3
		1	37	24.50	24.45	24.43	0.0	25.3
		1	74	24.43	24.42	24.36	0.0	25.3
		36	0	23.45	23.45	23.43	1.0	24.3
		36	20	23.53	23.46	23.39	1.0	24.3
		36	39	23.48	23.42	23.43	1.0	24.3
	75	0	23.46	23.43	23.34	1.0	24.3	
	16QAM	1	0	23.79	23.78	23.83	1.0	24.3
		1	37	23.79	23.69	23.72	1.0	24.3
		1	74	23.74	23.67	23.75	1.0	24.3
		36	0	22.49	22.46	22.45	2.0	23.3
		36	20	22.53	22.51	22.44	2.0	23.3
		36	39	22.50	22.45	22.47	2.0	23.3
	75	0	22.51	22.48	22.39	2.0	23.3	
	64QAM	1	0	22.38	22.70	22.54	2.0	23.3
		1	37	22.61	22.60	22.57	2.0	23.3
		1	74	22.61	22.58	22.49	2.0	23.3
		36	0	21.33	21.45	21.46	3.0	22.3
		36	20	21.53	21.50	21.44	3.0	22.3
		36	39	21.49	21.44	21.42	3.0	22.3
	75	0	21.52	21.47	21.38	3.0	22.3	
	256QAM	1	0	19.07	19.55	19.30	5.0	20.3
		1	37	19.64	19.58	19.68	5.0	20.3
		1	74	19.57	19.54	19.65	5.0	20.3
36		0	19.46	19.44	19.45	5.0	20.3	
36		20	19.52	19.48	19.43	5.0	20.3	
36		39	19.48	19.43	19.46	5.0	20.3	
75	0	19.52	19.49	19.39	5.0	20.3		

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				133172	133297	133422		
				668 MHz	680.5 MHz	693 MHz		
10 MHz	QPSK	1	0	24.44	24.46	24.52	0.0	25.3
		1	25	24.53	24.44	24.50	0.0	25.3
		1	49	24.52	24.46	24.46	0.0	25.3
		25	0	23.50	23.47	23.47	1.0	24.3
		25	12	23.56	23.46	23.46	1.0	24.3
		25	25	23.54	23.51	23.51	1.0	24.3
	16QAM	50	0	23.55	23.50	23.42	1.0	24.3
		1	0	23.57	23.80	23.86	1.0	24.3
		1	25	23.77	23.82	23.84	1.0	24.3
		1	49	23.72	23.72	23.75	1.0	24.3
		25	0	22.53	22.51	22.47	2.0	23.3
		25	12	22.64	22.53	22.48	2.0	23.3
	64QAM	25	25	22.58	22.52	22.48	2.0	23.3
		50	0	22.59	22.51	22.43	2.0	23.3
		1	0	21.75	22.74	22.55	2.0	23.3
		1	25	22.40	22.78	22.66	2.0	23.3
		1	49	22.49	22.68	22.31	2.0	23.3
		25	0	21.02	21.46	21.47	3.0	22.3
	256QAM	25	12	21.51	20.86	21.50	3.0	22.3
		25	25	21.57	21.49	21.22	3.0	22.3
		50	0	21.58	21.50	21.03	3.0	22.3
		1	0	18.56	19.52	19.31	5.0	20.3
		1	25	19.72	19.66	19.66	5.0	20.3
		1	49	19.29	19.55	19.10	5.0	20.3
5 MHz	QPSK	25	0	19.49	19.44	19.44	5.0	20.3
		25	12	19.62	19.64	19.48	5.0	20.3
		25	25	19.59	19.58	19.51	5.0	20.3
		50	0	19.60	19.57	19.42	5.0	20.3
		1	0	24.61	24.45	24.41	0.0	25.3
		1	12	24.53	24.50	24.49	0.0	25.3
	16QAM	1	24	24.50	24.42	24.37	0.0	25.3
		12	0	23.56	23.41	23.45	1.0	24.3
		12	7	23.57	23.53	23.48	1.0	24.3
		12	13	23.55	23.45	23.49	1.0	24.3
		25	0	23.53	23.47	23.41	1.0	24.3
		1	0	23.82	23.74	23.83	1.0	24.3
	64QAM	1	12	23.94	23.74	23.89	1.0	24.3
		1	24	23.91	23.65	23.79	1.0	24.3
		12	0	22.66	22.46	22.59	2.0	23.3
		12	7	22.67	22.55	22.61	2.0	23.3
		12	13	22.63	22.51	22.66	2.0	23.3
		25	0	22.57	22.54	22.40	2.0	23.3
	256QAM	1	0	21.65	22.59	22.59	2.0	23.3
		1	12	22.43	22.68	22.57	2.0	23.3
		1	24	21.44	22.55	21.68	2.0	23.3
		12	0	20.89	21.44	21.25	3.0	22.3
		12	7	21.54	21.54	21.09	3.0	22.3
		12	13	21.33	21.50	21.09	3.0	22.3
256QAM	25	0	20.94	21.50	21.29	3.0	22.3	
	1	0	18.29	19.54	19.54	5.0	20.3	
	1	12	19.60	19.72	19.64	5.0	20.3	
	1	24	19.26	19.55	18.83	5.0	20.3	
	12	0	18.88	19.43	19.44	5.0	20.3	
	12	7	19.59	19.57	19.47	5.0	20.3	
256QAM	12	13	19.48	19.48	19.50	5.0	20.3	
	25	0	19.31	19.50	19.41	5.0	20.3	

LTE Band 71 (ANT E)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				133222	133297	133372		
				673 MHz	680.5 MHz	688 MHz		
20 MHz	QPSK	1	0	23.72	24.46	24.44	0.0	25.3
		1	49	23.04	24.38	24.39	0.0	25.3
		1	99	24.35	24.33	24.36	0.0	25.3
		50	0	23.42	23.45	23.41	1.0	24.3
		50	24	23.44	23.40	23.40	1.0	24.3
		50	50	23.40	23.39	23.38	1.0	24.3
	100	0	23.46	23.44	23.36	1.0	24.3	
	16QAM	1	0	23.79	23.37	23.34	1.0	24.3
		1	49	23.90	23.76	23.63	1.0	24.3
		1	99	23.74	23.71	23.65	1.0	24.3
		50	0	22.44	22.47	22.44	2.0	23.3
		50	24	22.49	22.42	22.40	2.0	23.3
		50	50	22.43	22.42	22.43	2.0	23.3
	100	0	22.48	22.52	22.39	2.0	23.3	
	64QAM	1	0	21.45	22.48	22.67	2.0	23.3
		1	49	22.13	22.63	22.58	2.0	23.3
		1	99	22.51	22.56	22.50	2.0	23.3
		50	0	21.41	21.43	21.43	3.0	22.3
		50	24	21.45	21.40	21.37	3.0	22.3
		50	50	21.38	21.40	21.36	3.0	22.3
	100	0	21.49	21.45	21.35	3.0	22.3	
	256QAM	1	0	19.38	19.08	19.54	5.0	20.3
		1	49	19.68	19.45	19.47	5.0	20.3
		1	99	19.57	19.32	19.43	5.0	20.3
50		0	19.39	19.42	19.38	5.0	20.3	
50		24	19.44	19.37	19.37	5.0	20.3	
50		50	19.37	19.38	19.35	5.0	20.3	
100	0	19.45	19.42	19.36	5.0	20.3		
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				133197	133297	133397		
				670.5 MHz	680.5 MHz	690.5 MHz		
15 MHz	QPSK	1	0	23.86	24.37	24.40	0.0	25.3
		1	37	24.40	24.42	24.34	0.0	25.3
		1	74	24.41	24.37	24.27	0.0	25.3
		36	0	23.38	23.44	23.38	1.0	24.3
		36	20	23.46	23.37	23.35	1.0	24.3
		36	39	23.42	23.39	23.38	1.0	24.3
		75	0	23.43	23.40	23.37	1.0	24.3
	16QAM	1	0	23.06	23.60	23.62	1.0	24.3
		1	37	23.72	23.70	23.77	1.0	24.3
		1	74	23.68	23.58	23.57	1.0	24.3
		36	0	22.40	22.45	22.40	2.0	23.3
		36	20	22.46	22.43	22.36	2.0	23.3
		36	39	22.42	22.43	22.38	2.0	23.3
		75	0	22.46	22.45	22.41	2.0	23.3
	64QAM	1	0	21.90	22.58	22.59	2.0	23.3
		1	37	22.61	22.65	22.61	2.0	23.3
		1	74	22.58	22.61	22.51	2.0	23.3
		36	0	21.38	21.44	21.42	3.0	22.3
		36	20	21.45	21.42	21.40	3.0	22.3
		36	39	21.41	21.42	21.41	3.0	22.3
		75	0	21.49	21.45	21.46	3.0	22.3
	256QAM	1	0	18.74	19.42	19.51	5.0	20.3
		1	37	19.57	19.54	19.57	5.0	20.3
		1	74	19.54	19.45	19.48	5.0	20.3
36		0	19.35	19.42	19.40	5.0	20.3	
36		20	19.41	19.39	19.40	5.0	20.3	
36		39	19.37	19.39	19.38	5.0	20.3	
75		0	19.43	19.44	19.44	5.0	20.3	

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				133172	133297	133422		
				668 MHz	680.5 MHz	693 MHz		
10 MHz	QPSK	1	0	23.72	24.49	24.48	0.0	25.3
		1	25	24.39	24.47	24.45	0.0	25.3
		1	49	24.40	24.33	24.33	0.0	25.3
		25	0	23.37	23.43	23.41	1.0	24.3
		25	12	23.46	23.53	23.41	1.0	24.3
		25	25	23.43	23.46	23.41	1.0	24.3
		50	0	23.43	23.48	23.38	1.0	24.3
	16QAM	1	0	22.91	23.66	23.76	1.0	24.3
		1	25	23.73	23.66	23.69	1.0	24.3
		1	49	23.71	23.62	23.60	1.0	24.3
		25	0	22.40	22.49	22.43	2.0	23.3
		25	12	22.49	22.57	22.42	2.0	23.3
		25	25	22.45	22.49	22.44	2.0	23.3
		50	0	22.46	22.50	22.37	2.0	23.3
	64QAM	1	0	21.66	22.73	22.67	2.0	23.3
		1	25	22.66	22.73	22.61	2.0	23.3
		1	49	22.62	22.58	22.44	2.0	23.3
		25	0	21.43	21.49	21.43	3.0	22.3
		25	12	21.50	21.51	21.40	3.0	22.3
		25	25	21.44	21.50	21.45	3.0	22.3
		50	0	21.47	21.49	21.36	3.0	22.3
	256QAM	1	0	18.12	19.46	19.47	5.0	20.3
		1	25	19.55	19.61	19.63	5.0	20.3
		1	49	19.39	19.49	19.47	5.0	20.3
		25	0	19.38	19.40	19.36	5.0	20.3
		25	12	19.47	19.51	19.43	5.0	20.3
		25	25	19.46	19.48	19.46	5.0	20.3
		50	0	19.43	19.47	19.38	5.0	20.3
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				133147	133297	133447		
				665.5 MHz	680.5 MHz	695.5 MHz		
5 MHz	QPSK	1	0	24.26	24.44	24.37	0.0	25.3
		1	12	24.42	24.42	24.38	0.0	25.3
		1	24	24.39	24.37	24.26	0.0	25.3
		12	0	23.44	23.39	23.35	1.0	24.3
		12	7	23.44	23.39	23.38	1.0	24.3
		12	13	23.42	23.39	23.39	1.0	24.3
		25	0	23.40	23.42	23.29	1.0	24.3
	16QAM	1	0	23.06	23.85	23.68	1.0	24.3
		1	12	23.69	23.87	23.71	1.0	24.3
		1	24	23.68	23.79	23.59	1.0	24.3
		12	0	22.50	22.60	22.33	2.0	23.3
		12	7	22.53	22.59	22.37	2.0	23.3
		12	13	22.49	22.62	22.38	2.0	23.3
		25	0	22.46	22.45	22.33	2.0	23.3
	64QAM	1	0	21.67	22.69	22.53	2.0	23.3
		1	12	22.51	22.75	22.57	2.0	23.3
		1	24	22.48	22.57	22.45	2.0	23.3
		12	0	21.12	21.45	21.35	3.0	22.3
		12	7	21.45	21.49	21.42	3.0	22.3
		12	13	21.43	21.50	21.44	3.0	22.3
		25	0	21.41	21.50	21.34	3.0	22.3
	256QAM	1	0	18.05	19.60	19.50	5.0	20.3
		1	12	19.55	19.70	19.58	5.0	20.3
		1	24	19.43	19.56	19.49	5.0	20.3
		12	0	18.91	19.42	19.34	5.0	20.3
		12	7	19.44	19.44	19.38	5.0	20.3
		12	13	19.37	19.45	19.40	5.0	20.3
		25	0	19.38	19.45	19.28	5.0	20.3

NR Band n7 (ANT B)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504000	507000	510000		
					2520.00 MHz	2535.00 MHz	2550.00 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.49	23.38	23.44	0.0	24.0
			1	107	23.54	23.27	23.56	0.0	24.0
			1	214	23.52	23.28	22.51	0.0	24.0
			108	0	22.58	22.45	22.67	0.5	23.5
			108	54	23.63	23.42	23.59	0.0	24.0
			108	108	22.63	22.41	22.58	0.5	23.5
		216	0	22.57	22.44	22.63	0.5	23.5	
		QPSK	1	1	23.54	23.40	23.55	0.0	24.0
			1	107	23.52	23.44	23.59	0.0	24.0
			1	214	23.55	23.41	22.90	0.0	24.0
			108	0	22.57	22.38	22.63	1.0	23.0
			108	54	23.58	23.45	23.52	0.0	24.0
			108	108	22.51	22.44	22.62	1.0	23.0
		16QAM	216	0	22.52	22.47	22.61	1.0	23.0
			1	1	22.36	22.33	22.40	1.0	23.0
			1	107	22.36	22.31	22.40	1.0	23.0
		64QAM	1	214	22.42	22.26	22.06	1.0	23.0
			1	1	21.06	20.99	21.19	2.5	21.5
256QAM	1	1	18.49	18.90	18.51	4.5	19.5		
CP-OFDM	QPSK	1	1	22.05	22.40	22.11	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503500	507000	510500		
					2517.50 MHz	2535.00 MHz	2552.50 MHz		
35 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.21	23.37	23.09	0.0	24.0
			1	93	23.31	23.51	23.17	0.0	24.0
			1	186	23.17	23.26	22.52	0.0	24.0
			90	0	22.83	22.84	22.74	0.5	23.5
			90	49	23.32	23.47	23.37	0.0	24.0
			90	98	22.74	22.84	22.77	0.5	23.5
		180	0	22.82	22.86	22.69	0.5	23.5	
		QPSK	1	1	23.17	22.57	23.10	0.0	24.0
			1	93	23.28	22.78	23.21	0.0	24.0
			1	186	23.13	22.68	22.27	0.0	24.0
			90	0	22.41	22.34	22.18	1.0	23.0
			90	49	23.26	23.29	23.29	0.0	24.0
			90	98	22.24	22.27	22.22	1.0	23.0
		16QAM	180	0	22.27	22.32	22.33	1.0	23.0
			1	1	22.32	22.32	22.19	1.0	23.0
			1	93	22.34	22.29	22.21	1.0	23.0
		64QAM	1	186	22.25	22.29	21.87	1.0	23.0
			1	1	20.72	20.58	20.59	2.5	21.5
256QAM	1	1	18.92	18.81	18.79	4.5	19.5		
CP-OFDM	QPSK	1	1	21.54	21.51	21.84	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503000	507000	511000		
					2515.00 MHz	2535.00 MHz	2555.00 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.49	23.51	23.50	0.0	24.0
			1	79	23.41	23.38	23.31	0.0	24.0
			1	158	23.54	23.81	22.80	0.0	24.0
			80	0	22.56	22.41	22.64	0.5	23.5
			80	40	23.54	22.38	23.57	0.0	24.0
			80	80	22.50	22.44	22.50	0.5	23.5
		160	0	22.54	23.11	22.55	0.5	23.5	
		QPSK	1	1	23.46	23.43	23.51	0.0	24.0
			1	79	23.46	23.37	23.44	0.0	24.0
			1	158	23.51	23.38	23.13	0.0	24.0
			80	0	22.49	22.81	22.50	1.0	23.0
			80	40	23.52	22.42	23.58	0.0	24.0
			80	80	22.54	22.47	22.54	1.0	23.0
		16QAM	160	0	22.54	22.36	22.62	1.0	23.0
			1	1	22.39	22.28	22.37	1.0	23.0
			1	79	22.31	22.21	22.31	1.0	23.0
		64QAM	1	158	22.38	21.09	22.21	1.0	23.0
			1	1	21.14	20.19	21.19	2.5	21.5
256QAM	1	1	18.45	18.71	18.51	4.5	19.5		
CP-OFDM	QPSK	1	1	22.08	21.95	22.11	1.5	22.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502500	507000	511500		
					2512.50 MHz	2535.00 MHz	2557.50 MHz		
25 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.44	23.27	23.44	0.0	24.0
			1	66	23.46	23.91	23.46	0.0	24.0
			1	131	23.59	23.15	22.84	0.0	24.0
			64	0	22.52	22.16	22.56	0.5	23.5
			64	34	23.51	23.39	23.48	0.0	24.0
			64	69	22.60	22.61	22.61	0.5	23.5
		128	0	22.54	22.45	22.50	0.5	23.5	
		QPSK	1	1	23.55	23.71	23.62	0.0	24.0
			1	66	23.60	23.37	23.56	0.0	24.0
			1	131	23.94	23.38	23.06	0.0	24.0
			64	0	22.58	22.45	22.62	1.0	23.0
			64	34	23.48	23.40	23.56	0.0	24.0
			64	69	22.54	22.41	22.54	1.0	23.0
		128	0	22.54	22.44	22.53	1.0	23.0	
		16QAM	1	1	22.30	22.14	22.42	1.0	23.0
			1	66	22.42	22.27	22.35	1.0	23.0
64QAM	1	131	22.40	22.28	22.11	1.0	23.0		
	1	1	21.07	20.91	21.16	2.5	21.5		
256QAM	1	1	18.46	18.92	18.53	4.5	19.5		
CP-OFDM	QPSK	1	1	22.01	21.71	20.46	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502000	507000	512000		
					2510.00 MHz	2535.00 MHz	2560.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.31	23.27	23.34	0.0	24.0
			1	52	23.38	23.29	23.26	0.0	24.0
			1	104	23.44	23.30	22.87	0.0	24.0
			50	0	22.41	22.48	22.42	0.5	23.5
			50	28	23.39	23.41	23.41	0.0	24.0
			50	56	22.44	22.41	22.41	0.5	23.5
		100	0	22.45	22.46	22.42	0.5	23.5	
		QPSK	1	1	23.43	23.41	23.46	0.0	24.0
			1	52	23.37	23.37	23.36	0.0	24.0
			1	104	23.38	23.34	23.15	0.0	24.0
			50	0	22.45	22.48	22.51	1.0	23.0
			50	28	23.40	23.45	23.43	0.0	24.0
			50	56	22.46	22.43	22.42	1.0	23.0
		100	0	22.44	22.51	22.47	1.0	23.0	
		16QAM	1	1	22.21	22.19	22.36	1.0	23.0
			1	52	22.27	22.33	22.28	1.0	23.0
64QAM	1	104	22.27	22.39	22.21	1.0	23.0		
	1	1	21.02	21.01	21.09	2.5	21.5		
256QAM	1	1	18.23	18.21	18.36	4.5	19.5		
CP-OFDM	QPSK	1	1	21.95	21.92	22.09	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501500	507000	512500		
					2507.50 MHz	2535.00 MHz	2562.50 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.35	23.28	23.33	0.0	24.0
			1	39	23.37	23.29	23.32	0.0	24.0
			1	77	23.44	23.41	22.98	0.0	24.0
			36	0	22.41	22.47	22.47	0.5	23.5
			36	21	23.44	23.40	23.43	0.0	24.0
			36	43	22.41	22.46	22.45	0.5	23.5
		75	0	22.41	22.44	22.48	0.5	23.5	
		QPSK	1	1	23.43	23.41	23.46	0.0	24.0
			1	39	23.37	23.38	23.40	0.0	24.0
			1	77	23.38	23.44	23.29	0.0	24.0
			36	0	22.49	22.49	22.46	1.0	23.0
			36	21	23.42	23.48	23.45	0.0	24.0
			36	43	22.48	22.46	22.47	1.0	23.0
		75	0	22.46	22.52	22.49	1.0	23.0	
		16QAM	1	1	22.26	22.33	22.29	1.0	23.0
			1	39	22.30	22.29	22.30	1.0	23.0
64QAM	1	77	22.34	22.36	22.25	1.0	23.0		
	1	1	21.01	21.13	21.12	2.5	21.5		
256QAM	1	1	18.36	18.47	18.48	4.5	19.5		
CP-OFDM	QPSK	1	1	22.00	22.07	22.11	1.5	22.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501000	507000	513000		
					2505.00 MHz	2535.00 MHz	2565.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.33	23.37	23.31	0.0	24.0
			1	25	23.30	23.32	23.33	0.0	24.0
			1	50	23.33	23.37	23.07	0.0	24.0
			25	0	22.33	22.45	22.43	0.5	23.5
			25	13	23.26	23.37	23.29	0.0	24.0
			25	27	22.35	22.47	22.36	0.5	23.5
		QPSK	50	0	22.33	22.48	22.47	0.5	23.5
			1	1	23.39	23.35	23.43	0.0	24.0
			1	25	23.35	23.46	23.39	0.0	24.0
			1	50	23.34	23.44	23.38	0.0	24.0
			25	0	22.42	22.37	22.45	1.0	23.0
			25	13	23.31	23.32	23.43	0.0	24.0
		16QAM	25	27	22.44	22.51	22.44	1.0	23.0
			50	0	22.42	22.34	22.48	1.0	23.0
			1	1	22.30	22.24	22.30	1.0	23.0
		64QAM	1	25	22.21	22.22	22.27	1.0	23.0
			1	50	22.27	22.35	22.27	1.0	23.0
256QAM	1	1	21.02	20.99	21.11	2.5	21.5		
256QAM	1	1	18.35	19.43	18.34	4.5	19.5		
CP-OFDM	QPSK	1	1	22.06	21.99	22.06	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500500	507000	513500		
					2502.50 MHz	2535.00 MHz	2567.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	22.46	22.32	22.31	0.0	24.0
			1	12	22.42	22.33	22.44	0.0	24.0
			1	23	22.43	22.35	22.39	0.0	24.0
			12	0	22.45	22.31	22.31	0.5	23.5
			12	6	22.54	22.38	22.43	0.0	24.0
			12	13	22.33	22.39	22.39	0.5	23.5
		QPSK	25	0	22.41	22.44	22.47	0.5	23.5
			1	1	22.51	22.45	22.55	0.0	24.0
			1	12	22.49	22.49	22.49	0.0	24.0
			1	23	22.56	22.46	22.53	0.0	24.0
			12	0	22.42	22.33	22.39	1.0	23.0
			12	6	22.45	22.42	22.45	0.0	24.0
		16QAM	12	13	22.44	22.36	22.45	1.0	23.0
			25	0	22.52	22.43	22.49	1.0	23.0
			1	1	22.40	22.33	22.31	1.0	23.0
		64QAM	1	12	22.42	22.37	22.37	1.0	23.0
			1	23	22.40	22.38	22.31	1.0	23.0
256QAM	1	1	21.15	21.09	21.16	2.5	21.5		
256QAM	1	1	18.42	18.24	18.41	4.5	19.5		
CP-OFDM	QPSK	1	1	22.13	22.08	22.12	1.5	22.5	

NR Band n7 (ANT F)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504000	507000	510000		
					2520.00 MHz	2535.00 MHz	2550.00 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.22	23.26	23.31	0.0	24.0
			1	107	23.33	23.27	23.41	0.0	24.0
			1	214	23.39	23.28	23.42	0.0	24.0
			108	0	22.36	22.48	22.46	0.5	23.5
			108	54	23.35	23.45	23.44	0.0	24.0
			108	108	22.39	22.44	22.40	0.5	23.5
		216	0	22.30	22.41	22.40	0.5	23.5	
		QPSK	1	1	23.23	23.39	23.35	0.0	24.0
			1	107	23.31	23.37	23.39	0.0	24.0
			1	214	23.39	23.40	23.37	0.0	24.0
			108	0	22.44	22.40	22.49	1.0	23.0
			108	54	23.39	23.41	23.39	0.0	24.0
			108	108	22.48	22.45	22.41	1.0	23.0
		216	0	22.36	22.34	22.41	1.0	23.0	
		16QAM	1	1	22.18	22.24	22.24	1.0	23.0
			1	107	22.27	22.27	22.23	1.0	23.0
			1	214	22.33	22.28	22.39	1.0	23.0
		64QAM	1	1	20.84	20.93	20.96	2.5	21.5
256QAM	1	1	18.30	18.31	18.38	4.5	19.5		
CP-OFDM	QPSK	1	1	21.82	21.86	21.93	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503500	507000	510500		
					2517.50 MHz	2535.00 MHz	2552.50 MHz		
35 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.21	23.37	23.26	0.0	24.0
			1	93	23.43	23.36	23.49	0.0	24.0
			1	186	23.31	23.25	23.38	0.0	24.0
			90	0	22.40	22.41	22.37	0.5	23.5
			90	49	23.35	23.34	23.32	0.0	24.0
			90	98	22.41	22.35	22.35	0.5	23.5
		180	0	22.26	22.37	22.42	0.5	23.5	
		QPSK	1	1	23.28	23.33	23.37	0.0	24.0
			1	93	23.51	23.41	23.48	0.0	24.0
			1	186	23.33	23.29	23.35	0.0	24.0
			90	0	22.30	22.36	22.44	1.0	23.0
			90	49	23.27	23.36	23.43	0.0	24.0
			90	98	22.36	22.35	22.38	1.0	23.0
		180	0	22.36	22.31	22.36	1.0	23.0	
		16QAM	1	1	22.15	22.25	22.14	1.0	23.0
			1	93	22.15	22.12	22.16	1.0	23.0
			1	186	22.14	22.18	22.33	1.0	23.0
		64QAM	1	1	20.70	20.95	20.95	2.5	21.5
256QAM	1	1	18.20	18.33	18.30	4.5	19.5		
CP-OFDM	QPSK	1	1	21.28	21.37	21.38	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503000	507000	511000		
					2515.00 MHz	2535.00 MHz	2555.00 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.21	23.34	23.47	0.0	24.0
			1	79	23.26	23.42	23.39	0.0	24.0
			1	158	23.48	23.39	23.40	0.0	24.0
			80	0	22.72	22.79	22.84	0.5	23.5
			80	40	23.30	23.33	23.40	0.0	24.0
			80	80	22.82	22.80	22.84	0.5	23.5
		160	0	22.70	22.79	22.82	0.5	23.5	
		QPSK	1	1	23.21	23.30	23.44	0.0	24.0
			1	79	23.31	23.33	23.39	0.0	24.0
			1	158	23.35	23.31	23.36	0.0	24.0
			80	0	22.17	22.38	22.39	1.0	23.0
			80	40	23.21	22.29	23.36	0.0	24.0
			80	80	22.34	22.32	22.33	1.0	23.0
		160	0	22.23	22.28	22.34	1.0	23.0	
		16QAM	1	1	22.01	22.13	22.14	1.0	23.0
			1	79	22.06	22.15	22.17	1.0	23.0
			1	158	22.17	22.15	22.19	1.0	23.0
		64QAM	1	1	20.72	20.88	20.89	2.5	21.5
256QAM	1	1	18.10	18.17	18.26	4.5	19.5		
CP-OFDM	QPSK	1	1	21.81	21.84	21.95	1.5	22.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502500	507000	511500		
					2512.50 MHz	2535.00 MHz	2557.50 MHz		
25 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.21	23.24	22.75	0.0	24.0
			1	66	23.37	23.39	23.40	0.0	24.0
			1	131	23.36	23.36	22.88	0.0	24.0
			64	0	22.74	22.70	22.84	0.5	23.5
			64	34	23.36	23.38	23.43	0.0	24.0
			64	69	22.78	22.79	22.80	0.5	23.5
		128	0	22.69	22.81	22.77	0.5	23.5	
		QPSK	1	1	23.09	23.23	23.33	0.0	24.0
			1	66	23.23	23.36	23.24	0.0	24.0
			1	131	23.37	23.29	23.30	0.0	24.0
			64	0	22.22	22.25	22.34	1.0	23.0
			64	34	23.21	23.34	23.25	0.0	24.0
			64	69	22.37	22.36	22.20	1.0	23.0
		128	0	22.21	22.27	22.30	1.0	23.0	
		16QAM	1	1	22.01	22.15	22.53	1.0	23.0
			1	66	22.06	22.19	22.47	1.0	23.0
			1	131	22.25	22.19	22.38	1.0	23.0
		64QAM	1	1	20.74	20.84	20.75	2.5	21.5
256QAM	1	1	18.14	18.20	18.22	4.5	19.5		
CP-OFDM	QPSK	1	1	21.76	21.82	21.87	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502000	507000	512000		
					2510.00 MHz	2535.00 MHz	2560.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.05	23.13	23.28	0.0	24.0
			1	52	23.13	23.15	23.32	0.0	24.0
			1	104	23.19	23.11	23.29	0.0	24.0
			50	0	22.67	22.73	22.84	0.5	23.5
			50	28	23.20	23.26	23.37	0.0	24.0
			50	56	22.63	22.68	22.87	0.5	23.5
		100	0	22.64	22.74	22.85	0.5	23.5	
		QPSK	1	1	23.02	23.05	23.31	0.0	24.0
			1	52	23.08	23.12	23.29	0.0	24.0
			1	104	23.11	23.13	23.29	0.0	24.0
			50	0	22.11	22.19	22.30	1.0	23.0
			50	28	23.16	23.17	23.28	0.0	24.0
			50	56	22.20	22.19	22.32	1.0	23.0
		100	0	22.09	22.22	22.31	1.0	23.0	
		16QAM	1	1	21.94	22.02	22.17	1.0	23.0
			1	52	21.88	22.09	22.12	1.0	23.0
			1	104	22.06	22.01	22.18	1.0	23.0
		64QAM	1	1	20.64	20.72	20.79	2.5	21.5
256QAM	1	1	17.96	17.99	18.18	4.5	19.5		
CP-OFDM	QPSK	1	1	21.69	21.69	21.88	1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501500	507000	512500		
					2507.50 MHz	2535.00 MHz	2562.50 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.05	23.17	23.20	0.0	24.0
			1	39	23.03	23.14	23.21	0.0	24.0
			1	77	23.11	23.14	23.23	0.0	24.0
			36	0	22.54	22.68	22.75	0.5	23.5
			36	21	23.17	23.29	23.30	0.0	24.0
			36	43	22.67	22.71	22.77	0.5	23.5
		75	0	22.62	22.73	22.77	0.5	23.5	
		QPSK	1	1	23.04	23.19	23.23	0.0	24.0
			1	39	22.91	23.11	23.17	0.0	24.0
			1	77	23.07	23.10	23.23	0.0	24.0
			36	0	22.09	22.23	22.26	1.0	23.0
			36	21	23.11	23.18	23.21	0.0	24.0
			36	43	22.09	22.23	22.29	1.0	23.0
		75	0	22.12	22.24	22.25	1.0	23.0	
		16QAM	1	1	21.86	22.17	22.13	1.0	23.0
			1	39	21.88	22.05	22.13	1.0	23.0
			1	77	21.91	22.08	22.15	1.0	23.0
		64QAM	1	1	20.61	20.75	20.84	2.5	21.5
256QAM	1	1	17.99	18.11	18.24	4.5	19.5		
CP-OFDM	QPSK	1	1	21.61	21.76	21.86	1.5	22.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501000	507000	513000		
					2505.00 MHz	2535.00 MHz	2565.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.02	23.25	23.16	0.0	24.0
			1	25	23.04	23.21	23.17	0.0	24.0
			1	50	23.16	23.23	23.14	0.0	24.0
			25	0	22.58	22.74	22.72	0.5	23.5
			25	13	23.08	23.23	23.20	0.0	24.0
			25	27	22.58	22.78	22.67	0.5	23.5
		25	0	22.59	22.74	22.74	0.5	23.5	
		QPSK	1	1	23.08	23.23	23.20	0.0	24.0
			1	25	23.05	23.22	23.05	0.0	24.0
			1	50	23.04	23.21	23.08	0.0	24.0
			25	0	22.07	22.23	22.13	1.0	23.0
			25	13	23.02	23.14	23.17	0.0	24.0
			25	27	22.08	22.27	22.22	1.0	23.0
		16QAM	50	0	22.09	22.26	22.11	1.0	23.0
			1	1	21.99	22.11	21.98	1.0	23.0
			1	25	21.93	22.05	22.07	1.0	23.0
		64QAM	1	50	21.92	22.07	21.93	1.0	23.0
			1	1	20.58	20.84	20.72	2.5	21.5
		256QAM	1	1	17.88	18.12	18.00	4.5	19.5
		CP-OFDM	QPSK	1	1	21.61	21.84	21.76	1.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500500	507000	513500		
					2502.50 MHz	2535.00 MHz	2567.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.13	23.22	23.16	0.0	24.0
			1	12	23.11	23.22	23.13	0.0	24.0
			1	23	23.16	23.27	23.16	0.0	24.0
			12	0	22.54	22.61	22.58	0.5	23.5
			12	6	23.15	23.26	23.22	0.0	24.0
			12	13	22.56	22.69	22.62	0.5	23.5
		25	0	22.67	22.78	22.73	0.5	23.5	
		QPSK	1	1	23.15	23.23	23.23	0.0	24.0
			1	12	23.13	23.15	23.24	0.0	24.0
			1	23	23.11	23.23	23.16	0.0	24.0
			12	0	22.04	22.15	22.12	1.0	23.0
			12	6	23.10	22.15	22.10	0.0	24.0
			12	13	22.08	22.16	22.11	1.0	23.0
		16QAM	25	0	22.14	22.15	22.18	1.0	23.0
			1	1	21.97	22.03	22.07	1.0	23.0
			1	12	21.97	22.13	22.06	1.0	23.0
		64QAM	1	23	22.09	22.10	22.08	1.0	23.0
			1	1	20.69	20.73	20.86	2.5	21.5
		256QAM	1	1	17.98	18.04	18.13	4.5	19.5
		CP-OFDM	QPSK	1	1	21.70	21.77	21.83	1.5

NR Band n12 (ANT A)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					141300	141500	141700		
					706.50 MHz	707.50 MHz	708.50 MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.13	24.19	24.17	0.0	25.2
			1	39	24.11	24.17	24.14	0.0	25.2
			1	77	24.08	24.16	24.09	0.0	25.2
			36	0	23.57	23.68	23.81	0.5	24.7
			36	21	24.32	24.29	24.24	0.0	25.2
			36	43	23.77	23.73	23.69	0.5	24.7
		75	0	23.72	23.73	23.71	0.5	24.7	
		QPSK	1	1	24.19	24.20	24.16	0.0	25.2
			1	39	24.15	24.11	24.12	0.0	25.2
			1	77	24.15	24.11	24.10	0.0	25.2
			36	0	23.19	23.18	23.15	1.0	24.2
			36	21	24.20	24.21	24.15	0.0	25.2
			36	43	23.26	23.24	23.19	1.0	24.2
		75	0	23.25	23.24	23.18	1.0	24.2	
		16QAM	1	1	23.02	22.95	22.94	1.0	24.2
			1	39	22.97	22.95	22.92	1.0	24.2
			1	77	23.04	22.98	22.89	1.0	24.2
		64QAM	1	1	21.78	21.76	21.80	2.5	22.7
256QAM	1	1	19.16	19.08	19.09	4.5	20.7		
CP-OFDM	QPSK	1	1	22.80	22.72	22.75	1.5	23.7	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					140800	141500	142200		
					704.00 MHz	707.50 MHz	711.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.19	24.32	24.22	0.0	25.2
			1	25	23.95	24.25	24.09	0.0	25.2
			1	50	24.19	24.10	24.16	0.0	25.2
			25	0	23.49	23.82	23.68	0.5	24.7
			25	13	24.06	24.26	24.13	0.0	25.2
			25	27	23.71	23.69	23.58	0.5	24.7
		50	0	23.75	23.73	23.67	0.5	24.7	
		QPSK	1	1	24.15	24.33	24.13	0.0	25.2
			1	25	24.18	24.26	24.12	0.0	25.2
			1	50	24.21	24.11	24.18	0.0	25.2
			25	0	23.01	23.26	23.21	1.0	24.2
			25	13	24.08	24.11	24.03	0.0	25.2
			25	27	23.18	23.17	23.10	1.0	24.2
		50	0	23.27	23.19	23.11	1.0	24.2	
		16QAM	1	1	23.00	22.95	23.01	1.0	24.2
			1	25	23.07	23.07	22.97	1.0	24.2
			1	50	23.00	22.99	22.88	1.0	24.2
		64QAM	1	1	21.77	21.78	21.81	2.5	22.7
256QAM	1	1	19.05	19.03	19.02	4.5	20.7		
CP-OFDM	QPSK	1	1	22.56	22.73	22.74	1.5	23.7	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					140300	141500	142700		
					701.50 MHz	707.50 MHz	713.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.02	24.26	24.08	0.0	25.2
			1	12	23.87	24.18	24.15	0.0	25.2
			1	23	23.86	24.16	24.17	0.0	25.2
			12	0	23.44	23.67	23.55	0.5	24.7
			12	6	23.89	24.21	24.04	0.0	25.2
			12	13	23.51	23.62	23.44	0.5	24.7
		25	0	23.66	23.79	23.59	0.5	24.7	
		QPSK	1	1	24.19	24.30	24.14	0.0	25.2
			1	12	24.06	24.27	24.11	0.0	25.2
			1	23	23.99	24.20	24.19	0.0	25.2
			12	0	22.96	23.18	23.02	1.0	24.2
			12	6	23.92	24.14	23.99	0.0	25.2
			12	13	22.98	23.08	22.98	1.0	24.2
		25	0	23.11	23.24	23.07	1.0	24.2	
		16QAM	1	1	22.96	23.08	22.98	1.0	24.2
			1	12	22.95	23.06	22.89	1.0	24.2
			1	23	22.93	23.05	22.83	1.0	24.2
		64QAM	1	1	21.75	21.87	21.66	2.5	22.7
256QAM	1	1	19.21	19.17	19.03	4.5	20.7		
CP-OFDM	QPSK	1	1	22.32	22.82	22.67	1.5	23.7	

NR Band n12 (ANT E)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					141300	141500	141700		
					706.50 MHz	707.50 MHz	708.50 MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.24	24.20	24.30	0.0	25.2
			1	39	24.24	24.12	24.20	0.0	25.2
			1	77	24.17	24.14	24.17	0.0	25.2
			36	0	23.41	23.42	23.34	0.5	24.7
			36	21	24.36	24.28	24.33	0.0	25.2
			36	43	23.33	23.35	23.30	0.5	24.7
		75	0	23.40	23.30	23.35	0.5	24.7	
		QPSK	1	1	24.32	24.42	24.41	0.0	25.2
			1	39	24.32	24.26	24.12	0.0	25.2
			1	77	24.29	24.20	24.19	0.0	25.2
			36	0	23.43	23.36	23.36	1.0	24.2
			36	21	23.94	23.97	23.89	0.0	25.2
			36	43	23.34	23.95	23.32	1.0	24.2
		75	0	23.27	23.96	23.25	1.0	24.2	
		16QAM	1	1	23.10	23.97	23.23	1.0	24.2
			1	39	23.17	23.12	23.11	1.0	24.2
		64QAM	1	77	23.05	23.14	23.14	1.0	24.2
			1	1	21.96	21.93	21.89	2.5	22.7
256QAM	1	1	19.28	19.23	19.25	4.5	20.7		
CP-OFDM	QPSK	1	1	22.92	22.95	22.92	1.5	23.7	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					140800	141500	142200		
					704.00 MHz	707.50 MHz	711.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.54	24.55	24.55	0.0	25.2
			1	25	24.47	24.55	24.53	0.0	25.2
			1	50	24.51	24.47	24.42	0.0	25.2
			25	0	23.98	23.88	23.87	0.5	24.7
			25	13	24.48	24.50	24.46	0.0	25.2
			25	27	23.95	23.87	23.87	0.5	24.7
		50	0	23.89	23.81	23.83	0.5	24.7	
		QPSK	1	1	24.45	24.54	24.50	0.0	25.2
			1	25	24.49	24.46	24.38	0.0	25.2
			1	50	24.45	24.46	24.43	0.0	25.2
			25	0	23.47	23.38	23.43	1.0	24.2
			25	13	24.41	24.39	24.37	0.0	25.2
			25	27	23.38	23.36	23.30	1.0	24.2
		50	0	23.41	23.32	23.34	1.0	24.2	
		16QAM	1	1	23.12	23.39	23.18	1.0	24.2
			1	25	23.30	23.11	23.04	1.0	24.2
		64QAM	1	50	23.12	23.05	23.19	1.0	24.2
			1	1	21.96	21.99	22.03	2.5	22.7
256QAM	1	1	19.24	19.32	19.24	4.5	20.7		
CP-OFDM	QPSK	1	1	23.00	22.96	22.99	1.5	23.7	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					140300	141500	142700		
					701.50 MHz	707.50 MHz	713.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.51	24.44	24.37	0.0	25.2
			1	12	24.61	24.15	24.45	0.0	25.2
			1	23	24.48	24.15	24.32	0.0	25.2
			12	0	23.81	23.37	23.87	0.5	24.7
			12	6	23.92	24.44	24.48	0.0	25.2
			12	13	23.95	23.83	23.80	0.5	24.7
		25	0	23.99	23.86	23.88	0.5	24.7	
		QPSK	1	1	24.41	24.09	24.35	0.0	25.2
			1	12	24.57	24.13	24.44	0.0	25.2
			1	23	24.43	24.30	24.33	0.0	25.2
			12	0	23.22	23.04	23.32	1.0	24.2
			12	6	24.17	24.29	24.36	0.0	25.2
			12	13	23.14	23.04	23.31	1.0	24.2
		25	0	23.31	23.23	23.37	1.0	24.2	
		16QAM	1	1	23.25	23.29	23.04	1.0	24.2
			1	12	23.32	22.93	23.12	1.0	24.2
		64QAM	1	23	23.11	22.89	23.15	1.0	24.2
			1	1	21.99	21.80	21.97	2.5	22.7
256QAM	1	1	19.34	19.10	19.23	4.5	20.7		
CP-OFDM	QPSK	1	1	23.04	22.73	22.98	1.5	23.7	

NR Band n30 (ANT A)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
						462000			
						2310.00 MHz			
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1		22.65		0.0	23.5
			1	25		22.64		0.0	23.5
			1	50		22.72		0.0	23.5
			25	0		21.66		0.5	23.0
			25	13		22.61		0.0	23.5
			25	27		21.69		0.5	23.0
			50	0		21.71		0.5	23.0
		QPSK	1	1		22.72		0.0	23.5
			1	25		22.71		0.0	23.5
			1	50		22.71		0.0	23.5
			25	0		21.74		1.0	22.5
			25	13		22.67		0.0	23.5
			25	27		21.73		1.0	22.5
			50	0		21.77		1.0	22.5
		16QAM	1	1		21.57		1.0	22.5
1	25			21.54		1.0	22.5		
1	50			21.69		1.0	22.5		
64QAM	1	1		20.23		2.5	21.0		
256QAM	1	1		17.56		4.5	19.0		
CP-OFDM	QPSK	1	1		21.37		1.5	22.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					461500	462000	462500		
					2307.50 MHz	2310.00 MHz	2312.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	22.81	22.80	22.80	0.0	23.5
			1	12	22.86	22.83	22.77	0.0	23.5
			1	23	22.83	22.78	22.79	0.0	23.5
			12	0	21.79	21.80	21.84	0.5	23.0
			12	6	22.80	22.83	22.78	0.0	23.5
			12	13	21.71	21.76	21.72	0.5	23.0
			25	0	21.80	21.86	21.80	0.5	23.0
		QPSK	1	1	22.93	22.89	22.82	0.0	23.5
			1	12	22.89	22.89	22.82	0.0	23.5
			1	23	22.84	22.84	22.79	0.0	23.5
			12	0	21.77	21.71	21.79	1.0	22.5
			12	6	22.84	22.73	22.79	0.0	23.5
			12	13	21.77	21.66	21.72	1.0	22.5
			25	0	21.79	21.78	21.82	1.0	22.5
		16QAM	1	1	21.67	21.69	21.65	1.0	22.5
			1	12	21.65	21.69	21.72	1.0	22.5
			1	23	21.64	21.77	21.73	1.0	22.5
		64QAM	1	1	20.40	20.38	20.47	2.5	21.0
		256QAM	1	1	17.72	17.71	17.75	4.5	19.0
CP-OFDM	QPSK	1	1	21.48	21.47	21.49	1.5	22.0	

NR Band n30 (ANT F)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
						462000			
					2310.00 MHz				
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1		22.07		0.0	23.0
			1	25		22.23		0.0	23.0
			1	50		22.04		0.0	23.0
			25	0		21.62		0.5	22.5
			25	13		22.20		0.0	23.0
			25	27		21.59		0.5	22.5
		50	0		21.57		0.5	22.5	
		QPSK	1	1		22.22		0.0	23.0
			1	25		22.28		0.0	23.0
			1	50		22.04		0.0	23.0
			25	0		21.07		1.0	22.0
			25	13		22.13		0.0	23.0
			25	27		21.06		1.0	22.0
		16QAM	50	0		21.09		1.0	22.0
			1	1		21.07		1.0	22.0
1	25			21.09		1.0	22.0		
64QAM	1	50		21.11		1.0	22.0		
	1	1		19.77		2.5	20.5		
256QAM	1	1		17.15		4.5	18.5		
	CP-OFDM	QPSK	1	1		20.63		1.5	21.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					461500	462000	462500		
					2307.50 MHz	2310.00 MHz	2312.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	22.08	22.10	22.19	0.0	23.0
			1	12	22.24	22.19	22.23	0.0	23.0
			1	23	22.05	22.12	22.06	0.0	23.0
			12	0	21.58	21.62	21.76	0.5	22.5
			12	6	22.22	22.24	22.25	0.0	23.0
			12	13	21.66	21.63	21.64	0.5	22.5
		25	0	21.61	21.61	21.59	0.5	22.5	
		QPSK	1	1	21.98	22.16	22.16	0.0	23.0
			1	12	22.23	22.17	22.16	0.0	23.0
			1	23	21.99	22.00	22.00	0.0	23.0
			12	0	21.06	21.19	21.14	1.0	22.0
			12	6	22.21	22.15	22.17	0.0	23.0
			12	13	21.04	21.08	21.04	1.0	22.0
		16QAM	25	0	21.03	21.15	21.11	1.0	22.0
			1	1	20.92	21.08	21.14	1.0	22.0
			1	12	21.01	21.01	21.11	1.0	22.0
		64QAM	1	23	21.01	20.95	20.99	1.0	22.0
			1	1	19.69	19.80	19.87	2.5	20.5
256QAM	1	1	17.05	17.06	17.07	4.5	18.5		
	CP-OFDM	QPSK	1	1	20.77	20.76	20.84	1.5	21.5

NR Band n41 (PC2) (ANT B)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					509202 2546.01 MHz	518598 2592.99 MHz	528000 2640 MHz		
100 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.84	25.83	26.77	0.0	27.0
			1	137	25.32	26.71	26.74	0.0	27.0
			1	271	25.24	26.86	26.84	0.0	27.0
			135	0	25.73	26.24	26.19	0.5	26.5
			135	69	26.45	26.67	26.60	0.0	27.0
			135	138	25.94	26.23	26.13	0.5	26.5
		270	0	26.04	25.98	26.23	0.5	26.5	
		QPSK	1	1	26.54	26.90	26.83	0.0	27.0
			1	137	26.25	26.28	26.48	0.0	27.0
			1	271	26.07	26.53	25.95	0.0	27.0
			135	0	25.60	25.73	25.73	1.0	26.0
			135	69	26.44	26.58	26.53	0.0	27.0
			135	138	25.42	25.73	25.61	1.0	26.0
		16QAM	270	0	25.59	25.70	25.82	1.0	26.0
			1	1	25.48	25.76	25.79	1.0	26.0
			1	137	25.12	25.45	25.51	1.0	26.0
64QAM	1	271	24.87	25.72	25.04	1.0	26.0		
	1	1	24.17	24.34	24.37	2.5	24.5		
256QAM	1	1	22.25	22.39	22.15	4.5	22.5		
CP-OFDM	QPSK	1	1	25.01	25.46	25.49	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					508200 2541 MHz	518598 2592.99 MHz	528996 2644.98 MHz		
					90 MHz	DFT-s-OFDM	π/2 BPSK	1	1
1	123	25.42	26.74	25.76				0.0	27.0
1	243	25.72	26.80	26.57				0.0	27.0
120	0	25.82	26.17	26.18				0.5	26.5
120	63	26.33	26.81	26.71				0.0	27.0
120	125	26.02	26.24	26.16				0.5	26.5
243	0	25.84	26.21	26.23			0.5	26.5	
QPSK	1	1	26.17	26.85			26.84	0.0	27.0
	1	123	26.05	26.63			26.59	0.0	27.0
	1	243	25.38	26.81			26.24	0.0	27.0
	120	0	25.47	25.69			25.77	1.0	26.0
	120	63	26.43	26.69			26.62	0.0	27.0
	120	125	25.50	25.68			25.67	1.0	26.0
16QAM	243	0	25.53	25.71			25.73	1.0	26.0
	1	1	25.55	25.72			25.91	1.0	26.0
	1	1	24.21	24.40			24.35	2.5	24.5
64QAM	1	1	22.30	22.46	22.23	4.5	22.5		
256QAM	1	1	22.30	22.46	22.23	4.5	22.5		
CP-OFDM	QPSK	1	1	24.97	25.26	25.41	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					507204 2536.02 MHz	518598 2592.99 MHz	529998 2649.99 MHz		
					80 MHz	DFT-s-OFDM	π/2 BPSK	1	1
1	109	26.38	26.71	25.45				0.0	27.0
1	215	25.69	26.80	26.06				0.0	27.0
108	0	26.08	26.14	26.22				0.5	26.5
108	55	26.48	26.82	26.70				0.0	27.0
108	109	26.04	26.29	25.96				0.5	26.5
216	0	26.03	26.14	26.21			0.5	26.5	
QPSK	1	1	26.28	26.12			26.73	0.0	27.0
	1	109	26.39	26.58			26.24	0.0	27.0
	1	215	25.38	26.70			26.03	0.0	27.0
	108	0	25.56	25.66			25.72	1.0	26.0
	108	55	26.40	26.73			26.66	0.0	27.0
	108	109	25.45	25.80			25.73	1.0	26.0
16QAM	216	0	25.53	25.70			25.61	1.0	26.0
	1	1	25.35	25.39			25.58	1.0	26.0
	1	1	24.01	24.10			24.27	2.5	24.5
64QAM	1	1	21.97	21.84	22.06	4.5	22.5		
256QAM	1	1	21.97	21.84	22.06	4.5	22.5		
CP-OFDM	QPSK	1	1	24.82	24.73	25.30	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					506202	518598	531000		
					2531.02 MHz	2592.99 MHz	2655 MHz		
70 MHz	DFT-s-OFDM	π/2 BPSK	1	1	26.06	26.78	26.76	0.0	27.0
			1	95	26.31	26.75	25.50	0.0	27.0
			1	188	25.42	26.73	25.16	0.0	27.0
			90	0	25.84	26.23	26.25	0.5	26.5
			90	50	26.35	26.75	26.65	0.0	27.0
			90	99	25.89	26.33	26.10	0.5	26.5
		180	0	25.84	26.23	26.14	0.5	26.5	
		QPSK	1	1	26.17	26.44	26.68	0.0	27.0
			1	95	26.14	26.52	26.50	0.0	27.0
			1	188	25.45	26.67	26.34	0.0	27.0
			90	0	25.36	25.62	25.64	1.0	26.0
			90	50	26.29	26.67	26.60	0.0	27.0
			90	99	25.36	25.82	25.66	1.0	26.0
		180	0	25.33	25.70	25.65	1.0	26.0	
16QAM	1	1	25.16	25.36	25.57	1.0	26.0		
64QAM	1	1	23.74	24.11	24.14	2.5	24.5		
256QAM	1	1	21.62	21.86	22.02	4.5	22.5		
CP-OFDM	QPSK	1	1	23.67	24.71	25.25	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					505200	518598	531996		
					2526 MHz	2592.99 MHz	2659.98 MHz		
60 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.64	26.03	26.43	0.0	27.0
			1	81	26.20	26.14	26.20	0.0	27.0
			1	160	26.13	26.30	25.82	0.0	27.0
			81	0	25.27	25.69	25.77	0.5	26.5
			81	41	26.19	26.23	26.24	0.0	27.0
			81	81	25.47	25.75	25.66	0.5	26.5
		162	0	25.49	25.69	25.79	0.5	26.5	
		QPSK	1	1	25.69	25.98	26.30	0.0	27.0
			1	81	26.01	26.03	26.16	0.0	27.0
			1	160	25.35	26.27	25.94	0.0	27.0
			81	0	25.20	25.22	25.26	1.0	26.0
			81	41	26.06	26.08	26.15	0.0	27.0
			81	81	25.18	25.25	25.17	1.0	26.0
		162	0	25.12	25.18	25.26	1.0	26.0	
16QAM	1	1	25.03	25.14	25.14	1.0	26.0		
64QAM	1	1	23.67	23.76	24.00	2.5	24.5		
256QAM	1	1	21.65	21.68	21.60	4.5	22.5		
CP-OFDM	QPSK	1	1	24.51	24.65	24.90	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504204	518598	532998		
					2521.01 MHz	2592.99 MHz	2665 MHz		
50 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.75	25.93	26.51	0.0	27.0
			1	67	26.42	26.38	26.20	0.0	27.0
			1	131	26.09	26.49	25.92	0.0	27.0
			64	0	25.59	25.87	25.95	0.5	26.5
			64	35	26.47	26.50	26.44	0.0	27.0
			64	69	25.83	26.01	25.88	0.5	26.5
		128	0	25.85	25.83	25.82	0.5	26.5	
		QPSK	1	1	25.79	26.04	26.51	0.0	27.0
			1	67	26.26	26.29	26.21	0.0	27.0
			1	131	26.00	26.47	26.05	0.0	27.0
			64	0	25.20	25.42	25.46	1.0	26.0
			64	35	26.43	26.44	26.39	0.0	27.0
			64	69	25.33	25.49	25.38	1.0	26.0
		128	0	25.28	25.39	25.35	1.0	26.0	
16QAM	1	1	24.79	25.03	25.29	1.0	26.0		
64QAM	1	1	23.39	23.54	23.90	2.5	24.5		
256QAM	1	1	21.50	21.49	21.94	4.5	22.5		
CP-OFDM	QPSK	1	1	24.38	24.49	25.08	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503202	518598	534000		
					2516.01 MHz	2592.99 MHz	2670 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.57	25.94	26.17	0.0	27.0
			1	53	26.05	26.29	26.21	0.0	27.0
			1	104	26.32	26.30	26.00	0.0	27.0
			50	0	25.34	25.70	25.71	0.5	26.5
			50	28	26.30	26.34	26.22	0.0	27.0
			50	56	25.85	25.82	25.66	0.5	26.5
		100	0	25.71	25.71	25.66	0.5	26.5	
		QPSK	1	1	25.69	26.01	26.18	0.0	27.0
			1	53	26.16	26.13	26.06	0.0	27.0
			1	104	26.17	26.17	25.95	0.0	27.0
			50	0	25.06	25.23	25.18	1.0	26.0
			50	28	26.23	26.24	26.12	0.0	27.0
			50	56	25.34	25.28	25.15	1.0	26.0
			100	0	25.24	25.22	25.15	1.0	26.0
16QAM	1		1	24.71	24.97	25.05	1.0	26.0	
64QAM	1	1	23.51	23.67	23.79	2.5	24.5		
256QAM	1	1	21.79	21.67	21.61	4.5	22.5		
CP-OFDM	QPSK	1	1	24.21	24.55	24.75	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502200	518598	534996		
					2511 MHz	2592.99 MHz	2675.0 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.60	26.31	26.30	0.0	27.0
			1	39	25.75	26.30	26.23	0.0	27.0
			1	76	26.38	26.36	25.88	0.0	27.0
			36	0	25.35	26.34	25.65	0.5	26.5
			36	21	26.21	26.34	26.29	0.0	27.0
			36	42	25.77	26.43	25.71	0.5	26.5
		75	0	25.79	26.36	25.74	0.5	26.5	
		QPSK	1	1	25.71	26.39	26.21	0.0	27.0
			1	39	25.94	26.39	26.12	0.0	27.0
			1	76	26.21	26.41	25.97	0.0	27.0
			36	0	25.08	25.63	25.18	1.0	26.0
			36	21	26.23	26.40	26.20	0.0	27.0
			36	42	25.25	25.83	25.22	1.0	26.0
			75	0	25.26	25.28	25.25	1.0	26.0
16QAM	1		1	24.63	25.13	25.01	1.0	26.0	
64QAM	1	1	23.65	23.86	23.81	2.5	24.5		
256QAM	1	1	21.32	21.77	21.67	4.5	22.5		
CP-OFDM	QPSK	1	1	24.29	24.59	24.72	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502200	518598	534996		
					2511 MHz	2592.99 MHz	2675.0 MHz		
25 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.38	26.22	26.20	0.0	27.0
			1	32	25.60	26.26	26.23	0.0	27.0
			1	63	26.00	26.35	26.30	0.0	27.0
			32	0	25.12	26.28	26.31	0.5	26.5
			32	16	26.13	26.13	26.10	0.0	27.0
			32	33	25.98	26.33	26.25	0.5	26.5
		64	0	25.65	26.20	26.13	0.5	26.5	
		QPSK	1	1	25.73	26.34	26.26	0.0	27.0
			1	32	25.99	26.45	26.33	0.0	27.0
			1	63	26.26	26.40	26.20	0.0	27.0
			32	0	25.11	25.50	25.42	1.0	26.0
			32	16	26.20	26.13	26.05	0.0	27.0
			32	33	25.38	25.77	25.65	1.0	26.0
			64	0	25.19	25.30	25.25	1.0	26.0
16QAM	1		1	24.50	25.20	25.02	1.0	26.0	
64QAM	1	1	23.52	23.77	23.65	2.5	24.5		
256QAM	1	1	21.43	21.74	21.57	4.5	22.5		
CP-OFDM	QPSK	1	1	24.31	24.45	24.66	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501204	518598	535998		
					2506.02 MHz	2592.99 MHz	2679.99 MHz		
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.27	26.16	25.65	0.0	27.0
			1	26	25.38	26.20	25.53	0.0	27.0
			1	49	25.63	26.09	25.57	0.0	27.0
			25	0	25.63	25.70	25.63	0.5	26.5
			25	13	26.08	26.16	26.08	0.0	27.0
			25	26	25.64	25.69	25.54	0.5	26.5
		QPSK	1	1	25.66	26.12	26.02	0.0	27.0
			1	26	26.31	26.14	26.05	0.0	27.0
			1	49	26.12	26.16	26.11	0.0	27.0
			25	0	25.18	25.21	25.07	1.0	26.0
			25	13	26.11	26.15	26.06	0.0	27.0
			25	26	25.19	25.18	25.07	1.0	26.0
			50	0	25.62	25.67	25.63	1.0	26.0
			16QAM	1	1	24.67	25.11	25.06	1.0
64QAM	1	1	23.33	23.79	23.49	2.5	24.5		
256QAM	1	1	22.18	22.42	22.40	4.5	22.5		
CP-OFDM	QPSK	1	1	24.08	24.61	24.55	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500700	518598	536496		
					2503.5 MHz	2592.99 MHz	2682.48MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.40	26.00	26.08	0.0	27.0
			1	19	25.86	26.04	26.13	0.0	27.0
			1	36	26.11	26.29	26.11	0.0	27.0
			18	0	25.17	25.62	25.51	0.5	26.5
			18	10	25.99	26.26	26.11	0.0	27.0
			18	20	25.67	25.71	25.62	0.5	26.5
		QPSK	36	0	25.44	25.69	25.54	0.5	26.5
			1	1	25.52	26.08	25.98	0.0	27.0
			1	19	25.91	26.10	25.83	0.0	27.0
			1	36	26.08	26.13	26.11	0.0	27.0
			18	0	24.76	25.17	25.09	1.0	26.0
			18	10	25.90	26.15	26.02	0.0	27.0
			18	20	25.16	25.18	25.02	1.0	26.0
			36	0	25.05	25.20	25.08	1.0	26.0
16QAM	1	1	24.68	25.14	25.07	1.0	26.0		
64QAM	1	1	23.42	23.77	23.46	2.5	24.5		
256QAM	1	1	22.27	22.33	22.35	4.5	22.5		
CP-OFDM	QPSK	1	1	24.20	24.77	24.59	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500202	518598	537000		
					2501.01 MHz	2592.99 MHz	2685 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.90	26.24	26.19	0.0	27.0
			1	12	25.75	26.38	26.18	0.0	27.0
			1	22	26.02	26.24	26.12	0.0	27.0
			12	0	24.67	25.73	25.61	0.5	26.5
			12	6	25.88	26.23	26.14	0.0	27.0
			12	12	25.11	25.74	25.56	0.5	26.5
		QPSK	24	0	24.98	25.74	25.58	0.5	26.5
			1	1	25.50	26.14	26.10	0.0	27.0
			1	12	25.75	26.10	26.18	0.0	27.0
			1	22	26.13	26.25	26.11	0.0	27.0
			12	0	24.79	25.25	25.10	1.0	26.0
			12	6	25.92	26.20	26.07	0.0	27.0
			12	12	25.15	25.23	25.17	1.0	26.0
			24	0	24.97	25.21	25.15	1.0	26.0
16QAM	1	1	24.74	25.04	25.11	1.0	26.0		
64QAM	1	1	23.22	23.83	23.73	2.5	24.5		
256QAM	1	1	22.14	21.68	22.13	4.5	22.5		
CP-OFDM	QPSK	1	1	24.14	24.77	24.76	1.5	25.5	

NR Band n41 (PC2, SRS1) (ANT F)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				
			SRS1			MPR	Tune-up Limit
			Measured Pwr (dBm)				
100 MHz	1	1	509202	518598	528000	0.0	24.0
			2546.01 MHz	2592.99 MHz	2640 MHz		
			22.25	23.45	23.80		
90 MHz	1	1	508200	518598	528996	0.0	24.0
			2541 MHz	2592.99 MHz	2644.98 MHz		
			22.28	23.51	23.26		
80 MHz	1	1	507202	518598	529998	0.0	24.0
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			22.20	23.38	22.55		
70 MHz	1	1	507204	518598	531000	0.0	24.0
			2536.02 MHz	2592.99 MHz	2655 MHz		
			22.54	23.23	22.12		
60 MHz	1	1	506202	518598	531996	0.0	24.0
			2531.02 MHz	2592.99 MHz	2659.98 MHz		
			22.15	22.93	22.38		
50 MHz	1	1	504204	518598	532998	0.0	24.0
			2521.01 MHz	2592.99 MHz	2665 MHz		
			21.80	23.11	21.95		
40 MHz	1	1	503202	518598	534000	0.0	24.0
			2516.01 MHz	2592.99 MHz	2670 MHz		
			21.88	23.22	22.30		
30 MHz	1	1	502200	518598	534996	0.0	24.0
			2511 MHz	2592.99 MHz	2675.0 MHz		
			22.00	23.19	22.51		
25 MHz	1	1	501702	518598	535500	0.0	24.0
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			21.90	23.36	21.56		
20 MHz	1	1	501204	518598	535998	0.0	24.0
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			21.52	23.43	21.80		
15 MHz	1	1	500700	518598	536496	0.0	24.0
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			21.65	23.51	21.64		
10 MHz	1	1	500202	518598	537000	0.0	24.0
			2501.01 MHz	2592.99 MHz	2685 MHz		
			21.55	23.23	21.56		

NR Band n41 (PC2, SRS2) (ANT D)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				
			SRS2			MPR	Tune-up Limit
			Measured Pwr (dBm)				
100 MHz	1	1	509202	518598	528000	0.0	23.5
			2546.01 MHz	2592.99 MHz	2640 MHz		
			22.70	23.40	23.30		
90 MHz	1	1	508200	518598	528996	0.0	23.5
			2541 MHz	2592.99 MHz	2644.98 MHz		
			22.64	23.31	23.27		
80 MHz	1	1	507204	518598	529998	0.0	23.5
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			22.55	23.30	23.20		
70 MHz	1	1	506202	518598	531000	0.0	23.5
			2531.02 MHz	2592.99 MHz	2655 MHz		
			22.43	23.21	23.11		
60 MHz	1	1	505200	518598	531996	0.0	23.5
			2526 MHz	2592.99 MHz	2659.98 MHz		
			22.42	22.90	23.03		
50 MHz	1	1	504204	518598	532998	0.0	23.5
			2521.01 MHz	2592.99 MHz	2665 MHz		
			22.47	23.50	23.16		
40 MHz	1	1	503202	518598	534000	0.0	23.5
			2516.01 MHz	2592.99 MHz	2670 MHz		
			22.37	22.62	23.02		
30 MHz	1	1	502200	518598	534996	0.0	23.5
			2511 MHz	2592.99 MHz	2675.0 MHz		
			22.52	22.74	23.02		
25 MHz	1	1	501702	518598	535500	0.0	23.5
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			22.23	22.72	23.11		
20 MHz	1	1	501204	518598	535998	0.0	23.5
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			21.74	22.95	22.21		
15 MHz	1	1	500700	518598	536496	0.0	23.5
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			21.90	22.98	22.65		
10 MHz	1	1	500202	518598	537000	0.0	23.5
			2501.01 MHz	2592.99 MHz	2685 MHz		
			21.80	22.93	22.90		

NR Band n41 (PC2, SRS3) (ANT E)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				Tune-up Limit
			SRS3			MPR	
			Measured Pwr (dBm)				
100 MHz	1	1	509202	518598	528000	MPR	18.0
			2546.01 MHz	2592.99 MHz	2640 MHz		
			16.16	16.98	17.41		
90 MHz	1	1	508200	518598	528996	MPR	18.0
			2541 MHz	2592.99 MHz	2644.98 MHz		
			16.08	16.52	17.36		
80 MHz	1	1	507204	518598	529998	MPR	18.0
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			16.02	15.94	17.33		
70 MHz	1	1	506202	518598	531000	MPR	18.0
			2531.02 MHz	2592.99 MHz	2655 MHz		
			15.73	15.58	17.35		
60 MHz	1	1	505200	518598	531996	MPR	18.0
			2526 MHz	2592.99 MHz	2659.98 MHz		
			16.24	15.73	16.96		
50 MHz	1	1	504204	518598	532998	MPR	18.0
			2521.01 MHz	2592.99 MHz	2665 MHz		
			16.38	16.15	16.68		
40 MHz	1	1	503202	518598	534000	MPR	18.0
			2516.01 MHz	2592.99 MHz	2670 MHz		
			16.19	16.22	16.31		
30 MHz	1	1	502200	518598	534996	MPR	18.0
			2511 MHz	2592.99 MHz	2675.0 MHz		
			16.15	16.17	15.55		
25 MHz	1	1	501702	518598	535500	MPR	18.0
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			16.12	16.37	15.61		
20 MHz	1	1	501204	518598	535998	MPR	18.0
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			16.23	16.29	15.62		
15 MHz	1	1	500700	518598	536496	MPR	18.0
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			15.88	16.41	15.88		
10 MHz	1	1	500202	518598	537000	MPR	18.0
			2501.01 MHz	2592.99 MHz	2685 MHz		
			16.64	16.33	15.54		

NR Band n41 (PC2, ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					509202 2546.01 MHz	518598 2592.99 MHz	528000 2640 MHz		
100 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.50	25.66	25.65	0.0	27.0
			1	137	25.61	25.48	25.44	0.0	27.0
			1	271	25.08	25.62	25.45	0.0	27.0
			135	0	25.20	24.93	25.01	0.5	26.5
			135	69	25.63	25.48	25.46	0.0	27.0
			135	138	25.02	25.11	24.88	0.5	26.5
		270	0	25.12	25.00	25.04	0.5	26.5	
		QPSK	1	1	25.85	25.73	25.71	0.0	27.0
			1	137	25.53	25.59	25.51	0.0	27.0
			1	271	25.74	25.68	25.48	0.0	27.0
			135	0	24.72	24.65	24.66	1.0	26.0
			135	69	25.61	25.48	25.44	0.0	27.0
	135		138	24.57	24.70	24.51	1.0	26.0	
	16QAM	270	0	24.71	24.67	24.64	1.0	26.0	
		1	1	24.70	24.81	24.59	1.0	26.0	
		1	137	24.58	24.48	24.42	1.0	26.0	
64QAM	1	1	24.36	24.65	24.50	1.0	26.0		
	1	271	24.70	24.81	24.59	1.0	26.0		
256QAM	1	1	23.24	22.98	23.05	2.5	24.5		
	1	1	21.32	21.11	21.17	4.5	22.5		
CP-OFDM	QPSK	1	1	24.00	24.27	24.27	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					508200 2541 MHz	518598 2592.99 MHz	528996 2644.98 MHz		
					90 MHz	DFT-s-OFDM	π/2 BPSK	1	1
1	123	25.63	25.65	25.52				0.0	27.0
1	243	24.55	25.64	25.51				0.0	27.0
120	0	24.50	24.92	25.05				0.5	26.5
120	63	25.49	25.54	25.46				0.0	27.0
120	125	24.47	25.11	24.94				0.5	26.5
243	0	24.47	25.12	25.01			0.5	26.5	
QPSK	1	1	25.82	25.69			25.67	0.0	27.0
	1	123	25.55	25.60			25.44	0.0	27.0
	1	243	25.70	25.62			25.50	0.0	27.0
	120	0	24.71	24.65			24.67	1.0	26.0
	120	63	25.62	25.59			25.50	0.0	27.0
	120	125	24.56	24.69		24.53	1.0	26.0	
16QAM	243	0	24.66	24.61		24.56	1.0	26.0	
	1	1	24.69	24.76		24.88	1.0	26.0	
	1	1	23.29	23.05		23.00	2.5	24.5	
64QAM	1	1	21.22	21.10	21.06	4.5	22.5		
	1	1	24.04	24.19	24.19	1.5	25.5		
CP-OFDM	QPSK	1	1	24.04	24.19	24.19	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					507204 2536.02 MHz	518598 2592.99 MHz	529998 2649.99 MHz		
					80 MHz	DFT-s-OFDM	π/2 BPSK	1	1
1	109	25.70	25.53	25.48				0.0	27.0
1	215	24.86	25.56	25.43				0.0	27.0
108	0	25.11	25.57	25.07				0.5	26.5
108	55	25.78	25.58	25.54				0.0	27.0
108	109	25.12	25.50	24.87				0.5	26.5
216	0	25.14	25.56	24.93			0.5	26.5	
QPSK	1	1	25.85	25.52			25.59	0.0	27.0
	1	109	25.59	25.44			25.36	0.0	27.0
	1	215	25.71	25.62			25.36	0.0	27.0
	108	0	24.74	24.55			24.58	1.0	26.0
	108	55	25.70	25.58			25.45	0.0	27.0
	108	109	24.63	24.63		24.37	1.0	26.0	
16QAM	216	0	24.65	24.61		24.46	1.0	26.0	
	1	1	24.54	24.65		24.59	1.0	26.0	
	1	1	23.09	22.83		22.84	2.5	24.5	
64QAM	1	1	21.23	20.93	20.91	4.5	22.5		
	1	1	23.92	24.05	24.13	1.5	25.5		
CP-OFDM	QPSK	1	1	23.92	24.05	24.13	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					506202	518598	531996		
					2531.02 MHz	2592.99 MHz	2659.98 MHz		
70 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.18	25.40	25.44	0.0	27.0
			1	95	25.40	25.46	25.31	0.0	27.0
			1	188	25.41	25.57	25.38	0.0	27.0
			90	0	25.70	25.60	24.97	0.5	26.5
			90	50	25.74	25.56	25.57	0.0	27.0
			90	99	25.45	25.55	25.06	0.5	26.5
		180	0	25.39	25.52	25.05	0.5	26.5	
		QPSK	1	1	25.70	25.57	25.79	0.0	27.0
			1	95	25.53	25.45	25.35	0.0	27.0
			1	188	25.69	25.55	25.33	0.0	27.0
			90	0	24.66	24.54	24.54	1.0	26.0
			90	50	25.69	25.55	25.44	0.0	27.0
			90	99	24.61	24.62	24.47	1.0	26.0
		180	0	24.67	24.59	24.47	1.0	26.0	
16QAM	1	1	24.35	24.33	24.38	1.0	26.0		
64QAM	1	1	22.98	22.72	22.79	2.5	24.5		
256QAM	1	1	21.07	20.83	20.80	4.5	22.5		
CP-OFDM	QPSK	1	1	23.66	24.03	23.99	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					505200	518598	531996		
					2526 MHz	2592.99 MHz	2659.98 MHz		
60 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.49	25.38	25.37	0.0	27.0
			1	81	25.32	25.40	25.20	0.0	27.0
			1	160	25.31	25.53	25.32	0.0	27.0
			81	0	25.33	24.88	25.37	0.5	26.5
			81	41	25.30	25.46	25.25	0.0	27.0
			81	81	25.30	24.83	25.32	0.5	26.5
		162	0	25.28	24.98	25.28	0.5	26.5	
		QPSK	1	1	25.46	25.52	25.43	0.0	27.0
			1	81	25.30	25.42	25.18	0.0	27.0
			1	160	25.48	25.52	25.30	0.0	27.0
			81	0	24.46	24.42	24.31	1.0	26.0
			81	41	25.51	25.39	25.30	0.0	27.0
			81	81	24.47	24.39	24.28	1.0	26.0
		162	0	24.57	24.50	24.45	1.0	26.0	
16QAM	1	1	24.61	24.27	24.33	1.0	26.0		
64QAM	1	1	22.85	22.66	22.62	2.5	24.5		
256QAM	1	1	20.97	20.78	20.68	4.5	22.5		
CP-OFDM	QPSK	1	1	23.94	24.02	23.93	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504204	518598	532998		
					2521.01 MHz	2592.99 MHz	2665 MHz		
50 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.33	25.56	25.56	0.0	27.0
			1	67	25.60	25.45	25.43	0.0	27.0
			1	131	25.72	25.59	25.43	0.0	27.0
			64	0	25.07	25.00	24.94	0.5	26.5
			64	35	25.71	25.60	25.56	0.0	27.0
			64	69	25.27	25.08	24.96	0.5	26.5
		128	0	25.10	24.95	24.95	0.5	26.5	
		QPSK	1	1	25.65	25.50	25.48	0.0	27.0
			1	67	25.52	25.42	25.47	0.0	27.0
			1	131	25.65	25.65	25.51	0.0	27.0
			64	0	24.63	24.56	24.52	1.0	26.0
			64	35	25.67	25.57	25.60	0.0	27.0
			64	69	24.78	24.58	24.50	1.0	26.0
		128	0	24.64	24.53	24.52	1.0	26.0	
16QAM	1	1	24.44	24.65	24.58	1.0	26.0		
64QAM	1	1	22.81	22.96	22.83	2.5	24.5		
256QAM	1	1	21.14	20.97	20.95	4.5	22.5		
CP-OFDM	QPSK	1	1	23.83	24.18	24.04	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503202	518598	534000		
					2516.01 MHz	2592.99 MHz	2670 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.17	25.30	25.32	0.0	27.0
			1	53	25.46	25.44	25.36	0.0	27.0
			1	104	25.46	25.42	25.35	0.0	27.0
			50	0	24.94	24.87	24.87	0.5	26.5
			50	28	25.56	25.45	25.39	0.0	27.0
			50	56	24.97	24.91	24.78	0.5	26.5
		100	0	24.94	24.81	24.82	0.5	26.5	
		QPSK	1	1	25.55	25.27	25.31	0.0	27.0
			1	53	25.44	25.46	25.35	0.0	27.0
			1	104	25.39	25.42	25.31	0.0	27.0
			50	0	24.59	24.38	24.37	1.0	26.0
			50	28	25.59	25.47	25.35	0.0	27.0
			50	56	24.57	24.44	24.34	1.0	26.0
		100	0	24.61	24.39	24.36	1.0	26.0	
16QAM	1	1	24.40	24.33	24.23	1.0	26.0		
64QAM	1	1	22.72	22.61	22.59	2.5	24.5		
256QAM	1	1	20.86	20.76	20.74	4.5	22.5		
CP-OFDM	QPSK	1	1	23.97	23.84	23.79	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502200	518598	534996		
					2511 MHz	2592.99 MHz	2675.0 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.53	25.54	25.43	0.0	27.0
			1	39	25.67	25.47	25.42	0.0	27.0
			1	76	25.70	25.55	25.42	0.0	27.0
			36	0	24.96	24.83	24.85	0.5	26.5
			36	21	25.60	25.43	25.34	0.0	27.0
			36	42	25.00	24.93	24.80	0.5	26.5
		75	0	25.02	24.86	24.84	0.5	26.5	
		QPSK	1	1	25.77	25.46	25.57	0.0	27.0
			1	39	25.63	25.67	25.47	0.0	27.0
			1	76	25.71	25.67	25.45	0.0	27.0
			36	0	24.51	24.44	24.37	1.0	26.0
			36	21	25.63	25.39	25.36	0.0	27.0
			36	42	24.60	24.55	24.37	1.0	26.0
		75	0	24.60	24.38	24.37	1.0	26.0	
16QAM	1	1	24.56	24.49	24.24	1.0	26.0		
64QAM	1	1	22.92	22.79	22.65	2.5	24.5		
256QAM	1	1	21.07	20.91	20.78	4.5	22.5		
CP-OFDM	QPSK	1	1	24.14	24.09	24.08	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501204	518598	535998		
					2506.02 MHz	2592.99 MHz	2679.99 MHz		
25 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.60	25.51	25.48	0.0	27.0
			1	32	25.66	25.41	25.40	0.0	27.0
			1	63	25.69	25.45	25.42	0.0	27.0
			32	0	24.88	24.80	24.75	0.5	26.5
			32	16	25.66	25.45	25.30	0.0	27.0
			32	33	25.11	25.01	25.20	0.5	26.5
		64	0	25.12	24.93	24.80	0.5	26.5	
		QPSK	1	1	25.80	25.53	25.43	0.0	27.0
			1	32	25.77	25.68	25.50	0.0	27.0
			1	63	25.66	25.42	25.40	0.0	27.0
			32	0	24.38	24.42	24.33	1.0	26.0
			32	16	25.50	25.43	25.39	0.0	27.0
			32	33	24.52	24.53	24.33	1.0	26.0
		64	0	24.48	24.45	24.26	1.0	26.0	
16QAM	1	1	24.32	24.35	24.28	1.0	26.0		
64QAM	1	1	22.90	22.84	22.59	2.5	24.5		
256QAM	1	1	21.11	20.98	20.78	4.5	22.5		
CP-OFDM	QPSK	1	1	24.12	24.11	24.10	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501204	518598	535998		
					2506.02 MHz	2592.99 MHz	2679.99 MHz		
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.64	25.42	25.32	0.0	27.0
			1	26	24.97	24.86	24.72	0.0	27.0
			1	49	25.07	25.01	24.79	0.0	27.0
			25	0	24.96	24.87	24.85	0.5	26.5
			25	13	25.56	25.43	25.36	0.0	27.0
			25	26	24.96	24.86	24.84	0.5	26.5
		QPSK	1	1	25.59	25.33	25.45	0.0	27.0
			1	26	25.46	25.30	25.27	0.0	27.0
			1	49	24.57	25.45	25.43	0.0	27.0
			25	0	24.47	24.43	24.37	1.0	26.0
			25	13	25.54	25.49	25.40	0.0	27.0
			25	26	24.49	24.42	24.37	1.0	26.0
			50	0	24.94	24.90	24.82	1.0	26.0
			16QAM	1	1	24.50	24.31	24.26	1.0
64QAM	1	1	22.80	22.54	22.61	2.5	24.5		
256QAM	1	1	20.90	20.59	20.73	4.5	22.5		
CP-OFDM	QPSK	1	1	24.03	23.91	23.89	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500700	518598	536496		
					2503.5 MHz	2592.99 MHz	2682.48MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.61	25.43	25.30	0.0	27.0
			1	19	25.52	25.36	25.22	0.0	27.0
			1	36	25.55	25.40	25.12	0.0	27.0
			18	0	25.02	25.39	24.72	0.5	26.5
			18	10	25.54	25.41	25.28	0.0	27.0
			18	20	25.02	25.39	24.78	0.5	26.5
		QPSK	36	0	25.06	25.41	24.79	0.5	26.5
			1	1	25.54	25.37	25.38	0.0	27.0
			1	19	25.43	25.39	25.22	0.0	27.0
			1	36	25.53	25.32	25.25	0.0	27.0
			18	0	24.52	24.30	24.29	1.0	26.0
			18	10	25.44	25.39	25.29	0.0	27.0
			18	20	24.53	24.37	24.30	1.0	26.0
			36	0	24.44	24.40	24.32	1.0	26.0
16QAM	1	1	24.48	24.33	24.18	1.0	26.0		
64QAM	1	1	22.85	22.53	22.55	2.5	24.5		
256QAM	1	1	20.89	20.78	20.68	4.5	22.5		
CP-OFDM	QPSK	1	1	24.07	23.93	23.91	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500202	518598	537000		
					2501.01 MHz	2592.99 MHz	2685 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.50	25.50	25.59	0.0	27.0
			1	12	25.64	25.52	25.59	0.0	27.0
			1	22	25.74	25.65	25.53	0.0	27.0
			12	0	25.73	24.90	25.53	0.5	26.5
			12	6	25.48	25.48	25.47	0.0	27.0
			12	12	25.73	24.93	25.47	0.5	26.5
		QPSK	24	0	25.79	24.92	25.49	0.5	26.5
			1	1	25.42	25.56	25.39	0.0	27.0
			1	12	25.46	25.48	25.36	0.0	27.0
			1	22	25.72	25.50	25.41	0.0	27.0
			12	0	24.43	24.39	24.28	1.0	26.0
			12	6	25.47	25.39	25.32	0.0	27.0
			12	12	24.49	24.41	24.36	1.0	26.0
			24	0	24.55	24.41	24.31	1.0	26.0
16QAM	1	1	24.56	24.48	24.40	1.0	26.0		
64QAM	1	1	22.85	22.65	22.61	2.5	24.5		
256QAM	1	1	20.97	20.80	20.65	4.5	22.5		
CP-OFDM	QPSK	1	1	24.09	24.06	23.98	1.5	25.5	

NR Band n41 (PC2, SRS1) (ANT B)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				
			SRS1			Tune-up Limit	
			Measured Pwr (dBm)				MPR
100 MHz	1	1	509202	518598	528000	0.0	
			2546.01 MHz	2592.99 MHz	2640 MHz		
			22.54	23.62	23.74		
90 MHz	1	1	508200	518598	528996	0.0	24.0
			2541 MHz	2592.99 MHz	2644.98 MHz		
			22.52	23.68	23.71		
80 MHz	1	1	507204	518598	529998	0.0	24.0
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			22.49	23.71	23.68		
70 MHz	1	1	506202	518598	531000	0.0	24.0
			2531.02 MHz	2592.99 MHz	2655 MHz		
			22.58	23.49	23.57		
60 MHz	1	1	505200	518598	531996	0.0	24.0
			2526 MHz	2592.99 MHz	2659.98 MHz		
			22.44	23.56	23.63		
50 MHz	1	1	504204	518598	532998	0.0	24.0
			2521.01 MHz	2592.99 MHz	2665 MHz		
			22.23	23.63	23.66		
40 MHz	1	1	503202	518598	534000	0.0	24.0
			2516.01 MHz	2592.99 MHz	2670 MHz		
			22.41	23.51	23.73		
30 MHz	1	1	502200	518598	534996	0.0	24.0
			2511 MHz	2592.99 MHz	2675.0 MHz		
			22.60	23.65	23.58		
25 MHz	1	1	501702	518598	535500	0.0	24.0
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			22.51	23.46	23.63		
20 MHz	1	1	501204	518598	535998	0.0	24.0
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			21.84	23.55	23.31		
15 MHz	1	1	500700	518598	536496	0.0	24.0
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			21.95	23.39	23.54		
10 MHz	1	1	500202	518598	537000	0.0	24.0
			2501.01 MHz	2592.99 MHz	2685 MHz		
			21.54	23.22	23.41		

NR Band n41 (PC2, SRS2) (ANT E)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				Tune-up Limit
			SRS2			MPR	
			Measured Pwr (dBm)				
100 MHz	1	1	509202	518598	528000	MPR	24.0
			2546.01 MHz	2592.99 MHz	2640 MHz		
			23.66	23.80	23.65		
90 MHz	1	1	508200	518598	528996	MPR	24.0
			2541 MHz	2592.99 MHz	2644.98 MHz		
			23.64	23.62	23.41		
80 MHz	1	1	507204	518598	529998	MPR	24.0
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			23.60	23.60	23.35		
70 MHz	1	1	506202	518598	531000	MPR	24.0
			2531.02 MHz	2592.99 MHz	2655 MHz		
			23.60	23.45	23.04		
60 MHz	1	1	505200	518598	531996	MPR	24.0
			2526 MHz	2592.99 MHz	2659.98 MHz		
			22.91	23.60	23.12		
50 MHz	1	1	504204	518598	532998	MPR	24.0
			2521.01 MHz	2592.99 MHz	2665 MHz		
			22.88	23.61	23.40		
40 MHz	1	1	503202	518598	534000	MPR	24.0
			2516.01 MHz	2592.99 MHz	2670 MHz		
			22.87	23.36	23.41		
30 MHz	1	1	502200	518598	534996	MPR	24.0
			2511 MHz	2592.99 MHz	2675.0 MHz		
			22.97	23.65	23.66		
25 MHz	1	1	501702	518598	535500	MPR	24.0
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			22.82	23.56	23.50		
20 MHz	1	1	501204	518598	535998	MPR	24.0
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			22.32	23.50	23.40		
15 MHz	1	1	500700	518598	536496	MPR	24.0
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			22.47	23.37	23.38		
10 MHz	1	1	500202	518598	537000	MPR	24.0
			2501.01 MHz	2592.99 MHz	2685 MHz		
			22.34	23.50	23.07		

NR Band n41 (PC2, SRS3) (ANT D)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)				Tune-up Limit
			SRS3			MPR	
			Measured Pwr (dBm)				
100 MHz	1	1	509202	518598	528000	MPR	21.5
			2546.01 MHz	2592.99 MHz	2640 MHz		
			20.58	21.03	20.89		
90 MHz	1	1	508200	518598	528996	MPR	21.5
			2541 MHz	2592.99 MHz	2644.98 MHz		
			20.55	20.83	20.91		
80 MHz	1	1	507204	518598	529998	MPR	21.5
			2536.02 MHz	2592.99 MHz	2649.99 MHz		
			20.63	20.75	20.88		
70 MHz	1	1	506202	518598	531000	MPR	21.5
			2531.02 MHz	2592.99 MHz	2655 MHz		
			20.31	20.74	20.62		
60 MHz	1	1	505200	518598	531996	MPR	21.5
			2526 MHz	2592.99 MHz	2659.98 MHz		
			20.25	20.63	20.54		
50 MHz	1	1	504204	518598	532998	MPR	21.5
			2521.01 MHz	2592.99 MHz	2665 MHz		
			20.14	20.82	20.61		
40 MHz	1	1	503202	518598	534000	MPR	21.5
			2516.01 MHz	2592.99 MHz	2670 MHz		
			20.11	20.58	20.39		
30 MHz	1	1	502200	518598	534996	MPR	21.5
			2511 MHz	2592.99 MHz	2675.0 MHz		
			20.45	20.72	20.55		
25 MHz	1	1	501702	518598	535500	MPR	21.5
			2508.51 MHz	2592.99 MHz	2677.50 MHz		
			20.16	20.68	20.54		
20 MHz	1	1	501204	518598	535998	MPR	21.5
			2506.02 MHz	2592.99 MHz	2679.99 MHz		
			19.56	20.73	20.24		
15 MHz	1	1	500700	518598	536496	MPR	21.5
			2503.5 MHz	2592.99 MHz	2682.48MHz		
			19.55	20.79	20.11		
10 MHz	1	1	500202	518598	537000	MPR	21.5
			2501.01 MHz	2592.99 MHz	2685 MHz		
			19.41	20.83	20.05		

NR Band n66 (ANT A)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					346000	349000	352000		
					1730.00 MHz	1745.00 MHz	1760.00 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.72	23.58	23.64	0.0	24.5
			1	107	23.83	23.63	23.80	0.0	24.5
			1	214	23.80	23.58	23.86	0.0	24.5
			108	0	22.81	22.66	22.92	0.5	24.0
			108	54	23.85	23.60	23.85	0.0	24.5
			108	108	22.82	22.58	22.90	0.5	24.0
		216	0	22.82	22.61	22.82	0.5	24.0	
		QPSK	1	1	23.79	23.64	23.79	0.0	24.5
			1	107	23.88	23.63	23.90	0.0	24.5
			1	214	23.97	23.56	23.98	0.0	24.5
			108	0	22.81	22.61	22.95	1.0	23.5
			108	54	23.83	23.64	23.83	0.0	24.5
			108	108	22.85	22.52	22.91	1.0	23.5
		216	0	22.80	22.63	22.84	1.0	23.5	
		16QAM	1	1	22.64	22.47	22.66	1.0	23.5
			1	107	22.81	22.52	22.77	1.0	23.5
1	214		22.80	22.46	22.82	1.0	23.5		
64QAM	1		1	21.36	21.12	21.48	2.5	22.0	
256QAM	1	1	18.68	18.61	18.78	4.5	20.0		
CP-OFDM	QPSK	1	1	22.36	22.03	22.41	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					345500	349000	352500		
					1727.50 MHz	1745.00 MHz	1762.50 MHz		
35 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.51	23.62	23.47	0.0	24.5
			1	93	23.72	23.61	23.56	0.0	24.5
			1	186	23.56	23.55	23.49	0.0	24.5
			90	0	23.13	23.06	22.99	0.5	24.0
			90	49	23.63	23.69	23.51	0.0	24.5
			90	98	23.08	22.99	22.95	0.5	24.0
		180	0	23.05	22.99	22.86	0.5	24.0	
		QPSK	1	1	23.47	23.49	23.51	0.0	24.5
			1	93	23.62	23.52	23.54	0.0	24.5
			1	186	23.53	23.36	23.30	0.0	24.5
			90	0	22.51	22.57	22.49	1.0	23.5
			90	49	23.52	23.51	23.40	0.0	24.5
			90	98	22.56	22.48	22.37	1.0	23.5
		180	0	22.58	22.51	22.41	1.0	23.5	
		16QAM	1	1	22.60	22.63	22.43	1.0	23.5
			1	93	22.61	22.57	22.53	1.0	23.5
1	186		22.54	22.54	22.52	1.0	23.5		
64QAM	1		1	20.93	20.95	20.81	2.5	22.0	
256QAM	1	1	18.99	18.96	18.91	4.5	20.0		
CP-OFDM	QPSK	1	1	21.97	22.13	22.00	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					345000	349000	353000		
					1725.00 MHz	1745.00 MHz	1765.00 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.63	23.61	23.73	0.0	24.5
			1	79	23.59	23.71	23.50	0.0	24.5
			1	158	23.53	23.79	23.68	0.0	24.5
			80	0	22.71	22.74	22.72	0.5	24.0
			80	40	23.70	23.64	23.67	0.0	24.5
			80	80	22.76	22.71	22.74	0.5	24.0
		160	0	22.67	22.61	22.69	0.5	24.0	
		QPSK	1	1	23.73	23.65	23.70	0.0	24.5
			1	79	23.74	23.62	23.63	0.0	24.5
			1	158	23.66	23.70	23.76	0.0	24.5
			80	0	22.70	22.73	22.65	1.0	23.5
			80	40	23.74	23.64	23.74	0.0	24.5
			80	80	22.62	22.60	22.65	1.0	23.5
		160	0	22.69	22.70	22.70	1.0	23.5	
		16QAM	1	1	22.61	22.49	22.64	1.0	23.5
			1	79	22.66	22.58	22.48	1.0	23.5
1	158		22.54	22.65	22.67	1.0	23.5		
64QAM	1		1	21.34	21.30	21.31	2.5	22.0	
256QAM	1	1	18.67	18.72	18.73	4.5	20.0		
CP-OFDM	QPSK	1	1	22.35	22.23	22.21	1.5	23.0	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344500	349000	353500		
					1722.50 MHz	1745.00 MHz	1767.50 MHz		
25 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.59	23.55	23.26	0.0	24.5
			1	66	23.68	23.64	23.26	0.0	24.5
			1	131	23.47	23.60	23.23	0.0	24.5
			64	0	22.65	22.71	22.20	0.5	24.0
			64	34	23.64	23.68	23.80	0.0	24.5
			64	69	22.63	22.62	22.70	0.5	24.0
		128	0	22.59	22.66	22.77	0.5	24.0	
		QPSK	1	1	23.74	23.67	23.80	0.0	24.5
			1	66	23.71	23.73	23.86	0.0	24.5
			1	131	23.52	23.76	23.76	0.0	24.5
			64	0	22.70	22.77	22.72	1.0	23.5
			64	34	23.59	23.70	23.69	0.0	24.5
			64	69	22.63	22.69	22.73	1.0	23.5
		128	0	22.58	22.67	22.71	1.0	23.5	
		16QAM	1	1	22.63	22.54	22.74	1.0	23.5
			1	66	22.58	22.60	22.53	1.0	23.5
			1	131	22.39	22.67	22.61	1.0	23.5
		64QAM	1	1	21.41	21.39	21.31	2.5	22.0
256QAM	1	1	18.76	18.73	18.85	4.5	20.0		
CP-OFDM	QPSK	1	1	22.39	22.29	22.32	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344000	349000	354000		
					1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.36	23.46	23.37	0.0	24.5
			1	52	23.50	23.60	23.56	0.0	24.5
			1	104	23.35	23.48	23.52	0.0	24.5
			50	0	22.56	22.59	22.58	0.5	24.0
			50	28	23.54	23.58	23.52	0.0	24.5
			50	56	22.54	22.64	22.63	0.5	24.0
		100	0	22.51	22.58	22.57	0.5	24.0	
		QPSK	1	1	23.55	23.50	23.54	0.0	24.5
			1	52	23.52	23.58	23.52	0.0	24.5
			1	104	23.49	23.64	23.55	0.0	24.5
			50	0	22.57	22.60	22.65	1.0	23.5
			50	28	23.56	23.57	23.57	0.0	24.5
			50	56	22.57	22.55	22.59	1.0	23.5
		100	0	22.56	22.59	22.62	1.0	23.5	
		16QAM	1	1	22.37	22.33	22.39	1.0	23.5
			1	52	22.44	22.48	22.50	1.0	23.5
			1	104	22.35	22.42	22.52	1.0	23.5
		64QAM	1	1	21.18	21.10	21.25	2.5	22.0
256QAM	1	1	18.60	18.55	18.59	4.5	20.0		
CP-OFDM	QPSK	1	1	22.18	22.11	22.21	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343500	349000	354500		
					1717.50 MHz	1745.00 MHz	1772.50 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.62	23.53	23.57	0.0	24.5
			1	39	23.68	23.58	23.49	0.0	24.5
			1	77	23.60	23.55	23.51	0.0	24.5
			36	0	22.80	22.65	22.68	0.5	24.0
			36	21	23.61	23.55	23.67	0.0	24.5
			36	43	22.57	22.67	22.66	0.5	24.0
		75	0	22.63	22.54	22.55	0.5	24.0	
		QPSK	1	1	23.70	23.66	23.61	0.0	24.5
			1	39	23.55	23.58	23.59	0.0	24.5
			1	77	23.60	23.57	23.63	0.0	24.5
			36	0	22.66	22.63	22.60	1.0	23.5
			36	21	23.60	23.57	23.54	0.0	24.5
			36	43	22.60	22.58	22.66	1.0	23.5
		75	0	22.60	22.56	22.54	1.0	23.5	
		16QAM	1	1	22.45	22.48	22.43	1.0	23.5
			1	39	22.51	22.44	22.45	1.0	23.5
			1	77	22.46	22.47	22.51	1.0	23.5
		64QAM	1	1	21.21	21.16	21.29	2.5	22.0
256QAM	1	1	18.66	18.72	18.65	4.5	20.0		
CP-OFDM	QPSK	1	1	22.27	22.27	22.26	1.5	23.0	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343000	349000	355000		
					1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.53	23.46	23.49	0.0	24.5
			1	25	23.56	23.62	23.64	0.0	24.5
			1	50	23.57	23.52	23.50	0.0	24.5
			25	0	22.67	22.57	22.71	0.5	24.0
			25	13	23.58	23.52	23.66	0.0	24.5
			25	27	22.67	22.60	22.70	0.5	24.0
		50	0	22.65	22.55	22.67	0.5	24.0	
		QPSK	1	1	23.64	23.61	23.17	0.0	24.5
			1	25	23.64	23.60	23.74	0.0	24.5
			1	50	23.59	23.61	23.56	0.0	24.5
			25	0	22.66	22.64	22.78	1.0	23.5
			25	13	23.63	23.55	23.63	0.0	24.5
			25	27	22.62	22.57	22.71	1.0	23.5
		16QAM	50	0	22.65	22.61	22.73	1.0	23.5
			1	1	22.51	22.45	22.59	1.0	23.5
			1	25	22.57	22.44	22.65	1.0	23.5
		64QAM	1	50	22.49	22.40	22.48	1.0	23.5
			1	1	21.31	21.22	21.24	2.5	22.0
256QAM	1	1	18.71	18.65	18.64	4.5	20.0		
CP-OFDM	QPSK	1	1	22.26	22.16	22.19	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					342500	349000	355500		
					1712.50 MHz	1745.00 MHz	1777.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.58	23.65	23.30	0.0	24.5
			1	12	23.63	23.69	23.52	0.0	24.5
			1	23	23.60	23.68	23.50	0.0	24.5
			12	0	22.62	22.57	22.59	0.5	24.0
			12	6	23.53	23.58	23.65	0.0	24.5
			12	13	22.61	22.50	22.59	0.5	24.0
		25	0	22.58	22.58	22.63	0.5	24.0	
		QPSK	1	1	23.63	23.67	23.58	0.0	24.5
			1	12	23.62	23.66	23.67	0.0	24.5
			1	23	23.55	23.65	23.68	0.0	24.5
			12	0	22.52	22.57	22.43	1.0	23.5
			12	6	23.59	23.59	23.69	0.0	24.5
			12	13	22.46	22.53	22.61	1.0	23.5
		16QAM	25	0	22.59	22.62	22.73	1.0	23.5
			1	1	22.42	22.53	22.66	1.0	23.5
			1	12	22.44	22.54	22.63	1.0	23.5
		64QAM	1	23	22.46	22.53	22.54	1.0	23.5
			1	1	21.22	21.25	21.30	2.5	22.0
256QAM	1	1	18.63	18.69	18.75	4.5	20.0		
CP-OFDM	QPSK	1	1	22.21	20.72	22.32	1.5	23.0	

NR Band n66 (ANT F)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					346000	349000	352000		
					1730.00 MHz	1745.00 MHz	1760.00 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.24	23.54	23.30	0.0	24.5
			1	107	23.50	23.35	23.62	0.0	24.5
			1	214	23.40	23.59	23.75	0.0	24.5
			108	0	22.42	23.54	23.76	0.5	24.0
			108	54	23.51	23.51	23.71	0.0	24.5
			108	108	22.42	23.54	23.72	0.5	24.0
		216	0	22.42	23.57	22.48	0.5	24.0	
		QPSK	1	1	23.42	23.61	23.57	0.0	24.5
			1	107	23.61	23.53	23.59	0.0	24.5
			1	214	23.47	23.64	23.55	0.0	24.5
			108	0	22.37	22.45	22.50	1.0	23.5
			108	54	23.47	23.48	23.45	0.0	24.5
			108	108	22.44	22.40	22.60	1.0	23.5
		16QAM	216	0	22.45	22.45	22.50	1.0	23.5
			1	1	22.14	22.32	22.21	1.0	23.5
		64QAM	1	107	22.42	22.44	22.48	1.0	23.5
1	214		22.52	22.44	22.62	1.0	23.5		
256QAM	1	1	20.94	20.80	21.05	2.5	22.0		
	1	1	18.29	18.32	18.43	4.5	20.0		
CP-OFDM	QPSK	1	1	21.85	21.84	22.05	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					345500	349000	352500		
					1727.50 MHz	1745.00 MHz	1762.50 MHz		
35 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.37	23.67	23.57	0.0	24.5
			1	93	23.71	23.71	23.67	0.0	24.5
			1	186	23.58	23.73	23.70	0.0	24.5
			90	0	22.51	22.56	22.58	0.5	24.0
			90	49	23.59	23.67	23.60	0.0	24.5
			90	98	22.55	22.67	22.61	0.5	24.0
		180	0	22.56	22.56	22.63	0.5	24.0	
		QPSK	1	1	23.46	23.70	23.60	0.0	24.5
			1	93	23.80	23.72	23.68	0.0	24.5
			1	186	23.63	23.75	23.73	0.0	24.5
			90	0	22.53	22.60	22.65	1.0	23.5
			90	49	23.51	23.62	23.66	0.0	24.5
			90	98	22.58	22.65	22.68	1.0	23.5
		16QAM	180	0	22.50	22.54	22.61	1.0	23.5
			1	1	22.21	22.51	22.37	1.0	23.5
		64QAM	1	93	22.37	22.58	22.35	1.0	23.5
1	186		22.48	22.62	22.56	1.0	23.5		
256QAM	1	1	21.01	21.09	21.07	2.5	22.0		
	1	1	18.36	18.33	18.50	4.5	20.0		
CP-OFDM	QPSK	1	1	22.13	22.17	22.18	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					345000	349000	353000		
					1725.00 MHz	1745.00 MHz	1765.00 MHz		
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.71	23.82	23.91	0.0	24.5
			1	79	23.79	23.89	23.80	0.0	24.5
			1	158	23.71	23.86	23.87	0.0	24.5
			80	0	23.10	23.15	23.20	0.5	24.0
			80	40	23.68	23.84	23.78	0.0	24.5
			80	80	23.14	23.22	23.28	0.5	24.0
		160	0	23.09	23.21	23.22	0.5	24.0	
		QPSK	1	1	23.63	23.79	23.90	0.0	24.5
			1	79	23.73	23.82	23.76	0.0	24.5
			1	158	23.72	23.86	23.87	0.0	24.5
			80	0	22.59	22.74	22.65	1.0	23.5
			80	40	23.59	23.67	23.77	0.0	24.5
			80	80	22.58	22.62	22.71	1.0	23.5
		16QAM	160	0	22.54	22.63	22.72	1.0	23.5
			1	1	22.41	22.46	22.60	1.0	23.5
		64QAM	1	79	22.55	22.58	22.37	1.0	23.5
1	158		22.44	22.69	22.68	1.0	23.5		
256QAM	1	1	21.17	21.30	21.15	2.5	22.0		
	1	1	18.49	18.53	18.54	4.5	20.0		
CP-OFDM	QPSK	1	1	22.12	22.30	22.22	1.5	23.0	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344500	349000	353500		
					1722.50 MHz	1745.00 MHz	1767.50 MHz		
25 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.64	23.70	23.91	0.0	24.5
			1	66	23.93	23.86	23.84	0.0	24.5
			1	131	23.35	23.77	23.85	0.0	24.5
			64	0	23.11	23.11	23.25	0.5	24.0
			64	34	23.64	23.77	23.84	0.0	24.5
			64	69	23.21	23.15	23.29	0.5	24.0
		128	0	23.01	23.04	23.22	0.5	24.0	
		QPSK	1	1	23.54	23.61	23.85	0.0	24.5
			1	66	23.95	23.66	23.85	0.0	24.5
			1	131	23.58	23.69	23.70	0.0	24.5
			64	0	22.61	22.59	22.65	1.0	23.5
			64	34	23.61	23.59	23.65	0.0	24.5
			64	69	22.66	22.59	22.68	1.0	23.5
		128	0	22.60	22.56	22.69	1.0	23.5	
		16QAM	1	1	22.43	22.53	22.63	1.0	23.5
			1	66	22.65	22.50	22.46	1.0	23.5
1	131		22.35	22.69	22.60	1.0	23.5		
64QAM	1	1	21.29	21.33	21.33	2.5	22.0		
	1	1	18.56	18.58	18.60	4.5	20.0		
256QAM	1	1	18.56	18.58	18.60	4.5	20.0		
CP-OFDM	QPSK	1	1	22.17	22.28	22.15	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344000	349000	354000		
					1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.45	23.53	23.62	0.0	24.5
			1	52	23.52	23.60	23.71	0.0	24.5
			1	104	23.51	23.51	23.58	0.0	24.5
			50	0	22.96	23.02	23.08	0.5	24.0
			50	28	23.50	23.56	23.64	0.0	24.5
			50	56	22.91	22.95	23.03	0.5	24.0
		100	0	23.04	23.09	23.13	0.5	24.0	
		QPSK	1	1	23.42	23.54	23.54	0.0	24.5
			1	52	23.49	23.50	23.63	0.0	24.5
			1	104	23.53	23.48	23.56	0.0	24.5
			50	0	22.44	22.51	22.54	1.0	23.5
			50	28	23.46	23.50	23.53	0.0	24.5
			50	56	22.46	22.47	22.56	1.0	23.5
		100	0	22.53	22.56	22.62	1.0	23.5	
		16QAM	1	1	22.05	22.36	22.33	1.0	23.5
			1	52	22.41	22.42	22.39	1.0	23.5
1	104		22.26	22.42	22.37	1.0	23.5		
64QAM	1	1	20.99	21.06	21.12	2.5	22.0		
256QAM	1	1	18.23	18.44	18.34	4.5	20.0		
CP-OFDM	QPSK	1	1	22.01	22.16	22.17	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343500	349000	354500		
					1717.50 MHz	1745.00 MHz	1772.50 MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.52	23.60	23.53	0.0	24.5
			1	39	23.55	23.48	23.54	0.0	24.5
			1	77	23.46	23.54	23.55	0.0	24.5
			36	0	23.01	23.06	23.01	0.5	24.0
			36	21	23.53	23.62	23.57	0.0	24.5
			36	43	22.95	23.01	23.01	0.5	24.0
		75	0	22.99	23.03	23.06	0.5	24.0	
		QPSK	1	1	23.39	23.55	23.52	0.0	24.5
			1	39	23.47	23.48	23.52	0.0	24.5
			1	77	23.44	23.49	23.47	0.0	24.5
			36	0	22.53	22.59	22.52	1.0	23.5
			36	21	23.54	23.51	23.53	0.0	24.5
			36	43	22.59	22.55	22.52	1.0	23.5
		75	0	22.58	22.52	22.51	1.0	23.5	
		16QAM	1	1	22.44	22.42	22.32	1.0	23.5
			1	39	22.44	22.39	22.40	1.0	23.5
1	77		22.45	22.48	22.40	1.0	23.5		
64QAM	1	1	21.09	21.21	21.17	2.5	22.0		
256QAM	1	1	18.31	18.53	18.42	4.5	20.0		
CP-OFDM	QPSK	1	1	22.07	22.21	22.11	1.5	23.0	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343000	349000	355000		
					1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.56	23.61	23.61	0.0	24.5
			1	25	23.66	23.67	23.67	0.0	24.5
			1	50	23.57	23.59	23.58	0.0	24.5
			25	0	23.07	23.03	23.06	0.5	24.0
			25	13	22.98	23.65	23.69	0.0	24.5
			25	27	23.00	23.03	23.08	0.5	24.0
		50	0	22.98	22.94	23.06	0.5	24.0	
		QPSK	1	1	23.54	23.47	23.62	0.0	24.5
			1	25	23.59	23.60	23.68	0.0	24.5
			1	50	23.58	23.42	23.54	0.0	24.5
			25	0	22.53	22.47	22.72	1.0	23.5
			25	13	23.53	23.58	22.56	0.0	24.5
			25	27	22.49	22.59	22.53	1.0	23.5
		16QAM	50	0	22.54	22.43	22.59	1.0	23.5
			1	1	22.26	22.28	22.35	1.0	23.5
			1	25	22.36	22.42	22.40	1.0	23.5
		64QAM	1	50	22.42	22.41	22.34	1.0	23.5
			1	1	21.06	21.09	21.17	2.5	22.0
256QAM	1	1	18.28	18.34	18.45	4.5	20.0		
CP-OFDM	QPSK	1	1	22.08	22.14	22.17	1.5	23.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					342500	349000	355500		
					1712.50 MHz	1745.00 MHz	1777.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.51	23.53	23.55	0.0	24.5
			1	12	23.56	23.65	23.67	0.0	24.5
			1	23	23.48	23.50	23.57	0.0	24.5
			12	0	22.96	23.07	23.06	0.5	24.0
			12	6	23.62	23.05	23.70	0.0	24.5
			12	13	23.02	22.98	23.06	0.5	24.0
		25	0	22.92	23.03	23.04	0.5	24.0	
		QPSK	1	1	23.37	23.46	23.57	0.0	24.5
			1	12	23.54	23.60	23.66	0.0	24.5
			1	23	23.38	23.48	23.54	0.0	24.5
			12	0	22.45	22.65	22.55	1.0	23.5
			12	6	23.50	23.70	23.64	0.0	24.5
			12	13	22.48	22.60	22.60	1.0	23.5
		16QAM	25	0	22.40	22.55	22.54	1.0	23.5
			1	1	22.25	22.40	22.43	1.0	23.5
			1	12	22.31	22.53	22.46	1.0	23.5
		64QAM	1	23	22.30	22.43	22.38	1.0	23.5
			1	1	21.06	21.07	21.11	2.5	22.0
256QAM	1	1	18.35	18.47	18.41	4.5	20.0		
CP-OFDM	QPSK	1	1	22.07	22.14	22.21	1.5	23.0	

NR Band n70 (ANT A)

					Maximum Average Power (dBm)					
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
					340500					
					1702.50 MHz					
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1		23.32		0.0	24.0	
			1	39		23.06		0.0	24.0	
			1	77		23.00		0.0	24.0	
			36	0		22.29		0.5	23.5	
			36	21		23.23		0.0	24.0	
			36	43		22.19		0.5	23.5	
		QPSK	75	0		22.21		0.5	23.5	
			1	1		23.25		0.0	24.0	
			1	39		23.21		0.0	24.0	
			1	77		23.17		0.0	24.0	
			36	0		22.34		1.0	23.0	
			36	21		23.23		0.0	24.0	
		16QAM	36	43		22.19		1.0	23.0	
			75	0		22.27		1.0	23.0	
			1	1		22.24		1.0	23.0	
64QAM	1	39		22.15		1.0	23.0			
	1	77		22.02		1.0	23.0			
	1	1		20.91		2.5	21.5			
256QAM	1	1		18.24		4.5	19.5			
	CP-OFDM	QPSK	1	1		21.87		1.5	22.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
					340000	340500	341000			
					1700.00 MHz	1702.50 MHz	1705.00 MHz			
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.29	23.19	23.17	0.0	24.0	
			1	25	23.15	23.27	23.14	0.0	24.0	
			1	50	23.17	23.13	21.81	0.0	24.0	
			25	0	23.18	22.30	22.21	0.5	23.5	
			25	13	23.17	23.21	23.14	0.0	24.0	
			25	27	22.18	22.24	21.18	0.5	23.5	
		QPSK	50	0	23.11	22.22	22.18	0.5	23.5	
			1	1	23.18	23.24	23.30	0.0	24.0	
			1	25	23.21	23.32	23.21	0.0	24.0	
			1	50	23.23	23.18	23.25	0.0	24.0	
			25	0	22.13	22.30	22.16	1.0	23.0	
			25	13	23.14	23.18	23.22	0.0	24.0	
		16QAM	25	27	22.18	22.27	22.19	1.0	23.0	
			50	0	22.23	22.17	22.23	1.0	23.0	
			1	1	22.15	22.11	22.91	1.0	23.0	
64QAM	1	25	22.13	22.01	22.71	1.0	23.0			
	1	50	22.14	21.95	21.83	1.0	23.0			
	1	1	20.84	20.84	20.71	2.5	21.5			
256QAM	1	1	18.71	18.12	18.73	4.5	19.5			
	CP-OFDM	QPSK	1	1		20.91		21.83	21.71	1.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
					339500	340500	341500			
					1697.50 MHz	1702.50 MHz	1707.50 MHz			
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.26	23.11	23.30	0.0	24.0	
			1	12	23.32	23.22	23.15	0.0	24.0	
			1	23	23.25	23.23	23.14	0.0	24.0	
			12	0	22.18	22.14	22.13	0.5	23.5	
			12	6	23.23	23.12	23.16	0.0	24.0	
			12	13	22.21	22.17	22.12	0.5	23.5	
		QPSK	25	0	22.34	22.26	22.23	0.5	23.5	
			1	1	23.36	23.31	23.30	0.0	24.0	
			1	12	23.33	23.25	23.21	0.0	24.0	
			1	23	23.35	23.29	23.25	0.0	24.0	
			12	0	22.28	22.18	22.16	1.0	23.0	
			12	6	23.29	23.17	23.22	0.0	24.0	
		16QAM	12	13	22.30	22.18	22.19	1.0	23.0	
			25	0	22.26	22.24	22.23	1.0	23.0	
			1	1	22.14	22.10	22.15	1.0	23.0	
64QAM	1	12	22.14	22.13	22.13	1.0	23.0			
	1	23	22.23	22.12	22.10	1.0	23.0			
	1	1	20.91	20.75	20.84	2.5	21.5			
256QAM	1	1	18.11	18.06	18.07	4.5	19.5			
	CP-OFDM	QPSK	1	1		21.80		21.80	21.93	1.5

NR Band n70 (ANT F)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					340500				
					1702.50 MHz				
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1		22.65		0.0	24.0
			1	39		23.13		0.0	24.0
			1	77		23.04		0.0	24.0
			36	0		22.71		0.5	23.5
			36	21		22.72		0.0	24.0
			36	43		22.69		0.5	23.5
		QPSK	75	0		22.05		0.5	23.5
			1	1		22.72		0.0	24.0
			1	39		23.03		0.0	24.0
			1	77		23.07		0.0	24.0
			36	0		22.21		1.0	23.0
			36	21		23.14		0.0	24.0
		16QAM	36	43		22.91		1.0	23.0
			75	0		22.81		1.0	23.0
1	1			22.78		1.0	23.0		
64QAM	1	39		21.97		1.0	23.0		
	1	77		21.58		1.0	23.0		
	1	1		20.91		2.5	21.5		
256QAM	1	1		18.28		4.5	19.5		
	CP-OFDM	QPSK	1	1		21.25		1.5	22.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					340000	340500	341000		
					1700.00 MHz	1702.50 MHz	1705.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	22.70	23.57	23.56	0.0	24.0
			1	25	23.63	23.51	23.52	0.0	24.0
			1	50	23.64	23.49	23.51	0.0	24.0
			25	0	23.01	22.92	22.95	0.5	23.5
			25	13	23.62	23.49	23.55	0.0	24.0
			25	27	23.00	22.90	22.95	0.5	23.5
		QPSK	50	0	23.01	22.89	22.90	0.5	23.5
			1	1	23.33	23.53	23.52	0.0	24.0
			1	25	23.58	23.47	23.51	0.0	24.0
			1	50	23.52	23.44	23.47	0.0	24.0
			25	0	22.50	22.46	22.48	1.0	23.0
			25	13	23.55	23.48	23.49	0.0	24.0
		16QAM	25	27	22.53	22.46	22.47	1.0	23.0
			50	0	22.53	22.48	22.45	1.0	23.0
1	1		22.26	22.32	22.38	1.0	23.0		
64QAM	1	25	22.34	22.27	22.24	1.0	23.0		
	1	50	22.21	22.11	22.29	1.0	23.0		
	1	1	21.11	21.07	21.11	2.5	21.5		
256QAM	1	1	18.36	18.33	18.34	4.5	19.5		
	CP-OFDM	QPSK	1	1	21.87	22.09	22.15	1.5	22.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					339500	340500	341500		
					1697.50 MHz	1702.50 MHz	1707.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.52	23.42	23.49	0.0	24.0
			1	12	23.61	23.50	23.53	0.0	24.0
			1	23	23.56	23.34	23.50	0.0	24.0
			12	0	23.00	22.91	22.93	0.5	23.5
			12	6	23.59	23.49	23.56	0.0	24.0
			12	13	23.02	22.89	22.96	0.5	23.5
		QPSK	25	0	23.03	22.89	22.94	0.5	23.5
			1	1	23.52	23.35	23.45	0.0	24.0
			1	12	23.63	23.51	23.57	0.0	24.0
			1	23	23.54	23.37	23.40	0.0	24.0
			12	0	22.55	22.38	22.47	1.0	23.0
			12	6	23.62	23.48	23.41	0.0	24.0
		16QAM	12	13	22.56	22.47	22.34	1.0	23.0
			25	0	22.57	22.41	22.37	1.0	23.0
1	1		22.29	22.34	22.31	1.0	23.0		
64QAM	1	12	22.29	22.26	22.23	1.0	23.0		
	1	23	22.41	22.29	22.24	1.0	23.0		
	1	1	21.07	21.02	20.96	2.5	21.5		
256QAM	1	1	18.33	18.28	18.33	4.5	19.5		
	CP-OFDM	QPSK	1	1	22.05	22.10	22.11	1.5	22.5

NR Band n71 (ANT A)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					134600	136100	137600		
					673.00 MHz	680.50 MHz	688.00 MHz		
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.81	24.14	24.48	0.0	25.3
			1	52	24.10	24.01	23.64	0.0	25.3
			1	104	24.05	24.06	23.81	0.0	25.3
			50	0	23.32	23.57	23.55	0.5	24.8
			50	28	24.53	24.30	24.43	0.0	25.3
			50	56	23.66	23.50	23.27	0.5	24.8
		100	0	23.30	23.61	23.21	0.5	24.8	
		QPSK	1	1	23.85	24.22	24.65	0.0	25.3
			1	52	24.30	24.21	23.89	0.0	25.3
			1	104	24.38	24.08	24.08	0.0	25.3
			50	0	23.17	23.60	23.71	1.0	24.3
			50	28	24.57	24.29	24.59	0.0	25.3
			50	56	23.72	23.49	23.18	1.0	24.3
		100	0	23.32	23.63	23.23	1.0	24.3	
		16QAM	1	1	22.79	23.43	23.47	1.0	24.3
			1	52	23.33	23.23	22.95	1.0	24.3
1	104		23.37	23.24	23.18	1.0	24.3		
64QAM	1	1	21.64	21.97	22.31	2.5	22.8		
256QAM	1	1	19.10	19.33	19.47	4.5	20.8		
CP-OFDM	QPSK	1	1	22.17	22.67	23.09	1.5	23.8	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					134100	136100	138100		
					670.50 MHz	680.50 MHz	690.50 MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.07	24.65	24.24	0.0	25.3
			1	39	24.09	24.52	24.21	0.0	25.3
			1	77	24.52	24.10	24.17	0.0	25.3
			36	0	23.19	23.74	23.66	0.5	24.8
			36	21	24.59	24.43	24.44	0.0	25.3
			36	43	23.71	23.75	23.04	0.5	24.8
		75	0	23.32	23.76	23.26	0.5	24.8	
		QPSK	1	1	24.17	24.72	24.25	0.0	25.3
			1	39	24.29	24.60	24.26	0.0	25.3
			1	77	24.65	24.36	24.26	0.0	25.3
			36	0	23.08	23.76	23.71	1.0	24.3
			36	21	24.64	24.48	24.47	0.0	25.3
			36	43	23.69	23.75	23.03	1.0	24.3
		75	0	23.42	23.81	23.38	1.0	24.3	
		16QAM	1	1	23.26	23.57	23.34	1.0	24.3
			1	39	23.25	23.40	23.24	1.0	24.3
1	77		23.40	23.40	23.40	1.0	24.3		
64QAM	1	1	22.05	22.24	21.87	2.5	22.8		
256QAM	1	1	19.29	19.82	19.45	4.5	20.8		
CP-OFDM	QPSK	1	1	22.43	22.90	22.57	1.5	23.8	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					133600	136100	138600		
					668.00 MHz	680.50 MHz	693.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.12	24.51	23.78	0.0	25.3
			1	25	24.07	24.59	24.20	0.0	25.3
			1	50	24.40	23.63	23.95	0.0	25.3
			25	0	23.01	23.48	23.42	0.5	24.8
			25	13	24.10	24.28	23.89	0.0	25.3
			25	27	23.69	23.60	22.88	0.5	24.8
		50	0	23.32	23.63	23.07	0.5	24.8	
		QPSK	1	1	24.22	24.76	23.86	0.0	25.3
			1	25	24.14	24.69	24.35	0.0	25.3
			1	50	24.69	23.74	24.02	0.0	25.3
			25	0	23.02	23.44	23.49	1.0	24.3
			25	13	24.08	24.25	23.99	0.0	25.3
			25	27	23.70	23.65	22.89	1.0	24.3
		50	0	23.34	23.67	23.10	1.0	24.3	
		16QAM	1	1	23.16	23.42	22.76	1.0	24.3
			1	25	23.17	23.43	23.28	1.0	24.3
1	50		23.49	22.87	23.10	1.0	24.3		
64QAM	1	1	21.89	22.22	21.39	2.5	22.8		
256QAM	1	1	19.17	19.52	18.90	4.5	20.8		
CP-OFDM	QPSK	1	1	22.41	22.99	22.01	1.5	23.8	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Power (dBm)			MPR	Tune-up Limit	
					133100	136100	139100			
					665.50 MHz	680.50 MHz	695.50 MHz			
5 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	1	23.58	24.44	23.92	0.0	25.3	
			1	12	23.65	24.13	23.46	0.0	25.3	
			1	23	23.50	23.88	23.34	0.0	25.3	
			12	0	22.69	23.21	22.89	0.5	24.8	
			12	6	23.62	24.12	23.49	0.0	25.3	
			12	13	22.76	23.42	22.77	0.5	24.8	
		25	0	22.74	23.30	22.96	0.5	24.8		
		QPSK	1	1	23.75	24.52	24.14	0.0	25.3	
			1	12	23.80	24.42	23.71	0.0	25.3	
			1	23	23.68	24.06	23.63	0.0	25.3	
			12	0	22.83	23.35	22.88	1.0	24.3	
			12	6	23.67	24.06	23.49	0.0	25.3	
			12	13	22.83	23.54	22.86	1.0	24.3	
		25	0	22.82	23.43	22.93	1.0	24.3		
		16QAM	1	1	22.68	23.58	23.03	1.0	24.3	
			1	12	22.78	23.39	22.69	1.0	24.3	
			1	23	22.68	23.09	22.58	1.0	24.3	
		64QAM	1	1	21.33	22.47	21.79	2.5	22.8	
		256QAM	1	1	18.82	19.79	19.50	4.5	20.8	
		CP-OFDM	QPSK	1	1	21.92	22.72	22.20	1.5	23.8

NR Band n71 (ANT F)

					Maximum Average Power (dBm)				
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					134600	136100	137600		
					673.00 MHz	680.50 MHz	688.00 MHz		
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.29	24.72	24.74	0.0	25.3
			1	52	24.79	24.73	24.76	0.0	25.3
			1	104	24.70	24.75	24.66	0.0	25.3
			50	0	23.84	23.87	23.88	0.5	24.8
			50	28	24.84	24.84	24.82	0.0	25.3
			50	56	23.84	23.84	23.78	0.5	24.8
		100	0	23.97	23.97	23.97	0.5	24.8	
		QPSK	1	1	24.44	24.91	24.95	0.0	25.3
			1	52	24.91	24.99	24.98	0.0	25.3
			1	104	24.81	24.90	24.72	0.0	25.3
			50	0	23.82	23.95	23.98	1.0	24.3
			50	28	24.90	24.91	24.87	0.0	25.3
			50	56	23.91	23.90	23.84	1.0	24.3
		16QAM	100	0	23.94	23.97	23.97	1.0	24.3
			1	1	23.32	23.61	23.66	1.0	24.3
			1	52	23.70	23.47	23.62	1.0	24.3
		64QAM	1	104	23.36	23.60	23.53	1.0	24.3
			1	1	21.71	22.38	22.43	2.5	22.8
256QAM	1	1	19.30	19.61	19.68	4.5	20.8		
CP-OFDM	QPSK	1	1	22.28	23.34	23.47	1.5	23.8	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					134100	136100	138100		
					670.50 MHz	680.50 MHz	690.50 MHz		
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	24.11	24.62	24.62	0.0	25.3
			1	39	24.69	24.65	24.56	0.0	25.3
			1	77	24.65	24.76	24.44	0.0	25.3
			36	0	23.83	23.88	23.85	0.5	24.8
			36	21	24.64	24.80	24.61	0.0	25.3
			36	43	23.85	23.84	23.69	0.5	24.8
		75	0	23.87	23.84	23.86	0.5	24.8	
		QPSK	1	1	24.20	24.79	24.77	0.0	25.3
			1	39	24.69	24.72	24.72	0.0	25.3
			1	77	24.80	24.83	24.57	0.0	25.3
			36	0	23.61	23.84	23.75	1.0	24.3
			36	21	24.66	24.75	24.67	0.0	25.3
			36	43	23.80	23.82	23.71	1.0	24.3
		16QAM	75	0	23.93	23.89	23.84	1.0	24.3
			1	1	23.23	23.63	23.58	1.0	24.3
			1	39	23.51	23.51	23.50	1.0	24.3
		64QAM	1	77	23.68	23.61	23.41	1.0	24.3
			1	1	21.71	22.33	22.37	2.5	22.8
256QAM	1	1	19.12	19.92	19.92	4.5	20.8		
CP-OFDM	QPSK	1	1	22.46	22.85	23.35	1.5	23.8	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					133600	136100	138600		
					668.00 MHz	680.50 MHz	693.00 MHz		
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.77	24.71	24.65	0.0	25.3
			1	25	24.61	24.76	24.54	0.0	25.3
			1	50	24.49	24.69	24.58	0.0	25.3
			25	0	23.67	23.89	23.75	0.5	24.8
			25	13	24.36	24.94	24.75	0.0	25.3
			25	27	23.71	23.89	23.69	0.5	24.8
		QPSK	50	0	23.49	23.89	23.70	0.5	24.8
			1	1	23.90	24.92	24.78	0.0	25.3
			1	25	24.71	24.90	24.70	0.0	25.3
			1	50	24.62	24.86	24.70	0.0	25.3
			25	0	23.53	23.89	23.74	1.0	24.3
			25	13	24.46	24.85	24.72	0.0	25.3
		16QAM	25	27	23.67	23.89	23.61	1.0	24.3
			50	0	23.53	23.86	23.70	1.0	24.3
			1	1	22.81	23.75	23.49	1.0	24.3
		64QAM	1	25	23.54	23.46	23.36	1.0	24.3
			1	50	23.61	23.50	23.42	1.0	24.3
		256QAM	1	1	21.29	22.30	22.25	2.5	22.8
CP-OFDM	QPSK	1	1	18.37	19.74	19.60	4.5	20.8	
CP-OFDM	QPSK	1	1	22.04	22.99	23.31	1.5	23.8	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Power (dBm)			MPR	Tune-up Limit
					133100	136100	139100		
					665.50 MHz	680.50 MHz	695.50 MHz		
5 MHz	DFT-s-OFDM	π/2 BPSK	1	1	23.78	24.64	24.66	0.0	25.3
			1	12	24.37	24.77	24.70	0.0	25.3
			1	23	24.52	24.84	24.70	0.0	25.3
			12	0	23.60	23.97	23.84	0.5	24.8
			12	6	24.40	24.93	24.75	0.0	25.3
			12	13	23.35	23.90	23.78	0.5	24.8
		25	0	23.45	23.92	23.76	0.5	24.8	
		QPSK	1	1	23.93	24.76	24.82	0.0	25.3
			1	12	24.55	24.89	24.73	0.0	25.3
			1	23	24.71	24.86	24.76	0.0	25.3
			12	0	23.67	23.98	23.88	1.0	24.3
			12	6	24.48	24.90	24.76	0.0	25.3
			12	13	23.42	23.93	23.81	1.0	24.3
		25	0	23.36	23.96	23.78	1.0	24.3	
		16QAM	1	1	22.78	23.72	23.67	1.0	24.3
			1	12	23.50	23.58	23.47	1.0	24.3
			1	23	23.56	23.78	23.60	1.0	24.3
		64QAM	1	1	21.28	22.53	22.44	2.5	22.8
		256QAM	1	1	18.52	19.81	19.80	4.5	20.8
		CP-OFDM	QPSK	1	1	22.06	23.04	23.28	1.5

NR Band n77 (PC2) (ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)						MPR	Tune-up Limit
					Measured Pwr (dBm)							
					633332	650000	656000	662000				
100 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.99	25.95	25.80	25.99	0.0	27.0		
			1	137	26.53	26.15	25.85	24.96	0.0	27.0		
			1	271	26.35	26.38	25.96	25.48	0.0	27.0		
			135	0	25.76	25.46	25.35	24.59	0.5	26.5		
			135	69	26.59	26.11	25.97	25.37	0.0	27.0		
			135	138	25.47	25.77	25.52	25.49	0.5	26.5		
		QPSK	270	0	25.47	25.65	25.55	24.03	0.5	26.5		
			1	1	26.23	26.59	25.94	26.26	0.0	27.0		
			1	137	26.63	26.13	25.87	25.79	0.0	27.0		
			1	271	26.67	26.18	26.14	26.35	0.0	27.0		
			135	0	25.65	25.39	24.94	25.10	1.0	26.0		
			135	69	26.68	26.14	25.99	25.98	0.0	27.0		
			135	138	25.77	25.14	25.21	25.11	1.0	26.0		
			270	0	25.73	25.31	25.09	25.10	1.0	26.0		
			1	1	25.21	25.37	24.81	25.24	1.0	26.0		
16QAM	1	137	25.64	24.97	24.76	24.72	1.0	26.0				
	1	271	25.69	25.16	25.15	25.35	1.0	26.0				
	1	1	23.53	23.75	23.17	23.49	2.5	24.5				
64QAM	1	1	21.61	21.87	21.36	21.64	4.5	22.5				
	1	1	24.78	25.02	24.46	24.74	1.5	25.5				
CP-OFDM	QPSK	1	1	24.78	25.02	24.46	24.74	1.5	25.5			
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit
					Measured Pwr (dBm)							
					633000	633332	633666	649668	656000	662332		
90 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.52	25.66	25.76	25.65	25.84	25.82	0.0	27.0
			123	1	26.01	25.98	25.98	25.44	25.94	24.90	0.0	27.0
			243	1	25.95	25.86	25.94	25.28	25.99	25.49	0.0	27.0
			1	120	25.34	25.36	25.40	24.98	25.41	24.34	0.5	26.5
			63	120	25.97	26.06	26.07	25.47	26.06	25.19	0.0	27.0
			125	120	25.43	25.53	25.50	24.82	25.52	25.34	0.5	26.5
		QPSK	0	243	25.38	25.42	25.43	24.94	25.48	25.81	0.5	26.5
			1	1	26.29	26.50	26.50	26.52	25.89	26.20	0.0	27.0
			123	1	26.72	26.79	26.67	26.19	25.88	25.90	0.0	27.0
			243	1	26.79	26.74	26.69	26.19	26.19	26.32	0.0	27.0
			1	120	25.67	25.69	25.75	25.38	24.95	25.11	1.0	26.0
			63	120	26.75	26.79	26.75	26.21	26.04	26.07	0.0	27.0
			125	120	25.81	25.82	25.74	25.19	25.18	25.17	1.0	26.0
			0	243	25.75	25.72	25.68	25.24	25.07	25.10	1.0	26.0
			1	1	25.19	25.40	25.53	25.45	24.92	25.28	1.0	26.0
16QAM	1	1	23.51	23.67	23.75	23.78	23.13	23.47	2.5	24.5		
	1	1	21.63	21.77	21.84	21.91	21.33	21.59	4.5	22.5		
	1	1	24.82	24.96	24.98	25.07	24.40	24.73	1.5	25.5		
CP-OFDM	QPSK	1	1	24.82	24.96	24.98	25.07	24.40	24.73	1.5	25.5	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit
					Measured Pwr (dBm)							
					632668	633332	634000	649334	656000	662666		
80 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.57	25.73	25.81	25.53	24.85	25.02	0.0	27.0
			1	109	25.95	25.98	25.96	25.32	24.85	24.63	0.0	27.0
			1	215	26.08	26.02	25.80	25.24	25.22	25.14	0.0	27.0
			108	0	25.34	25.42	25.53	24.92	24.44	24.46	0.5	26.5
			108	55	26.08	26.14	26.08	25.50	25.10	24.94	0.0	27.0
			108	109	25.58	25.50	25.47	24.85	24.72	24.50	0.5	26.5
		QPSK	216	0	25.47	25.49	25.41	24.81	24.53	24.37	0.5	26.5
			1	1	26.21	26.41	26.56	26.36	25.81	26.10	0.0	27.0
			1	109	26.62	26.70	26.64	26.15	25.93	25.82	0.0	27.0
			1	215	26.79	26.72	26.59	26.01	26.22	26.38	0.0	27.0
			108	0	25.52	25.67	25.80	25.38	24.98	25.10	1.0	26.0
			108	55	26.80	26.84	26.85	26.34	26.16	26.19	0.0	27.0
			108	109	25.77	25.78	25.72	25.22	25.26	25.22	1.0	26.0
			216	0	25.70	25.77	25.68	25.28	25.08	25.17	1.0	26.0
			1	1	25.34	25.53	25.48	25.39	24.83	25.03	1.0	26.0
16QAM	1	1	23.48	23.62	23.77	23.72	23.08	23.40	2.5	24.5		
	1	1	21.55	21.76	21.96	21.81	21.28	21.57	4.5	22.5		
	1	1	24.81	24.93	25.24	24.95	24.31	24.59	1.5	25.5		
CP-OFDM	QPSK	1	1	24.81	24.93	25.24	24.95	24.31	24.59	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit
					632334	633332	634332	649000	656000	663000		
					3485.01 MHz	3499.98MHz	3514.98 MHz	3735MHz	3840 MHz	3945MHz		
70 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.57	25.86	26.13	25.71	24.94	25.04	0.0	27.0
			1	53	25.99	26.11	26.11	25.54	25.05	24.84	0.0	27.0
			1	104	26.27	26.18	26.08	25.45	25.30	25.25	0.0	27.0
			50	0	25.36	25.71	25.80	25.23	24.58	24.61	0.5	26.5
			50	28	26.21	26.32	26.35	25.65	25.26	25.17	0.0	27.0
			50	56	25.71	25.74	25.63	25.05	24.84	24.73	0.5	26.5
			100	0	25.62	25.68	25.73	25.13	24.70	24.63	0.5	26.5
		QPSK	1	1	26.06	26.41	26.67	26.31	25.68	25.99	0.0	27.0
			1	53	26.55	26.65	26.63	26.13	25.81	25.88	0.0	27.0
			1	104	26.63	26.60	26.57	25.99	26.10	26.31	0.0	27.0
			50	0	25.46	25.68	25.76	25.37	25.00	25.14	1.0	26.0
			50	28	26.70	26.86	26.78	26.23	26.08	26.10	0.0	27.0
			50	56	25.74	25.75	25.65	25.27	25.20	25.25	1.0	26.0
	16QAM	1	1	25.04	25.48	25.68	25.26	24.71	24.98	1.0	26.0	
64QAM	1	1	23.37	23.65	23.87	23.55	22.98	23.25	2.5	24.5		
256QAM	1	1	21.47	21.70	21.92	21.65	21.21	21.38	4.5	22.5		
CP-OFDM	QPSK	1	1	24.61	24.85	25.11	24.85	24.26	24.45	1.5	25.5	
60 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.60	25.90	26.14	25.68	24.93	25.05	0.0	27.0
			1	39	25.90	26.04	26.14	25.49	24.85	24.78	0.0	27.0
			1	76	26.21	26.15	26.00	25.46	25.15	25.23	0.0	27.0
			36	0	25.26	25.51	25.60	25.02	24.42	24.41	0.5	26.5
			36	21	26.02	26.17	26.25	25.50	25.04	25.06	0.0	27.0
			36	42	25.54	25.59	25.55	24.90	24.59	24.52	0.5	26.5
			75	0	25.47	25.66	25.75	25.09	24.59	24.60	0.5	26.5
		QPSK	1	1	26.08	26.44	26.70	26.19	25.71	25.89	0.0	27.0
			1	39	26.41	26.57	26.49	25.99	25.67	25.75	0.0	27.0
			1	76	26.66	26.64	26.39	25.98	25.89	26.11	0.0	27.0
			36	0	25.30	25.58	25.68	25.20	24.75	24.90	1.0	26.0
			36	21	26.54	26.66	26.68	26.12	25.85	25.92	0.0	27.0
			36	42	25.64	25.71	25.55	25.05	24.92	25.04	1.0	26.0
	75	0	25.56	25.68	25.69	25.17	24.92	25.11	1.0	26.0		
16QAM	1	1	24.96	25.26	25.45	25.15	24.59	24.74	1.0	26.0		
64QAM	1	1	23.23	23.59	23.91	23.40	22.83	23.11	2.5	24.5		
256QAM	1	1	21.30	21.71	21.94	21.49	21.00	21.18	4.5	22.5		
CP-OFDM	QPSK	1	1	24.80	25.05	25.30	24.73	24.33	24.38	1.5	25.5	
50 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.67	26.16	26.32	25.79	25.08	25.11	0.0	27.0
			1	26	26.13	26.36	26.38	25.74	25.26	25.22	0.0	27.0
			1	49	26.40	26.44	26.24	25.62	25.29	25.25	0.0	27.0
			25	0	25.51	25.89	25.91	25.28	24.71	24.64	0.5	26.5
			25	13	26.26	26.52	26.53	25.86	25.25	25.28	0.0	27.0
			25	26	25.86	25.97	25.82	25.24	24.80	24.69	0.5	26.5
			50	0	25.60	25.85	25.89	25.22	24.67	24.62	0.5	26.5
		QPSK	1	1	26.18	26.69	26.85	26.36	25.77	25.90	0.0	27.0
			1	26	26.61	26.76	26.66	26.29	25.92	26.25	0.0	27.0
			1	49	26.81	26.79	26.54	26.19	26.00	26.18	0.0	27.0
			25	0	25.44	25.83	25.88	25.38	24.97	25.18	1.0	26.0
			25	13	26.66	26.94	26.83	26.46	26.07	26.31	0.0	27.0
			25	26	25.82	25.85	25.73	25.37	25.13	25.28	1.0	26.0
	50	0	25.58	25.88	25.78	25.41	25.04	25.29	1.0	26.0		
16QAM	1	1	25.31	25.64	25.73	25.25	24.85	25.04	1.0	26.0		
64QAM	1	1	23.37	23.86	24.06	23.55	23.12	23.36	2.5	24.5		
256QAM	1	1	21.60	22.07	22.28	21.68	21.28	21.41	4.5	22.5		
CP-OFDM	QPSK	1	1	24.71	25.23	25.33	24.94	24.33	24.50	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit
					631334	633332	635332	648000	656000	664000		
					3470.01 MHz	3499.98MHz	3529.98 MHz	3720.02 MHz	3840 MHz	3960 MHz		
40 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.57	26.03	26.18	25.66	24.82	25.02	0.0	27.0
			1	53	25.95	26.20	26.23	25.63	24.98	25.07	0.0	27.0
			1	104	26.07	26.24	25.96	25.50	24.99	25.08	0.0	27.0
			50	0	25.29	25.65	25.69	25.18	24.58	24.65	0.5	26.5
			50	28	25.96	26.37	26.26	25.74	25.23	25.24	0.0	27.0
			50	56	25.57	25.75	25.62	25.10	24.61	24.64	0.5	26.5
		100	0	25.34	25.72	25.72	25.17	24.60	24.66	0.5	26.5	
		QPSK	1	1	26.10	26.50	26.60	26.23	25.52	25.80	0.0	27.0
			1	53	26.38	26.70	26.61	26.18	25.69	26.02	0.0	27.0
			1	104	26.54	26.61	26.36	26.06	25.81	26.00	0.0	27.0
			50	0	25.32	25.77	25.72	25.33	24.84	25.07	1.0	26.0
			50	28	26.52	26.73	26.76	26.26	25.96	26.10	0.0	27.0
			50	56	25.64	25.74	25.59	25.12	25.00	25.15	1.0	26.0
	100	0	25.50	25.71	25.65	25.20	24.91	25.06	1.0	26.0		
16QAM	1	1	24.96	25.58	25.55	25.15	24.54	24.85	1.0	26.0		
64QAM	1	1	23.41	23.84	23.91	23.46	22.84	23.21	2.5	24.5		
256QAM	1	1	21.50	21.95	22.00	21.56	21.00	21.28	4.5	22.5		
CP-OFDM	QPSK	1	1	24.58	25.11	25.12	24.69	24.06	24.33	1.5	25.5	
30 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.82	26.28	26.33	25.76	25.04	25.23	0.0	27.0
			1	39	25.97	26.33	26.24	25.72	25.09	25.16	0.0	27.0
			1	76	26.19	26.37	26.11	25.68	25.17	25.27	0.0	27.0
			36	0	25.23	25.70	25.69	25.18	24.56	24.55	0.5	26.5
			36	21	25.94	26.37	26.24	25.78	25.09	25.20	0.0	27.0
			36	42	25.48	25.69	25.56	25.12	24.59	24.64	0.5	26.5
		75	0	25.38	25.73	25.70	25.14	24.54	24.66	0.5	26.5	
		QPSK	1	1	26.19	26.73	26.75	26.40	25.84	26.12	0.0	27.0
			1	39	26.48	26.81	26.66	26.25	25.94	26.16	0.0	27.0
			1	76	26.75	26.77	26.52	26.27	26.03	26.20	0.0	27.0
			36	0	25.34	25.82	25.68	25.31	24.95	25.19	1.0	26.0
			36	21	26.44	26.80	26.71	26.36	25.98	26.17	0.0	27.0
			36	42	25.62	25.84	25.58	25.30	25.06	25.19	1.0	26.0
	75	0	25.37	25.77	25.67	25.31	24.98	25.15	1.0	26.0		
16QAM	1	1	25.05	25.63	25.62	25.29	24.84	25.01	1.0	26.0		
64QAM	1	1	23.35	23.97	23.99	23.50	23.09	23.49	2.5	24.5		
256QAM	1	1	21.50	22.01	22.13	21.61	21.26	21.61	4.5	22.5		
CP-OFDM	QPSK	1	1	24.79	25.31	25.34	24.84	24.41	24.72	1.5	25.5	
25 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.58	26.24	26.28	25.62	24.99	25.19	0.0	27.0
			1	32	25.81	26.32	26.25	25.65	25.09	25.13	0.0	27.0
			1	63	26.40	26.68	26.53	26.01	25.58	25.65	0.0	27.0
			32	0	25.22	25.70	25.63	25.08	24.48	24.60	0.5	26.5
			32	16	25.86	26.33	26.23	25.68	25.07	25.19	0.0	27.0
			32	33	25.43	25.76	25.57	25.03	24.59	24.62	0.5	26.5
		64	0	25.23	25.75	25.67	25.09	24.54	24.65	0.5	26.5	
		QPSK	1	1	26.15	26.70	26.65	26.33	25.83	26.08	0.0	27.0
			1	32	26.31	26.77	26.62	26.25	25.90	25.99	0.0	27.0
			1	63	25.96	26.23	26.93	26.62	26.42	26.22	0.0	27.0
			32	0	25.23	25.74	25.66	25.30	24.92	25.17	1.0	26.0
			32	16	26.31	26.77	26.62	26.28	25.98	26.11	0.0	27.0
			32	33	25.50	25.79	25.58	25.31	25.05	25.19	1.0	26.0
	64	0	25.31	25.84	25.64	25.32	24.99	25.14	1.0	26.0		
16QAM	1	1	25.11	25.77	25.68	25.28	24.90	25.11	1.0	26.0		
64QAM	1	1	23.39	24.05	24.01	23.56	23.19	23.43	2.5	24.5		
256QAM	1	1	21.54	22.16	22.09	21.68	21.37	21.48	4.5	22.5		
CP-OFDM	QPSK	1	1	24.64	25.23	25.15	24.85	24.37	24.59	1.5	25.5	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit	
					630668	633332	636000	647334	656000	664666			
					3460.02 MHz	3499.98MHz	3540 MHz	3710.01 MHz	3840 MHz	3969.99 MHz			
20 MHz	DFT-s-OFDM	π/2 BPSK	1	1	25.36	26.01	26.00	25.46	24.85	24.85	25.05	0.0	27.0
			1	26	24.81	25.33	25.27	24.85	25.37	25.46	0.0	27.0	
			1	49	25.02	25.48	25.37	25.02	24.53	24.57	0.0	27.0	
			25	0	24.97	25.36	25.23	24.85	24.54	24.54	0.5	26.5	
			25	13	25.61	26.03	25.92	25.46	25.09	25.17	0.0	27.0	
			25	26	25.04	25.41	25.24	24.85	24.45	24.53	0.5	26.5	
		QPSK	50	0	25.12	25.44	25.27	24.83	24.49	24.58	0.5	26.5	
			1	1	26.05	26.72	26.59	26.20	25.71	25.93	0.0	27.0	
			1	26	25.17	25.62	25.57	25.24	24.86	24.98	0.0	27.0	
			1	49	25.36	25.86	25.60	25.33	25.00	25.06	0.0	27.0	
			25	0	25.29	25.71	25.42	25.30	24.91	25.00	1.0	26.0	
			25	13	26.32	26.81	26.55	26.30	25.89	26.03	0.0	27.0	
			25	26	25.35	25.71	25.46	25.30	24.91	25.02	1.0	26.0	
			50	0	25.94	25.85	25.95	25.63	25.25	25.46	1.0	26.0	
16QAM	1	1	25.10	25.57	25.51	25.14	24.66	24.90	1.0	26.0			
64QAM	1	1	23.25	23.89	23.79	23.41	22.96	23.22	2.5	24.5			
256QAM	1	1	21.33	21.97	21.82	21.60	21.17	21.43	4.5	22.5			
CP-OFDM	QPSK	1	1	24.63	25.24	25.12	24.78	24.35	24.49	1.5	25.5		
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit	
					630500	633332	636168	647168	656000	664832			
					3457.5 MHz	3499.98MHz	3542.52 MHz	3707.52 MHz	3840 MHz	3972.48 MHz			
15 MHz	DFT-s-OFDM	π/2 BPSK	1	1	26.22	26.82	26.71	25.25	24.64	24.71	0.0	27.0	
			1	19	26.26	26.74	26.61	25.18	24.66	24.79	0.0	27.0	
			1	36	26.44	26.83	26.49	25.22	24.77	24.87	0.0	27.0	
			18	0	25.70	26.30	26.16	24.83	24.23	24.19	0.5	26.5	
			18	10	26.28	26.83	26.66	25.32	24.71	24.79	0.0	27.0	
			18	20	25.81	26.33	26.06	24.80	24.23	24.34	0.5	26.5	
		QPSK	36	0	25.79	26.42	26.10	24.83	24.23	24.30	0.5	26.5	
			1	1	25.92	26.66	26.40	26.16	25.77	25.96	0.0	27.0	
			1	19	26.05	26.55	26.32	26.09	25.73	25.90	0.0	27.0	
			1	36	26.17	26.60	26.25	26.17	25.87	26.07	0.0	27.0	
			18	0	25.10	25.73	25.46	25.28	24.93	25.07	1.0	26.0	
			18	10	26.18	26.68	26.42	26.22	25.88	25.96	0.0	27.0	
			18	20	25.23	25.67	25.42	25.30	24.95	25.09	1.0	26.0	
			36	0	25.18	25.69	25.40	25.30	24.93	25.06	1.0	26.0	
16QAM	1	1	24.86	25.64	25.39	25.24	24.73	25.02	1.0	26.0			
64QAM	1	1	23.22	23.95	23.74	23.48	23.09	23.38	2.5	24.5			
256QAM	1	1	21.26	22.02	21.84	21.58	21.24	21.53	4.5	22.5			
CP-OFDM	QPSK	1	1	24.44	25.18	24.96	24.67	24.25	24.51	1.5	25.5		
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)						MPR	Tune-up Limit	
					630334	633332	636332	647000	656000	665000			
					3455.01 MHz	3499.98 MHz	3544.98 MHz	3705 MHz	3840 MHz	3975 MHz			
10 MHz	DFT-s-OFDM	π/2 BPSK	1	1	26.34	26.69	26.86	26.54	26.15	26.38	0.0	27.0	
			1	12	26.35	26.95	26.72	26.62	26.21	26.44	0.0	27.0	
			1	22	26.41	25.99	26.65	26.54	26.26	26.40	0.0	27.0	
			12	0	26.39	26.39	26.20	25.88	25.48	25.72	0.5	26.5	
			12	6	26.40	26.63	26.69	26.49	26.15	26.35	0.0	27.0	
			12	12	26.39	26.36	26.08	25.97	25.52	25.85	0.5	26.5	
		QPSK	24	0	26.40	26.35	26.15	25.91	25.49	25.77	0.5	26.5	
			1	1	26.25	26.82	26.63	26.41	25.83	26.09	0.0	27.0	
			1	12	26.23	26.71	26.49	26.32	25.89	26.03	0.0	27.0	
			1	22	26.33	26.80	26.51	26.46	26.03	26.13	0.0	27.0	
			12	0	25.19	25.73	25.60	25.26	24.94	25.10	1.0	26.0	
			12	6	26.22	26.72	26.52	26.30	25.96	26.10	0.0	27.0	
			12	12	25.27	25.72	25.43	25.35	24.97	25.11	1.0	26.0	
			24	0	25.23	25.70	25.50	25.26	24.92	25.04	1.0	26.0	
16QAM	1	1	25.02	25.74	25.49	25.22	24.78	24.97	1.0	26.0			
64QAM	1	1	23.32	23.97	23.73	23.58	23.10	23.43	2.5	24.5			
256QAM	1	1	21.47	22.08	21.96	21.60	21.20	21.43	4.5	22.5			
CP-OFDM	QPSK	1	1	24.85	25.25	25.13	24.85	24.37	24.47	1.5	25.5		

NR Band n77 (PC2, SRS1) (ANT C)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)						MPR	Tune-up Limit
			SRS1							
			Measured Pwr (dBm)							
100 MHz	1	1	633332		650000	656000	662000	0.0	24.0	
			3499.98MHz		3750 MHz	3840 MHz	3930 MHz			
90 MHz	1	1	21.95		22.78	22.94	22.31	0.0		
			633000	633332	633666	649668	656000			662332
80 MHz	1	1	3495MHz	3499.98MHz	3504.99MHz	3745.02MHz	3840 MHz	3934.98MHz		0.0
			21.83	21.92	22.26	22.68	22.96	22.48		
70 MHz	1	1	632668	633332	634000	649334	656000	662666		0.0
			3490.02 MHz	3499.98MHz	3510 MHz	3740.01 MHz	3840 MHz	3939.99 MHz		
60 MHz	1	1	21.85	22.02	22.31	22.75	22.83	22.51		0.0
			632334	633332	634332	649000	656000	663000		
50 MHz	1	1	3485.01 MHz	3499.98MHz	3514.98 MHz	3735MHz	3840 MHz	3945MHz	0.0	
			21.91	22.01	22.28	22.63	22.91	22.41		
40 MHz	1	1	632000	633332	634666	648668	656000	663332	0.0	
			3480 MHz	3499.98MHz	3519.99 MHz	3730.02 MHz	3840 MHz	3949.98 MHz		
30 MHz	1	1	21.85	21.93	22.33	22.51	22.95	22.43	0.0	
			631668	633332	635000	648334	656000	663666		
25 MHz	1	1	631334	633332	635332	648000	656000	664000	0.0	
			3475.02 MHz	3499.98MHz	3525 MHz	3725.01 MHz	3840 MHz	3954.99 MHz		
20 MHz	1	1	21.89	21.94	22.15	22.41	22.88	22.38	0.0	
			631000	633332	635668	647668	656000	664332		
15 MHz	1	1	3465 MHz	3499.98MHz	3535.02 MHz	3715.02 MHz	3840 MHz	3964.98 MHz	0.0	
			21.92	21.88	22.25	22.46	22.57	22.43		
10 MHz	1	1	630834	633332	635832	647500	656000	664500	0.0	
			3462.51 MHz	3499.98MHz	3537.48 MHz	3712.5 MHz	3840 MHz	3967.5 MHz		
5 MHz	1	1	21.88	21.69	22.31	22.53	22.41	22.58	0.0	
			630668	633332	636000	647334	656000	664666		
5 MHz	1	1	3460.02 MHz	3499.98MHz	3540 MHz	3710.01 MHz	3840 MHz	3969.99 MHz	0.0	
			21.74	21.81	22.33	22.51	22.51	22.63		
5 MHz	1	1	630500	633332	636168	647168	656000	664832	0.0	
			3457.5 MHz	3499.98MHz	3542.52 MHz	3707.52 MHz	3840 MHz	3972.48 MHz		
5 MHz	1	1	21.85	21.86	22.43	22.47	22.55	22.51	0.0	
			630334	633332	636332	647000	656000	665000		
5 MHz	1	1	3455.01 MHz	3499.98 MHz	3544.98 MHz	3705 MHz	3840 MHz	3975 MHz	0.0	
			21.79	22.02	22.37	22.38	22.59	22.43		

NR Band n77 (PC2, SRS2) (ANT I)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)						MPR	Tune-up Limit
			SRS2							
			Measured Pwr (dBm)							
100 MHz	1	1	633332		650000	656000	662000	0.0	26.0	
			3499.98MHz		3750 MHz	3840 MHz	3930 MHz			
90 MHz	1	1	24.01	24.65	24.14	24.89	0.0			
			633000	633332	633666	649668		656000		662332
80 MHz	1	1	3495MHz	3499.98MHz	3504.99MHz	3745.02MHz	3840 MHz	3934.98MHz		0.0
			23.91	23.99	23.98	24.43	23.89	24.74		
70 MHz	1	1	632668	633332	634000	649334	656000	662666		0.0
			3490.02 MHz	3499.98MHz	3510 MHz	3740.01 MHz	3840 MHz	3939.99 MHz		
60 MHz	1	1	23.92	23.98	23.92	24.05	23.78	23.58		0.0
			632334	633332	634332	649000	656000	663000		
50 MHz	1	1	3485.01 MHz	3499.98MHz	3514.98 MHz	3735MHz	3840 MHz	3945MHz	0.0	
			23.95	23.91	23.95	24.14	23.66	23.61		
40 MHz	1	1	632000	633332	634666	648668	656000	663332	0.0	
			3480 MHz	3499.98MHz	3519.99 MHz	3730.02 MHz	3840 MHz	3949.98 MHz		
30 MHz	1	1	23.98	23.95	23.92	24.08	23.61	23.55	0.0	
			631668	633332	635000	648334	656000	663666		
25 MHz	1	1	3475.02 MHz	3499.98MHz	3525 MHz	3725.01 MHz	3840 MHz	3954.99 MHz	0.0	
			24.02	23.97	23.85	24.01	23.66	23.60		
20 MHz	1	1	631334	633332	635332	648000	656000	664000	0.0	
			3470.01 MHz	3499.98MHz	3529.98 MHz	3720.02 MHz	3840 MHz	3960 MHz		
15 MHz	1	1	24.05	23.99	23.81	24.10	23.71	23.74	0.0	
			631000	633332	635668	647668	656000	664332		
10 MHz	1	1	3465 MHz	3499.98MHz	3535.02 MHz	3715.02 MHz	3840 MHz	3964.98 MHz	0.0	
			24.11	24.03	23.98	24.04	23.68	23.88		
10 MHz	1	1	630834	633332	635832	647500	656000	664500	0.0	
			3462.51 MHz	3499.98MHz	3537.48 MHz	3712.5 MHz	3840 MHz	3967.5 MHz		
10 MHz	1	1	23.99	24.01	23.85	24.01	23.63	23.91	0.0	
			630668	633332	636000	647334	656000	664666		
10 MHz	1	1	3460.02 MHz	3499.98MHz	3540 MHz	3710.01 MHz	3840 MHz	3969.99 MHz	0.0	
			24.03	23.92	23.99	23.88	23.78	24.28		
10 MHz	1	1	630500	633332	636168	647168	656000	664832	0.0	
			3457.5 MHz	3499.98MHz	3542.52 MHz	3707.52 MHz	3840 MHz	3972.48 MHz		
10 MHz	1	1	23.86	23.94	23.96	23.87	23.83	24.11	0.0	
			630334	633332	636332	647000	656000	665000		
10 MHz	1	1	3455.01 MHz	3499.98 MHz	3544.98 MHz	3705 MHz	3840 MHz	3975 MHz	0.0	
			23.81	23.83	23.91	23.92	23.52	23.77		

NR Band n77 (PC2, SRS3) (ANT D)

BW (MHz)	RB Allocation	RB offset	Maximum Average Power (dBm)							MPR	24.0
			SRS3								
			Measured Pwr (dBm)								
100 MHz	1	1	633332		650000	656000	662000				
			3499.98MHz		3750 MHz	3840 MHz	3930 MHz				
			21.58		21.84	21.75	21.52		0.0		
90 MHz	1	1	633000	633332	633666	649668	656000	662332			
			3495MHz	3499.98MHz	3504.99MHz	3745.02MHz	3840 MHz	3934.98MHz			
			21.52	21.63	21.85	21.81	21.76	21.63	0.0		
80 MHz	1	1	632668	633332	634000	649334	656000	662666			
			3490.02 MHz	3499.98MHz	3510 MHz	3740.01 MHz	3840 MHz	3939.99 MHz			
			21.58	21.61	21.74	21.77	21.69	21.55	0.0		
70 MHz	1	1	632334	633332	634332	649000	656000	663000			
			3485.01 MHz	3499.98MHz	3514.98 MHz	3735MHz	3840 MHz	3945MHz			
			21.55	21.63	21.81	21.83	21.76	21.54	0.0		
60 MHz	1	1	632000	633332	634666	648668	656000	663332			
			3480 MHz	3499.98MHz	3519.99 MHz	3730.02 MHz	3840 MHz	3949.98 MHz			
			21.61	21.77	21.85	21.71	21.64	21.58	0.0		
50 MHz	1	1	631668	633332	635000	648334	656000	663666			
			3475.02 MHz	3499.98MHz	3525 MHz	3725.01 MHz	3840 MHz	3954.99 MHz			
			21.54	21.58	21.71	21.75	21.63	21.68	0.0		
40 MHz	1	1	631334	633332	635332	648000	656000	664000			
			3470.01 MHz	3499.98MHz	3529.98 MHz	3720.02 MHz	3840 MHz	3960 MHz			
			21.53	21.61	21.73	21.71	21.55	21.69	0.0		
30 MHz	1	1	631000	633332	635668	647668	656000	664332			
			3465 MHz	3499.98MHz	3535.02 MHz	3715.02 MHz	3840 MHz	3964.98 MHz			
			21.66	21.57	21.63	21.76	21.58	21.91	0.0		
25 MHz	1	1	630834	633332	635832	647500	656000	664500			
			3462.51 MHz	3499.98MHz	3537.48 MHz	3712.5 MHz	3840 MHz	3967.5 MHz			
			21.69	21.71	21.58	21.59	21.66	21.81	0.0		
20 MHz	1	1	630668	633332	636000	647334	656000	664666			
			3460.02 MHz	3499.98MHz	3540 MHz	3710.01 MHz	3840 MHz	3969.99 MHz			
			21.61	21.56	21.64	21.57	21.61	21.76	0.0		
15 MHz	1	1	630500	633332	636168	647168	656000	664832			
			3457.5 MHz	3499.98MHz	3542.52 MHz	3707.52 MHz	3840 MHz	3972.48 MHz			
			21.56	21.61	21.73	21.59	21.58	21.74	0.0		
10 MHz	1	1	630334	633332	636332	647000	656000	665000			
			3455.01 MHz	3499.98 MHz	3544.98 MHz	3705 MHz	3840 MHz	3975 MHz			
			21.53	21.59	21.86	21.61	21.51	21.92	0.0		

8.2. PEAK TO AVERAGE RATIO

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03r01;

The transmitter output was connected to either CMW500 Test Set or E7515B Test set and configured to operate at maximum power. The PAR were measured on the Spectrum Analyzer.

Test Spec

In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

NOTE


5G NR: All Waveforms (CP-OFDM vs DFT-s_OFDM) and modulations ($\pi/2$ BPSK, QPSK, 16QAM, 64QAM, 256QAM) were investigated to determine the worst case configuration. All Modes of operation were investigated and the worst case configuration results are reported in this section.

RESULTS

See the following pages.

8.2.1. CONDUCTED PEAK TO AVERAGE RESULT

WCDMA




LTE Band 7




LTE Band 12



LTE Band 13




LTE Band 30




LTE Band 41(PC2)



LTE Band 66











LTE Band 71




NR Band n7 CP-OFDM


40 MHz	 <p>QPSK Mid channel</p>
	 <p>256QAM Mid channel</p>
35 MHz	 <p>QPSK Mid channel</p>
	 <p>256QAM Mid channel</p>









NR Band n12 CP-OFDM





NR Band n30 CP-OFDM



NR Band n41 (PC2, CP-OFDM)

