

## Appendix L. –NR bands Plimit Conducted Power

## 1 NR Maximum Output Power

### 1.1 NR Band Maximum Conducted Power

[NR FDD Band n2 Conducted Power \_ Antenna A \_ Pmax, DSI = 1]

#### NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.57	23.49	23.67	0	
				1	13	23.58	23.76	23.23	0	
				1	23	23.65	23.60	23.27	0	
				12	0	22.86	23.20	23.13	0.5	
				12	7	23.89	23.81	23.72	0	
				12	13	23.31	23.36	23.30	0.5	
				25	0	23.33	23.32	23.24	0.5	
			QPSK	1	1	23.76	23.33	23.40	0	
				1	13	23.63	23.58	23.53	0	
				1	23	23.54	23.51	23.32	0	
				12	0	22.82	22.76	22.68	1	
				12	7	23.79	23.77	23.65	0	
				12	13	22.73	22.85	22.66	1	
				25	0	22.63	22.89	22.69	1	
			16QAM	1	1	23.04	22.93	22.94	1	
			64QAM	1	1	21.04	21.09	21.02	2.5	
			256QAM	1	1	18.93	19.03	18.78	4.5	
			CP	QPSK	1	1	22.04	21.87	22.29	1.5

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.81	23.44	22.94	0	
				1	26	23.71	23.67	23.19	0	
				1	50	23.66	23.68	23.15	0	
				25	0	22.87	23.13	23.12	0.5	
				25	14	23.89	23.83	23.72	0	
				25	27	23.32	23.26	23.21	0.5	
				50	0	23.28	23.31	23.22	0.5	
			QPSK	1	1	23.68	23.36	23.44	0	
				1	26	23.70	23.62	23.50	0	
				1	50	23.54	23.53	23.33	0	
				25	0	22.80	22.82	22.72	1	
				25	14	23.72	23.78	23.70	0	
				25	27	22.78	22.80	22.70	1	
				50	0	22.73	22.81	22.76	1	
			16QAM	1	1	23.12	22.99	22.88	1	
			64QAM	1	1	21.10	21.02	20.95	2.5	
			256QAM	1	1	18.85	18.95	18.74	4.5	
			CP	QPSK	1	1	22.01	21.93	22.21	1.5

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376000	380500		
						1857.5 MHz	1880 MHz	1902.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.83	23.41	23.45	0	
				1	40	23.43	23.72	23.50	0	
				1	77	23.48	23.83	23.32	0	
				36	0	23.23	23.29	23.16	0.5	
				36	22	23.83	23.90	23.76	0	
				36	43	23.20	23.24	23.18	0.5	
				75	0	23.32	23.34	23.10	0.5	
			QPSK	1	1	23.51	23.56	23.52	0	
				1	40	23.46	23.56	23.40	0	
				1	77	23.60	23.64	23.19	0	
				36	0	22.75	22.72	22.65	1	
				36	22	23.68	23.82	23.61	0	
				36	43	22.72	22.72	22.68	1	
				75	0	22.69	22.80	22.59	1	
			16QAM	1	1	23.04	22.88	22.79	1	
			64QAM	1	1	21.14	21.06	20.99	2.5	
			256QAM	1	1	18.85	18.91	18.79	4.5	
			CP	QPSK	1	1	22.37	22.02	21.96	1.5

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376000	380000		
						1860 MHz	1880 MHz	1900 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.72	23.58	23.71	0	
				1	53	23.08	23.68	23.67	0	
				1	104	22.63	23.78	23.19	0	
				50	0	23.29	23.28	23.17	0.5	
				50	28	23.80	23.88	23.76	0	
				50	56	23.17	23.33	23.14	0.5	
				100	0	23.24	23.26	23.14	0.5	
			QPSK	1	1	23.60	23.59	23.55	0	
				1	53	23.52	23.55	23.45	0	
				1	104	23.57	23.62	23.54	0	
				50	0	22.82	22.76	22.66	1	
				50	28	23.73	23.76	23.65	0	
				50	56	22.64	22.79	22.66	1	
				100	0	22.71	22.74	22.65	1	
			16QAM	1	1	23.01	22.81	22.87	1	
			64QAM	1	1	21.07	21.00	21.04	2.5	
			256QAM	1	1	18.75	18.87	18.80	4.5	
			CP	QPSK	1	1	22.33	22.08	22.08	1.5

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		379500		
						1862.5 MHz		1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.64		23.60	0	
				1	66	23.62		23.21	0	
				1	131	23.62		23.34	0	
				64	0	22.80		23.11	0.5	
				64	35	23.99		23.65	0	
				64	69	23.37		23.35	0.5	
				128	0	23.36		23.20	0.5	
			QPSK	1	1	23.73		23.38	0	
				1	66	23.66		23.43	0	
				1	131	23.48		23.37	0	
				64	0	22.83		22.62	1	
				64	35	23.84		23.57	0	
				64	69	22.82		22.66	1	
				128	0	22.73		22.75	1	
			16QAM	1	1	22.97		23.04	1	
			64QAM	1	1	21.05		21.10	2.5	
			256QAM	1	1	18.88		18.82	4.5	
			CP	QPSK	1	1	22.12		22.23	1.5

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		379000		
						1865 MHz		1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.90		22.88	0	
				1	80	23.67		23.23	0	
				1	158	23.71		23.09	0	
				80	0	22.88		23.16	0.5	
				80	40	23.82		23.82	0	
				80	80	23.26		23.21	0.5	
				160	0	23.34		23.18	0.5	
			QPSK	1	1	23.63		23.51	0	
				1	80	23.79		23.49	0	
				1	158	23.45		23.40	0	
				80	0	22.78		22.82	1	
				80	40	23.65		23.78	0	
				80	80	22.87		22.65	1	
				160	0	22.71		22.66	1	
			16QAM	1	1	23.22		22.87	1	
			64QAM	1	1	21.19		20.95	2.5	
			256QAM	1	1	18.93		18.69	4.5	
			CP	QPSK	1	1	22.03		22.28	1.5

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.46		0
				1	98		23.80		0
				1	186		23.89		0
				90	0		23.38		0.5
				90	45		23.91		0
				90	90		23.28		0.5
				180	0		23.42		0.5
			QPSK	1	1		23.63		0
				1	98		23.48		0
				1	186		23.63		0
				90	0		22.81		1
				90	45		23.85		0
				90	90		22.77		1
				180	0		22.84		1
			16QAM	1	1		22.90		1
			64QAM	1	1		21.10		2.5
			256QAM	1	1		19.01		4.5
		CP	QPSK	1	1		22.10		1.5

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.60		0
				1	108		23.66		0
				1	214		23.77		0
				108	0		23.23		0.5
				108	54		23.80		0
				108	108		23.43		0.5
				216	0		23.24		0.5
			QPSK	1	1		23.65		0
				1	108		23.57		0
				1	214		23.68		0
				108	0		22.83		1
				108	54		23.77		0
				108	108		22.83		1
				216	0		22.64		1
		16QAM	1	1		22.84		1	
		64QAM	1	1		21.03		2.5	
		256QAM	1	1		18.96		4.5	
		CP	QPSK	1	1		22.04		1.5

**[NR FDD Band n5 Conducted Power\_ Antenna A\_ ASDIV\_ Pmax, DSI = 0, 1]**

**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						165300	167300	169300		
						826.5 MHz	836.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.80	23.72	23.58	0	
				1	13	23.72	23.60	23.54	0	
				1	23	23.76	23.58	23.53	0	
				12	0	23.19	23.12	23.02	0.5	
				12	7	23.70	23.56	23.59	0	
				12	13	23.15	22.96	22.98	0.5	
				25	0	23.28	23.17	23.16	0.5	
			QPSK	1	1	23.82	23.75	23.58	0	
				1	13	23.71	23.58	23.59	0	
				1	23	23.75	23.58	23.68	0	
				12	0	22.66	22.56	22.39	1	
				12	7	23.62	23.50	23.50	0	
				12	13	22.60	22.50	22.49	1	
				25	0	22.76	22.63	22.60	1	
			16QAM	1	1	22.63	22.58	22.37	1	
			64QAM	1	1	21.37	21.28	21.14	2.5	
			256QAM	1	1	18.69	18.57	18.57	4.5	
			CP	QPSK	1	1	22.35	22.31	22.15	1.5

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							167300			
							836.5 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.59		0	
				1	26		23.62		0	
				1	50		23.58		0	
				25	0		23.08		0.5	
				25	14		23.60		0	
				25	27		23.03		0.5	
				50	0		23.12		0.5	
			QPSK	1	1		23.61		0	
				1	26		23.59		0	
				1	50		23.56		0	
				25	0		22.61		1	
				25	14		23.52		0	
				25	27		22.54		1	
				50	0		22.59		1	
			16QAM	1	1		22.48		1	
			64QAM	1	1		21.15		2.5	
			256QAM	1	1		18.45		4.5	
			CP	QPSK	1	1		22.19		1.5

**NR FDD Band n5\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.76		0
				1	40		23.62		0
				1	77		23.53		0
				36	0		23.07		0.5
				36	22		23.66		0
				36	43		23.01		0.5
				75	0		23.11		0.5
			QPSK	1	1		23.64		0
				1	40		23.54		0
				1	77		23.46		0
				36	0		22.63		1
				36	22		23.56		0
				36	43		22.51		1
			75	0		22.57		1	
			16QAM	1	1		22.56		1
			64QAM	1	1		21.29		2.5
			256QAM	1	1		18.57		4.5
			CP	QPSK	1	1		22.32	

**NR FDD Band n5\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.70		0
				1	53		23.58		0
				1	104		23.52		0
				50	0		23.09		0.5
				50	28		23.64		0
				50	56		23.03		0.5
				100	0		23.05		0.5
			QPSK	1	1		23.72		0
				1	53		23.52		0
				1	104		23.53		0
				50	0		22.60		1
				50	28		23.54		0
				50	56		22.55		1
				100	0		22.57		1
			16QAM	1	1		22.56		1
			64QAM	1	1		21.26		2.5
			256QAM	1	1		18.53		4.5
		CP	QPSK	1	1		22.27		1.5

**[NR FDD Band n5 Conducted Power\_ Antenna E\_ Pmax, DSI = 0]**

**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						165300	167300	169300		
						826.5 MHz	836.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	24.56	24.44	0	
				1	13	24.66	24.53	24.51	0	
				1	23	24.67	24.49	24.17	0	
				12	0	24.16	24.06	23.84	0.5	
				12	7	24.64	24.58	24.40	0	
				12	13	24.11	23.98	23.94	0.5	
				25	0	24.12	23.97	23.87	0.5	
			QPSK	1	1	24.63	24.58	24.38	0	
				1	13	24.69	24.52	24.50	0	
				1	23	24.60	24.47	24.53	0	
				12	0	23.60	23.53	23.46	1	
				12	7	24.58	24.48	24.42	0	
				12	13	23.56	23.41	23.43	1	
				25	0	23.58	23.44	23.39	1	
			16QAM	1	1	23.45	23.30	23.13	1	
			64QAM	1	1	22.17	22.12	21.96	2.5	
			256QAM	1	1	19.45	19.38	19.33	4.5	
			CP	QPSK	1	1	23.20	23.11	22.95	1.5

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							167300			
							836.5 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.56		0	
				1	26		24.66		0	
				1	50		24.55		0	
				25	0		23.99		0.5	
				25	14		24.60		0	
				25	27		23.99		0.5	
				50	0		23.95		0.5	
			QPSK	1	1		24.58		0	
				1	26		24.54		0	
				1	50		24.50		0	
				25	0		23.44		1	
				25	14		24.43		0	
				25	27		23.46		1	
				50	0		23.40		1	
			16QAM	1	1		23.27		1	
			64QAM	1	1		22.02		2.5	
			256QAM	1	1		19.26		4.5	
			CP	QPSK	1	1		23.03		1.5

**NR FDD Band n5\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.65		0
				1	40		24.58		0
				1	77		24.44		0
				36	0		23.98		0.5
				36	22		24.58		0
				36	43		23.93		0.5
				75	0		24.01		0.5
			QPSK	1	1		24.55		0
				1	40		24.54		0
				1	77		24.35		0
				36	0		23.52		1
				36	22		24.51		0
				36	43		23.47		1
				75	0		23.51		1
			16QAM	1	1		23.33		1
			64QAM	1	1		22.12		2.5
			256QAM	1	1		19.49		4.5
		CP	QPSK	1	1		23.16		1.5

**NR FDD Band n5\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.76		0
				1	53		24.70		0
				1	104		24.48		0
				50	0		24.03		0.5
				50	28		24.64		0
				50	56		23.92		0.5
				100	0		24.11		0.5
			QPSK	1	1		24.65		0
				1	53		24.65		0
				1	104		24.44		0
				50	0		23.48		1
				50	28		24.55		0
				50	56		23.43		1
				100	0		23.63		1
			16QAM	1	1		23.41		1
			64QAM	1	1		22.12		2.5
			256QAM	1	1		19.46		4.5
		CP	QPSK	1	1		23.24		1.5

**[NR FDD Band n7 Conducted Power\_ Antenna B\_ Pmax, DSI = 1]**

**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						500500	507000	513500		
						2502.5 MHz	2535 MHz	2567.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.33	22.96	22.73	0	
				1	13	22.70	22.90	22.59	0	
				1	23	22.85	22.95	22.62	0	
				12	0	22.70	22.67	22.79	0.5	
				12	7	23.36	23.32	23.43	0	
				12	13	22.76	22.70	22.83	0.5	
				25	0	22.84	22.75	22.92	0.5	
			QPSK	1	1	23.04	23.14	23.29	0	
				1	13	23.20	23.16	23.23	0	
				1	23	23.21	23.16	23.28	0	
				12	0	22.30	22.20	22.35	1	
				12	7	23.37	23.26	23.37	0	
				12	13	22.29	22.26	22.33	1	
				25	0	22.38	22.30	22.44	1	
			16QAM	1	1	22.58	22.49	22.63	1	
			64QAM	1	1	20.66	20.57	20.71	2.5	
			256QAM	1	1	18.42	18.32	18.54	4.5	
			CP	QPSK	1	1	21.78	21.72	21.92	1.5

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501000	507000	513000		
						2505 MHz	2535 MHz	2565 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.19	22.81	22.71	0	
				1	26	22.99	22.76	22.38	0	
				1	50	23.11	22.90	22.17	0	
				25	0	22.64	22.71	22.81	0.5	
				25	14	23.10	23.29	23.34	0	
				25	27	22.64	22.76	22.86	0.5	
				50	0	22.63	22.78	22.84	0.5	
			QPSK	1	1	22.64	23.09	23.15	0	
				1	26	22.94	23.09	23.17	0	
				1	50	22.97	23.05	23.26	0	
				25	0	22.13	22.27	22.34	1	
				25	14	23.12	23.19	23.28	0	
				25	27	22.17	22.30	22.37	1	
				50	0	22.12	22.24	22.35	1	
			16QAM	1	1	22.13	22.44	22.53	1	
			64QAM	1	1	20.34	20.54	20.61	2.5	
			256QAM	1	1	18.13	18.34	18.32	4.5	
			CP	QPSK	1	1	21.37	21.61	21.69	1.5

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501500	507000	512500		
						2507.5 MHz	2535 MHz	2562.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.27	22.94	23.27	0	
				1	40	23.12	22.82	22.72	0	
				1	77	23.18	23.09	22.35	0	
				36	0	22.68	22.65	22.91	0.5	
				36	22	<b>23.22</b>	23.30	23.51	0	
				36	43	<b>22.60</b>	22.75	22.95	0.5	
				75	0	22.64	22.74	22.95	0.5	
			QPSK	1	1	22.54	22.99	23.19	0	
				1	40	22.87	22.96	23.17	0	
				1	77	22.96	23.06	23.39	0	
				36	0	22.16	22.16	22.49	1	
				36	22	<b>23.17</b>	23.17	23.45	0	
				36	43	<b>22.20</b>	22.19	22.48	1	
				75	0	22.18	22.16	22.47	1	
			16QAM	1	1	21.98	22.27	22.66	1	
			64QAM	1	1	20.14	20.44	20.73	2.5	
			256QAM	1	1	18.39	18.28	18.58	4.5	
			CP	QPSK	1	1	21.31	21.46	21.82	1.5

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502000	507000	512000		
						2510 MHz	2535 MHz	2560 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.19	22.89	23.30	0	
				1	53	23.20	22.83	22.76	0	
				1	104	23.23	23.01	22.13	0	
				50	0	22.71	22.61	22.80	0.5	
				50	28	23.33	23.29	23.46	0	
				50	56	22.75	22.72	22.92	0.5	
				100	0	22.78	22.68	22.81	0.5	
			QPSK	1	1	22.51	22.96	23.04	0	
				1	53	23.01	22.98	23.06	0	
				1	104	23.09	23.03	23.25	0	
				50	0	22.29	22.20	22.34	1	
				50	28	23.25	23.16	23.32	0	
				50	56	22.23	22.24	22.41	1	
				100	0	22.26	22.21	22.34	1	
			16QAM	1	1	22.12	22.32	22.52	1	
			64QAM	1	1	20.31	20.44	20.60	2.5	
			256QAM	1	1	18.29	18.18	18.35	4.5	
			CP	QPSK	1	1	21.89	21.49	21.62	1.5

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502500	507000	511500		
						2512.5 MHz	2535 MHz	2557.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.60	23.31	23.38	0	
				1	67	23.48	23.12	23.10	0	
				1	131	23.39	23.21	22.51	0	
				64	0	22.85	22.76	22.89	0.5	
				64	35	23.49	23.34	23.59	0	
				64	39	22.83	22.74	22.97	0.5	
				128	0	22.85	22.76	22.92	0.5	
			QPSK	1	1	23.05	23.07	23.25	0	
				1	67	23.19	23.14	23.36	0	
				1	131	23.23	23.24	23.44	0	
				64	0	22.38	22.26	22.42	1	
				64	35	23.35	23.26	23.42	0	
				64	69	22.37	22.29	22.53	1	
				128	0	22.37	22.25	22.44	1	
			16QAM	1	1	22.42	22.36	22.47	1	
			64QAM	1	1	20.71	20.50	20.73	2.5	
			256QAM	1	1	18.57	18.36	18.54	4.5	
			CP	QPSK	1	1	21.15	21.60	21.79	1.5

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						503000	507000	511000		
						2515 MHz	2535 MHz	2555 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.42	23.22	23.29	0	
				1	80	23.21	23.16	23.05	0	
				1	158	23.31	23.42	22.43	0	
				80	0	22.74	22.74	22.84	0.5	
				80	40	23.36	23.35	23.46	0	
				80	80	22.79	22.81	22.97	0.5	
				160	0	22.80	22.79	22.86	0.5	
			QPSK	1	1	22.95	23.17	23.04	0	
				1	80	23.05	23.12	23.11	0	
				1	158	23.17	23.30	23.42	0	
				80	0	22.22	22.31	22.43	1	
				80	40	23.31	23.30	23.37	0	
				80	80	22.21	22.37	22.52	1	
				160	0	22.18	22.28	22.41	1	
			16QAM	1	1	22.31	22.03	22.45	1	
			64QAM	1	1	20.51	20.53	20.58	2.5	
			256QAM	1	1	18.34	18.33	18.46	4.5	
			CP	QPSK	1	1	21.37	21.56	21.71	1.5

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503500	507000	510500	
						2517.5 MHz	2535 MHz	2552.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.27	23.02	22.73	0
				1	98	22.69	22.95	22.54	0
				1	186	22.86	22.86	22.71	0
				90	0	22.65	22.75	22.82	0.5
				90	45	23.31	23.34	23.46	0
				90	90	22.85	22.74	22.88	0.5
				180	0	22.80	22.73	22.84	0.5
			QPSK	1	1	23.03	23.15	23.35	0
				1	98	23.17	23.16	23.24	0
				1	186	23.17	23.15	23.19	0
				90	0	22.38	22.17	22.40	1
				90	45	23.29	23.26	23.32	0
				90	90	22.32	22.28	22.24	1
				180	0	22.48	22.30	22.51	1
			16QAM	1	1	22.62	22.52	22.56	1
			64QAM	1	1	20.63	20.65	20.75	2.5
			256QAM	1	1	18.45	18.26	18.44	4.5
			CP	QPSK	1	1	21.87	21.77	21.92

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							507000		
							2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.02		0
				1	108		23.01		0
				1	214		23.01		0
				108	0		22.83		0.5
				108	54		23.45		0
				108	108		22.87		0.5
				216	0		22.78		0.5
			QPSK	1	1		23.10		0
				1	108		23.04		0
				1	214		23.30		0
				108	0		22.31		1
				108	54		23.25		0
				108	108		22.37		1
				216	0		22.28		1
			16QAM	1	1		22.42		1
			64QAM	1	1		20.55		2.5
			256QAM	1	1		18.37		4.5
		CP	QPSK	1	1		21.60		1.5

**[NR FDD Band n12 Conducted Power\_Antenna A\_ Pmax, DSI = 0, 1]**

**NR FDD Band n12\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						140300	141500	142700		
						701.5MHz	707.5 MHz	713.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.45	23.72	23.70	0	
				1	13	23.24	23.65	23.76	0	
				1	23	23.52	23.75	23.71	0	
				12	0	23.18	23.13	23.09	0.5	
				12	7	23.74	23.69	23.73	0	
				12	13	23.23	23.07	23.12	0.5	
				25	0	23.25	23.22	23.25	0.5	
			QPSK	1	1	23.58	23.65	23.54	0	
				1	13	23.40	23.56	23.60	0	
				1	23	23.71	23.51	23.63	0	
				12	0	22.65	22.66	22.61	1	
				12	7	23.72	23.65	23.74	0	
				12	13	22.70	22.58	22.69	1	
				25	0	22.72	22.71	22.75	1	
			16QAM	1	1	23.01	22.95	22.97	1	
			64QAM	1	1	21.06	21.04	20.96	2.5	
			256QAM	1	1	18.94	18.87	18.80	4.5	
			CP	QPSK	1	1	22.21	22.22	22.13	1.5

**NR FDD Band n12\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							141500		
							707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.71		0
				1	26		23.56		0
				1	50		23.67		0
				25	0		23.24		0.5
				25	14		23.72		0
				25	27		23.22		0.5
				50	0		23.18		0.5
			QPSK	1	1		23.41		0
				1	26		23.45		0
				1	50		23.43		0
				25	0		22.76		1
				25	14		23.63		0
				25	27		22.73		1
				50	0		22.65		1
		16QAM	1	1		22.73		1	
		64QAM	1	1		20.70		2.5	
		256QAM	1	1		18.84		4.5	
		CP	QPSK	1	1		22.19		1.5

**NR FDD Band n12\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							141500		
							707.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.77		0
				1	40		23.59		0
				1	77		23.70		0
				36	0		23.28		0.5
				36	22		23.73		0
				36	43		23.21		0.5
				75	0		23.19		0.5
			QPSK	1	1		23.35		0
				1	40		23.33		0
				1	77		23.54		0
				36	0		22.67		1
				36	22		23.68		0
				36	43		22.73		1
				75	0		22.70		1
			16QAM	1	1		22.56		1
			64QAM	1	1		20.58		2.5
			256QAM	1	1		18.94		4.5
			CP	QPSK	1	1		22.09	

**[NR FDD Band n12 Conducted Power\_Antenna E\_ ASDIV\_ Pmax, DSI = 0]**

**NR FDD Band n12\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						140300	141500	142700		
						701.5MHz	707.5 MHz	713.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.21	24.20	24.19	0	
				1	13	23.98	24.31	24.38	0	
				1	23	24.18	24.21	24.23	0	
				12	0	23.50	23.85	23.76	0.5	
				12	7	24.53	24.39	24.39	0	
				12	13	23.94	23.76	23.70	0.5	
				25	0	23.96	23.79	23.78	0.5	
			QPSK	1	1	24.39	24.34	24.17	0	
				1	13	24.53	24.38	24.34	0	
				1	23	24.43	24.20	24.23	0	
				12	0	23.49	23.37	23.17	1	
				12	7	24.51	24.38	24.32	0	
				12	13	23.43	23.25	23.25	1	
				25	0	23.48	23.28	23.25	1	
			16QAM	1	1	23.18	23.27	23.00	1	
			64QAM	1	1	21.96	21.91	21.80	2.5	
			256QAM	1	1	19.26	19.20	19.05	4.5	
			CP	QPSK	1	1	23.08	23.01	22.89	1.5

**NR FDD Band n12\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							141500			
							707.5 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.22		0	
				1	26		24.31		0	
				1	50		24.31		0	
				25	0		23.82		0.5	
				25	14		24.35		0	
				25	27		23.72		0.5	
				50	0		23.74		0.5	
			QPSK	1	1		24.05		0	
				1	26		24.24		0	
				1	50		24.33		0	
				25	0		23.30		1	
				25	14		24.28		0	
				25	27		23.18		1	
				50	0		23.27		1	
			16QAM	1	1		23.08		1	
			64QAM	1	1		21.64		2.5	
			256QAM	1	1		19.11		4.5	
			CP	QPSK	1	1		22.62		1.5

**NR FDD Band n12\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							141500		
							707.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.41		0
				1	40		24.32		0
				1	77		24.20		0
				36	0		23.86		0.5
				36	22		24.37		0
				36	43		23.79		0.5
				75	0		23.76		0.5
			QPSK	1	1		23.70		0
				1	40		24.20		0
				1	77		24.24		0
				36	0		23.38		1
				36	22		24.22		0
				36	43		23.33		1
			75	0		23.28		1	
			16QAM	1	1		22.80		1
			64QAM	1	1		21.23		2.5
			256QAM	1	1		19.33		4.5
		CP	QPSK	1	1		22.23		1.5

**[NR FDD Band n25 Conducted Power\_ Antenna A \_ Pmax, DSI = 1]**

**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376500	382500		
						1852.5 MHz	1882.5 MHz	1912.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.88	23.36	23.20	0	
				1	13	22.77	23.39	23.24	0	
				1	23	22.71	23.33	23.18	0	
				12	0	22.80	22.82	22.63	0.5	
				12	7	23.44	23.43	23.24	0	
				12	13	22.89	22.83	22.66	0.5	
				25	0	22.88	22.94	22.74	0.5	
			QPSK	1	1	23.19	23.24	23.12	0	
				1	13	23.25	23.26	23.06	0	
				1	23	23.30	23.24	23.03	0	
				12	0	22.33	22.32	22.17	1	
				12	7	23.36	23.37	23.19	0	
				12	13	22.34	22.36	22.13	1	
				25	0	22.42	22.36	22.24	1	
			16QAM	1	1	22.61	22.56	22.45	1	
			64QAM	1	1	20.64	20.62	20.49	2.5	
			256QAM	1	1	18.60	18.52	18.29	4.5	
			CP	QPSK	1	1	21.82	21.79	21.65	1.5

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376500	382000		
						1855 MHz	1882.5 MHz	1910 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.94	23.37	23.18	0	
				1	26	22.84	23.33	22.62	0	
				1	50	22.42	23.26	22.52	0	
				25	0	22.97	22.91	22.73	0.5	
				25	14	23.43	23.35	23.21	0	
				25	27	22.93	22.83	22.69	0.5	
				50	0	22.98	22.86	22.70	0.5	
			QPSK	1	1	23.15	23.13	23.06	0	
				1	26	23.14	23.17	23.09	0	
				1	50	23.17	23.11	23.02	0	
				25	0	22.39	22.39	22.18	1	
				25	14	23.28	23.27	23.17	0	
				25	27	22.34	22.33	22.22	1	
				50	0	22.35	22.36	22.20	1	
			16QAM	1	1	22.70	22.49	22.10	1	
			64QAM	1	1	20.68	20.53	20.44	2.5	
			256QAM	1	1	18.61	18.46	18.36	4.5	
			CP	QPSK	1	1	21.95	21.76	21.71	1.5

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376500	381500		
						1857.5 MHz	1882.5 MHz	1907.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.04	23.34	23.22	0	
				1	40	22.60	23.32	22.31	0	
				1	77	22.57	23.40	22.56	0	
				36	0	22.83	22.83	22.73	0.5	
				36	22	23.35	23.45	23.21	0	
				36	43	22.77	22.78	22.69	0.5	
				75	0	22.82	22.87	22.65	0.5	
			QPSK	1	1	23.11	23.19	22.95	0	
				1	40	23.09	23.07	23.03	0	
				1	77	23.17	23.21	23.03	0	
				36	0	22.34	22.30	22.21	1	
				36	22	23.30	23.34	23.14	0	
				36	43	22.20	22.31	22.18	1	
				75	0	22.27	22.32	22.14	1	
			16QAM	1	1	22.64	22.45	22.42	1	
			64QAM	1	1	20.74	20.58	20.57	2.5	
			256QAM	1	1	18.62	18.43	18.32	4.5	
			CP	QPSK	1	1	21.85	21.75	21.57	1.5

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376500	381000		
						1860 MHz	1882.5 MHz	1905 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.97	23.37	23.25	0	
				1	53	22.37	23.28	23.25	0	
				1	104	22.72	23.35	22.25	0	
				50	0	22.86	22.80	22.76	0.5	
				50	28	23.34	23.41	23.26	0	
				50	56	22.77	22.77	22.73	0.5	
				100	0	22.79	22.83	22.67	0.5	
			QPSK	1	1	23.09	23.10	23.12	0	
				1	53	23.10	23.12	22.89	0	
				1	104	23.08	23.17	23.03	0	
				50	0	22.30	22.34	22.22	1	
				50	28	23.27	23.31	23.14	0	
				50	56	22.28	22.25	22.23	1	
				100	0	22.27	22.33	22.15	1	
			16QAM	1	1	22.67	22.41	22.52	1	
			64QAM	1	1	20.70	20.50	20.55	2.5	
			256QAM	1	1	18.49	18.41	18.42	4.5	
			CP	QPSK	1	1	21.84	21.71	21.70	1.5

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		380500		
						1862.5 MHz		1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.97		23.47	0	
				1	66	22.59		23.40	0	
				1	131	23.14		22.58	0	
				64	0	22.87		22.83	0.5	
				64	35	23.36		23.45	0	
				64	69	22.82		22.85	0.5	
				128	0	22.83		22.77	0.5	
			QPSK	1	1	23.25		23.28	0	
				1	66	23.28		23.17	0	
				1	131	23.14		23.14	0	
				64	0	22.43		22.39	1	
				64	35	23.33		23.38	0	
				64	69	22.37		22.32	1	
				128	0	22.28		22.25	1	
			16QAM	1	1	22.76		22.62	1	
			64QAM	1	1	20.76		20.46	2.5	
			256QAM	1	1	18.56		18.37	4.5	
			CP	QPSK	1	1	22.00		21.92	1.5

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]		
						373000	380000			
						1865 MHz	1900 MHz			
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.01		23.45	0	
				1	80	22.61		23.47	0	
				1	158	23.52		22.55	0	
				80	0	22.93		22.91	0.5	
				80	40	23.46		23.50	0	
				80	80	22.86		22.85	0.5	
				160	0	22.88		22.79	0.5	
			QPSK	1	1	23.30		23.21	0	
				1	80	23.26		23.14	0	
				1	158	23.17		23.17	0	
				80	0	22.45		22.45	1	
				80	40	23.39		23.34	0	
				80	80	22.44		22.38	1	
				160	0	22.39		22.35	1	
			16QAM	1	1	22.82		22.71	1	
			64QAM	1	1	20.79		20.69	2.5	
			256QAM	1	1	18.74		18.78	4.5	
			CP	QPSK	1	1	22.00		21.88	1.5

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.34		0
				1	98		23.32		0
				1	186		23.41		0
				90	0		22.85		0.5
				90	45		23.44		0
				90	90		22.83		0.5
				180	0		22.86		0.5
			QPSK	1	1		23.16		0
				1	98		23.02		0
				1	186		23.15		0
				90	0		22.29		1
				90	45		23.34		0
				90	90		22.22		1
				180	0		22.31		1
			16QAM	1	1		22.46		1
			64QAM	1	1		20.56		2.5
			256QAM	1	1		18.49		4.5
		CP	QPSK	1	1		21.79		1.5

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.32		0
				1	108		23.23		0
				1	214		23.15		0
				108	0		22.88		0.5
				108	54		23.51		0
				108	108		22.73		0.5
				216	0		22.83		0.5
			QPSK	1	1		23.27		0
				1	108		23.21		0
				1	214		23.13		0
				108	0		22.45		1
				108	54		23.45		0
				108	108		22.22		1
				216	0		22.25		1
			16QAM	1	1		22.36		1
			64QAM	1	1		20.46		2.5
			256QAM	1	1		18.65		4.5
			CP	QPSK	1	1		21.74	

**[NR FDD Band n26 Conducted Power\_ Antenna E\_ Pmax, DSI = 0]**

**NR FDD Band n26 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163300	166300	169300		
						816.5 MHz	831.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.14	24.16	23.91	0	
				1	13	24.28	24.26	24.05	0	
				1	23	24.22	24.10	23.93	0	
				12	0	23.71	23.68	23.46	0.5	
				12	7	24.33	24.29	24.03	0	
				12	13	23.74	23.66	23.53	0.5	
				25	0	23.72	23.71	23.46	0.5	
			QPSK	1	1	24.20	24.20	23.89	0	
				1	13	24.33	24.30	24.07	0	
				1	23	24.25	24.18	24.07	0	
				12	0	23.21	23.19	22.97	1	
				12	7	24.25	24.24	24.04	0	
				12	13	23.21	23.14	22.99	1	
				25	0	23.21	23.18	22.92	1	
			16QAM	1	1	23.04	23.00	22.73	1	
			64QAM	1	1	21.74	21.76	21.50	2.5	
			256QAM	1	1	19.09	19.01	18.88	4.5	
			CP	QPSK	1	1	22.80	22.80	22.58	1.5

**NR FDD Band n26 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163800	166300	168800		
						819 MHz	831.5 MHz	844 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.38	24.30	24.21	0	
				1	26	24.36	24.25	23.96	0	
				1	50	24.35	24.21	24.25	0	
				25	0	23.71	23.71	23.57	0.5	
				25	14	24.34	24.32	24.15	0	
				25	27	23.75	23.64	23.63	0.5	
				50	0	23.76	23.64	23.54	0.5	
			QPSK	1	1	24.25	24.24	24.17	0	
				1	26	24.29	24.24	24.04	0	
				1	50	24.32	24.16	24.18	0	
				25	0	23.22	23.18	23.01	1	
				25	14	24.23	24.23	24.03	0	
				25	27	23.26	23.13	23.09	1	
				50	0	23.20	23.18	22.97	1	
			16QAM	1	1	22.98	22.96	22.98	1	
			64QAM	1	1	21.74	21.73	21.57	2.5	
			256QAM	1	1	19.02	19.03	18.92	4.5	
			CP	QPSK	1	1	22.78	22.82	22.76	1.5

**NR FDD Band n26 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						164300		168300		
						821.5 MHz		841.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.32		24.19	0	
				1	40	24.34		23.99	0	
				1	77	24.39		24.03	0	
				36	0	23.81		23.56	0.5	
				36	22	24.41		24.06	0	
				36	43	23.84		23.44	0.5	
				75	0	23.85		23.56	0.5	
			QPSK	1	1	24.30		24.20	0	
				1	40	24.37		23.94	0	
				1	77	24.28		24.00	0	
				36	0	23.30		23.08	1	
				36	22	24.34		23.99	0	
				36	43	23.25		22.92	1	
				75	0	23.23		22.98	1	
			16QAM	1	1	23.16		23.02	1	
			64QAM	1	1	21.90		21.72	2.5	
			256QAM	1	1	19.21		19.07	4.5	
			CP	QPSK	1	1	22.87		22.76	1.5

**NR FDD Band n26 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							166300			
							831.5 MHz			
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.03		0	
				1	53		24.35		0	
				1	104		24.19		0	
				50	0		23.67		0.5	
				50	28		24.34		0	
				50	56		23.67		0.5	
				100	0		23.83		0.5	
			QPSK	1	1		24.31		0	
				1	53		24.26		0	
				1	104		24.18		0	
				50	0		23.17		1	
				50	28		24.12		0	
				50	56		23.19		1	
				100	0		23.30		1	
			16QAM	1	1		23.02		1	
			64QAM	1	1		21.70		2.5	
			256QAM	1	1		19.16		4.5	
			CP	QPSK	1	1		22.93		1.5

**[NR FDD Band n26 Conducted Power\_ Antenna A\_ ASDIV \_Pmax, DSI = 0, 1]**

**NR FDD Band n26 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163300	166300	169300		
						816.5 MHz	831.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.74	23.62	23.53	0	
				1	13	23.73	23.56	23.60	0	
				1	23	23.74	23.68	23.62	0	
				12	0	23.12	23.10	23.03	0.5	
				12	7	23.74	23.57	23.58	0	
				12	13	23.04	23.01	23.04	0.5	
				25	0	23.16	23.15	23.17	0.5	
			QPSK	1	1	23.68	23.70	23.53	0	
				1	13	23.67	23.60	23.55	0	
				1	23	23.82	23.63	23.68	0	
				12	0	22.54	22.53	22.43	1	
				12	7	23.59	23.52	23.53	0	
				12	13	22.58	22.49	22.56	1	
				25	0	22.69	22.60	22.61	1	
			16QAM	1	1	22.49	22.48	22.30	1	
			64QAM	1	1	21.19	21.23	21.11	2.5	
			256QAM	1	1	18.63	18.58	18.51	4.5	
			CP	QPSK	1	1	22.33	22.22	22.18	1.5

**NR FDD Band n26 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163800	166300	168800		
						819 MHz	831.5 MHz	844 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.68	23.74	23.55	0	
				1	26	23.70	23.65	23.56	0	
				1	50	23.74	23.56	23.53	0	
				25	0	23.21	23.24	22.97	0.5	
				25	14	23.73	23.67	23.48	0	
				25	27	23.30	23.19	23.09	0.5	
				50	0	23.23	23.21	23.02	0.5	
			QPSK	1	1	23.57	23.61	23.49	0	
				1	26	23.70	23.56	23.40	0	
				1	50	23.74	23.54	23.54	0	
				25	0	22.69	22.66	22.53	1	
				25	14	23.64	23.54	23.38	0	
				25	27	22.78	22.64	22.55	1	
				50	0	22.76	22.60	22.47	1	
			16QAM	1	1	22.45	22.45	22.28	1	
			64QAM	1	1	21.14	21.19	21.08	2.5	
			256QAM	1	1	18.59	18.62	18.42	4.5	
			CP	QPSK	1	1	22.34	22.19	22.11	1.5

**NR FDD Band n26 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						164300		168300		
						821.5 MHz		841.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.76		23.66	0	
				1	40	23.73		23.53	0	
				1	77	23.68		23.53	0	
				36	0	23.21		23.02	0.5	
				36	22	23.74		23.52	0	
				36	43	23.18		23.01	0.5	
				75	0	23.23		23.06	0.5	
			QPSK	1	1	23.70		23.65	0	
				1	40	23.69		23.44	0	
				1	77	23.65		23.53	0	
				36	0	22.71		22.50	1	
				36	22	23.69		23.43	0	
				36	43	22.67		22.40	1	
				75	0	22.68		22.51	1	
			16QAM	1	1	22.57		22.52	1	
			64QAM	1	1	21.27		21.22	2.5	
			256QAM	1	1	18.67		18.59	4.5	
			CP	QPSK	1	1	22.32		22.28	1.5

**NR FDD Band n26 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							166300			
							831.5 MHz			
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.72		0	
				1	53		23.62		0	
				1	104		23.49		0	
				50	0		23.14		0.5	
				50	28		23.61		0	
				50	56		23.09		0.5	
				100	0		23.09		0.5	
			QPSK	1	1		23.73		0	
				1	53		23.54		0	
				1	104		23.55		0	
				50	0		22.68		1	
				50	28		23.57		0	
				50	56		22.55		1	
				100	0		22.57		1	
			16QAM	1	1		22.54		1	
			64QAM	1	1		21.27		2.5	
			256QAM	1	1		18.61		4.5	
			CP	QPSK	1	1		22.21		1.5

**[NR FDD Band n30 Conducted Power\_Antenna A\_TX Hopping\_ Pmax, DSI = 1]**

**NR FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.45		0	
				1	13		22.55		0	
				1	23		22.29		0	
				12	0		22.01		0.5	
				12	7		22.53		0	
				12	13		21.81		0.5	
				25	0		21.87		0.5	
			QPSK	1	1		22.44		0	
				1	13		22.53		0	
				1	23		22.35		0	
				12	0		21.45		1	
				12	7		22.51		0	
				12	13		21.38		1	
				25	0		21.41		1	
			16QAM	1	1		21.34		1	
			64QAM	1	1		20.06		2.5	
			256QAM	1	1		17.18		4.5	
			CP	QPSK	1	1		20.93		1.5

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.60		0	
				1	26		22.48		0	
				1	50		22.37		0	
				25	0		22.03		0.5	
				25	14		22.57		0	
				25	27		21.83		0.5	
				50	0		21.93		0.5	
			QPSK	1	1		22.48		0	
				1	26		22.48		0	
				1	50		22.49		0	
				25	0		21.48		1	
				25	14		22.44		0	
				25	27		21.36		1	
				50	0		21.44		1	
			16QAM	1	1		21.36		1	
			64QAM	1	1		20.15		2.5	
			256QAM	1	1		17.12		4.5	
			CP	QPSK	1	1		20.88		1.5

**[NR TDD Band n38 Conducted Power\_ Power Class 3 Only\_Antenna B\_TX Hopping, Pmax, DSI = 1]**

**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.58	24.62	24.46	0
				1	12	24.53	24.57	24.32	0
				1	22	24.54	24.57	24.21	0
				12	0	24.03	24.09	23.84	0.5
				12	6	24.49	24.53	24.31	0
				12	12	24.04	24.04	23.73	0.5
			24	0	24.07	24.07	23.82	0.5	
			QPSK	1	1	24.52	24.56	24.30	0
				1	12	24.42	24.48	24.22	0
				1	22	24.48	24.38	24.13	0
				12	0	23.57	23.60	23.33	1
				12	6	24.48	24.50	24.21	0
				12	12	23.52	23.59	23.22	1
			24	0	23.52	23.54	23.33	1	
			16QAM	1	1	23.56	23.58	23.28	1
			64QAM	1	1	21.49	21.53	21.26	2.5
			256QAM	1	1	19.75	19.78	19.62	4.5
			CP	QPSK	1	1	23.18	23.12	22.79

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.67	24.63	24.68	0
				1	18	24.61	24.60	24.55	0
				1	36	24.69	24.55	24.36	0
				18	0	24.09	24.08	24.13	0.5
				18	9	24.62	24.61	24.54	0
				18	18	24.09	24.02	23.97	0.5
				36	0	24.11	24.08	24.04	0.5
			QPSK	1	1	24.58	24.59	24.62	0
				1	18	24.52	24.47	24.43	0
				1	36	24.59	24.45	24.28	0
				18	0	23.61	23.61	23.69	1
				18	9	24.54	24.54	24.44	0
				18	18	23.61	23.59	23.45	1
				36	0	23.63	23.62	23.52	1
			16QAM	1	1	23.49	23.53	23.47	1
			64QAM	1	1	21.57	21.58	21.61	2.5
			256QAM	1	1	19.83	19.81	19.87	4.5
		CP	QPSK	1	1	23.12	23.13	23.10	1.5

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						516000	519000	522000		
						2580 MHz	2595 MHz	2610 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	24.63	24.70	0	
				1	26	24.68	24.59	24.46	0	
				1	49	24.64	24.42	24.29	0	
				25	0	24.17	24.12	24.11	0.5	
				25	13	24.71	24.67	24.58	0	
				25	26	24.22	24.07	23.92	0.5	
				50	0	24.15	24.12	23.98	0.5	
			QPSK	1	1	24.61	24.53	24.63	0	
				1	26	24.58	24.46	24.34	0	
				1	49	24.56	24.32	24.19	0	
				25	0	23.70	23.60	23.65	1	
				25	13	24.65	24.55	24.47	0	
				25	26	23.69	23.55	23.39	1	
				50	0	23.62	23.59	23.46	1	
			16QAM	1	1	23.53	23.53	23.61	1	
			64QAM	1	1	21.49	21.55	21.65	2.5	
			256QAM	1	1	19.86	19.77	19.88	4.5	
			CP	QPSK	1	1	23.23	23.15	23.31	1.5

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64		24.43	0
				1	32	24.58		24.41	0
				1	63	24.56		24.30	0
				32	0	23.96		23.83	0.5
				32	17	24.56		24.33	0
				32	33	24.12		23.82	0.5
				64	0	24.10		23.91	0.5
			QPSK	1	1	24.58		24.34	0
				1	32	24.34		24.19	0
				1	63	24.57		24.22	0
				32	0	23.58		23.36	1
				32	17	24.39		24.29	0
				32	33	23.51		23.28	1
				64	0	23.57		23.26	1
			16QAM	1	1	23.47		23.27	1
			64QAM	1	1	21.58		21.25	2.5
			256QAM	1	1	19.75		19.58	4.5
			CP	QPSK	1	1	23.18		22.82

**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						517000		521000		
						2585 MHz		2605 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.81		24.85	1	
				1	39	24.70		24.53	1	
				1	76	24.64		24.27	1	
				36	0	24.20		24.26	36	
				36	21	24.80		24.64	36	
				36	42	24.17		23.90	36	
				75	0	24.21		24.09	75	
			QPSK	1	1	24.62		24.77	1	
				1	39	24.50		24.45	1	
				1	76	24.56		24.19	1	
				36	0	23.68		23.75	36	
				36	21	24.60		24.54	36	
				36	42	23.71		23.43	36	
				75	0	23.64		23.55	75	
			16QAM	1	1	23.58		23.79	1	
			64QAM	1	1	21.62		21.78	1	
			256QAM	1	1	19.94		20.04	1	
			CP	QPSK	1	1	23.38		23.38	1

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.04		0
				1	80		24.69		0
				1	158		24.24		0
				80	0		24.28		0.5
				80	40		24.78		0
				80	80		24.00		0.5
				160	0		24.09		0.5
			QPSK	1	1		24.69		0
				1	80		24.60		0
				1	158		24.18		0
				80	0		23.72		1
				80	40		24.68		0
				80	80		23.52		1
				160	0		23.58		1
		16QAM	1	1		23.59		1	
		64QAM	1	1		21.69		2.5	
		256QAM	1	1		19.88		4.5	
		CP	QPSK	1	80		23.30		1.5

**[NR FDD Band n66 Conducted Power \_ Antenna A\_ Pmax, DSI = 1]**

**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						342500	349000	355500		
						1712.5 MHz	1745 MHz	1777.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.29	23.64	23.40	0	
				1	13	23.32	23.61	23.36	0	
				1	23	23.28	23.59	23.33	0	
				12	0	22.63	23.06	22.76	0.5	
				12	7	23.32	23.61	23.36	0	
				12	13	22.67	23.02	22.72	0.5	
				25	0	22.79	23.15	22.84	0.5	
			QPSK	1	1	23.10	23.53	23.26	0	
				1	13	23.02	23.49	23.19	0	
				1	23	23.11	23.49	23.14	0	
				12	0	22.15	22.57	22.29	1	
				12	7	23.30	23.60	23.35	0	
				12	13	22.22	22.53	22.24	1	
				25	0	22.25	22.62	22.35	1	
			16QAM	1	1	22.39	22.82	22.58	1	
			64QAM	1	1	20.49	20.91	20.64	2.5	
			256QAM	1	1	18.41	18.75	18.47	4.5	
			CP	QPSK	1	1	21.69	22.08	21.78	1.5

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343000	349000	355000		
						1715 MHz	1745 MHz	1775 MHz		
10MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.33	23.63	23.42	0	
				1	26	23.29	23.61	23.39	0	
				1	50	23.33	23.47	23.29	0	
				25	0	22.83	23.19	22.95	0.5	
				25	14	23.30	23.63	23.39	0	
				25	27	22.87	23.13	22.83	0.5	
				50	0	22.79	23.15	22.93	0.5	
			QPSK	1	1	23.07	23.40	23.28	0	
				1	26	23.15	23.45	23.22	0	
				1	50	23.12	23.31	23.12	0	
				25	0	22.21	22.63	22.42	1	
				25	14	23.21	23.52	23.33	0	
				25	27	22.30	22.64	22.39	1	
				50	0	22.31	22.60	22.40	1	
			16QAM	1	1	22.47	22.75	22.63	1	
			64QAM	1	1	20.48	20.82	20.61	2.5	
			256QAM	1	1	18.41	18.74	18.54	4.5	
			CP	QPSK	1	1	21.70	22.05	21.86	1.5

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.30	23.68	23.51	0
				1	40	23.32	23.64	23.41	0
				1	77	23.29	23.53	23.12	0
				36	0	22.78	23.09	22.97	0.5
				36	22	23.30	23.67	23.48	0
				36	43	22.79	23.09	22.83	0.5
				75	0	22.77	23.13	22.91	0.5
			QPSK	1	1	23.13	23.39	23.24	0
				1	40	23.21	23.42	23.15	0
				1	77	23.19	23.33	23.14	0
				36	0	22.28	22.55	22.47	1
				36	22	23.28	23.65	23.39	0
				36	43	22.32	22.01	22.36	1
				75	0	22.24	22.61	22.41	1
			16QAM	1	1	22.35	22.76	22.69	1
			64QAM	1	1	20.57	20.92	20.79	2.5
			256QAM	1	1	18.39	18.75	18.65	4.5
		CP	QPSK	1	1	21.65	21.93	21.95	1.5

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344000	349000	354000		
						1720 MHz	1745 MHz	1770 MHz		
20MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.18	23.43	23.49	0	
				1	53	23.29	23.60	23.13	0	
				1	104	23.41	23.48	22.69	0	
				50	0	22.78	23.05	23.02	0.5	
				50	28	23.39	23.71	23.52	0	
				50	56	22.93	23.08	22.88	0.5	
				100	0	22.76	23.05	22.97	0.5	
			QPSK	1	1	23.02	23.32	23.20	0	
				1	53	23.14	23.45	23.28	0	
				1	104	23.23	23.26	23.12	0	
				50	0	22.28	22.59	22.48	1	
				50	28	23.34	23.59	23.41	0	
				50	56	22.37	22.53	22.40	1	
				100	0	22.22	22.50	22.46	1	
			16QAM	1	1	22.33	22.62	22.62	1	
			64QAM	1	1	20.46	20.73	20.70	2.5	
			256QAM	1	1	18.28	18.57	18.58	4.5	
			CP	QPSK	1	1	21.58	21.90	21.82	1.5

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344500	349000	353500		
						1722.5 MHz	1745 MHz	1767.5 MHz		
25MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.35	23.73	23.45	0	
				1	66	23.24	23.68	23.37	0	
				1	131	23.31	23.61	23.31	0	
				64	0	22.53	23.06	22.66	0.5	
				64	35	23.32	23.59	23.38	0	
				64	69	22.74	23.00	22.65	0.5	
				128	0	22.88	23.08	22.94	0.5	
			QPSK	1	1	23.12	23.51	23.17	0	
				1	66	23.01	23.45	23.10	0	
				1	131	23.20	23.53	23.06	0	
				64	0	22.07	22.57	22.23	1	
				64	35	23.23	23.69	23.31	0	
				64	69	22.21	22.43	22.21	1	
				128	0	22.29	22.59	22.25	1	
			16QAM	1	1	22.38	22.88	22.62	1	
			64QAM	1	1	20.54	20.82	20.63	2.5	
			256QAM	1	1	18.49	18.74	18.50	4.5	
			CP	QPSK	1	1	21.77	22.12	21.79	1.5

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.59		0
				1	80		23.73		0
				1	158		23.62		0
				80	0		23.15		0.5
				80	40		23.74		0
				80	80		23.17		0.5
				160	0		23.14		0.5
			QPSK	1	1		23.40		0
				1	80		23.57		0
				1	158		23.40		0
				80	0		22.58		1
				80	40		23.68		0
				80	80		22.63		1
				160	0		22.62		1
			16QAM	1	1		22.79		1
			64QAM	1	1		20.84		2.5
			256QAM	1	1		18.72		4.5
		CP	QPSK	1	1		22.01		1.5

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
35MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.72		0
				1	98		23.73		0
				1	186		23.55		0
				90	0		22.99		0.5
				90	45		23.72		0
				90	90		23.17		0.5
				180	0		23.15		0.5
			QPSK	1	1		23.33		0
				1	98		23.43		0
				1	186		23.40		0
				90	0		22.53		1
				90	45		23.70		0
				90	90		21.93		1
				180	0		22.67		1
			16QAM	1	1		22.69		1
			64QAM	1	1		20.83		2.5
			256QAM	1	1		18.83		4.5
			CP	QPSK	1	1		22.03	

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.54		0
				1	108		23.38		0
				1	214		23.26		0
				108	0		23.16		0.5
				108	54		23.75		0
				108	108		23.10		0.5
				216	0		23.08		0.5
			QPSK	1	1		23.23		0
				1	108		23.63		0
				1	214		23.45		0
				108	0		22.51		1
				108	54		23.65		0
				108	108		22.60		1
				216	0		22.57		1
		16QAM	1	1		22.74		1	
		64QAM	1	1		20.71		2.5	
		256QAM	1	1		18.58		4.5	
		CP	QPSK	1	1		21.92		1.5

**[NR FDD Band n70 Conducted Power\_Antenna A\_ Pmax, DSI = 1]**

**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						339500	340500	341500		
						1697.5 MHz	1702.5 MHz	1707.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.49	23.48	23.46	0	
				1	13	23.63	23.53	23.49	0	
				1	23	23.49	23.45	23.39	0	
				12	0	22.99	22.94	22.94	0.5	
				12	7	23.66	23.59	23.54	0	
				12	13	22.96	22.96	22.90	0.5	
				25	0	22.96	22.94	22.94	0.5	
			QPSK	1	1	23.51	23.47	23.45	0	
				1	13	23.63	23.58	23.55	0	
				1	23	23.47	23.41	23.41	0	
				12	0	22.50	22.46	22.47	1	
				12	7	23.57	23.47	23.49	0	
				12	13	22.52	22.48	22.39	1	
				25	0	22.54	22.47	22.44	1	
			16QAM	1	1	22.42	22.40	22.33	1	
			64QAM	1	1	21.07	21.09	20.96	2.5	
			256QAM	1	1	18.13	18.22	18.20	4.5	
			CP	QPSK	1	1	22.10	22.15	22.05	1.5

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						340000	340500	341000		
						1700 MHz	1702.5 MHz	1705 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.60	23.65	23.56	0	
				1	26	23.58	23.58	23.53	0	
				1	50	23.49	23.49	23.45	0	
				25	0	22.97	23.00	22.96	0.5	
				25	14	23.57	23.56	23.50	0	
				25	27	22.95	22.91	22.89	0.5	
				50	0	22.97	22.96	22.93	0.5	
			QPSK	1	1	23.59	23.58	23.55	0	
				1	26	23.58	23.55	23.46	0	
				1	50	23.46	23.44	23.42	0	
				25	0	22.54	22.50	22.50	1	
				25	14	23.52	23.51	23.48	0	
				25	27	22.49	22.45	22.39	1	
				50	0	22.47	22.50	22.44	1	
			16QAM	1	1	22.32	22.45	22.47	1	
			64QAM	1	1	20.95	21.10	20.99	2.5	
			256QAM	1	1	18.20	18.27	18.18	4.5	
			CP	QPSK	1	1	22.12	22.14	22.14	1.5

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							340500		
							1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.59		0
				1	40		23.45		0
				1	77		23.27		0
				36	0		22.98		0.5
				36	22		23.51		0
				36	43		22.87		0.5
				75	0		22.89		0.5
			QPSK	1	1		23.37		0
				1	40		23.26		0
				1	77		23.23		0
				36	0		22.50		1
				36	22		23.44		0
				36	43		22.41		1
				75	0		22.44		1
		16QAM	1	1		22.21		1	
		64QAM	1	1		20.87		2.5	
		256QAM	1	1		18.26		4.5	
CP	QPSK	1	1		21.61		1.5		

**[NR FDD Band n71 Conducted Power\_Antenna A\_ Pmax, DSI=0, 1]**

**NR FDD Band n71 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						133100	136100	139100		
						665.5 MHz	680.5 MHz	695.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.68	24.66	24.34	0	
				1	13	23.83	24.71	24.43	0	
				1	23	23.95	24.56	24.23	0	
				12	0	24.05	24.11	23.84	0.5	
				12	7	24.66	24.72	24.38	0	
				12	13	24.21	24.02	23.80	0.5	
				25	0	24.17	24.06	23.82	0.5	
			QPSK	1	1	24.80	24.66	24.35	0	
				1	13	24.83	24.71	24.45	0	
				1	23	24.72	24.58	24.22	0	
				12	0	23.55	23.58	23.32	1	
				12	7	24.81	24.63	24.37	0	
				12	13	23.73	23.60	23.25	1	
				25	0	23.69	23.61	23.28	1	
			16QAM	1	1	23.53	23.49	23.24	1	
			64QAM	1	1	22.30	22.15	21.98	2.5	
			256QAM	1	1	19.01	19.43	19.16	4.5	
			CP	QPSK	1	1	22.74	23.26	22.99	1.5

**NR FDD Band n71 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						133600	136100	138600		
						668 MHz	680.5 MHz	693 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.64	24.76	24.58	0	
				1	26	23.75	24.68	24.38	0	
				1	50	23.74	24.53	24.31	0	
				25	0	24.19	24.11	23.91	0.5	
				25	14	24.74	24.69	24.42	0	
				25	27	24.15	24.07	23.78	0.5	
				50	0	24.15	24.06	23.85	0.5	
			QPSK	1	1	24.87	24.73	24.53	0	
				1	26	24.78	24.72	24.44	0	
				1	50	24.78	24.58	24.30	0	
				25	0	23.70	23.60	23.39	1	
				25	14	24.70	24.65	24.35	0	
				25	27	23.62	23.53	23.25	1	
				50	0	23.65	23.55	23.31	1	
			16QAM	1	1	23.50	23.47	23.19	1	
			64QAM	1	1	22.33	22.21	22.05	2.5	
			256QAM	1	1	19.00	19.35	19.20	4.5	
			CP	QPSK	1	1	22.89	23.29	22.96	1.5

**NR FDD Band n71 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							136100		
							680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.72		0
				1	40		24.65		0
				1	77		24.44		0
				36	0		24.13		0.5
				36	22		24.58		0
				36	43		23.96		0.5
				75	0		24.05		0.5
			QPSK	1	1		24.62		0
				1	40		24.52		0
				1	77		24.40		0
				36	0		23.60		1
				36	22		24.55		0
				36	43		23.48		1
				75	0		23.56		1
		16QAM	1	1		23.44		1	
		64QAM	1	1		22.19		2.5	
		256QAM	1	1		19.53		4.5	
CP	QPSK	1	1		23.28		1.5		

**NR FDD Band n71 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							136100		
							680.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.80		0
				1	53		24.73		0
				1	104		24.10		0
				50	0		24.06		0.5
				50	28		24.62		0
				50	56		23.98		0.5
				100	0		24.10		0.5
			QPSK	1	1		24.68		0
				1	53		24.63		0
				1	104		24.51		0
				50	0		23.59		1
				50	28		24.61		0
				50	56		23.43		1
				100	0		23.65		1
			16QAM	1	1		23.36		1
			64QAM	1	1		22.16		2.5
			256QAM	1	1		19.51		4.5
			CP	QPSK	1	1		23.24	

**[NR FDD Band n71 Conducted Power\_Antenna E\_ASDIV\_ Pmax, DSI=0]**

**NR FDD Band n71 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						133100	136100	139100		
						665.5 MHz	680.5 MHz	695.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.51	24.64	24.27	0	
				1	13	23.82	24.68	24.40	0	
				1	23	23.73	24.58	24.25	0	
				12	0	23.86	24.12	23.87	0.5	
				12	7	24.55	24.73	24.45	0	
				12	13	24.22	24.05	23.76	0.5	
				25	0	24.25	24.08	23.82	0.5	
			QPSK	1	1	24.70	24.66	24.38	0	
				1	13	24.86	24.64	24.44	0	
				1	23	24.75	24.50	24.22	0	
				12	0	23.46	23.68	23.37	1	
				12	7	24.53	24.64	24.40	0	
				12	13	23.72	23.63	23.31	1	
				25	0	23.61	23.63	23.32	1	
			16QAM	1	1	23.57	23.52	23.28	1	
			64QAM	1	1	22.41	22.22	22.01	2.5	
			256QAM	1	1	19.55	19.92	19.70	4.5	
			CP	QPSK	1	1	22.74	23.25	22.97	1.5

**NR FDD Band n71 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						133600	136100	138600		
						668 MHz	680.5 MHz	693 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.66	24.82	24.59	0	
				1	26	23.43	24.78	24.54	0	
				1	50	23.43	24.68	24.40	0	
				25	0	24.08	24.16	24.01	0.5	
				25	14	24.81	24.77	24.51	0	
				25	27	24.15	24.12	23.83	0.5	
				50	0	24.15	24.09	23.90	0.5	
			QPSK	1	1	24.84	24.80	24.58	0	
				1	26	24.77	24.75	24.47	0	
				1	50	24.74	24.67	24.31	0	
				25	0	23.60	23.64	23.48	1	
				25	14	24.68	24.69	24.43	0	
				25	27	23.60	23.62	23.31	1	
				50	0	23.68	23.60	23.33	1	
			16QAM	1	1	23.45	23.52	23.25	1	
			64QAM	1	1	22.38	22.24	22.09	2.5	
			256QAM	1	1	19.45	19.89	19.73	4.5	
			CP	QPSK	1	1	23.01	23.29	23.00	1.5

**NR FDD Band n71 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							136100		
							680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.66		0
				1	40		24.63		0
				1	77		24.56		0
				36	0		24.04		0.5
				36	22		24.61		0
				36	43		23.95		0.5
				75	0		24.05		0.5
			QPSK	1	1		24.56		0
				1	40		24.44		0
				1	77		24.42		0
				36	0		23.58		1
				36	22		24.51		0
				36	43		23.47		1
			75	0		23.54		1	
			16QAM	1	1		23.45		1
			64QAM	1	1		22.21		2.5
			256QAM	1	1		20.07		4.5
		CP	QPSK	1	1		23.18		1.5

**NR FDD Band n71 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							136100		
							680.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		24.77		0
				1	53		24.71		0
				1	104		24.05		0
				50	0		24.11		0.5
				50	28		24.61		0
				50	56		23.97		0.5
				100	0		24.13		0.5
			QPSK	1	1		24.72		0
				1	53		24.62		0
				1	104		24.49		0
				50	0		23.63		1
				50	28		24.59		0
				50	56		23.48		1
				100	0		23.64		1
			16QAM	1	1		23.45		1
			64QAM	1	1		22.17		2.5
			256QAM	1	1		20.01		4.5
		CP	QPSK	1	1		23.17		1.5

## 1.2 NR Band Reduced Conducted Power

[NR FDD Band n2 Conducted Power \_ Antenna A \_ DSI = 0]

NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.09	18.95	19.03	0	
				1	13	19.10	19.02	19.13	0	
				1	23	19.08	19.07	19.12	0	
				12	0	18.99	18.87	18.96	0	
				12	7	19.18	18.93	19.06	0	
				12	13	19.04	18.93	19.06	0	
				25	0	19.13	18.99	19.06	0	
			QPSK	1	1	19.09	18.95	19.04	0	
				1	13	19.12	19.02	19.06	0	
				1	23	19.13	19.04	19.14	0	
				12	0	19.01	18.86	18.96	0	
				12	7	19.10	18.92	19.04	0	
				12	13	18.94	18.98	18.98	0	
				25	0	19.13	18.92	19.03	0	
			16QAM	1	1	18.94	18.82	18.87	0	
			64QAM	1	1	19.20	18.99	19.09	0	
			256QAM	1	1	18.55	18.33	18.46	0	
			CP	QPSK	1	1	19.12	19.00	19.10	0

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.18	18.98	19.13	0	
				1	26	19.15	19.03	19.08	0	
				1	50	19.08	18.93	19.16	0	
				25	0	19.20	18.95	19.15	0	
				25	14	19.22	18.95	19.10	0	
				25	27	19.18	19.00	19.14	0	
				50	0	19.22	18.96	19.18	0	
			QPSK	1	1	19.27	18.96	19.14	0	
				1	26	19.20	18.92	19.09	0	
				1	50	19.07	18.94	19.15	0	
				25	0	19.26	18.97	19.20	0	
				25	14	19.08	18.87	19.09	0	
				25	27	19.06	19.04	19.13	0	
				50	0	19.11	18.96	19.17	0	
			16QAM	1	1	19.00	18.90	18.95	0	
			64QAM	1	1	19.20	19.07	19.18	0	
			256QAM	1	1	18.62	18.39	18.58	0	
			CP	QPSK	1	1	19.28	19.03	19.22	0

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376000	380500		
						1857.5 MHz	1880 MHz	1902.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.08	19.10	19.05	0	
				1	40	18.99	19.08	19.05	0	
				1	77	19.09	19.03	19.04	0	
				36	0	19.07	19.06	19.04	0	
				36	22	19.08	19.12	19.09	0	
				36	43	18.98	19.05	19.04	0	
				75	0	19.04	19.08	18.98	0	
			QPSK	1	1	19.11	19.09	19.08	0	
				1	40	18.96	19.06	18.89	0	
				1	77	19.08	18.97	19.02	0	
				36	0	19.06	19.07	19.08	0	
				36	22	19.00	19.06	18.94	0	
				36	43	19.00	19.07	19.02	0	
				75	0	19.04	19.08	18.97	0	
			16QAM	1	1	18.95	18.99	18.93	0	
			64QAM	1	1	19.23	19.14	19.10	0	
			256QAM	1	1	18.54	18.52	18.46	0	
			CP	QPSK	1	1	19.15	19.15	19.16	0

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376000	380000		
						1860 MHz	1880 MHz	1900 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.07	18.99	19.05	0	
				1	53	19.00	19.03	19.05	0	
				1	104	19.12	19.01	19.01	0	
				50	0	19.07	19.05	18.97	0	
				50	28	19.06	19.14	19.12	0	
				50	56	19.08	19.03	19.09	0	
				100	0	18.96	19.06	19.02	0	
			QPSK	1	1	19.04	18.92	19.00	0	
				1	53	18.93	18.99	18.97	0	
				1	104	19.08	18.95	19.03	0	
				50	0	19.02	19.04	18.99	0	
				50	28	18.96	19.02	19.01	0	
				50	56	19.08	19.02	18.95	0	
				100	0	18.99	19.04	19.02	0	
			16QAM	1	1	18.90	18.83	18.85	0	
			64QAM	1	1	19.16	19.05	19.12	0	
			256QAM	1	1	18.50	18.35	18.43	0	
			CP	QPSK	1	1	19.10	19.05	19.14	0

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		379500		
						1862.5 MHz		1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.13		18.98	0	
				1	66	19.10		19.07	0	
				1	131	19.16		19.10	0	
				64	0	18.89		18.89	0	
				64	35	19.19		19.00	0	
				64	69	19.09		19.04	0	
				128	0	19.21		19.10	0	
			QPSK	1	1	19.00		18.99	0	
				1	66	19.13		19.10	0	
				1	131	19.06		19.09	0	
				64	0	19.02		18.98	0	
				64	35	19.07		19.03	0	
				64	69	18.99		18.88	0	
				128	0	19.07		18.96	0	
			16QAM	1	1	19.04		18.90	0	
			64QAM	1	1	19.19		19.17	0	
			256QAM	1	1	18.46		18.45	0	
			CP	QPSK	1	1	19.12		19.12	0

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		379000		
						1865 MHz		1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.21		19.04	0	
				1	80	19.19		19.17	0	
				1	158	19.07		19.13	0	
				80	0	19.23		19.09	0	
				80	40	19.21		19.18	0	
				80	80	19.22		19.15	0	
				160	0	19.20		19.21	0	
			QPSK	1	1	19.30		19.04	0	
				1	80	19.27		18.99	0	
				1	158	19.07		19.25	0	
				80	0	19.34		19.30	0	
				80	40	18.98		19.10	0	
				80	80	19.08		19.14	0	
				160	0	19.04		19.26	0	
			16QAM	1	1	18.99		18.85	0	
			64QAM	1	1	19.26		19.15	0	
			256QAM	1	1	18.64		18.53	0	
			CP	QPSK	1	1	19.28		19.17	0

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.05		0
				1	98		18.98		0
				1	186		19.02		0
				90	0		18.99		0
				90	45		19.10		0
				90	90		18.99		0
				180	0		19.03		0
			QPSK	1	1		19.11		0
				1	98		18.96		0
				1	186		18.94		0
				90	0		19.01		0
				90	45		19.14		0
				90	90		19.10		0
				180	0		19.12		0
			16QAM	1	1		19.09		0
			64QAM	1	1		19.14		0
			256QAM	1	1		18.50		0
			CP	QPSK	1	1		19.15	

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.01		0
				1	108		19.06		0
				1	214		18.97		0
				108	0		19.15		0
				108	54		19.17		0
				108	108		18.98		0
				216	0		19.03		0
			QPSK	1	1		18.89		0
				1	108		18.98		0
				1	214		18.92		0
				108	0		19.06		0
				108	54		19.07		0
				108	108		19.10		0
				216	0		18.98		0
			16QAM	1	1		18.77		0
			64QAM	1	1		19.08		0
			256QAM	1	1		18.25		0
			CP	QPSK	1	1		19.01	

**[NR FDD Band n2 Conducted Power \_ Antenna F (TX Hopping) \_ DSI = 0]**

**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.00	19.96	19.96	0
				1	13	20.02	20.01	20.12	0
				1	23	20.01	19.99	20.14	0
				12	0	19.94	19.94	19.83	0
				12	7	20.02	19.99	20.06	0
				12	13	19.92	19.94	20.01	0
				25	0	20.02	19.98	19.98	0
			QPSK	1	1	20.01	20.01	19.94	0
				1	13	20.02	19.98	20.08	0
				1	23	20.07	20.04	20.10	0
				12	0	19.87	19.93	19.89	0
				12	7	20.01	19.95	19.99	0
				12	13	19.94	19.93	19.98	0
				25	0	20.02	19.96	20.00	0
			16QAM	1	1	19.75	19.79	19.62	0
			64QAM	1	1	20.10	20.09	19.97	0
			256QAM	1	1	18.45	18.46	18.38	1
			CP	QPSK	1	1	20.05	20.03	19.96

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	19.98	20.13	0	
				1	26	20.06	19.96	20.12	0	
				1	50	19.98	19.99	20.14	0	
				25	0	20.07	19.99	20.12	0	
				25	14	20.11	20.02	20.03	0	
				25	27	20.06	19.98	20.02	0	
				50	0	20.08	19.97	20.08	0	
			QPSK	1	1	20.10	19.88	20.07	0	
				1	26	20.08	19.95	19.93	0	
				1	50	20.02	19.93	20.07	0	
				25	0	20.12	19.99	20.12	0	
				25	14	20.02	19.90	19.97	0	
				25	27	20.06	20.00	20.02	0	
				50	0	20.04	19.95	20.07	0	
			16QAM	1	1	19.77	19.75	19.92	0	
			64QAM	1	1	20.20	20.02	20.23	0	
			256QAM	1	1	18.63	18.42	18.64	1	
			CP	QPSK	1	1	20.15	20.01	20.20	0

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376000	380500		
						1857.5 MHz	1880 MHz	1902.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.14	20.10	20.10	0	
				1	40	19.94	19.95	19.97	0	
				1	77	20.00	19.97	20.09	0	
				36	0	20.06	20.05	19.97	0	
				36	22	20.04	20.10	20.10	0	
				36	43	19.95	19.96	19.95	0	
				75	0	20.04	19.96	19.99	0	
			QPSK	1	1	20.09	19.93	19.98	0	
				1	40	19.95	19.93	19.94	0	
				1	77	19.94	19.96	20.01	0	
				36	0	20.09	20.01	19.91	0	
				36	22	19.99	19.98	19.99	0	
				36	43	19.92	19.97	19.93	0	
				75	0	20.03	19.97	19.92	0	
			16QAM	1	1	19.76	19.78	19.81	0	
			64QAM	1	1	20.22	20.05	20.08	0	
			256QAM	1	1	18.61	18.57	18.49	1	
			CP	QPSK	1	1	20.17	20.17	20.11	0

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376000	380000		
						1860 MHz	1880 MHz	1900 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.06	19.92	19.98	0	
				1	53	19.99	19.95	19.99	0	
				1	104	19.94	20.03	20.02	0	
				50	0	19.96	20.05	19.92	0	
				50	28	20.03	20.07	20.07	0	
				50	56	20.01	19.94	20.00	0	
				100	0	19.92	19.98	20.03	0	
			QPSK	1	1	20.00	19.97	19.98	0	
				1	53	19.99	19.89	19.87	0	
				1	104	19.94	19.96	20.01	0	
				50	0	20.02	20.05	19.92	0	
				50	28	19.96	19.99	19.95	0	
				50	56	19.92	19.94	19.99	0	
				100	0	19.90	19.99	19.90	0	
			16QAM	1	1	19.72	19.77	19.90	0	
			64QAM	1	1	20.14	20.01	19.99	0	
			256QAM	1	1	18.49	18.48	18.43	1	
			CP	QPSK	1	1	20.10	20.05	20.09	0

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		379500		
						1862.5 MHz		1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.10		19.87	0	
				1	66	20.00		20.19	0	
				1	131	19.93		20.09	0	
				64	0	19.92		19.89	0	
				64	35	20.11		20.03	0	
				64	69	20.00		19.93	0	
				128	0	20.12		20.04	0	
			QPSK	1	1	20.01		19.89	0	
				1	66	20.02		20.16	0	
				1	131	19.97		20.10	0	
				64	0	19.89		19.94	0	
				64	35	19.93		20.04	0	
				64	69	19.98		20.04	0	
				128	0	19.95		19.95	0	
			16QAM	1	1	19.68		19.59	0	
			64QAM	1	1	20.11		19.93	0	
			256QAM	1	1	18.54		18.43	1	
			CP	QPSK	1	1	20.10		19.91	0

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		379000		
						1865 MHz		1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.01		20.21	0	
				1	80	20.09		20.12	0	
				1	158	20.00		20.23	0	
				80	0	19.97		20.05	0	
				80	40	20.21		20.12	0	
				80	80	20.10		20.01	0	
				160	0	20.13		20.12	0	
			QPSK	1	1	20.06		20.08	0	
				1	80	20.09		19.85	0	
				1	158	20.00		20.00	0	
				80	0	20.12		20.07	0	
				80	40	20.01		20.06	0	
				80	80	20.06		20.07	0	
				160	0	20.11		20.04	0	
			16QAM	1	1	19.75		19.86	0	
			64QAM	1	1	20.12		20.28	0	
			256QAM	1	1	18.69		18.67	1	
			CP	QPSK	1	1	20.07		20.27	0

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.07		0
				1	98		19.95		0
				1	186		20.03		0
				90	0		19.99		0
				90	45		20.04		0
				90	90		20.04		0
				180	0		20.06		0
			QPSK	1	1		19.86		0
				1	98		19.87		0
				1	186		19.88		0
				90	0		20.03		0
				90	45		19.90		0
				90	90		20.01		0
			180	0		19.92		0	
		16QAM	1	1		19.80		0	
		64QAM	1	1		20.11		0	
		256QAM	1	1		18.61		1	
CP	QPSK	1	1		20.23		0		

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.84		0
				1	108		19.97		0
				1	214		20.00		0
				108	0		20.08		0
				108	54		20.00		0
				108	108		19.97		0
				216	0		20.04		0
			QPSK	1	1		20.05		0
				1	108		19.98		0
				1	214		19.88		0
				108	0		20.15		0
				108	54		19.91		0
				108	108		19.94		0
				216	0		20.09		0
			16QAM	1	1		19.83		0
			64QAM	1	1		20.11		0
			256QAM	1	1		18.53		1
			CP	QPSK	1	1		20.14	

**[NR FDD Band n5 Conducted Power\_ Antenna E\_DSI = 1]**

**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.48	21.36	21.19	0
				1	13	21.43	21.34	21.18	0
				1	23	21.35	21.32	21.18	0
				12	0	21.50	21.22	21.15	0
				12	7	21.42	21.38	21.26	0
				12	13	21.32	21.25	21.16	0
			25	0	21.34	21.34	21.20	0	
			QPSK	1	1	21.35	21.30	21.21	0
				1	13	21.30	21.39	21.18	0
				1	23	21.27	21.24	21.19	0
				12	0	21.38	21.26	21.14	0
				12	7	21.35	21.38	21.14	0
				12	13	21.37	21.27	21.15	0
			25	0	21.32	21.28	21.12	0	
			16QAM	1	1	21.25	21.11	20.99	0
			64QAM	1	1	21.45	21.35	21.30	0
			256QAM	1	1	19.53	19.34	19.28	1.5
			CP	QPSK	1	1	21.48	21.39	21.78

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.32		0
				1	26		21.39		0
				1	50		21.42		0
				25	0		21.33		0
				25	14		21.40		0
				25	27		21.24		0
				50	0		21.26		0
			QPSK	1	1		21.38		0
				1	26		21.35		0
				1	50		21.17		0
				25	0		21.17		0
				25	14		21.31		0
				25	27		21.27		0
				50	0		21.25		0
			16QAM	1	1		21.03		0
			64QAM	1	1		21.31		0
			256QAM	1	1		19.25		1.5
		CP	QPSK	1	1		21.32		0

**NR FDD Band n5\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.39		0
				1	40		21.25		0
				1	77		21.21		0
				36	0		21.34		0
				36	22		21.37		0
				36	43		21.23		0
				75	0		21.25		0
			QPSK	1	1		21.40		0
				1	40		21.22		0
				1	77		21.02		0
				36	0		21.34		0
				36	22		21.22		0
				36	43		21.25		0
				75	0		21.26		0
			16QAM	1	1		21.23		0
			64QAM	1	1		21.49		0
			256QAM	1	1		19.48		1.5
		CP	QPSK	1	1		21.40		0

**NR FDD Band n5\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							167300			
							836.5 MHz			
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.54		0	
				1	53		21.43		0	
				1	104		21.26		0	
				50	0		21.38		0	
				50	28		21.37		0	
				50	56		21.20		0	
				100	0		21.40		0	
			QPSK	1	1		21.50		0	
				1	53		21.39		0	
				1	104		21.28		0	
				50	0		21.33		0	
				50	28		21.31		0	
				50	56		21.18		0	
				100	0		21.36		0	
			16QAM	1	1		21.29		0	
			64QAM	1	1		21.40		0	
			256QAM	1	1		19.44		1.5	
			CP	QPSK	1	1		21.56		0

**[NR FDD Band n7 Conducted Power\_ Antenna B\_DSI = 0]**

**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						500500	507000	513500		
						2502.5 MHz	2535 MHz	2567.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.94	19.72	20.05	0	
				1	13	19.91	19.76	20.04	0	
				1	23	19.89	19.74	20.12	0	
				12	0	19.76	19.62	19.98	0	
				12	7	19.89	19.79	20.12	0	
				12	13	19.80	19.69	20.05	0	
				25	0	19.84	19.77	20.11	0	
			QPSK	1	1	19.92	19.76	20.15	0	
				1	13	19.90	19.82	20.19	0	
				1	23	19.89	19.79	20.20	0	
				12	0	19.78	19.64	20.01	0	
				12	7	19.82	19.76	20.11	0	
				12	13	19.79	19.70	20.02	0	
				25	0	19.91	19.75	20.15	0	
			16QAM	1	1	19.82	19.62	19.86	0	
			64QAM	1	1	19.94	19.86	20.22	0	
			256QAM	1	1	17.75	17.70	18.07	1.5	
			CP	QPSK	1	1	20.03	19.91	20.24	0

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501000	507000	513000		
						2505 MHz	2535 MHz	2565 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.71	19.75	19.95	0	
				1	26	19.73	19.74	20.03	0	
				1	50	19.68	19.73	20.04	0	
				25	0	19.67	19.71	20.01	0	
				25	14	19.71	19.73	20.03	0	
				25	27	19.71	19.80	20.07	0	
				50	0	19.68	19.74	20.05	0	
			QPSK	1	1	19.71	19.72	19.91	0	
				1	26	19.71	19.76	20.03	0	
				1	50	19.71	19.73	20.03	0	
				25	0	19.70	19.74	19.96	0	
				25	14	19.67	19.71	19.98	0	
				25	27	19.74	19.77	20.08	0	
				50	0	19.72	19.78	19.92	0	
			16QAM	1	1	19.67	19.67	19.73	0	
			64QAM	1	1	19.77	19.83	20.03	0	
			256QAM	1	1	17.51	17.71	17.88	1.5	
			CP	QPSK	1	1	19.91	19.88	20.12	0

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501500	507000	512500		
						2507.5 MHz	2535 MHz	2562.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.74	19.69	20.04	0	
				1	40	19.67	19.67	20.09	0	
				1	77	19.78	19.83	20.20	0	
				36	0	19.74	19.70	20.05	0	
				36	22	19.82	19.81	20.17	0	
				36	43	19.76	19.71	20.18	0	
				75	0	19.77	19.76	20.10	0	
			QPSK	1	1	19.74	19.72	20.09	0	
				1	40	19.72	19.66	20.01	0	
				1	77	19.75	19.75	20.22	0	
				36	0	19.79	19.72	20.03	0	
				36	22	19.78	19.75	20.11	0	
				36	43	19.76	19.75	20.17	0	
				75	0	19.77	19.75	20.03	0	
			16QAM	1	1	19.80	19.62	19.92	0	
			64QAM	1	1	19.65	19.80	20.10	0	
			256QAM	1	1	17.85	17.79	18.09	1.5	
			CP	QPSK	1	1	19.95	19.88	20.23	0

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502000	507000	512000		
						2510 MHz	2535 MHz	2560 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.80	19.66	19.95	0	
				1	53	19.80	19.68	20.06	0	
				1	104	19.86	19.84	20.09	0	
				50	0	19.87	19.72	19.99	0	
				50	28	19.97	19.80	20.10	0	
				50	56	19.90	19.77	20.14	0	
				100	0	19.86	19.71	20.02	0	
			QPSK	1	1	19.78	19.65	19.90	0	
				1	53	19.77	19.70	19.98	0	
				1	104	19.83	19.74	20.13	0	
				50	0	19.88	19.77	19.96	0	
				50	28	19.88	19.74	19.97	0	
				50	56	19.90	19.78	20.01	0	
				100	0	19.89	19.76	19.99	0	
			16QAM	1	1	19.86	19.58	19.70	0	
			64QAM	1	1	19.47	19.79	20.01	0	
			256QAM	1	1	17.81	17.63	17.86	1.5	
			CP	QPSK	1	1	20.10	19.79	19.99	0

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502500	507000	511500		
						2512.5 MHz	2535 MHz	2557.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.00	19.90	20.03	0	
				1	67	20.07	19.94	20.17	0	
				1	131	20.00	20.04	20.22	0	
				64	0	20.01	19.92	20.14	0	
				64	35	20.14	19.94	20.22	0	
				64	39	20.00	19.85	20.14	0	
				128	0	19.99	19.88	20.12	0	
			QPSK	1	1	19.98	19.87	20.05	0	
				1	67	20.05	19.92	20.11	0	
				1	131	20.02	20.04	20.17	0	
				64	0	20.05	19.88	20.02	0	
				64	35	20.00	19.86	20.10	0	
				64	69	20.06	19.93	20.13	0	
				128	0	20.02	19.91	20.18	0	
			16QAM	1	1	20.02	19.75	19.87	0	
			64QAM	1	1	20.02	20.00	20.14	0	
			256QAM	1	1	18.09	17.93	18.08	1.5	
			CP	QPSK	1	1	20.21	20.01	20.13	0

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						503000	507000	511000		
						2515 MHz	2535 MHz	2555 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.92	19.89	19.95	0	
				1	80	19.75	19.85	20.02	0	
				1	158	19.87	20.02	20.16	0	
				80	0	19.84	19.91	19.99	0	
				80	40	19.97	19.95	20.16	0	
				80	80	19.92	20.05	20.14	0	
				160	0	19.91	19.90	20.15	0	
			QPSK	1	1	19.87	19.86	19.95	0	
				1	80	19.75	19.83	20.04	0	
				1	158	19.89	20.01	20.13	0	
				80	0	19.86	19.86	20.00	0	
				80	40	19.89	19.88	20.09	0	
				80	80	19.85	20.04	20.11	0	
				160	0	19.87	19.87	20.09	0	
			16QAM	1	1	19.83	19.69	19.83	0	
			64QAM	1	1	19.86	19.97	19.93	0	
			256QAM	1	1	17.91	17.94	18.04	1.5	
			CP	QPSK	1	1	20.09	19.95	20.01	0

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503500	507000	510500	
						2517.5 MHz	2535 MHz	2552.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.68	19.64	19.95	0
				1	98	19.77	19.70	20.07	0
				1	186	19.86	19.74	20.27	0
				90	0	19.82	19.77	20.14	0
				90	45	19.89	19.86	20.10	0
				90	90	19.66	19.73	20.21	0
				180	0	19.87	19.84	20.06	0
			QPSK	1	1	19.67	19.72	20.12	0
				1	98	19.73	19.62	20.04	0
				1	186	19.79	19.80	20.23	0
				90	0	19.78	19.70	20.05	0
				90	45	19.68	19.72	20.01	0
				90	90	19.75	19.69	20.14	0
				180	0	19.74	19.79	19.96	0
			16QAM	1	1	19.90	19.66	19.88	0
			64QAM	1	1	19.65	19.75	20.12	0
			256QAM	1	1	17.88	17.78	18.15	1.5
			CP	QPSK	1	1	20.03	19.90	20.15

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							507000		
							2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.89		0
				1	108		19.82		0
				1	214		20.11		0
				108	0		19.94		0
				108	54		19.97		0
				108	108		20.04		0
				216	0		19.91		0
			QPSK	1	1		19.84		0
				1	108		19.86		0
				1	214		20.13		0
				108	0		19.88		0
				108	54		19.86		0
				108	108		20.04		0
			216	0		19.92		0	
		16QAM	1	1		19.71		0	
		64QAM	1	1		19.91		0	
		256QAM	1	1		17.94		1.5	
CP	QPSK	1	1		19.90		0		

**[NR FDD Band n7 Conducted Power\_ Antenna F\_TX Hopping\_ DSI = 0]**

**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						500500	507000	513500		
						2502.5 MHz	2535 MHz	2567.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	19.79	19.86	0	
				1	13	20.09	19.79	19.88	0	
				1	23	20.15	19.78	19.91	0	
				12	0	20.08	19.74	19.72	0	
				12	7	20.18	19.81	19.83	0	
				12	13	20.05	19.74	19.70	0	
				25	0	20.14	19.83	19.81	0	
			QPSK	1	1	20.16	19.83	19.91	0	
				1	13	20.13	19.79	19.85	0	
				1	23	20.18	19.75	19.89	0	
				12	0	20.09	19.64	19.74	0	
				12	7	20.12	19.68	19.75	0	
				12	13	20.09	19.65	19.72	0	
				25	0	20.05	19.68	19.83	0	
			16QAM	1	1	20.10	19.56	19.71	0	
			64QAM	1	1	20.21	19.82	19.92	0	
			256QAM	1	1	18.12	17.79	17.84	1.5	
			CP	QPSK	1	1	20.36	19.97	19.99	0

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501000	507000	513000		
						2505 MHz	2535 MHz	2565 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.02	19.77	19.81	0	
				1	26	19.95	19.76	19.88	0	
				1	50	19.97	19.79	19.89	0	
				25	0	19.96	19.85	19.76	0	
				25	14	19.97	19.74	19.80	0	
				25	27	20.04	19.76	19.84	0	
				50	0	19.91	19.71	19.81	0	
			QPSK	1	1	20.03	19.81	19.74	0	
				1	26	20.02	19.71	19.77	0	
				1	50	19.97	19.73	19.73	0	
				25	0	20.07	19.78	19.84	0	
				25	14	19.81	19.68	19.76	0	
				25	27	19.95	19.77	19.78	0	
				50	0	19.90	19.75	19.84	0	
			16QAM	1	1	19.91	19.62	19.59	0	
			64QAM	1	1	20.06	19.82	19.83	0	
			256QAM	1	1	17.71	17.80	17.73	1.5	
			CP	QPSK	1	1	20.22	19.96	19.93	0

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501500	507000	512500		
						2507.5 MHz	2535 MHz	2562.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.07	19.81	19.96	0	
				1	40	19.92	19.70	19.91	0	
				1	77	19.87	19.75	19.94	0	
				36	0	19.92	19.73	19.93	0	
				36	22	20.01	19.79	20.04	0	
				36	43	19.98	19.73	19.98	0	
				75	0	19.97	19.74	19.98	0	
			QPSK	1	1	19.92	19.70	19.95	0	
				1	40	19.85	19.68	19.87	0	
				1	77	19.91	19.73	19.94	0	
				36	0	19.95	19.78	19.94	0	
				36	22	19.93	19.76	19.99	0	
				36	43	20.01	19.80	19.96	0	
				75	0	19.97	19.72	19.97	0	
			16QAM	1	1	19.98	19.64	19.74	0	
			64QAM	1	1	20.05	19.80	19.97	0	
			256QAM	1	1	18.08	17.79	18.04	1.5	
			CP	QPSK	1	1	20.27	20.04	20.14	0

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502000	507000	512000		
						2510 MHz	2535 MHz	2560 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.07	19.71	19.83	0	
				1	53	19.99	19.66	19.84	0	
				1	104	19.94	19.84	19.85	0	
				50	0	20.01	19.71	19.91	0	
				50	28	20.11	19.78	19.98	0	
				50	56	20.03	19.79	19.88	0	
				100	0	20.02	19.77	19.92	0	
			QPSK	1	1	19.99	19.68	19.76	0	
				1	53	19.88	19.67	19.82	0	
				1	104	19.92	19.71	19.88	0	
				50	0	20.04	19.73	19.79	0	
				50	28	20.01	19.73	19.92	0	
				50	56	20.01	19.81	19.93	0	
				100	0	20.03	19.73	19.80	0	
			16QAM	1	1	19.99	19.61	19.76	0	
			64QAM	1	1	20.07	19.84	19.89	0	
			256QAM	1	1	17.99	17.65	17.75	1.5	
			CP	QPSK	1	1	20.21	19.93	20.08	0

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500	507000	511500	
						2512.5 MHz	2535 MHz	2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.24	20.04	20.02	0
				1	67	20.27	20.03	20.09	0
				1	131	20.21	19.97	20.07	0
				64	0	20.28	19.99	19.94	0
				64	35	20.31	20.03	20.00	0
				64	39	20.25	19.97	19.96	0
				128	0	20.19	19.93	19.92	0
			QPSK	1	1	20.29	19.95	19.97	0
				1	67	20.27	19.94	19.96	0
				1	131	20.11	19.99	20.04	0
				64	0	20.30	19.98	19.97	0
				64	35	20.20	19.83	19.94	0
				64	69	20.11	20.00	20.01	0
			128	0	20.12	20.00	19.98	0	
			16QAM	1	1	20.19	19.92	19.87	0
			64QAM	1	1	20.42	20.02	20.07	0
			256QAM	1	1	18.27	18.01	18.11	1.5
			CP	QPSK	1	1	20.55	20.19	20.13

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						503000	507000	511000		
						2515 MHz	2535 MHz	2555 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.03	19.99	19.92	0	
				1	80	20.00	19.87	19.96	0	
				1	158	19.98	19.95	20.01	0	
				80	0	20.10	19.99	19.98	0	
				80	40	20.16	20.05	20.04	0	
				80	80	20.00	20.02	19.97	0	
				160	0	20.10	19.98	19.96	0	
			QPSK	1	1	20.09	19.94	19.94	0	
				1	80	19.98	19.86	19.88	0	
				1	158	20.01	19.98	20.04	0	
				80	0	20.15	19.94	19.94	0	
				80	40	19.96	19.96	19.97	0	
				80	80	19.98	19.99	19.95	0	
				160	0	20.04	20.00	19.96	0	
			16QAM	1	1	20.06	19.92	19.78	0	
			64QAM	1	1	20.25	20.06	20.02	0	
			256QAM	1	1	18.22	18.03	18.03	1.5	
			CP	QPSK	1	1	20.34	20.15	20.07	0

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503500	507000	510500	
						2517.5 MHz	2535 MHz	2552.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.00	19.87	19.84	0
				1	98	20.13	19.74	19.84	0
				1	186	20.23	19.78	20.00	0
				90	0	20.09	19.84	19.72	0
				90	45	20.08	19.89	19.75	0
				90	90	20.06	19.73	19.74	0
				180	0	20.24	19.82	19.90	0
			QPSK	1	1	20.19	19.77	19.89	0
				1	98	20.11	19.79	19.77	0
				1	186	20.10	19.80	19.82	0
				90	0	20.12	19.74	19.67	0
				90	45	20.04	19.70	19.71	0
				90	90	20.12	19.70	19.72	0
				180	0	19.96	19.59	19.87	0
			16QAM	1	1	20.14	19.58	19.71	0
			64QAM	1	1	20.20	19.75	19.98	0
			256QAM	1	1	18.19	17.78	17.83	1.5
		CP	QPSK	1	1	20.44	20.07	19.92	0

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							507000			
							2535 MHz			
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.04		0	
				1	108		19.90		0	
				1	214		19.99		0	
				108	0		19.95		0	
				108	54		20.04		0	
				108	108		19.97		0	
				216	0		19.93		0	
			QPSK	1	1		19.98		0	
				1	108		19.87		0	
				1	214		20.01		0	
				108	0		20.04		0	
				108	54		19.96		0	
				108	108		20.01		0	
				216	0		19.98		0	
			16QAM	1	1		19.85		0	
			64QAM	1	1		20.09		0	
			256QAM	1	1		18.10		1.5	
			CP	QPSK	1	1		20.23		0

**[NR FDD Band n25 Conducted Power\_ Antenna A \_ DSI = 0]**

**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376500	382500		
						1852.5 MHz	1882.5 MHz	1912.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.72	18.65	18.60	0	
				1	13	18.77	18.63	18.56	0	
				1	23	18.72	18.63	18.61	0	
				12	0	18.69	18.51	18.46	0	
				12	7	18.79	18.66	18.57	0	
				12	13	18.70	18.53	18.51	0	
				25	0	18.75	18.66	18.60	0	
			QPSK	1	1	18.74	18.63	18.64	0	
				1	13	18.77	18.66	18.59	0	
				1	23	18.79	18.67	18.63	0	
				12	0	18.66	18.53	18.42	0	
				12	7	18.66	18.57	18.52	0	
				12	13	18.68	18.54	18.49	0	
				25	0	18.69	18.59	18.57	0	
			16QAM	1	1	18.61	18.51	18.46	0	
			64QAM	1	1	18.82	18.72	18.69	0	
			256QAM	1	1	18.11	17.99	17.95	0	
			CP	QPSK	1	1	18.80	18.69	18.69	0

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376500	382000		
						1855 MHz	1882.5 MHz	1910 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.88	18.60	18.63	0	
				1	26	18.84	18.70	18.66	0	
				1	50	18.77	18.66	18.59	0	
				25	0	18.86	18.69	18.72	0	
				25	14	18.82	18.66	18.73	0	
				25	27	18.82	18.66	18.68	0	
				50	0	18.87	18.68	18.68	0	
			QPSK	1	1	18.90	18.62	18.61	0	
				1	26	18.86	18.68	18.64	0	
				1	50	18.79	18.58	18.62	0	
				25	0	18.90	18.71	18.60	0	
				25	14	18.82	18.62	18.58	0	
				25	27	18.86	18.67	18.63	0	
				50	0	18.85	18.70	18.66	0	
			16QAM	1	1	18.67	18.47	18.35	0	
			64QAM	1	1	18.97	18.66	18.64	0	
			256QAM	1	1	18.24	17.98	17.97	0	
			CP	QPSK	1	1	18.95	18.69	18.61	0

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376500	381500		
						1857.5 MHz	1882.5 MHz	1907.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.92	18.77	18.78	0	
				1	40	18.77	18.66	18.63	0	
				1	77	18.77	18.60	18.72	0	
				36	0	18.84	18.71	18.73	0	
				36	22	18.85	18.75	18.75	0	
				36	43	18.73	18.62	18.59	0	
				75	0	18.77	18.68	18.68	0	
			QPSK	1	1	18.85	18.68	18.59	0	
				1	40	18.65	18.57	18.57	0	
				1	77	18.67	18.56	18.65	0	
				36	0	18.83	18.72	18.67	0	
				36	22	18.78	18.64	18.60	0	
				36	43	18.76	18.58	18.57	0	
				75	0	18.79	18.65	18.63	0	
			16QAM	1	1	18.61	18.59	18.35	0	
			64QAM	1	1	18.89	18.75	18.70	0	
			256QAM	1	1	18.20	18.15	18.18	0	
			CP	QPSK	1	1	18.79	18.86	18.68	0

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376500	381000		
						1860 MHz	1882.5 MHz	1905 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.85	18.67	18.67	0	
				1	53	18.71	18.67	18.71	0	
				1	104	18.70	18.69	18.72	0	
				50	0	18.70	18.69	18.72	0	
				50	28	18.85	18.76	18.80	0	
				50	56	18.67	18.65	18.68	0	
				100	0	18.76	18.64	18.70	0	
			QPSK	1	1	18.82	18.68	18.72	0	
				1	53	18.61	18.62	18.62	0	
				1	104	18.71	18.58	18.68	0	
				50	0	18.70	18.67	18.69	0	
				50	28	18.76	18.60	18.69	0	
				50	56	18.67	18.58	18.60	0	
				100	0	18.70	18.61	18.68	0	
			16QAM	1	1	18.50	18.58	18.51	0	
			64QAM	1	1	18.81	18.74	18.81	0	
			256QAM	1	1	18.25	18.07	18.11	0	
			CP	QPSK	1	1	18.76	18.76	18.75	0

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		380500		
						1862.5 MHz		1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.99		18.88	0	
				1	66	18.94		18.89	0	
				1	131	18.95		18.74	0	
				64	0	18.69		18.85	0	
				64	35	18.82		18.87	0	
				64	69	18.82		18.64	0	
				128	0	18.71		18.68	0	
			QPSK	1	1	18.84		18.81	0	
				1	66	18.86		18.79	0	
				1	131	18.80		18.64	0	
				64	0	18.72		18.83	0	
				64	35	18.76		18.72	0	
				64	69	18.70		18.65	0	
				128	0	18.72		18.69	0	
			16QAM	1	1	18.63		18.63	0	
			64QAM	1	1	18.73		18.53	0	
			256QAM	1	1	18.33		18.47	0	
			CP	QPSK	1	1	18.93		18.91	0

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		380000		
						1865 MHz		1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.04		18.93	0	
				1	80	18.86		18.80	0	
				1	158	18.95		18.80	0	
				80	0	18.76		18.79	0	
				80	40	18.92		18.91	0	
				80	80	18.85		18.77	0	
				160	0	18.83		18.81	0	
			QPSK	1	1	18.92		18.88	0	
				1	80	18.79		18.73	0	
				1	158	18.92		18.64	0	
				80	0	18.81		18.80	0	
				80	40	18.85		18.77	0	
				80	80	18.81		18.74	0	
				160	0	18.80		18.80	0	
			16QAM	1	1	18.73		18.71	0	
			64QAM	1	1	19.00		19.01	0	
			256QAM	1	1	18.47		18.49	0	
			CP	QPSK	1	1	18.95		18.95	0

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							376500			
							1882.5 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.74		0	
				1	98		18.66		0	
				1	186		18.55		0	
				90	0		18.80		0	
				90	45		18.73		0	
				90	90		18.64		0	
				180	0		18.78		0	
			QPSK	1	1		18.62		0	
				1	98		18.53		0	
				1	186		18.47		0	
				90	0		18.65		0	
				90	45		18.66		0	
				90	90		18.65		0	
				180	0		18.73		0	
			16QAM	1	1		18.52		0	
			64QAM	1	1		18.82		0	
			256QAM	1	1		18.25		0	
			CP	QPSK	1	1		18.86		0

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.76		0
				1	108		18.82		0
				1	214		18.70		0
				108	0		18.88		0
				108	54		18.79		0
				108	108		18.57		0
				216	0		18.64		0
			QPSK	1	1		18.67		0
				1	108		18.73		0
				1	214		18.79		0
				108	0		18.85		0
				108	54		18.72		0
				108	108		18.58		0
				216	0		18.73		0
			16QAM	1	1		18.60		0
			64QAM	1	1		18.73		0
			256QAM	1	1		18.24		0
CP	QPSK	1	1		18.85		0		

**[NR FDD Band n25 Conducted Power\_ Antenna F\_TX Hopping \_ DSI = 0]**

**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376500	382500		
						1852.5 MHz	1882.5 MHz	1912.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.07	19.94	20.06	0	
				1	13	20.07	20.02	20.07	0	
				1	23	20.06	20.08	20.24	0	
				12	0	19.91	19.87	19.85	0	
				12	7	20.10	19.98	19.97	0	
				12	13	19.97	19.97	19.92	0	
				25	0	20.08	19.96	20.03	0	
			QPSK	1	1	20.06	19.95	20.12	0	
				1	13	20.11	20.03	19.98	0	
				1	23	20.11	20.04	20.14	0	
				12	0	19.96	19.87	19.86	0	
				12	7	20.04	19.94	19.94	0	
				12	13	20.01	19.93	19.94	0	
				25	0	20.08	19.94	19.99	0	
			16QAM	1	1	19.81	19.79	19.94	0	
			64QAM	1	1	20.13	20.00	20.07	0	
			256QAM	1	1	18.25	18.44	18.51	1	
			CP	QPSK	1	1	20.14	20.04	20.17	0

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376500	382000		
						1855 MHz	1882.5 MHz	1910 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.19	20.02	19.99	0	
				1	26	20.12	20.06	20.16	0	
				1	50	20.04	19.98	20.20	0	
				25	0	20.16	19.98	20.16	0	
				25	14	20.18	20.02	20.09	0	
				25	27	20.13	19.98	20.03	0	
				50	0	20.11	20.00	20.08	0	
			QPSK	1	1	20.14	19.94	20.04	0	
				1	26	20.16	19.97	20.12	0	
				1	50	19.98	20.04	20.13	0	
				25	0	20.16	19.98	20.10	0	
				25	14	19.98	19.91	20.06	0	
				25	27	20.04	19.95	20.07	0	
				50	0	20.02	20.02	20.09	0	
			16QAM	1	1	19.78	19.72	19.68	0	
			64QAM	1	1	20.16	20.02	20.02	0	
			256QAM	1	1	18.64	18.56	18.51	1	
			CP	QPSK	1	1	20.24	20.12	20.13	0

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376500	381500		
						1857.5 MHz	1882.5 MHz	1907.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.14	20.11	20.17	0	
				1	40	19.99	19.96	20.17	0	
				1	77	20.01	20.11	20.18	0	
				36	0	20.02	20.04	20.12	0	
				36	22	20.01	20.06	20.21	0	
				36	43	19.88	20.05	20.13	0	
				75	0	19.99	19.98	20.06	0	
			QPSK	1	1	20.06	20.01	20.14	0	
				1	40	19.87	19.92	20.09	0	
				1	77	20.04	20.05	20.18	0	
				36	0	20.02	20.04	20.10	0	
				36	22	19.95	19.97	20.06	0	
				36	43	19.90	19.95	20.17	0	
				75	0	20.00	19.97	20.08	0	
			16QAM	1	1	19.80	19.83	19.86	0	
			64QAM	1	1	20.14	20.08	20.23	0	
			256QAM	1	1	18.63	18.62	18.70	1	
			CP	QPSK	1	1	20.21	20.15	20.26	0

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376500	381000		
						1860 MHz	1882.5 MHz	1905 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.12	20.11	20.25	0	
				1	53	19.99	20.02	20.17	0	
				1	104	20.03	20.00	20.12	0	
				50	0	20.03	20.07	20.15	0	
				50	28	20.05	20.09	20.23	0	
				50	56	19.96	19.98	20.16	0	
				100	0	20.00	20.01	20.14	0	
			QPSK	1	1	20.01	19.98	20.14	0	
				1	53	19.97	19.95	19.98	0	
				1	104	19.99	20.00	20.19	0	
				50	0	20.01	20.02	20.17	0	
				50	28	19.89	20.01	20.14	0	
				50	56	19.99	19.98	20.09	0	
				100	0	19.88	19.96	20.12	0	
			16QAM	1	1	19.68	19.75	19.92	0	
			64QAM	1	1	20.06	20.03	20.23	0	
			256QAM	1	1	18.54	18.49	18.66	1	
			CP	QPSK	1	1	20.17	20.17	20.26	0

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		380500		
						1862.5 MHz		1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.25		20.29	0	
				1	66	20.22		20.29	0	
				1	131	20.07		20.27	0	
				64	0	20.04		20.18	0	
				64	35	20.14		20.22	0	
				64	69	20.07		20.07	0	
				128	0	20.01		20.09	0	
			QPSK	1	1	20.11		20.27	0	
				1	66	20.06		20.23	0	
				1	131	20.09		20.26	0	
				64	0	20.05		20.18	0	
				64	35	19.93		20.12	0	
				64	69	20.00		20.08	0	
				128	0	20.05		20.09	0	
			16QAM	1	1	19.88		20.01	0	
			64QAM	1	1	19.73		20.05	0	
			256QAM	1	1	18.65		18.73	1	
			CP	QPSK	1	1	20.15		20.31	0

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		380000		
						1865 MHz		1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.35		20.27	0	
				1	80	20.17		20.16	0	
				1	158	20.30		20.26	0	
				80	0	20.09		20.24	0	
				80	40	20.19		20.30	0	
				80	80	20.15		20.12	0	
				160	0	20.14		20.22	0	
			QPSK	1	1	20.23		20.24	0	
				1	80	20.18		20.16	0	
				1	158	20.28		20.25	0	
				80	0	20.15		20.11	0	
				80	40	20.19		20.25	0	
				80	80	20.21		20.12	0	
				160	0	20.14		20.21	0	
			16QAM	1	1	19.97		20.07	0	
			64QAM	1	1	20.41		20.33	0	
			256QAM	1	1	18.75		18.94	1	
			CP	QPSK	1	1	20.33		20.33	0

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.03		0
				1	98		19.92		0
				1	186		20.20		0
				90	0		20.08		0
				90	45		20.16		0
				90	90		20.00		0
				180	0		19.93		0
			QPSK	1	1		19.97		0
				1	98		19.87		0
				1	186		20.11		0
				90	0		20.12		0
				90	45		19.92		0
				90	90		20.05		0
				180	0		19.97		0
		16QAM	1	1		19.81		0	
		64QAM	1	1		20.04		0	
		256QAM	1	1		18.72		1	
CP	QPSK	1	1		20.07		0		

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.03		0
				1	108		20.16		0
				1	214		20.15		0
				108	0		20.20		0
				108	54		20.30		0
				108	108		20.04		0
				216	0		20.05		0
			QPSK	1	1		19.98		0
				1	108		20.21		0
				1	214		20.25		0
				108	0		20.22		0
				108	54		20.07		0
				108	108		20.01		0
				216	0		20.12		0
			16QAM	1	1		20.02		0
			64QAM	1	1		20.06		0
		256QAM	1	1		18.70		1	
CP	QPSK	1	1		20.19		0		

**[NR FDD Band n30 Conducted Power\_Antenna A\_TX Hopping\_ DSI = 0]**

**NR FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.70		0	
				1	13		18.56		0	
				1	23		18.51		0	
				12	0		18.58		0	
				12	7		18.57		0	
				12	13		18.50		0	
				25	0		18.60		0	
			QPSK	1	1		18.63		0	
				1	13		18.61		0	
				1	23		18.56		0	
				12	0		18.55		0	
				12	7		18.54		0	
				12	13		18.48		0	
				25	0		18.64		0	
			16QAM	1	1		18.53		0	
			64QAM	1	1		18.68		0	
			256QAM	1	1		16.53		1	
			CP	QPSK	1	1		18.76		0

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.70		0	
				1	26		18.53		0	
				1	50		18.55		0	
				25	0		18.56		0	
				25	14		18.53		0	
				25	27		18.57		0	
				50	0		18.53		0	
			QPSK	1	1		18.57		0	
				1	26		18.54		0	
				1	50		18.55		0	
				25	0		18.64		0	
				25	14		18.54		0	
				25	27		18.60		0	
				50	0		18.62		0	
			16QAM	1	1		18.61		0	
			64QAM	1	1		18.22		0	
			256QAM	1	1		16.78		1	
			CP	QPSK	1	1		18.70		0

**[NR FDD Band n30 Conducted Power\_Antenna F\_ DSI = 0]**

**NR FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							462000		
							2310 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.07		0
				1	13		19.98		0
				1	23		19.96		0
				12	0		19.97		0
				12	7		20.04		0
				12	13		19.89		0
				25	0		20.02		0
			QPSK	1	1		20.02		0
				1	13		20.09		0
				1	23		20.01		0
				12	0		19.97		0
				12	7		20.01		0
				12	13		19.92		0
				25	0		20.00		0
			16QAM	1	1		19.89		0
			64QAM	1	1		20.09		0
			256QAM	1	1		17.56		2.5
		CP	QPSK	1	1		20.25		0

**NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							462000		
							2310 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.07		0
				1	26		20.03		0
				1	50		19.94		0
				25	0		20.04		0
				25	14		19.98		0
				25	27		20.02		0
				50	0		20.01		0
			QPSK	1	1		20.06		0
				1	26		19.98		0
				1	50		19.99		0
				25	0		20.00		0
				25	14		19.98		0
				25	27		20.00		0
				50	0		20.01		0
		16QAM	1	1		19.87		0	
		64QAM	1	1		20.07		0	
		256QAM	1	1		17.58		2.5	
		CP	QPSK	1	1		20.31		0

**[NR TDD Band n38 Conducted Power\_ Power Class 3 Only\_Antenna B\_TX Hopping, DSI = 0]**

**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515000	519000	523000		
						2575 MHz	2595 MHz	2615 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.49	20.66	20.48	0	
				1	12	20.50	20.74	20.44	0	
				1	22	20.59	20.64	20.37	0	
				12	0	20.57	20.73	20.50	0	
				12	6	20.61	20.68	20.41	0	
				12	12	20.62	20.72	20.42	0	
			QPSK	24	0	20.56	20.68	20.44	0	
				1	1	20.46	20.65	20.43	0	
				1	12	20.52	20.72	20.34	0	
				1	22	20.51	20.64	20.33	0	
				12	0	20.49	20.70	20.52	0	
				12	6	20.48	20.67	20.40	0	
				12	12	20.55	20.67	20.36	0	
				24	0	20.54	20.67	20.40	0	
				16QAM	1	1	20.70	20.76	20.62	0
				64QAM	1	1	20.42	20.72	20.51	0
			256QAM	1	1	19.10	19.34	19.16	0.5	
			CP	QPSK	1	1	20.71	20.80	20.57	0

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515500	519000	522500		
						2577.5 MHz	2595 MHz	2612.MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.49	20.70	20.79	0	
				1	18	20.58	20.69	20.65	0	
				1	36	20.55	20.57	20.50	0	
				18	0	20.63	20.72	20.71	0	
				18	9	20.65	20.72	20.73	0	
				18	18	20.59	20.69	20.66	0	
				36	0	20.62	20.72	20.67	0	
			QPSK	1	1	20.51	20.64	20.62	0	
				1	18	20.53	20.61	20.56	0	
				1	36	20.53	20.51	20.45	0	
				18	0	20.64	20.68	20.71	0	
				18	9	20.57	20.65	20.64	0	
				18	18	20.59	20.69	20.61	0	
				36	0	20.60	20.69	20.65	0	
			16QAM	1	1	20.55	20.70	20.71	0	
			64QAM	1	1	20.56	20.69	20.78	0	
			256QAM	1	1	19.18	19.34	19.32	0.5	
			CP	QPSK	1	1	20.62	20.75	20.83	0

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						516000	519000	522000		
						2580 MHz	2595 MHz	2610 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.61	20.70	20.79	1	
				1	26	20.68	20.65	20.61	1	
				1	49	20.70	20.57	20.53	1	
				25	0	20.69	20.71	20.74	25	
				25	13	20.74	20.81	20.71	25	
				25	26	20.65	20.70	20.59	25	
				50	0	20.67	20.69	20.64	50	
			QPSK	1	1	20.49	20.62	20.66	1	
				1	26	20.55	20.60	20.47	1	
				1	49	20.63	20.45	20.32	1	
				25	0	20.62	20.67	20.77	25	
				25	13	20.68	20.70	20.62	25	
				25	26	20.62	20.65	20.56	25	
				50	0	20.64	20.66	20.60	50	
			16QAM	1	1	20.42	20.53	20.57	1	
			64QAM	1	1	20.16	20.29	20.43	1	
			256QAM	1	1	19.20	19.30	19.30	1	
			CP	QPSK	1	1	20.63	20.73	20.84	1

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.56		20.39	0
				1	32	20.55		20.51	0
				1	63	20.63		20.44	0
				32	0	20.55		20.51	0
				32	17	20.64		20.41	0
				32	33	20.53		20.40	0
				64	0	20.59		20.48	0
			QPSK	1	1	20.39		20.43	0
				1	32	20.44		20.25	0
				1	63	20.52		20.43	0
				32	0	20.43		20.46	0
				32	17	20.58		20.37	0
				32	33	20.61		20.28	0
				64	0	20.58		20.48	0
			16QAM	1	1	20.69		20.67	0
			64QAM	1	1	20.39		20.58	0
			256QAM	1	1	19.20		19.19	0.5
			CP	QPSK	1	1	20.68		20.57

**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.82		20.95	0
				1	39	20.75		20.79	0
				1	76	20.73		20.44	0
				36	0	20.79		20.83	0
				36	21	20.86		20.77	0
				36	42	20.76		20.58	0
				75	0	20.78		20.82	0
			QPSK	1	1	20.75		20.85	0
				1	39	20.60		20.67	0
				1	76	20.69		20.36	0
				36	0	20.80		20.84	0
				36	21	20.76		20.80	0
				36	42	20.73		20.60	0
				75	0	20.76		20.72	0
			16QAM	1	1	20.64		20.78	0
			64QAM	1	1	20.63		20.82	0
			256QAM	1	1	19.47		19.57	0.5
			CP	QPSK	1	1	20.90		20.92

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.84		0
				1	53		20.74		0
				1	104		20.48		0
				50	0		20.83		0
				50	28		20.86		0
				50	56		20.75		0
				100	0		20.82		0
			QPSK	1	1		20.77		0
				1	53		20.68		0
				1	104		20.47		0
				50	0		20.85		0
				50	28		20.73		0
				50	56		20.71		0
				100	0		20.79		0
			16QAM	1	1		20.71		0
			64QAM	1	1		20.49		0
			256QAM	1	1		19.52		0.5
			CP	QPSK	1	1		20.88	

**[NR TDD Band n38 Conducted Power\_ Power Class 3 Only\_Antenna F\_DSI = 0]**

**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515000	519000	523000		
						2575 MHz	2595 MHz	2615 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.19	19.40	19.38	0	
				1	12	19.27	19.44	19.32	0	
				1	22	19.26	19.50	19.40	0	
				12	0	19.22	19.47	19.35	0	
				12	6	19.19	19.49	19.34	0	
				12	12	19.32	19.47	19.35	0	
				24	0	19.22	19.50	19.34	0	
			QPSK	1	1	19.19	19.41	19.36	0	
				1	12	19.19	19.40	19.29	0	
				1	22	19.26	19.48	19.31	0	
				12	0	19.21	19.44	19.32	0	
				12	6	19.14	19.40	19.26	0	
				12	12	19.35	19.47	19.33	0	
				24	0	19.18	19.47	19.36	0	
			16QAM	1	1	19.23	19.47	19.37	0	
			64QAM	1	1	19.15	19.43	19.32	0	
			256QAM	1	1	18.65	18.83	18.73	0	
			CP	QPSK	1	1	19.29	19.59	19.31	0

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515500	519000	522500		
						2577.5 MHz	2595 MHz	2612. MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.48	19.69	0	
				1	18	19.30	19.48	19.56	0	
				1	36	19.30	19.50	19.53	0	
				18	0	19.37	19.38	19.55	0	
				18	9	19.41	19.49	19.57	0	
				18	18	19.33	19.45	19.49	0	
				36	0	19.38	19.43	19.52	0	
			QPSK	1	1	19.34	19.35	19.51	0	
				1	18	19.27	19.38	19.41	0	
				1	36	19.33	19.39	19.43	0	
				18	0	19.34	19.48	19.51	0	
				18	9	19.27	19.40	19.44	0	
				18	18	19.28	19.43	19.45	0	
				36	0	19.31	19.48	19.52	0	
			16QAM	1	1	19.26	19.31	19.44	0	
			64QAM	1	1	19.36	19.32	19.50	0	
			256QAM	1	1	18.75	18.77	18.90	0	
			CP	QPSK	1	1	19.42	19.46	19.60	0

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						516000	519000	522000		
						2580 MHz	2595 MHz	2610 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	19.39	19.58	0	
				1	26	19.47	19.46	19.46	0	
				1	49	19.40	19.40	19.42	0	
				25	0	19.54	19.47	19.58	0	
				25	13	19.62	19.63	19.67	0	
				25	26	19.52	19.50	19.49	0	
				50	0	19.58	19.54	19.55	0	
			QPSK	1	1	19.43	19.44	19.48	0	
				1	26	19.46	19.47	19.47	0	
				1	49	19.45	19.31	19.38	0	
				25	0	19.50	19.47	19.60	0	
				25	13	19.56	19.53	19.58	0	
				25	26	19.54	19.51	19.51	0	
				50	0	19.58	19.45	19.54	0	
			16QAM	1	1	19.14	19.17	19.24	0	
			64QAM	1	1	19.24	19.38	19.44	0	
			256QAM	1	1	18.82	18.92	19.15	0	
			CP	QPSK	1	1	19.61	19.55	19.64	0

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.25		19.41	0
				1	32	19.21		19.27	0
				1	63	19.20		19.35	0
				32	0	19.24		19.42	0
				32	17	19.16		19.44	0
				32	33	19.38		19.35	0
				64	0	19.14		19.26	0
			QPSK	1	1	19.27		19.31	0
				1	32	19.10		19.37	0
				1	63	19.22		19.33	0
				32	0	19.15		19.24	0
				32	17	19.04		19.34	0
				32	33	19.30		19.32	0
				64	0	19.17		19.31	0
			16QAM	1	1	19.18		19.40	0
			64QAM	1	1	19.05		19.36	0
			256QAM	1	1	18.71		18.71	0
			CP	QPSK	1	1	19.38		19.34

**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						517000		521000		
						2585 MHz		2605 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.52		19.79	0	
				1	39	19.52		19.52	0	
				1	76	19.59		19.47	0	
				36	0	19.53		19.78	0	
				36	21	19.61		19.71	0	
				36	42	19.60		19.60	0	
				75	0	19.56		19.67	0	
			QPSK	1	1	19.42		19.77	0	
				1	39	19.42		19.51	0	
				1	76	19.52		19.52	0	
				36	0	19.52		19.78	0	
				36	21	19.53		19.67	0	
				36	42	19.61		19.63	0	
				75	0	19.56		19.66	0	
			16QAM	1	1	19.19		19.52	0	
			64QAM	1	1	19.41		19.66	0	
			256QAM	1	1	18.94		19.23	0	
			CP	QPSK	1	1	19.71		19.86	0

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.55		0
				1	80		19.58		0
				1	158		19.42		0
				80	0		19.71		0
				80	40		19.77		0
				80	80		19.60		0
				160	0		19.62		0
			QPSK	1	1		19.58		0
				1	80		19.59		0
				1	158		19.43		0
				80	0		19.68		0
				80	40		19.71		0
				80	80		19.58		0
				160	0		19.61		0
			16QAM	1	1		19.39		0
			64QAM	1	1		19.56		0
			256QAM	1	1		19.12		0
		CP	QPSK	1	80		19.71		0

**[NR TDD Band n41 Conducted Power\_ Antenna F\_ DSI = 0 (Power Class 2 Only)]**

**NR TDD Band n41 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	19.46	18.95	19.30	19.45	19.12	0
				1	12	19.25	18.95	19.46	19.55	19.06	0
				1	22	19.35	19.11	19.52	19.55	19.09	0
				12	0	19.37	19.10	19.53	19.58	19.18	0
				12	6	19.29	18.90	19.39	19.56	19.03	0
				12	12	19.27	19.02	19.44	19.56	19.09	0
				24	0	19.38	19.07	19.39	19.48	19.04	0
			QPSK	1	1	19.43	18.87	19.40	19.34	19.13	0
				1	12	19.35	19.02	19.26	19.41	19.08	0
				1	22	19.23	19.03	19.34	19.53	19.16	0
				12	0	19.30	19.08	19.31	19.58	19.19	0
				12	6	19.19	18.89	19.33	19.47	19.10	0
				12	12	19.40	19.06	19.38	19.50	19.09	0
				24	0	19.27	18.91	19.26	19.43	19.19	0
		16QAM	1	1	19.37	18.91	19.34	19.45	19.09	0	
		64QAM	1	1	19.08	19.02	19.30	19.46	19.01	0	
		256QAM	1	1	18.74	18.47	18.81	18.95	18.60	0	
		CP	QPSK	1	1	19.54	19.14	19.41	19.61	19.21	0

**NR TDD Band n41 \_15 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	19.32	19.01	19.39	19.44	19.52	0
				1	18	19.44	18.85	19.46	19.52	19.26	0
				1	36	19.44	18.96	19.53	19.53	19.29	0
				18	0	19.44	19.02	19.35	19.57	19.32	0
				18	9	19.46	18.96	19.39	19.52	19.31	0
				18	18	19.22	18.89	19.42	19.58	19.16	0
				36	0	19.44	19.02	19.37	19.43	19.29	0
			QPSK	1	1	19.30	18.89	19.42	19.40	19.47	0
				1	18	19.34	18.88	19.39	19.25	19.14	0
				1	36	19.41	18.79	19.36	19.49	19.32	0
				18	0	19.23	19.01	19.28	19.55	19.35	0
				18	9	19.22	18.85	19.41	19.46	19.25	0
				18	18	19.26	18.88	19.31	19.38	19.31	0
				36	0	19.39	19.08	19.38	19.32	19.26	0
		16QAM	1	1	19.33	18.85	19.33	19.43	19.13	0	
		64QAM	1	1	19.41	18.94	19.40	19.46	19.28	0	
		256QAM	1	1	18.67	18.43	18.69	18.83	18.71	0	
		CP	QPSK	1	1	19.49	19.02	19.50	19.58	19.53	0

**NR TDD Band n41\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						501204	509898	518598	527298	535998		
						2506.0	2549.4	2592.9	2636.4	2679.9		
						2 MHz	9 MHz	9 MHz	9 MHz	9 MHz		
20MHz	30	DFT-s	pi/2 BPSK	1	1	19.04	19.00	19.23	19.43	19.33	0	
				1	26	19.22	18.91	19.29	19.40	19.34	0	
				1	49	19.03	18.97	19.41	19.41	19.27	0	
				25	0	19.17	18.91	19.40	19.36	19.29	0	
				25	13	19.29	19.07	19.54	19.58	19.55	0	
				25	26	19.21	19.01	19.40	19.37	19.37	0	
				50	0	19.14	18.92	19.41	19.49	19.40	0	
			QPSK	1	1	19.15	19.02	19.33	19.29	19.38	0	
				1	26	19.19	18.81	19.36	19.33	19.29	0	
				1	49	19.08	18.77	19.17	19.27	19.06	0	
				25	0	19.15	19.07	19.41	19.41	19.30	0	
				25	13	19.14	18.90	19.43	19.36	19.39	0	
				25	26	19.13	18.95	19.39	19.44	19.24	0	
				50	0	19.15	19.02	19.32	19.37	19.39	0	
			16QAM	1	1	19.20	18.90	19.19	19.25	19.19	0	
			64QAM	1	1	18.98	18.79	19.18	19.09	19.13	0	
			256QAM	1	1	18.41	18.33	18.76	18.86	18.80	0	
			CP	QPSK	1	1	19.22	19.03	19.47	19.40	19.52	0

**NR TDD Band n41 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.4	2550.7	2592.9	2635.2	2677.5	
						8 MHz	5 MHz	9 MHz	3 MHz	0 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	19.30	19.32	19.86	19.98	19.89	0
				1	32	19.32	19.32	19.74	19.98	19.78	0
				1	63	19.32	19.26	19.80	19.97	19.70	0
				32	0	19.40	19.31	19.77	19.91	19.77	0
				32	17	19.51	19.42	19.87	19.94	19.80	0
				32	33	19.33	19.35	19.77	19.93	19.68	0
			64	0	19.45	19.33	19.81	19.93	19.71	0	
			QPSK	1	1	19.30	19.33	19.83	19.89	19.87	0
				1	32	19.29	19.22	19.76	19.91	19.71	0
				1	63	19.28	19.14	19.74	19.94	19.60	0
				32	0	19.44	19.29	19.83	19.95	19.80	0
				32	17	19.41	19.36	19.90	19.99	19.80	0
				32	33	19.37	19.48	19.79	19.91	19.73	0
		64	0	19.39	19.32	19.79	19.96	19.72	0		
		16QAM	1	1	19.22	19.18	19.58	19.74	19.62	0	
		64QAM	1	1	19.20	19.24	19.87	19.79	19.69	0	
		256QAM	1	1	18.83	18.87	19.14	19.39	19.28	0	
		CP	QPSK	1	1	19.45	19.42	19.96	19.94	19.92	0

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.0	2592.9	2634	2674.9	
						MHz	1 MHz	9 MHz	MHz	8 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	19.29	19.33	19.52	19.60	19.66	0
				1	39	19.42	19.06	19.44	19.52	19.47	0
				1	76	19.18	19.26	19.60	19.69	19.29	0
				36	0	19.30	19.24	19.52	19.56	19.48	0
				36	21	19.39	19.26	19.62	19.57	19.68	0
				36	42	19.32	19.27	19.66	19.68	19.55	0
				75	0	19.38	19.16	19.53	19.72	19.54	0
			QPSK	1	1	19.30	19.30	19.39	19.62	19.56	0
				1	39	19.27	19.07	19.55	19.56	19.49	0
				1	76	19.17	19.06	19.48	19.66	19.38	0
				36	0	19.26	19.23	19.51	19.57	19.60	0
				36	21	19.31	19.30	19.57	19.63	19.47	0
				36	42	19.25	19.11	19.51	19.74	19.52	0
				75	0	19.30	19.23	19.63	19.60	19.57	0
			16QAM	1	1	19.48	19.24	19.49	19.55	19.44	0
			64QAM	1	1	19.43	19.20	19.27	19.49	19.58	0
			256QAM	1	1	18.73	18.59	18.97	18.95	19.02	0
			CP	QPSK	1	1	19.41	19.25	19.50	19.73	19.62

**NR TDD Band n41 \_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						503202	513468		523734		534000
						2516.0	2567.3		2618.6		2670
						1 MHz	4 MHz		7 MHz	MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	19.10	19.32		19.30	19.44	0
				1	53	19.24	19.30		19.42	19.41	0
				1	104	19.12	19.31		19.41	19.37	0
				50	0	19.23	19.34		19.51	19.43	0
				50	28	19.35	19.40		19.52	19.64	0
				50	56	19.14	19.47		19.57	19.52	0
				100	0	19.25	19.40		19.37	19.51	0
			QPSK	1	1	19.13	19.29		19.35	19.53	0
				1	53	19.03	19.34		19.35	19.29	0
				1	104	19.03	19.38		19.48	19.17	0
				50	0	19.24	19.33		19.34	19.43	0
				50	28	19.20	19.36		19.51	19.39	0
				50	56	19.23	19.40		19.41	19.39	0
				100	0	19.11	19.53		19.46	19.45	0
		16QAM	1	1	19.23	19.32		19.24	19.45	0	
		64QAM	1	1	19.27	19.18		19.30	19.35	0	
		256QAM	1	1	18.57	19.56		18.71	18.82	0	
		CP	QPSK	1	1	19.18	19.38		19.41	19.52	0

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			532998
						2521.02		2592.99			2664.99
						MHz		MHz			MHz
50MHz	30	DFT-s	pi/2 BPSK	1	1	19.53		19.67		19.75	0
				1	67	19.36		19.57		19.68	0
				1	131	19.42		19.58		19.48	0
				64	0	19.43		19.57		19.79	0
				64	35	19.55		19.71		19.84	0
				64	69	19.44		19.58		19.55	0
				128	0	19.47		19.68		19.57	0
			QPSK	1	1	19.32		19.63		19.73	0
				1	67	19.26		19.58		19.55	0
				1	131	19.32		19.70		19.46	0
				64	0	19.37		19.63		19.75	0
				64	35	19.50		19.65		19.68	0
				64	69	19.31		19.66		19.68	0
				128	0	19.40		19.62		19.61	0
			16QAM	1	1	19.63		19.70		19.84	0
			64QAM	1	1	19.24		19.72		19.60	0
			256QAM	1	1	18.95		19.07		19.07	0
			CP	QPSK	1	1	19.49		19.68		19.72

NR TDD Band n41 \_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
						MHz		MHz		MHz	
60MHz	30	DFT-s	pi/2 BPSK	1	1	19.13		19.33		19.50	0
				1	81	19.04		19.36		19.23	0
				1	160	19.07		19.49		19.20	0
				81	0	19.12		19.44		19.52	0
				81	41	19.12		19.32		19.25	0
				81	81	19.19		19.35		19.18	0
				162	0	19.09		19.43		19.45	0
			QPSK	1	1	19.08		19.41		19.51	0
				1	81	19.00		19.40		19.21	0
				1	160	19.13		19.52		19.18	0
				81	0	19.21		19.39		19.47	0
				81	41	18.98		19.34		19.30	0
				81	81	19.16		19.54		19.19	0
				162	0	19.07		19.56		19.36	0
		16QAM	1	1	19.47		19.41		19.31	0	
		64QAM	1	1	18.63		19.36		19.34	0	
		256QAM	1	1	18.60		18.82		18.85	0	
		CP	QPSK	1	1	19.30		19.55		19.57	0

**NR TDD Band n41\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.0					2654.9
						4 MHz					7 MHz
70MHz	30	DFT-s	pi/2 BPSK	1	1	19.41				19.67	0
				1	81	19.24				19.47	0
				1	160	19.45				19.65	0
				81	0	19.43				19.61	0
				81	41	19.48				19.60	0
				81	81	19.24				19.46	0
				162	0	19.52				19.64	0
			QPSK	1	1	19.37				19.64	0
				1	81	19.22				19.44	0
				1	160	19.30				19.41	0
				81	0	19.39				19.55	0
				81	41	19.42				19.46	0
				81	81	19.26				19.32	0
				162	0	19.31				19.52	0
			16QAM	1	1	19.31				19.48	0
			64QAM	1	1	19.29				19.41	0
			256QAM	1	1	18.88				19.01	0
CP	QPSK	1	1	19.58				19.64	0		

**NR TDD Band n41\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.0					2649.9
						2 MHz					9 MHz
80MHz	30	DFT-s	pi/2 BPSK	1	1	19.47				19.68	0
				1	109	19.20				19.64	0
				1	215	19.14				19.36	0
				108	0	19.29				19.78	0
				108	55	19.22				19.66	0
				108	109	19.28				19.69	0
				216	0	19.19				19.65	0
			QPSK	1	1	19.34				19.76	0
				1	109	18.99				19.47	0
				1	215	19.02				19.31	0
				108	0	19.43				19.61	0
				108	55	19.13				19.68	0
				108	109	19.13				19.64	0
				216	0	19.28				19.66	0
			16QAM	1	1	19.41				19.62	0
			64QAM	1	1	19.48				19.58	0
			256QAM	1	1	18.73				19.05	0
			CP	QPSK	1	1	19.48				19.74

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.9
						MHz				8 MHz	
90MHz	30	DFT-s	pi/2 BPSK	1	1	19.59				19.74	0
				1	123	19.25				19.84	0
				1	243	19.21				19.32	0
				120	0	19.51				19.78	0
				120	63	19.32				19.79	0
				120	125	19.09				19.73	0
				243	0	19.37				19.67	0
			QPSK	1	1	19.59				19.66	0
				1	123	19.17				19.58	0
				1	243	19.02				19.40	0
				120	0	19.46				19.68	0
				120	63	19.21				19.57	0
				120	125	19.24				19.72	0
				243	0	19.31				19.79	0
			16QAM	1	1	19.56				19.62	0
			64QAM	1	1	19.15				19.22	0
			256QAM	1	1	19.06				19.02	0
CP	QPSK	1	1	19.82				19.58	0		

**NR TDD Band n41 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.9			
						9 MHz					
100MHz	30	DFT-s	pi/2 BPSK	1	1			19.69		0	
				1	137			19.52		0	
				1	271			19.80		0	
				135	0			19.51		0	
				135	69			19.57		0	
				135	138			19.59		0	
				270	0			19.67		0	
			QPSK	1	1			19.52		0	
				1	137			19.40		0	
				1	271			19.67		0	
				135	0			19.65		0	
				135	69			19.42		0	
				135	138			19.53		0	
				270	0			19.66		0	
		16QAM	1	1			19.35		0		
		64QAM	1	1			19.50		0		
		256QAM	1	1			19.17		0		
		CP	QPSK	1	1			19.83		0	

**[NR TDD Band n41 Conducted Power\_Power Class 2 Only\_ Antenna B\_ TX Hopping\_ DSI = 0]**

**NR TDD Band n41 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	20.24	20.12	20.43	20.38	20.25	0
				1	12	20.24	20.20	20.39	20.37	20.20	0
				1	22	20.26	20.30	20.48	20.48	20.18	0
				12	0	20.30	20.18	20.48	20.40	20.27	0
				12	6	20.27	20.15	20.48	20.42	20.18	0
				12	12	20.32	20.32	20.54	20.41	20.19	0
				24	0	20.28	20.23	20.49	20.40	20.24	0
			QPSK	1	1	20.20	20.12	20.39	20.35	20.20	0
				1	12	20.15	20.13	20.40	20.34	20.12	0
				1	22	20.22	20.29	20.42	20.47	20.11	0
				12	0	20.28	20.22	20.45	20.42	20.26	0
				12	6	20.18	20.08	20.38	20.29	20.14	0
				12	12	20.30	20.23	20.53	20.39	20.24	0
				24	0	20.25	20.17	20.46	20.40	20.18	0
		16QAM	1	1	20.18	20.23	20.56	20.44	20.16	0	
		64QAM	1	1	20.07	20.12	20.45	20.31	20.15	0	
		256QAM	1	1	19.74	19.59	19.89	19.76	19.68	0	
CP	QPSK	1	1	20.35	20.23	20.56	20.48	20.33	0		

**NR TDD Band n41\_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	20.24	20.15	20.40	20.32	20.43	0
				1	18	20.25	20.17	20.41	20.28	20.40	0
				1	36	20.21	20.32	20.44	20.29	20.34	0
				18	0	20.28	20.21	20.46	20.36	20.48	0
				18	9	20.32	20.24	20.57	20.39	20.48	0
				18	18	20.28	20.21	20.48	20.37	20.41	0
			36	0	20.29	20.26	20.49	20.35	20.47	0	
			QPSK	1	1	20.26	20.14	20.36	20.27	20.32	0
				1	18	20.16	20.09	20.39	20.24	20.31	0
				1	36	20.11	20.28	20.39	20.30	20.31	0
				18	0	20.29	20.25	20.46	20.36	20.42	0
				18	9	20.28	20.16	20.47	20.33	20.37	0
				18	18	20.29	20.23	20.49	20.37	20.39	0
		36	0	20.27	20.19	20.47	20.38	20.30	0		
		16QAM	1	1	20.20	20.21	20.47	20.32	20.38	0	
		64QAM	1	1	19.87	20.21	20.46	20.29	20.33	0	
		256QAM	1	1	19.76	19.62	19.84	19.71	19.75	0	
		CP	QPSK	1	1	20.33	20.27	20.51	20.43	20.51	0

**NR TDD Band n41\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.0	2549.4	2592.9	2636.4	2679.9	
						2 MHz	9 MHz	9 MHz	9 MHz	9 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	20.11	20.16	20.43	20.31	20.35	0
				1	26	20.19	20.27	20.46	20.31	20.42	0
				1	49	20.15	20.34	20.49	20.40	20.32	0
				25	0	20.14	20.26	20.45	20.37	20.38	0
				25	13	20.20	20.32	20.55	20.47	20.54	0
				25	26	20.10	20.29	20.50	20.33	20.41	0
				50	0	20.13	20.28	20.49	20.39	20.44	0
			QPSK	1	1	19.96	20.10	20.31	20.10	20.29	0
				1	26	20.02	20.12	20.34	20.25	20.19	0
				1	49	20.01	20.20	20.33	20.28	20.23	0
				25	0	20.15	20.21	20.45	20.34	20.34	0
				25	13	20.04	20.24	20.45	20.31	20.39	0
				25	26	20.13	20.28	20.50	20.32	20.35	0
				50	0	20.14	20.23	20.43	20.30	20.30	0
			16QAM	1	1	19.90	19.99	20.28	19.97	20.13	0
			64QAM	1	1	19.88	19.92	20.11	19.94	19.92	0
			256QAM	1	1	19.51	19.64	19.86	19.60	19.78	0
			CP	QPSK	1	1	20.12	20.24	20.52	20.24	20.41

**NR TDD Band n41 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.4	2550.7	2592.9	2635.2	2677.5	
						8 MHz	5 MHz	9 MHz	3 MHz	0 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	20.38	20.37	20.41	20.33	20.35	0
				1	32	20.25	20.21	20.24	20.26	20.25	0
				1	63	20.18	20.11	20.16	20.20	20.14	0
				32	0	20.24	20.28	20.31	20.32	20.32	0
				32	17	20.29	20.33	20.34	20.30	20.35	0
				32	33	20.21	20.18	20.22	20.21	20.24	0
			64	0	20.23	20.24	20.27	20.31	20.27	0	
			QPSK	1	1	20.37	20.36	20.45	20.38	20.42	0
				1	32	20.24	20.23	20.27	20.27	20.25	0
				1	63	20.23	20.09	20.15	20.23	20.14	0
				32	0	20.27	20.25	20.31	20.31	20.29	0
				32	17	20.32	20.32	20.30	20.35	20.32	0
				32	33	20.20	20.15	20.22	20.23	20.18	0
		64	0	20.27	20.23	20.29	20.27	20.28	0		
		16QAM	1	1	20.17	20.25	20.29	20.28	20.35	0	
		64QAM	1	1	20.18	20.22	20.30	20.29	20.32	0	
		256QAM	1	1	19.79	19.82	19.89	19.85	19.91	0	
		CP	QPSK	1	1	20.43	20.43	20.40	20.42	20.49	0

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.0	2592.9	2634	2674.9	
						MHz	1 MHz	9 MHz	MHz	8 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	20.32	20.36	20.57	20.56	20.60	0
				1	39	20.20	20.38	20.58	20.54	20.52	0
				1	76	20.25	20.49	20.62	20.58	20.50	0
				36	0	20.24	20.40	20.55	20.52	20.65	0
				36	21	20.29	20.45	20.63	20.68	20.68	0
				36	42	20.26	20.43	20.62	20.61	20.55	0
				75	0	20.27	20.43	20.61	20.61	20.61	0
			QPSK	1	1	20.33	20.23	20.48	20.44	20.57	0
				1	39	20.11	20.21	20.42	20.47	20.44	0
				1	76	20.19	20.41	20.43	20.55	20.42	0
				36	0	20.24	20.39	20.54	20.51	20.66	0
				36	21	20.22	20.39	20.55	20.58	20.58	0
				36	42	20.26	20.40	20.50	20.59	20.51	0
			16QAM	1	1	20.33	20.13	20.39	20.35	20.45	0
		1		1	20.30	20.07	20.46	20.33	20.51	0	
		1		1	19.82	19.77	20.05	19.99	20.17	0	
		256QAM	1	1	19.82	19.77	20.05	19.99	20.17	0	
CP	QPSK	1	1	20.38	20.43	20.69	20.71	20.71	0		

**NR TDD Band n41 \_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						503202	513468		523734		534000
						2516.0	2567.3		2618.6		2670
						1 MHz	4 MHz		7 MHz	MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	20.04	20.39		20.41	20.46	0
				1	53	20.09	20.42		20.36	20.50	0
				1	104	20.13	20.39		20.40	20.39	0
				50	0	20.15	20.49		20.39	20.49	0
				50	28	20.25	20.57		20.46	20.62	0
				50	56	20.21	20.49		20.42	20.54	0
				100	0	20.16	20.49		20.36	20.52	0
			QPSK	1	1	19.98	20.29		20.31	20.39	0
				1	53	20.08	20.31		20.25	20.38	0
				1	104	20.10	20.33		20.31	20.33	0
				50	0	20.11	20.48		20.41	20.46	0
				50	28	20.15	20.45		20.35	20.55	0
				50	56	20.20	20.48		20.40	20.42	0
				100	0	20.15	20.47		20.34	20.52	0
		16QAM	1	1	20.10	20.13		20.18	20.24	0	
		64QAM	1	1	20.05	20.08		19.84	20.18	0	
		256QAM	1	1	19.54	19.81		19.81	19.88	0	
		CP	QPSK	1	1	20.10	20.47		20.50	20.53	0

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			532998
						2521.02		2592.99			2664.99
						MHz		MHz			MHz
50MHz	30	DFT-s	pi/2 BPSK	1	1	20.36		20.64		20.67	0
				1	67	20.33		20.64		20.71	0
				1	131	20.50		20.61		20.61	0
				64	0	20.39		20.72		20.79	0
				64	35	20.50		20.79		20.79	0
				64	69	20.43		20.70		20.69	0
				128	0	20.38		20.67		20.66	0
			QPSK	1	1	20.29		20.57		20.63	0
				1	67	20.26		20.55		20.49	0
				1	131	20.47		20.49		20.52	0
				64	0	20.36		20.69		20.72	0
				64	35	20.40		20.74		20.68	0
				64	69	20.42		20.62		20.66	0
				128	0	20.39		20.63		20.65	0
		16QAM	1	1	20.42		20.48		20.47	0	
		64QAM	1	1	20.33		20.27		20.32	0	
		256QAM	1	1	19.84		20.15		20.15	0	
		CP	QPSK	1	1	20.38		20.66		20.80	0

**NR TDD Band n41 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
						MHz		MHz		MHz	
60MHz	30	DFT-s	pi/2 BPSK	1	1	20.10		20.48		20.32	0
				1	81	20.09		20.42		20.22	0
				1	160	20.26		20.45		20.25	0
				81	0	20.16		20.47		20.37	0
				81	41	20.15		20.45		20.34	0
				81	81	20.21		20.49		20.41	0
				162	0	20.20		20.46		20.39	0
			QPSK	1	1	20.08		20.37		20.33	0
				1	81	20.04		20.27		20.18	0
				1	160	20.27		20.42		20.25	0
				81	0	20.15		20.48		20.33	0
				81	41	20.08		20.37		20.28	0
				81	81	20.22		20.50		20.38	0
				162	0	20.20		20.46		20.36	0
		16QAM	1	1	20.26		20.32		20.41	0	
		64QAM	1	1	20.24		20.13		20.39	0	
		256QAM	1	1	19.62		19.91		19.73	0	
		CP	QPSK	1	1	20.18		20.55		20.54	0

**NR TDD Band n41\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.0					2654.9
						4 MHz					7 MHz
70MHz	30	DFT-s	pi/2 BPSK	1	1	20.36				20.49	0
				1	81	20.37				20.47	0
				1	160	20.60				20.56	0
				81	0	20.41				20.49	0
				81	41	20.40				20.59	0
				81	81	20.43				20.41	0
				162	0	20.44				20.54	0
			QPSK	1	1	20.29				20.41	0
				1	81	20.18				20.37	0
				1	160	20.56				20.49	0
				81	0	20.38				20.46	0
				81	41	20.39				20.53	0
				81	81	20.43				20.41	0
				162	0	20.44				20.48	0
		16QAM	1	1	20.36				20.27	0	
		64QAM	1	1	20.30				20.31	0	
		256QAM	1	1	19.83				19.93	0	
CP	QPSK	1	1	20.40				20.42	0		

**NR TDD Band n41\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.0					2649.9
						2 MHz					9 MHz
80MHz	30	DFT-s	pi/2 BPSK	1	1	20.33				20.63	0
				1	109	20.21				20.48	0
				1	215	20.50				20.33	0
				108	0	20.34				20.62	0
				108	55	20.39				20.68	0
				108	109	20.52				20.53	0
				216	0	20.37				20.58	0
			QPSK	1	1	20.29				20.57	0
				1	109	20.18				20.48	0
				1	215	20.50				20.34	0
				108	0	20.26				20.58	0
				108	55	20.33				20.57	0
				108	109	20.47				20.51	0
				216	0	20.36				20.57	0
			16QAM	1	1	20.30				20.61	0
			64QAM	1	1	20.30				20.58	0
			256QAM	1	1	19.73				20.05	0
			CP	QPSK	1	1	20.49				20.66

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.9
						MHz				8 MHz	
90MHz	30	DFT-s	pi/2 BPSK	1	1	20.47				20.70	0
				1	123	20.48				20.71	0
				1	243	20.58				20.40	0
				120	0	20.43				20.70	0
				120	63	20.47				20.73	0
				120	125	20.56				20.54	0
				243	0	20.45				20.69	0
			QPSK	1	1	20.42				20.71	0
				1	123	20.34				20.68	0
				1	243	20.51				20.40	0
				120	0	20.42				20.66	0
				120	63	20.41				20.66	0
				120	125	20.52				20.53	0
				243	0	20.42				20.66	0
		16QAM	1	1	20.44				20.65	0	
		64QAM	1	1	20.17				20.45	0	
		256QAM	1	1	19.99				20.21	0	
CP	QPSK	1	1	20.51				20.88	0		

**NR TDD Band n41 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.9			
						9 MHz					
100MHz	30	DFT-s	pi/2 BPSK	1	1			20.88		0	
				1	137			20.52		0	
				1	271			20.68		0	
				135	0			20.74		0	
				135	69			20.59		0	
				135	138			20.64		0	
				270	0			20.64		0	
			QPSK	1	1			20.88		0	
				1	137			20.49		0	
				1	271			20.66		0	
				135	0			20.74		0	
				135	69			20.50		0	
				135	138			20.59		0	
				270	0			20.65		0	
		16QAM	1	1			20.89		0		
		64QAM	1	1			20.91		0		
		256QAM	1	1			20.29		0		
		CP	QPSK	1	1			20.74		0	

**[NR TDD Band n48 Conducted Power\_Power Class 3 Only\_Antenna F\_ DSI = 0]**

**NR TDD Band n48 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637000	640112	643222	646332		
						3555 MHz	MHz	MHz	MHz		
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.69	18.94	19.48	19.48	0	
				1	12	18.64	18.99	19.46	19.47	0	
				1	22	18.69	19.01	19.52	19.47	0	
				12	0	18.66	18.91	19.43	19.44	0	
				12	6	18.78	19.16	19.56	19.49	0	
				12	12	18.71	19.00	19.46	19.41	0	
				24	0	18.71	19.03	19.46	19.44	0	
			QPSK	1	1	18.70	18.98	19.41	19.46	0	
				1	12	18.65	18.94	19.40	19.41	0	
				1	22	18.69	19.03	19.52	19.39	0	
				12	0	18.71	18.93	19.45	19.48	0	
				12	6	18.76	19.14	19.45	19.44	0	
				12	12	18.67	19.09	19.76	19.38	0	
				24	0	18.67	19.04	19.48	19.48	0	
			16QAM	1	1	18.55	18.66	19.20	19.22	0	
			64QAM	1	1	18.68	18.79	19.25	19.54	0	
			256QAM	1	1	16.99	17.13	17.63	17.65	1	
			CP	QPSK	1	1	18.87	19.05	19.52	19.56	0

**NR TDD Band n48 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]		
						637166	640166	643166	646166			
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz			
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.71	18.82	19.26	19.48	0		
				1	18	18.62	18.80	19.28	19.42	0		
				1	36	18.67	18.91	19.39	19.43	0		
				18	0	18.77	18.94	19.36	19.52	0		
				18	9	18.79	19.05	19.45	19.55	0		
				18	18	18.80	19.02	19.48	19.47	0		
			QPSK	36	0	18.84	19.01	19.44	19.53	0		
				1	1	18.72	18.80	19.25	19.50	0		
				1	18	18.62	18.80	19.25	19.34	0		
				1	36	18.70	18.93	19.37	19.39	0		
				18	0	18.77	18.94	19.37	19.53	0		
				18	9	18.73	19.01	19.38	19.52	0		
				18	18	18.79	19.06	19.48	19.78	0		
				36	0	18.80	19.02	19.45	19.54	0		
				16QAM	1	1	18.53	18.63	19.13	19.38	0	
				64QAM	1	1	18.65	18.74	19.30	19.48	0	
				256QAM	1	1	16.99	17.15	17.56	17.78	1.5	
				CP	QPSK	1	1	18.79	18.87	19.41	19.63	0

**NR TDD Band n48 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.71	18.88	19.31	19.54	0
				1	26	18.72	18.99	19.45	19.51	0
				1	49	18.68	18.99	19.46	19.43	0
				25	0	18.75	18.91	19.36	19.54	0
				25	13	18.89	19.06	19.50	19.64	0
				25	26	18.79	19.02	19.51	19.54	0
				50	0	18.92	19.09	19.56	19.64	0
			QPSK	1	1	18.77	18.85	19.29	19.54	0
				1	26	18.66	18.98	19.37	19.45	0
				1	49	18.67	19.03	19.36	19.42	0
				25	0	18.77	18.96	19.36	19.54	0
				25	13	18.82	19.02	19.40	19.59	0
				25	26	18.78	19.08	19.49	19.50	0
				50	0	18.89	19.11	19.52	19.61	0
		16QAM	1	1	18.55	18.57	19.02	19.27	0	
		64QAM	1	1	18.64	18.66	19.21	19.31	0	
		256QAM	1	1	16.94	17.02	17.44	17.72	1	
		CP	QPSK	1	1	18.77	18.92	19.41	19.55	0

**NR TDD Band n48 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637668	640334	643000	645666		
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz		
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.86	19.06	19.50	19.73	0	
				1	32	18.80	19.17	19.55	19.69	0	
				1	63	18.90	19.36	19.76	19.64	0	
				32	0	18.76	19.11	19.52	19.68	0	
				32	17	18.89	19.25	19.67	19.73	0	
				32	33	18.87	19.23	19.62	19.87	0	
				64	0	18.85	19.15	19.53	19.64	0	
			QPSK	1	1	18.89	19.09	19.42	19.79	0	
				1	32	18.79	19.11	19.48	19.60	0	
				1	63	18.88	19.31	19.70	19.56	0	
				32	0	18.83	19.08	19.47	19.69	0	
				32	17	18.85	19.20	19.61	19.64	0	
				32	33	18.85	19.21	19.61	19.58	0	
				64	0	18.83	19.15	19.56	19.59	0	
			16QAM	1	1	18.70	18.88	19.18	19.46	0	
			64QAM	1	1	18.75	18.89	19.29	19.78	0	
			256QAM	1	1	17.01	17.23	17.58	17.93	1	
			CP	QPSK	1	1	18.86	19.19	19.55	19.72	0

**NR TDD Band n48 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						638000	641666		645332		
						3570 MHz	3624.99 MHz		3679.98 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.79	19.24		19.67	0	
				1	53	18.72	19.32		19.53	0	
				1	104	18.82	19.53		19.39	0	
				50	0	18.85	19.33		19.72	0	
				50	28	18.90	19.50		19.78	0	
				50	56	18.99	19.52		19.60	0	
				100	0	18.93	19.38		19.65	0	
			QPSK	1	1	18.74	19.13		19.36	0	
				1	53	18.72	19.24		19.49	0	
				1	104	18.80	19.36		19.62	0	
				50	0	18.80	19.31		19.58	0	
				50	28	18.95	19.45		19.69	0	
				50	56	18.95	19.50		19.70	0	
				100	0	18.91	19.42		19.60	0	
			16QAM	1	1	18.53	19.03		19.48	0	
			64QAM	1	1	18.59	19.28		19.58	0	
			256QAM	1	1	16.95	17.41		17.91	1	
			CP	QPSK	1	1	18.81	19.22		19.77	0

**[NR FDD Band n66 Conducted Power \_ Antenna A\_DSI = 0]**

**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						342500	349000	355500		
						1712.5 MHz	1745 MHz	1777.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.47	18.77	18.58	0	
				1	13	18.53	18.77	18.70	0	
				1	23	18.50	18.77	18.52	0	
				12	0	18.32	18.68	18.49	0	
				12	7	18.46	18.78	18.56	0	
				12	13	18.41	18.64	18.47	0	
				25	0	18.41	18.79	18.59	0	
			QPSK	1	1	18.43	18.80	18.60	0	
				1	13	18.42	18.75	18.58	0	
				1	23	18.50	18.76	18.56	0	
				12	0	18.35	18.73	18.47	0	
				12	7	18.34	18.73	18.51	0	
				12	13	18.42	18.67	18.47	0	
				25	0	18.43	18.74	18.56	0	
			16QAM	1	1	18.29	18.70	18.41	0	
			64QAM	1	1	18.50	18.82	18.67	0	
			256QAM	1	1	17.87	18.18	17.98	0	
			CP	QPSK	1	1	18.53	18.90	18.63	0

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343000	349000	355000		
						1715 MHz	1745 MHz	1775 MHz		
10MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.46	18.74	18.69	0	
				1	26	18.60	18.50	18.63	0	
				1	50	18.56	18.13	18.59	0	
				25	0	18.58	18.18	18.68	0	
				25	14	18.59	18.16	18.65	0	
				25	27	18.55	18.05	18.64	0	
				50	0	18.58	18.21	18.64	0	
			QPSK	1	1	18.46	18.88	18.67	0	
				1	26	18.58	18.68	18.61	0	
				1	50	18.57	18.08	18.49	0	
				25	0	18.49	18.74	18.65	0	
				25	14	18.51	18.42	18.52	0	
				25	27	18.59	18.82	18.59	0	
				50	0	18.60	18.37	18.58	0	
			16QAM	1	1	18.44	18.13	18.49	0	
			64QAM	1	1	18.57	18.74	18.74	0	
			256QAM	1	1	17.93	18.05	18.04	0	
			CP	QPSK	1	1	18.61	18.81	18.71	0

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343500	349000	354500		
						1717.5 MHz	1745 MHz	1772.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	18.85	18.63	0	
				1	40	18.49	18.76	18.55	0	
				1	77	18.61	18.66	18.47	0	
				36	0	18.54	18.85	18.51	0	
				36	22	18.54	18.84	18.63	0	
				36	43	18.54	18.72	18.50	0	
				75	0	18.53	18.74	18.46	0	
			QPSK	1	1	18.49	18.84	18.56	0	
				1	40	18.46	18.73	18.53	0	
				1	77	18.51	18.64	18.43	0	
				36	0	18.47	18.82	18.52	0	
				36	22	18.49	18.77	18.53	0	
				36	43	18.59	18.68	18.48	0	
				75	0	18.48	18.78	18.45	0	
			16QAM	1	1	18.47	18.78	18.51	0	
			64QAM	1	1	18.65	18.90	18.65	0	
			256QAM	1	1	17.94	18.23	17.99	0	
			CP	QPSK	1	1	18.65	18.95	18.73	0

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344000	349000	354000		
						1720 MHz	1745 MHz	1770 MHz		
20MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.35	18.72	18.58	0	
				1	53	18.52	18.73	18.58	0	
				1	104	18.59	18.44	18.45	0	
				50	0	18.44	18.81	18.51	0	
				50	28	18.58	18.83	18.57	0	
				50	56	18.58	18.68	18.52	0	
				100	0	18.56	18.71	18.48	0	
			QPSK	1	1	18.41	18.74	18.54	0	
				1	53	18.48	18.68	18.46	0	
				1	104	18.49	18.57	18.39	0	
				50	0	18.51	18.77	18.56	0	
				50	28	18.51	18.75	18.47	0	
				50	56	18.61	18.68	18.52	0	
				100	0	18.44	18.72	18.48	0	
			16QAM	1	1	18.31	18.69	18.48	0	
			64QAM	1	1	18.46	18.80	18.59	0	
			256QAM	1	1	17.75	18.08	17.92	0	
			CP	QPSK	1	1	18.46	18.89	18.66	0

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344500	349000	353500		
						1722.5 MHz	1745 MHz	1767.5 MHz		
25MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.49	18.80	18.67	0	
				1	66	18.58	18.73	18.78	0	
				1	131	18.47	18.69	18.61	0	
				64	0	18.41	18.59	18.45	0	
				64	35	18.48	18.69	18.62	0	
				64	69	18.44	18.62	18.47	0	
				128	0	18.44	18.75	18.61	0	
			QPSK	1	1	18.53	18.78	18.50	0	
				1	66	18.37	18.78	18.52	0	
				1	131	18.58	18.69	18.49	0	
				64	0	18.30	18.65	18.54	0	
				64	35	18.30	18.83	18.49	0	
				64	69	18.50	18.68	18.41	0	
				128	0	18.42	18.68	18.48	0	
			16QAM	1	1	18.27	18.69	18.42	0	
			64QAM	1	1	18.60	18.72	18.75	0	
			256QAM	1	1	17.93	18.17	17.90	0	
			CP	QPSK	1	1	18.44	18.90	18.68	0

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.84		0
				1	80		18.91		0
				1	158		18.92		0
				80	0		18.87		0
				80	40		18.92		0
				80	80		18.87		0
				160	0		18.87		0
			QPSK	1	1		18.87		0
				1	80		18.91		0
				1	158		18.82		0
				80	0		18.84		0
				80	40		18.89		0
				80	80		18.83		0
				160	0		18.85		0
			16QAM	1	1		18.80		0
			64QAM	1	1		18.90		0
			256QAM	1	1		18.29		0
			CP	QPSK	1	1		18.95	

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
35MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.85		0
				1	98		18.73		0
				1	186		18.62		0
				90	0		18.86		0
				90	45		18.75		0
				90	90		18.69		0
				180	0		18.72		0
			QPSK	1	1		18.87		0
				1	98		18.73		0
				1	186		18.67		0
				90	0		18.80		0
				90	45		18.80		0
				90	90		18.63		0
				180	0		18.68		0
			16QAM	1	1		18.82		0
			64QAM	1	1		18.99		0
			256QAM	1	1		18.22		0
			CP	QPSK	1	1		18.95	

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.82		0
				1	108		18.99		0
				1	214		18.87		0
				108	0		18.91		0
				108	54		18.96		0
				108	108		18.79		0
				216	0		18.80		0
			QPSK	1	1		18.70		0
				1	108		18.97		0
				1	214		18.84		0
				108	0		18.86		0
				108	54		18.88		0
				108	108		18.83		0
				216	0		18.84		0
			16QAM	1	1		18.55		0
			64QAM	1	1		18.78		0
			256QAM	1	1		18.14		0
			CP	QPSK	1	1		18.83	

**[NR FDD Band n66 Conducted Power \_ Antenna F\_TX Hopping\_DSI = 0]**

**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						342500	349000	355500		
						1712.5 MHz	1745 MHz	1777.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.40	20.47	20.25	0	
				1	13	20.39	20.43	20.41	0	
				1	23	20.38	20.37	20.31	0	
				12	0	20.34	20.36	20.18	0	
				12	7	20.38	20.43	20.32	0	
				12	13	20.27	20.29	20.21	0	
				25	0	20.39	20.43	20.29	0	
			QPSK	1	1	20.51	20.39	20.22	0	
				1	13	20.37	20.37	20.34	0	
				1	23	20.42	20.27	20.38	0	
				12	0	20.34	20.36	20.25	0	
				12	7	20.39	20.35	20.25	0	
				12	13	20.27	20.31	20.19	0	
				25	0	20.41	20.42	20.27	0	
			16QAM	1	1	20.35	20.32	20.05	0	
			64QAM	1	1	20.48	20.43	20.28	0	
			256QAM	1	1	18.96	18.90	18.70	1	
			CP	QPSK	1	1	20.53	20.48	20.32	0

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343000	349000	355000		
						1715 MHz	1745 MHz	1775 MHz		
10MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.47	20.38	20.40	0	
				1	26	20.53	20.33	20.39	0	
				1	50	20.43	20.31	20.34	0	
				25	0	20.44	20.43	20.37	0	
				25	14	20.51	20.39	20.38	0	
				25	27	20.55	20.36	20.37	0	
				50	0	20.47	20.43	20.36	0	
			QPSK	1	1	20.52	20.42	20.31	0	
				1	26	20.41	20.31	20.34	0	
				1	50	20.50	20.31	20.32	0	
				25	0	20.53	20.44	20.33	0	
				25	14	20.42	20.36	20.29	0	
				25	27	20.45	20.37	20.33	0	
				50	0	20.50	20.40	20.33	0	
			16QAM	1	1	20.40	20.44	20.23	0	
			64QAM	1	1	20.58	20.51	20.41	0	
			256QAM	1	1	19.00	18.93	18.85	1	
			CP	QPSK	1	1	20.62	20.53	20.55	0

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343500	349000	354500		
						1717.5 MHz	1745 MHz	1772.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.51	20.43	20.21	0	
				1	40	20.49	20.33	20.25	0	
				1	77	20.59	20.30	20.20	0	
				36	0	20.46	20.39	20.19	0	
				36	22	20.57	20.46	20.25	0	
				36	43	20.50	20.36	20.19	0	
				75	0	20.42	20.41	20.18	0	
			QPSK	1	1	20.60	20.42	20.21	0	
				1	40	20.40	20.35	20.15	0	
				1	77	20.54	20.26	20.23	0	
				36	0	20.48	20.44	20.23	0	
				36	22	20.42	20.41	20.17	0	
				36	43	20.42	20.34	20.16	0	
				75	0	20.45	20.37	20.19	0	
			16QAM	1	1	20.36	20.47	20.16	0	
			64QAM	1	1	20.64	20.59	20.37	0	
			256QAM	1	1	19.06	18.98	18.71	1	
			CP	QPSK	1	1	20.68	20.56	20.37	0

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344000	349000	354000		
						1720 MHz	1745 MHz	1770 MHz		
20MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.42	20.35	20.30	0	
				1	53	20.50	20.29	20.31	0	
				1	104	20.35	20.21	20.23	0	
				50	0	20.39	20.40	20.29	0	
				50	28	20.52	20.44	20.31	0	
				50	56	20.38	20.30	20.29	0	
				100	0	20.45	20.34	20.20	0	
			QPSK	1	1	20.38	20.34	20.17	0	
				1	53	20.47	20.28	20.18	0	
				1	104	20.37	20.28	20.24	0	
				50	0	20.40	20.45	20.31	0	
				50	28	20.32	20.38	20.24	0	
				50	56	20.38	20.32	20.19	0	
				100	0	20.48	20.38	20.24	0	
			16QAM	1	1	20.28	20.26	20.02	0	
			64QAM	1	1	20.43	20.40	20.25	0	
			256QAM	1	1	18.85	18.86	18.66	1	
			CP	QPSK	1	1	20.53	20.44	20.38	0

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.32	20.51	20.15	0
				1	66	20.31	20.39	20.40	0
				1	131	20.34	20.40	20.35	0
				64	0	20.37	20.28	20.21	0
				64	35	20.42	20.51	20.40	0
				64	69	20.23	20.29	20.30	0
				128	0	20.37	20.39	20.26	0
			QPSK	1	1	20.51	20.31	20.28	0
				1	66	20.43	20.32	20.40	0
				1	131	20.46	20.28	20.31	0
				64	0	20.40	20.33	20.29	0
				64	35	20.31	20.27	20.27	0
				64	69	20.34	20.41	20.26	0
				128	0	20.43	20.35	20.34	0
			16QAM	1	1	20.43	20.26	20.02	0
			64QAM	1	1	20.54	20.40	20.38	0
			256QAM	1	1	18.93	18.89	18.63	1
			CP	QPSK	1	1	20.53	20.48	20.42

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.72		0
				1	80		20.49		0
				1	158		20.36		0
				80	0		20.56		0
				80	40		20.69		0
				80	80		20.47		0
				160	0		20.60		0
			QPSK	1	1		20.74		0
				1	80		20.49		0
				1	158		20.43		0
				80	0		20.62		0
				80	40		20.64		0
				80	80		20.48		0
				160	0		20.61		0
		16QAM	1	1		20.55		0	
		64QAM	1	1		20.75		0	
		256QAM	1	1		19.26		1	
		CP	QPSK	1	1		20.84		0

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
35MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.50		0
				1	98		20.37		0
				1	186		20.26		0
				90	0		20.49		0
				90	45		20.50		0
				90	90		20.45		0
				180	0		20.35		0
			QPSK	1	1		20.36		0
				1	98		20.34		0
				1	186		20.36		0
				90	0		20.35		0
				90	45		20.33		0
				90	90		20.37		0
				180	0		20.38		0
			16QAM	1	1		20.55		0
			64QAM	1	1		20.63		0
		256QAM	1	1		19.08		1	
CP	QPSK	1	1		20.53		0		

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.60		0
				1	108		20.56		0
				1	214		20.50		0
				108	0		20.60		0
				108	54		20.62		0
				108	108		20.50		0
				216	0		20.50		0
			QPSK	1	1		20.50		0
				1	108		20.52		0
				1	214		20.55		0
				108	0		20.57		0
				108	54		20.59		0
				108	108		20.52		0
				216	0		20.50		0
			16QAM	1	1		20.42		0
			64QAM	1	1		20.68		0
			256QAM	1	1		18.94		1
			CP	QPSK	1	1		20.64	

**[NR FDD Band n70 Conducted Power\_Antenna A\_ DSI = 0]**

**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						339500	340500	341500		
						1697.5 MHz	1702.5 MHz	1707.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.34	19.31	0	
				1	13	19.43	19.43	19.37	0	
				1	23	19.32	19.27	19.24	0	
				12	0	19.39	19.32	19.27	0	
				12	7	19.49	19.43	19.42	0	
				12	13	19.39	19.31	19.24	0	
				25	0	19.39	19.29	19.30	0	
			QPSK	1	1	19.31	19.30	19.28	0	
				1	13	19.39	19.35	19.36	0	
				1	23	19.07	19.23	19.23	0	
				12	0	19.39	19.34	19.28	0	
				12	7	19.46	19.40	19.33	0	
				12	13	19.40	19.30	19.31	0	
				25	0	19.38	19.30	19.28	0	
			16QAM	1	1	19.20	19.17	19.12	0	
			64QAM	1	1	19.35	19.31	19.27	0	
			256QAM	1	1	18.18	18.20	18.16	0.5	
			CP	QPSK	1	1	19.43	19.46	19.39	0

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						340000	340500	341000		
						1700 MHz	1702.5 MHz	1705 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	19.45	19.38	0	
				1	26	19.42	19.39	19.34	0	
				1	50	19.27	19.29	19.24	0	
				25	0	19.40	19.31	19.34	0	
				25	14	19.46	19.41	19.37	0	
				25	27	19.34	19.25	19.25	0	
				50	0	19.35	19.32	19.27	0	
			QPSK	1	1	19.41	19.45	19.38	0	
				1	26	19.40	19.32	19.29	0	
				1	50	19.33	19.29	19.19	0	
				25	0	19.37	19.38	19.32	0	
				25	14	19.42	19.31	19.28	0	
				25	27	19.36	19.28	19.24	0	
				50	0	19.37	19.33	19.25	0	
			16QAM	1	1	19.25	19.28	19.21	0	
			64QAM	1	1	19.35	19.33	19.27	0	
			256QAM	1	1	18.18	18.24	18.19	0.5	
			CP	QPSK	1	1	19.51	19.55	19.42	0

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							340500		
							1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		19.35		0
				1	40		19.27		0
				1	77		19.07		0
				36	0		19.38		0
				36	22		19.39		0
				36	43		19.23		0
				75	0		19.31		0
			QPSK	1	1		19.27		0
				1	40		19.22		0
				1	77		19.13		0
				36	0		19.37		0
				36	22		19.31		0
				36	43		19.28		0
				75	0		19.34		0
		16QAM	1	1		19.36		0	
		64QAM	1	1		19.31		0	
		256QAM	1	1		18.25		0.5	
		CP	QPSK	1	1		19.48		0

**[NR FDD Band n70 Conducted Power\_Antenna F\_TX Hopping\_ DSI = 0]**

**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						339500	340500	341500		
						1697.5 MHz	1702.5 MHz	1707.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.34	20.21	20.24	0	
				1	13	20.31	20.22	20.16	0	
				1	23	20.30	20.18	20.14	0	
				12	0	20.16	20.09	20.08	0	
				12	7	20.32	20.18	20.20	0	
				12	13	20.17	20.08	20.14	0	
				25	0	20.24	20.16	20.16	0	
			QPSK	1	1	20.25	20.28	20.28	0	
				1	13	20.34	20.27	20.23	0	
				1	23	20.35	20.18	20.18	0	
				12	0	20.12	20.06	20.11	0	
				12	7	20.21	20.14	20.15	0	
				12	13	20.21	20.10	20.10	0	
				25	0	20.24	20.15	20.20	0	
			16QAM	1	1	20.14	20.13	20.09	0	
			64QAM	1	1	20.34	20.37	20.23	0	
			256QAM	1	1	18.26	18.21	18.26	1.5	
			CP	QPSK	1	1	20.41	20.37	20.39	0

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						340000	340500	341000		
						1700 MHz	1702.5 MHz	1705 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.17	20.18	20.40	0	
				1	26	20.25	20.16	20.26	0	
				1	50	20.09	20.08	20.14	0	
				25	0	20.19	20.17	20.25	0	
				25	14	20.21	20.11	20.24	0	
				25	27	20.18	20.11	20.20	0	
				50	0	20.17	20.13	20.26	0	
			QPSK	1	1	20.22	20.15	20.31	0	
				1	26	20.25	20.20	20.30	0	
				1	50	20.14	20.08	19.99	0	
				25	0	20.23	20.19	20.28	0	
				25	14	20.12	20.12	20.17	0	
				25	27	20.20	20.14	20.25	0	
				50	0	20.23	20.18	20.28	0	
			16QAM	1	1	20.13	20.06	20.25	0	
			64QAM	1	1	20.27	20.19	20.41	0	
			256QAM	1	1	18.22	18.20	18.30	1.5	
			CP	QPSK	1	1	20.34	20.28	20.43	0

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							340500		
							1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		20.22		0
				1	40		20.16		0
				1	77		20.03		0
				36	0		20.13		0
				36	22		20.23		0
				36	43		20.07		0
				75	0		20.15		0
			QPSK	1	1		20.13		0
				1	40		20.13		0
				1	77		20.02		0
				36	0		20.11		0
				36	22		20.15		0
				36	43		20.10		0
				75	0		20.16		0
		16QAM	1	1		20.12		0	
		64QAM	1	1		20.25		0	
		256QAM	1	1		18.26		1.5	
		CP	QPSK	1	1		20.30		0

**[NR TDD Band n77 Conducted Power\_ Antenna F\_ DSI = 0 \_Power Class 2 Only]**

**NR TDD Band n77\_ 10MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	17.26	17.24	17.25	17.15	17.37	17.52	0
				1	12	17.33	17.22	17.32	17.19	17.52	17.69	0
				1	22	17.37	17.32	17.23	17.42	17.59	17.61	0
				12	0	17.06	17.22	17.15	17.19	17.41	17.51	0
				12	6	17.30	17.36	17.18	17.29	17.65	17.74	0
				12	12	17.24	17.22	17.19	17.29	17.66	17.57	0
			24	0	17.20	17.28	17.15	17.31	17.45	17.58	0	
			QPSK	1	1	17.16	17.15	17.22	17.06	17.43	17.60	0
				1	12	17.12	17.10	16.99	17.15	17.53	17.54	0
				1	22	17.22	17.18	17.05	17.28	17.48	17.63	0
				12	0	17.16	17.23	17.21	17.08	17.39	17.69	0
				12	6	17.22	17.13	17.02	17.26	17.54	17.58	0
				12	12	17.15	17.27	17.07	17.17	17.67	17.57	0
			24	0	17.19	17.27	17.12	17.10	17.41	17.54	0	
			16QAM	1	1	16.90	17.03	16.86	16.85	17.21	17.18	0
			64QAM	1	1	17.15	17.07	16.88	17.02	17.30	17.26	0
			256QAM	1	1	16.56	16.62	16.45	16.49	16.74	16.87	0
			CP	QPSK	1	1	16.79	16.82	16.70	16.47	16.95	17.00

**NR TDD Band n77\_ 15MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.09	17.22	17.14	17.08	17.44	17.32	0	
				1	18	17.05	17.09	16.97	17.19	17.41	17.50	0	
				1	36	17.13	17.16	17.01	17.22	17.55	17.59	0	
				18	0	17.19	17.14	16.94	17.07	17.33	17.53	0	
				18	9	17.23	17.21	17.11	17.25	17.40	17.50	0	
				18	18	17.13	17.12	17.18	17.17	17.51	17.57	0	
				36	0	17.15	17.18	17.09	17.15	17.44	17.64	0	
			QPSK	1	1	16.97	17.12	17.05	17.02	17.34	17.44	0	
				1	18	17.02	16.98	16.87	17.05	17.25	17.48	0	
				1	36	16.87	17.06	16.93	17.12	17.29	17.47	0	
				18	0	17.20	17.11	16.98	17.07	17.44	17.53	0	
				18	9	17.02	17.26	17.09	17.10	17.36	17.50	0	
				18	18	17.27	17.21	16.99	17.27	17.47	17.39	0	
				36	0	17.12	17.20	17.05	17.14	17.46	17.50	0	
			16QAM	1	1	16.94	16.89	16.84	16.87	17.13	17.17	0	
			64QAM	1	1	17.01	17.15	16.98	17.02	17.27	17.38	0	
			256QAM	1	1	16.42	16.42	16.48	16.53	16.82	16.83	0	
			CP	QPSK	1	1	16.77	16.74	16.51	16.34	16.88	17.00	0

**NR TDD Band n77\_ 20MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647334	650800	654266	657734	661200	664666		
						3710.01	3762	3813.99	3866.01	3918	3969.99		
						MHz	MHz	MHz	MHz	MHz	MHz		
20MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.25	17.25	17.18	17.07	17.21	17.65	0	
				1	26	17.28	17.31	17.16	17.13	17.44	17.56	0	
				1	49	17.28	17.22	17.05	17.11	17.47	17.59	0	
				25	0	17.22	17.14	17.14	17.22	17.41	17.50	0	
				25	13	17.35	17.40	17.11	17.26	17.60	17.62	0	
				25	26	17.43	17.14	17.04	17.14	17.55	17.55	0	
				50	0	17.38	17.39	17.28	17.31	17.65	17.74	0	
			QPSK	1	1	17.08	17.20	17.10	16.92	17.12	17.49	0	
				1	26	17.13	17.10	16.97	17.10	17.29	17.50	0	
				1	49	17.20	17.21	17.07	17.12	17.31	17.46	0	
				25	0	17.20	17.13	17.02	17.14	17.30	17.55	0	
				25	13	17.35	17.16	17.11	17.13	17.41	17.67	0	
				25	26	17.36	17.21	17.06	17.24	17.49	17.56	0	
				50	0	17.21	17.25	17.17	17.22	17.60	17.58	0	
			16QAM	1	1	16.93	16.87	16.77	16.77	17.08	17.07	0	
			64QAM	1	1	16.82	16.87	16.81	17.00	17.15	17.32	0	
			256QAM	1	1	16.52	16.54	16.39	16.27	16.59	16.85	0	
			CP	QPSK	1	1	16.65	16.62	16.63	16.26	16.69	16.93	0

**NR TDD Band n77\_ 25MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647500	650900	654300	657700	661100	664500		
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz		
25MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.56	17.28	17.09	17.13	17.45	17.17	0	
				1	32	17.40	17.17	17.17	17.21	17.59	17.66	0	
				1	63	17.30	17.15	17.08	17.29	17.57	17.69	0	
				32	0	17.37	17.26	17.11	17.19	17.51	17.52	0	
				32	17	17.46	17.29	17.32	17.33	17.60	17.56	0	
				32	33	17.24	17.29	17.24	17.43	17.51	17.51	0	
				64	0	17.39	17.22	17.15	17.36	17.45	17.52	0	
			QPSK	1	1	17.09	17.18	17.15	17.23	17.36	17.60	0	
				1	32	17.17	17.16	17.08	17.22	17.29	17.42	0	
				1	63	17.09	17.04	16.90	17.17	17.48	17.50	0	
				32	0	17.42	17.22	17.09	17.31	17.44	17.66	0	
				32	17	17.43	17.15	17.10	17.33	17.41	17.52	0	
				32	33	17.34	17.19	17.26	17.36	17.55	17.59	0	
				64	0	17.44	17.17	17.16	17.22	17.53	17.55	0	
			16QAM	1	1	17.02	16.99	16.80	16.97	17.06	17.25	0	
			64QAM	1	1	17.26	17.02	16.97	16.87	17.20	17.38	0	
			256QAM	1	1	16.62	16.56	16.60	16.68	16.81	16.99	0	
			CP	QPSK	1	1	16.81	16.75	16.56	16.50	16.81	16.86	0

**NR TDD Band n77\_ 30MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647668	651000	654334	657666	661000	664332		
						3715.02	3765	3815.01	3864.99	3915	3964.98		
						MHz	MHz	MHz	MHz	MHz	MHz		
30MHz	30	DFT-s	pi/2 BPSK	1	1	17.48	17.43	17.25	17.34	17.35	17.38	0	
				1	39	17.51	17.25	17.30	17.47	17.42	17.69	0	
				1	76	17.41	17.21	17.28	17.41	17.58	17.57	0	
				36	0	17.34	17.24	17.24	17.23	17.43	17.59	0	
				36	21	17.46	17.27	17.16	17.53	17.61	17.53	0	
				36	42	17.19	17.34	17.33	17.34	17.54	17.58	0	
				75	0	17.36	17.21	17.23	17.43	17.48	17.56	0	
			QPSK	1	1	17.25	17.11	17.12	17.29	17.39	17.58	0	
				1	39	17.31	17.24	17.06	17.31	17.33	17.49	0	
				1	76	17.19	17.20	17.13	17.24	17.49	17.55	0	
				36	0	17.25	17.29	17.15	17.35	17.44	17.46	0	
				36	21	17.25	17.25	17.25	17.21	17.38	17.54	0	
				36	42	17.28	17.31	17.24	17.43	17.56	17.61	0	
			16QAM	1	1	17.01	16.86	16.69	16.84	16.97	17.21	0	
				1	1	17.06	16.93	16.83	16.94	17.21	17.30	0	
				1	1	16.51	16.50	16.43	16.67	16.61	16.98	0	
			256QAM	1	1	16.51	16.50	16.43	16.67	16.61	16.98	0	
			CP	QPSK	1	1	16.87	16.83	16.57	16.64	17.05	17.10	0

**NR TDD Band n77\_40MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						648000	651200	654400	657600	660800	664000		
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz		
40MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.20	17.14	17.11	17.06	17.20	17.30	0	
				1	53	17.32	17.15	16.99	17.28	17.46	17.39	0	
				1	104	17.34	16.96	16.91	17.22	17.37	17.44	0	
				50	0	17.28	17.32	17.09	17.25	17.42	17.41	0	
				50	28	17.37	17.28	17.20	17.40	17.71	17.62	0	
				50	56	17.37	17.17	17.10	17.39	17.57	17.60	0	
				100	0	17.37	17.19	17.16	17.42	17.49	17.63	0	
			QPSK	1	1	17.09	17.03	17.06	16.94	17.15	17.37	0	
				1	53	17.11	17.03	16.86	17.07	17.27	17.32	0	
				1	104	17.14	16.97	16.82	17.19	17.30	17.38	0	
				50	0	17.22	17.31	17.05	17.17	17.32	17.53	0	
				50	28	17.36	17.13	17.20	17.40	17.52	17.57	0	
				50	56	17.34	17.18	17.14	17.22	17.58	17.59	0	
				100	0	17.22	17.33	17.10	17.40	17.53	17.54	0	
			16QAM	1	1	16.95	16.92	16.80	16.74	16.96	17.06	0	
			64QAM	1	1	17.26	17.09	16.99	17.03	17.12	17.19	0	
			256QAM	1	1	16.66	16.47	16.41	16.43	16.61	16.79	0	
			CP	QPSK	1	1	16.78	16.70	16.43	16.29	16.78	16.79	0

**NR TDD TBand n77\_ 50MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648334	652166	656000		659834		663666	
						3725.01	3782.49	3840		3897.51		3954.99	
						MHz	MHz	MHz		MHz	MHz		
50MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.29	17.27	17.12		17.31	17.35	0	
				1	67	17.42	17.28	17.28		17.52	17.57	0	
				1	131	17.57	17.12	17.35		17.63	17.50	0	
				64	0	17.45	17.47	17.31		17.50	17.71	0	
				64	35	17.50	17.36	17.38		17.63	17.78	0	
				64	69	17.53	17.33	17.43		17.74	17.61	0	
				128	0	17.45	17.26	17.26		17.48	17.58	0	
			QPSK	1	1	17.11	17.32	17.26		17.23	17.33	0	
				1	67	17.27	17.24	17.14		17.37	17.57	0	
				1	131	17.37	17.01	17.32		17.54	17.35	0	
				64	0	17.47	17.36	17.22		17.63	17.60	0	
				64	35	17.53	17.37	17.37		17.60	17.71	0	
				64	69	17.55	17.42	17.34		17.79	17.63	0	
				128	0	17.48	17.35	17.36		17.62	17.75	0	
			16QAM	1	1	17.09	17.04	17.03		17.10	17.09	0	
			64QAM	1	1	16.21	17.18	16.23		17.22	17.23	0	
			256QAM	1	1	16.65	16.75	16.62		16.64	16.77	0	
			CP	QPSK	1	1	16.93	16.91	16.75		16.90	16.51	0

**NR TDD Band n77\_60MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648668	653556			658444		663332	
						3730.02 MHz	3803.34 MHz			3876.66 MHz		3949.98 MHz	
60MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.37	17.28			17.16	17.52	0	
				1	81	17.09	16.95			17.24	17.48	0	
				1	160	17.28	16.99			17.41	17.63	0	
				81	0	17.14	17.06			17.26	17.55	0	
				81	41	17.33	17.18			17.33	17.61	0	
				81	81	17.30	16.95			17.33	17.75	0	
				162	0	17.45	17.17			17.46	17.72	0	
			QPSK	1	1	17.22	16.95			17.21	17.38	0	
				1	81	16.99	16.88			16.99	17.32	0	
				1	160	17.23	16.77			17.38	17.82	0	
				81	0	17.11	17.01			17.13	17.59	0	
				81	41	17.29	17.08			17.25	17.66	0	
				81	81	17.06	17.00			17.27	17.68	0	
				162	0	17.36	17.13			17.37	17.71	0	
			16QAM	1	1	16.91	16.79			16.76	17.22	0	
			64QAM	1	1	16.98	16.77			16.85	16.26	0	
			256QAM	1	1	16.65	16.38			16.35	16.84	0	
			CP	QPSK	1	1	16.96	16.86			16.64	17.00	0

**NR TDD Band n77\_70MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						649000	654336			658334		663000	
						3750 MHz	3804.99 MHz			3875.01 MHz		3945 MHz	
70MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.34	17.19			17.15	17.30	0	
				1	95	17.26	17.00			17.12	17.54	0	
				1	187	17.53	17.07			17.63	17.43	0	
				90	0	17.28	17.30			17.19	17.61	0	
				90	50	17.36	17.24			17.41	17.69	0	
				90	99	17.38	17.14			17.54	17.51	0	
				180	0	17.35	17.10			17.24	17.69	0	
			QPSK	1	1	17.11	17.12			17.03	17.35	0	
				1	95	16.99	17.13			16.92	17.41	0	
				1	187	17.30	17.08			17.44	17.60	0	
				90	0	17.29	17.23			17.29	17.60	0	
				90	50	17.21	17.24			17.33	17.77	0	
				90	99	17.24	17.21			17.14	17.52	0	
				180	0	17.29	17.18			17.31	17.72	0	
			16QAM	1	1	16.90	16.85			16.91	17.00	0	
			64QAM	1	1	17.02	17.05			17.20	17.39	0	
			256QAM	1	1	16.69	16.58			16.47	16.68	0	
			CP	QPSK	1	1	16.91	16.43			16.43	16.79	0

**NR TDD Band n77\_ 80MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						649334		656000		662666			
						3740.01 MHz		3840 MHz		3939.99 MHz			
80MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.28		17.07		17.22		0	
				1	109	17.12		17.13		17.62		0	
				1	215	17.69		17.40		17.27		0	
				108	0	17.37		17.18		17.58		0	
				108	55	17.52		17.34		17.77		0	
				108	109	17.37		17.21		17.54		0	
				216	0	17.42		17.25		17.64		0	
			QPSK	1	1	17.03		17.20		17.34		0	
				1	109	17.05		17.03		17.30		0	
				1	215	17.51		17.39		17.94		0	
				108	0	17.30		17.32		17.49		0	
				108	55	17.32		17.16		17.61		0	
				108	109	17.19		17.27		17.65		0	
				216	0	17.35		17.22		17.61		0	
			16QAM	1	1	17.01		16.84		17.15		0	
			64QAM	1	1	16.89		17.11		17.13		0	
			256QAM	1	1	16.65		16.51		16.67		0	
			CP	QPSK	1	1	16.84		16.56		16.75		0

**NR TDD Band n77\_ 90MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						649668		656000		662332			
						3745.02		3840		3934.98			
						MHz		MHz		MHz			
90MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.32		17.21		17.28		0	
				1	123	17.27		17.06		17.51		0	
				1	243	17.77		17.43		17.75		0	
				120	0	17.36		16.98		17.39		0	
				120	63	17.44		17.08		17.56		0	
				120	125	17.05		17.03		17.15		0	
				243	0	17.39		17.15		17.37		0	
			QPSK	1	1	17.29		17.12		17.25		0	
				1	123	17.11		16.95		17.29		0	
				1	243	17.70		17.20		17.72		0	
				120	0	17.20		17.00		17.45		0	
				120	63	17.28		17.05		17.55		0	
				120	125	17.10		17.22		17.47		0	
				243	0	17.38		17.23		17.52		0	
			16QAM	1	1	17.13		16.82		16.93		0	
			64QAM	1	1	17.09		17.07		17.21		0	
			256QAM	1	1	16.52		16.57		16.51		0	
			CP	QPSK	1	1	16.73		16.38		16.65		0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						65000				66200			
						0				0			
						3750				3930			
						MHz				MHz			
100MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.36				17.18		0	
				1	137	17.26				17.31		0	
				1	271	17.54				17.34		0	
				135	0	17.27				17.35		0	
				135	69	17.33				17.28		0	
				135	138	17.20				17.21		0	
				270	0	17.57				17.58		0	
			QPSK	1	1	17.75				17.22		0	
				1	137	17.13				17.37		0	
				1	271	17.69				17.44		0	
				135	0	17.45				16.89		0	
				135	69	17.38				17.24		0	
				135	138	17.18				17.33		0	
				270	0	17.42				17.32		0	
			16QAM	1	1	17.25				17.02		0	
			64QAM	1	1	17.15				17.08		0	
			256QAM	1	1	16.74				16.44		0	
			CP	QPSK	1	1	17.08				16.85		0

**[NR TDD Band n77 DoD Conducted Power\_ Antenna F\_ DSI = 0\_ Power Class 2 Only]**

**NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						630334	633334	636332		
						3445.01 MHz	3500.01 MHz	3544.98 MHz		
10MHz	30	DFT-s	pi/2 BPSK	1	1	17.56	17.90	17.80	0	
				1	12	17.50	17.77	17.82	0	
				1	22	17.62	17.89	17.88	0	
				12	0	17.64	17.78	17.85	0	
				12	6	17.54	17.95	17.80	0	
				12	12	17.49	17.68	17.76	0	
				24	0	17.44	17.77	17.84	0	
			QPSK	1	1	17.47	17.81	17.83	0	
				1	12	17.32	17.75	17.60	0	
				1	22	17.59	17.73	17.71	0	
				12	0	17.52	17.78	17.85	0	
				12	6	17.48	17.64	17.73	0	
				12	12	17.47	17.67	17.68	0	
				24	0	17.39	17.75	17.72	0	
			16QAM	1	1	17.20	17.46	17.61	0	
			64QAM	1	1	17.34	17.47	17.54	0	
			256QAM	1	1	16.89	17.11	17.24	0	
			CP	QPSK	1	1	17.05	17.22	17.21	0

**NR TDD Band n77 DoD \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.58	17.59	17.59	0
				1	18	17.55	17.61	17.61	0
				1	36	17.51	17.68	17.76	0
				18	0	17.41	17.61	17.79	0
				18	9	17.48	17.71	17.70	0
				18	18	17.60	17.55	17.79	0
				36	0	17.52	17.63	17.72	0
			QPSK	1	1	17.37	17.58	17.52	0
				1	18	17.28	17.54	17.50	0
				1	36	17.25	17.55	17.59	0
				18	0	17.47	17.62	17.64	0
				18	9	17.47	17.54	17.78	0
				18	18	17.63	17.76	17.75	0
				36	0	17.34	17.54	17.72	0
		16QAM	1	1	17.12	17.21	17.40	0	
		64QAM	1	1	17.37	17.49	17.56	0	
		256QAM	1	1	16.73	17.02	17.01	0	
		CP	QPSK	1	1	16.94	17.00	17.01	0

**NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						630668	633334	636000		
						3460.02MHz	3500.01MHz	3540MHz		
20MHz	30	DFT-s	pi/2 BPSK	1	1	17.51	17.81	17.88	0	
				1	26	17.54	17.81	17.93	0	
				1	49	17.55	17.93	17.85	0	
				25	0	17.61	17.75	17.68	0	
				25	13	17.49	17.74	17.87	0	
				25	26	17.58	17.62	17.82	0	
				50	0	17.67	17.81	17.78	0	
			QPSK	1	1	17.40	17.61	17.60	0	
				1	26	17.56	17.54	17.74	0	
				1	49	17.56	17.73	17.68	0	
				25	0	17.48	17.59	17.64	0	
				25	13	17.62	17.71	17.87	0	
				25	26	17.56	17.79	17.76	0	
				50	0	17.54	17.86	17.74	0	
			16QAM	1	1	17.16	17.38	17.45	0	
			64QAM	1	1	17.24	17.40	17.45	0	
			256QAM	1	1	16.74	17.06	17.02	0	
			CP	QPSK	1	1	17.04	17.00	17.40	0

**NR TDD Band n77 DoD\_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01MHz	3537MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	17.57	17.62	17.86	0
				1	32	17.77	17.77	17.77	0
				1	63	17.53	17.86	17.93	0
				32	0	17.50	17.74	17.75	0
				32	17	17.57	17.80	17.75	0
				32	33	17.62	17.87	17.81	0
				64	0	17.52	17.65	17.80	0
			QPSK	1	1	17.45	17.68	17.72	0
				1	32	17.53	17.76	17.63	0
				1	63	17.46	17.68	17.63	0
				32	0	17.55	17.65	17.82	0
				32	17	17.59	17.83	17.97	0
				32	33	17.60	17.74	17.96	0
				64	0	17.55	17.63	17.66	0
		16QAM	1	1	17.24	17.35	17.38	0	
		64QAM	1	1	17.37	17.63	17.50	0	
		256QAM	1	1	17.02	16.99	17.23	0	
		CP	QPSK	1	1	17.03	17.16	17.28	0

**NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						631000	633334	635666		
						3465MHz	3500.01MHz	3534.99MHz		
30MHz	30	DFT-s	pi/2 BPSK	1	1	17.66	17.75	17.87	0	
				1	39	17.65	17.69	17.81	0	
				1	76	17.71	17.93	17.87	0	
				36	0	17.63	17.74	17.82	0	
				36	21	17.75	17.74	17.80	0	
				36	42	17.72	17.69	17.86	0	
				75	0	17.67	17.70	17.74	0	
			QPSK	1	1	17.46	17.63	17.77	0	
				1	39	17.60	17.67	17.85	0	
				1	76	17.55	17.68	17.72	0	
				36	0	17.61	17.67	17.89	0	
				36	21	17.63	17.77	17.72	0	
				36	42	17.62	17.70	17.87	0	
				75	0	17.53	17.82	17.76	0	
			16QAM	1	1	17.10	17.26	17.41	0	
			64QAM	1	1	17.32	17.38	17.92	0	
			256QAM	1	1	16.85	17.07	17.11	0	
			CP	QPSK	1	1	17.19	17.17	17.40	0

**NR TDD Band n77 DoD\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01MHz		3529.98MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	17.51		17.76	0
				1	53	17.64		17.73	0
				1	104	17.51		17.76	0
				50	0	17.57		17.83	0
				50	28	17.77		17.96	0
				50	56	17.59		17.77	0
				100	0	17.62		17.79	0
			QPSK	1	1	17.44		17.68	0
				1	53	17.44		17.68	0
				1	104	17.36		17.56	0
				50	0	17.46		17.89	0
				50	28	17.46		17.83	0
				50	56	17.60		17.79	0
				100	0	17.60		17.84	0
			16QAM	1	1	17.25		17.49	0
			64QAM	1	1	17.22		17.01	0
			256QAM	1	1	16.76		17.20	0
			CP	QPSK	1	1	16.86		17.19

**NR TDD Band n77 DoD\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02MHz		3525MHz	
50MHz	30	DFT-s	pi/2 BPSK	1	1	17.68		17.79	0
				1	67	17.70		17.92	0
				1	131	17.76		17.90	0
				64	0	17.74		17.90	0
				64	35	17.81		17.79	0
				64	69	17.89		17.76	0
				128	0	17.88		17.81	0
			QPSK	1	1	17.46		17.84	0
				1	67	17.54		17.67	0
				1	131	17.62		17.83	0
				64	0	17.62		17.75	0
				64	35	17.93		17.91	0
				64	69	17.71		17.80	0
				128	0	17.81		17.90	0
			16QAM	1	1	17.32		17.63	0
			64QAM	1	1	17.41		17.04	0
			256QAM	1	1	16.96		17.35	0
		CP	QPSK	1	1	17.18		17.49	0

**NR TDD Band n77 DoD \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1		17.76		0
				1	81		17.63		0
				1	160		17.79		0
				81	0		17.54		0
				81	41		17.78		0
				81	81		17.68		0
				162	0		17.66		0
			QPSK	1	1		17.55		0
				1	81		17.53		0
				1	160		17.74		0
				81	0		17.53		0
				81	41		17.70		0
				81	81		17.76		0
				162	0		17.64		0
		16QAM	1	1		17.28		0	
		64QAM	1	1		16.31		0	
		256QAM	1	1		16.88		0	
		CP	QPSK	1	1		17.21		0

**NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
70MHz	30	DFT-s	pi/2 BPSK	1	1		17.68		0
				1	95		17.83		0
				1	187		17.80		0
				90	0		17.79		0
				90	50		17.82		0
				90	99		17.67		0
				180	0		17.91		0
			QPSK	1	1		17.55		0
				1	95		17.63		0
				1	187		17.72		0
				90	0		17.71		0
				90	50		17.92		0
				90	99		17.50		0
				180	0		17.80		0
		16QAM	1	1		17.38		0	
		64QAM	1	1		17.30		0	
		256QAM	1	1		16.97		0	
CP	QPSK	1	1		17.42		0		

**NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		17.69		0
				1	109		17.71		0
				1	215		17.82		0
				108	0		17.81		0
				108	55		17.90		0
				108	109		17.51		0
				216	0		17.80		0
			QPSK	1	1		17.76		0
				1	109		17.52		0
				1	215		17.85		0
				108	0		17.84		0
				108	55		17.78		0
				108	109		16.61		0
				216	0		17.89		0
		16QAM	1	1		17.51		0	
		64QAM	1	1		17.88		0	
		256QAM	1	1		17.05		0	
		CP	QPSK	1	1		17.17		0

**NR TDD Band n77 DoD\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		17.76		0
				1	123		17.93		0
				1	243		17.86		0
				120	0		17.86		0
				120	63		17.89		0
				120	125		17.79		0
				243	0		17.90		0
			QPSK	1	1		17.80		0
				1	123		17.78		0
				1	243		17.84		0
				120	0		17.76		0
				120	63		17.72		0
				120	125		17.78		0
				243	0		17.80		0
		16QAM	1	1		17.35		0	
		64QAM	1	1		17.45		0	
		256QAM	1	1		17.18		0	
		CP	QPSK	1	1		17.23		0

**NR TDD Band n77 DoD \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		17.74		0
				1	137		17.65		0
				1	271		17.73		0
				135	0		17.80		0
				135	69		17.81		0
				135	138		17.75		0
				270	0		17.97		0
			QPSK	1	1		17.63		0
				1	137		17.53		0
				1	271		17.88		0
				135	0		17.66		0
				135	69		17.75		0
				135	138		17.75		0
			270	0		17.70		0	
		16QAM	1	1		17.51		0	
		64QAM	1	1		17.40		0	
		256QAM	1	1		17.20		0	
CP	QPSK	1	1		17.25		0		

**[NR TDD Band n78 Power Class 2 Only Conducted Power\_ Antenna F\_ DSI = 0]**

**NR TDD Band n78 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	19.09	19.20	19.48	0
				1	12	19.05	19.25	19.56	0
				1	22	19.12	19.33	19.68	0
				12	0	19.08	19.16	19.48	0
				12	6	19.10	19.33	19.61	0
				12	12	19.05	19.28	19.60	0
				24	0	19.04	19.21	19.59	0
			QPSK	1	1	18.98	19.11	19.48	0
				1	12	18.96	19.12	19.51	0
				1	22	19.03	19.28	19.62	0
				12	0	18.97	19.15	19.49	0
				12	6	18.99	19.21	19.56	0
				12	12	19.03	19.26	19.61	0
				24	0	19.01	19.25	19.56	0
		16QAM	1	1	18.62	18.82	19.17	0	
		64QAM	1	1	18.72	19.11	19.40	0	
		256QAM	1	1	18.35	18.42	18.80	0	
		CP	QPSK	1	1	18.70	18.76	19.02	0

**NR TDD Band n78 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						647166	650000	652832		
						3707.5 MHz	3750 MHz	3792.48 MHz		
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.94	18.98	19.38	0	
				1	18	18.88	19.01	19.39	0	
				1	36	18.95	19.16	19.56	0	
				18	0	18.97	19.08	19.50	0	
				18	10	19.02	19.18	19.57	0	
				18	20	19.00	19.24	19.56	0	
				36	0	19.04	19.23	19.56	0	
			QPSK	1	1	18.86	18.99	19.27	0	
				1	18	18.79	18.99	19.18	0	
				1	36	18.89	19.07	19.57	0	
				18	0	18.96	19.11	19.47	0	
				18	10	18.92	19.10	19.44	0	
				18	20	19.03	19.25	19.55	0	
				36	0	18.97	19.17	19.51	0	
			16QAM	1	1	18.66	18.87	19.18	0	
			64QAM	1	1	18.69	18.94	19.34	0	
			256QAM	1	1	18.36	18.48	18.80	0	
			CP	QPSK	1	1	18.42	18.57	18.49	0

**NR TDD Band n78\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	19.01	19.08	19.36	0
				1	26	19.04	19.19	19.51	0
				1	49	18.94	19.26	19.60	0
				25	0	18.98	19.14	19.44	0
				25	13	19.11	19.27	19.61	0
				25	26	19.07	19.28	19.62	0
				50	0	19.16	19.35	19.61	0
			QPSK	1	1	18.95	18.95	19.21	0
				1	26	18.93	19.17	19.42	0
				1	49	18.95	19.24	19.51	0
				25	0	19.01	19.15	19.42	0
				25	13	19.01	19.20	19.41	0
				25	26	18.96	19.24	19.56	0
				50	0	19.14	19.32	19.56	0
			16QAM	1	1	18.64	18.75	18.95	0
			64QAM	1	1	18.73	18.70	19.04	0
			256QAM	1	1	18.32	18.44	18.62	0
		CP	QPSK	1	1	18.44	18.57	18.55	0

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						647500	650000	652500		
						3712.5 MHz	3750 MHz	3787.5 MHz		
25MHz	30	DFT-s	pi/2 BPSK	1	1	19.14	19.08	19.40	0	
				1	32	19.28	19.33	19.61	0	
				1	63	19.04	19.20	19.56	0	
				32	0	19.22	19.22	19.45	0	
				32	17	19.23	19.39	19.61	0	
				32	33	19.11	19.28	19.57	0	
				64	0	19.24	19.23	19.55	0	
			QPSK	1	1	19.07	18.96	19.12	0	
				1	32	19.06	19.27	19.48	0	
				1	63	18.91	19.20	19.47	0	
				32	0	19.18	19.26	19.42	0	
				32	17	19.19	19.26	19.52	0	
				32	33	19.10	19.32	19.61	0	
				64	0	19.12	19.28	19.48	0	
			16QAM	1	1	18.85	18.93	19.07	0	
			64QAM	1	1	19.02	19.05	19.14	0	
			256QAM	1	1	18.52	18.56	18.69	0	
			CP	QPSK	1	1	18.58	18.64	18.84	0

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	19.26	19.28	19.35	0
				1	39	19.28	19.36	19.55	0
				1	76	19.23	19.44	19.70	0
				36	0	19.21	19.30	19.45	0
				36	21	19.22	19.37	19.66	0
				36	42	19.14	19.38	19.60	0
				75	0	19.23	19.30	19.55	0
			QPSK	1	1	19.17	19.20	19.24	0
				1	39	19.20	19.27	19.52	0
				1	76	19.12	19.31	19.64	0
				36	0	19.19	19.27	19.45	0
				36	21	19.12	19.27	19.56	0
				36	42	19.11	19.38	19.59	0
				75	0	19.14	19.24	19.51	0
			16QAM	1	1	18.83	18.85	18.99	0
			64QAM	1	1	19.01	19.02	19.13	0
			256QAM	1	1	18.50	18.53	18.66	0
		CP	QPSK	1	1	18.68	18.80	19.02	0

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	19.14		19.36	0
				1	53	19.14		19.43	0
				1	104	19.10		19.52	0
				50	0	19.18		19.50	0
				50	28	19.22		19.57	0
				50	56	19.15		19.53	0
				100	0	19.15		19.58	0
			QPSK	1	1	19.03		19.15	0
				1	53	18.99		19.31	0
				1	104	19.03		19.50	0
				50	0	19.19		19.42	0
				50	28	19.17		19.44	0
				50	56	19.15		19.54	0
				100	0	19.11		19.48	0
			16QAM	1	1	18.82		19.02	0
			64QAM	1	1	18.92		19.05	0
			256QAM	1	1	18.55		18.72	0
			CP	QPSK	1	1	18.64		18.83

**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						648334		651666		
						3725.01 MHz		3774.99 MHz		
50MHz	30	DFT-s	pi/2 BPSK	1	1	19.14		19.29	0	
				1	67	19.34		19.54	0	
				1	131	19.34		19.60	0	
				64	0	19.28		19.53	0	
				64	35	19.34		19.78	0	
				64	69	19.39		19.66	0	
				128	0	19.26		19.51	0	
			QPSK	1	1	18.98		19.18	0	
				1	67	19.05		19.31	0	
				1	131	19.26		19.48	0	
				64	0	19.25		19.54	0	
				64	35	19.26		19.53	0	
				64	69	19.38		19.65	0	
				128	0	19.28		19.65	0	
			16QAM	1	1	18.89		19.05	0	
			64QAM	1	1	18.94		18.68	0	
			256QAM	1	1	18.60		18.72	0	
			CP	QPSK	1	1	18.80		18.97	0

**NR TDD Band n78 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1		19.18		0
				1	81		19.10		0
				1	160		19.30		0
				81	0		19.08		0
				81	41		19.27		0
				81	81		19.29		0
				162	0		19.32		0
			QPSK	1	1		19.04		0
				1	81		18.99		0
				1	160		19.37		0
				81	0		19.17		0
				81	41		19.21		0
				81	81		19.21		0
				162	0		19.29		0
		16QAM	1	1		18.74		0	
		64QAM	1	1		18.91		0	
		256QAM	1	1		18.44		0	
		CP	QPSK	1	1		18.82		0

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70MHz	30	DFT-s	pi/2 BPSK	1	1		19.05		0
				1	95		19.19		0
				1	187		19.36		0
				90	0		19.25		0
				90	50		19.39		0
				90	99		19.27		0
				180	0		19.33		0
			QPSK	1	1		18.99		0
				1	95		19.02		0
				1	187		19.38		0
				90	0		19.23		0
				90	50		19.30		0
				90	99		19.29		0
				180	0		19.27		0
			16QAM	1	1		18.81		0
			64QAM	1	1		19.01		0
			256QAM	1	1		18.48		0
		CP	QPSK	1	1		18.74		0

**NR TDD Band n78\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		19.13		0
				1	109		19.20		0
				1	215		19.52		0
				108	0		19.28		0
				108	55		19.39		0
				108	109		19.29		0
				216	0		19.30		0
			QPSK	1	1		19.06		0
				1	109		19.18		0
				1	215		19.47		0
				108	0		19.29		0
				108	55		19.33		0
				108	109		19.27		0
				216	0		19.31		0
		16QAM	1	1		18.98		0	
		64QAM	1	1		19.08		0	
		256QAM	1	1		18.54		0	
		CP	QPSK	1	1		18.72		0

**NR TDD Band n78 \_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		19.23		0
				1	123		19.27		0
				1	243		19.58		0
				120	0		19.23		0
				120	63		19.28		0
				120	125		19.32		0
				243	0		19.30		0
			QPSK	1	1		19.10		0
				1	123		19.19		0
				1	243		19.62		0
				120	0		19.22		0
				120	63		19.21		0
				120	125		19.28		0
				243	0		19.28		0
			16QAM	1	1		18.91		0
			64QAM	1	1		19.12		0
			256QAM	1	1		18.64		0
			CP	QPSK	1	1		18.89	

**NR TDD Band n78 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		19.32		0
				1	137		19.19		0
				1	271		19.72		0
				135	0		19.25		0
				135	69		19.22		0
				135	138		19.31		0
				270	0		19.36		0
			QPSK	1	1		19.67		0
				1	137		19.07		0
				1	271		19.61		0
				135	0		19.24		0
				135	69		19.15		0
				135	138		19.12		0
				270	0		19.35		0
			16QAM	1	1		19.17		0
			64QAM	1	1		19.21		0
			256QAM	1	1		18.75		0
		CP	QPSK	1	1		19.26		0

**[NR TDD Band n78 DoD Power Class 2 Only Conducted Power\_Antenna F\_ DSI = 0]**

**NR TDD Band n78 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	19.87	19.98	19.83	0
				1	12	19.82	19.94	19.96	0
				1	22	19.82	19.99	19.92	0
				12	0	19.77	19.96	19.97	0
				12	6	19.86	19.98	19.95	0
				12	12	19.78	19.91	19.98	0
				24	0	19.66	19.93	19.87	0
			QPSK	1	1	19.64	19.90	19.99	0
				1	12	19.66	19.83	19.84	0
				1	22	19.69	19.82	19.81	0
				12	0	19.66	19.91	19.97	0
				12	6	19.69	19.94	19.95	0
				12	12	19.76	19.94	19.93	0
				24	0	19.74	19.93	19.97	0
		16QAM	1	1	19.36	19.62	19.73	0	
		64QAM	1	1	19.52	19.80	19.79	0	
		256QAM	1	1	19.03	19.30	19.36	0	
		CP	QPSK	1	1	19.21	19.38	19.48	0

**NR TDD Band n78 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	19.62	19.86	19.76	0
				1	18	19.65	19.85	19.77	0
				1	36	19.69	19.86	19.77	0
				18	0	19.69	19.83	19.93	0
				18	10	19.76	19.92	19.99	0
				18	20	19.72	19.93	19.93	0
				36	0	19.73	19.94	19.97	0
			QPSK	1	1	19.54	19.81	19.86	0
				1	18	19.49	19.70	19.75	0
				1	36	19.49	19.69	19.71	0
				18	0	19.71	19.86	19.95	0
				18	10	19.62	19.86	19.87	0
				18	20	19.72	19.91	19.95	0
				36	0	19.69	19.88	19.93	0
		16QAM	1	1	19.42	19.55	19.68	0	
		64QAM	1	1	19.47	19.77	19.78	0	
		256QAM	1	1	19.09	19.24	19.29	0	
		CP	QPSK	1	1	19.07	19.15	19.30	0

**NR TDD Band n78 \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						630668	633334	63600		
						3460.02 MHz	3500.01 MHz	3540 MHz		
20MHz	30	DFT-s	pi/2 BPSK	1	1	19.57	19.97	19.89	0	
				1	26	19.77	19.94	19.99	0	
				1	49	19.71	19.98	19.93	0	
				25	0	19.73	19.87	19.91	0	
				25	13	19.80	19.92	19.88	0	
				25	26	19.71	19.92	19.94	0	
				50	0	19.84	19.91	19.94	0	
			QPSK	1	1	19.55	19.84	19.77	0	
				1	26	19.64	19.88	19.84	0	
				1	49	19.61	19.81	19.85	0	
				25	0	19.58	19.89	19.79	0	
				25	13	19.75	19.89	19.94	0	
				25	26	19.69	19.90	19.89	0	
				50	0	19.68	19.97	19.99	0	
			16QAM	1	1	19.32	19.44	19.55	0	
			64QAM	1	1	19.38	19.73	19.61	0	
			256QAM	1	1	18.97	19.13	19.21	0	
			CP	QPSK	1	1	19.17	19.27	19.29	0

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	19.60	19.74	19.97	0
				1	32	19.75	19.97	19.88	0
				1	63	19.66	19.92	19.87	0
				32	0	19.62	19.80	19.95	0
				32	17	19.76	19.90	19.94	0
				32	33	19.71	19.91	19.92	0
				64	0	19.72	19.92	19.95	0
			QPSK	1	1	19.55	19.68	19.84	0
				1	32	19.59	19.72	19.81	0
				1	63	19.60	19.73	19.73	0
				32	0	19.60	19.76	19.90	0
				32	17	19.67	19.78	19.92	0
				32	33	19.71	19.88	19.90	0
				64	0	19.69	19.91	19.90	0
		16QAM	1	1	19.33	19.48	19.63	0	
		64QAM	1	1	19.45	19.56	19.66	0	
		256QAM	1	1	19.02	19.15	19.26	0	
		CP	QPSK	1	1	19.13	19.29	19.44	0

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						631000	633334	635666		
						3465 MHz	3500.01 MHz	3534.99 MHz		
30MHz	30	DFT-s	pi/2 BPSK	1	1	19.63	19.89	19.94	0	
				1	39	19.80	19.95	19.88	0	
				1	76	19.75	19.99	19.81	0	
				36	0	19.63	19.88	19.98	0	
				36	21	19.78	19.93	19.97	0	
				36	42	19.74	19.91	19.89	0	
				75	0	19.74	19.92	19.98	0	
			QPSK	1	1	19.62	19.79	19.95	0	
				1	39	19.63	19.82	19.91	0	
				1	76	19.60	19.80	19.77	0	
				36	0	19.60	19.76	19.95	0	
				36	21	19.68	19.89	19.96	0	
				36	42	19.71	19.90	19.88	0	
				75	0	19.71	19.85	19.92	0	
			16QAM	1	1	19.30	19.46	19.63	0	
			64QAM	1	1	19.64	19.51	19.93	0	
			256QAM	1	1	18.99	19.13	19.33	0	
			CP	QPSK	1	1	19.21	19.37	19.22	0

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						631334		635332		
						3470.01 MHz		3529.98 MHz		
40MHz	30	DFT-s	pi/2 BPSK	1	1	19.53		19.91	0	
				1	53	19.76		19.92	0	
				1	104	19.72		19.93	0	
				50	0	19.72		19.96	0	
				50	28	19.82		19.93	0	
				50	56	19.83		19.96	0	
				100	0	19.83		19.95	0	
			QPSK	1	1	19.58		19.84	0	
				1	53	19.61		19.81	0	
				1	104	19.62		19.72	0	
				50	0	19.68		19.94	0	
				50	28	19.81		19.96	0	
				50	56	19.83		19.89	0	
				100	0	19.80		19.84	0	
			16QAM	1	1	19.40		19.65	0	
			64QAM	1	1	19.50		19.77	0	
			256QAM	1	1	19.03		19.33	0	
			CP	QPSK	1	1	19.08		19.38	0

**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						631668		635000		
						3475.02 MHz		3525 MHz		
50MHz	30	DFT-s	pi/2 BPSK	1	1	19.73		19.86	0	
				1	67	19.84		19.92	0	
				1	131	19.88		19.98	0	
				64	0	19.76		19.97	0	
				64	35	19.95		19.92	0	
				64	69	19.88		19.93	0	
				128	0	19.81		19.91	0	
			QPSK	1	1	19.48		19.87	0	
				1	67	19.66		19.91	0	
				1	131	19.83		19.90	0	
				64	0	19.72		19.94	0	
				64	35	19.88		19.96	0	
				64	69	19.91		19.90	0	
				128	0	19.85		19.93	0	
			16QAM	1	1	19.41		19.71	0	
			64QAM	1	1	19.38		19.78	0	
			256QAM	1	1	19.01		19.32	0	
			CP	QPSK	1	1	19.26		19.44	0

**NR TDD Band n78 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1		19.71		0
				1	81		19.66		0
				1	160		19.97		0
				81	0		19.77		0
				81	41		19.83		0
				81	81		19.86		0
				162	0		19.85		0
			QPSK	1	1		19.62		0
				1	81		19.57		0
				1	160		19.85		0
				81	0		19.72		0
				81	41		19.89		0
				81	81		19.90		0
			16QAM	162	0		19.94		0
		1		1		19.45		0	
		1		1		19.46		0	
		256QAM	1	1		19.07		0	
CP	QPSK	1	1		19.33		0		

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70MHz	30	DFT-s	pi/2 BPSK	1	1		19.79		0
				1	95		19.93		0
				1	187		19.95		0
				90	0		19.96		0
				90	50		19.99		0
				90	99		19.89		0
				180	0		19.88		0
			QPSK	1	1		19.66		0
				1	95		19.71		0
				1	187		19.85		0
				90	0		19.99		0
				90	50		19.72		0
				90	99		19.79		0
				180	0		19.94		0
			16QAM	1	1		19.54		0
			64QAM	1	1		19.66		0
			256QAM	1	1		19.14		0
			CP	QPSK	1	1		19.23	

**NR TDD Band n78\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		19.92		0
				1	109		19.92		0
				1	215		19.92		0
				108	0		19.95		0
				108	55		19.93		0
				108	109		18.19		0
				216	0		19.92		0
			QPSK	1	1		19.76		0
				1	109		19.86		0
				1	215		19.83		0
				108	0		19.91		0
				108	55		19.98		0
				108	109		19.74		0
				216	0		19.82		0
		16QAM	1	1		19.64		0	
		64QAM	1	1		18.98		0	
		256QAM	1	1		19.22		0	
		CP	QPSK	1	1		19.24		0

**NR TDD Band n78\_90 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
							3500.01 MHz			
90MHz	30	DFT-s	pi/2 BPSK	1	1		19.96		0	
				1	123		19.92		0	
				1	243		19.93		0	
				120	0		19.92		0	
				120	63		19.90		0	
				120	125		18.49		0	
				243	0		19.87		0	
			QPSK	1	1		19.85		0	
				1	123		19.89		0	
				1	243		19.98		0	
				120	0		19.92		0	
				120	63		19.97		0	
				120	125		19.83		0	
				243	0		19.97		0	
			16QAM	1	1		19.66		0	
			64QAM	1	1		19.91		0	
			256QAM	1	1		19.28		0	
			CP	QPSK	1	1		19.40		0

**NR TDD Band n78 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		19.98		0
				1	137		19.93		0
				1	271		19.88		0
				135	0		19.91		0
				135	69		19.93		0
				135	138		19.91		0
				270	0		19.82		0
			QPSK	1	1		19.97		0
				1	137		19.75		0
				1	271		19.98		0
				135	0		19.89		0
				135	69		19.85		0
				135	138		19.57		0
				270	0		19.76		0
		16QAM	1	1		19.67		0	
		64QAM	1	1		18.87		0	
		256QAM	1	1		19.32		0	
CP	QPSK	1	1		19.41		0		

**[NR FDD Band n2 Conducted Power \_ Antenna F (TX Hopping) \_ DSI = 1]**

**NR FDD Band n2 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376000	381500		
						1852.5 MHz	1880 MHz	1907.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.91	18.06	18.23	0	
				1	13	18.06	18.14	18.33	0	
				1	23	17.94	18.03	18.35	0	
				12	0	17.98	18.07	18.16	0	
				12	7	18.10	18.15	18.25	0	
				12	13	17.95	17.99	18.34	0	
				25	0	17.97	18.01	18.23	0	
			QPSK	1	1	17.88	18.00	18.18	0	
				1	13	18.02	18.21	18.27	0	
				1	23	18.01	18.24	18.18	0	
				12	0	17.80	17.93	17.98	0	
				12	7	18.06	18.07	18.27	0	
				12	13	17.91	18.03	18.22	0	
				25	0	17.85	18.01	18.26	0	
			16QAM	1	1	17.83	17.81	17.91	0	
			64QAM	1	1	17.94	18.06	18.24	0	
			256QAM	1	1	17.49	17.50	17.63	0	
			CP	QPSK	1	1	18.10	18.07	18.41	0

**NR FDD Band n2 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376000	381000		
						1855 MHz	1880 MHz	1905 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.21	18.11	18.22	0	
				1	26	18.17	18.22	18.26	0	
				1	50	18.17	18.09	18.29	0	
				25	0	18.12	18.11	18.27	0	
				25	14	18.08	18.14	18.27	0	
				25	27	18.20	18.20	18.29	0	
				50	0	18.09	18.16	18.38	0	
			QPSK	1	1	18.18	18.12	18.24	0	
				1	26	18.17	18.05	18.22	0	
				1	50	18.00	17.97	18.25	0	
				25	0	18.13	18.12	18.35	0	
				25	14	18.09	18.04	18.22	0	
				25	27	18.09	18.20	18.38	0	
				50	0	18.08	17.95	18.16	0	
			16QAM	1	1	17.75	17.93	17.85	0	
			64QAM	1	1	18.13	18.16	18.16	0	
			256QAM	1	1	17.37	17.42	17.64	0	
			CP	QPSK	1	1	18.03	18.15	18.44	0

**NR FDD Band n2 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376000	380500		
						1857.5 MHz	1880 MHz	1902.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.18	18.11	18.10	0	
				1	40	17.94	18.18	18.24	0	
				1	77	17.90	18.07	18.28	0	
				36	0	18.04	18.03	18.12	0	
				36	22	18.01	18.12	18.22	0	
				36	43	17.85	18.07	18.17	0	
				75	0	18.05	17.93	18.12	0	
			QPSK	1	1	17.99	17.92	18.17	0	
				1	40	17.89	17.85	17.96	0	
				1	77	17.98	18.14	18.32	0	
				36	0	17.91	18.01	18.23	0	
				36	22	17.83	18.03	18.17	0	
				36	43	17.89	18.06	18.05	0	
				75	0	17.95	17.96	18.18	0	
			16QAM	1	1	17.66	17.97	18.10	0	
			64QAM	1	1	18.14	18.10	18.37	0	
			256QAM	1	1	17.43	17.55	17.58	0	
			CP	QPSK	1	1	17.99	18.26	18.46	0

**NR FDD Band n2 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376000	380000		
						1860 MHz	1880 MHz	1900 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.02	17.90	18.00	0	
				1	53	17.96	18.08	17.92	0	
				1	104	18.15	17.95	18.08	0	
				50	0	17.97	17.99	18.08	0	
				50	28	18.00	17.99	18.19	0	
				50	56	17.86	18.08	18.12	0	
				100	0	18.00	17.99	18.20	0	
			QPSK	1	1	17.67	18.10	17.93	0	
				1	53	17.92	18.01	18.09	0	
				1	104	17.99	18.13	18.19	0	
				50	0	17.87	18.17	18.22	0	
				50	28	17.83	18.05	18.10	0	
				50	56	17.91	18.19	18.01	0	
				100	0	17.87	17.98	18.15	0	
			16QAM	1	1	17.49	17.82	17.97	0	
			64QAM	1	1	18.06	18.03	18.14	0	
			256QAM	1	1	17.47	17.40	17.59	0	
			CP	QPSK	1	1	18.06	18.15	18.26	0

**NR FDD Band n2 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		379500		
						1862.5 MHz		1897.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.07		18.20	0	
				1	66	17.97		18.16	0	
				1	131	18.10		18.42	0	
				64	0	17.93		18.21	0	
				64	35	18.20		18.17	0	
				64	69	17.98		18.37	0	
				128	0	17.88		18.35	0	
			QPSK	1	1	18.03		17.98	0	
				1	66	17.96		18.26	0	
				1	131	18.04		18.18	0	
				64	0	17.87		17.89	0	
				64	35	18.06		18.37	0	
				64	69	17.91		18.30	0	
				128	0	17.87		18.20	0	
			16QAM	1	1	17.80		17.96	0	
			64QAM	1	1	17.90		18.42	0	
			256QAM	1	1	17.53		17.59	0	
			CP	QPSK	1	1	18.00		18.33	0

**NR FDD Band n2 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		379000		
						1865 MHz		1895 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.27		18.37	0	
				1	80	18.04		18.25	0	
				1	158	18.05		18.26	0	
				80	0	18.17		18.38	0	
				80	40	18.13		18.16	0	
				80	80	18.13		18.41	0	
				160	0	17.95		18.13	0	
			QPSK	1	1	18.15		18.19	0	
				1	80	18.32		18.26	0	
				1	158	17.94		18.26	0	
				80	0	18.18		18.25	0	
				80	40	18.02		18.31	0	
				80	80	18.02		18.41	0	
				160	0	18.08		18.25	0	
			16QAM	1	1	17.81		17.89	0	
			64QAM	1	1	18.14		18.22	0	
			256QAM	1	1	17.57		17.64	0	
			CP	QPSK	1	1	18.15		18.46	0

**NR FDD Band n2 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.16		0
				1	98		18.08		0
				1	186		18.15		0
				90	0		17.94		0
				90	45		18.21		0
				90	90		18.16		0
				180	0		18.10		0
			QPSK	1	1		17.93		0
				1	98		17.98		0
				1	186		18.11		0
				90	0		17.96		0
				90	45		18.06		0
				90	90		17.94		0
				180	0		17.88		0
			16QAM	1	1		17.98		0
			64QAM	1	1		18.11		0
			256QAM	1	1		17.53		0
			CP	QPSK	1	1		18.21	

**NR FDD Band n2 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.05		0
				1	108		18.10		0
				1	214		17.87		0
				108	0		18.08		0
				108	54		17.95		0
				108	108		18.04		0
				216	0		18.12		0
			QPSK	1	1		18.06		0
				1	108		17.92		0
				1	214		18.02		0
				108	0		18.11		0
				108	54		18.10		0
				108	108		18.17		0
			216	0		17.94		0	
		16QAM	1	1		17.75		0	
		64QAM	1	1		17.97		0	
		256QAM	1	1		17.37		0	
CP	QPSK	1	1		18.22		0		

**[NR FDD Band n5 Conducted Power\_ Antenna E\_ DSI = 1]**

**NR FDD Band n5\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						165300	167300	169300		
						826.5 MHz	836.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.48	21.36	21.19	0	
				1	13	21.43	21.34	21.18	0	
				1	23	21.35	21.32	21.18	0	
				12	0	21.50	21.22	21.15	0	
				12	7	21.42	21.38	21.26	0	
				12	13	21.32	21.25	21.16	0	
				25	0	21.34	21.34	21.20	0	
			QPSK	1	1	21.35	21.30	21.21	0	
				1	13	21.30	21.39	21.18	0	
				1	23	21.27	21.24	21.19	0	
				12	0	21.38	21.26	21.14	0	
				12	7	21.35	21.38	21.14	0	
				12	13	21.37	21.27	21.15	0	
				25	0	21.32	21.28	21.12	0	
			16QAM	1	1	21.25	21.11	20.99	0	
			64QAM	1	1	21.45	21.35	21.30	0	
			256QAM	1	1	19.53	19.34	19.28	1.5	
			CP	QPSK	1	1	21.48	21.39	21.78	0

**NR FDD Band n5\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.32		0
				1	26		21.39		0
				1	50		21.42		0
				25	0		21.33		0
				25	14		21.40		0
				25	27		21.24		0
				50	0		21.26		0
			QPSK	1	1		21.38		0
				1	26		21.35		0
				1	50		21.17		0
				25	0		21.17		0
				25	14		21.31		0
				25	27		21.27		0
				50	0		21.25		0
			16QAM	1	1		21.03		0
			64QAM	1	1		21.31		0
			256QAM	1	1		19.25		1.5
			CP	QPSK	1	1		21.32	

**NR FDD Band n5\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.39		0
				1	40		21.25		0
				1	77		21.21		0
				36	0		21.34		0
				36	22		21.37		0
				36	43		21.23		0
				75	0		21.25		0
			QPSK	1	1		21.40		0
				1	40		21.22		0
				1	77		21.02		0
				36	0		21.34		0
				36	22		21.22		0
				36	43		21.25		0
				75	0		21.26		0
			16QAM	1	1		21.23		0
			64QAM	1	1		21.49		0
			256QAM	1	1		19.48		1.5
		CP	QPSK	1	1		21.40		0

**NR FDD Band n5\_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							167300		
							836.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.54		0
				1	53		21.43		0
				1	104		21.26		0
				50	0		21.38		0
				50	28		21.37		0
				50	56		21.20		0
				100	0		21.40		0
			QPSK	1	1		21.50		0
				1	53		21.39		0
				1	104		21.28		0
				50	0		21.33		0
				50	28		21.31		0
				50	56		21.18		0
			16QAM	1	1		21.29		0
		1		1		21.40		0	
		1		1		19.44		1.5	
		CP	QPSK	1	1		21.56		0

**[NR FDD Band n7 Conducted Power\_ Antenna F\_TX Hopping\_ DSI = 1]**

**NR FDD Band n7 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						500500	507000	513500		
						2502.5 MHz	2535 MHz	2567.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.22	15.73	15.85	0	
				1	13	16.30	15.76	15.79	0	
				1	23	16.31	15.78	15.85	0	
				12	0	16.11	15.80	15.88	0	
				12	7	16.11	15.76	15.89	0	
				12	13	16.08	15.78	15.88	0	
				25	0	16.16	15.83	15.99	0	
			QPSK	1	1	16.23	15.80	15.92	0	
				1	13	16.22	15.85	15.91	0	
				1	23	16.14	15.76	15.92	0	
				12	0	16.03	15.77	15.83	0	
				12	7	16.06	15.73	15.84	0	
				12	13	16.09	15.79	15.91	0	
				25	0	16.19	15.89	15.98	0	
			16QAM	1	1	16.16	15.74	15.81	0	
			64QAM	1	1	16.24	15.90	16.05	0	
			256QAM	1	1	15.53	15.25	15.33	0	
			CP	QPSK	1	1	16.44	16.03	16.12	0

**NR FDD Band n7 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501000	507000	513000		
						2505 MHz	2535 MHz	2565 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.17	15.78	15.80	0	
				1	26	15.92	15.79	15.77	0	
				1	50	15.82	15.75	15.77	0	
				25	0	15.94	15.74	15.94	0	
				25	14	16.01	15.77	15.81	0	
				25	27	15.98	15.76	15.94	0	
				50	0	16.06	15.78	15.99	0	
			QPSK	1	1	16.03	15.82	15.84	0	
				1	26	15.97	15.80	15.82	0	
				1	50	15.98	15.79	15.86	0	
				25	0	15.96	15.84	15.91	0	
				25	14	15.95	15.82	15.84	0	
				25	27	16.04	15.86	15.96	0	
				50	0	16.01	15.89	15.92	0	
			16QAM	1	1	15.88	15.70	15.70	0	
			64QAM	1	1	16.04	15.90	15.90	0	
			256QAM	1	1	15.40	15.15	15.26	0	
			CP	QPSK	1	1	16.19	15.93	16.04	0

**NR FDD Band n7 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						501500	507000	512500		
						2507.5 MHz	2535 MHz	2562.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.12	15.69	16.00	0	
				1	40	15.94	15.67	15.90	0	
				1	77	15.97	15.71	15.94	0	
				36	0	15.97	15.68	16.10	0	
				36	22	16.07	15.71	16.04	0	
				36	43	16.02	15.72	16.07	0	
				75	0	16.03	15.75	15.95	0	
			QPSK	1	1	16.08	15.69	15.85	0	
				1	40	15.87	15.74	15.93	0	
				1	77	16.00	15.84	15.92	0	
				36	0	16.01	15.80	15.98	0	
				36	22	15.98	15.81	15.98	0	
				36	43	15.99	15.85	16.05	0	
				75	0	15.98	15.83	15.96	0	
			16QAM	1	1	15.91	15.65	15.82	0	
			64QAM	1	1	16.08	15.89	16.08	0	
			256QAM	1	1	15.51	15.28	15.48	0	
			CP	QPSK	1	1	16.18	15.87	16.16	0

**NR FDD Band n7 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502000	507000	512000		
						2510 MHz	2535 MHz	2560 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.02	15.58	15.70	0	
				1	53	16.05	15.66	15.82	0	
				1	104	15.86	15.64	15.79	0	
				50	0	16.03	15.70	15.91	0	
				50	28	16.09	15.80	15.88	0	
				50	56	16.00	15.76	15.91	0	
				100	0	16.03	15.67	15.90	0	
			QPSK	1	1	16.04	15.66	15.77	0	
				1	53	15.97	15.70	15.78	0	
				1	104	15.97	15.74	15.86	0	
				50	0	16.10	15.77	15.89	0	
				50	28	16.04	15.79	15.88	0	
				50	56	15.96	15.83	15.92	0	
				100	0	16.00	15.80	15.90	0	
			16QAM	1	1	15.93	15.65	15.78	0	
			64QAM	1	1	16.04	15.81	15.89	0	
			256QAM	1	1	15.42	15.11	15.18	0	
			CP	QPSK	1	1	16.18	15.91	15.96	0

**NR FDD Band n7 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						502500	507000	511500		
						2512.5 MHz	2535 MHz	2557.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.12	15.84	15.96	0	
				1	67	16.08	15.78	15.92	0	
				1	131	16.02	15.91	15.83	0	
				64	0	16.18	15.87	15.89	0	
				64	35	16.14	15.89	16.01	0	
				64	39	16.18	15.87	15.86	0	
				128	0	16.10	15.91	15.96	0	
			QPSK	1	1	16.16	15.86	15.99	0	
				1	67	16.17	15.97	15.98	0	
				1	131	16.04	15.89	15.94	0	
				64	0	16.18	15.93	15.99	0	
				64	35	16.14	15.78	15.93	0	
				64	69	16.12	15.96	16.00	0	
				128	0	16.11	15.82	16.03	0	
			16QAM	1	1	16.03	15.90	15.86	0	
			64QAM	1	1	16.24	15.99	16.11	0	
			256QAM	1	1	15.67	15.44	15.54	0	
			CP	QPSK	1	1	16.34	16.07	16.18	0

**NR FDD Band n7 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						503000	507000	511000		
						2515 MHz	2535 MHz	2555 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.82	15.71	15.82	0	
				1	80	15.73	15.67	15.81	0	
				1	158	15.71	15.75	15.89	0	
				80	0	15.91	15.77	15.92	0	
				80	40	15.83	15.67	15.93	0	
				80	80	15.77	15.71	15.92	0	
				160	0	15.81	15.75	15.92	0	
			QPSK	1	1	15.84	15.77	15.94	0	
				1	80	15.76	15.61	15.83	0	
				1	158	15.85	15.80	15.88	0	
				80	0	15.96	15.82	16.02	0	
				80	40	15.78	15.61	15.91	0	
				80	80	15.86	15.80	15.93	0	
				160	0	15.85	15.74	15.95	0	
			16QAM	1	1	15.72	15.74	15.72	0	
			64QAM	1	1	15.94	15.86	16.02	0	
			256QAM	1	1	15.40	15.24	15.42	0	
			CP	QPSK	1	1	16.09	16.04	16.08	0

**NR FDD Band n7 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						503500	507000	510500		
						2517.5 MHz	2535 MHz	2552.5 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.31	15.66	15.86	0	
				1	98	16.19	15.75	15.92	0	
				1	186	16.41	15.86	15.90	0	
				90	0	16.15	15.83	15.91	0	
				90	45	16.26	15.83	15.80	0	
				90	90	16.09	15.86	15.90	0	
				180	0	16.25	15.78	15.99	0	
			QPSK	1	1	16.13	15.77	15.96	0	
				1	98	16.11	15.88	16.00	0	
				1	186	16.07	15.73	16.01	0	
				90	0	15.96	15.69	15.92	0	
				90	45	16.16	15.78	15.82	0	
				90	90	16.16	15.79	15.94	0	
				180	0	16.19	15.77	16.13	0	
			16QAM	1	1	16.19	15.68	15.87	0	
			64QAM	1	1	16.28	15.85	15.95	0	
			256QAM	1	1	15.56	15.16	15.39	0	
			CP	QPSK	1	1	16.35	16.04	16.17	0

**NR FDD Band n7 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							507000		
							2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		15.78		0
				1	108		15.75		0
				1	214		15.80		0
				108	0		15.78		0
				108	54		15.91		0
				108	108		15.85		0
				216	0		15.80		0
			QPSK	1	1		15.72		0
				1	108		15.65		0
				1	214		15.78		0
				108	0		15.82		0
				108	54		15.67		0
				108	108		15.78		0
				216	0		15.87		0
			16QAM	1	1		15.74		0
			64QAM	1	1		15.94		0
			256QAM	1	1		15.35		0
			CP	QPSK	1	1		15.93	

[NR FDD Band n12 Conducted Power\_Antenna E\_ ASDIV\_ DSI = 1]

NR FDD Band n12\_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						140300	141500	142700		
						701.5MHz	707.5 MHz	713.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.03	20.92	20.87	0	
				1	13	21.14	21.03	21.10	0	
				1	23	21.04	21.03	21.00	0	
				12	0	21.18	21.02	20.96	0	
				12	7	21.25	21.04	21.06	0	
				12	13	21.06	20.93	21.02	0	
				25	0	21.13	20.96	20.90	0	
			QPSK	1	1	21.11	21.02	20.95	0	
				1	13	21.16	20.98	21.02	0	
				1	23	21.03	20.86	20.94	0	
				12	0	21.15	20.96	20.91	0	
				12	7	21.20	21.02	21.00	0	
				12	13	21.11	20.99	20.87	0	
				25	0	21.12	20.93	20.95	0	
			16QAM	1	1	20.93	20.89	20.75	0	
			64QAM	1	1	21.24	21.04	21.06	0	
			256QAM	1	1	19.23	19.07	19.06	1.5	
			CP	QPSK	1	1	21.21	21.18	21.03	0

**NR FDD Band n12\_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							141500		
							707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.14		0
				1	26		21.03		0
				1	50		21.02		0
				25	0		20.98		0
				25	14		21.02		0
				25	27		21.00		0
				50	0		20.98		0
			QPSK	1	1		21.13		0
				1	26		21.00		0
				1	50		21.01		0
				25	0		21.02		0
				25	14		21.01		0
				25	27		20.90		0
				50	0		20.93		0
			16QAM	1	1		21.03		0
			64QAM	1	1		21.08		0
			256QAM	1	1		19.07		1.5
			CP	QPSK	1	1		21.34	

**NR FDD Band n12\_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							141500		
							707.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.08		0
				1	40		21.03		0
				1	77		20.98		0
				36	0		21.08		0
				36	22		21.04		0
				36	43		21.05		0
				75	0		20.97		0
			QPSK	1	1		21.06		0
				1	40		21.01		0
				1	77		20.96		0
				36	0		21.05		0
				36	22		21.00		0
				36	43		21.06		0
				75	0		20.94		0
			16QAM	1	1		20.98		0
			64QAM	1	1		20.91		0
			256QAM	1	1		19.19		1.5
		CP	QPSK	1	1		21.32		0

**[NR FDD Band n25 Conducted Power\_ Antenna F\_TX Hopping \_ DSI = 1]**

**NR FDD Band n25 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						370500	376500	382500		
						1852.5 MHz	1882.5 MHz	1912.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.62	17.73	17.98	0	
				1	13	17.64	17.92	17.89	0	
				1	23	17.54	17.84	18.00	0	
				12	0	17.40	17.72	17.86	0	
				12	7	17.71	17.81	17.94	0	
				12	13	17.63	17.71	17.92	0	
				25	0	17.64	17.78	18.07	0	
			QPSK	1	1	17.65	17.89	17.98	0	
				1	13	17.47	17.98	17.82	0	
				1	23	17.52	17.92	17.82	0	
				12	0	17.41	17.70	17.93	0	
				12	7	17.43	17.71	17.87	0	
				12	13	17.57	17.82	17.93	0	
				25	0	17.42	17.90	18.02	0	
			16QAM	1	1	17.21	17.60	17.82	0	
			64QAM	1	1	17.57	17.86	18.07	0	
			256QAM	1	1	16.95	17.07	17.28	0	
			CP	QPSK	1	1	17.55	17.66	18.14	0

**NR FDD Band n25 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371000	376500	382000		
						1855 MHz	1882.5 MHz	1910 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.73	17.70	17.90	0	
				1	26	17.63	17.79	17.97	0	
				1	50	17.58	17.79	17.78	0	
				25	0	17.54	17.85	17.98	0	
				25	14	17.62	17.87	17.81	0	
				25	27	17.66	17.76	17.89	0	
				50	0	17.55	17.85	18.00	0	
			QPSK	1	1	17.57	17.72	17.70	0	
				1	26	17.64	17.61	17.95	0	
				1	50	17.62	17.68	17.85	0	
				25	0	17.52	17.83	17.77	0	
				25	14	17.57	17.75	17.74	0	
				25	27	17.73	17.85	17.97	0	
				50	0	17.66	17.81	17.88	0	
			16QAM	1	1	17.14	17.39	17.58	0	
			64QAM	1	1	17.70	17.57	17.91	0	
			256QAM	1	1	16.98	16.94	17.20	0	
			CP	QPSK	1	1	17.77	17.71	17.75	0

**NR FDD Band n25 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						371500	376500	381500		
						1857.5 MHz	1882.5 MHz	1907.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.77	17.70	17.81	0	
				1	40	17.59	17.59	17.81	0	
				1	77	17.61	17.75	17.93	0	
				36	0	17.62	17.67	17.86	0	
				36	22	17.55	17.80	17.86	0	
				36	43	17.51	17.61	17.85	0	
				75	0	17.45	17.69	17.96	0	
			QPSK	1	1	17.62	17.52	17.86	0	
				1	40	17.42	17.55	17.84	0	
				1	77	17.36	17.59	17.96	0	
				36	0	17.52	17.50	18.01	0	
				36	22	17.44	17.60	17.79	0	
				36	43	17.47	17.53	17.99	0	
				75	0	17.63	17.59	17.78	0	
			16QAM	1	1	17.26	17.26	17.47	0	
			64QAM	1	1	17.63	17.87	17.95	0	
			256QAM	1	1	17.49	17.16	17.17	0	
			CP	QPSK	1	1	18.10	17.84	18.01	0

**NR FDD Band n25 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372000	376500	381000		
						1860 MHz	1882.5 MHz	1905 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.72	17.68	18.05	0	
				1	53	17.61	17.75	17.82	0	
				1	104	17.77	17.82	17.71	0	
				50	0	17.57	17.67	17.87	0	
				50	28	17.59	17.86	17.88	0	
				50	56	17.51	17.65	17.96	0	
				100	0	17.59	17.62	17.83	0	
			QPSK	1	1	17.39	17.58	17.70	0	
				1	53	17.44	17.60	17.76	0	
				1	104	17.55	17.72	17.82	0	
				50	0	17.48	17.72	17.87	0	
				50	28	17.48	17.80	17.93	0	
				50	56	17.62	17.77	17.86	0	
				100	0	17.44	17.78	17.79	0	
			16QAM	1	1	17.30	17.64	17.68	0	
			64QAM	1	1	17.71	17.85	18.04	0	
			256QAM	1	1	17.37	17.22	17.43	0	
			CP	QPSK	1	1	17.92	17.82	17.87	0

**NR FDD Band n25 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						372500		380500		
						1862.5 MHz		1902.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.72		17.81	0	
				1	66	17.66		18.00	0	
				1	131	17.79		18.03	0	
				64	0	17.65		17.83	0	
				64	35	17.65		17.95	0	
				64	69	17.48		17.89	0	
				128	0	17.52		17.82	0	
			QPSK	1	1	17.60		17.78	0	
				1	66	17.72		17.82	0	
				1	131	17.51		18.03	0	
				64	0	17.66		17.89	0	
				64	35	17.44		17.68	0	
				64	69	17.55		17.87	0	
				128	0	17.72		17.92	0	
			16QAM	1	1	17.43		17.77	0	
			64QAM	1	1	17.46		17.60	0	
			256QAM	1	1	17.71		17.71	0	
			CP	QPSK	1	1	17.77		17.93	0

**NR FDD Band n25 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						373000		380000		
						1865 MHz		1900 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.53		17.78	0	
				1	80	18.33		17.64	0	
				1	158	18.57		17.84	0	
				80	0	18.36		17.82	0	
				80	40	18.39		18.01	0	
				80	80	18.29		17.81	0	
				160	0	18.28		17.86	0	
			QPSK	1	1	18.41		17.90	0	
				1	80	18.28		17.75	0	
				1	158	18.37		17.86	0	
				80	0	18.37		17.87	0	
				80	40	18.18		17.75	0	
				80	80	18.36		18.00	0	
				160	0	18.28		17.83	0	
			16QAM	1	1	18.25		17.70	0	
			64QAM	1	1	18.27		17.92	0	
			256QAM	1	1	18.11		17.74	0	
			CP	QPSK	1	1	18.40		18.18	0

**NR FDD Band n25 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							376500			
							1882.5 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.90		0	
				1	98		17.86		0	
				1	186		17.85		0	
				90	0		17.62		0	
				90	45		17.75		0	
				90	90		17.88		0	
				180	0		17.84		0	
			QPSK	1	1		17.89		0	
				1	98		17.95		0	
				1	186		17.84		0	
				90	0		17.56		0	
				90	45		17.87		0	
				90	90		17.85		0	
				180	0		17.83		0	
			16QAM	1	1		17.73		0	
			64QAM	1	1		17.88		0	
			256QAM	1	1		17.05		0	
			CP	QPSK	1	1		17.73		0

**NR FDD Band n25 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		18.14		0
				1	108		18.17		0
				1	214		18.13		0
				108	0		18.19		0
				108	54		18.28		0
				108	108		18.56		0
				216	0		18.38		0
			QPSK	1	1		18.27		0
				1	108		18.23		0
				1	214		18.32		0
				108	0		18.47		0
				108	54		18.39		0
				108	108		18.48		0
				216	0		18.24		0
			16QAM	1	1		18.28		0
			64QAM	1	1		17.89		0
			256QAM	1	1		18.28		0
			CP	QPSK	1	1		18.41	

**[NR FDD Band n26 Conducted Power\_ Antenna E\_DSI = 1]**

**NR FDD Band n26 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163300	166300	169300		
						816.5 MHz	831.5 MHz	846.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.98	20.91	20.81	0	
				1	13	21.10	20.96	20.83	0	
				1	23	20.95	20.84	20.76	0	
				12	0	20.99	20.92	20.74	0	
				12	7	21.14	21.02	20.86	0	
				12	13	20.96	20.90	20.71	0	
				25	0	20.93	20.93	20.78	0	
			QPSK	1	1	20.90	20.94	20.73	0	
				1	13	21.04	21.02	20.83	0	
				1	23	20.95	20.91	20.79	0	
				12	0	20.92	20.92	20.76	0	
				12	7	21.01	20.95	20.74	0	
				12	13	20.95	20.86	20.70	0	
				25	0	20.95	20.89	20.73	0	
			16QAM	1	1	20.89	20.71	20.53	0	
			64QAM	1	1	20.97	20.98	20.81	0	
			256QAM	1	1	19.12	19.02	18.82	1.5	
			CP	QPSK	1	1	21.06	21.02	20.86	0

**NR FDD Band n26 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						163800	166300	168800		
						819 MHz	831.5 MHz	844 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.13	21.05	20.96	0	
				1	26	21.08	21.00	20.85	0	
				1	50	21.09	21.02	20.90	0	
				25	0	20.98	20.94	20.78	0	
				25	14	21.04	21.02	20.90	0	
				25	27	21.00	20.87	20.86	0	
				50	0	20.99	20.90	20.90	0	
			QPSK	1	1	21.02	21.08	20.93	0	
				1	26	21.07	20.94	20.86	0	
				1	50	21.08	21.01	20.91	0	
				25	0	20.94	20.96	20.76	0	
				25	14	21.01	20.89	20.87	0	
				25	27	21.00	20.86	20.81	0	
				50	0	20.96	20.89	20.82	0	
			16QAM	1	1	20.73	20.77	20.71	0	
			64QAM	1	1	21.01	20.99	20.80	0	
			256QAM	1	1	19.10	19.03	18.87	1.5	
			CP	QPSK	1	1	21.01	21.04	20.98	0

**NR FDD Band n26 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						164300		168300		
						821.5 MHz		841.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.07		20.99	0	
				1	40	21.10		20.71	0	
				1	77	21.04		20.87	0	
				36	0	21.00		20.87	0	
				36	22	21.12		20.83	0	
				36	43	21.05		20.85	0	
				75	0	21.10		20.78	0	
			QPSK	1	1	21.01		20.93	0	
				1	40	21.02		20.70	0	
				1	77	21.00		20.77	0	
				36	0	21.04		20.83	0	
				36	22	21.06		20.72	0	
				36	43	21.07		20.80	0	
				75	0	21.06		20.78	0	
			16QAM	1	1	20.92		20.80	0	
			64QAM	1	1	21.12		21.01	0	
			256QAM	1	1	19.21		19.12	1.5	
			CP	QPSK	1	1	21.42		20.93	0

**NR FDD Band n26 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							166300			
							831.5 MHz			
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.14		0	
				1	53		21.11		0	
				1	104		20.92		0	
				50	0		21.06		0	
				50	28		21.05		0	
				50	56		20.92		0	
				100	0		21.09		0	
			QPSK	1	1		21.12		0	
				1	53		21.05		0	
				1	104		20.92		0	
				50	0		21.03		0	
				50	28		21.01		0	
				50	56		20.89		0	
				100	0		21.08		0	
			16QAM	1	1		20.86		0	
			64QAM	1	1		21.02		0	
			256QAM	1	1		19.16		1.5	
			CP	QPSK	1	1		21.22		0

**[NR FDD Band n30 Conducted Power\_Antenna F\_ DSI = 1]**

**NR FDD Band n30\_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.35		0	
				1	13		17.31		0	
				1	23		17.14		0	
				12	0		17.31		0	
				12	7		17.49		0	
				12	13		17.32		0	
				25	0		17.36		0	
			QPSK	1	1		17.24		0	
				1	13		17.14		0	
				1	23		16.87		0	
				12	0		17.06		0	
				12	7		17.10		0	
				12	13		16.97		0	
				25	0		16.98		0	
			16QAM	1	1		17.10		0	
			64QAM	1	1		17.16		0	
			256QAM	1	1		16.46		0	
			CP	QPSK	1	1		17.37		0

NR FDD Band n30\_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
							462000			
							2310 MHz			
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.15		0	
				1	26		17.15		0	
				1	50		17.07		0	
				25	0		17.05		0	
				25	14		17.20		0	
				25	27		17.02		0	
				50	0		17.09		0	
			QPSK	1	1		17.03		0	
				1	26		16.97		0	
				1	50		16.97		0	
				25	0		16.95		0	
				25	14		17.00		0	
				25	27		17.01		0	
				50	0		16.92		0	
			16QAM	1	1		17.02		0	
			64QAM	1	1		17.12		0	
			256QAM	1	1		16.47		0	
			CP	QPSK	1	1		17.33		0

**[NR TDD Band n38 Conducted Power\_ Power Class 3 Only\_Antenna F\_DSI = 1]**

**NR TDD Band n38 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515000	519000	523000		
						2575 MHz	2595 MHz	2615 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	17.39	17.34	0	
				1	12	17.22	17.36	17.26	0	
				1	22	17.21	17.42	17.32	0	
				12	0	17.15	17.43	17.29	0	
				12	6	17.17	17.38	17.29	0	
				12	12	17.29	17.39	17.38	0	
				24	0	17.16	17.41	17.36	0	
			QPSK	1	1	17.18	17.30	17.32	0	
				1	12	17.15	17.38	17.24	0	
				1	22	17.26	17.38	17.27	0	
				12	0	17.16	17.46	17.34	0	
				12	6	17.15	17.35	17.23	0	
				12	12	17.27	17.49	17.34	0	
				24	0	17.16	17.46	17.36	0	
			16QAM	1	1	17.24	17.67	17.62	0	
			64QAM	1	1	17.17	17.46	17.42	0	
			256QAM	1	1	16.68	16.99	16.90	0	
			CP	QPSK	1	1	17.30	17.53	17.42	0

**NR TDD Band n38 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						515500	519000	522500		
						2577.5 MHz	2595 MHz	2612. MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.34	17.36	17.55	0	
				1	18	17.26	17.40	17.44	0	
				1	36	17.34	17.34	17.32	0	
				18	0	17.33	17.45	17.55	0	
				18	9	17.30	17.47	17.49	0	
				18	18	17.28	17.36	17.49	0	
				36	0	17.33	17.41	17.56	0	
			QPSK	1	1	17.24	17.38	17.49	0	
				1	18	17.29	17.37	17.38	0	
				1	36	17.27	17.34	17.30	0	
				18	0	17.35	17.47	17.59	0	
				18	9	17.29	17.43	17.43	0	
				18	18	17.25	17.45	17.52	0	
				36	0	17.32	17.49	17.51	0	
			16QAM	1	1	17.62	17.61	17.76	0	
			64QAM	1	1	17.37	17.42	17.56	0	
			256QAM	1	1	16.93	16.90	17.07	0	
			CP	QPSK	1	1	17.47	17.50	17.65	0

**NR TDD Band n38 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						516000	519000	522000		
						2580 MHz	2595 MHz	2610 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.31	17.31	17.48	0	
				1	26	17.25	17.41	17.35	0	
				1	49	17.27	17.32	17.30	0	
				25	0	17.39	17.34	17.54	0	
				25	13	17.31	17.54	17.50	0	
				25	26	17.30	17.38	17.46	0	
				50	0	17.34	17.28	17.47	0	
			QPSK	1	1	17.26	17.32	17.52	0	
				1	26	17.29	17.42	17.37	0	
				1	49	17.31	17.34	17.20	0	
				25	0	17.38	17.53	17.49	0	
				25	13	17.30	17.45	17.42	0	
				25	26	17.27	17.48	17.45	0	
				50	0	17.32	17.47	17.45	0	
			16QAM	1	1	17.35	17.30	17.49	0	
			64QAM	1	1	17.32	17.31	17.58	0	
			256QAM	1	1	16.89	16.83	17.04	0	
			CP	QPSK	1	1	17.52	17.50	17.70	0

**NR TDD Band n38 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						516500		521500		
						2582.5 MHz		2607.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.07		17.36	0	
				1	32	17.17		17.19	0	
				1	63	17.14		17.28	0	
				32	0	17.23		17.38	0	
				32	17	17.19		17.34	0	
				32	33	17.31		17.40	0	
				64	0	17.10		17.34	0	
			QPSK	1	1	17.21		17.32	0	
				1	32	17.11		17.32	0	
				1	63	17.22		17.34	0	
				32	0	17.17		17.34	0	
				32	17	17.20		17.30	0	
				32	33	17.34		17.36	0	
				64	0	17.12		17.41	0	
			16QAM	1	1	17.34		17.72	0	
			64QAM	1	1	17.14		17.52	0	
			256QAM	1	1	16.59		16.82	0	
			CP	QPSK	1	1	17.31		17.50	0

**NR TDD Band n38 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						517000		521000		
						2585 MHz		2605 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.34		17.64	0	
				1	39	17.36		17.40	0	
				1	76	17.43		17.38	0	
				36	0	17.39		17.59	0	
				36	21	17.36		17.56	0	
				36	42	17.49		17.53	0	
				75	0	17.48		17.59	0	
			QPSK	1	1	17.42		17.66	0	
				1	39	17.39		17.43	0	
				1	76	17.51		17.35	0	
				36	0	17.48		17.65	0	
				36	21	17.47		17.48	0	
				36	42	17.56		17.55	0	
				75	0	17.47		17.58	0	
			16QAM	1	1	17.34		17.64	0	
			64QAM	1	1	17.40		17.60	0	
			256QAM	1	1	16.97		17.14	0	
			CP	QPSK	1	1	17.58		17.89	0

**NR TDD Band n38 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.44		0
				1	80		17.42		0
				1	158		17.37		0
				80	0		17.57		0
				80	40		17.58		0
				80	80		17.49		0
				160	0		17.52		0
			QPSK	1	1		17.40		0
				1	80		17.43		0
				1	158		17.36		0
				80	0		17.67		0
				80	40		17.52		0
				80	80		17.52		0
				160	0		17.58		0
		16QAM	1	1		17.43		0	
		64QAM	1	1		17.49		0	
		256QAM	1	1		16.97		0	
		CP	QPSK	1	80		17.65		0

**[NR TDD Band n41 Conducted Power\_ Antenna F\_ DSI = 1 (Power Class 2 Only)]**

**NR TDD Band n41 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	17.53	17.10	17.58	17.54	17.32	0
				1	12	17.55	17.06	17.52	17.75	17.26	0
				1	22	17.58	17.12	17.55	17.73	17.28	0
				12	0	17.58	17.17	17.56	17.66	17.32	0
				12	6	17.60	17.07	17.57	17.62	17.30	0
				12	12	17.60	17.17	17.66	17.69	17.29	0
				24	0	17.56	17.20	17.65	17.69	17.33	0
			QPSK	1	1	17.56	17.09	17.60	17.60	17.34	0
				1	12	17.46	17.05	17.56	17.65	17.23	0
				1	22	17.47	17.07	17.50	17.67	17.24	0
				12	0	17.59	17.19	17.62	17.62	17.33	0
				12	6	17.51	16.99	17.50	17.56	17.21	0
				12	12	17.53	17.20	17.54	17.68	17.30	0
				24	0	17.58	17.12	17.61	17.63	17.29	0
		16QAM	1	1	17.54	17.40	17.80	17.87	17.28	0	
		64QAM	1	1	17.38	17.17	17.55	17.61	17.15	0	
		256QAM	1	1	17.01	16.74	17.08	17.19	16.82	0	
		CP	QPSK	1	1	17.57	17.26	17.71	17.74	17.44	0

**NR TDD Band n41 \_15 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.59	17.10	17.50	17.56	17.56	0
				1	18	17.54	17.06	17.45	17.62	17.49	0
				1	36	17.45	17.00	17.51	17.64	17.46	0
				18	0	17.53	17.21	17.47	17.61	17.54	0
				18	9	17.56	17.24	17.56	17.69	17.53	0
				18	18	17.51	17.13	17.54	17.65	17.48	0
				36	0	17.56	17.21	17.53	17.63	17.54	0
			QPSK	1	1	17.47	17.09	17.48	17.51	17.53	0
				1	18	17.49	17.18	17.46	17.60	17.45	0
				1	36	17.42	17.02	17.51	17.66	17.44	0
				18	0	17.51	17.19	17.57	17.67	17.55	0
				18	9	17.48	17.16	17.48	17.58	17.46	0
				18	18	17.50	17.13	17.58	17.61	17.51	0
				36	0	17.52	17.20	17.53	17.61	17.49	0
		16QAM	1	1	17.72	17.37	17.79	17.77	17.73	0	
		64QAM	1	1	17.49	17.23	17.52	17.61	17.55	0	
		256QAM	1	1	17.05	16.72	17.05	17.15	17.04	0	
		CP	QPSK	1	1	17.70	17.24	17.60	17.69	17.60	0

**NR TDD Band n41\_20 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						501204	509898	518598	527298	535998		
						2506.0	2549.4	2592.9	2636.4	2679.9		
						2 MHz	9 MHz	9 MHz	9 MHz	9 MHz		
20MHz	30	DFT-s	pi/2 BPSK	1	1	17.35	17.11	17.42	17.48	17.51	0	
				1	26	17.28	17.11	17.45	17.58	17.49	0	
				1	49	17.21	16.92	17.51	17.58	17.33	0	
				25	0	17.49	17.24	17.48	17.66	17.57	0	
				25	13	17.44	17.21	17.55	17.67	17.59	0	
				25	26	17.35	17.24	17.47	17.64	17.48	0	
				50	0	17.35	17.26	17.48	17.63	17.54	0	
			QPSK	1	1	17.25	17.08	17.41	17.46	17.43	0	
				1	26	17.23	17.00	17.44	17.46	17.34	0	
				1	49	17.17	16.96	17.50	17.47	17.39	0	
				25	0	17.32	17.22	17.52	17.59	17.52	0	
				25	13	17.37	17.22	17.48	17.60	17.50	0	
				25	26	17.37	17.10	17.56	17.59	17.43	0	
				50	0	17.34	17.15	17.53	17.59	17.46	0	
			16QAM	1	1	17.14	17.07	17.41	17.11	17.33	0	
			64QAM	1	1	16.95	17.14	17.43	17.26	17.13	0	
			256QAM	1	1	16.74	16.64	16.94	17.02	16.90	0	
			CP	QPSK	1	1	17.39	17.32	17.63	17.73	17.64	0

**NR TDD Band n41 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						501696	510150	518598	527046	535500		
						2508.4	2550.7	2592.9	2635.2	2677.5		
						8 MHz	5 MHz	9 MHz	3 MHz	0 MHz		
25MHz	30	DFT-s	pi/2 BPSK	1	1	17.43	17.47	17.72	17.91	17.90	0	
				1	32	17.43	17.31	17.63	17.89	17.76	0	
				1	63	17.32	17.30	17.65	17.89	17.62	0	
				32	0	17.35	17.26	17.60	17.90	17.75	0	
				32	17	17.43	17.20	17.64	17.87	17.78	0	
				32	33	17.21	17.12	17.62	17.93	17.67	0	
				64	0	17.39	17.11	17.60	17.93	17.69	0	
			QPSK	1	1	17.32	17.12	17.67	17.89	17.84	0	
				1	32	17.29	17.01	17.55	17.88	17.65	0	
				1	63	17.26	16.94	17.60	17.90	17.57	0	
				32	0	17.32	17.25	17.59	17.94	17.69	0	
				32	17	17.34	17.10	17.64	17.95	17.78	0	
				32	33	17.21	17.31	17.59	17.98	17.75	0	
				64	0	17.34	17.24	17.61	17.97	17.73	0	
			16QAM	1	1	17.16	17.04	17.40	17.93	17.61	0	
			64QAM	1	1	17.28	17.19	17.54	17.83	17.53	0	
			256QAM	1	1	16.94	16.83	17.26	17.51	17.38	0	
			CP	QPSK	1	1	17.37	17.30	17.77	17.96	17.95	0

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.0	2592.9	2634	2674.9	
						MHz	1 MHz	9 MHz	MHz	8 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	17.57	17.28	17.59	17.82	17.81	0
				1	39	17.45	17.30	17.63	17.78	17.69	0
				1	76	17.35	17.31	17.67	17.75	17.61	0
				36	0	17.54	17.40	17.67	17.87	17.83	0
				36	21	17.63	17.45	17.73	17.96	17.82	0
				36	42	17.48	17.35	17.72	17.88	17.68	0
				75	0	17.56	17.34	17.73	17.91	17.76	0
			QPSK	1	1	17.55	17.34	17.72	17.82	17.79	0
				1	39	17.45	17.28	17.63	17.74	17.63	0
				1	76	17.27	17.22	17.58	17.76	17.55	0
				36	0	17.56	17.35	17.73	17.75	17.84	0
				36	21	17.55	17.34	17.76	17.87	17.72	0
				36	42	17.44	17.32	17.74	17.86	17.70	0
				75	0	17.55	17.33	17.70	17.80	17.72	0
		16QAM	1	1	17.37	17.35	17.55	17.58	17.57	0	
		64QAM	1	1	17.54	17.32	17.67	17.71	17.78	0	
		256QAM	1	1	16.98	16.87	17.12	17.22	17.25	0	
		CP	QPSK	1	1	17.72	17.62	17.97	17.99	17.86	0

NR TDD Band n41 \_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.0	2567.3		2618.6	2670	
						1 MHz	4 MHz		7 MHz	MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	17.31	17.52		17.44	17.56	0
				1	53	17.23	17.59		17.64	17.67	0
				1	104	17.18	17.55		17.67	17.47	0
				50	0	17.41	17.66		17.61	17.76	0
				50	28	17.40	17.70		17.75	17.72	0
				50	56	17.32	17.50		17.67	17.62	0
				100	0	17.47	17.62		17.64	17.63	0
			QPSK	1	1	17.31	17.55		17.45	17.64	0
				1	53	17.24	17.53		17.52	17.62	0
				1	104	17.12	17.48		17.60	17.46	0
				50	0	17.41	17.64		17.58	17.67	0
				50	28	17.35	17.63		17.62	17.72	0
				50	56	17.34	17.62		17.62	17.62	0
				100	0	17.33	17.64		17.63	17.64	0
		16QAM	1	1	17.40	17.35		17.07	17.49	0	
		64QAM	1	1	17.35	17.14		17.03	17.58	0	
		256QAM	1	1	16.90	17.04		16.98	16.90	0	
		CP	QPSK	1	1	17.42	17.75		17.70	17.78	0

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						504204		518598			532998	
						2521.02		2592.99			2664.99	
						MHz		MHz			MHz	
50MHz	30	DFT-s	pi/2 BPSK	1	1	17.64		17.71		17.98	0	
				1	67	17.51		17.73		17.81	0	
				1	131	17.44		17.76		17.71	0	
				64	0	17.71		17.86		17.95	0	
				64	35	17.57		17.88		17.97	0	
				64	69	17.55		17.86		17.86	0	
				128	0	17.55		17.81		17.82	0	
			QPSK	1	1	17.55		17.76		17.96	0	
				1	67	17.44		17.73		17.69	0	
				1	131	17.39		17.80		17.63	0	
				64	0	17.67		17.79		17.98	0	
				64	35	17.60		17.87		17.86	0	
				64	69	17.53		17.83		17.80	0	
				128	0	17.54		17.83		17.84	0	
			16QAM	1	1	17.37		17.79		17.79	0	
			64QAM	1	1	17.26		17.75		17.79	0	
			256QAM	1	1	17.20		17.29		17.41	0	
			CP	QPSK	1	1	17.74		17.87		17.95	0

**NR TDD Band n41 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
						MHz		MHz			MHz
60MHz	30	DFT-s	pi/2 BPSK	1	1	17.31		17.49		17.68	0
				1	81	17.18		17.45		17.51	0
				1	160	17.13		17.61		17.40	0
				81	0	17.36		17.70		17.63	0
				81	41	17.23		17.51		17.52	0
				81	81	17.31		17.75		17.56	0
				162	0	17.36		17.66		17.55	0
			QPSK	1	1	17.31		17.55		17.65	0
				1	81	17.18		17.42		17.43	0
				1	160	17.11		17.61		17.38	0
				81	0	17.36		17.55		17.65	0
				81	41	17.23		17.52		17.45	0
				81	81	17.31		17.62		17.56	0
				162	0	17.30		17.62		17.53	0
		16QAM	1	1	17.43		17.20		17.83	0	
		64QAM	1	1	17.32		17.44		17.61	0	
		256QAM	1	1	16.90		17.04		17.13	0	
		CP	QPSK	1	1	17.43		17.77		17.69	0

**NR TDD Band n41\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.0					2654.9
						4 MHz					7 MHz
70MHz	30	DFT-s	pi/2 BPSK	1	1	17.65				17.62	0
				1	81	17.48				17.72	0
				1	160	17.46				17.72	0
				81	0	17.66				17.77	0
				81	41	17.66				17.79	0
				81	81	17.46				17.71	0
				162	0	17.59				17.78	0
			QPSK	1	1	17.60				17.67	0
				1	81	17.45				17.59	0
				1	160	17.43				17.66	0
				81	0	17.62				17.74	0
				81	41	17.58				17.69	0
				81	81	17.42				17.66	0
				162	0	17.56				17.77	0
			16QAM	1	1	17.59				17.61	0
			64QAM	1	1	17.62				17.67	0
			256QAM	1	1	17.19				17.14	0
			CP	QPSK	1	1	17.76				17.78

**NR TDD Band n41\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.0					2649.9
						2 MHz					9 MHz
80MHz	30	DFT-s	pi/2 BPSK	1	1	17.67				17.74	0
				1	109	17.21				17.83	0
				1	215	17.22				17.55	0
				108	0	17.52				17.87	0
				108	55	17.43				17.98	0
				108	109	17.37				17.81	0
				216	0	17.38				17.77	0
			QPSK	1	1	17.64				17.67	0
				1	109	17.27				17.78	0
				1	215	17.33				17.54	0
				108	0	17.52				17.87	0
				108	55	17.40				17.81	0
				108	109	17.36				17.76	0
				216	0	17.35				17.79	0
		16QAM	1	1	17.95				17.76	0	
		64QAM	1	1	17.63				17.79	0	
		256QAM	1	1	17.13				17.30	0	
		CP	QPSK	1	1	17.75				17.91	0

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.9
						MHz				8 MHz	
90MHz	30	DFT-s	pi/2 BPSK	1	1	17.82				17.82	0
				1	123	17.27				17.91	0
				1	243	17.23				17.53	0
				120	0	17.60				17.96	0
				120	63	17.49				17.98	0
				120	125	17.39				17.79	0
				243	0	17.45				17.97	0
			QPSK	1	1	17.67				17.82	0
				1	123	17.30				17.97	0
				1	243	17.25				17.48	0
				120	0	17.60				17.93	0
				120	63	17.40				17.87	0
				120	125	17.35				17.80	0
				243	0	17.46				17.92	0
			16QAM	1	1	17.56				17.74	0
			64QAM	1	1	17.66				17.52	0
			256QAM	1	1	17.35				17.36	0
CP	QPSK	1	1	17.88				17.96	0		

**NR TDD Band n41 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.9			
						9 MHz					
100MHz	30	DFT-s	pi/2 BPSK	1	1			17.88		0	
				1	137			17.66		0	
				1	271			17.89		0	
				135	0			17.68		0	
				135	69			17.66		0	
				135	138			17.85		0	
				270	0			17.86		0	
			QPSK	1	1			17.97		0	
				1	137			17.62		0	
				1	271			17.90		0	
				135	0			17.80		0	
				135	69			17.65		0	
				135	138			17.85		0	
				270	0			17.85		0	
		16QAM	1	1			17.93		0		
		64QAM	1	1			17.98		0		
		256QAM	1	1			17.50		0		
		CP	QPSK	1	1			17.87		0	

**[NR TDD Band n41 Conducted Power\_Power Class 2 Only\_ Antenna B\_ TX Hopping\_ DSI = 1]**

**NR TDD Band n41 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	24.16	24.19	24.46	24.36	24.22	0
				1	12	24.19	24.14	24.42	24.34	24.18	0
				1	22	24.20	24.19	24.46	24.38	24.15	0
				12	0	24.21	24.15	24.45	24.37	24.23	0
				12	6	24.23	24.16	24.41	24.38	24.14	0
				12	12	24.14	24.22	24.50	24.39	24.20	0
			24	0	24.22	24.15	24.47	24.37	24.21	0	
			QPSK	1	1	24.20	24.11	24.36	24.36	24.24	0
				1	12	24.10	24.09	24.36	24.36	24.15	0
				1	22	24.24	24.13	24.46	24.39	24.18	0
				12	0	24.07	24.17	24.43	24.36	24.09	0
				12	6	24.12	24.07	24.36	24.30	24.04	0
				12	12	24.13	24.16	24.44	24.33	24.20	0
		24	0	24.04	24.14	24.46	24.32	24.15	0		
		16QAM	1	1	24.31	24.18	24.42	24.51	24.34	0	
		64QAM	1	1	23.24	23.50	23.74	23.69	23.41	0.5	
		256QAM	1	1	20.79	20.91	21.15	21.06	20.92	2.5	
CP	QPSK	1	1	23.77	24.16	24.45	24.39	24.26	0		

**NR TDD Band n41 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	24.22	24.18	24.41	24.35	24.36	0
				1	18	24.19	24.22	24.45	24.36	24.41	0
				1	36	24.16	24.35	24.45	24.35	24.27	0
				18	0	24.14	24.16	24.41	24.33	24.35	0
				18	9	24.29	24.22	24.47	24.39	24.38	0
				18	18	24.15	24.18	24.40	24.29	24.34	0
				36	0	24.12	24.22	24.46	24.31	24.34	0
			QPSK	1	1	24.01	24.12	24.34	24.29	24.28	0
				1	18	24.02	24.11	24.34	24.25	24.22	0
				1	36	24.03	24.18	24.30	24.24	24.16	0
				18	0	24.15	24.17	24.39	24.32	24.30	0
				18	9	24.08	24.14	24.36	24.30	24.23	0
				18	18	24.15	24.21	24.42	24.30	24.29	0
				36	0	24.14	24.14	24.45	24.33	24.29	0
			16QAM	1	1	24.03	24.05	24.35	24.12	24.24	0
			64QAM	1	1	22.55	23.41	23.74	23.55	23.67	0.5
			256QAM	1	1	20.97	20.90	21.16	21.06	21.09	2.5
			CP	QPSK	1	1	23.96	24.09	24.45	24.31	24.38

**NR TDD Band n41\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.0	2549.4	2592.9	2636.4	2679.9	
						2 MHz	9 MHz	9 MHz	9 MHz	9 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	23.98	24.16	24.38	24.16	24.30	0
				1	26	24.08	24.18	24.40	24.28	24.36	0
				1	49	24.00	24.26	24.46	24.26	24.23	0
				25	0	24.08	24.25	24.41	24.30	24.35	0
				25	13	24.12	24.33	24.51	24.39	24.39	0
				25	26	23.99	24.24	24.43	24.34	24.34	0
			50	0	23.97	24.20	24.44	24.30	24.31	0	
			QPSK	1	1	24.03	24.09	24.30	24.16	24.22	0
				1	26	24.00	24.16	24.35	24.30	24.17	0
				1	49	24.00	24.16	24.23	24.21	24.18	0
				25	0	24.03	24.16	24.43	24.24	24.28	0
				25	13	24.00	24.24	24.47	24.33	24.31	0
				25	26	24.02	24.22	24.31	24.32	24.31	0
		50	0	23.97	24.22	24.39	24.30	24.26	0		
		16QAM	1	1	24.05	24.14	24.18	24.17	24.10	0	
		64QAM	1	1	22.67	23.30	23.25	23.41	23.22	0.5	
		256QAM	1	1	20.69	20.88	21.09	20.86	20.99	2.5	
		CP	QPSK	1	1	23.87	24.19	24.40	24.18	24.34	0

**NR TDD Band n41 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.4	2550.7	2592.9	2635.2	2677.5	
						8 MHz	5 MHz	9 MHz	3 MHz	0 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	24.25	24.33	24.39	24.31	24.30	0
				1	32	24.13	24.16	24.21	24.19	24.23	0
				1	63	24.16	24.06	24.11	24.16	24.04	0
				32	0	24.11	24.17	24.20	24.24	24.21	0
				32	17	24.21	24.17	24.28	24.19	24.24	0
				32	33	24.09	24.07	24.14	24.16	24.11	0
				64	0	24.10	24.12	24.20	24.19	24.16	0
			QPSK	1	1	24.21	24.26	24.33	24.31	24.23	0
				1	32	24.12	24.12	24.15	24.24	24.14	0
				1	63	24.08	24.02	24.06	24.17	24.01	0
				32	0	23.87	23.87	23.91	23.93	23.88	0
				32	17	24.20	24.15	24.23	24.27	24.21	0
				32	33	24.27	24.21	24.25	24.25	24.22	0
				64	0	24.21	24.22	24.30	24.29	24.28	0
		16QAM	1	1	24.21	24.24	24.20	24.20	24.13	0	
		64QAM	1	1	22.91	22.97	22.83	22.77	22.86	0	
		256QAM	1	1	20.58	20.71	20.64	20.61	20.52	0	
		CP	QPSK	1	1	23.95	23.99	24.14	24.13	24.16	0

**NR TDD Band n41\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.0	2592.9	2634	2674.9	
						MHz	1 MHz	9 MHz	MHz	8 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	24.20	24.24	24.54	24.49	24.58	0
				1	39	24.16	24.33	24.50	24.51	24.50	0
				1	76	24.25	24.46	24.51	24.53	24.45	0
				36	0	24.16	24.40	24.51	24.47	24.52	0
				36	21	24.26	24.45	24.60	24.62	24.63	0
				36	42	24.19	24.35	24.48	24.52	24.51	0
				75	0	24.23	24.36	24.54	24.55	24.56	0
			QPSK	1	1	24.21	24.29	24.52	24.47	24.57	0
				1	39	24.14	24.30	24.48	24.50	24.47	0
				1	76	24.27	24.38	24.40	24.52	24.45	0
				36	0	24.18	24.26	24.49	24.49	24.49	0
				36	21	24.20	24.39	24.53	24.58	24.58	0
				36	42	24.20	24.37	24.44	24.54	24.47	0
				75	0	24.21	24.33	24.47	24.50	24.55	0
			16QAM	1	1	24.13	24.33	24.28	24.52	24.63	0
			64QAM	1	1	22.87	23.59	23.77	23.73	23.90	0.5
			256QAM	1	1	20.95	20.96	21.25	21.18	21.29	2.5
CP	QPSK	1	1	24.22	24.22	24.57	24.54	24.60	0		

**NR TDD Band n41 \_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.0	2567.3		2618.6	2670	
						1 MHz	4 MHz		7 MHz	MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	23.97	24.36		24.31	24.42	0
				1	53	24.05	24.38		24.34	24.45	0
				1	104	24.11	24.37		24.34	24.33	0
				50	0	24.06	24.47		24.38	24.47	0
				50	28	24.17	24.50		24.48	24.56	0
				50	56	24.16	24.45		24.39	24.42	0
				100	0	24.13	24.47		24.36	24.50	0
			QPSK	1	1	23.97	24.21		24.28	24.43	0
				1	53	24.04	24.31		24.33	24.46	0
				1	104	24.15	24.25		24.35	24.35	0
				50	0	24.05	24.41		24.32	24.42	0
				50	28	24.10	24.46		24.38	24.46	0
				50	56	24.17	24.41		24.37	24.40	0
				100	0	24.11	24.46		24.29	24.46	0
		16QAM	1	1	23.87	24.01		24.37	24.47	0	
		64QAM	1	1	22.54	23.09		23.50	23.65	0.5	
		256QAM	1	1	20.71	21.03		20.99	21.11	2.5	
		CP	QPSK	1	1	24.01	24.39		24.41	24.46	0

**NR TDD Band n41\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			532998
						2521.02		2592.99			2664.99
						MHz		MHz			MHz
50MHz	30	DFT-s	pi/2 BPSK	1	1	24.24		24.61		24.61	0
				1	67	24.27		24.56		24.57	0
				1	131	24.46		24.58		24.54	0
				64	0	24.35		24.63		24.72	0
				64	35	24.48		24.77		24.77	0
				64	69	24.37		24.57		24.62	0
				128	0	24.34		24.58		24.63	0
			QPSK	1	1	24.20		24.57		24.64	0
				1	67	24.24		24.52		24.54	0
				1	131	24.49		24.46		24.51	0
				64	0	24.33		24.65		24.62	0
				64	35	24.40		24.64		24.66	0
				64	69	24.39		24.56		24.57	0
				128	0	24.31		24.60		24.63	0
			16QAM	1	1	23.57		24.30		24.67	0
			64QAM	1	1	22.15		23.69		23.96	0.5
			256QAM	1	1	21.01		21.33		21.35	2.5
			CP	QPSK	1	1	24.04		24.72		24.74

NR TDD Band n41 \_60 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
						MHz		MHz		MHz	
60MHz	30	DFT-s	pi/2 BPSK	1	1	24.04		24.38		24.36	0
				1	81	24.03		24.39		24.28	0
				1	160	24.21		24.42		24.21	0
				81	0	24.14		24.45		24.32	0
				81	41	24.07		24.39		24.35	0
				81	81	24.16		24.47		24.38	0
				162	0	24.16		24.44		24.38	0
			QPSK	1	1	24.05		24.36		24.34	0
				1	81	23.98		24.28		24.22	0
				1	160	24.25		24.30		24.12	0
				81	0	24.11		24.45		24.35	0
				81	41	24.00		24.35		24.24	0
				81	81	24.17		24.41		24.34	0
				162	0	24.14		24.42		24.31	0
		16QAM	1	1	23.12		24.52		24.24	0	
		64QAM	1	1	22.57		23.50		23.63	0.5	
		256QAM	1	1	20.76		21.12		21.09	2.5	
		CP	QPSK	1	1	24.13		24.45		24.38	0

**NR TDD Band n41\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.0					2654.9
						4 MHz					7 MHz
70MHz	30	DFT-s	pi/2 BPSK	1	1	24.27				24.42	0
				1	81	24.28				24.45	0
				1	160	24.59				24.52	0
				81	0	24.36				24.48	0
				81	41	24.36				24.51	0
				81	81	24.41				24.39	0
				162	0	24.42				24.49	0
			QPSK	1	1	24.24				24.49	0
				1	81	24.20				24.37	0
				1	160	24.55				24.46	0
				81	0	24.24				24.44	0
				81	41	24.29				24.48	0
				81	81	24.37				24.35	0
				162	0	24.29				24.47	0
			16QAM	1	1	23.58				24.31	0
			64QAM	1	1	22.23				23.59	0.5
			256QAM	1	1	21.00				21.11	2.5
CP	QPSK	1	1	23.60				24.51	0		

**NR TDD Band n41\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.0					2649.9
						2 MHz					9 MHz
80MHz	30	DFT-s	pi/2 BPSK	1	1	24.34				24.58	0
				1	109	24.26				24.50	0
				1	215	24.56				24.37	0
				108	0	24.23				24.56	0
				108	55	24.33				24.62	0
				108	109	24.38				24.48	0
				216	0	24.33				24.57	0
			QPSK	1	1	24.12				24.53	0
				1	109	24.07				24.44	0
				1	215	24.45				24.29	0
				108	0	24.18				24.57	0
				108	55	24.19				24.61	0
				108	109	24.39				24.46	0
				216	0	24.31				24.56	0
		16QAM	1	1	23.30				24.43	0	
		64QAM	1	1	22.85				23.73	0.5	
		256QAM	1	1	21.03				21.26	2.5	
		CP	QPSK	1	1	23.70				24.54	0

**NR TDD Band n41\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.9
						MHz				8 MHz	
90MHz	30	DFT-s	pi/2 BPSK	1	1	24.40				24.70	0
				1	123	24.41				24.70	0
				1	243	24.51				24.33	0
				120	0	24.30				24.63	0
				120	63	24.43				24.71	0
				120	125	24.48				24.53	0
				243	0	24.37				24.64	0
			QPSK	1	1	24.08				24.59	0
				1	123	24.29				24.56	0
				1	243	24.47				24.25	0
				120	0	24.25				24.64	0
				120	63	24.36				24.63	0
				120	125	24.45				24.47	0
				243	0	24.33				24.63	0
			16QAM	1	1	23.46				24.50	0
			64QAM	1	1	22.76				23.59	0.5
			256QAM	1	1	21.15				21.37	2.5
CP	QPSK	1	1	23.88				24.74	0		

**NR TDD Band n41 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.9			
						9 MHz					
100MHz	30	DFT-s	pi/2 BPSK	1	1			24.79		0	
				1	137			24.53		0	
				1	271			24.65		0	
				135	0			24.66		0	
				135	69			24.52		0	
				135	138			24.51		0	
				270	0			24.61		0	
			QPSK	1	1			24.93		0	
				1	137			24.39		0	
				1	271			24.49		0	
				135	0			24.69		0	
				135	69			24.43		0	
				135	138			24.52		0	
				270	0			24.58		0	
		16QAM	1	1			24.76		0		
		64QAM	1	1			23.76		0.5		
		256QAM	1	1			21.51		2.5		
		CP	QPSK	1	1			24.79		0	

**[NR TDD Band n48 Conducted Power\_Power Class 3 Only\_Antenna F\_ DSI = 1]**

**NR TDD Band n48 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]		
						637000	640112	643222	646332			
						3555 MHz	MHz	MHz	MHz			
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.19	16.49	16.49	16.59	0		
				1	12	16.15	16.47	16.48	16.52	0		
				1	22	16.22	16.52	16.58	16.47	0		
				12	0	16.15	16.43	16.39	16.40	0		
				12	6	16.19	16.52	16.49	16.51	0		
				12	12	16.10	16.48	16.45	16.39	0		
			QPSK	24	0	16.09	16.45	16.44	16.38	0		
				1	1	16.11	16.43	16.41	16.46	0		
				1	12	16.08	16.41	16.40	16.40	0		
				1	22	16.13	16.48	16.48	16.39	0		
				12	0	16.12	16.42	16.41	16.38	0		
				12	6	16.11	16.46	16.44	16.44	0		
				12	12	16.08	16.46	16.42	16.38	0		
				24	0	16.09	16.41	16.40	16.36	0		
				16QAM	1	1	15.87	16.10	16.08	16.38	0	
				64QAM	1	1	16.07	16.31	16.30	16.42	0	
				256QAM	1	1	15.74	15.98	15.96	15.99	0	
				CP	QPSK	1	1	16.35	16.65	16.64	16.52	0

**NR TDD Band n48 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]		
						637166	640166	643166	646166			
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz			
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.18	16.37	16.41	16.45	0		
				1	18	16.12	16.35	16.33	16.46	0		
				1	36	16.15	16.44	16.51	16.45	0		
				18	0	16.15	16.35	16.32	16.52	0		
				18	9	16.17	16.43	16.46	16.51	0		
				18	18	16.17	16.43	16.41	16.51	0		
			QPSK	36	0	16.18	16.38	16.41	16.52	0		
				1	1	16.10	16.28	16.28	16.48	0		
				1	18	16.05	16.25	16.22	16.36	0		
				1	36	16.09	16.37	16.37	16.39	0		
				18	0	16.18	16.38	16.36	16.50	0		
				18	9	16.10	16.37	16.38	16.45	0		
				18	18	16.21	16.42	16.40	16.46	0		
				36	0	16.16	16.40	16.37	16.50	0		
				16QAM	1	1	15.92	16.12	16.26	16.49	0	
				64QAM	1	1	16.01	16.36	16.33	16.50	0	
				256QAM	1	1	15.80	15.97	15.90	16.13	0	
				CP	QPSK	1	1	16.30	16.39	16.36	16.56	0

**NR TDD Band n48 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637334	640222	643112	646000		
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz		
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.18	16.28	16.32	16.58	0	
				1	26	16.19	16.38	16.44	16.56	0	
				1	49	16.21	16.50	16.42	16.44	0	
				25	0	16.19	16.31	16.31	16.54	0	
				25	13	16.23	16.50	16.43	16.59	0	
				25	26	16.16	16.46	16.38	16.47	0	
				50	0	16.23	16.48	16.43	16.60	0	
			QPSK	1	1	16.12	16.30	16.22	16.52	0	
				1	26	16.13	16.35	16.36	16.47	0	
				1	49	16.09	16.41	16.38	16.38	0	
				25	0	16.18	16.33	16.29	16.50	0	
				25	13	16.19	16.44	16.37	16.50	0	
				25	26	16.19	16.42	16.41	16.48	0	
				50	0	16.25	16.44	16.41	16.57	0	
			16QAM	1	1	15.85	15.94	15.92	16.17	0	
			64QAM	1	1	16.01	16.14	16.07	16.35	0	
			256QAM	1	1	15.69	15.81	15.78	16.05	0	
			CP	QPSK	1	1	16.35	16.48	16.35	16.69	0

**NR TDD Band n48 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						637668	640334	643000	645666		
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz		
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.22	16.46	16.43	16.74	0	
				1	39	16.18	16.56	16.53	16.64	0	
				1	76	16.28	16.77	16.68	16.66	0	
				36	0	16.19	16.47	16.40	16.58	0	
				36	21	16.27	16.57	16.52	16.64	0	
				36	42	16.20	16.57	16.51	16.51	0	
				75	0	16.18	16.51	16.42	16.59	0	
			QPSK	1	1	16.25	16.46	16.35	16.57	0	
				1	39	16.15	16.49	16.47	16.54	0	
				1	76	16.24	16.71	16.57	16.57	0	
				36	0	16.18	16.44	16.38	16.62	0	
				36	21	16.20	16.52	16.49	16.60	0	
				36	42	16.18	16.59	16.48	16.50	0	
				75	0	16.17	16.48	16.45	16.55	0	
			16QAM	1	1	15.90	16.15	16.00	16.28	0	
			64QAM	1	1	16.07	16.31	16.22	16.43	0	
			256QAM	1	1	15.73	15.91	15.91	16.13	0	
			CP	QPSK	1	1	16.49	16.67	16.49	16.83	0

**NR TDD Band n48 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]	
						638000	641666		645332		
						3570 MHz	3624.99 MHz		3679.98 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.09	16.58		16.56	0	
				1	53	16.05	16.51		16.67	0	
				1	104	16.22	16.35		16.89	0	
				50	0	16.16	16.66		16.68	0	
				50	28	16.21	16.61		16.84	0	
				50	56	16.26	16.48		16.82	0	
				100	0	16.17	16.51		16.71	0	
			QPSK	1	1	16.06	16.53		16.50	0	
				1	53	15.99	16.43		16.58	0	
				1	104	16.21	16.25		16.80	0	
				50	0	16.15	16.64		16.62	0	
				50	28	16.17	16.58		16.75	0	
				50	56	16.15	16.48		16.85	0	
				100	0	16.15	16.51		16.74	0	
			16QAM	1	1	15.87	16.53		16.51	0	
			64QAM	1	1	16.07	16.59		16.53	0	
			256QAM	1	1	15.75	16.18		16.15	0	
			CP	QPSK	1	1	16.33	16.59		16.60	0

**[NR FDD Band n66 Conducted Power \_ Antenna F\_TX Hopping\_DSI = 1]**

**NR FDD Band n66 \_5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						342500	349000	355500		
						1712.5 MHz	1745 MHz	1777.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.08	16.80	16.50	0	
				1	13	17.06	16.97	16.71	0	
				1	23	16.91	16.81	16.65	0	
				12	0	17.15	16.95	16.92	0	
				12	7	17.18	17.08	16.99	0	
				12	13	17.12	16.92	16.92	0	
				25	0	17.15	16.94	16.91	0	
			QPSK	1	1	17.06	16.77	16.45	0	
				1	13	17.00	16.89	16.56	0	
				1	23	16.93	16.61	16.54	0	
				12	0	17.17	17.07	16.80	0	
				12	7	17.12	16.98	16.85	0	
				12	13	17.12	16.95	16.92	0	
				25	0	17.07	16.93	16.92	0	
			16QAM	1	1	17.00	16.86	16.58	0	
			64QAM	1	1	17.19	16.98	16.62	0	
			256QAM	1	1	16.41	16.16	15.88	0	
			CP	QPSK	1	1	17.22	17.05	16.80	0

**NR FDD Band n66 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343000	349000	355000		
						1715 MHz	1745 MHz	1775 MHz		
10MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	16.83	16.78	0	
				1	26	16.94	16.84	16.42	0	
				1	50	16.97	16.84	16.56	0	
				25	0	17.04	16.96	16.84	0	
				25	14	17.09	16.91	16.83	0	
				25	27	16.98	16.94	16.83	0	
				50	0	17.03	16.93	16.86	0	
			QPSK	1	1	17.17	16.91	16.71	0	
				1	26	16.90	16.74	16.54	0	
				1	50	16.88	16.67	16.59	0	
				25	0	17.12	16.98	16.92	0	
				25	14	17.10	16.95	16.89	0	
				25	27	17.12	16.91	16.87	0	
				50	0	17.11	17.02	16.87	0	
			16QAM	1	1	17.03	16.83	16.73	0	
			64QAM	1	1	17.15	16.91	16.67	0	
			256QAM	1	1	16.34	16.10	16.00	0	
			CP	QPSK	1	1	17.28	16.96	16.78	0

**NR FDD Band n66 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						343500	349000	354500		
						1717.5 MHz	1745 MHz	1772.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.16	17.04	16.66	0	
				1	40	16.90	16.88	16.58	0	
				1	77	17.06	16.80	16.61	0	
				36	0	17.07	17.04	16.88	0	
				36	22	17.07	16.92	16.97	0	
				36	43	16.95	16.94	16.86	0	
				75	0	17.12	16.91	16.76	0	
			QPSK	1	1	17.10	16.99	16.76	0	
				1	40	16.81	16.76	16.45	0	
				1	77	17.00	16.74	16.53	0	
				36	0	17.14	17.05	16.86	0	
				36	22	17.08	16.96	16.93	0	
				36	43	17.11	16.93	16.95	0	
				75	0	17.10	17.05	16.94	0	
			16QAM	1	1	17.04	16.98	16.76	0	
			64QAM	1	1	17.15	17.15	16.80	0	
			256QAM	1	1	16.47	16.40	16.03	0	
			CP	QPSK	1	1	17.23	17.07	16.83	0

**NR FDD Band n66 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344000	349000	354000		
						1720 MHz	1745 MHz	1770 MHz		
20MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.07	16.79	16.66	0	
				1	53	17.03	16.85	17.09	0	
				1	104	16.96	16.60	16.69	0	
				50	0	17.04	17.02	16.94	0	
				50	28	17.09	16.95	16.92	0	
				50	56	17.10	16.92	16.80	0	
				100	0	17.26	17.05	16.91	0	
			QPSK	1	1	17.09	16.86	16.66	0	
				1	53	17.04	16.91	16.90	0	
				1	104	16.94	16.68	16.62	0	
				50	0	17.10	17.08	16.93	0	
				50	28	17.10	16.96	16.84	0	
				50	56	17.18	16.91	16.94	0	
				100	0	17.19	17.07	16.96	0	
			16QAM	1	1	16.93	16.84	16.59	0	
			64QAM	1	1	17.01	16.98	16.79	0	
			256QAM	1	1	16.28	16.05	15.99	0	
			CP	QPSK	1	1	17.11	16.94	16.63	0

**NR FDD Band n66 \_ 25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						344500	349000	353500		
						1722.5 MHz	1745 MHz	1767.5 MHz		
25MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.19	17.13	17.06	0	
				1	66	17.14	17.06	17.10	0	
				1	131	17.27	16.91	16.84	0	
				64	0	17.09	17.12	17.06	0	
				64	35	17.20	17.12	17.11	0	
				64	69	17.21	17.07	17.13	0	
				128	0	17.04	17.11	17.06	0	
			QPSK	1	1	17.05	16.96	16.98	0	
				1	66	16.96	17.14	17.01	0	
				1	131	17.18	16.89	16.70	0	
				64	0	17.14	17.10	17.16	0	
				64	35	17.09	17.15	17.02	0	
				64	69	17.22	17.09	17.07	0	
				128	0	17.19	17.07	17.12	0	
			16QAM	1	1	17.00	16.97	16.85	0	
			64QAM	1	1	17.11	17.09	17.13	0	
			256QAM	1	1	16.37	16.44	16.40	0	
			CP	QPSK	1	1	17.12	16.97	16.82	0

**NR FDD Band n66 \_ 30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.02		0
				1	80		17.16		0
				1	158		17.06		0
				80	0		17.13		0
				80	40		17.15		0
				80	80		17.10		0
				160	0		17.03		0
			QPSK	1	1		17.01		0
				1	80		17.13		0
				1	158		16.86		0
				80	0		17.20		0
				80	40		17.04		0
				80	80		17.13		0
				160	0		17.13		0
		16QAM	1	1		16.97		0	
		64QAM	1	1		17.16		0	
		256QAM	1	1		16.38		0	
		CP	QPSK	1	1		17.17		0

**NR FDD Band n66 \_ 35 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
35MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.52		0
				1	98		17.44		0
				1	186		17.36		0
				90	0		17.59		0
				90	45		17.45		0
				90	90		17.33		0
				180	0		17.33		0
			QPSK	1	1		17.55		0
				1	98		17.40		0
				1	186		17.13		0
				90	0		17.39		0
				90	45		17.48		0
				90	90		17.36		0
				180	0		17.37		0
			16QAM	1	1		17.42		0
			64QAM	1	1		17.65		0
			256QAM	1	1		16.90		0
			CP	QPSK	1	1		17.73	

**NR FDD Band n66 \_ 40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.21		0
				1	108		17.26		0
				1	214		17.22		0
				108	0		17.32		0
				108	54		17.39		0
				108	108		17.20		0
				216	0		17.30		0
			QPSK	1	1		17.30		0
				1	108		17.37		0
				1	214		17.22		0
				108	0		17.43		0
				108	54		17.27		0
				108	108		17.19		0
				216	0		17.34		0
			16QAM	1	1		17.28		0
			64QAM	1	1		17.42		0
			256QAM	1	1		16.55		0
			CP	QPSK	1	1		17.19	

**[NR FDD Band n70 Conducted Power\_Antenna F\_TX Hopping\_ DSI = 1]**

**NR FDD Band n70 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						339500	340500	341500		
						1697.5 MHz	1702.5 MHz	1707.5 MHz		
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.86	17.69	17.88	0	
				1	13	17.83	17.74	18.10	0	
				1	23	17.88	17.79	17.89	0	
				12	0	17.91	17.80	17.78	0	
				12	7	18.01	17.84	17.91	0	
				12	13	17.97	17.69	17.87	0	
				25	0	17.91	17.77	17.82	0	
			QPSK	1	1	17.72	17.64	17.70	0	
				1	13	17.77	17.72	17.79	0	
				1	23	17.72	17.75	17.67	0	
				12	0	17.94	17.89	17.74	0	
				12	7	17.97	17.84	17.88	0	
				12	13	17.96	17.78	17.84	0	
				25	0	17.91	17.72	17.79	0	
			16QAM	1	1	17.63	17.50	17.64	0	
			64QAM	1	1	17.86	17.71	17.76	0	
			256QAM	1	1	17.05	16.89	17.09	0	
			CP	QPSK	1	1	17.83	17.85	17.95	0

**NR FDD Band n70 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]	
						340000	340500	341000		
						1700 MHz	1702.5 MHz	1705 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.97	17.90	17.69	0	
				1	26	17.63	17.77	17.98	0	
				1	50	17.76	17.71	17.81	0	
				25	0	17.91	17.88	17.85	0	
				25	14	17.86	17.70	17.90	0	
				25	27	17.79	17.80	17.78	0	
				50	0	17.83	17.84	17.78	0	
			QPSK	1	1	17.81	17.87	17.74	0	
				1	26	17.47	17.71	17.97	0	
				1	50	17.46	17.70	17.82	0	
				25	0	17.94	17.86	17.81	0	
				25	14	17.84	17.73	17.88	0	
				25	27	17.71	17.77	17.77	0	
				50	0	17.90	17.81	17.79	0	
			16QAM	1	1	17.66	17.62	17.52	0	
			64QAM	1	1	17.85	17.76	17.69	0	
			256QAM	1	1	16.94	17.09	16.90	0	
			CP	QPSK	1	1	17.81	17.95	17.80	0

**NR FDD Band n70 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							340500		
							1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		17.96		0
				1	40		17.61		0
				1	77		17.69		0
				36	0		17.88		0
				36	22		17.79		0
				36	43		17.73		0
				75	0		17.80		0
			QPSK	1	1		17.84		0
				1	40		17.67		0
				1	77		17.63		0
				36	0		17.89		0
				36	22		17.72		0
				36	43		17.75		0
				75	0		17.87		0
			16QAM	1	1		17.67		0
			64QAM	1	1		17.88		0
			256QAM	1	1		17.10		0
			CP	QPSK	1	1		17.94	

**[NR FDD Band n71 Conducted Power\_Antenna E\_ASDIV\_ DSI = 1]**

**NR FDD Band n71 \_ 5 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.32	21.48	21.11	0
				1	13	21.74	21.57	21.25	0
				1	23	21.52	21.43	21.16	0
				12	0	21.64	21.51	21.22	0
				12	7	21.71	21.54	21.28	0
				12	13	21.62	21.44	21.15	0
			QPSK	25	0	21.55	21.46	21.17	0
				1	1	21.66	21.45	21.19	0
				1	13	21.72	21.50	21.29	0
				1	23	21.58	21.36	21.10	0
				12	0	21.69	21.47	21.22	0
				12	7	21.65	21.49	21.23	0
			16QAM	12	13	21.61	21.41	21.12	0
				25	0	21.58	21.42	21.22	0
				1	1	21.44	21.35	21.13	0
			64QAM	1	1	21.71	21.56	21.32	0
				1	1	19.07	19.92	19.64	1.5
			256QAM	1	1	21.77	21.59	21.41	0
CP	QPSK	1		1	21.77	21.59	21.41	0	

**NR FDD Band n71 \_ 10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						133600	136100	138600		
						668 MHz	680.5 MHz	693 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.80	21.58	21.44	0	
				1	26	21.73	21.52	21.40	0	
				1	50	21.60	21.43	21.22	0	
				25	0	21.65	21.47	21.30	0	
				25	14	21.64	21.55	21.31	0	
				25	27	21.46	21.38	21.18	0	
				50	0	21.53	21.43	21.22	0	
			QPSK	1	1	21.69	21.54	21.40	0	
				1	26	21.58	21.42	21.31	0	
				1	50	21.54	21.43	21.19	0	
				25	0	21.58	21.46	21.29	0	
				25	14	21.51	21.45	21.25	0	
				25	27	21.45	21.42	21.13	0	
				50	0	21.52	21.40	21.18	0	
			16QAM	1	1	21.31	21.30	21.08	0	
			64QAM	1	1	21.71	21.54	21.48	0	
			256QAM	1	1	19.14	19.78	19.70	1.5	
			CP	QPSK	1	1	21.73	21.59	21.46	0

**NR FDD Band n71 \_ 15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							136100		
							680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.54		0
				1	40		21.45		0
				1	77		21.39		0
				36	0		21.52		0
				36	22		21.54		0
				36	43		21.42		0
				75	0		21.48		0
			QPSK	1	1		21.58		0
				1	40		21.46		0
				1	77		21.38		0
				36	0		21.53		0
				36	22		21.48		0
				36	43		21.44		0
				75	0		21.46		0
			16QAM	1	1		21.46		0
			64QAM	1	1		21.64		0
			256QAM	1	1		19.98		1.5
			CP	QPSK	1	1		21.60	

**NR FDD Band n71 \_ 20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							136100			
							680.5 MHz			
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		21.64		0	
				1	53		21.58		0	
				1	104		21.47		0	
				50	0		21.51		0	
				50	28		21.60		0	
				50	56		21.44		0	
				100	0		21.57		0	
			QPSK	1	1		21.59		0	
				1	53		21.61		0	
				1	104		21.36		0	
				50	0		21.50		0	
				50	28		21.49		0	
				50	56		21.37		0	
				100	0		21.55		0	
			16QAM	1	1		21.39		0	
			64QAM	1	1		21.62		0	
			256QAM	1	1		19.94		1.5	
			CP	QPSK	1	1		21.65		0

**[NR TDD Band n77 Conducted Power\_ Antenna F\_ DSI = 1 \_Power Class 2 Only]**

**NR TDD Band n77\_ 10MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	15.97	16.16	15.96	15.59	16.01	16.04	0
				1	12	15.85	15.95	15.84	15.60	15.98	16.04	0
				1	22	15.91	16.09	16.00	15.74	16.10	16.13	0
				12	0	15.96	15.95	15.80	15.61	15.88	16.01	0
				12	6	16.01	16.02	15.82	15.68	16.02	16.05	0
				12	12	15.92	16.05	15.89	15.74	16.08	16.12	0
			24	0	15.99	16.04	15.88	15.61	15.94	16.10	0	
			QPSK	1	1	15.92	15.86	15.87	15.52	15.90	15.96	0
				1	12	15.79	15.95	15.77	15.58	15.93	15.98	0
				1	22	15.93	16.01	16.02	15.65	16.04	16.08	0
				12	0	15.94	15.94	15.74	15.62	15.93	16.06	0
				12	6	16.00	16.03	15.79	15.63	15.96	16.07	0
				12	12	16.01	16.07	15.89	15.70	16.05	16.12	0
			24	0	15.96	15.99	15.90	15.60	15.97	16.06	0	
			16QAM	1	1	15.66	15.71	15.47	15.40	15.56	15.77	0
			64QAM	1	1	15.87	15.86	15.66	15.40	15.76	15.89	0
			256QAM	1	1	15.53	15.56	15.31	15.13	15.42	15.65	0
			CP	QPSK	1	1	15.85	15.67	15.10	15.69	15.57	15.58

**NR TDD Band n77\_ 15MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	15.62	15.57	15.40	15.47	15.77	16.04	0
				1	18	15.59	15.52	15.34	15.51	15.75	15.99	0
				1	36	15.69	15.59	15.43	15.55	15.81	16.02	0
				18	0	15.64	15.65	15.48	15.47	15.83	15.98	0
				18	9	15.64	15.67	15.41	15.51	15.93	15.99	0
				18	18	15.68	15.62	15.45	15.47	15.95	16.08	0
				36	0	15.65	15.63	15.49	15.51	15.95	16.00	0
			QPSK	1	1	15.57	15.47	15.36	15.41	15.72	15.97	0
				1	18	15.53	15.34	15.38	15.43	15.70	15.95	0
				1	36	15.67	15.47	15.39	15.51	15.75	15.92	0
				18	0	15.60	15.70	15.53	15.48	15.97	15.98	0
				18	9	15.61	15.55	15.38	15.46	15.83	16.02	0
				18	18	15.66	15.62	15.43	15.55	16.03	16.05	0
				36	0	15.61	15.63	15.37	15.58	15.92	16.00	0
		16QAM	1	1	15.33	15.51	15.36	15.41	15.70	16.01	0	
		64QAM	1	1	15.63	15.35	15.41	15.41	15.78	16.03	0	
		256QAM	1	1	15.17	15.14	14.99	14.99	15.34	15.64	0	
		CP	QPSK	1	1	15.78	15.59	14.98	15.02	14.96	15.12	0

**NR TDD Band n77\_ 20MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647334	650800	654266	657734	661200	664666		
						3710.01	3762	3813.99	3866.01	3918	3969.99		
						MHz	MHz	MHz	MHz	MHz	MHz		
20MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.53	15.75	15.56	15.39	15.65	15.95	0	
				1	26	15.62	15.78	15.56	15.51	15.81	15.99	0	
				1	49	15.59	15.72	15.47	15.49	15.81	15.96	0	
				25	0	15.65	15.70	15.47	15.52	15.77	15.98	0	
				25	13	15.66	15.69	15.41	15.57	15.95	15.97	0	
				25	26	15.68	15.64	15.50	15.51	16.02	16.05	0	
				50	0	15.79	15.79	15.55	15.67	16.03	16.02	0	
			QPSK	1	1	15.51	15.61	15.47	15.40	15.68	15.88	0	
				1	26	15.52	15.56	15.43	15.50	15.83	15.95	0	
				1	49	15.55	15.50	15.44	15.46	15.79	15.88	0	
				25	0	15.60	15.70	15.53	15.49	15.83	16.04	0	
				25	13	15.65	15.59	15.51	15.53	15.87	16.05	0	
				25	26	15.69	15.72	15.56	15.48	16.02	16.09	0	
				50	0	15.72	15.76	15.59	15.64	16.02	16.06	0	
			16QAM	1	1	15.28	15.20	15.20	15.07	15.37	15.77	0	
			64QAM	1	1	15.46	15.36	15.25	15.29	15.49	15.88	0	
			256QAM	1	1	15.11	15.12	14.93	14.92	15.24	15.56	0	
			CP	QPSK	1	1	15.64	15.61	15.01	15.27	15.32	15.42	0

**NR TDD Band n77\_ 25MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647500	650900	654300	657700	661100	664500		
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz		
25MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.74	16.00	16.05	16.08	16.09	16.48	0	
				1	32	15.76	16.00	16.04	16.13	16.29	16.47	0	
				1	63	15.65	15.88	16.02	16.19	16.24	16.51	0	
				32	0	15.84	15.99	16.06	16.10	16.20	16.46	0	
				32	17	15.85	16.04	16.07	16.19	16.38	16.41	0	
				32	33	15.85	15.96	16.03	16.19	16.51	16.53	0	
				64	0	15.85	15.98	16.06	16.17	16.39	16.51	0	
			QPSK	1	1	15.73	15.86	16.02	16.03	16.07	16.45	0	
				1	32	15.77	15.81	15.89	15.96	16.26	16.28	0	
				1	63	15.72	15.81	15.99	16.13	16.26	16.40	0	
				32	0	15.89	15.97	16.08	16.04	16.32	16.40	0	
				32	17	15.91	15.94	15.94	16.13	16.31	16.42	0	
				32	33	15.87	15.91	16.08	16.26	16.39	16.52	0	
				64	0	15.90	15.90	16.11	16.11	16.34	16.50	0	
			16QAM	1	1	15.54	15.56	15.80	15.79	16.03	16.26	0	
			64QAM	1	1	15.73	15.76	15.97	15.94	15.98	16.39	0	
			256QAM	1	1	15.36	15.43	15.57	15.47	15.72	16.03	0	
			CP	QPSK	1	1	15.70	15.70	15.47	15.37	15.36	15.46	0

**NR TDD Band n77\_ 30MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	16.04	16.23	15.97	15.99	16.25	16.40	0
				1	39	16.14	16.17	15.92	16.09	16.30	16.33	0
				1	76	16.09	16.00	15.81	16.18	16.38	16.03	0
				36	0	16.13	16.15	15.87	16.15	16.31	16.69	0
				36	21	16.15	16.19	15.94	16.20	16.33	16.63	0
				36	42	16.05	16.11	15.89	16.15	16.42	16.66	0
				75	0	16.14	16.14	15.87	16.21	16.35	16.64	0
			QPSK	1	1	16.01	16.13	15.87	15.99	16.16	16.50	0
				1	39	16.15	16.08	15.75	16.05	16.18	16.51	0
				1	76	16.03	15.97	15.80	16.15	16.29	16.46	0
				36	0	16.07	16.03	15.94	16.10	16.20	16.59	0
				36	21	16.10	16.10	15.87	16.13	16.21	16.59	0
				36	42	16.14	16.12	15.86	16.15	16.44	16.59	0
			16QAM	1	1	15.79	15.66	15.61	15.72	15.79	16.27	0
		1		1	15.96	15.78	15.91	15.90	15.97	16.41	0	
		1		1	15.54	15.47	15.39	15.48	15.56	16.04	0	
		256QAM	1	1	15.54	15.47	15.39	15.48	15.56	16.04	0	
		CP	QPSK	1	1	15.96	15.75	15.20	15.02	15.11	15.21	0

**NR TDD Band n77\_40MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						648000	651200	654400	657600	660800	664000		
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz		
40MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.14	16.26	16.09	16.08	16.19	16.49	0	
				1	53	16.27	16.22	16.07	16.28	16.38	16.61	0	
				1	104	16.14	16.04	16.08	16.29	16.39	16.50	0	
				50	0	16.25	16.31	16.20	16.24	16.46	16.62	0	
				50	28	16.37	16.37	16.20	16.35	16.56	16.61	0	
				50	56	16.19	16.21	16.14	16.29	16.62	16.62	0	
				100	0	16.35	16.25	16.10	16.30	16.39	16.61	0	
			QPSK	1	1	16.22	16.15	16.06	15.98	16.14	16.45	0	
				1	53	16.31	16.09	16.01	16.19	16.28	16.55	0	
				1	104	16.22	15.92	16.04	16.23	16.33	16.39	0	
				50	0	16.31	16.31	16.24	16.19	16.41	16.62	0	
				50	28	16.31	16.24	16.12	16.28	16.42	16.72	0	
				50	56	16.24	16.20	16.11	16.26	16.58	16.61	0	
				100	0	16.30	16.19	16.15	16.32	16.47	16.61	0	
			16QAM	1	1	15.97	16.12	16.03	15.80	16.15	16.33	0	
			64QAM	1	1	16.15	16.13	16.11	16.00	16.24	16.35	0	
			256QAM	1	1	15.84	15.74	15.67	15.59	15.81	15.97	0	
			CP	QPSK	1	1	15.83	15.50	15.03	15.66	15.68	15.73	0

**NR TDD TBand n77\_ 50MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648334	652166	656000		659834		663666	
						3725.01	3782.49	3840		3897.51		3954.99	
						MHz	MHz	MHz		MHz		MHz	
50MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.36	16.34	16.31		16.41	16.52	0	
				1	67	16.38	16.37	16.37		16.62	16.82	0	
				1	131	16.51	16.18	16.41		16.66	16.64	0	
				64	0	16.46	16.42	16.26		16.50	16.70	0	
				64	35	16.51	16.47	16.33		16.69	16.84	0	
				64	69	16.51	16.28	16.35		16.56	16.77	0	
				128	0	16.50	16.21	16.32		16.53	16.78	0	
			QPSK	1	1	16.26	16.28	16.23		16.35	16.45	0	
				1	67	16.32	16.30	16.32		16.52	16.74	0	
				1	131	16.48	16.19	16.39		16.54	16.64	0	
				64	0	16.42	16.41	16.24		16.45	16.68	0	
				64	35	16.41	16.35	16.30		16.64	16.82	0	
				64	69	16.52	16.28	16.33		16.68	16.70	0	
				128	0	16.47	16.30	16.29		16.61	16.67	0	
			16QAM	1	1	16.04	16.30	16.26		16.34	16.47	0	
			64QAM	1	1	16.21	16.38	16.25		16.12	16.48	0	
			256QAM	1	1	15.93	15.86	15.86		15.99	16.05	0	
			CP	QPSK	1	1	15.85	15.72	15.11		15.77	15.47	0

**NR TDD Band n77\_60MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						648668	653556			658444		663332	
						3730.02	3803.34			3876.66		3949.98	
						MHz	MHz			MHz	MHz		
60MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.16	16.17			16.16	16.62	0	
				1	81	16.17	16.02			16.14	16.54	0	
				1	160	16.39	15.91			16.32	16.83	0	
				81	0	16.18	16.01			16.21	16.55	0	
				81	41	16.19	16.05			16.18	16.68	0	
				81	81	16.29	16.02			16.23	16.83	0	
				162	0	16.23	16.14			16.26	16.87	0	
			QPSK	1	1	16.17	16.03			16.12	16.41	0	
				1	81	16.15	15.95			16.11	16.43	0	
				1	160	16.38	15.93			16.41	16.97	0	
				81	0	16.25	16.04			16.21	16.63	0	
				81	41	16.20	16.01			16.18	16.62	0	
				81	81	16.33	15.94			16.33	16.81	0	
				162	0	16.31	16.12			16.32	16.73	0	
			16QAM	1	1	15.89	15.79			15.88	16.40	0	
			64QAM	1	1	15.89	15.93			16.02	15.97	0	
			256QAM	1	1	15.68	15.62			15.73	16.10	0	
			CP	QPSK	1	1	15.73	15.51			15.68	15.37	0

**NR TDD Band n77\_70MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						649000	654336			658334		663000	
						3750 MHz	3804.99 MHz			3875.01 MHz		3945 MHz	
70MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.28	16.19			16.10	16.37	0	
				1	95	16.29	15.98			16.21	16.44	0	
				1	187	16.65	16.14			16.44	16.82	0	
				90	0	16.30	16.21			16.29	16.57	0	
				90	50	16.37	16.08			16.30	16.78	0	
				90	99	16.47	16.01			16.48	16.88	0	
				180	0	16.41	16.08			16.34	16.74	0	
			QPSK	1	1	16.13	16.12			16.09	16.26	0	
				1	95	16.20	15.91			16.11	16.47	0	
				1	187	16.59	16.12			16.43	16.93	0	
				90	0	16.29	16.30			16.27	16.66	0	
				90	50	16.35	16.15			16.30	16.69	0	
				90	99	16.21	16.01			16.45	16.98	0	
				180	0	16.40	16.14			16.32	16.74	0	
			16QAM	1	1	15.93	15.91			15.90	16.22	0	
			64QAM	1	1	15.82	15.37			15.72	16.27	0	
			256QAM	1	1	15.76	15.71			15.74	15.92	0	
			CP	QPSK	1	1	15.69	15.42			15.55	15.12	0

**NR TDD Band n77\_ 80MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						649334		656000		662666			
						3740.01 MHz		3840 MHz		3939.99 MHz			
80MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.36		16.16		16.34		0	
				1	109	16.38		16.15		16.47		0	
				1	215	16.77		16.43		16.88		0	
				108	0	16.32		16.20		16.53		0	
				108	55	16.40		16.30		16.72		0	
				108	109	16.52		16.34		16.83		0	
				216	0	16.45		16.32		16.56		0	
			QPSK	1	1	16.31		16.24		16.28		0	
				1	109	16.29		16.16		16.47		0	
				1	215	16.68		16.42		16.57		0	
				108	0	16.25		16.19		16.57		0	
				108	55	16.41		16.27		16.64		0	
				108	109	16.56		16.32		16.8		0	
				216	0	16.44		16.30		16.60		0	
			16QAM	1	1	16.31		15.99		16.04		0	
			64QAM	1	1	16.33		16.17		16.31		0	
			256QAM	1	1	15.92		15.68		15.74		0	
			CP	QPSK	1	1	15.64		15.10		15.36		0

**NR TDD Band n77\_ 90MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						649668		656000		662332			
						3745.02		3840		3934.98			
						MHz		MHz		MHz			
90MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.31		16.23		16.41		0	
				1	123	16.23		16.24		16.64		0	
				1	243	16.90		16.37		16.88		0	
				120	0	16.30		16.25		16.52		0	
				120	63	16.38		16.31		16.69		0	
				120	125	16.58		16.36		16.90		0	
				243	0	16.48		16.28		16.69		0	
			QPSK	1	1	16.32		16.26		16.42		0	
				1	123	16.30		16.13		16.56		0	
				1	243	16.91		16.33		16.98		0	
				120	0	16.31		16.23		16.60		0	
				120	63	16.41		16.29		16.66		0	
				120	125	16.71		16.37		16.85		0	
				243	0	16.48		16.25		16.72		0	
			16QAM	1	1	16.45		16.03		16.14		0	
			64QAM	1	1	16.40		16.37		16.38		0	
			256QAM	1	1	15.96		15.74		15.91		0	
			CP	QPSK	1	1	15.98		15.30		15.77		0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						65000				66200			
						0				0			
						3750				3930			
						MHz				MHz			
100MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.51				16.38		0	
				1	137	16.44				16.45		0	
				1	271	16.93				16.94		0	
				135	0	16.40				16.41		0	
				135	69	16.51				16.55		0	
				135	138	16.77				16.86		0	
				270	0	16.55				16.65		0	
			QPSK	1	1	16.83				16.75		0	
				1	137	16.38				16.39		0	
				1	271	16.35				16.36		0	
				135	0	16.77				16.43		0	
				135	69	16.52				16.32		0	
				135	138	16.62				16.44		0	
				270	0	16.60				16.56		0	
			16QAM	1	1	16.33				16.06		0	
			64QAM	1	1	16.44				16.30		0	
			256QAM	1	1	16.05				15.89		0	
			CP	QPSK	1	1	16.22				16.02		0

**[NR TDD Band n77 DoD Conducted Power\_ Antenna F\_ DSI = 1\_Power Class 2 Only]**

**NR TDD Band n77 DoD\_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	16.77	16.98	16.92	0
				1	12	16.70	16.90	16.91	0
				1	22	16.75	16.95	16.98	0
				12	0	16.81	16.96	16.93	0
				12	6	16.80	16.94	16.98	0
				12	12	16.88	16.98	16.94	0
				24	0	16.81	16.95	16.98	0
			QPSK	1	1	16.66	16.93	16.99	0
				1	12	16.61	16.90	16.85	0
				1	22	16.67	16.95	16.93	0
				12	0	16.84	16.94	16.92	0
				12	6	16.80	16.93	16.99	0
				12	12	16.74	16.98	16.98	0
				24	0	16.71	16.92	16.96	0
		16QAM	1	1	16.65	16.70	16.81	0	
		64QAM	1	1	16.75	16.85	16.96	0	
		256QAM	1	1	16.37	16.52	16.59	0	
		CP	QPSK	1	1	16.91	16.95	16.93	0

**NR TDD Band n77 DoD \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.67	16.87	16.93	0
				1	18	16.60	16.83	16.92	0
				1	36	16.72	16.89	16.89	0
				18	0	16.67	16.85	16.95	0
				18	9	16.65	16.85	16.96	0
				18	18	16.67	16.82	16.96	0
				36	0	16.65	16.91	16.99	0
			QPSK	1	1	16.58	16.76	16.89	0
				1	18	16.60	16.85	16.90	0
				1	36	16.66	16.85	16.87	0
				18	0	16.66	16.91	16.93	0
				18	9	16.67	16.80	16.94	0
				18	18	16.69	16.86	16.93	0
				36	0	16.65	16.91	16.96	0
			16QAM	1	1	16.43	16.79	16.73	0
			64QAM	1	1	16.62	16.70	16.93	0
			256QAM	1	1	16.17	16.36	16.41	0
			CP	QPSK	1	1	16.66	16.70	16.75

**NR TDD Band n77 DoD\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02MHz	3500.01MHz	3540MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	16.74	16.86	16.93	0
				1	26	16.70	16.87	16.93	0
				1	49	16.64	16.83	16.82	0
				25	0	16.75	16.86	16.94	0
				25	13	16.73	16.87	16.91	0
				25	26	16.74	16.90	16.93	0
				50	0	16.70	16.90	16.94	0
			QPSK	1	1	16.56	16.80	16.82	0
				1	26	16.63	16.82	16.84	0
				1	49	16.59	16.76	16.78	0
				25	0	16.74	16.83	16.93	0
				25	13	16.70	16.88	16.92	0
				25	26	16.71	16.86	16.88	0
				50	0	16.80	16.95	16.93	0
			16QAM	1	1	16.45	16.61	16.64	0
			64QAM	1	1	16.56	16.27	16.46	0
			256QAM	1	1	16.20	16.41	16.50	0
		CP	QPSK	1	1	16.76	16.95	16.97	0

**NR TDD Band n77 DoD\_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01MHz	3537MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	16.80	16.97	16.98	0
				1	32	16.77	16.93	16.95	0
				1	63	16.73	16.92	16.97	0
				32	0	16.78	16.94	16.99	0
				32	17	16.76	16.97	16.98	0
				32	33	16.76	16.95	16.98	0
				64	0	16.79	16.93	16.98	0
			QPSK	1	1	16.75	16.90	16.97	0
				1	32	16.70	16.86	16.93	0
				1	63	16.65	16.92	16.96	0
				32	0	16.78	16.94	16.97	0
				32	17	16.76	16.94	16.97	0
				32	33	16.74	16.92	16.96	0
				64	0	16.75	16.90	16.94	0
		16QAM	1	1	16.46	16.64	16.79	0	
		64QAM	1	1	16.64	16.73	16.63	0	
		256QAM	1	1	16.40	16.53	16.51	0	
		CP	QPSK	1	1	16.79	16.94	16.98	0

**NR TDD Band n77 DoD\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465MHz	3500.01MHz	3534.99MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	16.80	16.96	16.93	0
				1	39	16.78	16.96	16.97	0
				1	76	16.85	16.90	16.93	0
				36	0	16.77	16.95	16.95	0
				36	21	16.79	16.95	16.92	0
				36	42	16.84	16.81	16.96	0
				75	0	16.85	16.98	16.93	0
			QPSK	1	1	16.67	16.91	16.97	0
				1	39	16.78	16.94	16.94	0
				1	76	16.79	16.92	16.87	0
				36	0	16.80	16.94	16.91	0
				36	21	16.77	16.92	16.91	0
				36	42	15.61	15.78	15.63	0
				75	0	16.83	16.97	16.92	0
			16QAM	1	1	16.52	16.72	16.79	0
			64QAM	1	1	16.67	16.84	16.91	0
			256QAM	1	1	16.38	16.52	16.27	0
		CP	QPSK	1	1	16.89	16.95	16.93	0

**NR TDD Band n77 DoD \_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01MHz		3529.98MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	16.73		16.94	0
				1	53	16.80		16.95	0
				1	104	16.79		16.92	0
				50	0	16.78		16.97	0
				50	28	16.78		16.98	0
				50	56	16.79		16.99	0
				100	0	16.78		16.94	0
			QPSK	1	1	16.64		16.85	0
				1	53	16.66		16.92	0
				1	104	16.74		16.82	0
				50	0	16.76		16.96	0
				50	28	16.76		16.94	0
				50	56	16.77		16.87	0
				100	0	16.76		16.89	0
			16QAM	1	1	16.70		16.95	0
			64QAM	1	1	16.67		16.91	0
			256QAM	1	1	16.31		16.53	0
			CP	QPSK	1	1	16.68		16.86

**NR TDD Band n77 DoD \_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02MHz		3525MHz	
50MHz	30	DFT-s	pi/2 BPSK	1	1	16.85		16.96	0
				1	67	16.93		16.97	0
				1	131	16.95		16.88	0
				64	0	16.96		16.91	0
				64	35	16.97		16.92	0
				64	69	16.97		16.94	0
				128	0	16.95		16.98	0
			QPSK	1	1	16.77		16.88	0
				1	67	16.87		16.90	0
				1	131	16.99		16.94	0
				64	0	16.94		16.91	0
				64	35	16.97		16.90	0
				64	69	16.96		16.98	0
				128	0	16.97		16.89	0
			16QAM	1	1	16.82		16.90	0
			64QAM	1	1	16.83		16.93	0
			256QAM	1	1	16.39		16.49	0
			CP	QPSK	1	1	16.83		16.96

**NR TDD Band n77 DoD \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
							3500.01MHz			
60MHz	30	DFT-s	pi/2 BPSK	1	1		16.71		0	
				1	81		16.78		0	
				1	160		16.97		0	
				81	0		16.84		0	
				81	41		16.83		0	
				81	81		16.88		0	
				162	0		16.85		0	
			QPSK	1	1		16.66		0	
				1	81		16.72		0	
				1	160		16.91		0	
				81	0		16.82		0	
				81	41		16.83		0	
				81	81		16.88		0	
				162	0		16.85		0	
			16QAM	1	1		16.44		0	
			64QAM	1	1		16.58		0	
			256QAM	1	1		16.30		0	
			CP	QPSK	1	1		16.84		0

**NR TDD Band n77 DoD\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
70MHz	30	DFT-s	pi/2 BPSK	1	1		16.93		0
				1	95		16.88		0
				1	187		16.92		0
				90	0		16.98		0
				90	50		16.97		0
				90	99		16.96		0
				180	0		16.96		0
			QPSK	1	1		16.89		0
				1	95		16.83		0
				1	187		16.98		0
				90	0		16.98		0
				90	50		16.91		0
				90	99		16.99		0
				180	0		16.98		0
			16QAM	1	1		16.69		0
			64QAM	1	1		16.82		0
			256QAM	1	1		16.40		0
			CP	QPSK	1	1		16.91	

**NR TDD Band n77 DoD\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		16.93		0
				1	109		16.87		0
				1	215		16.92		0
				108	0		16.98		0
				108	55		16.96		0
				108	109		16.99		0
				216	0		16.93		0
			QPSK	1	1		16.80		0
				1	109		16.82		0
				1	215		16.98		0
				108	0		16.99		0
				108	55		16.94		0
				108	109		16.98		0
				216	0		16.96		0
			16QAM	1	1		16.66		0
			64QAM	1	1		16.92		0
			256QAM	1	1		16.42		0
			CP	QPSK	1	1		16.95	

**NR TDD Band n77 DoD \_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		16.94		0
				1	123		16.81		0
				1	243		16.96		0
				120	0		16.98		0
				120	63		16.94		0
				120	125		16.98		0
				243	0		16.96		0
			QPSK	1	1		16.86		0
				1	123		16.77		0
				1	243		16.96		0
				120	0		16.97		0
				120	63		16.95		0
				120	125		16.91		0
				243	0		16.96		0
		16QAM	1	1		16.65		0	
		64QAM	1	1		16.84		0	
		256QAM	1	1		16.37		0	
		CP	QPSK	1	1		16.95		0

**NR TDD Band n77 DoD \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		16.95		0
				1	137		16.86		0
				1	271		16.93		0
				135	0		16.98		0
				135	69		16.96		0
				135	138		16.98		0
				270	0		16.97		0
			QPSK	1	1		16.96		0
				1	137		16.75		0
				1	271		16.91		0
				135	0		16.95		0
				135	69		16.94		0
				135	138		16.92		0
				270	0		16.93		0
			16QAM	1	1		16.87		0
			64QAM	1	1		16.94		0
			256QAM	1	1		16.50		0
		CP	QPSK	1	1		16.91		0

**[NR TDD Band n78 Conducted Power\_ Antenna F\_ DSI = 1 \_Power Class 2 Only]**

**NR TDD Band n78 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	15.40	15.12	15.21	0
				1	12	15.37	15.23	15.19	0
				1	22	15.47	15.31	15.25	0
				12	0	15.42	15.21	15.22	0
				12	6	15.41	15.30	15.22	0
				12	12	15.39	15.32	15.38	0
				24	0	15.43	15.37	15.25	0
			QPSK	1	1	15.37	15.20	15.13	0
				1	12	15.37	15.19	15.14	0
				1	22	15.40	15.26	15.22	0
				12	0	15.46	15.24	15.19	0
				12	6	15.33	15.29	15.20	0
				12	12	15.17	15.21	15.27	0
				24	0	15.44	15.29	15.24	0
		16QAM	1	1	15.15	14.94	15.08	0	
		64QAM	1	1	15.33	15.21	15.11	0	
		256QAM	1	1	14.92	14.70	14.68	0	
		CP	QPSK	1	1	15.45	15.36	15.34	0

**NR TDD Band n78 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	15.34	15.22	15.30	0
				1	18	15.24	15.17	15.27	0
				1	36	15.33	15.24	15.28	0
				18	0	15.31	15.22	15.32	0
				18	10	15.29	15.23	15.23	0
				18	20	15.19	15.21	15.25	0
				36	0	15.30	15.24	15.36	0
			QPSK	1	1	15.22	15.18	15.27	0
				1	18	15.19	15.13	15.12	0
				1	36	15.25	15.25	15.34	0
				18	0	15.30	15.22	15.35	0
				18	10	15.28	15.21	15.32	0
				18	20	15.22	15.24	15.29	0
				36	0	15.29	15.23	15.27	0
		16QAM	1	1	15.04	14.94	15.05	0	
		64QAM	1	1	15.17	15.03	15.16	0	
		256QAM	1	1	14.85	14.80	14.84	0	
		CP	QPSK	1	1	15.37	15.30	15.30	0

**NR TDD Band n78 \_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	15.31	15.12	15.22	0
				1	26	15.28	15.18	15.25	0
				1	49	15.17	15.23	15.19	0
				25	0	15.40	15.24	15.35	0
				25	13	15.32	15.27	15.27	0
				25	26	15.25	15.21	15.19	0
				50	0	15.28	15.27	15.27	0
			QPSK	1	1	15.18	15.11	15.24	0
				1	26	15.14	15.16	15.17	0
				1	49	15.10	15.17	15.17	0
				25	0	15.28	15.25	15.25	0
				25	13	15.28	15.26	15.32	0
				25	26	15.18	15.21	15.26	0
				50	0	15.28	15.28	15.34	0
			16QAM	1	1	15.05	14.94	15.00	0
			64QAM	1	1	15.16	15.17	15.21	0
			256QAM	1	1	14.77	14.73	14.73	0
		CP	QPSK	1	1	15.43	15.28	15.32	0

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	15.45	15.36	15.27	0
				1	32	15.45	15.44	15.42	0
				1	63	15.39	15.46	15.32	0
				32	0	15.44	15.43	15.37	0
				32	17	15.48	15.45	15.35	0
				32	33	14.64	14.88	14.96	0
			64	0	15.42	15.45	15.35	0	
			QPSK	1	1	15.42	15.28	15.26	0
				1	32	15.34	15.35	15.33	0
				1	63	15.30	15.25	15.15	0
				32	0	15.46	15.45	15.37	0
				32	17	15.46	15.45	15.41	0
				32	33	15.38	15.37	15.32	0
			64	0	15.46	15.46	15.34	0	
			16QAM	1	1	15.40	15.31	15.27	0
			64QAM	1	1	15.45	15.37	15.29	0
			256QAM	1	1	15.01	14.92	14.85	0
			CP	QPSK	1	1	15.52	15.33	15.32

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	15.43	15.36	15.29	0
				1	39	15.46	15.46	15.39	0
				1	76	15.39	15.39	15.41	0
				36	0	15.50	15.44	15.42	0
				36	21	15.46	15.48	15.42	0
				36	42	15.41	15.31	15.34	0
				75	0	15.46	15.43	15.37	0
			QPSK	1	1	15.41	15.32	15.29	0
				1	39	15.39	15.40	15.34	0
				1	76	15.37	15.29	15.23	0
				36	0	15.45	15.43	15.37	0
				36	21	15.49	15.44	15.42	0
				36	42	15.41	15.42	15.39	0
				75	0	15.49	15.42	15.40	0
			16QAM	1	1	15.42	15.31	15.29	0
			64QAM	1	1	15.19	15.33	15.21	0
			256QAM	1	1	15.06	14.89	14.86	0
		CP	QPSK	1	1	15.49	15.39	15.33	0

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						647800		652000		
						3720 MHz		3780 MHz		
40MHz	30	DFT-s	pi/2 BPSK	1	1	15.44		15.40	0	
				1	53	15.47		15.34	0	
				1	104	15.31		15.23	0	
				50	0	15.49		15.39	0	
				50	28	15.46		15.34	0	
				50	56	15.43		15.23	0	
				100	0	15.45		15.36	0	
			QPSK	1	1	15.40		15.26	0	
				1	53	15.38		15.33	0	
				1	104	15.26		15.18	0	
				50	0	15.46		15.37	0	
				50	28	15.45		15.39	0	
				50	56	15.34		15.27	0	
				100	0	15.43		15.35	0	
			16QAM	1	1	15.18		15.14	0	
			64QAM	1	1	15.34		15.34	0	
			256QAM	1	1	14.94		14.92	0	
			CP	QPSK	1	1	15.59		15.47	0

**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
						648334		651666		
						3725.01 MHz		3774.99 MHz		
50MHz	30	DFT-s	pi/2 BPSK	1	1	15.48		15.44	0	
				1	67	15.50		15.50	0	
				1	131	15.48		15.35	0	
				64	0	15.55		15.53	0	
				64	35	15.56		15.56	0	
				64	69	15.53		15.42	0	
				128	0	15.58		15.54	0	
			QPSK	1	1	15.44		15.52	0	
				1	67	15.49		15.45	0	
				1	131	15.41		15.32	0	
				64	0	15.56		15.53	0	
				64	35	15.56		15.56	0	
				64	69	15.49		15.45	0	
				128	0	15.59		15.53	0	
			16QAM	1	1	15.25		15.30	0	
			64QAM	1	1	15.48		15.32	0	
			256QAM	1	1	14.99		15.00	0	
			CP	QPSK	1	1	15.60		15.50	0

**NR TDD Band n78 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1		15.34		0
				1	81		15.30		0
				1	160		15.19		0
				81	0		15.31		0
				81	41		15.32		0
				81	81		15.22		0
				162	0		15.33		0
			QPSK	1	1		15.35		0
				1	81		15.29		0
				1	160		15.15		0
				81	0		15.31		0
				81	41		15.29		0
				81	81		15.22		0
				162	0		15.36		0
		16QAM	1	1		15.17		0	
		64QAM	1	1		15.37		0	
		256QAM	1	1		14.85		0	
		CP	QPSK	1	1		15.42		0

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							650000			
							3750 MHz			
70MHz	30	DFT-s	pi/2 BPSK	1	1		15.54		0	
				1	95		15.35		0	
				1	187		15.31		0	
				90	0		15.47		0	
				90	50		15.44		0	
				90	99		15.40		0	
				180	0		15.43		0	
			QPSK	1	1		15.46		0	
				1	95		15.26		0	
				1	187		15.19		0	
				90	0		15.45		0	
				90	50		15.33		0	
				90	99		15.35		0	
				180	0		15.42		0	
			16QAM	1	1		15.39		0	
			64QAM	1	1		15.38		0	
			256QAM	1	1		15.01		0	
			CP	QPSK	1	1		15.39		0

**NR TDD Band n78\_80 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		15.50		0
				1	109		15.34		0
				1	215		15.31		0
				108	0		15.44		0
				108	55		15.37		0
				108	109		15.36		0
				216	0		15.35		0
			QPSK	1	1		15.49		0
				1	109		15.27		0
				1	215		15.24		0
				108	0		15.43		0
				108	55		15.34		0
				108	109		15.33		0
				216	0		15.38		0
		16QAM	1	1		15.30		0	
		64QAM	1	1		15.43		0	
		256QAM	1	1		15.14		0	
		CP	QPSK	1	1		15.47		0

**NR TDD Band n78\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							650000			
							3750 MHz			
90MHz	30	DFT-s	pi/2 BPSK	1	1		15.63		0	
				1	123		15.38		0	
				1	243		15.40		0	
				120	0		15.44		0	
				120	63		15.38		0	
				120	125		15.36		0	
				243	0		15.42		0	
			QPSK	1	1		15.55		0	
				1	123		15.31		0	
				1	243		15.31		0	
				120	0		15.44		0	
				120	63		15.42		0	
				120	125		15.36		0	
				243	0		15.36		0	
			16QAM	1	1		15.58		0	
			64QAM	1	1		15.61		0	
			256QAM	1	1		15.17		0	
			CP	QPSK	1	1		15.49		0

**NR TDD Band n78 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		15.70		0
				1	137		15.33		0
				1	271		15.46		0
				135	0		15.48		0
				135	69		15.37		0
				135	138		15.31		0
				270	0		15.38		0
			QPSK	1	1		15.40		0
				1	137		15.37		0
				1	271		15.64		0
				135	0		15.37		0
				135	69		15.40		0
				135	138		15.44		0
				270	0		15.48		0
			16QAM	1	1		15.44		0
			64QAM	1	1		15.57		0
			256QAM	1	1		15.22		0
			CP	QPSK	1	1		15.71	

**[NR TDD Band n78 DoD Conducted Power\_ Antenna F\_ DSI = 1 \_Power Class 2 Only]**

**NR TDD Band n78 \_10 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	16.70	16.89	16.97	0
				1	12	16.62	16.90	16.83	0
				1	22	16.71	16.95	16.87	0
				12	0	16.71	16.90	16.98	0
				12	6	16.68	16.92	16.93	0
				12	12	15.18	15.07	15.20	0
				24	0	16.70	16.91	16.92	0
			QPSK	1	1	16.66	16.83	16.91	0
				1	12	16.60	16.82	16.82	0
				1	22	16.67	16.86	16.84	0
				12	0	16.73	16.91	16.98	0
				12	6	16.70	16.91	16.94	0
				12	12	15.03	15.21	15.32	0
				24	0	16.71	16.92	16.92	0
		16QAM	1	1	16.45	16.61	16.69	0	
		64QAM	1	1	16.57	16.74	16.81	0	
		256QAM	1	1	16.25	16.48	16.54	0	
		CP	QPSK	1	1	16.79	16.98	16.89	0

**NR TDD Band n78 \_15 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.66	16.86	16.87	0
				1	18	16.63	16.86	16.87	0
				1	36	16.68	16.94	16.90	0
				18	0	16.67	16.88	16.95	0
				18	10	16.69	16.86	16.84	0
				18	20	16.68	16.72	16.79	0
				36	0	16.68	16.85	16.88	0
			QPSK	1	1	16.61	16.80	16.84	0
				1	18	16.57	16.76	16.86	0
				1	36	16.60	16.88	16.83	0
				18	0	16.66	16.87	16.97	0
				18	10	16.69	16.86	16.91	0
				18	20	15.37	15.91	15.21	0
				36	0	16.69	16.86	16.89	0
		16QAM	1	1	16.62	16.79	16.81	0	
		64QAM	1	1	16.56	16.81	16.84	0	
		256QAM	1	1	16.25	16.40	16.38	0	
		CP	QPSK	1	1	16.55	16.78	16.79	0

**NR TDD Band n78\_20 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	16.71	16.90	16.90	0
				1	26	16.65	16.81	16.87	0
				1	49	16.61	16.92	16.92	0
				25	0	16.70	16.90	16.87	0
				25	13	16.69	16.91	16.89	0
				25	26	16.72	16.83	16.88	0
				50	0	16.68	16.91	16.91	0
			QPSK	1	1	16.66	16.85	16.83	0
				1	26	16.60	16.81	16.81	0
				1	49	16.57	16.92	16.78	0
				25	0	16.68	16.89	16.90	0
				25	13	16.66	16.91	16.91	0
				25	26	16.79	16.82	16.87	0
				50	0	16.67	16.91	16.86	0
			16QAM	1	1	16.43	16.62	16.60	0
			64QAM	1	1	16.63	16.73	16.71	0
			256QAM	1	1	16.23	16.45	16.43	0
		CP	QPSK	1	1	16.60	16.95	16.96	0

**NR TDD Band n78 \_25 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	16.68	16.88	16.88	0
				1	32	16.64	16.83	16.89	0
				1	63	16.65	16.94	16.85	0
				32	0	16.70	16.90	16.90	0
				32	17	16.67	16.90	16.97	0
				32	33	16.53	16.80	16.73	0
				64	0	16.69	16.91	16.85	0
			QPSK	1	1	16.56	16.84	16.87	0
				1	32	16.64	16.79	16.83	0
				1	63	16.64	16.91	16.83	0
				32	0	16.68	16.88	16.90	0
				32	17	16.68	16.90	16.97	0
				32	33	16.62	16.82	16.91	0
				64	0	16.70	16.90	16.86	0
		16QAM	1	1	16.39	16.62	16.68	0	
		64QAM	1	1	16.79	16.88	16.86	0	
		256QAM	1	1	16.20	16.39	16.41	0	
		CP	QPSK	1	1	16.65	16.84	16.94	0

**NR TDD Band n78\_30 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30MHz	30	DFT-s	pi/2 BPSK	1	1	16.61	16.88	16.90	0
				1	39	16.73	16.83	16.80	0
				1	76	16.66	16.78	16.65	0
				36	0	16.65	16.90	16.91	0
				36	21	16.74	16.87	16.85	0
				36	42	16.63	16.69	16.62	0
				75	0	16.66	16.88	16.86	0
			QPSK	1	1	16.60	16.72	16.87	0
				1	39	16.65	16.80	16.79	0
				1	76	16.64	16.73	16.64	0
				36	0	16.62	16.88	16.89	0
				36	21	16.69	16.87	16.84	0
				36	42	16.63	16.80	16.81	0
				75	0	16.64	16.89	16.82	0
			16QAM	1	1	16.35	16.67	16.65	0
			64QAM	1	1	16.79	16.61	16.81	0
			256QAM	1	1	16.10	16.37	16.41	0
		CP	QPSK	1	1	16.75	16.88	16.94	0

**NR TDD Band n78\_40 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40MHz	30	DFT-s	pi/2 BPSK	1	1	16.67		16.98	0
				1	53	16.80		16.91	0
				1	104	16.78		16.94	0
				50	0	16.73		16.93	0
				50	28	16.76		16.95	0
				50	56	16.87		16.97	0
				100	0	16.74		16.92	0
			QPSK	1	1	16.65		16.93	0
				1	53	16.79		16.91	0
				1	104	16.74		16.88	0
				50	0	16.71		16.92	0
				50	28	16.81		16.99	0
				50	56	16.85		16.98	0
				100	0	16.78		16.93	0
			16QAM	1	1	16.73		16.97	0
			64QAM	1	1	16.62		16.96	0
			256QAM	1	1	16.26		16.47	0
			CP	QPSK	1	1	16.53		16.76

**NR TDD Band n78\_50 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50MHz	30	DFT-s	pi/2 BPSK	1	1	16.64		16.93	0
				1	67	16.83		16.97	0
				1	131	16.91		16.94	0
				64	0	16.85		16.97	0
				64	35	16.89		16.91	0
				64	69	16.96		16.96	0
				128	0	16.88		16.95	0
			QPSK	1	1	16.74		16.88	0
				1	67	16.77		16.92	0
				1	131	16.98		16.98	0
				64	0	16.86		16.94	0
				64	35	16.87		16.91	0
				64	69	16.92		16.95	0
				128	0	16.85		16.93	0
			16QAM	1	1	16.63		16.91	0
			64QAM	1	1	16.67		16.90	0
			256QAM	1	1	16.30		16.49	0
			CP	QPSK	1	1	16.67		16.93

**NR TDD Band n78 \_60 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1		16.73		0
				1	81		16.81		0
				1	160		16.97		0
				81	0		16.87		0
				81	41		16.87		0
				81	81		16.89		0
				162	0		16.91		0
			QPSK	1	1		16.71		0
				1	81		16.79		0
				1	160		16.93		0
				81	0		16.90		0
				81	41		16.85		0
				81	81		16.94		0
			16QAM	162	0		16.86		0
		1		1		16.50		0	
		1		1		16.63		0	
		256QAM	1	1		16.33		0	
CP	QPSK	1	1		16.76		0		

**NR TDD Band n78\_70 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70MHz	30	DFT-s	pi/2 BPSK	1	1		16.86		0
				1	95		16.76		0
				1	187		16.98		0
				90	0		16.93		0
				90	50		16.91		0
				90	99		16.95		0
				180	0		16.88		0
			QPSK	1	1		16.81		0
				1	95		16.75		0
				1	187		16.95		0
				90	0		16.97		0
				90	50		16.90		0
				90	99		16.91		0
				180	0		16.89		0
			16QAM	1	1		16.61		0
			64QAM	1	1		16.76		0
			256QAM	1	1		16.35		0
			CP	QPSK	1	1		16.51	

**NR TDD Band n78\_80 Mhz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80MHz	30	DFT-s	pi/2 BPSK	1	1		16.90		0
				1	109		16.81		0
				1	215		16.93		0
				108	0		16.95		0
				108	55		16.92		0
				108	109		16.95		0
				216	0		16.94		0
			QPSK	1	1		16.77		0
				1	109		16.78		0
				1	215		16.99		0
				108	0		16.95		0
				108	55		16.92		0
				108	109		16.99		0
				216	0		16.90		0
		16QAM	1	1		16.56		0	
		64QAM	1	1		16.93		0	
		256QAM	1	1		16.37		0	
		CP	QPSK	1	1		16.87		0

**NR TDD Band n78\_90 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		16.84		0
				1	123		16.79		0
				1	243		16.99		0
				120	0		16.93		0
				120	63		16.91		0
				120	125		16.92		0
				243	0		16.93		0
			QPSK	1	1		16.75		0
				1	123		16.80		0
				1	243		16.91		0
				120	0		16.97		0
				120	63		16.93		0
				120	125		16.95		0
				243	0		16.94		0
			16QAM	1	1		16.63		0
			64QAM	1	1		16.75		0
			256QAM	1	1		16.33		0
		CP	QPSK	1	1		16.21		0

**NR TDD Band n78 \_100 MHz Bandwidth Conducted Power**

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		16.88		0
				1	137		16.81		0
				1	271		16.92		0
				135	0		16.94		0
				135	69		16.93		0
				135	138		16.95		0
				270	0		16.93		0
			QPSK	1	1		16.84		0
				1	137		16.76		0
				1	271		16.97		0
				135	0		16.93		0
				135	69		16.89		0
				135	138		16.94		0
				270	0		16.92		0
		16QAM	1	1		16.65		0	
		64QAM	1	1		16.79		0	
		256QAM	1	1		16.36		0	
CP	QPSK	1	1		16.88		0		

**13 NR Band SRS Conducted Power**

**[NR TDD Band n41 SRS Conducted Power]**

*P<sub>max</sub>*

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN2(Ant B), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		22.43	0

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: Sub1(Ant E), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		20.92	0

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		19.42	0

**DSI = 0**

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN2(Ant B), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		20.98	0

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: Sub1(Ant E), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		16.25	0

**NR TDD Band n41\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		19.44	0

DSI = 1

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN2(Ant B), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		22.51	0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power \_ Antenna: Sub1(Ant E), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		17.20	0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		14.93	0

**[NR TDD Band n41 SRS Conducted Power\_ TX Hopping]**

***Pmax***

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub2(Ant F), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		21.56	0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power \_ Antenna: Main4(Ant D), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		21.05	0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub1 (Ant E), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW		17.92	0

**DSI = 0**

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub2(Ant F), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	19.70		0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	19.25		0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub1 (Ant E), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	12.64		0

**DSI = 1**

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub2(Ant F), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	16.85		0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	19.47		0

**NR TDD Band n41\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub1 (Ant E), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100MHz	30	CW	13.11		0

**[NR TDD Band n48 SRS Conducted Power]**

**Pmax**

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	19.85	22.26		22.03	0

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	20.99	20.72		20.44	0

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: Main4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	17.53	18.31		19.21	0

**DSI = 0**

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	16.69	16.59		16.34	0

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	17.55	17.24		16.93	0

**NR TDD Band n48\_ 40MHzBandwidth Conducted Power \_ Antenna: Main4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	15.81	15.57		15.57	0

DSI = 1

**NR TDD Band n48\_ 40MHz Bandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	17.70	17.58		17.34	0

**NR TDD Band n48\_ 40MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	17.59	17.24		16.85	0

**NR TDD Band n48\_ 40MHz Bandwidth Conducted Power\_ Antenna: Main4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40MHz	30	CW	16.88	16.71		16.69	0

**[NR TDD Band n77 SRS Conducted Power]**

*P<sub>max</sub>*

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	21.01			21.48	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	23.83			23.92	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	20.13			19.28	0

**DSI = 0**

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	16.88			16.84	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	17.06			17.01	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	17.23			16.82	0

DSI = 1

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	17.85			17.82	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	16.97			16.82	0

**NR TDD Band n77\_ 100MHz Bandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth h	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100MHz	30	CW	18.22			17.25	0

**[NR TDD Band n77 DoD SRS Conducted Power]**

***Pmax***

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		20.46	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		23.71	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		18.72	0

**DSI = 0**

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		17.48	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.51	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.52	0

**DSI = 1**

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01MHz	
100MHz	30	CW		18.56	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01MHz	
100MHz	30	CW		16.96	0

**NR TDD Band n77 DoD \_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01MHz	
100MHz	30	CW		16.56	0

**[NR TDD Band n78 SRS Conducted Power]**

***P<sub>max</sub>***

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		20.11	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		23.29	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		18.83	0

**DSI = 0**

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		16.19	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		16.82	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100MHz	30	CW		16.75	0

DSI = 1

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000	3750 MHz	
100MHz	30	CW		17.19		0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000	3750 MHz	
100MHz	30	CW		16.74		0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000	3750 MHz	
100MHz	30	CW		17.82		0

**[NR TDD Band n78 DoD SRS Conducted Power]**

***Pmax***

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		20.85	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		23.44	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		19.31	0

**DSI = 0**

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.96	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.40	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.66	0

DSI = 1

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN3(Ant C), SRS1**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		18.05	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: Sub5(Ant I), SRS2**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.52	0

**NR TDD Band n78\_ 100MHzBandwidth Conducted Power\_ Antenna: MAIN4(Ant D), SRS3**

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100MHz	30	CW		16.48	0