

APPENDIX H: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

All conducted power measurements for Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (P_{limit}, maximum tune up output power P_{max}).

Note: Some bands do not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

H.1 LTE Lower Bandwidth RF Conducted Powers

H.1.1 LTE Band 71

Table H-1
LTE Band 71 Ant A Measured P_{Max} for all DSI - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 133297 (680.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
QPSK	1	0	23.57	0	0
	1	36	23.80		0
	1	74	23.79		0
	36	0	22.83	0-1	1
	36	18	22.92		1
	36	37	22.94		1
	75	0	22.82		1
16QAM	1	0	23.12	0-1	1
	1	36	23.35		1
	1	74	23.40		1
	36	0	21.81	0-2	2
	36	18	21.93		2
	36	37	21.98		2
	75	0	21.85		2
64QAM	1	0	22.19	0-2	2
	1	36	22.46		2
	1	74	22.32		2
	36	0	20.80	0-3	3
	36	18	20.92		3
	36	37	20.95		3
	75	0	20.84		3
256QAM	1	0	19.01	0-5	5
	1	36	19.28		5
	1	74	19.26		5
	36	0	18.89		5
	36	18	18.94		5
	36	37	19.01		5
	75	0	18.91		5

Table H-2
LTE Band 71 Ant A Measured P_{Max} for all DSI - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.67	23.70	23.91	0	0	
	1	25	23.47	23.92	23.86		0	
	1	49	23.78	23.82	23.84		0	
	25	0	22.60	22.89	22.97	0-1	1	
	25	12	22.67	22.95	23.04		1	
	25	25	22.67	23.02	22.98		1	
16QAM	50	0	22.70	22.91	23.01	0-1	1	
	1	0	23.36	23.50	23.75		0-1	1
	1	25	23.20	23.38	23.56			1
	1	49	23.32	23.41	23.53	0-2		1
	25	0	21.67	21.92	22.06		2	
	25	12	21.72	21.93	22.11		2	
64QAM	25	25	21.75	22.00	22.10	0-2	2	
	50	0	21.70	21.92	22.07		2	
	1	0	22.31	22.49	22.61		0-2	2
	1	25	22.43	22.67	22.52	0-3		2
	1	49	22.28	22.53	22.56			2
	25	0	20.64	20.90	21.02		0-3	3
25	12	20.70	20.97	21.04	3			
25	25	20.74	21.00	21.03	3			
256QAM	50	0	20.69	20.85	20.99	0-5	3	
	1	0	18.96	19.09	19.32		0-5	5
	1	25	19.05	19.34	19.51			5
	1	49	18.96	19.36	19.38	0-5		5
	25	0	18.54	18.93	18.97		5	
	25	12	18.68	18.94	19.09		5	
256QAM	25	25	18.70	19.02	19.01	0-5	5	
	50	0	18.66	18.91	19.04		5	

Table H-3
LTE Band 71 Ant A Measured P_{Max} for all DSI - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.45	23.99	23.91	0	0	
	1	12	23.45	23.95	24.01		0	
	1	24	23.42	23.87	23.85		0	
	12	0	22.54	22.88	22.90	0-1	1	
	12	6	22.65	22.94	22.98		1	
	12	13	22.54	22.96	22.98		1	
16QAM	25	0	22.59	22.85	22.89	0-1	1	
	1	0	23.00	23.38	23.42		0-1	1
	1	12	23.06	23.40	23.44			1
	1	24	23.11	23.25	23.50	0-2		1
	12	0	21.63	21.92	21.99		2	
	12	6	21.65	21.97	21.99		2	
64QAM	12	13	21.69	21.99	22.01	0-2	2	
	25	0	21.63	21.91	21.98		2	
	1	0	22.24	22.27	22.58		0-2	2
	1	12	22.10	22.35	22.50	2		
	1	24	22.08	22.27	22.54	2		
	256QAM	12	0	20.88	20.93	20.97	0-3	3
12		6	20.96	20.98	21.05	3		
12		13	20.99	21.03	21.04	3		
25		0	20.93	20.87	20.93	0-5	3	
1		0	19.29	19.33	19.37		0-5	5
1		12	19.37	19.37	19.48			5
1	24	19.31	19.44	19.28	5			
256QAM	12	0	18.97	18.96	19.02	0-5	5	
	12	6	19.03	19.00	19.00		5	
	12	13	19.04	18.97	19.08		5	
	25	0	18.92	18.99	18.93		5	

Table H-4

LTE Band 71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 133297 (680.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
QPSK	1	0	23.21	0	0
	1	36	23.51		0
	1	74	23.44		0
	36	0	22.43	0-1	1
	36	18	22.47		1
	36	37	22.50		1
	75	0	22.43		1
16QAM	1	0	22.53	0-1	1
	1	36	22.74		1
	1	74	22.71		1
	36	0	21.41	0-2	2
	36	18	21.51		2
	36	37	21.54		2
	75	0	21.42		2
64QAM	1	0	21.42	0-2	2
	1	36	21.58		2
	1	74	21.67		2
	36	0	20.38	0-3	3
	36	18	20.49		3
	36	37	20.53		3
	75	0	20.45		3
256QAM	1	0	18.41	0-5	5
	1	36	18.39		5
	1	74	18.70		5
	36	0	18.39		5
	36	18	18.45		5
	36	37	18.45		5
	75	0	18.43		5

Table H-5

LTE Band 71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	22.95	23.36	23.64	0	0	
	1	25	23.36	23.74	23.63		0	
	1	49	23.34	23.60	23.77		0	
	25	0	22.15	22.46	22.67	0-1	1	
	25	12	22.23	22.52	22.75		1	
	25	25	22.21	22.61	22.68		1	
16QAM	50	0	22.18	22.46	22.72	0-1	1	
	1	0	22.22	22.44	22.92		1	
	1	25	22.31	22.80	22.91		1	
	1	49	22.25	22.69	22.88	0-2	1	
	25	0	21.19	21.48	21.69		2	
	25	12	21.21	21.55	21.76		2	
64QAM	25	25	21.15	21.66	21.75	0-2	2	
	50	0	21.22	21.53	21.70		2	
	1	0	21.36	21.45	21.96		2	
	1	25	21.51	21.65	21.86	0-2	2	
	1	49	21.40	21.63	21.84		2	
	25	0	20.21	20.50	20.62		0-3	3
256QAM	25	12	20.27	20.53	20.74	0-3		3
	25	25	20.25	20.65	20.75			3
	50	0	20.26	20.46	20.65		3	
	1	0	18.06	18.56	18.50	0-5	5	
	1	25	18.31	18.52	18.97		5	
	1	49	18.21	18.42	18.77		5	
25	0	18.12	18.45	18.58	5			
25	12	18.21	18.56	18.71	5			
25	25	18.17	18.52	18.73	5			
50	0	18.14	18.44	18.71	5			

Table H-6

LTE Band 71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.20	23.43	23.60	0	0	
	1	12	23.09	23.50	23.61		0	
	1	24	23.17	23.39	23.55		0	
	12	0	22.05	22.46	22.68	0-1	1	
	12	6	22.21	22.50	22.77		1	
	12	13	22.16	22.55	22.67		1	
16QAM	25	0	22.11	22.44	22.67	0-1	1	
	1	0	22.40	22.52	22.86		1	
	1	12	22.19	22.68	22.83		0-1	1
	1	24	22.36	22.72	22.70	1		
	12	0	21.14	21.54	21.66	0-2		2
	12	6	21.22	21.42	21.78		2	
12	13	21.17	21.48	21.76	2			
64QAM	25	0	21.15	21.47	21.71	0-2	2	
	1	0	21.31	21.70	21.80		0-2	2
	1	12	21.22	21.65	21.89			2
	1	24	21.21	21.40	21.76	0-3		2
	12	0	20.16	20.54	20.66		3	
	12	6	20.26	20.53	20.75		3	
256QAM	12	13	20.13	20.57	20.69	0-3	3	
	25	0	20.20	20.53	20.69		3	
	1	0	18.03	18.53	18.66		0-5	5
	1	12	18.52	18.75	18.94	5		
	1	24	18.18	18.57	18.71	5		
	12	0	18.05	18.47	18.59	5		
12	6	18.23	18.47	18.78	5			
12	13	18.16	18.44	18.66	5			
25	0	18.15	18.52	18.65	5			

Table H-7
LTE Band 71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz) Conducted Power [dBm]		
QPSK	1	0	22.23	0	0
	1	36	22.18		0
	1	74	22.66		0
	36	0	22.16	0-1	0.3
	36	18	22.20		0.3
	36	37	22.30		0.3
	75	0	22.10		0.3
16QAM	1	0	22.22	0-1	0.3
	1	36	22.27		0.3
	1	74	22.80		0.3
	36	0	21.59	0-2	1.3
	36	18	21.64		1.3
	36	37	21.71		1.3
	75	0	21.60		1.3
64QAM	1	0	21.50	0-2	1.3
	1	36	21.78		1.3
	1	74	21.75		1.3
	36	0	20.55	0-3	2.3
	36	18	20.68		2.3
	36	37	20.66		2.3
	75	0	20.64		2.3
256QAM	1	0	18.66	0-5	4.3
	1	36	18.51		4.3
	1	74	18.71		4.3
	36	0	18.58		4.3
	36	18	18.62		4.3
	36	37	18.64		4.3
	75	0	18.54		4.3

Table H-8
LTE Band 71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	21.92	22.19	22.20	0	0	
	1	25	21.95	22.13	22.20		0	
	1	49	21.99	22.19	22.25		0	
	25	0	21.79	22.15	22.21	0-1	0.3	
	25	12	21.93	22.16	22.37		0.3	
	25	25	21.88	22.13	22.36		0.3	
16QAM	50	0	21.95	22.09	22.36	0-1	0.3	
	1	0	21.95	22.56	22.50		0-1	0.3
	1	25	22.07	22.37	22.54			0.3
	1	49	21.91	22.23	22.46	0-2		0.3
	25	0	21.21	21.56	21.67		1.3	
	25	12	21.31	21.60	21.70		1.3	
64QAM	25	25	21.31	21.63	21.74	0-2	1.3	
	50	0	21.31	21.55	21.66		1.3	
	1	0	21.57	21.59	21.84		0-2	1.3
	1	25	21.45	21.63	21.85	1.3		
	1	49	21.53	21.67	21.72	1.3		
	256QAM	25	0	20.17	20.48	20.75	0-3	2.3
25		12	20.32	20.54	20.80	2.3		
25		25	20.20	20.62	20.70	2.3		
50		0	20.30	20.54	20.81	0-5	2.3	
1		0	18.11	18.47	18.81		4.3	
1		25	18.43	18.56	18.72		4.3	
256QAM	1	49	18.34	18.53	18.74	0-5	4.3	
	25	0	18.17	18.45	18.65		4.3	
	25	12	18.24	18.53	18.73		4.3	
	25	25	18.28	18.57	18.71	4.3		
	50	0	18.34	18.42	18.70	4.3		

Table H-9
LTE Band 71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	22.16	22.26	22.41	0	0	
	1	12	22.12	22.20	22.33		0	
	1	24	22.06	22.20	22.37		0	
	12	0	21.90	22.15	22.38	0-1	0.3	
	12	6	22.05	22.32	22.42		0.3	
	12	13	21.93	22.23	22.37		0.3	
16QAM	25	0	21.95	22.19	22.33	0-1	0.3	
	1	0	22.01	22.36	22.83		0-1	0.3
	1	12	22.12	22.33	22.52			0.3
	1	24	22.14	22.58	22.34	0-2		0.3
	12	0	21.43	21.69	21.89		1.3	
	12	6	21.55	21.70	21.89		1.3	
64QAM	12	13	21.32	21.76	21.87	0-2	1.3	
	25	0	21.40	21.72	21.80		1.3	
	1	0	21.61	21.86	21.86		0-2	1.3
	1	12	21.70	21.79	21.98	1.3		
	1	24	21.37	21.78	22.00	1.3		
	256QAM	12	0	20.44	20.62	20.81	0-3	2.3
12		6	20.45	20.64	20.91	2.3		
12		13	20.44	20.76	20.82	2.3		
25		0	20.42	20.65	20.90	0-5	2.3	
1		0	18.41	18.74	18.68		4.3	
1		12	18.62	18.71	18.85		4.3	
256QAM	1	24	18.45	18.70	18.81	0-5	4.3	
	12	0	18.33	18.58	18.84		4.3	
	12	6	18.33	18.65	18.86		4.3	
	12	13	18.31	18.65	18.76	4.3		
	25	0	18.35	18.68	18.82	4.3		

H.1.2 LTE Band 12

Table H-10
LTE Band 12 Ant A Measured P_{Max} for all DSI - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.27	24.12	24.07	0	0
	1	12	24.22	24.16	24.09		0
	1	24	24.20	24.07	24.01		0
	12	0	23.14	23.02	22.99	0-1	1
	12	6	23.20	23.03	23.00		1
	12	13	23.07	23.06	22.98		1
16QAM	25	0	23.11	22.99	23.05	0-1	1
	1	0	23.50	23.36	23.24		1
	1	12	23.38	23.47	23.31		1
	1	24	23.31	23.24	23.28	0-2	1
	12	0	22.19	22.03	22.00		2
	12	6	22.26	22.11	22.06		2
64QAM	12	13	22.16	22.07	22.02	0-2	2
	25	0	22.19	22.01	22.05		2
	1	0	22.23	22.33	22.10		0-2
	1	12	22.22	22.29	22.37	2	
	1	24	22.06	22.30	22.36	2	
	256QAM	12	0	21.20	21.12	21.03	0-3
12		6	21.19	21.05	21.00	3	
12		13	21.14	21.05	20.98	3	
25		0	21.17	21.03	20.99	0-5	3
1		0	19.25	19.12	19.07		5
1		12	19.39	19.52	19.21		5
256QAM	1	24	19.27	19.09	19.02	0-5	5
	12	0	19.18	19.04	19.01		5
	12	6	19.22	19.09	18.93		5
	12	13	19.10	19.01	19.05	5	
	25	0	19.09	19.02	19.01	5	

Table H-11
LTE Band 12 Ant A Measured P_{Max} for all DSI - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.20	23.93	23.95	0	0
	1	7	24.17	24.08	24.01		0
	1	14	24.09	23.90	23.91		0
	8	0	23.15	22.96	22.95	0-1	1
	8	4	23.15	22.99	22.95		1
	8	7	23.10	22.99	22.97		1
16QAM	15	0	23.11	22.93	22.95	0-1	1
	1	0	23.33	23.01	23.14		1
	1	7	23.34	23.32	23.37		1
	1	14	23.20	23.14	23.14	0-2	1
	8	0	22.16	22.10	22.07		2
	8	4	22.21	22.09	22.06		2
64QAM	8	7	22.15	22.10	22.09	0-2	2
	15	0	22.05	21.99	21.94		2
	1	0	22.20	22.09	22.10		0-2
	1	7	22.52	22.47	22.17	2	
	1	14	22.28	21.95	22.06	2	
	256QAM	8	0	21.17	20.99	21.09	0-3
8		4	21.21	21.08	21.06	3	
8		7	21.20	21.16	21.07	3	
15		0	21.16	21.01	20.97	0-5	3
1		0	19.30	18.90	19.03		5
1		7	19.29	19.27	19.18		5
256QAM	1	14	19.25	19.03	19.20	0-5	5
	8	0	19.08	19.04	18.94		5
	8	4	19.18	19.13	19.05		5
	8	7	19.12	19.06	19.04	5	
	15	0	19.15	18.96	18.91	5	

Table H-12
LTE Band 12 Ant A Measured P_{Max} for all DSI – 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.98	24.03	23.90	0	0
	1	2	24.03	24.11	23.90		0
	1	5	24.00	24.01	23.81		0
	3	0	24.00	23.96	23.96		0
	3	2	23.99	23.98	23.91		0
	3	3	23.96	23.92	23.85		0
16QAM	6	0	23.04	22.97	22.90	0-1	1
	1	0	23.29	23.29	23.17		1
	1	2	23.38	23.18	23.21		1
	1	5	23.32	23.20	23.37		1
	3	0	23.16	23.17	23.11		1
	3	2	23.22	23.03	23.05		1
64QAM	3	3	23.15	23.16	22.99	0-2	1
	6	0	22.17	22.07	21.95		2
	1	0	22.23	22.13	22.12		2
	1	2	22.30	22.19	22.31		2
	1	5	22.30	22.00	22.06		2
	3	0	22.26	22.16	22.17		2
256QAM	3	2	22.23	22.16	22.20	0-3	2
	3	3	22.20	22.12	22.14		2
	6	0	21.14	21.05	20.99		3
	1	0	19.11	19.17	19.06		5
	1	2	19.28	19.17	19.14		5
	1	5	19.13	19.17	19.19		5
16QAM	3	0	19.29	19.19	18.99	0-5	5
	3	2	19.33	19.18	18.99		5
	3	3	19.32	19.16	18.98		5
	6	0	19.14	19.02	19.04		5

Table H-13
LTE Band 12 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.96	23.86	23.93	0	0	
	1	12	23.86	23.69	23.94		0	
	1	24	23.82	23.40	23.89		0	
	12	0	22.85	22.85	22.89		0-1	1
	12	6	22.91	22.85	22.98			1
	12	13	22.84	22.92	22.96			1
16QAM	25	0	22.86	22.89	22.97	0-2	1	
	1	0	23.08	23.16	23.21		1	
	1	12	23.04	22.99	23.09		0-1	1
	1	24	22.95	23.04	23.16			1
	12	0	21.85	21.88	21.94			2
	64QAM	12	6	21.97	21.93		22.05	0-2
12		13	21.91	21.91	22.00	2		
25		0	21.92	21.90	22.09	2		
1		0	21.98	22.01	22.15	0-2	2	
1		12	21.94	22.04	22.25		2	
1		24	22.00	21.90	22.07		2	
256QAM	12	0	20.81	20.94	20.89	0-3	3	
	12	6	20.93	20.93	21.00		3	
	12	13	20.92	20.87	20.98		3	
	25	0	20.94	20.93	21.00	3		
	1	0	18.84	18.87	18.97	0-5	5	
	1	12	18.98	19.13	19.16		5	
1	24	18.89	18.82	18.94	5			
12	0	18.89	18.89	18.92	5			
12	6	18.98	18.91	18.94	5			
12	13	18.85	18.87	18.90	5			
25	0	18.86	18.92	18.96	5			

Table H-14

LTE Band 12 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.89	23.80	23.89	0	0	
	1	7	23.92	23.95	23.94		0	
	1	14	23.78	23.73	23.78		0	
	8	0	22.91	22.86	22.92	0-1	1	
	8	4	22.89	22.92	23.02		1	
	8	7	22.88	22.94	22.90		1	
16QAM	15	0	22.88	22.92	22.87	0-1	1	
	1	0	23.11	22.93	22.99		1	
	1	7	23.13	23.20	23.11		1	
	1	14	22.89	23.00	22.92	0-2	1	
	8	0	21.87	21.92	21.95		2	
	8	4	21.97	21.99	22.03		2	
64QAM	8	7	21.92	21.91	22.04	0-2	2	
	15	0	21.92	21.96	21.86		2	
	1	0	21.94	21.91	22.01		2	
	1	7	22.05	21.94	22.14	0-2	2	
	1	14	21.94	21.90	22.03		2	
	8	0	20.93	20.92	20.89		0-3	3
8	4	20.97	21.05	21.05	3			
8	7	20.98	20.95	20.96	3			
256QAM	15	0	20.87	20.96	20.88	0-3	3	
	1	0	18.80	18.92	18.88		0-5	5
	1	7	18.98	19.12	19.21			5
	1	14	18.92	19.02	19.02	5		
	8	0	18.96	18.86	18.95	5		
	8	4	18.93	18.98	18.99	5		
8	7	18.91	18.94	18.97	5			
15	0	18.86	18.88	18.87	5			

Table H-15

LTE Band 12 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) – 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.75	23.80	23.84	0	0	
	1	2	23.72	23.73	23.84		0	
	1	5	23.80	23.74	23.89		0	
	3	0	23.81	23.78	23.73	0-1	0	
	3	2	23.81	23.81	23.81		0	
	3	3	23.85	23.77	23.85		0	
16QAM	6	0	22.81	22.81	22.82	0-1	1	
	1	0	22.99	23.03	23.04		1	
	1	2	22.95	23.16	23.09		1	
	1	5	23.02	22.93	23.02	0-1	1	
	3	0	22.92	22.85	22.93		1	
	3	2	22.97	22.97	22.97		1	
64QAM	3	3	22.88	22.95	23.04	0-2	1	
	6	0	21.90	21.91	22.00		2	
	1	0	21.86	22.11	22.04		2	
	1	2	22.01	21.97	22.13	0-2	2	
	1	5	22.02	22.02	22.16		2	
	3	0	21.93	21.93	21.98		2	
256QAM	3	2	21.95	21.98	22.00	0-2	2	
	3	3	22.00	21.99	21.96		2	
	6	0	20.92	20.85	20.93		0-3	3
	1	0	18.92	18.83	19.00	0-5		5
	1	2	18.95	18.90	19.05			5
	1	5	18.87	18.96	18.93		5	
3	0	18.92	18.81	18.97	5			
3	2	18.89	18.96	19.00	5			
3	3	18.82	18.92	18.90	5			
6	0	18.78	18.88	18.92	5			

Table H-16
LTE Band 12 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]		
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)				
Conducted Power [dBm]									
QPSK	1	0	21.44	21.61	21.54	0	0		
	1	12	21.50	21.59	21.57		0		
	1	24	21.50	21.53	21.51		0		
	QPSK	12	0	21.50	21.61	21.55	0-1	0	
		12	6	21.65	21.60	21.75		0	
		12	13	21.49	21.50	21.68		0	
		25	0	21.48	21.57	21.65		0	
16QAM		1	0	21.79	21.59	21.77		0-1	0
		1	12	21.72	21.81	21.71			0
	1	24	21.64	21.77	21.81	0			
	16QAM	12	0	21.59	21.57	21.66	0-2	0.2	
		12	6	21.59	21.62	21.71		0.2	
		12	13	21.57	21.64	21.67		0.2	
		25	0	21.54	21.58	21.69		0.2	
64QAM		1	0	21.60	21.68	21.94		0-2	0.2
	1	12	21.76	21.77	21.77	0.2			
	1	24	21.55	21.63	21.59	0.2			
	64QAM	12	0	21.09	21.11	21.22	0-3	1.2	
		12	6	21.18	21.11	21.23		1.2	
		12	13	21.07	21.16	21.11		1.2	
		25	0	21.07	21.14	21.18		1.2	
256QAM		1	0	19.12	19.02	19.06		0-5	3.2
	1	12	19.15	19.30	19.28	3.2			
	1	24	19.04	19.15	19.19	3.2			
	12	0	19.05	19.07	19.07	3.2			
	12	6	19.19	19.11	19.22	3.2			
	12	13	19.06	19.09	19.10	3.2			
	25	0	19.05	19.05	19.14	3.2			

Table H-17
LTE Band 12 Ant E Measured P_{Limit} for DSI = 1 (Head) - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	21.69	21.68	21.65	0	0	
	1	7	21.67	21.61	21.67		0	
	1	14	21.48	21.63	21.72		0	
	QPSK	8	0	21.54	21.63	21.54	0-1	0
		8	4	21.57	21.66	21.59		0
		8	7	21.49	21.60	21.58		0
		15	0	21.51	21.63	21.56		0
16QAM		1	0	21.62	21.66	21.68		0-1
	1	7	21.66	21.75	21.79	0		
	1	14	21.72	21.66	21.57	0		
	16QAM	8	0	21.66	21.58	21.71	0-2	0.2
		8	4	21.63	21.68	21.69		0.2
		8	7	21.59	21.69	21.63		0.2
		15	0	21.59	21.61	21.60		0.2
64QAM	1	0	21.48	21.66	21.68	0-2	0.2	
	1	7	21.73	21.76	21.78		0.2	
	1	14	21.55	21.52	21.59		0.2	
	64QAM	8	0	21.18	21.11	21.16	0-3	1.2
		8	4	21.12	21.31	21.16		1.2
		8	7	21.09	21.09	21.28		1.2
		15	0	21.13	21.11	21.14		1.2
256QAM		1	0	19.04	19.12	19.04		0-5
	1	7	19.17	19.16	19.19	3.2		
	1	14	19.04	19.20	19.11	3.2		
	8	0	19.13	19.09	19.12	3.2		
	8	4	19.12	19.15	19.12	3.2		
	8	7	19.09	19.13	19.10	3.2		
	15	0	19.09	19.10	19.18	3.2		

Table H-18
LTE Band 12 Ant E Measured P_{Limit} for DSI = 1 (Head) – 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.65	21.66	21.59	0	0
	1	2	21.58	21.65	21.63		0
	1	5	21.63	21.62	21.62		0
	3	0	21.59	21.58	21.58		0
	3	2	21.54	21.59	21.56		0
	3	3	21.52	21.53	21.57		0
16QAM	6	0	21.55	21.57	21.56	0-1	0
	1	0	21.48	21.62	21.65	0-1	0
	1	2	21.75	21.74	21.85		0
	1	5	21.56	21.64	21.67		0
	3	0	21.52	21.58	21.60		0
	3	2	21.54	21.61	21.61		0
3	3	21.49	21.56	21.59	0		
64QAM	6	0	21.51	21.59	21.65	0-2	0.2
	1	0	21.76	21.63	21.65	0-2	0.2
	1	2	21.70	21.81	21.80		0.2
	1	5	21.66	21.75	21.78		0.2
	3	0	21.51	21.65	21.70		0.2
	3	2	21.68	21.59	21.65		0.2
3	3	21.67	21.66	21.63	0.2		
256QAM	6	0	21.10	21.09	21.11	0-3	1.2
	1	0	19.03	19.14	19.19	0-5	3.2
	1	2	19.18	19.15	19.14		3.2
	1	5	19.03	19.05	19.25		3.2
	3	0	19.07	18.97	19.19		3.2
	3	2	19.04	19.19	19.24		3.2
3	3	19.11	19.11	19.18	3.2		
256QAM	6	0	19.04	19.06	19.12		3.2

H.1.3 LTE Band 13

Table H-19
LTE Band 13 Ant A Measured P_{Max} for all DSI - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz) Conducted Power [dBm]		
QPSK	1	0	23.68	0	0
	1	12	23.71		0
	1	24	23.61		0
	12	0	22.69	0-1	1
	12	6	22.76		1
	12	13	22.73		1
	25	0	22.72		1
16QAM	1	0	23.39	0-1	1
	1	12	23.42		1
	1	24	23.15		1
	12	0	21.73	0-2	2
	12	6	21.84		2
	12	13	21.74		2
	25	0	21.75		2
64QAM	1	0	22.34	0-2	2
	1	12	22.43		2
	1	24	22.26		2
	12	0	20.80	0-3	3
	12	6	20.80		3
	12	13	20.78		3
	25	0	20.76		3
256QAM	1	0	19.00	0-5	5
	1	12	19.13		5
	1	24	19.06		5
	12	0	18.72		5
	12	6	18.80		5
	12	13	18.79		5
	25	0	18.78		5

Table H-20
LTE Band 13 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz) Conducted Power [dBm]		
QPSK	1	0	23.52	0	0
	1	12	23.30		0
	1	24	23.32		0
	12	0	22.38	0-1	1
	12	6	22.40		1
	12	13	22.32		1
16QAM	25	0	22.29	0-1	1
	1	0	22.58		1
	1	12	22.54		1
	1	24	22.45	0-2	1
	12	0	21.38		2
	12	6	21.40		2
64QAM	12	13	21.32	0-2	2
	25	0	21.29		2
	1	0	21.49		0-2
	1	12	21.48	2	
	1	24	21.50	2	
	256QAM	12	0	20.32	0-3
12		6	20.39	3	
12		13	20.34	3	
25		0	20.33	0-5	3
1		0	18.41		5
1		12	18.42		5
256QAM	1	24	18.36	0-5	5
	12	0	18.33		5
	12	6	18.34		5
	12	13	18.28	0-5	5
	25	0	18.34		5
	25	0	18.34		5

Table H-21
LTE Band 13 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz) Conducted Power [dBm]		
QPSK	1	0	22.08	0	0
	1	12	22.08		0
	1	24	22.05		0
	12	0	21.97	0-1	0.5
	12	6	22.03		0.5
	12	13	21.95		0.5
16QAM	25	0	22.03	0-1	0.5
	1	0	22.20		0.5
	1	12	22.37		0.5
	1	24	22.21	0-2	0.5
	12	0	21.23		1.5
	12	6	21.25		1.5
64QAM	12	13	21.27	0-2	1.5
	25	0	21.19		1.5
	1	0	21.48		0-2
	1	12	21.42	1.5	
	1	24	21.36	1.5	
	256QAM	12	0	20.27	0-3
12		6	20.19	2.5	
12		13	20.19	2.5	
25		0	20.13	0-5	2.5
1		0	18.30		4.5
1		12	18.41		4.5
256QAM	1	24	18.25	0-5	4.5
	12	0	18.11		4.5
	12	6	18.15		4.5
	12	13	18.05	0-5	4.5
	25	0	18.15		4.5
	25	0	18.15		4.5

H.1.4 LTE Band 14

Table H-22
LTE Band 14 Ant A Measured P_{Max} for all DSI - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.69	0	0
	1	12	23.68		0
	1	24	23.66		0
	12	0	22.75	0-1	1
	12	6	22.72		1
	12	13	22.62		1
25	0	22.67	1		
16QAM	1	0	23.39	0-1	1
	1	12	23.34		1
	1	24	23.46		1
	12	0	21.81	0-2	2
	12	6	21.79		2
	12	13	21.73		2
25	0	21.70	2		
64QAM	1	0	22.32	0-2	2
	1	12	22.27		2
	1	24	22.26		2
	12	0	20.84	0-3	3
	12	6	20.80		3
	12	13	20.70		3
25	0	20.74	3		
256QAM	1	0	19.07	0-5	5
	1	12	19.17		5
	1	24	19.02		5
	12	0	18.77		5
	12	6	18.77		5
	12	13	18.69		5
	25	0	18.75	5	

Table H-23
LTE Band 14 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.64	0	0
	1	12	23.75		0
	1	24	23.58		0
	12	0	22.61	0-1	1
	12	6	22.74		1
	12	13	22.56		1
25	0	22.65	1		
16QAM	1	0	22.77	0-1	1
	1	12	22.95		1
	1	24	22.72		1
	12	0	21.64	0-2	2
	12	6	21.68		2
	12	13	21.58		2
25	0	21.67	2		
64QAM	1	0	21.77	0-2	2
	1	12	21.65		2
	1	24	21.64		2
	12	0	20.58	0-3	3
	12	6	20.68		3
	12	13	20.55		3
25	0	20.64	3		
256QAM	1	0	18.64	0-5	5
	1	12	18.90		5
	1	24	18.62		5
	12	0	18.69		5
	12	6	18.73		5
	12	13	18.56		5
	25	0	18.62	5	

Table H-24
LTE Band 14 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz) Conducted Power [dBm]		
QPSK	1	0	21.24	0	0
	1	12	21.15		0
	1	24	21.16		0
	12	0	21.26	0-1	0
	12	6	21.28		0
	12	13	21.21		0
	25	0	21.20		0
16QAM	1	0	21.34	0-1	0
	1	12	21.54		0
	1	24	21.30		0
	12	0	21.30	0-2	0.2
	12	6	21.27		0.2
	12	13	21.24		0.2
64QAM	25	0	21.25	0.2	
	1	0	21.39	0-2	0.2
	1	12	21.39		0.2
	1	24	21.37		0.2
	12	0	20.72	0-3	1.2
	12	6	20.86		1.2
	12	13	20.68		1.2
25	0	20.73	1.2		
256QAM	1	0	18.93	0-5	3.2
	1	12	18.88		3.2
	1	24	18.68		3.2
	12	0	18.79		3.2
	12	6	18.79		3.2
	12	13	18.72		3.2
	25	0	18.79		3.2

H.1.5 LTE Band 26

Table H-25
LTE Band 26 Ant A Measured P_{Max} for all DSI - 10 MHz Bandwidth

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.80	23.71	23.64	0	0
	1	25	23.76	23.65	23.57		0
	1	49	23.75	23.62	23.68		0
	25	0	22.82	22.74	22.65	0-1	1
	25	12	22.85	22.79	22.71		1
	25	25	22.83	22.77	22.71		1
16QAM	50	0	22.86	22.73	22.74	0-1	1
	1	0	23.04	22.75	22.80		1
	1	25	23.07	23.13	22.89		1
	1	49	22.95	22.98	22.87	0-2	1
	25	0	21.80	21.77	21.66		2
	25	12	21.89	21.75	21.79		2
64QAM	25	25	21.85	21.77	21.68	0-2	2
	50	0	21.82	21.72	21.74		2
	1	0	22.05	22.07	21.98		2
	1	25	22.07	22.03	21.82	0-3	2
	1	49	22.12	22.22	21.92		2
	25	0	20.34	20.69	20.72		3
256QAM	25	12	20.89	20.77	20.80	0-3	3
	25	25	20.83	20.81	20.73		3
	50	0	20.85	20.68	20.73		3
	1	0	18.97	18.89	18.91	0-5	5
	1	25	19.10	18.95	18.98		5
	1	49	18.92	18.90	18.78		5
25	0	18.83	18.83	18.68	5		
25	12	18.85	18.77	18.77	5		
25	25	18.91	18.85	18.71	5		
256QAM	50	0	18.79	18.66	18.78	5	

Table H-26
LTE Band 26 Ant A Measured P_{Max} for all DSI - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.77	23.79	23.56	0	0	
	1	12	23.90	23.83	23.47		0	
	1	24	23.85	23.83	23.48		0	
	12	0	22.80	22.72	22.60	0-1	1	
	12	6	22.83	22.73	22.72		1	
	12	13	22.78	22.72	22.67		1	
16QAM	25	0	22.81	22.70	22.70	0-1	1	
	1	0	23.13	22.91	23.00		0-1	1
	1	12	23.09	23.00	22.93			1
	1	24	22.98	22.88	22.72	0-2		1
	12	0	21.85	21.75	21.67		2	
	12	6	21.95	21.77	21.80		2	
64QAM	12	13	21.91	21.78	21.68	0-2	2	
	25	0	21.79	21.73	21.68		2	
	1	0	21.74	22.04	21.76		0-2	2
	1	12	21.97	22.01	21.84	2		
	1	24	21.93	22.03	21.81	2		
	256QAM	12	0	20.78	20.66	20.71	0-3	3
12		6	20.89	20.70	20.81	3		
12		13	20.88	20.73	20.75	3		
25		0	20.87	20.65	20.68	0-5	3	
1		0	18.84	18.84	18.71		5	
1		12	19.02	18.99	18.88		5	
256QAM	1	24	18.79	18.93	18.70	0-5	5	
	12	0	18.90	18.80	18.68		5	
	12	6	18.90	18.71	18.75		5	
	12	13	18.87	18.79	18.70	0-5	5	
	25	0	18.88	18.66	18.72		5	

Table H-27
LTE Band 26 Ant A Measured P_{Max} for all DSI - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.71	23.66	23.57	0	0
	1	7	23.89	23.74	23.66		0
	1	14	23.71	23.68	23.59		0
	8	0	22.79	22.70	22.55	0-1	1
	8	4	22.83	22.76	22.55		1
	8	7	22.74	22.72	22.62		1
16QAM	15	0	22.81	22.69	22.60	0-1	1
	1	0	23.00	22.91	22.79		1
	1	7	22.88	22.95	23.03		1
	8	0	21.84	21.72	21.73	0-2	2
	8	4	21.86	21.83	21.64		2
	8	7	21.86	21.77	21.72		2
64QAM	15	0	21.83	21.66	21.61	0-2	2
	1	0	21.89	21.94	21.85		2
	1	7	22.00	22.07	21.86		2
	1	14	21.90	22.12	21.80	0-3	2
	8	0	20.74	20.77	20.62		3
	8	4	20.85	20.85	20.61		3
256QAM	8	7	20.83	20.82	20.71	0-3	3
	15	0	20.88	20.70	20.65		3
	1	0	19.06	18.72	18.75		0-5
	1	7	19.00	18.91	18.76	5	
	1	14	18.96	18.86	18.75	5	
	8	0	18.82	18.79	18.67	5	
8	4	18.90	18.87	18.67	5		
8	7	18.91	18.80	18.67	5		
256QAM	15	0	18.83	18.68	18.58	0-5	5

Table H-28
LTE Band 26 Ant A Measured P_{Max} for all DSI – 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.75	23.65	23.47	0	0	
	1	2	23.73	23.73	23.49		0	
	1	5	23.71	23.68	23.44		0	
	3	0	23.72	23.73	23.56	0-1	0	
	3	2	23.76	23.73	23.58		0	
	3	3	23.78	23.74	23.54		0	
16QAM	6	0	22.32	22.23	22.27	0-1	1	
	1	0	23.01	22.90	22.83		1	
	1	2	23.02	22.94	22.83		1	
	3	0	22.98	22.84	22.72	0-1	1	
	3	2	22.91	22.90	22.77		1	
	3	3	22.91	22.80	22.70		1	
64QAM	6	0	21.93	21.77	21.73	0-2	2	
	1	0	21.97	21.83	21.65		0-2	2
	1	2	22.21	21.93	21.90			2
	1	5	21.99	21.97	21.80	2		
	3	0	21.86	21.77	21.75	2		
	3	2	21.87	21.81	21.80	2		
3	3	21.81	21.81	21.81	2			
256QAM	6	0	20.75	20.71	20.62	0-3	3	
	1	0	19.04	18.87	18.77		0-5	5
	1	2	18.90	18.96	18.82			5
	1	5	18.97	18.83	18.69	5		
	3	0	18.93	18.68	18.66	5		
	3	2	18.93	18.68	18.72	5		
3	3	18.92	18.68	18.61	5			
256QAM	6	0	18.77	18.71	18.53	0-5	5	

Table H-29

LTE Band 26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 26 (Cell)								
10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.46	23.53	23.60	0	0	
	1	25	23.39	23.52	23.57		0	
	1	49	23.40	23.61	23.57		0	
	25	0	22.36	22.49	22.52	0-1	1	
	25	12	22.43	22.48	22.50		1	
	25	25	22.40	22.57	22.59		1	
16QAM	50	0	22.37	22.45	22.44	0-1	1	
	1	0	22.60	22.73	22.70		1	
	1	25	22.79	22.66	22.58		1	
	1	49	22.53	22.83	22.84	0-2	1	
	25	0	21.41	21.49	21.53		2	
	25	12	21.45	21.53	21.55		2	
64QAM	25	25	21.46	21.48	21.55	0-2	2	
	50	0	21.39	21.53	21.50		2	
	1	0	21.53	21.67	21.51		2	
	1	25	21.54	21.67	21.57	0-2	2	
	1	49	21.49	21.65	21.56		2	
	25	0	20.40	20.52	20.47		0-3	3
25	12	20.51	20.48	20.45	3			
25	25	20.47	20.55	20.47	3			
256QAM	50	0	20.40	20.53	20.49	0-3	3	
	1	0	18.48	18.56	18.59		0-5	5
	1	25	18.53	18.48	18.59			5
	1	49	18.45	18.54	18.51	0-5		5
	25	0	18.40	18.49	18.49		5	
	25	12	18.45	18.53	18.44		5	
256QAM	25	25	18.40	18.52	18.56	0-5	5	
	50	0	18.45	18.41	18.52		5	

Table H-30

LTE Band 26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 26 (Cell)							
5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.51	23.51	23.49	0	0
	1	12	23.33	23.50	23.39		0
	1	24	23.48	23.45	23.55		0
	12	0	22.36	22.47	22.43	0-1	1
	12	6	22.44	22.50	22.51		1
	12	13	22.36	22.50	22.49		1
16QAM	25	0	22.39	22.45	22.49	0-1	1
	1	0	22.56	22.86	22.73		1
	1	12	22.67	22.67	22.55		1
	1	24	22.60	22.61	22.62	0-2	1
	12	0	21.39	21.54	21.41		2
	12	6	21.52	21.54	21.59		2
64QAM	12	13	21.46	21.53	21.49	0-2	2
	25	0	21.41	21.52	21.53		2
	1	0	21.52	21.54	21.67		0-2
	1	12	21.48	21.66	21.73	2	
	1	24	21.49	21.58	21.64	2	
	256QAM	12	0	20.43	20.48	20.47	0-3
12		6	20.47	20.47	20.54	3	
12		13	20.42	20.52	20.53	3	
25		0	20.46	20.43	20.51	0-5	3
1		0	18.56	18.60	18.55		5
1		12	18.57	18.63	18.68		0-5
1	24	18.37	18.59	18.47	5		
12	0	18.31	18.46	18.39	5		
256QAM	12	6	18.43	18.47	18.58	0-5	5
	12	13	18.35	18.55	18.48		5
	25	0	18.41	18.50	18.53		5

Table H-31

LTE Band 26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.43	23.63	23.34	0	0
	1	7	23.41	23.57	23.55		0
	1	14	23.49	23.43	23.31		0
	8	0	22.39	22.45	22.40	0-1	1
	8	4	22.39	22.53	22.46		1
	8	7	22.39	22.49	22.45		1
16QAM	15	0	22.32	22.43	22.50	0-1	1
	1	0	22.54	22.50	22.51		1
	1	7	22.51	22.75	22.80		1
	1	14	22.48	22.61	22.58	0-2	1
	8	0	21.44	21.53	21.53		2
	8	4	21.49	21.60	21.51		2
64QAM	8	7	21.41	21.54	21.46	0-2	2
	15	0	21.44	21.49	21.54		2
	1	0	21.50	21.64	21.56		0-2
	1	7	21.53	21.68	21.64	2	
	1	14	21.50	21.48	21.47	2	
	256QAM	8	0	20.39	20.55	20.50	0-3
8		4	20.41	20.61	20.54	3	
8		7	20.42	20.54	20.58	3	
15		0	20.35	20.46	20.50	0-5	3
1		0	18.52	18.47	18.47		5
1		7	18.56	18.55	18.64		5
256QAM	1	14	18.30	18.47	18.32	0-5	5
	8	0	18.37	18.49	18.41		5
	8	4	18.37	18.55	18.58		5
	8	7	18.36	18.52	18.57	5	
	15	0	18.36	18.47	18.46	5	

Table H-32

LTE Band 26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot or Phablet) – 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.46	23.62	23.62	0	0
	1	2	23.44	23.75	23.56		0
	1	5	23.51	23.61	23.54		0
	3	0	23.60	23.67	23.56	0-1	0
	3	2	23.51	23.78	23.57		0
	3	3	23.45	23.76	23.55		0
16QAM	6	0	21.96	22.18	22.08	0-1	1
	1	0	22.63	22.96	22.71		1
	1	2	22.74	23.01	22.70		1
	1	5	22.63	22.97	22.72	0-1	1
	3	0	22.69	22.84	22.64		1
	3	2	22.62	22.86	22.74		1
64QAM	3	3	22.77	22.92	22.73	0-2	1
	6	0	21.57	21.80	21.67		2
	1	0	21.70	21.77	21.67		0-2
	1	2	21.73	22.10	21.86	2	
	1	5	21.61	21.91	21.70	2	
	256QAM	3	0	21.58	21.70	21.75	0-3
3		2	21.63	21.88	21.61	2	
3		3	21.55	21.83	21.62	2	
6		0	20.58	20.74	20.63	0-5	3
1		0	18.52	18.68	18.57		5
1		2	18.63	18.89	18.74		5
256QAM	1	5	18.47	18.85	18.60	0-5	5
	3	0	18.61	18.72	18.58		5
	3	2	18.62	18.87	18.54		5
	3	3	18.52	18.73	18.61	0-5	5
	6	0	18.53	18.70	18.64		5

Table H-33
LTE Band 26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	21.34	21.31	21.55	0	0
	1	25	21.21	21.48	21.16		0
	1	49	21.40	21.36	21.44		0
	25	0	21.24	21.26	21.22	0-1	0
	25	12	21.22	21.22	21.31		0
	25	25	21.21	21.37	21.21		0
50	0	21.13	21.20	21.23	0	0	
16QAM	1	0	21.05	21.35	21.49	0-1	0
	1	25	21.48	21.43	21.77		0
	1	49	21.19	21.42	21.26		0
	25	0	21.21	21.33	21.30	0-2	0
	25	12	21.27	21.40	21.31		0
	25	25	21.18	21.38	21.33		0
50	0	21.22	21.25	21.23	0	0	
64QAM	1	0	21.57	21.60	21.31	0-2	0
	1	25	21.30	21.33	21.52		0
	1	49	21.32	21.39	21.29		0
	25	0	20.50	20.47	20.55	0-3	0.5
	25	12	20.53	20.43	20.48		0.5
	25	25	20.51	20.65	20.48		0.5
50	0	20.45	20.53	20.50	0.5	0.5	
256QAM	1	0	18.41	18.56	18.46	0-5	2.5
	1	25	18.37	18.58	18.73		2.5
	1	49	18.26	18.64	18.47		2.5
	25	0	18.40	18.50	18.50	0-5	2.5
	25	12	18.47	18.48	18.43		2.5
	25	25	18.42	18.66	18.51		2.5
50	0	18.39	18.55	18.39	2.5	2.5	

Table H-34
LTE Band 26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	21.09	21.10	21.31	0	0
	1	12	21.07	21.34	21.17		0
	1	24	21.15	21.10	21.11		0
	12	0	21.15	21.26	21.21	0-1	0
	12	6	21.19	21.24	21.34		0
	12	13	21.12	21.30	21.31		0
25	0	21.15	21.24	21.33	0	0	
16QAM	1	0	21.35	21.39	21.41	0-1	0
	1	12	21.27	21.42	21.39		0
	1	24	21.23	21.35	21.51		0
	12	0	21.12	21.40	21.23	0-2	0
	12	6	21.32	21.35	21.41		0
	12	13	21.15	21.33	21.37		0
25	0	21.19	21.32	21.40	0	0	
64QAM	1	0	21.21	21.37	21.29	0-2	0
	1	12	21.19	21.42	21.43		0
	1	24	21.21	21.39	21.58		0
	12	0	20.42	20.56	20.47	0-3	0.5
	12	6	20.50	20.54	20.54		0.5
	12	13	20.40	20.63	20.56		0.5
25	0	20.41	20.53	20.54	0.5	0.5	
256QAM	1	0	18.31	18.62	18.50	0-5	2.5
	1	12	18.53	18.70	18.48		2.5
	1	24	18.35	18.64	18.54		2.5
	12	0	18.33	18.55	18.47	0-5	2.5
	12	6	18.43	18.50	18.51		2.5
	12	13	18.35	18.44	18.49		2.5
25	0	18.39	18.46	18.55	2.5	2.5	

Table H-35
LTE Band 26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	21.16	21.14	21.15	0	0
	1	7	21.17	21.30	21.20		0
	1	14	21.13	21.22	21.24		0
	8	0	21.18	21.25	21.16	0-1	0
	8	4	21.17	21.29	21.20		0
	8	7	21.09	21.29	21.22		0
	15	0	21.15	21.23	21.28		0
16QAM	1	0	21.29	21.54	21.25	0-1	0
	1	7	21.28	21.27	21.58		0
	1	14	21.66	21.45	21.29		0
	8	0	21.32	21.36	21.30	0-2	0
	8	4	21.23	21.38	21.41		0
	8	7	21.22	21.29	21.28		0
	15	0	21.19	21.20	21.31		0
64QAM	1	0	21.28	21.49	21.47	0-2	0
	1	7	21.26	21.39	21.46		0
	1	14	21.45	21.36	21.43		0
	8	0	20.40	20.53	20.50	0-3	0.5
	8	4	20.39	20.64	20.52		0.5
	8	7	20.42	20.58	20.54		0.5
	15	0	20.41	20.48	20.52		0.5
256QAM	1	0	18.50	18.58	18.50	0-5	2.5
	1	7	18.46	18.54	18.56		2.5
	1	14	18.37	18.59	18.54		2.5
	8	0	18.43	18.49	18.56		2.5
	8	4	18.33	18.49	18.56		2.5
	8	7	18.43	18.61	18.48		2.5
	15	0	18.40	18.40	18.47		2.5

Table H-36
LTE Band 26 Ant E Measured P_{Limit} for DSI = 1 (Head) – 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	21.07	21.09	21.06	0	0
	1	2	21.18	21.22	21.06		0
	1	5	21.10	21.15	21.14		0
	3	0	21.08	21.17	21.21	0-1	0
	3	2	21.07	21.20	21.29		0
	3	3	21.10	21.14	21.15		0
	6	0	21.13	21.15	21.18		0
16QAM	1	0	21.32	21.36	21.45	0-1	0
	1	2	21.43	21.46	21.46		0
	1	5	21.25	21.49	21.38		0
	3	0	21.10	21.28	21.30	0-1	0
	3	2	21.21	21.42	21.36		0
	3	3	21.18	21.36	21.36		0
	6	0	21.25	21.24	21.33		0
64QAM	1	0	21.18	21.38	21.47	0-2	0
	1	2	21.35	21.43	21.51		0
	1	5	21.33	21.51	21.35		0
	3	0	20.92	20.97	21.05	0-2	0
	3	2	20.78	20.95	20.98		0
	3	3	20.90	20.98	20.98		0
	6	0	20.45	20.49	20.56		0.5
256QAM	1	0	18.37	18.49	18.42	0-5	2.5
	1	2	18.41	18.74	18.60		2.5
	1	5	18.38	18.57	18.48		2.5
	3	0	18.43	18.51	18.58		2.5
	3	2	18.45	18.56	18.44		2.5
	3	3	18.35	18.48	18.43		2.5
	6	0	18.37	18.46	18.44		2.5

H.1.6 LTE Band 66

Table H-37
LTE Band 66 (AWS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.69	18.42	18.35	0	0
	1	36	18.55	18.29	18.38		0
	1	74	18.52	18.25	18.26		0
	36	0	18.50	18.25	18.30	0-1	0
	36	18	18.47	18.28	18.40		0
	36	37	18.38	18.22	18.39		0
	75	0	18.43	18.20	18.32		0
16QAM	1	0	18.69	18.59	18.59	0-1	0
	1	36	18.64	18.55	18.56		0
	1	74	18.54	18.53	18.63		0
	36	0	18.52	18.29	18.35	0-2	0
	36	18	18.50	18.27	18.43		0
	36	37	18.39	18.25	18.43		0
	75	0	18.47	18.28	18.39		0
64QAM	1	0	18.70	18.65	18.62	0-2	0
	1	36	18.65	18.55	18.71		0
	1	74	18.57	18.51	18.60		0
	36	0	18.53	18.27	18.34	0-3	0
	36	18	18.54	18.30	18.43		0
	36	37	18.42	18.25	18.42		0
	75	0	18.50	18.26	18.41		0
256QAM	1	0	18.69	18.56	18.63	0-5	0
	1	36	18.67	18.47	18.64		0
	1	74	18.48	18.57	18.54		0
	36	0	18.53	18.31	18.34	0-5	0
	36	18	18.52	18.28	18.43		0
	36	37	18.40	18.26	18.43		0
	75	0	18.50	18.27	18.42		0

Table H-38
LTE Band 66 (AWS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.55	18.47	18.44	0	0
	1	12	18.58	18.44	18.45		0
	1	24	18.48	18.31	18.45		0
	12	0	18.55	18.29	18.34	0-1	0
	12	6	18.50	18.29	18.47		0
	12	13	18.47	18.25	18.42		0
16QAM	25	0	18.44	18.25	18.40	0-1	0
	1	0	18.75	18.58	18.63		0
	1	12	18.85	18.59	18.69		0
	12	24	18.68	18.55	18.63	0-2	0
	12	0	18.64	18.35	18.44		0
	12	6	18.58	18.37	18.55		0
64QAM	12	13	18.49	18.31	18.50	0-2	0
	25	0	18.52	18.30	18.48		0
	1	0	18.81	18.53	18.69		0
	1	12	18.85	18.53	18.74	0-2	0
	1	24	18.73	18.39	18.70		0
	12	0	18.61	18.36	18.37		0
256QAM	12	6	18.58	18.40	18.47	0-3	0
	12	13	18.50	18.32	18.49		0
	25	0	18.52	18.31	18.46		0
	1	0	18.81	18.53	18.65	0-5	0
	1	12	18.83	18.56	18.71		0
	1	24	18.75	18.52	18.65		0
12	0	18.63	18.35	18.42	0-5	0	
12	6	18.56	18.38	18.52		0	
12	13	18.52	18.30	18.50		0	
25	0	18.49	18.31	18.44	0		

Table H-39
LTE Band 66 (AWS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.55	18.06	18.39	0	0
	1	7	18.69	18.18	18.50		0
	1	14	18.51	18.06	18.42		0
	8	0	18.52	18.28	18.35	0-1	0
	8	4	18.55	18.28	18.42		0
	8	7	18.50	18.23	18.41		0
	15	0	18.51	18.25	18.39		0
16QAM	1	0	18.69	18.48	18.61	0-1	0
	1	7	18.86	18.44	18.78		0
	1	14	18.64	18.32	18.55		0
	8	0	18.61	18.35	18.39	0-2	0
	8	4	18.70	18.34	18.52		0
	8	7	18.61	18.30	18.42		0
	15	0	18.61	18.33	18.44		0
64QAM	1	0	18.68	18.40	18.57	0-2	0
	1	7	18.77	18.44	18.69		0
	1	14	18.60	18.35	18.56		0
	8	0	18.64	18.30	18.41	0-3	0
	8	4	18.67	18.37	18.54		0
	8	7	18.59	18.31	18.47		0
	15	0	18.60	18.32	18.45		0
256QAM	1	0	18.62	18.43	18.55	0-5	0
	1	7	18.76	18.44	18.70		0
	1	14	18.64	18.34	18.58		0
	8	0	18.62	18.30	18.40	0-5	0
	8	4	18.67	18.37	18.54		0
	8	7	18.59	18.30	18.48		0
	15	0	18.56	18.31	18.52		0

Table H-40
LTE Band 66 (AWS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.41	18.26	18.35	0	0
	1	2	18.49	18.22	18.36		0
	1	5	18.36	18.28	18.32		0
	3	0	18.54	18.18	18.29	0-1	0
	3	2	18.43	18.18	18.27		0
	3	3	18.41	18.15	18.28		0
	6	0	18.45	18.19	18.32		0
16QAM	1	0	18.67	18.44	18.66	0-1	0
	1	2	18.56	18.42	18.54		0
	1	5	18.64	18.44	18.62		0
	3	0	18.58	18.32	18.52	0-2	0
	3	2	18.59	18.28	18.48		0
	3	3	18.59	18.30	18.52		0
	6	0	18.59	18.28	18.42		0
64QAM	1	0	18.62	18.45	18.58	0-2	0
	1	2	18.65	18.41	18.61		0
	1	5	18.66	18.45	18.59		0
	3	0	18.68	18.26	18.47	0-3	0
	3	2	18.61	18.27	18.46		0
	3	3	18.55	18.31	18.48		0
	6	0	18.54	18.31	18.44		0
256QAM	1	0	18.60	18.42	18.62	0-5	0
	1	2	18.64	18.52	18.54		0
	1	5	18.64	18.42	18.59		0
	3	0	18.62	18.35	18.45	0-5	0
	3	2	18.57	18.34	18.40		0
	3	3	18.63	18.38	18.49		0
	6	0	18.61	18.27	18.45		0

Table H-41
LTE Band 66 (AWS) Ant A Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.60	23.31	23.52	0	0
	1	36	23.42	23.45	23.60		0
	1	74	23.19	23.33	23.50		0
	36	0	22.48	22.32	22.38	0-1	1
	36	18	22.52	22.33	22.44		1
	36	37	22.39	22.27	22.47		1
	75	0	22.43	22.26	22.35		1
16QAM	1	0	22.78	22.61	22.65	0-1	1
	1	36	22.80	22.60	22.76		1
	1	74	22.56	22.40	22.55		1
	36	0	21.54	21.34	21.45	0-2	2
	36	18	21.54	21.35	21.46		2
	36	37	21.42	21.28	21.51		2
	75	0	21.47	21.31	21.40		2
64QAM	1	0	21.83	21.53	21.59	0-2	2
	1	36	21.87	21.54	21.64		2
	1	74	21.53	21.44	21.50		2
	36	0	20.53	20.35	20.46	0-3	3
	36	18	20.56	20.37	20.46		3
	36	37	20.38	20.34	20.49		3
	75	0	20.51	20.35	20.45		3
256QAM	1	0	19.10	18.93	18.93	0-5	5
	1	36	19.10	18.87	18.90		5
	1	74	18.78	18.75	18.80		5
	36	0	18.57	18.37	18.47	0-5	5
	36	18	18.60	18.37	18.49		5
	36	37	18.46	18.36	18.51		5
	75	0	18.52	18.36	18.43		5

Table H-42
LTE Band 66 (AWS) Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.65	23.34	23.48	0	0
	1	12	23.66	23.37	23.49		0
	1	24	23.60	23.40	23.42		0
	12	0	22.52	22.31	22.41	0-1	1
	12	6	22.49	22.30	22.48		1
	12	13	22.42	22.26	22.51		1
	25	0	22.43	22.27	22.44		1
16QAM	1	0	22.78	22.50	22.78	0-1	1
	1	12	22.79	22.64	22.98		1
	1	24	22.69	22.52	22.71		1
	12	0	21.55	21.32	21.47	0-2	2
	12	6	21.52	21.39	21.55		2
	12	13	21.50	21.31	21.52		2
	25	0	21.48	21.31	21.40		2
64QAM	1	0	21.71	21.61	21.57	0-2	2
	1	12	21.96	21.57	21.73		2
	1	24	21.63	21.48	21.65		2
	12	0	20.62	20.37	20.53	0-3	3
	12	6	20.57	20.41	20.56		3
	12	13	20.54	20.34	20.58		3
	25	0	20.53	20.33	20.50		3
256QAM	1	0	18.91	18.76	18.81	0-5	5
	1	12	19.00	18.80	19.06		5
	1	24	18.88	18.69	18.92		5
	12	0	18.64	18.36	18.49	0-5	5
	12	6	18.57	18.44	18.55		5
	12	13	18.55	18.31	18.56		5
	25	0	18.51	18.37	18.40		5

Table H-43
LTE Band 66 (AWS) Ant A Measured P_{Max} for DSI = 1 (Head) - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.35	23.28	23.36	0	0
	1	7	23.47	23.42	23.46		0
	1	14	23.29	23.26	23.39		0
	8	0	22.52	22.27	22.42	0-1	1
	8	4	22.55	22.27	22.46		1
	8	7	22.52	22.24	22.48		1
	15	0	22.53	22.24	22.41		1
16QAM	1	0	22.65	22.47	22.59	0-1	1
	1	7	22.79	22.48	22.76		1
	1	14	22.71	22.32	22.62		1
	8	0	21.65	21.28	21.50	0-2	2
	8	4	21.63	21.36	21.50		2
	8	7	21.60	21.31	21.55		2
	15	0	21.57	21.37	21.47		2
64QAM	1	0	21.63	21.38	21.71	0-2	2
	1	7	21.77	21.51	21.86		2
	1	14	21.57	21.31	21.77		2
	8	0	20.61	20.35	20.53	0-3	3
	8	4	20.69	20.36	20.58		3
	8	7	20.62	20.37	20.57		3
	15	0	20.62	20.41	20.52		3
256QAM	1	0	18.96	18.54	18.87	0-5	5
	1	7	19.14	18.75	18.97		5
	1	14	18.95	18.55	18.88		5
	8	0	18.66	18.39	18.50		5
	8	4	18.72	18.46	18.56		5
	8	7	18.62	18.42	18.63		5
	15	0	18.64	18.39	18.46		5

Table H-44
LTE Band 66 (AWS) Ant A Measured P_{Max} for DSI = 1 (Head) - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.38	23.40	23.32	0	0
	1	2	23.32	23.17	23.28		0
	1	5	23.58	23.13	23.30		0
	3	0	23.46	23.13	23.48		0
	3	2	23.47	23.16	23.40		0
	3	3	23.49	23.16	23.40		0
	6	0	22.47	22.22	22.46	0-1	1
16QAM	1	0	22.69	22.39	22.69	0-1	1
	1	2	22.75	22.51	22.66		1
	1	5	22.67	22.39	22.66		1
	3	0	22.66	22.33	22.57		1
	3	2	22.57	22.28	22.59		1
	3	3	22.56	22.36	22.60		1
	6	0	21.59	21.30	21.60	0-2	2
64QAM	1	0	21.65	21.48	21.64	0-2	2
	1	2	21.69	21.57	21.76		2
	1	5	21.63	21.45	21.67		2
	3	0	21.69	21.38	21.66		2
	3	2	21.67	21.37	21.59		2
	3	3	21.61	21.36	21.56		2
	6	0	20.63	20.39	20.45	0-3	3
256QAM	1	0	19.07	18.75	18.93	0-5	5
	1	2	19.06	18.76	18.94		5
	1	5	19.00	18.64	18.89		5
	3	0	18.76	18.43	18.68		5
	3	2	18.80	18.32	18.72		5
	3	3	18.76	18.35	18.70		5
	6	0	18.63	18.33	18.58		5

Table H-45
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

LTE Band 66 (AWS)								
15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	20.36	20.55	20.63	0	0	
	1	36	20.29	20.19	20.72		0	
	1	74	20.29	20.19	20.66		0	
	QPSK	36	0	20.46	20.43	20.54	0-1	0
		36	18	20.35	20.46	20.56		0
		36	37	20.32	20.42	20.62		0
		75	0	20.29	20.40	20.61		0
1		0	20.56	20.55	20.82	0		
16QAM	1	36	20.52	20.56	20.78	0-1	0	
	1	74	20.58	20.46	20.82		0	
	36	0	20.45	20.44	20.55		0	
	16QAM	36	18	20.38	20.44	20.55	0-2	0
		36	37	20.31	20.41	20.61		0
		75	0	20.34	20.39	20.60		0
		1	0	20.61	20.52	20.75		0
1		36	20.62	20.44	20.88	0		
64QAM	1	74	20.41	20.37	20.73	0-2	0	
	36	0	20.09	20.08	20.14		0	
	36	18	20.03	20.08	20.23		0-3	0
	36	37	19.97	19.93	20.22	0		
	75	0	20.01	20.05	20.25	0		
	1	0	18.19	18.15	18.44	0-5		2
	1	36	18.18	18.24	18.51		2	
1	74	18.03	18.20	18.45	2			
36	0	18.06	18.06	18.15	2			
36	18	18.00	18.10	18.18	2			
36	37	17.91	17.99	18.21	2			
75	0	17.94	18.03	18.22	2			

Table H-46
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 5 MHz Bandwidth

LTE Band 66 (AWS)								
5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	20.44	20.46	20.53	0	0	
	1	12	20.60	20.46	20.67		0	
	1	24	20.45	20.40	20.54		0	
	QPSK	12	0	20.46	20.34	20.57	0-1	0
		12	6	20.55	20.46	20.74		0
		12	13	20.46	20.42	20.65		0
		25	0	20.46	20.40	20.66		0
1		0	20.70	20.56	20.80	0-1		0
16QAM	1	12	20.63	20.64	20.93		0	
	1	24	20.69	20.63	20.87		0	
	12	0	20.53	20.47	20.64		0-2	0
12	6	20.60	20.51	20.78	0			
12	13	20.47	20.47	20.70	0			
25	0	20.49	20.44	20.71	0			
64QAM	1	0	20.61	20.56	20.70	0-2	0	
	1	12	20.89	20.58	20.55		0	
	1	24	20.53	20.61	20.77		0	
	64QAM	12	0	20.08	20.04	20.19	0-3	0
		12	6	20.17	20.12	20.36		0
		12	13	20.04	20.06	20.29		0
		25	0	20.07	20.01	20.26		0
256QAM	1	0	18.31	18.15	18.14	0-5	2	
	1	12	18.38	18.18	18.68		2	
	1	24	18.23	18.22	18.38		2	
	12	0	18.05	18.02	18.18		2	
	12	6	18.15	18.08	18.33		2	
	12	13	18.07	18.02	18.24		2	
	25	0	18.07	18.03	18.26		2	

Table H-47
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	20.40	20.55	20.68	0	0
	1	7	20.41	20.34	20.80		0
	1	14	20.43	20.27	20.53		0
	8	0	20.42	20.39	20.56	0-1	0
	8	4	20.46	20.39	20.63		0
	8	7	20.47	20.44	20.62		0
16QAM	15	0	20.44	20.43	20.60	0-1	0
	1	0	20.62	20.67	20.81		0
	1	7	20.55	20.56	20.98		0
	1	14	20.68	20.51	20.71	0-2	0
	8	0	20.40	20.40	20.67		0
	8	4	20.53	20.48	20.73		0
64QAM	8	7	20.50	20.49	20.74	0-2	0
	15	0	20.51	20.46	20.65		0
	1	0	20.67	20.68	20.82		0
	1	7	20.76	20.46	20.70	0-3	0
	1	14	20.79	20.53	20.58		0
	8	0	20.12	20.09	20.15		0
256QAM	8	4	20.09	20.00	20.30	0-3	0
	8	7	20.14	20.06	20.26		0
	15	0	20.13	20.08	20.22		0
	1	0	18.16	18.15	18.28	0-5	2
	1	7	18.06	18.19	18.43		2
	1	14	18.19	18.20	18.19		2
8	0	18.09	18.10	18.22	2		
8	4	18.09	18.05	18.20	2		
8	7	18.10	18.03	18.25	2		
15	0	18.01	17.98	18.17	2		

Table H-48
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	20.43	20.26	20.53	0	0
	1	2	20.34	20.21	20.50		0
	1	5	20.26	20.35	20.43		0
	3	0	20.41	20.22	20.58	0-1	0
	3	2	20.26	20.16	20.54		0
	3	3	20.28	20.25	20.49		0
16QAM	6	0	20.35	20.28	20.56	0-1	0
	1	0	20.71	20.41	20.79		0
	1	2	20.63	20.43	20.75		0
	1	5	20.52	20.57	20.70	0-2	0
	3	0	20.54	20.30	20.71		0
	3	2	20.52	20.35	20.65		0
64QAM	3	3	20.51	20.36	20.62	0-2	0
	6	0	20.45	20.40	20.68		0
	1	0	20.78	20.63	20.67		0
	1	2	20.73	20.52	20.67	0-3	0
	1	5	20.51	20.56	20.73		0
	3	0	20.61	20.50	20.83		0
256QAM	3	2	20.56	20.42	20.77	0-3	0
	3	3	20.57	20.49	20.74		0
	6	0	20.02	19.88	20.28		0
	1	0	18.19	18.15	18.53	0-5	2
	1	2	18.22	18.23	18.51		2
	1	5	18.02	18.13	18.25		2
3	0	18.25	18.02	18.35	2		
3	2	18.22	17.80	18.26	2		
3	3	18.26	17.85	18.25	2		
6	0	18.02	18.04	18.27	2		

Table H-49
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 66 (AWS)								
15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.95	18.93	19.00	0	0	
	1	36	18.66	18.98	19.04		0	
	1	74	18.37	18.96	19.05		0	
	QPSK	36	0	18.69	18.92	18.97	0-1	0
		36	18	18.63	18.93	19.06		0
		36	37	18.59	18.91	19.06		0
		75	0	18.62	18.93	19.11		0
1		0	18.98	18.93	19.08	0		
16QAM	1	36	18.92	18.89	19.05	0-1	0	
	1	74	18.66	18.95	19.12		0	
	36	0	18.71	18.93	19.04		0	
	16QAM	36	18	18.70	18.97	19.08	0-2	0
		36	37	18.56	18.95	19.07		0
		75	0	18.65	18.89	19.14		0
		1	0	18.90	18.93	19.15		0
1		36	18.87	18.91	19.13	0		
64QAM	1	74	18.60	18.96	19.09	0-2	0	
	36	0	18.71	18.91	19.21		0	
	36	18	18.69	18.89	19.15		0-3	0
	36	37	18.60	18.92	19.14	0		
	75	0	18.67	18.95	19.19	0		
	1	0	18.70	18.57	18.75	0-5		0
	256QAM	1	36	18.68	18.59		18.75	0-5
1		74	18.31	18.53	18.69		0	
36		0	18.46	18.41	18.56		0	
36		18	18.44	18.41	18.55		0	
36		37	18.33	18.39	18.62	0		
75		0	18.43	18.40	18.63	0		

Table H-50
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 66 (AWS)								
5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.74	18.82	18.98	0	0	
	1	12	18.72	18.83	19.00		0	
	1	24	18.55	18.80	18.97		0	
	QPSK	12	0	18.72	18.84	18.95	0-1	0
		12	6	18.77	18.86	18.99		0
		12	13	18.63	18.85	18.95		0
		25	0	18.63	18.91	18.91		0
1		0	18.98	18.88	19.00	0		
16QAM	1	12	18.95	18.85	18.99	0-1	0	
	1	24	18.81	18.87	18.94		0	
	12	0	18.76	18.83	18.94		0-2	0
	12	6	18.81	18.86	18.92	0		
	12	13	18.72	18.87	18.94	0		
	25	0	18.63	18.89	18.92	0		
	64QAM	1	0	18.86	18.86	18.96	0-2	0
1		12	18.94	18.84	18.97	0		
1		24	18.63	18.82	18.94	0-3		0
12		0	18.73	18.90	18.98		0	
12		6	18.78	18.84	18.94		0	
12		13	18.64	18.86	18.99		0	
25		0	18.63	18.88	18.92	0		
256QAM	1	0	18.55	18.69	18.78	0-5	0	
	1	12	18.66	18.73	18.85		0	
	1	24	18.42	18.60	18.71		0	
	12	0	18.48	18.40	18.54		0	
	12	6	18.53	18.43	18.70		0	
	12	13	18.40	18.33	18.60		0	
	25	0	18.40	18.37	18.65		0	

Table H-51
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.68	18.76	19.10	0	0	
	1	7	18.75	18.72	18.98		0	
	1	14	18.69	18.76	18.97		0	
	16QAM	8	0	18.73	18.68	18.98	0-1	0
		8	4	18.66	18.68	18.96		0
		8	7	18.65	18.72	19.01		0
		64QAM	15	0	18.72	18.69	18.98	0-2
1			0	18.90	18.69	19.00	0	
1			7	18.84	18.76	18.90	0	
256QAM			1	14	18.86	18.67	18.95	0-3
	8		0	18.83	18.71	19.02	0	
	8		4	18.80	18.69	18.96	0	
	16QAM		8	7	18.72	18.67	18.95	0-2
		15	0	18.68	18.74	18.98	0	
		1	0	18.82	18.69	19.02	0	
		64QAM	1	7	18.89	18.69	19.00	0-2
1			14	18.84	18.65	19.00	0	
8			0	18.80	18.65	18.97	0	
256QAM			8	4	18.77	18.64	18.96	0-3
	8		7	18.77	18.70	19.01	0	
	15		0	18.74	18.67	19.02	0	
	16QAM		1	0	18.51	18.36	18.51	0-5
		1	7	18.55	18.61	18.76	0	
		1	14	18.49	18.44	18.65	0	
		64QAM	8	0	18.51	18.45	18.61	0-5
8			4	18.51	18.48	18.65	0	
8			7	18.49	18.35	18.63	0	
256QAM			15	0	18.46	18.39	18.57	0-5
	1		0	18.51	18.36	18.51	0	
	1		7	18.55	18.61	18.76	0	

Table H-52
LTE Band 66 (AWS) Ant F Measured P_{Limit} for DSI = 1 (Head) – 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.67	18.87	18.98	0	0	
	1	2	18.66	18.85	19.09		0	
	1	5	18.70	18.87	19.01		0	
	16QAM	3	0	18.54	18.83	18.97	0-1	0
		3	2	18.56	18.86	19.03		0
		3	3	18.62	18.90	19.03		0
		64QAM	6	0	18.69	18.82	19.08	0-1
1			0	18.95	18.87	19.06	0	
1			2	18.89	18.81	18.99	0	
256QAM			1	5	18.95	18.76	19.08	0-1
	3		0	18.78	18.83	19.05	0	
	3		2	18.85	18.82	19.14	0	
	16QAM		3	3	18.81	18.81	19.04	0-2
		6	0	18.78	18.83	19.05	0	
		1	0	18.92	18.83	19.00	0	
		64QAM	1	2	18.89	18.81	19.10	0-2
1			5	18.91	18.83	19.08	0	
3			0	18.80	18.81	19.05	0	
256QAM			3	2	18.82	18.85	19.12	0-3
	3		3	18.78	18.85	19.03	0	
	6		0	18.70	18.86	19.06	0	
	16QAM		1	0	18.64	18.59	18.95	0-5
		1	2	18.59	18.65	18.97	0	
		1	5	18.54	18.43	18.87	0	
		64QAM	3	0	18.42	18.49	18.81	0-5
3			2	18.44	18.41	18.79	0	
3			3	18.43	18.31	18.76	0	
256QAM			6	0	18.46	18.42	18.67	0-5
	1		0	18.51	18.36	18.51	0	
	1		7	18.55	18.61	18.76	0	

H.1.7 LTE Band 25

Table H-53
LTE Band 25 (PCS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.70	17.92	17.90	0	0
	1	36	17.70	17.91	17.87		0
	1	74	17.77	17.98	18.00		0
	36	0	17.65	17.76	17.89	0-1	0
	36	18	17.72	17.77	17.89		0
	36	37	17.71	17.78	17.93		0
	75	0	17.67	17.74	17.85		0
16QAM	1	0	17.89	17.98	18.13	0-1	0
	1	36	17.94	17.97	18.09		0
	1	74	17.99	17.95	18.17		0
	36	0	17.67	17.78	17.90	0-2	0
	36	18	17.71	17.80	17.94		0
	36	37	17.73	17.79	17.93		0
	75	0	17.63	17.75	17.92		0
64QAM	1	0	17.81	17.97	18.01	0-2	0
	1	36	17.77	18.05	18.08		0
	1	74	17.96	18.01	18.09		0
	36	0	17.67	17.79	17.95	0-3	0
	36	18	17.70	17.79	17.95		0
	36	37	17.72	17.80	17.91		0
	75	0	17.68	17.80	17.91		0
256QAM	1	0	17.72	17.94	18.02	0-5	0
	1	36	17.87	18.13	18.09		0
	1	74	17.88	17.97	17.93		0
	36	0	17.67	17.80	17.94	0-5	0
	36	18	17.71	17.85	17.98		0
	36	37	17.74	17.83	17.94		0
	75	0	17.69	17.81	17.95		0

Table H-54
LTE Band 25 (PCS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.53	17.83	17.82	0	0
	1	25	17.62	17.86	18.05		0
	1	49	17.57	17.89	18.04		0
	25	0	17.67	17.76	17.91	0-1	0
	25	12	17.71	17.80	17.93		0
	25	25	17.69	17.79	17.94		0
	50	0	17.68	17.77	17.93		0
16QAM	1	0	17.78	17.98	18.13	0-1	0
	1	25	17.95	18.00	18.02		0
	1	49	17.84	17.92	18.19		0
	25	0	17.70	17.78	17.92	0-2	0
	25	12	17.73	17.82	17.97		0
	25	25	17.72	17.81	18.01		0
	50	0	17.69	17.77	17.91		0
64QAM	1	0	17.83	18.06	17.98	0-2	0
	1	25	17.89	18.12	18.14		0
	1	49	17.78	17.97	18.01		0
	25	0	17.72	17.82	17.92	0-3	0
	25	12	17.73	17.87	17.94		0
	25	25	17.71	17.86	17.96		0
	50	0	17.70	17.81	17.92		0
256QAM	1	0	17.83	17.85	18.01	0-5	0
	1	25	17.94	18.11	18.11		0
	1	49	17.81	17.81	17.94		0
	25	0	17.69	17.79	17.94	0-5	0
	25	12	17.73	17.84	18.00		0
	25	25	17.76	17.82	17.99		0
	50	0	17.70	17.83	17.95		0

Table H-55
LTE Band 25 (PCS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	17.85	17.90	17.88	0	0
	1	12	17.81	17.97	17.88		0
	1	24	17.87	17.91	18.00		0
	12	0	17.65	17.75	17.89	0-1	0
	12	6	17.70	17.80	17.94		0
	12	13	17.70	17.87	17.97		0
16QAM	25	0	17.66	17.75	17.91	0-1	0
	1	0	17.87	17.96	18.14		0
	1	12	17.99	18.17	18.16		0
	1	24	17.91	18.16	18.33	0-2	0
	12	0	17.67	17.84	17.93		0
	12	6	17.71	17.89	18.00		0
64QAM	12	13	17.75	17.94	18.00	0-2	0
	25	0	17.66	17.79	17.93		0
	1	0	17.80	17.95	18.00		0-2
	1	12	17.85	18.08	18.14	0	
	1	24	17.82	18.01	18.17	0	
	256QAM	12	0	17.66	17.76	17.95	0-3
12		6	17.75	17.87	18.04	0	
12		13	17.71	17.91	18.00	0	
25		0	17.68	17.79	17.96	0-5	0
1		0	17.86	17.84	18.05		0
1		12	17.97	18.15	18.16		0
256QAM	1	24	17.96	18.07	18.06	0-5	0
	12	0	17.67	17.81	17.95		0
	12	6	17.75	17.89	17.99		0
	12	13	17.73	17.95	18.01	0	
	25	0	17.70	17.82	17.99	0	

Table H-56
LTE Band 25 (PCS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	17.53	17.75	17.81	0	0
	1	7	17.66	18.01	18.03		0
	1	14	17.61	17.88	17.97		0
	8	0	17.65	17.74	17.89	0-1	0
	8	4	17.71	17.88	17.97		0
	8	7	17.68	17.86	17.92		0
16QAM	15	0	17.66	17.75	17.93	0-1	0
	1	0	17.66	17.86	18.07		0
	1	7	17.85	18.03	18.17		0
	1	14	17.78	18.01	18.21	0-2	0
	8	0	17.70	17.79	17.97		0
	8	4	17.75	17.98	18.05		0
64QAM	8	7	17.78	17.96	18.00	0-2	0
	15	0	17.67	17.82	17.92		0
	1	0	17.67	17.91	17.91		0
	1	7	17.92	18.13	18.18	0-3	0
	1	14	17.79	18.03	18.09		0
	8	0	17.69	17.87	17.93		0
256QAM	8	4	17.75	17.97	18.01	0-5	0
	8	7	17.72	17.92	17.96		0
	15	0	17.70	17.82	17.98		0
	1	0	17.80	17.81	18.02	0-5	0
	1	7	17.93	18.07	18.14		0
	1	14	17.84	18.03	18.13		0
256QAM	8	0	17.74	17.78	17.95	0-5	0
	8	4	17.76	17.92	18.07		0
	8	7	17.78	17.91	18.07		0
	15	0	17.70	17.77	17.97	0	

Table H-57
LTE Band 25 (PCS) Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.54	17.85	17.75	0	0
	1	2	17.56	17.83	17.77		0
	1	5	17.53	17.84	17.77		0
	3	0	17.58	17.74	17.81		0
	3	2	17.60	17.80	17.82		0
	3	3	17.64	17.80	17.84		0
16QAM	6	0	17.66	17.79	17.82	0-1	0
	1	0	17.79	18.00	18.04	0-1	0
	1	2	17.90	18.03	18.05		0
	1	5	17.84	18.06	18.02		0
	3	0	17.74	17.90	17.98		0
	3	2	17.77	17.89	17.95		0
3	3	17.75	17.87	17.98	0		
64QAM	6	0	17.76	17.82	17.99	0-2	0
	1	0	17.85	17.99	18.07	0-2	0
	1	2	17.82	17.96	18.11		0
	1	5	17.91	17.92	18.01		0
	3	0	17.77	17.91	18.04		0
	3	2	17.77	17.96	18.07		0
3	3	17.72	17.93	18.00	0		
256QAM	6	0	17.79	17.89	17.96	0-3	0
	1	0	17.88	18.12	17.92	0-5	0
	1	2	17.91	18.18	18.03		0
	1	5	17.94	18.15	18.07		0
	3	0	17.91	18.03	17.95		0
	3	2	17.92	17.99	17.93		0
3	3	17.91	18.04	17.92	0		
	6	0	17.81	17.82	17.99		0

Table H-58
LTE Band 25 (PCS) Ant A Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.41	23.53	23.50	0	0	
	1	36	23.45	23.66	23.51		0	
	1	74	23.42	23.57	23.35		0	
	16QAM	36	0	22.35	22.41	22.57	0-1	1
		36	18	22.36	22.43	22.93		1
		36	37	22.35	22.51	22.58		1
75		0	22.30	22.37	22.55	1		
1		0	22.47	22.70	22.45	1		
1		36	22.58	22.69	22.93	1		
64QAM	1	74	22.49	22.70	22.92	0-2	1	
	36	0	21.33	21.42	21.60		2	
	36	18	21.37	21.48	21.66		2	
	36	37	21.34	21.54	21.59		2	
	75	0	21.30	21.41	21.61		2	
	1	0	21.44	21.48	21.59		2	
256QAM	1	36	21.61	21.84	21.74	0-3	2	
	1	74	21.46	21.69	21.69		2	
	36	0	20.34	20.43	20.61		3	
	36	18	20.38	20.49	20.64		3	
	36	37	20.35	20.48	20.57		3	
	75	0	20.34	20.45	20.67		3	
256QAM	1	0	18.39	18.76	18.50	0-5	5	
	1	36	18.59	18.68	18.75		5	
	1	74	18.50	18.62	18.85		5	
	36	0	18.30	18.21	18.22		5	
	36	18	18.39	18.14	18.24		5	
	36	37	18.37	18.71	18.50		5	
	75	0	18.31	18.22	18.28		5	

Table H-59
LTE Band 25 (PCS) Ant A Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.30	23.24	23.55	0	0	
	1	25	23.29	23.35	23.71		0	
	1	49	23.38	23.42	23.62		0	
	25	0	22.36	22.43	22.57	0-1	1	
	25	12	22.38	22.49	22.60		1	
	25	25	22.35	22.53	22.61		1	
16QAM	50	0	22.37	22.43	22.60	0-1	1	
	1	0	22.62	22.51	22.58		1	
	1	25	22.59	22.64	22.83		1	
	1	49	22.54	22.48	22.84	0-2	1	
	25	0	21.37	21.38	21.59		2	
	25	12	21.42	21.47	21.66		2	
64QAM	25	25	21.39	21.55	21.63	0-2	2	
	50	0	21.32	21.42	21.57		2	
	1	0	21.68	21.71	21.76		2	
	1	25	21.67	21.78	21.65	0-2	2	
	1	49	21.45	21.66	21.79		2	
	25	0	20.34	20.45	20.58		0-3	3
25	12	20.37	20.52	20.58	3			
25	25	20.39	20.56	20.61	3			
256QAM	50	0	20.38	20.40	20.59	0-3	3	
	1	0	18.42	18.49	18.74		0-5	5
	1	25	18.67	18.69	18.82			5
	1	49	18.37	18.67	18.76	0-5		5
	25	0	18.33	18.40	18.62		5	
	25	12	18.38	18.49	18.62		5	
256QAM	25	25	18.31	18.52	18.57	0-5	5	
	50	0	18.32	18.46	18.56		5	

Table H-60
LTE Band 25 (PCS) Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.32	23.49	23.76	0	0	
	1	12	23.39	23.60	23.84		0	
	1	24	23.33	23.68	23.88		0	
	12	0	22.30	22.44	22.60	0-1	1	
	12	6	22.42	22.53	22.64		1	
	12	13	22.34	22.56	22.60		1	
16QAM	25	0	22.31	22.50	22.58	0-1	1	
	1	0	22.58	22.78	22.79		1	
	1	12	22.61	22.96	22.81		0-1	1
	1	24	22.67	22.85	23.04	1		
	12	0	21.39	21.48	21.61	0-2		2
	12	6	21.43	21.28	21.69		2	
12	13	21.37	21.62	21.69	2			
64QAM	25	0	21.35	21.49	21.66	0-2	2	
	1	0	21.56	21.77	21.71		0-2	2
	1	12	21.59	21.88	21.86			2
	1	24	21.52	21.76	21.76	0-3		2
	12	0	20.31	20.45	20.64		3	
	12	6	20.40	20.52	20.73		3	
256QAM	12	13	20.39	20.55	20.68	0-3	3	
	25	0	20.31	20.48	20.66		3	
	1	0	18.44	18.64	18.64		0-5	5
	1	12	18.46	18.86	18.76	5		
	1	24	18.46	18.79	18.86	5		
	256QAM	12	0	18.34	18.45	18.54	0-5	5
12		6	18.39	18.53	18.63	5		
12		13	18.40	18.56	18.63	5		
25		0	18.34	18.45	18.61	5		

Table H-61
LTE Band 25 (PCS) Ant A Measured P_{Max} for DSI = 1 (Head) - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.21	23.27	23.15	0	0
	1	7	23.53	23.44	23.31		0
	1	14	23.36	23.32	23.33		0
	8	0	22.27	22.44	22.62	0-1	1
	8	4	22.34	22.50	22.53		1
	8	7	22.32	22.52	22.32		1
16QAM	15	0	22.31	22.43	22.47	0-1	1
	1	0	22.40	22.33	22.63		1
	1	7	22.61	22.59	22.85		1
	1	14	22.55	22.67	22.94	0-2	1
	8	0	21.39	21.45	21.69		2
	8	4	21.45	21.66	21.76		2
64QAM	8	7	21.37	21.58	21.55	0-2	2
	15	0	21.38	21.43	21.64		2
	1	0	21.33	21.66	21.43		0-2
	1	7	21.60	21.78	21.75	2	
	1	14	21.58	21.72	21.75	2	
	256QAM	8	0	20.34	20.48	20.64	0-3
8		4	20.34	20.62	20.72	3	
8		7	20.36	20.58	20.65	3	
15		0	20.35	20.49	20.67	0-5	3
1		0	18.43	18.48	18.77		5
1		7	18.58	18.79	18.95		5
256QAM	1	14	18.37	18.49	18.74	0-5	5
	8	0	18.33	18.41	18.70		5
	8	4	18.36	18.57	18.74		5
	8	7	18.32	18.59	18.72	0-5	5
	15	0	18.29	18.45	18.63		5

Table H-62
LTE Band 25 (PCS) Ant A Measured P_{Max} for DSI = 1 (Head) - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.10	23.51	23.68	0	0	
	1	2	23.37	23.48	23.56		0	
	1	5	23.28	23.51	23.56		0	
	3	0	23.32	23.30	23.41	0-1	0	
	3	2	23.36	23.40	23.34		0	
	3	3	23.30	23.27	23.46		0	
16QAM	6	0	22.30	22.55	22.27	0-1	1	
	1	0	22.37	22.35	22.62		1	
	1	2	22.46	22.52	22.75		1	
	1	5	22.45	22.40	22.72	0-1	1	
	3	0	22.44	22.51	22.58		1	
	3	2	22.48	22.56	22.60		1	
64QAM	3	3	22.53	22.55	22.61	0-2	1	
	6	0	21.40	21.68	21.42		2	
	1	0	21.49	21.50	21.58		0-2	2
	1	2	21.61	21.55	21.51	2		
	1	5	21.62	21.46	21.55	2		
	3	0	21.59	21.66	21.55	0-3	2	
3	2	21.63	21.62	21.66	2			
3	3	21.59	21.51	21.65	2			
256QAM	6	0	20.33	20.27	20.51	0-5	3	
	1	0	18.55	18.59	18.38		0-5	5
	1	2	18.69	18.64	18.40			5
	1	5	18.62	18.70	18.47	5		
	3	0	18.56	18.42	18.53	0-5	5	
	3	2	18.53	18.49	18.49		5	
3	3	18.56	18.48	18.52	5			
6	0	18.31	18.44	18.46	0-5	5		

Table H-63
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	19.64	19.84	19.77	0	0
	1	36	19.81	19.91	19.85		0
	1	74	19.89	19.75	19.70		0
	36	0	19.82	19.91	19.89	0-1	0
	36	18	19.87	19.95	19.84		0
	36	37	19.98	19.90	19.80		0
	75	0	19.86	19.90	19.83		0
16QAM	1	0	20.17	20.10	20.41	0-1	0
	1	36	20.25	20.09	20.07		0
	1	74	20.28	20.02	20.05		0
	36	0	19.73	19.91	19.84	0-2	0
	36	18	19.95	19.93	19.83		0
	36	37	19.91	19.91	19.84		0
	75	0	19.91	19.93	19.84		0
64QAM	1	0	19.86	20.01	20.05	0-2	0
	1	36	19.95	20.02	19.90		0
	1	74	20.01	20.01	20.01		0
	36	0	19.84	19.99	19.95	0-3	0
	36	18	19.97	19.96	19.86		0
	36	37	20.02	19.90	19.86		0
	75	0	19.91	19.95	19.91		0
256QAM	1	0	18.55	18.87	18.59	0-5	1.5
	1	36	18.78	18.89	18.68		1.5
	1	74	18.73	18.74	18.44		1.5
	36	0	18.52	18.66	18.60		1.5
	36	18	18.73	18.72	18.67		1.5
	36	37	18.67	18.66	18.53		1.5
	75	0	18.61	18.68	18.63		1.5

Table H-64
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	19.58	19.98	19.60	0	0
	1	25	19.78	19.98	19.66		0
	1	49	19.95	19.94	19.88		0
	25	0	19.86	19.94	19.78	0-1	0
	25	12	19.99	19.97	19.76		0
	25	25	19.92	19.88	19.81		0
	50	0	19.86	19.92	19.85		0
16QAM	1	0	20.16	20.13	19.93	0-1	0
	1	25	20.05	20.12	20.08		0
	1	49	20.01	20.07	20.20		0
	25	0	19.93	19.99	19.88	0-2	0
	25	12	19.90	20.02	19.93		0
	25	25	19.90	19.96	19.80		0
	50	0	19.95	19.98	19.87		0
64QAM	1	0	20.12	19.97	19.98	0-2	0
	1	25	20.07	20.06	19.92		0
	1	49	20.02	20.05	20.07		0
	25	0	19.87	20.02	19.90	0-3	0
	25	12	19.93	20.02	19.83		0
	25	25	19.92	20.00	19.86		0
	50	0	19.89	19.98	19.90		0
256QAM	1	0	18.74	18.76	18.65	0-5	1.5
	1	25	18.69	18.86	18.87		1.5
	1	49	18.72	18.80	18.64		1.5
	25	0	18.61	18.63	18.59		1.5
	25	12	18.63	18.67	18.62		1.5
	25	25	18.64	18.67	18.57		1.5
	50	0	18.66	18.68	18.61		1.5

Table H-65
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	19.74	20.02	19.69	0	0	
	1	12	19.81	19.98	19.76		0	
	1	24	19.94	20.04	19.96		0	
	12	0	19.82	19.90	19.81	0-1	0	
	12	6	19.92	19.95	19.94		0	
	12	13	19.90	20.01	20.02		0	
16QAM	25	0	19.85	19.88	19.85	0	0	
	1	0	19.87	20.07	19.97		0-1	0
	1	12	20.00	20.17	20.13			0
	1	24	19.91	20.16	20.12	0		0
	12	0	19.84	20.00	19.87		0-2	0
	12	6	20.02	20.02	20.01			0
64QAM	12	13	19.90	19.94	19.97	0		0
	25	0	19.92	19.90	19.86		0	0
	1	0	19.98	20.09	19.91			0-2
	1	12	20.07	20.01	20.07	0		
	1	24	19.89	20.01	19.97		0-3	
	12	0	19.91	20.03	19.84			0
256QAM	12	6	19.96	19.99	19.99	0		0
	12	13	19.88	20.02	20.03		0	0
	25	0	19.85	19.98	19.99			0
	1	0	18.63	18.70	18.48	0-5		
	1	12	18.82	18.92	18.86		1.5	
	1	24	18.58	18.85	18.57		1.5	
12	0	18.64	18.64	18.56	1.5			
12	6	18.64	18.77	18.72	1.5			
12	13	18.55	18.75	18.75	1.5			
25	0	18.64	18.66	18.63	1.5			

Table H-66
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	19.64	19.85	19.80	0	0	
	1	7	19.79	19.85	19.93		0	0
	1	14	19.70	19.81	19.80			0
	8	0	19.80	19.94	19.92	0-1		0
	8	4	19.89	19.96	20.00		0	
	8	7	19.87	19.96	19.98		0	
16QAM	15	0	19.79	19.90	19.89	0	0	
	1	0	19.94	20.00	19.99		0-1	0
	1	7	20.03	20.22	20.20			0
	1	14	19.82	20.17	19.98	0		0
	8	0	19.95	20.03	19.95		0-2	0
	8	4	20.02	20.06	19.99			0
64QAM	8	7	19.97	20.03	20.02	0		0
	15	0	19.86	19.97	19.98		0	0
	1	0	20.07	20.02	19.90			0-2
	1	7	20.11	20.08	19.98	0		
	1	14	19.99	20.03	20.06		0-3	
	8	0	19.92	20.01	19.97			0
256QAM	8	4	19.96	19.99	20.01	0		0
	8	7	19.92	19.96	19.98		0	0
	15	0	19.97	19.96	19.97			0
	1	0	18.54	18.64	18.68	0-5		
	1	7	18.69	19.02	18.77		1.5	
	1	14	18.49	18.63	18.76		1.5	
8	0	18.62	18.71	18.68	1.5			
8	4	18.71	18.67	18.69	1.5			
8	7	18.64	18.77	18.67	1.5			
15	0	18.67	18.67	18.70	1.5			

Table H-67
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
Conducted Power [dBm]							
QPSK	1	0	19.75	19.94	19.93	0	0
	1	2	19.73	19.84	19.79		0
	1	5	19.71	19.87	19.70		0
	3	0	19.69	19.92	19.83		0
	3	2	19.72	19.87	19.78		0
	3	3	19.71	19.90	19.79		0
16QAM	6	0	19.79	19.98	19.83	0-1	0
	1	0	19.98	20.07	20.07	0-1	0
	1	2	19.90	20.20	20.06		0
	1	5	19.92	20.17	20.11		0
	3	0	19.95	20.08	19.90		0
	3	2	19.89	20.07	20.00		0
3	3	19.91	19.94	19.93	0		
64QAM	6	0	19.90	20.02	19.92	0-2	0
	1	0	19.94	19.98	19.98	0-2	0
	1	2	20.02	20.06	20.01		0
	1	5	20.08	20.10	19.98		0
	3	0	19.94	20.12	19.97		0
	3	2	19.94	20.05	19.91		0
3	3	19.86	20.10	19.93	0		
256QAM	6	0	19.91	20.03	19.94	0-3	0
	1	0	18.60	18.80	18.70	0-5	1.5
	1	2	18.78	18.90	18.68		1.5
	1	5	18.54	18.84	18.76		1.5
	3	0	18.61	18.81	18.61		1.5
	3	2	18.67	18.76	18.62		1.5
3	3	18.68	18.77	18.63	1.5		
	6	0	18.61	18.71	18.63		1.5

Table H-68
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.77	18.88	18.68	0	0	
	1	36	18.87	18.83	18.79		0	
	1	74	19.20	18.92	18.62		0	
	36	0	18.85	18.90	18.90		0-1	0
	36	18	18.91	18.97	18.87			0
	36	37	18.97	18.95	18.74			0
16QAM	75	0	18.92	18.95	18.89	0-1	0	
	1	0	19.06	18.91	19.10		0	
	1	36	19.10	18.93	19.01		0	
	1	74	19.26	19.03	19.09		0	
	36	0	18.74	18.88	18.81		0-2	0
	36	18	18.86	18.95	18.88			0
36	37	18.96	18.88	18.77	0			
64QAM	75	0	18.92	18.94	18.87	0-2	0	
	1	0	18.94	18.96	19.07		0	
	1	36	19.05	18.95	19.09		0	
	1	74	18.99	18.98	19.11		0	
	36	0	18.81	18.91	18.86		0-3	0
	36	18	18.99	18.89	18.84			0
36	37	18.97	18.98	18.83	0			
256QAM	75	0	18.99	18.92	18.90	0-5	0	
	1	0	18.63	18.86	18.66		0	
	1	36	18.73	18.68	18.66		0	
	1	74	18.86	18.63	18.53		0	
	36	0	18.55	18.65	18.62		0	
	36	18	18.68	18.76	18.68		0	
	36	37	18.70	18.65	18.59	0		
	75	0	18.65	18.61	18.65		0	

Table H-69
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.83	18.97	18.61	0	0
	1	25	18.80	18.94	18.81		0
	1	49	18.83	19.00	18.90		0
	25	0	18.91	18.93	18.81	0-1	0
	25	12	18.90	18.89	18.85		0
	25	25	18.87	18.95	18.78		0
	50	0	18.89	18.93	18.86		0
16QAM	1	0	19.02	19.07	19.05	0-1	0
	1	25	19.02	19.04	18.91		0
	1	49	18.92	19.07	19.05		0
	25	0	18.89	18.89	18.88	0-2	0
	25	12	18.95	19.01	18.85		0
	25	25	18.99	18.95	18.84		0
	50	0	18.88	18.94	18.91		0
64QAM	1	0	18.86	19.10	18.89	0-2	0
	1	25	19.04	19.16	18.83		0
	1	49	19.05	19.07	18.86		0
	25	0	18.94	18.95	18.91	0-3	0
	25	12	18.95	18.95	18.86		0
	25	25	18.97	18.94	18.93		0
	50	0	18.92	18.96	18.93		0
256QAM	1	0	18.66	18.68	18.70	0-5	0
	1	25	18.89	18.81	18.65		0
	1	49	18.67	18.64	18.67		0
	25	0	18.55	18.61	18.54		0
	25	12	18.67	18.71	18.64		0
	25	25	18.68	18.77	18.62		0
	50	0	18.62	18.75	18.62		0

Table H-70
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	18.80	18.97	18.79	0	0
	1	12	18.87	18.92	18.88		0
	1	24	18.97	19.06	18.82		0
	12	0	18.85	18.90	18.80	0-1	0
	12	6	18.96	18.99	19.01		0
	12	13	18.88	18.97	18.98		0
	25	0	18.80	18.93	18.89		0
16QAM	1	0	19.10	19.06	18.84	0-1	0
	1	12	19.01	19.08	19.13		0
	1	24	18.95	19.13	19.15		0
	12	0	18.84	18.90	18.89	0-2	0
	12	6	18.98	19.04	19.00		0
	12	13	18.91	19.02	19.04		0
	25	0	18.84	18.99	18.96		0
64QAM	1	0	18.90	19.11	18.77	0-2	0
	1	12	19.13	19.19	19.04		0
	1	24	18.95	19.10	18.98		0
	12	0	18.91	18.95	18.88	0-3	0
	12	6	18.89	18.95	19.06		0
	12	13	18.90	19.03	18.98		0
	25	0	18.90	18.95	18.95		0
256QAM	1	0	18.55	18.84	18.57	0-5	0
	1	12	18.76	18.95	18.82		0
	1	24	18.74	18.78	18.62		0
	12	0	18.65	18.64	18.55		0
	12	6	18.64	18.73	18.68		0
	12	13	18.62	18.72	18.66		0
	25	0	18.60	18.69	18.65		0

Table H-71
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 1 (Head) – 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]		
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)				
Conducted Power [dBm]									
QPSK	1	0	18.75	18.84	18.78	0	0		
	1	7	18.77	19.03	18.87		0		
	1	14	18.79	18.95	18.78		0		
	QPSK	8	0	18.83	19.04	18.91	0-1	0	
		8	4	18.90	18.86	18.94		0	
		8	7	18.87	18.96	18.99		0	
		15	0	18.86	18.91	18.95		0	
16QAM		1	0	19.02	18.94	18.89		0-1	0
		1	7	19.04	19.06	18.96			0
	1	14	18.97	18.92	19.07	0			
	16QAM	8	0	18.94	19.07	18.95	0-2	0	
		8	4	18.96	19.01	18.95		0	
		8	7	18.90	18.92	19.00		0	
		15	0	18.91	18.94	18.95		0	
64QAM	1	0	18.84	18.82	18.95	0-2	0		
	1	7	19.06	19.25	19.06		0		
	1	14	18.92	19.17	18.96		0		
	64QAM	8	0	18.77	19.04	18.97	0-3	0	
		8	4	18.94	19.02	19.01		0	
		8	7	18.92	18.90	19.02		0	
		15	0	18.87	19.00	18.99		0	
256QAM	1	0	18.67	18.71	18.60	0-5	0		
	1	7	18.73	18.79	18.78		0		
	1	14	18.70	18.65	18.72		0		
	8	0	18.63	18.78	18.66		0		
	8	4	18.66	18.71	18.70		0		
	8	7	18.70	18.77	18.80		0		
	15	0	18.66	18.68	18.70		0		

Table H-72
LTE Band 25 (PCS) Ant F Measured P_{Limit} for DSI = 1 (Head) – 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.72	19.00	18.79	0	0	
	1	2	18.74	18.85	18.68		0	
	1	5	18.80	18.85	18.71		0	
	QPSK	3	0	18.76	19.00	18.90	0-1	0
		3	2	18.86	18.84	18.88		0
		3	3	18.72	19.01	18.78		0
		6	0	18.87	18.95	18.90		0
16QAM	1	0	19.12	19.02	18.97	0-1	0	
	1	2	18.98	19.05	19.08		0	
	1	5	18.93	19.09	18.93		0	
	16QAM	3	0	18.84	19.04	18.94	0-2	0
		3	2	18.85	19.03	18.89		0
		3	3	19.02	19.01	18.99		0
		6	0	18.86	19.08	18.89		0
64QAM	1	0	19.03	19.17	19.00	0-2	0	
	1	2	19.00	19.08	19.09		0	
	1	5	18.99	19.15	19.05		0	
	64QAM	3	0	18.92	19.05	18.95	0-3	0
		3	2	18.95	19.06	18.96		0
		3	3	18.92	19.09	18.85		0
		6	0	18.84	18.97	18.98		0
256QAM	1	0	18.56	18.67	18.82	0-5	0	
	1	2	18.67	18.79	18.82		0	
	1	5	18.69	18.86	18.66		0	
	3	0	18.61	18.82	18.64		0	
	3	2	18.67	18.78	18.66		0	
	3	3	18.64	18.78	18.59		0	
	6	0	18.59	18.77	18.65		0	

H.1.8 LTE Band 30

Table H-73

LTE Band 30 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz) Conducted Power [dBm]		
QPSK	1	0	19.47	0	0
	1	12	19.51		0
	1	24	19.51		0
	12	0	19.47	0-1	0
	12	6	19.56		0
	12	13	19.47		0
16QAM	25	0	19.49	0-1	0
	1	0	19.89		0
	1	12	19.92		0
	1	24	19.92	0-2	0
	12	0	19.57		0
	12	6	19.65		0
64QAM	12	13	19.59	0-2	0
	25	0	19.56		0
	1	0	19.75		0
	1	12	19.88	0-3	0
	1	24	19.87		0
	12	0	19.59		0
256QAM	12	6	19.63	0-3	0
	12	13	19.55		0
	25	0	19.58		0
	1	0	17.74	0-5	2
	1	12	17.85		2
	1	24	17.69		2
12	0	17.61	2		
12	6	17.59	2		
12	13	17.54	2		
25	0	17.59	2		

Table H-74

LTE Band 30 Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz) Conducted Power [dBm]		
QPSK	1	0	22.52	0	0
	1	12	22.53		0
	1	24	22.55		0
	12	0	21.55	0-1	1
	12	6	21.57		1
	12	13	21.52		1
16QAM	25	0	21.53	0-1	1
	1	0	21.90		1
	1	12	21.96		1
	1	24	21.92	0-2	1
	12	0	20.57		2
	12	6	20.60		2
64QAM	12	13	20.57	0-2	2
	25	0	20.55		2
	1	0	20.80		2
	1	12	20.91	0-3	2
	1	24	20.81		2
	12	0	19.58		3
256QAM	12	6	19.65	0-3	3
	12	13	19.57		3
	25	0	19.58		3
	1	0	17.74	0-5	5
	1	12	17.82		5
	1	24	17.63		5
12	0	17.54	5		
12	6	17.61	5		
12	13	17.56	5		
25	0	17.46	5		

Table H-75

LTE Band 30 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz) Conducted Power [dBm]		
QPSK	1	0	20.06	0	0
	1	12	20.01		0
	1	24	20.04		0
	12	0	20.04	0-1	0
	12	6	20.08		0
	12	13	20.00		0
	25	0	19.98		0
16QAM	1	0	20.11	0-1	0
	1	12	20.24		0
	1	24	20.11		0
	12	0	20.12	0-2	0
	12	6	20.17		0
	12	13	20.09		0
	25	0	20.04		0
64QAM	1	0	20.23	0-2	0
	1	12	20.30		0
	1	24	20.17		0
	12	0	19.34	0-3	0.5
	12	6	19.36		0.5
	12	13	19.27		0.5
	25	0	19.25		0.5
256QAM	1	0	17.48	0-5	2.5
	1	12	17.33		2.5
	1	24	17.26		2.5
	12	0	17.35		2.5
	12	6	17.25		2.5
	12	13	17.28		2.5
	25	0	17.19		2.5

Table H-76

LTE Band 30 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz) Conducted Power [dBm]		
QPSK	1	0	17.59	0	0
	1	12	17.54		0
	1	24	17.50		0
	12	0	17.52	0-1	0
	12	6	17.55		0
	12	13	17.44		0
	25	0	17.34		0
16QAM	1	0	17.60	0-1	0
	1	12	17.61		0
	1	24	17.58		0
	12	0	17.42	0-2	0
	12	6	17.55		0
	12	13	17.25		0
	25	0	17.46		0
64QAM	1	0	17.68	0-2	0
	1	12	17.60		0
	1	24	17.58		0
	12	0	17.51	0-3	0
	12	6	17.55		0
	12	13	17.51		0
	25	0	17.44		0
256QAM	1	0	17.33	0-5	0.5
	1	12	17.40		0.5
	1	24	17.18		0.5
	12	0	17.17		0.5
	12	6	17.16		0.5
	12	13	17.10		0.5
	25	0	17.20		0.5

H.1.9 LTE Band 7

Table H-77

LTE Band 7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.91	20.01	19.58	0	0
	1	36	19.89	19.82	19.58		0
	1	74	19.90	19.74	19.51		0
	36	0	19.82	19.84	19.72	0-1	0
	36	18	19.95	19.85	19.73		0
	36	37	19.90	19.82	19.61		0
	75	0	19.88	19.81	19.69		0
16QAM	1	0	20.03	20.04	19.85	0-1	0
	1	36	20.15	20.06	19.97		0
	1	74	20.04	19.95	19.90		0
	36	0	19.84	19.85	19.71	0-2	0
	36	18	19.91	19.86	19.72		0
	36	37	19.91	19.84	19.64		0
	75	0	19.91	19.85	19.70		0
64QAM	1	0	20.08	20.07	19.92	0-2	0
	1	36	20.05	20.14	19.88		0
	1	74	20.06	20.06	19.84		0
	36	0	19.85	19.82	19.71	0-3	0
	36	18	19.95	19.86	19.71		0
	36	37	19.90	19.82	19.68		0
	75	0	19.90	19.85	19.73		0
256QAM	1	0	18.13	17.95	18.11	0-5	1.5
	1	36	18.20	18.15	18.17		1.5
	1	74	18.19	17.87	18.06		1.5
	36	0	18.00	17.99	17.85		1.5
	36	18	18.11	18.02	17.90		1.5
	36	37	18.12	18.05	17.82		1.5
	75	0	18.07	18.02	17.87		1.5

Table H-78

LTE Band 7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.85	19.94	19.72	0	0
	1	25	19.83	19.90	19.85		0
	1	49	19.78	20.00	19.61		0
	25	0	19.81	19.83	19.73	0-1	0
	25	12	19.90	19.85	19.74		0
	25	25	19.89	19.84	19.64		0
	50	0	19.89	19.82	19.73		0
16QAM	1	0	20.03	20.02	19.90	0-1	0
	1	25	20.03	20.09	19.99		0
	1	49	19.96	20.02	19.82		0
	25	0	19.78	19.89	19.77	0-2	0
	25	12	19.92	19.86	19.76		0
	25	25	19.94	19.89	19.67		0
	50	0	19.92	19.85	19.73		0
64QAM	1	0	19.96	19.98	19.99	0-2	0
	1	25	19.93	20.10	19.97		0
	1	49	19.95	20.00	19.78		0
	25	0	19.84	19.83	19.75	0-3	0
	25	12	19.96	19.88	19.78		0
	25	25	19.91	19.89	19.68		0
	50	0	19.91	19.85	19.72		0
256QAM	1	0	18.13	18.14	18.13	0-5	1.5
	1	25	18.22	18.19	18.20		1.5
	1	49	18.15	18.11	18.00		1.5
	25	0	18.02	17.98	17.92		1.5
	25	12	18.10	18.03	17.85		1.5
	25	25	18.04	18.01	17.91		1.5
	50	0	18.05	18.00	17.88		1.5

Table H-79

LTE Band 7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	19.90	19.89	19.76	0	0
	1	12	19.93	20.01	19.63		0
	1	24	19.95	19.99	19.64		0
	12	0	19.79	19.78	19.66	0-1	0
	12	6	19.88	19.96	19.74		0
	12	13	19.85	19.84	19.69		0
	25	0	19.84	19.79	19.67	0	0
16QAM	1	0	20.13	20.14	19.99	0-1	0
	1	12	20.19	20.14	20.01		0
	1	24	20.13	20.21	19.92		0
	12	0	19.86	19.84	19.69	0-2	0
	12	6	19.94	20.00	19.77		0
	12	13	19.91	19.92	19.75		0
	25	0	19.87	19.86	19.70	0	0
64QAM	1	0	20.10	20.20	20.01	0-2	0
	1	12	20.04	20.19	20.00		0
	1	24	20.01	20.22	19.93		0
	12	0	19.87	19.84	19.71	0-3	0
	12	6	19.93	19.99	19.76		0
	12	13	19.90	19.85	19.72		0
	25	0	19.88	19.82	19.72	0	0
256QAM	1	0	18.12	18.12	17.89	0-5	1.5
	1	12	18.28	18.36	18.06		1.5
	1	24	18.21	18.17	17.86		1.5
	12	0	18.04	17.98	17.85		1.5
	12	6	18.11	18.15	17.92		1.5
	12	13	18.07	18.00	17.90		1.5
	25	0	18.06	17.99	17.87		1.5

Table H-80

LTE Band 7 Ant B Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	23.07	23.12	22.72	0	0
	1	36	23.11	22.95	22.72		0
	1	74	23.06	22.90	22.66		0
	36	0	21.98	21.99	21.82	0-1	1
	36	18	22.05	21.97	21.87		1
	36	37	22.06	21.99	21.76		1
	75	0	22.04	21.94	21.83	1	1
16QAM	1	0	22.33	22.17	22.08	0-1	1
	1	36	22.32	22.21	21.99		1
	1	74	22.29	22.19	22.08		1
	36	0	21.02	20.97	20.86	0-2	2
	36	18	21.09	21.05	20.87		2
	36	37	21.05	21.01	20.80		2
	75	0	21.08	21.00	20.89	2	2
64QAM	1	0	21.18	21.16	20.89	0-2	2
	1	36	21.23	21.24	21.04		2
	1	74	21.14	21.13	20.85		2
	36	0	20.01	19.99	19.89	0-3	3
	36	18	20.09	20.01	19.90		3
	36	37	20.09	19.97	19.81		3
	75	0	20.09	20.00	19.87	3	3
256QAM	1	0	18.03	18.01	17.91	0-5	5
	1	36	18.09	18.16	17.95		5
	1	74	18.04	17.96	17.87		5
	36	0	18.00	17.97	17.86		5
	36	18	18.07	18.02	17.90		5
	36	37	18.06	18.03	17.81		5
	75	0	18.05	17.99	17.85		5

Table H-81
LTE Band 7 Ant B Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
Conducted Power [dBm]							
QPSK	1	0	22.94	23.05	22.81	0	0
	1	25	23.02	23.09	22.81		0
	1	49	22.86	23.09	22.72		0
	25	0	21.99	22.01	21.85	0-1	1
	25	12	22.09	22.01	21.89		1
	25	25	22.07	21.99	21.80		1
16QAM	50	0	22.07	22.00	21.88	0-1	1
	1	0	22.17	22.21	22.04		1
	1	25	22.21	22.35	22.07		1
	1	49	22.12	22.19	21.98	0-2	1
	25	0	21.04	21.04	20.89		2
	25	12	21.09	21.04	20.92		2
64QAM	25	25	21.10	21.02	20.86	0-2	2
	50	0	21.06	21.02	20.91		2
	1	0	21.18	21.23	21.07		0-2
	1	25	21.19	21.31	21.04	2	
	1	49	21.18	21.21	20.88	0-3	
	25	0	20.00	20.00	19.86		3
25	12	20.08	20.02	19.89	3		
256QAM	25	25	20.08	19.98	19.84	0-3	3
	50	0	20.08	20.00	19.87		3
	1	0	18.12	18.15	17.96		0-5
	1	25	18.23	18.27	18.07	5	
	1	49	18.25	18.13	17.74	5	
	25	0	17.94	18.03	17.90	5	
25	12	18.05	18.02	17.93	5		
25	25	18.02	17.97	17.81	5		
50	0	18.03	17.98	17.88	5		

Table H-82
LTE Band 7 Ant B Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	23.10	23.04	22.84	0	0	
	1	12	23.12	23.13	22.87		0	
	1	24	23.16	23.13	22.81		0	
	12	0	22.04	21.98	21.88	0-1	1	
	12	6	22.13	22.12	21.91		1	
	12	13	22.09	22.00	21.92		1	
16QAM	25	0	22.08	21.99	21.82	0-1	1	
	1	0	22.33	22.31	22.05		0-2	1
	1	12	22.39	22.33	22.14			1
	1	24	22.31	22.38	22.19	0-2		1
	12	0	21.08	21.01	20.92		2	
	12	6	21.15	21.17	20.97		2	
64QAM	12	13	21.11	21.08	20.96	0-2	2	
	25	0	21.05	21.01	20.89		2	
	1	0	21.16	21.11	21.00		0-2	2
	1	12	21.20	21.30	21.11	2		
	1	24	21.20	21.15	20.97	0-3		2
	12	0	20.02	19.99	19.93		3	
12	6	20.12	20.16	19.99	3			
256QAM	12	13	20.07	20.02	19.95	0-3	3	
	25	0	20.06	19.98	19.89		3	
	1	0	18.13	18.09	17.96		0-5	5
	1	12	18.35	18.31	17.99	5		
	1	24	18.18	18.08	17.83	5		
	12	0	18.01	18.03	17.83	5		
12	6	18.06	18.13	17.95	5			
12	13	18.07	18.01	17.91	5			
25	0	18.01	17.98	17.87	5			

Table H-83

LTE Band 7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.87	19.07	19.06	0	0	
	1	36	18.97	19.13	19.17		0	
	1	74	18.91	19.05	19.31		0	
	QPSK	36	0	19.07	19.27	19.45	0-1	0
		36	18	19.14	19.27	19.45		0
		36	37	19.16	19.38	19.47		0
		75	0	19.13	19.27	19.53		0
75		0	19.17	19.40	19.85	0		
16QAM	1	36	19.36	19.56	19.64	0-1	0	
	1	74	19.14	19.61	19.72		0	
	36	0	19.07	19.24	19.42		0	
	16QAM	36	18	19.16	19.31	19.50	0-2	0
		36	37	19.18	19.38	19.56		0
		75	0	19.16	19.29	19.53		0
		75	0	19.30	19.32	19.42		0
64QAM	1	36	19.25	19.80	19.63	0-2	0	
	1	74	19.48	19.81	19.48		0	
	36	0	19.02	19.32	19.44		0	
	64QAM	36	18	19.20	19.31	19.50	0-3	0
		36	37	19.18	19.26	19.50		0
		75	0	19.16	19.30	19.56		0
		75	0	17.72	17.93	18.04		0-5
256QAM	1	36	17.99	18.08	18.03	1.5		
	1	74	18.11	18.11	18.01	1.5		
	36	0	17.77	17.95	18.01	1.5		
	36	18	17.93	17.94	17.99	1.5		
	36	37	17.99	17.98	17.99	1.5		
	75	0	17.96	17.95	18.01	1.5		

Table H-84

LTE Band 7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	18.88	18.84	19.19	0	0	
	1	25	19.11	19.17	19.36		0	
	1	49	19.33	19.32	19.33		0	
	QPSK	25	0	19.08	19.28	19.49	0-1	0
		25	12	19.20	19.36	19.51		0
		25	25	19.20	19.33	19.58		0
		50	0	19.20	19.30	19.48		0
50		0	19.15	19.49	19.36	0		
16QAM	1	25	19.13	19.52	19.70	0-1	0	
	1	49	19.34	19.75	19.71		0	
	25	0	18.98	19.25	19.57		0	
	16QAM	25	12	19.20	19.34	19.60	0-2	0
		25	25	19.09	19.42	19.67		0
		50	0	19.17	19.36	19.50		0
		50	0	19.14	19.20	19.63		0-2
64QAM	1	25	19.36	19.33	19.60	0		
	1	49	19.37	19.64	19.66	0		
	25	0	19.07	19.26	19.58	0		
	25	12	19.18	19.41	19.56	0-3	0	
	25	25	19.21	19.31	19.56		0	
	50	0	19.15	19.42	19.44		0	
50	0	17.24	17.59	17.73	0-5		1.5	
256QAM	1	25	17.24	17.72		18.07	1.5	
	1	49	17.46	17.78		17.85	1.5	
	25	0	17.34	17.60		17.79	1.5	
	25	12	17.44	17.61		17.82	1.5	
	25	25	17.46	17.55		17.84	1.5	
	50	0	17.39	17.65		17.78	1.5	

Table H-85
LTE Band 7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	19.11	19.29	19.64	0	0
	1	12	19.12	19.23	19.54		0
	1	24	19.10	19.25	19.67		0
	12	0	19.08	19.22	19.52	0-1	0
	12	6	19.16	19.35	19.52		0
	12	13	19.15	19.38	19.62		0
	25	0	19.08	19.28	19.54		0
16QAM	1	0	19.31	19.25	19.85	0-1	0
	1	12	19.22	19.56	19.63		0
	1	24	19.40	19.51	19.78		0
	12	0	19.08	19.26	19.48	0-2	0
	12	6	19.28	19.50	19.51		0
	12	13	19.22	19.39	19.67		0
	25	0	19.09	19.41	19.45		0
64QAM	1	0	18.99	19.15	19.61	0-2	0
	1	12	19.22	19.61	19.82		0
	1	24	19.19	19.44	19.76		0
	12	0	19.08	19.28	19.62	0-3	0
	12	6	19.19	19.44	19.62		0
	12	13	19.24	19.34	19.67		0
	25	0	19.14	19.37	19.54		0
256QAM	1	0	17.37	18.05	18.16	0-5	1.5
	1	12	17.47	18.24	18.22		1.5
	1	24	17.46	18.16	18.21		1.5
	12	0	17.31	18.03	18.11		1.5
	12	6	17.42	18.06	18.15		1.5
	12	13	17.50	18.05	18.11		1.5
	25	0	17.39	18.02	18.13		1.5

Table H-86
LTE Band 7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	15.02	15.33	15.47	0	0
	1	36	15.39	15.41	15.43		0
	1	74	15.16	15.41	15.45		0
	36	0	15.18	15.25	15.43	0-1	0
	36	18	15.25	15.36	15.53		0
	36	37	15.27	15.35	15.53		0
	75	0	15.23	15.29	15.50		0
16QAM	1	0	15.19	15.49	15.63	0-1	0
	1	36	15.44	15.49	15.67		0
	1	74	15.40	15.51	15.79		0
	36	0	15.20	15.28	15.45	0-2	0
	36	18	15.26	15.36	15.53		0
	36	37	15.28	15.37	15.57		0
	75	0	15.23	15.37	15.52		0
64QAM	1	0	15.38	15.41	15.81	0-2	0
	1	36	15.49	15.57	15.85		0
	1	74	15.52	15.41	15.79		0
	36	0	15.32	15.40	15.64	0-3	0
	36	18	15.44	15.44	15.70		0
	36	37	15.40	15.47	15.76		0
	75	0	15.49	15.48	15.71		0
256QAM	1	0	15.13	15.31	15.37	0-5	0
	1	36	15.28	15.36	15.48		0
	1	74	15.37	15.33	15.56		0
	36	0	15.07	15.20	15.29		0
	36	18	15.24	15.27	15.36		0
	36	37	15.29	15.34	15.50		0
	75	0	15.21	15.28	15.47		0

Table H-87
LTE Band 7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)			
Conducted Power [dBm]								
QPSK	1	0	15.20	15.30	15.50	0	0	
	1	25	15.28	15.31	15.50		0	
	1	49	15.33	15.29	15.49		0	
	QPSK	25	0	15.14	15.31	15.44	0-1	0
		25	12	15.20	15.37	15.55		0
		25	25	15.20	15.35	15.55		0
		50	0	15.17	15.36	15.54		0
50		0	15.17	15.36	15.54	0		
16QAM	1	0	15.29	15.46	15.70	0-1	0	
	1	25	15.28	15.63	15.73		0	
	1	49	15.46	15.48	15.80		0	
	16QAM	25	0	15.21	15.31	15.54	0-2	0
		25	12	15.25	15.40	15.59		0
		25	25	15.28	15.36	15.57		0
		50	0	15.18	15.33	15.53		0
50		0	15.18	15.33	15.53	0		
64QAM	1	0	15.47	15.52	15.80	0-2	0	
	1	25	15.61	15.54	15.82		0	
	1	49	15.52	15.62	15.90		0	
	64QAM	25	0	15.46	15.38	15.74	0-3	0
		25	12	15.40	15.51	15.89		0
		25	25	15.44	15.52	15.85		0
		50	0	15.40	15.45	15.71		0
50		0	15.40	15.45	15.71	0		
256QAM	1	0	15.13	15.36	15.42	0-5	0	
	1	25	15.33	15.49	15.58		0	
	1	49	15.32	15.37	15.56		0	
	25	0	15.08	15.25	15.36		0	
	25	12	15.15	15.33	15.43		0	
	25	25	15.14	15.30	15.46		0	
	50	0	15.16	15.29	15.39		0	

Table H-88
LTE Band 7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)			
Conducted Power [dBm]								
QPSK	1	0	15.26	15.45	15.50	0	0	
	1	12	15.25	15.49	15.60		0	
	1	24	15.19	15.42	15.55		0	
	QPSK	12	0	15.06	15.25	15.43	0-1	0
		12	6	15.19	15.38	15.51		0
		12	13	15.19	15.35	15.58		0
		25	0	15.14	15.36	15.50		0
25		0	15.14	15.36	15.50	0		
16QAM	1	0	15.42	15.62	15.78	0-1	0	
	1	12	15.45	15.56	15.88		0	
	1	24	15.41	15.61	15.87		0	
	16QAM	12	0	15.10	15.26	15.54	0-2	0
		12	6	15.29	15.41	15.56		0
		12	13	15.19	15.38	15.62		0
		25	0	15.12	15.39	15.51		0
25		0	15.12	15.39	15.51	0		
64QAM	1	0	15.41	15.51	15.90	0-2	0	
	1	12	15.51	15.69	16.01		0	
	1	24	15.47	15.44	15.95		0	
	64QAM	12	0	15.25	15.46	15.74	0-3	0
		12	6	15.45	15.51	15.82		0
		12	13	15.39	15.53	15.91		0
		25	0	15.41	15.49	15.76		0
25		0	15.41	15.49	15.76	0		
256QAM	1	0	15.14	15.29	15.37	0-5	0	
	1	12	15.28	15.49	15.64		0	
	1	24	15.23	15.39	15.61		0	
	12	0	15.13	15.20	15.41		0	
	12	6	15.16	15.37	15.44		0	
	12	13	15.17	15.27	15.55		0	
	25	0	15.15	15.28	15.48		0	

H.1.10 LTE Band 41

Table H-89

LTE Band 41 PC3 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.47	21.52	21.24	21.43	21.52	0	0	
	1	36	21.59	21.64	21.22	21.27	21.54		0	
	1	74	21.60	21.54	21.07	21.13	21.37		0	
	QPSK	36	0	21.32	21.49	21.38	21.28	21.55	0-1	0
		36	18	21.45	21.50	21.35	21.31	21.61		0
		36	37	21.44	21.44	21.26	21.30	21.54		0
		75	0	21.36	21.43	21.28	21.19	21.54		0
75		36	21.44	21.44	21.26	21.30	21.54	0		
16QAM	1	0	21.34	21.31	21.44	21.19	21.70	0-1	0	
	1	36	21.61	21.57	21.25	21.38	21.50		0	
	1	74	21.35	21.36	21.12	21.09	21.46		0	
	16QAM	36	0	21.30	21.51	21.38	21.32	21.55	0-2	0
		36	18	21.46	21.56	21.41	21.32	21.64		0
		36	37	21.46	21.51	21.30	21.34	21.58		0
		75	0	21.43	21.47	21.31	21.29	21.57		0
64QAM	1	0	21.58	21.55	21.33	21.24	21.57	0-2	0	
	1	36	21.61	21.71	21.41	21.52	21.53		0	
	1	74	21.57	21.67	21.23	21.35	21.47		0	
	64QAM	36	0	20.67	20.83	20.71	20.63	20.90	0-3	0.5
		36	18	20.81	20.89	20.72	20.68	20.95		0.5
		36	37	20.75	20.78	20.60	20.69	20.88		0.5
		75	0	20.76	20.83	20.67	20.60	20.93		0.5
256QAM	1	0	18.61	18.90	18.44	18.44	18.76	0-5	2.5	
	1	36	18.50	19.08	18.46	18.51	18.87		2.5	
	1	74	18.67	18.70	18.56	18.35	18.77		2.5	
	36	0	18.62	18.85	18.72	18.59	18.90		2.5	
	36	18	18.75	18.83	18.69	18.64	18.92		2.5	
	36	37	18.69	18.79	18.63	18.61	18.81		2.5	
	75	0	18.70	18.80	18.66	18.60	18.89		2.5	

Table H-90

LTE Band 41 PC3 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.37	21.59	21.53	21.37	21.65	0	0	
	1	25	21.49	21.60	21.56	21.47	21.59		0	
	1	49	21.47	21.59	21.44	21.43	21.57		0	
	QPSK	25	0	21.48	21.63	21.55	21.40	21.61	0-1	0
		25	12	21.53	21.64	21.54	21.43	21.69		0
		25	25	21.50	21.55	21.51	21.43	21.64		0
		50	0	21.50	21.62	21.54	21.43	21.64		0
16QAM	1	0	21.68	21.57	21.52	21.63	21.59	0-1	0	
	1	25	21.73	21.59	21.54	21.73	21.56		0	
	1	49	21.69	21.43	21.52	21.72	21.50		0	
	16QAM	25	0	21.44	21.65	21.58	21.44	21.62	0-2	0
		25	12	21.54	21.69	21.55	21.45	21.69		0
		25	25	21.52	21.65	21.51	21.48	21.64		0
		50	0	21.52	21.66	21.53	21.42	21.64		0
64QAM	1	0	21.51	21.43	21.57	21.50	21.72	0-2	0	
	1	25	21.53	21.60	21.46	21.38	21.67		0	
	1	49	21.62	21.53	21.39	21.39	21.62		0	
	64QAM	25	0	20.77	20.92	20.85	20.75	20.91	0-3	0.5
		25	12	20.88	20.96	20.84	20.75	21.02		0.5
		25	25	20.81	20.95	20.78	20.80	20.90		0.5
		50	0	20.85	20.96	20.83	20.72	20.94		0.5
256QAM	1	0	18.70	18.93	18.60	18.83	19.06	0-5	2.5	
	1	25	18.79	18.92	18.80	18.78	19.13		2.5	
	1	49	18.84	18.75	18.60	18.68	18.89		2.5	
	25	0	18.73	18.91	18.82	18.73	18.88		2.5	
	25	12	18.82	18.89	18.85	18.72	18.93		2.5	
	25	25	18.82	18.90	18.74	18.77	18.92		2.5	
	50	0	18.75	18.89	18.76	18.62	18.94		2.5	

Table H-91

LTE Band 41 PC3 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.55	21.44	21.29	21.43	21.45	0	0	
	1	12	21.59	21.51	21.39	21.50	21.50		0	
	1	24	21.56	21.41	21.26	21.38	21.37		0	
	QPSK	12	0	21.45	21.64	21.49	21.38	21.60	0-1	0
		12	6	21.51	21.67	21.50	21.42	21.68		0
		12	13	21.51	21.58	21.48	21.44	21.64		0
25		0	21.52	21.63	21.47	21.36	21.62	0		
1		0	21.58	21.61	21.47	21.38	21.48	0		
1		12	21.48	21.57	21.40	21.52	21.65	0		
16QAM	1	24	21.43	21.46	21.31	21.40	21.34	0-1	0	
	12	0	21.51	21.62	21.52	21.38	21.60		0	
	12	6	21.55	21.66	21.55	21.38	21.69		0	
	16QAM	12	13	21.56	21.60	21.48	21.44	21.61	0-2	0
		25	0	21.54	21.62	21.48	21.39	21.65		0
		1	0	21.50	21.45	21.37	21.36	21.66		0
1		12	21.53	21.49	21.29	21.58	21.60	0		
1		24	21.53	21.57	21.04	21.44	21.49	0		
12		0	20.76	20.92	20.80	20.74	20.85	0.5		
64QAM	12	6	20.81	20.97	20.83	20.80	20.94	0-3	0.5	
	12	13	20.83	20.89	20.82	20.76	20.93		0.5	
	25	0	20.83	20.93	20.83	20.70	21.00		0.5	
	1	0	18.64	18.85	18.72	18.48	18.84		2.5	
	1	12	19.02	19.03	18.92	18.71	19.04		2.5	
	1	24	18.56	18.75	18.60	18.63	18.98		2.5	
256QAM	12	0	18.73	18.91	18.83	18.72	18.89	0-5	2.5	
	12	6	18.84	18.93	18.82	18.72	18.96		2.5	
	12	13	18.82	18.87	18.80	18.76	18.89		2.5	
	25	0	18.82	18.96	18.81	18.71	18.96		2.5	

Table H-92

LTE Band 41 PC3 Ant B Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	23.74	23.88	23.86	23.70	23.93	0	0	
	1	36	23.84	23.90	23.81	23.81	23.94		0	
	1	74	23.84	23.81	23.63	23.64	23.76		0	
	QPSK	36	0	22.74	22.93	22.83	22.70	22.89	0-1	1
		36	18	22.88	22.93	22.80	22.70	22.98		1
		36	37	22.86	22.93	22.75	22.73	22.92		1
75		0	22.79	22.89	22.73	22.61	22.89	1		
1		0	22.51	22.67	22.83	22.54	22.83	1		
1		36	22.68	22.91	22.80	22.56	22.93	1		
16QAM	1	74	22.53	22.79	22.59	22.45	22.91	0-1	1	
	36	0	21.77	21.99	21.83	21.65	21.92		2	
	36	18	21.86	22.00	21.84	21.71	22.01		2	
	16QAM	36	37	21.88	21.89	21.74	21.75	21.91	0-2	2
		75	0	21.81	21.92	21.75	21.67	21.92		2
		1	0	21.82	21.96	21.90	21.87	22.05		2
64QAM		1	36	21.98	22.05	21.93	21.94	21.94	0-2	2
		1	74	21.78	21.84	21.74	21.82	21.77		2
		36	0	20.73	20.93	20.77	20.71	20.89		3
	64QAM	36	18	20.86	20.96	20.83	20.71	21.00	0-3	3
		36	37	20.87	20.89	20.76	20.73	20.90		3
		75	0	20.83	20.91	20.75	20.67	20.93		3
1		0	18.64	18.91	18.65	18.86	18.87	5		
1		36	18.92	19.18	18.67	18.95	19.01	5		
1		74	18.65	18.87	18.47	18.73	18.78	5		
256QAM	36	0	18.69	18.91	18.76	18.70	18.88	0-5	5	
	36	18	18.83	18.97	18.80	18.69	18.95		5	
	36	37	18.79	18.92	18.72	18.71	18.87		5	
	75	0	18.76	18.89	18.77	18.66	18.93		5	

Table H-93
LTE Band 41 PC3 Ant B Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	23.81	23.98	23.87	23.81	24.00	0	0	
	1	25	23.83	23.95	23.90	23.80	23.97		0	
	1	49	23.83	23.94	23.77	23.75	23.91		0	
	QPSK	25	0	22.78	22.93	22.85	22.74	22.94	0-1	1
		25	12	22.83	22.97	22.83	22.75	22.99		1
		25	25	22.86	22.80	22.80	22.79	22.96		1
50		0	22.83	22.94	22.83	22.71	23.00	1		
1		0	23.03	22.83	22.83	22.99	22.95	0-1		1
1		25	23.02	22.86	22.80	23.01	22.95			1
1	49	23.19	22.74	22.79	22.91	22.74	1			
16QAM	25	0	21.73	21.92	21.87	21.75	21.94	0-2	2	
	25	12	21.86	21.94	21.86	21.76	22.00		2	
	25	25	21.83	21.90	21.80	21.82	22.00		2	
	50	0	21.82	21.88	21.82	21.70	21.96		2	
	1	0	21.73	21.79	21.85	21.84	21.99		0-2	2
	1	25	21.71	21.91	21.91	21.79	21.99			2
1	49	21.88	21.96	21.77	21.65	21.95	2			
64QAM	25	0	20.72	20.92	20.83	20.70	20.92	0-3	3	
	25	12	20.86	20.96	20.85	20.73	20.97		3	
	25	25	20.80	20.94	20.76	20.78	20.95		3	
	50	0	20.80	20.67	20.79	20.72	20.98		3	
	1	0	18.86	18.86	18.70	18.82	18.95		0-5	5
	1	25	18.79	18.80	18.67	18.75	19.10			5
1	49	18.89	18.81	18.63	18.63	18.96	5			
25	0	18.84	18.87	18.80	18.73	18.90	5			
25	12	18.80	18.86	18.79	18.73	18.95	5			
25	25	18.74	18.84	18.77	18.76	18.89	5			
256QAM	50	0	18.77	18.90	18.79	18.73	18.93	5		

Table H-94
LTE Band 41 PC3 Ant B Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	23.75	23.75	23.61	23.76	23.75	0	0	
	1	12	23.82	23.79	23.65	23.84	23.72		0	
	1	24	23.79	23.64	23.60	23.71	23.68		0	
	QPSK	12	0	22.72	22.84	22.77	22.66	22.86	0-1	1
		12	6	22.86	22.96	22.82	22.73	22.96		1
		12	13	22.81	22.91	22.75	22.76	22.90		1
25		0	22.59	22.71	22.74	22.67	22.92	1		
1		0	22.91	22.95	22.78	22.77	22.94	0-1		1
1		12	22.80	22.94	22.74	22.80	22.90			1
1	24	22.71	22.65	22.68	22.67	22.84	1			
16QAM	12	0	21.74	21.94	21.74	21.68	21.90	0-2	2	
	12	6	21.83	21.94	21.81	21.72	21.94		2	
	12	13	21.84	21.89	21.78	21.74	21.98		2	
	25	0	21.81	21.90	21.75	21.72	21.94		2	
	1	0	21.78	21.93	21.74	21.68	21.97		0-2	2
	1	12	21.81	21.91	21.90	21.86	22.07			2
1	24	21.74	21.87	21.67	21.69	21.72	2			
64QAM	12	0	20.72	20.92	20.77	20.68	20.84	0-3	3	
	12	6	20.75	20.96	20.81	20.70	20.93		3	
	12	13	20.84	20.93	20.73	20.74	20.87		3	
	25	0	20.80	20.94	20.77	20.69	20.92		3	
	1	0	18.61	18.92	18.55	18.66	18.96		0-5	5
	1	12	18.79	19.00	18.72	18.74	18.97			5
1	24	18.69	18.65	18.52	18.55	18.96	5			
12	0	18.64	18.91	18.75	18.66	18.86	5			
12	6	18.82	18.96	18.79	18.71	18.87	5			
12	13	18.80	18.88	18.69	18.74	18.91	5			
256QAM	25	0	18.82	18.88	18.77	18.65	18.96	5		

Table H-95

LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.15	20.95	21.33	21.37	21.48	0	0	
	1	36	21.28	21.16	21.37	21.54	21.39		0	
	1	74	21.20	21.10	21.22	21.35	21.31		0	
	16QAM	36	0	21.08	21.15	21.34	21.34	21.30	0-1	0
		36	18	21.11	21.27	21.46	21.34	21.27		0
		36	37	21.05	21.23	21.36	21.37	21.31		0
		64QAM	75	0	21.01	21.11	21.34	21.22	21.21	0-2
1			0	21.05	21.03	21.27	21.30	21.38	0	
1			36	21.08	21.22	21.39	21.38	21.56	0	
256QAM			1	74	21.07	21.11	21.09	21.26	21.23	0-1
	36		0	21.06	21.14	21.33	21.34	21.31	0	
	36		18	21.12	21.27	21.44	21.39	21.30	0	
	QPSK		36	37	21.08	21.23	21.31	21.38	21.32	0-2
		75	0	21.04	21.14	21.38	21.31	21.28	0	
		1	0	21.03	21.16	21.35	21.56	21.36	0	
		16QAM	1	36	21.23	21.42	21.56	21.61	21.51	0-2
1			74	21.18	21.28	21.33	21.41	21.39	0	
36			0	20.59	20.64	20.85	20.86	20.81	0.5	
64QAM			36	18	20.62	20.77	20.95	20.89	20.84	0-3
	36		37	20.52	20.75	20.86	20.86	20.81	0.5	
	75		0	20.53	20.67	20.91	20.81	20.74	0.5	
	256QAM		1	0	18.66	18.44	18.86	18.85	18.81	0-5
		1	36	18.59	18.77	18.89	19.00	18.87	2.5	
		1	74	18.55	18.61	18.87	18.63	18.74	2.5	
		QPSK	36	0	18.57	18.64	18.88	18.86	18.77	0-5
36			18	18.59	18.77	18.93	18.85	18.80	2.5	
36			37	18.53	18.75	18.85	18.84	18.78	2.5	
16QAM			75	0	18.55	18.60	18.87	18.80	18.77	0-5

Table H-96

LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.08	21.06	21.41	21.45	21.24	0	0	
	1	25	21.11	21.22	21.51	21.49	21.32		0	
	1	49	21.12	21.14	21.33	21.42	21.19		0	
	16QAM	25	0	21.14	21.29	21.51	21.36	21.37	0-1	0
		25	12	21.11	21.23	21.50	21.38	21.33		0
		25	25	21.06	21.27	21.46	21.42	21.35		0
		64QAM	50	0	21.07	21.26	21.48	21.40	21.41	0-1
1			0	21.24	21.16	21.27	21.49	21.41	0	
1			25	21.09	21.17	21.37	21.35	21.29	0	
256QAM			1	49	20.97	20.96	21.33	21.38	21.23	0-1
	25		0	21.11	21.22	21.49	21.39	21.39	0	
	25		12	21.10	21.20	21.49	21.37	21.36	0	
	QPSK		25	25	21.08	21.28	21.43	21.39	21.39	0-2
		50	0	21.05	21.24	21.46	21.40	21.38	0	
		1	0	21.16	21.34	21.35	21.58	21.45	0	
		16QAM	1	25	21.24	21.31	21.56	21.33	21.42	0-2
1			49	21.12	21.25	21.35	21.38	21.42	0	
25			0	20.55	20.71	20.98	20.89	20.81	0.5	
64QAM			25	12	20.58	20.75	20.93	20.89	20.85	0-3
	25		25	20.51	20.75	20.88	20.91	20.84	0.5	
	50		0	20.54	20.77	20.94	20.84	20.85	0.5	
	256QAM		1	0	18.40	18.64	18.76	18.77	18.67	0-5
		1	25	18.49	18.63	18.74	18.87	18.79	2.5	
		1	49	18.60	18.79	18.73	18.94	18.77	2.5	
		QPSK	25	0	18.50	18.71	18.90	18.83	18.76	0-5
25			12	18.49	18.73	18.89	18.82	18.81	2.5	
25			25	18.53	18.68	18.83	18.88	18.82	2.5	
16QAM			50	0	18.53	18.70	18.92	18.80	18.88	0-5

Table H-97

LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	21.08	21.12	21.37	21.37	21.16	0	0	
	1	12	21.11	21.14	21.38	21.51	21.26		0	
	1	24	21.09	21.06	21.32	21.38	21.16		0	
	QPSK	12	0	21.03	21.22	21.49	21.35	21.30	0-1	0
		12	6	21.05	21.26	21.46	21.33	21.38		0
		12	13	21.09	21.24	21.42	21.39	21.36		0
25		0	21.04	21.22	21.41	21.29	21.34	0		
1		0	20.97	21.09	21.23	21.35	21.19	0		
1		12	21.05	21.20	21.28	21.34	21.47	0		
16QAM	1	24	21.06	21.06	21.24	21.20	21.15	0-1	0	
	12	0	21.00	21.26	21.42	21.31	21.33		0	
	12	6	21.07	21.30	21.40	21.35	21.36		0	
	16QAM	12	13	21.09	21.24	21.40	21.42	21.36	0-2	0
		25	0	21.02	21.29	21.44	21.35	21.36		0
		1	0	21.02	21.05	21.37	21.21	21.14		0
1		12	21.13	21.05	21.41	21.26	21.22	0		
1		24	21.02	21.07	21.34	21.22	21.15	0		
12		0	20.48	20.70	20.98	20.87	20.80	0.5		
64QAM	12	6	20.51	20.66	20.89	20.87	20.93	0-3	0.5	
	12	13	20.50	20.65	20.91	20.88	20.85		0.5	
	25	0	20.48	20.75	20.91	20.87	20.85		0.5	
	1	0	18.39	18.55	18.74	18.70	18.78		2.5	
	1	12	18.61	18.88	18.73	18.97	18.80		2.5	
	1	24	18.56	18.61	18.45	19.05	18.76		2.5	
256QAM	12	0	18.54	18.74	18.92	18.84	18.82	0-5	2.5	
	12	6	18.49	18.77	18.92	18.79	18.85		2.5	
	12	13	18.46	18.72	18.88	18.84	18.78		2.5	
	25	0	18.58	18.75	18.93	18.82	18.85		2.5	

Table H-98

LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	18.42	18.47	18.80	18.76	19.06	0	0	
	1	36	18.46	18.58	18.82	18.85	19.00		0	
	1	74	18.35	18.43	18.62	18.62	18.77		0	
	QPSK	36	0	18.50	18.53	18.78	18.81	18.81	0-1	0
		36	18	18.54	18.66	18.85	18.80	18.82		0
		36	37	18.46	18.63	18.75	18.79	18.80		0
75		0	18.42	18.47	18.75	18.74	18.76	0		
1		0	18.41	18.45	18.79	18.76	18.88	0		
1		36	18.47	18.65	18.78	18.75	18.89	0		
16QAM	1	74	18.42	18.48	18.59	18.51	18.72	0-1	0	
	36	0	18.53	18.55	18.83	18.78	18.85		0	
	36	18	18.59	18.69	18.88	18.82	18.82		0	
	16QAM	36	37	18.50	18.63	18.77	18.82	18.83	0-2	0
		75	0	18.51	18.54	18.82	18.77	18.77		0
		1	0	18.57	18.50	18.81	18.90	19.00		0
1		36	18.57	18.62	19.11	19.05	19.11	0		
1		74	18.45	18.62	18.67	18.84	18.80	0		
36		0	18.50	18.56	18.81	18.88	18.84	0		
64QAM	36	18	18.55	18.69	18.87	18.86	18.88	0-3	0	
	36	37	18.47	18.65	18.80	18.81	18.82		0	
	75	0	18.47	18.53	18.82	18.82	18.79		0	
	1	0	18.23	18.39	18.59	18.48	18.65		0	
	1	36	18.32	18.46	18.61	18.65	18.71		0	
	1	74	18.07	18.34	18.54	18.41	18.46		0	
256QAM	36	0	18.32	18.39	18.62	18.57	18.64	0-5	0	
	36	18	18.36	18.51	18.70	18.64	18.64		0	
	36	37	18.31	18.44	18.61	18.62	18.63		0	
	75	0	18.28	18.36	18.67	18.57	18.59		0	

Table H-99
LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	18.57	18.63	18.84	19.00	18.77	0	0
	1	25	18.71	18.59	18.91	18.88	18.90		0
	1	49	18.55	18.44	18.68	18.86	18.74		0
	25	0	18.57	18.63	18.93	18.83	18.88	0-1	0
	25	12	18.66	18.69	18.93	18.84	18.89		0
	25	25	18.64	18.66	18.84	18.87	18.90		0
16QAM	50	0	18.59	18.64	18.89	18.86	18.93	0-1	0
	1	0	18.48	18.46	18.81	18.94	18.85		0
	1	25	18.56	18.58	18.77	18.93	18.93		0
	1	49	18.48	18.54	18.68	18.86	18.92	0-2	0
	25	0	18.53	18.68	18.92	18.86	18.88		0
	25	12	18.68	18.68	18.94	18.85	18.88		0
64QAM	25	25	18.68	18.66	18.86	18.84	18.89	0-2	0
	50	0	18.56	18.66	18.92	18.82	18.90		0
	1	0	18.61	18.53	18.92	18.91	18.92		0
	1	25	18.64	18.60	18.87	18.86	18.91	0-3	0
	1	49	18.57	18.52	18.86	18.92	18.85		0
	25	0	18.62	18.72	19.00	18.92	18.90		0
256QAM	25	12	18.73	18.68	18.96	18.86	18.87	0-3	0
	25	25	18.70	18.69	18.91	18.91	18.96		0
	50	0	18.66	18.70	18.89	18.86	18.94		0
	1	0	18.33	18.35	18.61	18.53	18.68	0-5	0
	1	25	18.44	18.37	18.64	18.72	18.66		0
	1	49	18.43	18.25	18.62	18.59	18.49		0
256QAM	25	0	18.35	18.42	18.77	18.61	18.64	0-5	0
	25	12	18.49	18.48	18.70	18.63	18.64		0
	25	25	18.43	18.43	18.65	18.67	18.67		0
	50	0	18.33	18.46	18.68	18.65	18.72	0	

Table H-100
LTE Band 41 PC3 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	18.51	18.80	18.84	18.87	18.73	0	0	
	1	12	18.47	18.92	18.85	18.95	18.81		0	
	1	24	18.42	18.83	18.74	18.83	18.70		0	
	12	0	18.51	18.84	18.90	18.83	18.84	0-1	0	
	12	6	18.52	18.83	18.89	18.86	18.89		0	
	12	13	18.47	18.84	18.84	18.87	18.84		0	
16QAM	25	0	18.51	18.75	18.86	18.82	18.90	0-1	0	
	1	0	18.52	18.82	18.78	18.75	18.80		0	
	1	12	18.41	18.90	18.79	18.89	18.85		0	
	1	24	18.41	18.84	18.60	18.80	18.67	0-2	0	
	12	0	18.50	18.82	18.94	18.82	18.81		0	
	12	6	18.49	18.84	18.93	18.84	18.92		0	
64QAM	12	13	18.44	18.87	18.86	18.88	18.83	0-2	0	
	25	0	18.49	18.82	18.90	18.83	18.86		0	
	1	0	18.39	18.83	18.99	18.88	18.74		0-2	0
	1	12	18.39	18.90	18.85	18.98	18.72	0-3		0
	1	24	18.54	18.73	18.90	18.82	18.69			0
	256QAM	12	0	18.47	18.78	18.93	18.81		18.85	0-3
12		6	18.47	18.81	18.90	18.87	18.94	0		
12		13	18.45	18.86	18.87	18.89	18.90	0		
25		0	18.49	18.81	18.91	18.86	18.90	0-5	0	
1		0	18.19	18.61	18.41	18.53	18.49		0	
1		12	18.34	18.78	18.64	18.64	18.70		0	
256QAM	1	24	18.30	18.57	18.35	18.47	18.69	0-5	0	
	12	0	18.30	18.64	18.70	18.59	18.65		0	
	12	6	18.32	18.59	18.68	18.66	18.70		0	
	12	13	18.25	18.63	18.69	18.69	18.69	0-5	0	
	25	0	18.35	18.61	18.71	18.64	18.70		0	

H.1.11 LTE Band 48

Table H-101

LTE Band 48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
Conducted Power [dBm]								
QPSK	1	0	21.68	21.94	21.90	21.83	0	0
	1	36	21.75	22.00	21.94	21.89		0
	1	74	21.74	22.05	21.89	21.80		0
	36	0	21.11	21.09	21.07	20.95	0-1	0.5
	36	18	20.99	21.05	21.10	20.97		0.5
	36	37	21.04	21.10	20.99	20.91		0.5
	75	0	20.99	21.04	21.11	20.98		0.5
16QAM	1	0	21.02	21.14	21.27	21.14	0-1	0.5
	1	36	21.30	21.26	21.27	21.13		0.5
	1	74	21.05	21.21	21.15	21.16		0.5
	36	0	19.98	20.08	20.11	19.97	0-2	1.5
	36	18	20.03	20.05	20.09	20.04		1.5
	36	37	20.07	20.11	20.06	19.96		1.5
	75	0	20.06	20.06	20.09	19.98		1.5
64QAM	1	0	20.18	20.32	20.24	20.10	0-2	1.5
	1	36	20.13	20.41	20.41	20.19		1.5
	1	74	20.18	20.35	20.26	20.29		1.5
	36	0	19.08	19.17	19.03	18.98	0-3	2.5
	36	18	19.07	19.06	19.11	19.05		2.5
	36	37	19.03	19.01	18.98	18.97		2.5
	75	0	19.01	19.05	19.10	19.00		2.5
256QAM	1	0	17.02	17.13	17.05	17.07	0-5	4.5
	1	36	16.95	17.27	17.29	17.09		4.5
	1	74	16.96	17.28	17.17	17.07		4.5
	36	0	16.98	17.06	17.11	17.01		4.5
	36	18	17.08	17.05	17.08	17.06		4.5
	36	37	17.01	17.02	17.04	17.01		4.5
	75	0	16.92	17.02	17.06	17.02		4.5

Table H-102

LTE Band 48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
Conducted Power [dBm]								
QPSK	1	0	21.97	22.02	21.97	21.90	0	0
	1	25	21.81	22.01	21.99	21.91		0
	1	49	21.82	22.03	21.95	21.80		0
	25	0	21.13	21.11	21.10	21.05	0-1	0.5
	25	12	20.99	21.10	21.12	21.01		0.5
	25	25	21.04	21.06	21.02	20.97		0.5
	50	0	20.99	21.06	21.12	20.99		0.5
16QAM	1	0	21.03	21.31	21.25	21.23	0-1	0.5
	1	25	21.30	21.32	21.28	21.27		0.5
	1	49	21.11	21.30	21.24	21.23		0.5
	25	0	19.97	20.17	20.15	20.02	0-2	1.5
	25	12	20.03	20.11	20.18	20.09		1.5
	25	25	20.05	20.09	20.06	20.01		1.5
	50	0	19.98	20.08	20.12	20.05		1.5
64QAM	1	0	20.18	20.28	20.45	20.14	0-2	1.5
	1	25	20.18	20.52	20.33	20.32		1.5
	1	49	20.32	20.29	20.39	20.37		1.5
	25	0	19.07	19.18	19.12	19.10	0-3	2.5
	25	12	18.97	19.11	19.19	19.09		2.5
	25	25	19.03	19.09	19.03	18.98		2.5
	50	0	18.99	19.08	19.14	19.11		2.5
256QAM	1	0	16.95	17.12	17.19	17.14	0-5	4.5
	1	25	16.95	17.33	17.26	17.13		4.5
	1	49	16.97	17.14	17.03	17.10		4.5
	25	0	16.98	17.15	17.11	17.04		4.5
	25	12	17.09	17.09	17.11	17.10		4.5
	25	25	17.02	17.09	17.04	16.97		4.5
	50	0	16.92	17.05	17.09	17.08		4.5

Table H-103

LTE Band 48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	21.86	22.02	22.04	21.94	0	0
	1	12	21.91	22.00	21.97	21.91		0
	1	24	21.86	21.98	22.03	21.70		0
	12	0	21.11	21.14	21.09	21.04	0-1	0.5
	12	6	20.99	21.16	21.14	21.06		0.5
	12	13	21.04	21.14	21.02	21.02		0.5
16QAM	25	0	20.99	21.12	21.09	21.04	0-1	0.5
	1	0	21.11	21.20	21.24	21.16		0.5
	1	12	21.30	21.36	21.72	21.26		0.5
	12	0	19.98	20.15	20.15	20.09	0-2	1.5
	12	6	20.03	20.21	20.19	20.07		1.5
	12	13	20.05	20.18	20.11	20.04		1.5
64QAM	25	0	19.98	20.19	20.11	20.04	0-2	1.5
	1	0	20.17	20.42	20.39	20.26		1.5
	1	12	20.30	20.51	20.38	20.39		1.5
	1	24	20.22	20.25	20.24	20.27	0-3	1.5
	12	0	19.07	19.20	19.16	19.12		2.5
	12	6	19.05	19.21	19.15	19.18		2.5
256QAM	12	13	19.02	19.15	19.02	19.09	0-3	2.5
	25	0	18.99	19.17	19.11	19.03		2.5
	1	0	16.94	17.16	17.16	17.07		0-5
	1	12	17.03	17.27	17.25	17.28	4.5	
	1	24	16.99	17.07	17.05	17.10	4.5	
	12	0	16.98	17.11	17.12	17.08	4.5	
12	6	17.09	17.22	17.17	17.18	4.5		
12	13	17.01	17.18	17.07	17.08	4.5		
25	0	16.95	17.12	17.13	17.10	4.5		

Table H-104

LTE Band 48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	18.91	18.96	18.95	18.86	0	0
	1	36	18.85	19.13	19.05	18.93		0
	1	74	18.83	19.13	19.00	18.95		0
	36	0	18.85	19.08	19.10	19.00	0-1	0
	36	18	18.81	19.04	19.12	19.02		0
	36	37	18.84	19.08	19.04	18.96		0
16QAM	75	0	18.81	19.07	19.09	18.94	0-1	0
	1	0	18.73	19.05	19.07	18.86		0
	1	36	18.88	19.09	18.95	18.96		0
	1	74	18.76	19.02	18.94	18.96	0-2	0
	36	0	18.90	19.10	19.15	19.03		0
	36	18	18.87	19.03	19.09	19.08		0
64QAM	36	37	18.86	19.05	19.08	19.01	0-2	0
	75	0	18.85	19.05	19.11	19.00		0
	1	0	18.85	19.01	19.02	18.97		0-3
	1	36	18.87	19.16	19.07	19.03	0	
	1	74	18.93	19.11	19.12	18.92	0	
	36	0	18.87	19.06	19.09	18.97	0-5	0
36	18	18.81	19.05	19.11	19.02	0		
36	37	18.81	19.09	19.04	19.01	0		
256QAM	75	0	18.84	19.04	19.12	18.99	0-5	0
	1	0	17.34	17.56	17.57	17.38		1
	1	36	17.20	17.62	17.63	17.46		1
	1	74	17.29	17.52	17.45	17.44		1
	36	0	17.38	17.65	17.63	17.50		1
	36	18	17.36	17.55	17.63	17.58		1
36	37	17.38	17.61	17.55	17.50	1		
75	0	17.36	17.59	17.65	17.56	1		

Table H-105
LTE Band 48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
Conducted Power [dBm]								
QPSK	1	0	18.91	19.05	19.06	18.91	0	0
	1	25	18.97	19.18	19.16	18.92		0
	1	49	18.93	19.17	19.04	18.95		0
	25	0	18.95	19.22	19.13	19.08	0-1	0
	25	12	18.98	19.15	19.15	19.04		0
	25	25	18.96	19.19	19.07	18.96		0
16QAM	50	0	18.94	19.14	19.14	18.95	0-1	0
	1	0	18.87	19.05	19.05	18.97		0
	1	25	18.87	19.20	19.12	19.03		0
	1	49	18.87	19.08	19.06	19.01	0-2	0
	25	0	18.90	19.23	19.12	19.03		0
	25	12	18.92	19.22	19.18	19.09		0
64QAM	25	25	18.97	19.17	19.07	19.06	0-2	0
	50	0	18.99	19.18	19.14	19.00		0
	1	0	19.02	19.16	19.19	19.07		0
	1	25	18.86	19.31	19.20	19.01	0-3	0
	1	49	18.88	19.25	19.13	18.92		0
	25	0	18.95	19.24	19.13	18.94		0
256QAM	25	12	18.96	19.20	19.19	18.96	0-5	0
	25	25	18.94	19.17	19.02	19.00		0
	50	0	18.93	19.14	19.13	18.97		0
	1	0	17.32	17.56	17.46	17.49	0-5	1
	1	25	17.49	17.76	17.57	17.56		1
	1	49	17.27	17.60	17.42	17.38		1
25	0	17.42	17.78	17.61	17.51	1		
25	12	17.48	17.72	17.65	17.58	1		
25	25	17.45	17.69	17.54	17.49	1		
50	0	17.45	17.71	17.65	17.58	1		

Table H-106
LTE Band 48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
Conducted Power [dBm]								
QPSK	1	0	18.91	19.03	19.00	18.90	0	0
	1	12	18.96	19.19	19.11	18.93		0
	1	24	18.81	19.07	19.00	18.94		0
	12	0	18.93	19.15	19.13	19.08	0-1	0
	12	6	18.97	19.17	19.19	19.03		0
	12	13	18.94	19.13	19.02	18.95		0
16QAM	25	0	18.92	19.13	19.12	18.94	0-1	0
	1	0	18.87	19.01	18.99	18.95		0
	1	12	18.91	19.10	19.12	19.04		0
	1	24	18.74	18.99	18.97	18.88	0-2	0
	12	0	18.92	19.16	19.10	19.03		0
	12	6	18.95	19.18	19.19	19.15		0
64QAM	12	13	18.93	19.18	19.04	19.09	0-2	0
	25	0	18.95	19.14	19.14	19.00		0
	1	0	18.97	19.17	19.12	19.09		0
	1	12	19.01	19.22	19.24	19.01	0-3	0
	1	24	18.87	19.17	19.08	18.91		0
	12	0	18.94	19.15	19.12	18.97		0
256QAM	12	6	18.98	19.14	19.17	18.99	0-3	0
	12	13	18.87	19.11	19.01	19.00		0
	25	0	18.93	19.14	19.14	18.98		0
	1	0	17.31	17.56	17.56	17.46	0-5	1
	1	12	17.51	17.62	17.53	17.51		1
	1	24	17.37	17.53	17.51	17.38		1
12	0	17.44	17.61	17.68	17.50	1		
12	6	17.49	17.68	17.65	17.57	1		
12	13	17.42	17.64	17.56	17.48	1		
25	0	17.43	17.65	17.61	17.60	1		

H.2 NR Lower Bandwidth RF Conducted Powers

Per FCC guidance, NR Band n77 C-band and DoD lower Bandwidth conducted powers are required only on channels corresponding to the largest BW.

H.2.1 NR Band n71

Table H-107
NR Band n71 Ant A Measured P_{Max} for all DSI – 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel		MPR [dB]
			136100 (680.5 MHz)	Conducted Power [dBm]	
DFT-s-OFDM QPSK	1	1	23.67	0	0.0
	1	40	23.91		0.0
	1	77	24.02		0.0
	36	0	22.97	0-1	1.0
	36	22	24.04	0	0.0
	36	43	23.00	0-1	1.0
	75	0	23.07		1.0
DFT-s-OFDM 16QAM	1	1	22.48	0-1	1.0
CP-OFDM QPSK	1	1	22.37	0-1.5	1.5

Table H-108
NR Band n71 Ant A Measured P_{Max} for all DSI – 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
DFT-s-OFDM QPSK	1	1	23.68	23.99	24.01	0	0.0
	1	26	23.74	24.03	23.96		0.0
	1	50	23.81	23.99	24.01		0.0
	25	0	22.73	22.93	23.02	0-1	1.0
	25	14	23.87	24.08	24.01	0	0.0
	25	27	22.81	23.06	23.08	0-1	1.0
	50	0	22.86	23.09	23.02		1.0
DFT-s-OFDM 16QAM	1	1	22.33	22.75	22.66	0-1	1.0
CP-OFDM QPSK	1	1	22.19	22.55	22.57	0-1.5	1.5

Table H-109
NR Band n71 Ant A Measured P_{Max} for all DSI – 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.69	24.06	24.17	0	0.0
	1	13	23.76	24.12	24.12		0.0
	1	23	23.73	24.11	24.21		0.0
	12	0	22.73	23.11	23.20	0-1	1.0
	12	7	23.79	24.11	24.15	0	0.0
	12	13	22.86	23.18	23.16	0-1	1.0
	25	0	22.86	23.13	23.14		1.0
DFT-s-OFDM 16QAM	1	1	22.47	22.86	22.92	0-1	1.0
CP-OFDM QPSK	1	1	22.32	22.66	22.83	0-1.5	1.5

Table H-110
NR Band n71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.17	0	0.0
	1	40	23.32		0.0
	1	77	23.44		0.0
	36	0	22.35	0-1	1.0
	36	22	23.39	0	0.0
	36	43	22.42	0-1	1.0
	75	0	22.52		1.0
DFT-s-OFDM 16QAM	1	1	21.94	0-1	1.0
CP-OFDM QPSK	1	1	21.85	0-1.5	1.5

Table H-111

NR Band n71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.10	23.35	23.40	0	0.0
	1	26	23.21	23.42	23.48		0.0
	1	50	23.19	23.42	23.48		0.0
	25	0	22.12	22.38	22.47	0-1	1.0
	25	14	23.28	23.44	23.43	0	0.0
	25	27	22.17	22.43	22.43	0-1	1.0
	50	0	22.26	22.45	22.43		1.0
DFT-s-OFDM 16QAM	1	1	21.79	22.01	22.07	0-1	1.0
CP-OFDM QPSK	1	1	21.63	21.85	21.94	0-1.5	1.5

Table H-112

NR Band n71 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.09	23.44	23.58	0	0.0
	1	13	23.31	23.46	23.56		0.0
	1	23	23.12	23.51	23.56		0.0
	12	0	22.18	22.58	22.58	0-1	1.0
	12	7	23.26	23.49	23.59	0	0.0
	12	13	22.24	22.49	22.61	0-1	1.0
	25	0	22.28	22.49	22.60		1.0
DFT-s-OFDM 16QAM	1	1	21.75	22.14	22.37	0-1	1.0
CP-OFDM QPSK	1	1	21.67	22.13	22.18	0-1.5	1.5

Table H-113
NR Band n71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.23	0	0.0
	1	40	22.43		0.0
	1	77	22.44		0.0
	36	0	22.33	0-1	0.0
	36	22	22.37	0	0.0
	36	43	22.48	0-1	0.0
	75	0	22.51		0.0
DFT-s-OFDM 16QAM	1	1	21.92	0-1	0.0
CP-OFDM QPSK	1	1	22.29	0-1.5	0.0

Table H-114
NR Band n71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	22.15	22.39	22.38	0	0.0
	1	26	22.18	22.39	22.43		0.0
	1	50	22.34	22.49	22.56		0.0
	25	0	22.24	22.38	22.47	0-1	0.0
	25	14	22.28	22.42	22.55	0	0.0
	25	27	22.31	22.43	22.42	0-1	0.0
	50	0	22.22	22.46	22.56		0.0
DFT-s-OFDM 16QAM	1	1	21.77	22.15	22.04	0-1	0.0
CP-OFDM QPSK	1	1	22.10	22.30	22.38	0-1.5	0.0

Table H-115
NR Band n71 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	22.13	22.58	22.63	0	0.0
	1	13	22.34	22.51	22.70		0.0
	1	23	22.21	22.48	22.65		0.0
	12	0	22.23	22.49	22.60	0-1	0.0
	12	7	22.28	22.52	22.59	0	0.0
	12	13	22.32	22.49	22.60	0-1	0.0
	25	0	22.30	22.52	22.55		0.0
DFT-s-OFDM 16QAM	1	1	21.86	22.33	22.43	0-1	0.0
CP-OFDM QPSK	1	1	22.19	22.49	22.63	0-1.5	0.0

H.2.2 NR Band n12

Table H-116
NR Band n12 Ant A Measured P_{Max} for all DSI – 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.74		0	0.0
	1	26	23.92			0.0
	1	50	23.84			0.0
	25	0	23.39		0-1	1.0
	25	14	24.01		0	0.0
	25	27	22.80		0-1	1.0
	50	0	23.07			1.0
DFT-s-OFDM 16QAM	1	1	23.69		0-1	1.0
CP-OFDM QPSK	1	1	23.25		0-1.5	1.5

Table H-117
NR Band n12 Ant A Measured P_{Max} for all DSI – 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.35	24.24	0	0.0
	1	13	24.42	24.31		0.0
	1	23	24.30	24.14		0.0
	12	0	23.38	23.26	0-1	1.0
	12	7	24.32	24.25	0	0.0
	12	13	23.27	23.16	0-1	1.0
	25	0	23.30	23.22		1.0
DFT-s-OFDM 16QAM	1	1	23.13	23.13	0-1	1.0
CP-OFDM QPSK	1	1	23.00	22.92	0-1.5	1.5

Table H-118
NR Band n12 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.87		0	0.0
	1	26	23.76			0.0
	1	50	23.85			0.0
	25	0	22.78		0-1	1.0
	25	14	23.76		0	0.0
	25	27	22.67		0-1	1.0
	50	0	22.68			1.0
DFT-s-OFDM 16QAM	1	1	22.66		0-1	1.0
CP-OFDM QPSK	1	1	22.40		0-1.5	1.5

Table H-119
NR Band n12 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.75	23.75	23.62	0	0.0
	1	13	23.84	23.82	23.75		0.0
	1	23	23.75	23.68	23.73		0.0
	12	0	22.79	22.73	22.78	0-1	1.0
	12	7	23.79	23.71	23.81	0	0.0
	12	13	22.74	22.69	22.72	0-1	1.0
	25	0	22.73	22.69	22.76		1.0
DFT-s-OFDM 16QAM	1	1	22.63	22.57	22.61	0-1	1.0
CP-OFDM QPSK	1	1	22.42	22.38	22.36	0-1.5	1.5

Table H-120
NR Band n12 Ant E Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	21.35		0	0.0
	1	26	21.27			0.0
	1	50	21.36			0.0
	25	0	21.23		0-1	0.0
	25	14	21.17		0	0.0
	25	27	21.30		0-1	0.0
	50	0	21.16			0.0
DFT-s-OFDM 16QAM	1	1	21.20		0-1	0.0
CP-OFDM QPSK	1	1	21.34		0-1.5	0.0

Table H-121
NR Band n12 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.26	21.21	21.16	0	0.0
	1	13	21.29	21.27	21.24		0.0
	1	23	21.18	21.11	21.26		0.0
	12	0	21.23	21.16	21.23	0-1	0.0
	12	7	21.29	21.25	21.28	0	0.0
	12	13	21.18	21.10	21.22	0-1	0.0
	25	0	21.19	21.18	21.20		0.0
DFT-s-OFDM 16QAM	1	1	21.18	21.01	21.06	0-1	0.0
CP-OFDM QPSK	1	1	21.45	21.39	21.57	0-1.5	0.0

H.2.3 NR Band n26

Table H-122
NR Band n26 Ant A Measured P_{Max} for all DSI – 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.48	24.00	0	0.0
	1	40	23.56	23.80		0.0
	1	77	23.44	23.76		0.0
	36	0	22.49	22.84	0-1	1.0
	36	22	23.10	23.89	0	0.0
	36	43	21.97	22.86	0-1	1.0
	75	0	22.33	22.90		1.0
DFT-s-OFDM 16QAM	1	1	22.39	22.74	0-1	1.0
CP-OFDM QPSK	1	1	21.96	22.53	0-1.5	1.5

Table H-123
NR Band n26 Ant A Measured P_{Max} for all DSI – 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.97	24.00	24.20	0	0.0
	1	26	23.98	23.98	24.27		0.0
	1	50	23.94	23.92	23.53		0.0
	25	0	22.90	22.95	23.31	0-1	1.0
	25	14	23.44	23.95	24.22	0	0.0
	25	27	22.45	22.92	23.21	0-1	1.0
	50	0	22.82	22.92	23.28		1.0
DFT-s-OFDM 16QAM	1	1	22.71	22.88	23.06	0-1	1.0
CP-OFDM QPSK	1	1	22.42	22.59	22.36	0-1.5	1.5

Table H-124
NR Band n26 Ant A Measured P_{Max} for all DSI – 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.97	23.93	23.82	0	0.0
	1	13	23.99	23.93	23.86		0.0
	1	23	23.88	23.90	23.77		0.0
	12	0	22.42	22.80	22.81	0-1	1.0
	12	7	23.49	23.85	23.84	0	0.0
	12	13	22.35	22.81	22.77	0-1	1.0
	25	0	22.34	22.90	22.78		1.0
DFT-s-OFDM 16QAM	1	1	22.33	22.71	22.64	0-1	1.0
CP-OFDM QPSK	1	1	22.09	22.43	22.51	0-1.5	1.5

Table H-125
NR Band n26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.30	23.31	0	0.0
	1	40	23.26	23.20		0.0
	1	77	23.36	23.32		0.0
	36	0	22.30	22.37	0-1	1.0
	36	22	23.37	23.25	0	0.0
	36	43	22.30	22.25	0-1	1.0
	75	0	22.37	22.32		1.0
DFT-s-OFDM 16QAM	1	1	22.05	22.16	0-1	1.0
CP-OFDM QPSK	1	1	21.77	21.88	0-1.5	1.5

Table H-126

NR Band n26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.44	23.49	23.40	0	0.0
	1	26	23.40	23.43	23.39		0.0
	1	50	23.49	23.44	23.38		0.0
	25	0	22.41	22.41	22.31	0-1	1.0
	25	14	23.41	23.47	23.26	0	0.0
	25	27	22.42	22.45	22.37	0-1	1.0
	50	0	22.29	22.39	22.29		1.0
DFT-s-OFDM 16QAM	1	1	22.24	22.18	22.13	0-1	1.0
CP-OFDM QPSK	1	1	21.96	22.09	21.91	0-1.5	1.5

Table H-127

NR Band n26 Ant E Measured P_{Max} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.40	23.48	23.42	0	0.0
	1	13	23.50	23.54	23.54		0.0
	1	23	23.44	23.44	23.38		0.0
	12	0	22.44	22.43	22.39	0-1	1.0
	12	7	23.46	23.45	23.42	0	0.0
	12	13	22.39	22.42	22.37	0-1	1.0
	25	0	22.36	22.41	22.40		1.0
DFT-s-OFDM 16QAM	1	1	22.27	22.30	22.27	0-1	1.0
CP-OFDM QPSK	1	1	22.09	22.02	22.03	0-1.5	1.5

Table H-128
NR Band n26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.37	20.37	0	0.0
	1	40	20.38	20.32		0.0
	1	77	20.45	20.35		0.0
	36	0	20.37	20.40	0-1	0.0
	36	22	20.36	20.40	0	0.0
	36	43	20.40	20.37	0-1	0.0
	75	0	20.41	20.33		0.0
DFT-s-OFDM 16QAM	1	1	20.28	20.29	0-1	0.0
CP-OFDM QPSK	1	1	20.36	20.55	0-1.5	0.0

Table H-129
NR Band n26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.50	20.52	20.49	0	0.0
	1	26	20.50	20.51	20.48		0.0
	1	50	20.55	20.52	20.46		0.0
	25	0	20.40	20.39	20.36	0-1	0.0
	25	14	20.44	20.44	20.43	0	0.0
	25	27	20.53	20.46	20.48	0-1	0.0
	50	0	20.45	20.41	20.31		0.0
DFT-s-OFDM 16QAM	1	1	20.17	20.29	20.11	0-1	0.0
CP-OFDM QPSK	1	1	20.43	20.56	20.59	0-1.5	0.0

Table H-130
NR Band n26 Ant E Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.46	20.45	20.47	0	0.0
	1	13	20.60	20.69	20.59		0.0
	1	23	20.47	20.53	20.45		0.0
	12	0	20.57	20.42	20.50	0-1	0.0
	12	7	20.53	20.58	20.52	0	0.0
	12	13	20.50	20.45	20.49	0-1	0.0
	25	0	20.49	20.54	20.48		0.0
DFT-s-OFDM 16QAM	1	1	20.34	20.32	20.24	0-1	0.0
CP-OFDM QPSK	1	1	20.61	20.59	20.65	0-1.5	0.0

H.2.4 NR Band n70

Table H-131

NR Band n70 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.94	0	0.0	
	1	26	18.88		0.0	
	1	50	18.85		0.0	
	25	0	18.84	0-1	0.0	
	25	14	18.87	0	0.0	
	25	27	18.86	0-1	0.0	
	50	0	18.81		0.0	
DFT-s-OFDM 16QAM	1	1	18.87	0-1	0.0	
CP-OFDM QPSK	1	1	19.08	0-1.5	0.0	

Table H-132

NR Band n70 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.94	18.90	0	0.0
	1	13	19.03	18.98		0.0
	1	23	18.94	18.87		0.0
	12	0	18.91	18.88	0-1	0.0
	12	7	18.93	18.97	0	0.0
	12	13	18.96	18.91	0-1	0.0
	25	0	18.94	18.95		0.0
DFT-s-OFDM 16QAM	1	1	18.92	18.86	0-1	0.0
CP-OFDM QPSK	1	1	19.13	19.19	0-1.5	0.0

Table H-133
NR Band n70 Ant A Measured P_{Max} for DSI = 1 (Head) – 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.11		0	0.0
	1	26	23.10			0.0
	1	50	22.97			0.0
	25	0	22.02		0-1	1.0
	25	14	23.03		0	0.0
	25	27	21.90		0-1	1.0
	50	0	22.03			1.0
DFT-s-OFDM 16QAM	1	1	22.00		0-1	1.0
CP-OFDM QPSK	1	1	21.74		0-1.5	1.5

Table H-134
NR Band n70 Ant A Measured P_{Max} for DSI = 1 (Head)– 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.16	23.02	0	0.0
	1	13	23.32	23.04		0.0
	1	23	23.19	22.94		0.0
	12	0	22.16	21.87	0-1	1.0
	12	7	23.23	22.98	0	0.0
	12	13	22.20	21.93	0-1	1.0
	25	0	22.16	22.00		1.0
DFT-s-OFDM 16QAM	1	1	22.04	21.94	0-1	1.0
CP-OFDM QPSK	1	1	21.83	21.71	0-1.5	1.5

Table H-135

NR Band n70 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.64		0	0.0
	1	26	20.65			0.0
	1	50	20.74			0.0
	25	0	20.64		0-1	0.0
	25	14	20.63		0	0.0
	25	27	20.73		0-1	0.0
	50	0	20.58			0.0
DFT-s-OFDM 16QAM	1	1	20.56		0-1	0.0
CP-OFDM QPSK	1	1	20.90		0-1.5	0.0

Table H-136

NR Band n70 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.54	20.73	0	0.0
	1	13	20.73	20.93		0.0
	1	23	20.67	20.82		0.0
	12	0	20.66	20.73	0-1	0.0
	12	7	20.78	20.82	0	0.0
	12	13	20.69	20.76	0-1	0.0
	25	0	20.65	20.75		0.0
DFT-s-OFDM 16QAM	1	1	20.49	20.63	0-1	0.0
CP-OFDM QPSK	1	1	20.96	20.95	0-1.5	0.0

Table H-137
NR Band n70 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.60		0	0.0
	1	26	18.68			0.0
	1	50	18.68			0.0
	25	0	18.62		0-1	0.0
	25	14	18.69		0	0.0
	25	27	18.70		0-1	0.0
	50	0	18.66			0.0
DFT-s-OFDM 16QAM	1	1	18.47		0-1	0.0
CP-OFDM QPSK	1	1	18.72		0-1.5	0.0

Table H-138
NR Band n70 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.58	18.82	0	0.0
	1	13	18.83	18.89		0.0
	1	23	18.64	18.91		0.0
	12	0	18.60	18.79	0-1	0.0
	12	7	18.75	18.81	0	0.0
	12	13	18.73	18.87	0-1	0.0
	25	0	18.71	18.68		0.0
DFT-s-OFDM 16QAM	1	1	18.45	18.71	0-1	0.0
CP-OFDM QPSK	1	1	18.79	19.08	0-1.5	0.0

H.2.5 NR Band n66

Table H-139

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.51	0	0.0
	1	94	19.80		0.0
	1	186	19.54		0.0
	90	0	19.57	0-1	0.0
	90	49	19.63	0	0.0
	90	98	19.61	0-1	0.0
	180	0	19.55		0.0
DFT-s-OFDM 16QAM	1	1	19.43	0-1	0.0
CP-OFDM QPSK	1	1	19.53	0-1.5	0.0

Table H-140

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.31	0	0.0
	1	80	19.46		0.0
	1	158	19.42		0.0
	80	0	19.27	0-1	0.0
	80	40	19.26	0	0.0
	80	80	19.34	0-1	0.0
	160	0	19.26		0.0
DFT-s-OFDM 16QAM	1	1	19.20	0-1	0.0
CP-OFDM QPSK	1	1	19.41	0-1.5	0.0

Table H-141

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel				
			349000 (1745 MHz)			MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.28			0	0.0
	1	67	19.43				0.0
	1	131	19.36				0.0
	64	0	19.26			0-1	0.0
	64	35	19.27			0	0.0
	64	69	19.37			0-1	0.0
	128	0	19.22				0.0
DFT-s-OFDM 16QAM	1	1	19.16			0-1	0.0
CP-OFDM QPSK	1	1	19.34			0-1.5	0.0

Table H-142

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.84	19.17	19.27	0	0.0
	1	53	19.00	19.35	19.22		0.0
	1	104	19.16	19.26	19.18		0.0
	50	0	18.91	19.15	19.15	0-1	0.0
	50	28	18.92	19.24	19.14	0	0.0
	50	56	18.95	19.29	19.13	0-1	0.0
	100	0	18.99	19.24	19.27		0.0
DFT-s-OFDM 16QAM	1	1	18.59	19.02	19.02	0-1	0.0
CP-OFDM QPSK	1	1	19.01	19.24	19.33	0-1.5	0.0

Table H-143

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.87	19.19	19.17	0	0.0
	1	40	18.85	19.21	19.05		0.0
	1	77	18.97	19.28	19.06		0.0
	36	0	18.88	19.21	19.12	0-1	0.0
	36	22	18.98	19.16	19.12	0	0.0
	36	43	18.88	19.27	19.10	0-1	0.0
	75	0	18.95	19.18	19.11		0.0
DFT-s-OFDM 16QAM	1	1	18.73	19.17	19.08	0-1	0.0
CP-OFDM QPSK	1	1	19.10	19.35	19.29	0-1.5	0.0

Table H-144

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.98	19.31	19.24	0	0.0
	1	26	19.08	19.36	19.21		0.0
	1	50	19.07	19.29	19.22		0.0
	25	0	18.90	19.21	19.18	0-1	0.0
	25	14	19.02	19.28	19.22	0	0.0
	25	27	18.99	19.23	19.20	0-1	0.0
	50	0	18.99	19.29	19.20		0.0
DFT-s-OFDM 16QAM	1	1	18.76	19.03	18.94	0-1	0.0
CP-OFDM QPSK	1	1	19.13	19.34	19.40	0-1.5	0.0

Table H-145

NR Band n66 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.76	19.21	19.09	0	0.0
	1	13	18.99	19.35	19.19		0.0
	1	23	18.83	19.16	19.06		0.0
	12	0	18.75	19.22	19.09	0-1	0.0
	12	7	18.86	19.28	19.19	0	0.0
	12	13	18.87	19.18	19.10	0-1	0.0
	25	0	18.85	19.24	19.11		0.0
DFT-s-OFDM 16QAM	1	1	18.68	19.07	18.94	0-1	0.0
CP-OFDM QPSK	1	1	19.01	19.40	19.29	0-1.5	0.0

Table H-146

NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.11	0	0.0
	1	94	24.38		0.0
	1	186	24.20		0.0
	90	0	23.20	0-1	1.0
	90	49	24.24	0	0.0
	90	98	23.23	0-1	1.0
	180	0	23.15		1.0
DFT-s-OFDM 16QAM	1	1	22.64	0-1	1.0
CP-OFDM QPSK	1	1	22.65	0-1.5	1.5

Table H-147
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.06	0	0.0
	1	80	24.12		0.0
	1	158	24.13		0.0
	80	0	22.90	0-1	1.0
	80	40	23.99	0	0.0
	80	80	22.95	0-1	1.0
	160	0	22.91		1.0
DFT-s-OFDM 16QAM	1	1	22.88	0-1	1.0
CP-OFDM QPSK	1	1	22.53	0-1.5	1.5

Table H-148
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.85	0	0.0
	1	67	24.00		0.0
	1	131	23.94		0.0
	64	0	22.86	0-1	1.0
	64	35	23.88	0	0.0
	64	69	22.88	0-1	1.0
	128	0	22.90		1.0
DFT-s-OFDM 16QAM	1	1	22.79	0-1	1.0
CP-OFDM QPSK	1	1	22.43	0-1.5	1.5

Table H-149
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.53	23.82	23.81	0	0.0
	1	53	23.63	23.96	23.86		0.0
	1	104	23.66	23.86	23.78		0.0
	50	0	22.49	22.77	22.76	0-1	1.0
	50	28	23.62	23.85	23.72	0	0.0
	50	56	22.55	22.80	22.68	0-1	1.0
	100	0	22.62	22.89	22.84		1.0
DFT-s-OFDM 16QAM	1	1	22.21	22.66	22.56	0-1	1.0
CP-OFDM QPSK	1	1	22.17	22.46	22.35	0-1.5	1.5

Table H-150
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.63	23.85	23.72	0	0.0
	1	40	23.49	23.83	23.65		0.0
	1	77	23.61	23.81	23.79		0.0
	36	0	22.56	22.89	22.73	0-1	1.0
	36	22	23.50	23.86	23.67	0	0.0
	36	43	22.61	22.79	22.73	0-1	1.0
	75	0	22.48	22.85	22.67		1.0
DFT-s-OFDM 16QAM	1	1	22.40	22.80	22.65	0-1	1.0
CP-OFDM QPSK	1	1	22.22	22.43	22.31	0-1.5	1.5

Table H-151
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.68	23.90	23.87	0	0.0
	1	26	23.62	23.95	23.86		0.0
	1	50	23.69	23.87	23.89		0.0
	25	0	22.62	22.86	22.88	0-1	1.0
	25	14	23.61	23.84	23.81	0	0.0
	25	27	22.72	22.82	22.81	0-1	1.0
	50	0	22.57	22.86	22.78		1.0
DFT-s-OFDM 16QAM	1	1	22.38	22.75	22.59	0-1	1.0
CP-OFDM QPSK	1	1	22.26	22.53	22.50	0-1.5	1.5

Table H-152
NR Band n66 Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.42	23.91	23.80	0	0.0
	1	13	23.59	24.03	23.95		0.0
	1	23	23.44	23.86	23.83		0.0
	12	0	22.45	22.96	22.89	0-1	1.0
	12	7	23.55	23.99	23.92	0	0.0
	12	13	22.49	22.90	22.85	0-1	1.0
	25	0	22.51	22.87	22.79		1.0
DFT-s-OFDM 16QAM	1	1	22.34	22.74	22.68	0-1	1.0
CP-OFDM QPSK	1	1	22.13	22.57	22.50	0-1.5	1.5

Table H-153

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.94	0	0.0
	1	94	20.94		0.0
	1	186	21.05		0.0
	90	0	20.98	0-1	0.0
	90	49	20.97	0	0.0
	90	98	20.90	0-1	0.0
	180	0	20.90		0.0
DFT-s-OFDM 16QAM	1	1	20.74	0-1	0.0
CP-OFDM QPSK	1	1	21.01	0-1.5	0.0

Table H-154

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.07	0	0.0
	1	80	20.72		0.0
	1	158	20.80		0.0
	80	0	20.87	0-1	0.0
	80	40	20.86	0	0.0
	80	80	20.76	0-1	0.0
	160	0	20.79		0.0
DFT-s-OFDM 16QAM	1	1	21.10	0-1	0.0
CP-OFDM QPSK	1	1	21.18	0-1.5	0.0

Table H-155

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel		
			349000 (1745 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.85	0	0.0
	1	67	20.69		0.0
	1	131	20.53		0.0
	64	0	20.80	0-1	0.0
	64	35	20.78	0	0.0
	64	69	20.73	0-1	0.0
	128	0	20.81		0.0
DFT-s-OFDM 16QAM	1	1	21.01	0-1	0.0
CP-OFDM QPSK	1	1	21.05	0-1.5	0.0

Table H-156

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.90	20.94	20.79	0	0.0
	1	53	20.71	20.56	20.74		0.0
	1	104	20.74	20.67	20.66		0.0
	50	0	20.71	20.73	20.76	0-1	0.0
	50	28	20.79	20.68	20.77	0	0.0
	50	56	20.75	20.72	20.75	0-1	0.0
	100	0	20.80	20.78	20.87		0.0
DFT-s-OFDM 16QAM	1	1	20.92	21.05	20.98	0-1	0.0
CP-OFDM QPSK	1	1	21.04	21.03	20.99	0-1.5	0.0

Table H-157

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.84	20.82	20.59	0	0.0
	1	40	20.65	20.68	20.44		0.0
	1	77	20.53	20.68	20.61		0.0
	36	0	20.72	20.67	20.69	0-1	0.0
	36	22	20.74	20.65	20.68	0	0.0
	36	43	20.68	20.62	20.64	0-1	0.0
	75	0	20.76	20.67	20.68		0.0
DFT-s-OFDM 16QAM	1	1	20.70	20.62	20.48	0-1	0.0
CP-OFDM QPSK	1	1	21.01	21.02	20.85	0-1.5	0.0

Table H-158

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.94	20.75	20.83	0	0.0
	1	26	20.94	20.66	20.87		0.0
	1	50	20.86	20.74	20.79		0.0
	25	0	20.80	20.68	20.68	0-1	0.0
	25	14	20.84	20.57	20.79	0	0.0
	25	27	20.81	20.57	20.70	0-1	0.0
	50	0	20.74	20.59	20.72		0.0
DFT-s-OFDM 16QAM	1	1	20.68	20.64	20.48	0-1	0.0
CP-OFDM QPSK	1	1	21.06	21.00	20.92	0-1.5	0.0

Table H-159

NR Band n66 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.80	20.68	20.79	0	0.0
	1	13	20.84	20.71	20.96		0.0
	1	23	20.79	20.72	20.74		0.0
	12	0	20.77	20.65	20.71	0-1	0.0
	12	7	20.82	20.66	20.80	0	0.0
	12	13	20.73	20.52	20.74	0-1	0.0
	25	0	20.72	20.56	20.67		0.0
DFT-s-OFDM 16QAM	1	1	20.63	20.64	20.66	0-1	0.0
CP-OFDM QPSK	1	1	20.96	20.93	20.91	0-1.5	0.0

Table H-160

NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.41	0	0.0
	1	94	18.49		0.0
	1	186	18.43		0.0
	90	0	18.50	0-1	0.0
	90	49	18.44	0	0.0
	90	98	18.42	0-1	0.0
	180	0	18.41		0.0
DFT-s-OFDM 16QAM	1	1	18.29	0-1	0.0
CP-OFDM QPSK	1	1	18.53	0-1.5	0.0

Table H-161
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.01	0	0.0
	1	80	18.76		0.0
	1	158	18.89		0.0
	80	0	18.85	0-1	0.0
	80	40	18.91	0	0.0
	80	80	18.79	0-1	0.0
	160	0	18.88		0.0
DFT-s-OFDM 16QAM	1	1	19.13	0-1	0.0
CP-OFDM QPSK	1	1	19.15	0-1.5	0.0

Table H-162
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.91	0	0.0
	1	67	18.70		0.0
	1	131	18.72		0.0
	64	0	18.81	0-1	0.0
	64	35	18.75	0	0.0
	64	69	18.79	0-1	0.0
	128	0	18.74		0.0
DFT-s-OFDM 16QAM	1	1	19.13	0-1	0.0
CP-OFDM QPSK	1	1	19.12	0-1.5	0.0

Table H-163
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.89	18.94	18.86	0	0.0
	1	53	18.75	18.61	18.64		0.0
	1	104	18.79	18.71	18.65		0.0
	50	0	18.90	18.74	18.85	0-1	0.0
	50	28	18.84	18.75	18.77	0	0.0
	50	56	18.79	18.73	18.84	0-1	0.0
	100	0	18.85	18.70	18.85		0.0
DFT-s-OFDM 16QAM	1	1	18.98	19.15	19.09	0-1	0.0
CP-OFDM QPSK	1	1	19.06	19.07	19.11	0-1.5	0.0

Table H-164
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.21	18.12	18.26	0	0.0
	1	40	18.13	18.12	18.03		0.0
	1	77	17.98	17.98	18.07		0.0
	36	0	18.20	18.09	18.20	0-1	0.0
	36	22	18.20	18.10	18.16	0	0.0
	36	43	18.21	18.05	18.16	0-1	0.0
	75	0	18.16	18.09	18.16		0.0
DFT-s-OFDM 16QAM	1	1	18.17	17.92	17.97	0-1	0.0
CP-OFDM QPSK	1	1	18.33	18.20	18.39	0-1.5	0.0

Table H-165
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.40	18.31	18.16	0	0.0
	1	26	18.47	18.30	18.32		0.0
	1	50	18.28	18.12	18.19		0.0
	25	0	18.17	18.09	18.30	0-1	0.0
	25	14	18.30	18.09	18.31	0	0.0
	25	27	18.22	18.04	18.26	0-1	0.0
	50	0	18.20	18.05	18.26		0.0
DFT-s-OFDM 16QAM	1	1	18.08	17.96	17.90	0-1	0.0
CP-OFDM QPSK	1	1	18.47	18.40	18.32	0-1.5	0.0

Table H-166
NR Band n66 Ant F Measured P_{Limit} for DSI = 1 (Head) – 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.20	18.13	18.26	0	0.0
	1	13	18.38	18.30	18.39		0.0
	1	23	18.26	18.16	18.11		0.0
	12	0	18.29	18.13	18.26	0-1	0.0
	12	7	18.25	18.20	18.33	0	0.0
	12	13	18.19	18.09	18.23	0-1	0.0
	25	0	18.29	18.09	18.25		0.0
DFT-s-OFDM 16QAM	1	1	18.12	18.08	18.06	0-1	0.0
CP-OFDM QPSK	1	1	18.48	18.42	18.45	0-1.5	0.0

H.2.6 NR Band n25

Table H-167

NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.86	0	0.0
	1	94	17.91		0.0
	1	186	17.61		0.0
	90	0	17.75	0-1	0.0
	90	49	17.76	0	0.0
	90	98	17.72	0-1	0.0
	180	0	17.71		0.0
DFT-s-OFDM 16QAM	1	1	17.66	0-1	0.0
CP-OFDM QPSK	1	1	17.97	0-1.5	0.0

Table H-168

NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.05	0	0.0
	1	80	17.99		0.0
	1	158	17.83		0.0
	80	0	17.89	0-1	0.0
	80	40	17.86	0	0.0
	80	80	17.79	0-1	0.0
	160	0	17.82		0.0
DFT-s-OFDM 16QAM	1	1	17.80	0-1	0.0
CP-OFDM QPSK	1	1	18.13	0-1.5	0.0

Table H-169
NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel				
			376500 (1882.5 MHz)			MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.84			0	0.0
	1	67	17.86				0.0
	1	131	17.69				0.0
	64	0	17.85			0-1	0.0
	64	35	17.71			0	0.0
	64	69	17.78			0-1	0.0
	128	0	17.81				0.0
DFT-s-OFDM 16QAM	1	1	17.65			0-1	0.0
CP-OFDM QPSK	1	1	18.07			0-1.5	0.0

Table H-170
NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.86	17.68	17.77	0	0.0
	1	53	17.88	17.74	17.77		0.0
	1	104	17.70	17.58	17.76		0.0
	50	0	17.80	17.65	17.70	0-1	0.0
	50	28	17.67	17.56	17.77	0	0.0
	50	56	17.78	17.54	17.71	0-1	0.0
	100	0	17.85	17.65	17.75		0.0
DFT-s-OFDM 16QAM	1	1	17.52	17.51	17.52	0-1	0.0
CP-OFDM QPSK	1	1	17.92	17.83	17.89	0-1.5	0.0

Table H-171

NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.79	17.70	17.54	0	0.0
	1	40	17.70	17.49	17.60		0.0
	1	77	17.67	17.48	17.68		0.0
	36	0	17.81	17.67	17.70	0-1	0.0
	36	22	17.66	17.58	17.60	0	0.0
	36	43	17.66	17.56	17.66	0-1	0.0
	75	0	17.75	17.62	17.66		0.0
DFT-s-OFDM 16QAM	1	1	17.49	17.51	17.41	0-1	0.0
CP-OFDM QPSK	1	1	18.10	17.78	17.85	0-1.5	0.0

Table H-172

NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.90	17.79	17.59	0	0.0
	1	26	17.92	17.69	17.60		0.0
	1	50	17.85	17.62	17.49		0.0
	25	0	17.92	17.61	17.58	0-1	0.0
	25	14	17.87	17.55	17.53	0	0.0
	25	27	17.94	17.55	17.53	0-1	0.0
	50	0	17.94	17.57	17.49		0.0
DFT-s-OFDM 16QAM	1	1	17.64	17.51	17.35	0-1	0.0
CP-OFDM QPSK	1	1	18.14	17.80	17.73	0-1.5	0.0

Table H-173

NR Band n25 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.85	17.69	17.52	0	0.0
	1	13	17.88	17.63	17.68		0.0
	1	23	17.85	17.64	17.37		0.0
	12	0	17.81	17.68	17.59	0-1	0.0
	12	7	17.80	17.64	17.43	0	0.0
	12	13	17.78	17.68	17.47	0-1	0.0
	25	0	17.80	17.65	17.47		0.0
DFT-s-OFDM 16QAM	1	1	17.62	17.52	17.42	0-1	0.0
CP-OFDM QPSK	1	1	18.07	17.96	17.66	0-1.5	0.0

Table H-174

NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.87	0	0.0
	1	94	23.71		0.0
	1	186	23.30		0.0
	90	0	22.43	0-1	1.0
	90	49	23.44	0	0.0
	90	98	22.38	0-1	1.0
	180	0	22.35		1.0
DFT-s-OFDM 16QAM	1	1	22.37	0-1	1.0
CP-OFDM QPSK	1	1	21.85	0-1.5	1.5

Table H-175
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.03	0	0.0
	1	80	23.79		0.0
	1	158	23.91		0.0
	80	0	22.74	0-1	1.0
	80	40	23.86	0	0.0
	80	80	22.88	0-1	1.0
	160	0	22.83		1.0
DFT-s-OFDM 16QAM	1	1	22.67	0-1	1.0
CP-OFDM QPSK	1	1	22.57	0-1.5	1.5

Table H-176
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.90	0	0.0
	1	67	23.85		0.0
	1	131	23.78		0.0
	64	0	22.67	0-1	1.0
	64	35	23.78	0	0.0
	64	69	22.81	0-1	1.0
	128	0	22.79		1.0
DFT-s-OFDM 16QAM	1	1	22.61	0-1	1.0
CP-OFDM QPSK	1	1	22.49	0-1.5	1.5

Table H-177
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.95	23.82	23.80	0	0.0
	1	53	24.06	23.82	23.84		0.0
	1	104	23.91	23.79	23.69		0.0
	50	0	22.94	22.85	22.78	0-1	1.0
	50	28	23.95	23.79	23.78	0	0.0
	50	56	22.91	22.80	22.75	0-1	1.0
	100	0	22.92	22.81	22.90		1.0
DFT-s-OFDM 16QAM	1	1	22.54	22.46	22.44	0-1	1.0
CP-OFDM QPSK	1	1	22.53	22.51	22.31	0-1.5	1.5

Table H-178
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.91	23.71	23.66	0	0.0
	1	40	23.93	23.68	23.72		0.0
	1	77	23.88	23.69	23.68		0.0
	36	0	22.97	22.81	22.80	0-1	1.0
	36	22	23.88	23.72	23.74	0	0.0
	36	43	22.91	22.75	22.69	0-1	1.0
	75	0	22.87	22.74	22.78		1.0
DFT-s-OFDM 16QAM	1	1	22.70	22.46	22.32	0-1	1.0
CP-OFDM QPSK	1	1	22.54	22.36	22.36	0-1.5	1.5

Table H-179
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.99	23.82	23.79	0	0.0
	1	26	24.03	23.80	23.88		0.0
	1	50	24.06	23.86	23.79		0.0
	25	0	22.96	22.78	22.65	0-1	1.0
	25	14	24.03	23.78	23.77	0	0.0
	25	27	22.95	23.08	22.67	0-1	1.0
	50	0	22.92	23.00	22.63		1.0
DFT-s-OFDM 16QAM	1	1	22.60	23.20	22.49	0-1	1.0
CP-OFDM QPSK	1	1	22.55	22.48	22.35	0-1.5	1.5

Table H-180
NR Band n25 Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.99	23.84	23.66	0	0.0
	1	13	23.95	23.83	23.80		0.0
	1	23	23.93	23.80	23.66		0.0
	12	0	22.99	22.78	22.68	0-1	1.0
	12	7	23.95	23.78	23.69	0	0.0
	12	13	22.93	22.73	22.71	0-1	1.0
	25	0	22.85	22.75	22.64		1.0
DFT-s-OFDM 16QAM	1	1	22.71	22.57	22.51	0-1	1.0
CP-OFDM QPSK	1	1	22.60	22.47	22.13	0-1.5	1.5

Table H-181
NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.82	0	0.0
	1	94	19.93		0.0
	1	186	19.65		0.0
	90	0	19.89	0-1	0.0
	90	49	19.85	0	0.0
	90	98	19.81	0-1	0.0
	180	0	19.84		0.0
DFT-s-OFDM 16QAM	1	1	19.99	0-1	0.0
CP-OFDM QPSK	1	1	19.72	0-1.5	0.0

Table H-182
NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.96	0	0.0
	1	80	19.89		0.0
	1	158	19.88		0.0
	80	0	19.81	0-1	0.0
	80	40	19.94	0	0.0
	80	80	19.89	0-1	0.0
	160	0	19.84		0.0
DFT-s-OFDM 16QAM	1	1	20.01	0-1	0.0
CP-OFDM QPSK	1	1	19.78	0-1.5	0.0

Table H-183
NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.86	0	0.0
	1	67	19.84		0.0
	1	131	19.64		0.0
	64	0	19.88	0-1	0.0
	64	35	19.90	0	0.0
	64	69	19.89	0-1	0.0
	128	0	19.79		0.0
DFT-s-OFDM 16QAM	1	1	20.05	0-1	0.0
CP-OFDM QPSK	1	1	20.03	0-1.5	0.0

Table H-184
NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.85	19.89	19.78	0	0.0
	1	53	19.81	19.76	19.76		0.0
	1	104	19.94	19.72	19.73		0.0
	50	0	19.82	19.82	19.82	0-1	0.0
	50	28	19.89	19.86	19.72	0	0.0
	50	56	19.85	19.82	19.79	0-1	0.0
	100	0	19.96	19.90	19.86		0.0
DFT-s-OFDM 16QAM	1	1	19.93	19.94	19.90	0-1	0.0
CP-OFDM QPSK	1	1	19.89	19.95	19.95	0-1.5	0.0

Table H-185

NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.82	19.77	19.77	0	0.0
	1	40	19.74	19.62	19.64		0.0
	1	77	19.78	19.61	19.65		0.0
	36	0	19.76	19.88	19.75	0-1	0.0
	36	22	19.81	19.86	19.79	0	0.0
	36	43	19.83	19.79	19.66	0-1	0.0
	75	0	19.87	19.82	19.70		0.0
DFT-s-OFDM 16QAM	1	1	20.01	20.04	19.95	0-1	0.0
CP-OFDM QPSK	1	1	19.98	19.86	19.81	0-1.5	0.0

Table H-186

NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.85	19.76	19.72	0	0.0
	1	26	19.81	19.67	19.63		0.0
	1	50	19.91	19.73	19.71		0.0
	25	0	19.88	19.69	19.70	0-1	0.0
	25	14	19.91	19.72	19.74	0	0.0
	25	27	19.81	19.76	19.79	0-1	0.0
	50	0	19.89	19.68	19.72		0.0
DFT-s-OFDM 16QAM	1	1	19.92	19.76	19.77	0-1	0.0
CP-OFDM QPSK	1	1	20.00	19.93	19.89	0-1.5	0.0

Table H-187

NR Band n25 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.82	19.71	19.67	0	0.0
	1	13	19.75	19.63	19.70		0.0
	1	23	19.78	19.62	19.58		0.0
	12	0	19.77	19.70	19.70	0-1	0.0
	12	7	19.82	19.77	19.71	0	0.0
	12	13	19.76	19.71	19.68	0-1	0.0
	25	0	19.75	19.69	19.70		0.0
DFT-s-OFDM 16QAM	1	1	19.96	19.92	19.76	0-1	0.0
CP-OFDM QPSK	1	1	19.97	19.98	19.89	0-1.5	0.0

Table H-188

NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.86	0	0.0
	1	94	18.85		0.0
	1	186	18.76		0.0
	90	0	18.93	0-1	0.0
	90	49	18.91	0	0.0
	90	98	18.77	0-1	0.0
	180	0	18.79		0.0
DFT-s-OFDM 16QAM	1	1	18.92	0-1	0.0
CP-OFDM QPSK	1	1	19.09	0-1.5	0.0

Table H-189
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.01	0	0.0
	1	80	18.82		0.0
	1	158	18.68		0.0
	80	0	18.88	0-1	0.0
	80	40	18.92	0	0.0
	80	80	18.76	0-1	0.0
	160	0	18.82		0.0
DFT-s-OFDM 16QAM	1	1	19.04	0-1	0.0
CP-OFDM QPSK	1	1	18.77	0-1.5	0.0

Table H-190
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.81	0	0.0
	1	67	18.88		0.0
	1	131	18.77		0.0
	64	0	18.79	0-1	0.0
	64	35	18.84	0	0.0
	64	69	18.83	0-1	0.0
	128	0	18.86		0.0
DFT-s-OFDM 16QAM	1	1	19.07	0-1	0.0
CP-OFDM QPSK	1	1	19.01	0-1.5	0.0

Table H-191
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.83	18.90	18.72	0	0.0
	1	53	18.81	18.69	18.68		0.0
	1	104	18.82	18.87	18.78		0.0
	50	0	18.90	18.79	18.75	0-1	0.0
	50	28	18.94	18.67	18.72	0	0.0
	50	56	18.85	18.72	18.74	0-1	0.0
	100	0	18.96	18.91	18.76		0.0
DFT-s-OFDM 16QAM	1	1	18.94	19.03	18.87	0-1	0.0
CP-OFDM QPSK	1	1	18.93	18.96	18.87	0-1.5	0.0

Table H-192
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.85	18.76	18.74	0	0.0
	1	40	18.66	18.86	18.58		0.0
	1	77	18.76	18.47	18.65		0.0
	36	0	18.90	18.85	18.78	0-1	0.0
	36	22	18.91	18.83	18.69	0	0.0
	36	43	18.86	18.80	18.70	0-1	0.0
	75	0	18.91	18.89	18.73		0.0
DFT-s-OFDM 16QAM	1	1	19.04	19.03	18.98	0-1	0.0
CP-OFDM QPSK	1	1	18.90	18.93	18.86	0-1.5	0.0

Table H-193
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.83	18.81	18.65	0	0.0
	1	26	18.80	18.66	18.56		0.0
	1	50	18.83	18.70	18.67		0.0
	25	0	18.74	18.62	18.65	0-1	0.0
	25	14	18.93	18.72	18.62	0	0.0
	25	27	18.87	18.72	18.75	0-1	0.0
	50	0	18.82	18.65	18.66		0.0
DFT-s-OFDM 16QAM	1	1	18.93	18.82	18.79	0-1	0.0
CP-OFDM QPSK	1	1	18.97	18.94	18.88	0-1.5	0.0

Table H-194
NR Band n25 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.68	18.72	18.63	0	0.0
	1	13	18.66	18.58	18.78		0.0
	1	23	18.59	18.67	18.64		0.0
	12	0	18.75	18.78	18.76	0-1	0.0
	12	7	18.80	18.76	18.84	0	0.0
	12	13	18.74	18.66	18.77	0-1	0.0
	25	0	18.73	18.65	18.66		0.0
DFT-s-OFDM 16QAM	1	1	18.99	18.81	18.62	0-1	0.0
CP-OFDM QPSK	1	1	19.07	18.99	18.93	0-1.5	0.0

H.2.7 NR Band n30

Table H-195
NR Band n30 Ant A Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.89	0	0.0
	1	13	20.00		0.0
	1	23	19.85		0.0
	12	0	19.87	0-1	0.0
	12	7	19.94	0	0.0
	12	13	19.84	0-1	0.0
	25	0	19.84		0.0
DFT-s-OFDM 16QAM	1	1	19.70	0-1	0.0
CP-OFDM QPSK	1	1	20.14	0-1.5	0.0

Table H-196
NR Band n30 Ant A Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.84	0	0.0
	1	13	22.91		0.0
	1	23	22.57		0.0
	12	0	21.90	0-1	1.0
	12	7	22.92	0	0.0
	12	13	21.88	0-1	1.0
	25	0	21.89		1.0
DFT-s-OFDM 16QAM	1	1	21.68	0-1	1.0
CP-OFDM QPSK	1	1	21.50	0-1.5	1.5

Table H-197
NR Band n30 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.97	0	0.0
	1	13	20.07		0.0
	1	23	19.85		0.0
	12	0	19.87	0-1	0.0
	12	7	20.00	0	0.0
	12	13	19.82	0-1	0.0
	25	0	19.83		0.0
DFT-s-OFDM 16QAM	1	1	19.83	0-1	0.0
CP-OFDM QPSK	1	1	20.29	0-1.5	0.0

Table H-198
NR Band n30 Ant A Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.42	0	0.0
	1	13	17.51		0.0
	1	23	17.46		0.0
	12	0	17.45	0-1	0.0
	12	7	17.52	0	0.0
	12	13	17.41	0-1	0.0
	25	0	17.44		0.0
DFT-s-OFDM 16QAM	1	1	17.31	0-1	0.0
CP-OFDM QPSK	1	1	17.59	0-1.5	0.0

H.2.8 NR Band n7

Table H-199
NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.26	0	0.0
	1	94	20.41		0.0
	1	186	20.20		0.0
	90	0	20.35	0-1	0.0
	90	49	20.36	0	0.0
	90	98	20.31	0-1	0.0
	180	0	20.35		0.0
DFT-s-OFDM 16QAM	1	1	20.09	0-1	0.0
CP-OFDM QPSK	1	1	20.46	0-1.5	0.0

Table H-200
NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.37	0	0.0
	1	80	20.27		0.0
	1	158	20.34		0.0
	80	0	20.24	0-1	0.0
	80	40	20.22	0	0.0
	80	80	20.17	0-1	0.0
	160	0	20.17		0.0
DFT-s-OFDM 16QAM	1	1	20.14	0-1	0.0
CP-OFDM QPSK	1	1	20.50	0-1.5	0.0

Table H-201
NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.25		0	0.0
	1	67	20.25			0.0
	1	131	20.10			0.0
	64	0	20.22		0-1	0.0
	64	35	20.16		0	0.0
	64	69	20.15		0-1	0.0
	128	0	20.20			0.0
DFT-s-OFDM 16QAM	1	1	20.17		0-1	0.0
CP-OFDM QPSK	1	1	20.29		0-1.5	0.0

Table H-202
NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.22	20.10	20.12	0	0.0
	1	53	20.23	20.03	20.07		0.0
	1	104	20.17	20.08	20.00		0.0
	50	0	20.26	20.15	20.10	0-1	0.0
	50	28	20.26	20.08	20.08	0	0.0
	50	56	20.22	20.10	20.11	0-1	0.0
	100	0	20.22	20.04	20.13		0.0
DFT-s-OFDM 16QAM	1	1	20.20	19.97	19.93	0-1	0.0
CP-OFDM QPSK	1	1	20.34	20.23	20.27	0-1.5	0.0

Table H-203

NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.27	20.16	20.16	0	0.0
	1	40	20.20	20.02	20.04		0.0
	1	77	20.17	20.04	20.12		0.0
	36	0	20.30	20.11	20.12	0-1	0.0
	36	22	20.24	20.08	20.10	0	0.0
	36	43	20.27	20.10	20.09	0-1	0.0
	75	0	20.24	20.13	20.11		0.0
DFT-s-OFDM 16QAM	1	1	20.20	19.96	19.93	0-1	0.0
CP-OFDM QPSK	1	1	20.39	20.25	20.26	0-1.5	0.0

Table H-204

NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.22	20.18	20.11	0	0.0
	1	26	20.29	20.12	20.09		0.0
	1	50	20.25	20.20	20.00		0.0
	25	0	20.28	20.16	20.11	0-1	0.0
	25	14	20.23	20.10	20.05	0	0.0
	25	27	20.21	20.17	20.07	0-1	0.0
	50	0	20.28	20.11	20.09		0.0
DFT-s-OFDM 16QAM	1	1	20.21	19.97	19.95	0-1	0.0
CP-OFDM QPSK	1	1	20.40	20.28	20.19	0-1.5	0.0

Table H-205

NR Band n7 Ant B Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.32	20.17	20.15	0	0.0
	1	13	20.35	20.14	20.13		0.0
	1	23	20.34	20.24	20.11		0.0
	12	0	20.20	20.05	20.02	0-1	0.0
	12	7	20.31	20.11	20.05	0	0.0
	12	13	20.22	20.07	20.01	0-1	0.0
	25	0	20.28	20.13	20.13		0.0
DFT-s-OFDM 16QAM	1	1	20.25	20.04	20.04	0-1	0.0
CP-OFDM QPSK	1	1	20.44	20.24	20.20	0-1.5	0.0

Table H-206

NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.53	0	0.0
	1	94	23.56		0.0
	1	186	23.32		0.0
	90	0	22.48	0-1	1.0
	90	49	23.48	0	0.0
	90	98	22.42	0-1	1.0
	180	0	22.45		1.0
DFT-s-OFDM 16QAM	1	1	22.32	0-1	1.0
CP-OFDM QPSK	1	1	21.56	0-1.5	1.5

Table H-207
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.49	0	0.0
	1	80	23.32		0.0
	1	158	23.45		0.0
	80	0	22.36	0-1	1.0
	80	40	23.33	0	0.0
	80	80	22.25	0-1	1.0
	160	0	22.26		1.0
DFT-s-OFDM 16QAM	1	1	22.23	0-1	1.0
CP-OFDM QPSK	1	1	22.08	0-1.5	1.5

Table H-208
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.34	0	0.0
	1	67	23.33		0.0
	1	131	23.30		0.0
	64	0	22.29	0-1	1.0
	64	35	23.26	0	0.0
	64	69	22.29	0-1	1.0
	128	0	22.25		1.0
DFT-s-OFDM 16QAM	1	1	22.21	0-1	1.0
CP-OFDM QPSK	1	1	21.90	0-1.5	1.5

Table H-209
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.32	23.34	23.19	0	0.0
	1	53	23.36	23.18	23.14		0.0
	1	104	23.33	23.23	23.21		0.0
	50	0	22.41	22.21	22.18	0-1	1.0
	50	28	23.38	23.20	23.21	0	0.0
	50	56	22.35	22.17	22.26	0-1	1.0
	100	0	22.37	22.23	22.15		1.0
DFT-s-OFDM 16QAM	1	1	22.28	22.06	21.93	0-1	1.0
CP-OFDM QPSK	1	1	21.91	21.80	21.84	0-1.5	1.5

Table H-210
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.28	23.21	23.11	0	0.0
	1	40	23.27	23.12	23.11		0.0
	1	77	23.30	23.24	23.20		0.0
	36	0	22.35	22.25	22.27	0-1	1.0
	36	22	23.36	23.20	23.19	0	0.0
	36	43	22.33	22.18	22.23	0-1	1.0
	75	0	22.32	22.20	22.29		1.0
DFT-s-OFDM 16QAM	1	1	22.31	22.08	22.04	0-1	1.0
CP-OFDM QPSK	1	1	22.00	21.83	21.82	0-1.5	1.5

Table H-211
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.33	23.31	23.20	0	0.0
	1	26	23.35	23.19	23.24		0.0
	1	50	23.27	23.26	23.22		0.0
	25	0	22.37	22.28	22.29	0-1	1.0
	25	14	23.30	23.25	23.14	0	0.0
	25	27	22.39	22.31	22.21	0-1	1.0
	50	0	22.37	22.28	22.26		1.0
DFT-s-OFDM 16QAM	1	1	22.31	22.18	22.14	0-1	1.0
CP-OFDM QPSK	1	1	21.99	21.97	21.85	0-1.5	1.5

Table H-212
NR Band n7 Ant B Measured P_{Max} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.46	23.31	23.29	0	0.0
	1	13	23.38	23.33	23.26		0.0
	1	23	23.41	23.32	23.25		0.0
	12	0	22.32	22.23	22.14	0-1	1.0
	12	7	23.33	23.21	23.17	0	0.0
	12	13	22.31	22.23	22.16	0-1	1.0
	25	0	22.37	22.28	22.18		1.0
DFT-s-OFDM 16QAM	1	1	22.33	22.14	22.12	0-1	1.0
CP-OFDM QPSK	1	1	21.99	21.96	21.82	0-1.5	1.5

Table H-213

NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.97	0	0.0
	1	94	19.06		0.0
	1	186	18.94		0.0
	90	0	19.00	0-1	0.0
	90	49	18.98	0	0.0
	90	98	18.91	0-1	0.0
	180	0	18.98		0.0
DFT-s-OFDM 16QAM	1	1	18.93	0-1	0.0
CP-OFDM QPSK	1	1	19.16	0-1.5	0.0

Table H-214

NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.45	0	0.0
	1	80	19.42		0.0
	1	158	19.39		0.0
	80	0	19.32	0-1	0.0
	80	40	19.36	0	0.0
	80	80	19.35	0-1	0.0
	160	0	19.44		0.0
DFT-s-OFDM 16QAM	1	1	19.19	0-1	0.0
CP-OFDM QPSK	1	1	19.60	0-1.5	0.0

Table H-215
NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.30	0	0.0
	1	67	19.32		0.0
	1	131	19.33		0.0
	64	0	19.23	0-1	0.0
	64	35	19.36	0	0.0
	64	69	19.30	0-1	0.0
	128	0	19.30		0.0
DFT-s-OFDM 16QAM	1	1	19.13	0-1	0.0
CP-OFDM QPSK	1	1	19.39	0-1.5	0.0

Table H-216
NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.12	19.16	19.19	0	0.0
	1	53	19.10	19.21	19.11		0.0
	1	104	19.24	19.19	19.17		0.0
	50	0	19.18	19.33	19.22	0-1	0.0
	50	28	19.20	19.21	19.15	0	0.0
	50	56	19.22	19.29	19.19	0-1	0.0
	100	0	19.12	19.29	19.19		0.0
DFT-s-OFDM 16QAM	1	1	19.01	19.02	19.02	0-1	0.0
CP-OFDM QPSK	1	1	19.27	19.31	19.25	0-1.5	0.0

Table H-217

NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.10	19.21	19.15	0	0.0
	1	40	19.16	19.21	19.12		0.0
	1	77	19.23	19.20	19.29		0.0
	36	0	19.14	19.34	19.12	0-1	0.0
	36	22	19.13	19.29	19.22	0	0.0
	36	43	19.27	19.27	19.18	0-1	0.0
	75	0	19.12	19.27	19.24		0.0
DFT-s-OFDM 16QAM	1	1	18.94	18.96	18.96	0-1	0.0
CP-OFDM QPSK	1	1	19.19	19.32	19.35	0-1.5	0.0

Table H-218

NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.12	19.19	19.11	0	0.0
	1	26	19.22	19.17	19.26		0.0
	1	50	19.19	19.25	19.23		0.0
	25	0	19.10	19.16	19.18	0-1	0.0
	25	14	19.14	19.11	19.17	0	0.0
	25	27	19.19	19.12	19.29	0-1	0.0
	50	0	19.13	19.20	19.22		0.0
DFT-s-OFDM 16QAM	1	1	18.97	19.05	18.85	0-1	0.0
CP-OFDM QPSK	1	1	19.25	19.28	19.24	0-1.5	0.0

Table H-219

NR Band n7 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.16	19.22	19.30	0	0.0
	1	13	19.22	19.22	19.26		0.0
	1	23	19.33	19.20	19.36		0.0
	12	0	19.15	19.11	19.14	0-1	0.0
	12	7	19.18	19.13	19.14	0	0.0
	12	13	19.16	19.12	19.13	0-1	0.0
	25	0	19.11	19.16	19.21		0.0
DFT-s-OFDM 16QAM	1	1	19.01	19.06	19.09	0-1	0.0
CP-OFDM QPSK	1	1	19.41	19.34	19.35	0-1.5	0.0

Table H-220

NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.41	0	0.0
	1	94	15.45		0.0
	1	186	15.36		0.0
	90	0	15.46	0-1	0.0
	90	49	15.40	0	0.0
	90	98	15.39	0-1	0.0
	180	0	15.44		0.0
DFT-s-OFDM 16QAM	1	1	15.31	0-1	0.0
CP-OFDM QPSK	1	1	15.55	0-1.5	0.0

Table H-221
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.26	0	0.0
	1	80	15.33		0.0
	1	158	15.31		0.0
	80	0	15.29	0-1	0.0
	80	40	15.21	0	0.0
	80	80	15.32	0-1	0.0
	160	0	15.28		0.0
DFT-s-OFDM 16QAM	1	1	15.29	0-1	0.0
CP-OFDM QPSK	1	1	15.42	0-1.5	0.0

Table H-222
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.30	0	0.0
	1	67	15.30		0.0
	1	131	15.26		0.0
	64	0	15.36	0-1	0.0
	64	35	15.23	0	0.0
	64	69	15.27	0-1	0.0
	128	0	15.27		0.0
DFT-s-OFDM 16QAM	1	1	15.26	0-1	0.0
CP-OFDM QPSK	1	1	15.37	0-1.5	0.0

Table H-223
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.08	15.16	15.12	0	0.0
	1	53	15.16	15.19	15.13		0.0
	1	104	15.20	15.23	15.23		0.0
	50	0	15.20	15.17	15.10	0-1	0.0
	50	28	15.17	15.15	15.17	0	0.0
	50	56	15.16	15.17	15.15	0-1	0.0
	100	0	15.07	15.21	15.14		0.0
DFT-s-OFDM 16QAM	1	1	14.99	15.03	15.02	0-1	0.0
CP-OFDM QPSK	1	1	15.19	15.25	15.30	0-1.5	0.0

Table H-224
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.10	15.15	15.13	0	0.0
	1	40	15.18	15.11	15.12		0.0
	1	77	15.19	15.12	15.19		0.0
	36	0	15.02	15.23	15.14	0-1	0.0
	36	22	15.11	15.16	15.10	0	0.0
	36	43	15.13	15.14	15.21	0-1	0.0
	75	0	15.19	15.13	15.15		0.0
DFT-s-OFDM 16QAM	1	1	15.02	15.13	15.08	0-1	0.0
CP-OFDM QPSK	1	1	15.20	15.20	15.30	0-1.5	0.0

Table H-225
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.02	15.20	15.14	0	0.0
	1	26	15.01	15.22	15.14		0.0
	1	50	14.99	15.16	15.17		0.0
	25	0	14.95	15.15	15.19	0-1	0.0
	25	14	14.97	15.17	15.21	0	0.0
	25	27	15.01	15.15	15.11	0-1	0.0
	50	0	15.01	15.17	15.18		0.0
DFT-s-OFDM 16QAM	1	1	14.95	15.08	15.06	0-1	0.0
CP-OFDM QPSK	1	1	15.21	15.24	15.31	0-1.5	0.0

Table H-226
NR Band n7 Ant F Measured P_{Limit} for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.10	15.28	15.31	0	0.0
	1	13	15.09	15.27	15.32		0.0
	1	23	15.11	15.27	15.30		0.0
	12	0	15.07	15.11	15.29	0-1	0.0
	12	7	15.08	15.17	15.27	0	0.0
	12	13	15.04	15.11	15.25	0-1	0.0
	25	0	15.03	15.15	15.32		0.0
DFT-s-OFDM 16QAM	1	1	15.05	15.32	15.29	0-1	0.0
CP-OFDM QPSK	1	1	15.25	15.37	15.38	0-1.5	0.0

H.2.9 NR Band n41

Table H-227

NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.87	19.29	0	0.0
	1	123	18.93	19.14		0.0
	1	243	19.20	19.13		0.0
	120	0	18.77	19.31	0-1	0.0
	120	63	18.80	19.11	0	0.0
	120	125	19.05	19.13	0-1	0.0
	243	0	18.83	19.16		0.0
DFT-s-OFDM 16QAM	1	1	18.83	19.24	0-1	0.0
CP-OFDM QPSK	1	1	18.98	19.40	0-1.5	0.0

Table H-228

NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.21	19.54	0	0.0
	1	109	19.06	19.18		0.0
	1	215	19.55	19.14		0.0
	108	0	19.09	19.24	0-1	0.0
	108	55	19.15	19.15	0	0.0
	108	109	19.33	19.13	0-1	0.0
	216	0	19.26	19.29		0.0
DFT-s-OFDM 16QAM	1	1	19.12	19.41	0-1	0.0
CP-OFDM QPSK	1	1	19.31	19.48	0-1.5	0.0

Table H-229
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.00	19.30	0	0.0
	1	95	19.08	19.19		0.0
	1	187	19.36	19.10		0.0
	90	0	19.06	19.23	0-1	0.0
	90	50	19.11	19.10	0	0.0
	90	99	19.23	19.21	0-1	0.0
	180	0	19.11	19.20		0.0
DFT-s-OFDM 16QAM	1	1	19.10	19.18	0-1	0.0
CP-OFDM QPSK	1	1	19.16	19.31	0-1.5	0.0

Table H-230
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.06	19.45	19.28	0	0.0
	1	81	18.84	19.40	18.99		0.0
	1	160	19.19	19.33	18.93		0.0
	81	0	18.90	19.38	19.07	0-1	0.0
	81	41	18.97	19.47	19.01	0	0.0
	81	81	19.11	19.39	18.98	0-1	0.0
	162	0	19.04	19.47	19.19		0.0
DFT-s-OFDM 16QAM	1	1	18.96	19.35	19.13	0-1	0.0
CP-OFDM QPSK	1	1	18.97	19.34	19.27	0-1.5	0.0

Table H-231
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) –
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.25	19.56	19.27	0	0.0
	1	67	19.23	19.67	19.28		0.0
	1	131	19.37	19.73	19.24		0.0
	64	0	19.17	19.62	19.31	0-1	0.0
	64	35	19.24	19.83	19.31	0	0.0
	64	69	19.20	19.66	19.25	0-1	0.0
	128	0	19.13	19.64	19.29		0.0
DFT-s-OFDM 16QAM	1	1	19.19	19.58	19.30	0-1	0.0
CP-OFDM QPSK	1	1	19.36	19.68	19.22	0-1.5	0.0

Table H-232
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) –
40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.07	19.16	19.43	19.13	0	0.0
	1	53	19.05	19.35	19.37	19.06		0.0
	1	104	19.18	19.55	19.14	18.97		0.0
	50	0	19.04	19.31	19.37	19.11	0-1	0.0
	50	28	19.09	19.40	19.30	19.00	0	0.0
	50	56	19.04	19.52	19.26	18.97	0-1	0.0
	100	0	18.99	19.38	19.40	19.12		0.0
DFT-s-OFDM 16QAM	1	1	19.00	19.00	19.46	19.05	0-1	0.0
CP-OFDM QPSK	1	1	19.07	19.26	19.53	19.10	0-1.5	0.0

Table H-233
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.26	19.20	19.70	19.55	19.33	0	0.0
	1	39	19.17	19.42	19.71	19.25	19.16		0.0
	1	76	19.24	19.53	19.67	19.33	19.14		0.0
	36	0	19.03	19.15	19.52	19.37	19.12	0-1	0.0
	36	21	19.11	19.36	19.69	19.23	19.07	0	0.0
	36	42	19.08	19.37	19.59	19.22	19.10	0-1	0.0
	75	0	19.08	19.27	19.56	19.29	19.10		0.0
DFT-s-OFDM 16QAM	1	1	19.15	19.28	19.65	19.49	19.21	0-1	0.0
CP-OFDM QPSK	1	1	19.33	19.29	19.58	19.38	19.21	0-1.5	0.0

Table H-234
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.23	19.23	19.61	19.46	19.33	0	0.0
	1	33	19.19	19.36	19.79	19.31	19.23		0.0
	1	63	19.25	19.52	19.68	19.25	19.12		0.0
	32	0	19.07	19.21	19.51	19.23	19.17	0-1	0.0
	32	17	19.15	19.31	19.59	19.32	19.12	0	0.0
	32	33	19.09	19.31	19.58	19.30	19.11	0-1	0.0
	64	0	19.08	19.25	19.50	19.24	19.11		0.0
DFT-s-OFDM 16QAM	1	1	19.15	19.28	19.60	19.52	19.26	0-1	0.0
CP-OFDM QPSK	1	1	19.14	19.38	19.61	19.61	19.45	0-1.5	0.0

Table H-235
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) –
20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.97	19.14	19.61	19.28	19.07	0	0.0
	1	26	19.13	19.11	19.65	19.22	19.00		0.0
	1	49	19.01	19.18	19.57	19.20	18.95		0.0
	25	0	19.00	19.12	19.58	19.12	19.01	0-1	0.0
	25	13	19.06	19.10	19.62	19.17	19.00	0	0.0
	25	26	18.98	19.14	19.54	19.14	18.98	0-1	0.0
	50	0	19.03	19.21	19.54	19.25	19.06		0.0
DFT-s-OFDM 16QAM	1	1	18.95	19.05	19.62	19.15	19.20	0-1	0.0
CP-OFDM QPSK	1	1	19.04	19.07	19.70	19.28	19.14	0-1.5	0.0

Table H-236
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) –
15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.87	19.07	19.60	19.16	19.04	0	0.0
	1	19	19.00	18.95	19.53	19.16	18.93		0.0
	1	36	19.06	19.06	19.54	19.00	18.85		0.0
	18	0	18.89	18.96	19.55	19.01	18.83	0-1	0.0
	18	10	19.01	19.06	19.62	19.03	18.94	0	0.0
	18	20	18.86	19.10	19.51	18.95	18.87	0-1	0.0
	36	0	18.88	18.96	19.57	19.03	18.78		0.0
DFT-s-OFDM 16QAM	1	1	18.89	19.02	19.51	19.09	18.87	0-1	0.0
CP-OFDM QPSK	1	1	18.93	19.12	19.60	19.15	19.00	0-1.5	0.0

Table H-237
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot, and Phablet) – 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.93	19.03	19.54	19.16	18.97	0	0.0
	1	12	18.85	18.99	19.50	19.03	18.85		0.0
	1	22	18.99	19.06	19.54	19.08	18.90		0.0
	12	0	18.85	18.96	19.34	19.02	18.85	0-1	0.0
	12	6	18.87	18.98	19.38	19.04	18.84	0	0.0
	12	12	18.89	19.11	19.34	18.94	18.83	0-1	0.0
	24	0	18.88	18.99	19.37	18.97	18.84		0.0
DFT-s-OFDM 16QAM	1	1	18.94	19.07	19.42	19.04	18.90	0-1	0.0
CP-OFDM QPSK	1	1	19.07	19.12	19.55	19.21	19.00	0-1.5	0.0

Table H-238
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.74	17.30	0	0.0
	1	123	16.91	17.11		0.0
	1	243	17.24	17.24		0.0
	120	0	16.72	17.20	0-1	0.0
	120	63	16.85	17.20	0	0.0
	120	125	17.09	17.04	0-1	0.0
	243	0	16.86	17.17		0.0
DFT-s-OFDM 16QAM	1	1	16.76	17.25	0-1	0.0
CP-OFDM QPSK	1	1	16.92	17.33	0-1.5	0.0

Table H-239
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.24	17.31	0	0.0
	1	109	17.08	17.06		0.0
	1	215	17.46	17.12		0.0
	108	0	17.07	17.24	0-1	0.0
	108	55	17.20	17.23	0	0.0
	108	109	17.38	17.11	0-1	0.0
	216	0	17.14	17.20		0.0
DFT-s-OFDM 16QAM	1	1	17.16	17.30	0-1	0.0
CP-OFDM QPSK	1	1	17.23	17.28	0-1.5	0.0

Table H-240
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.06	17.28	0	0.0
	1	95	17.08	17.06		0.0
	1	187	17.41	17.04		0.0
	90	0	17.13	17.17	0-1	0.0
	90	50	17.20	17.18	0	0.0
	90	99	17.27	17.10	0-1	0.0
	180	0	17.11	17.12		0.0
DFT-s-OFDM 16QAM	1	1	17.02	17.21	0-1	0.0
CP-OFDM QPSK	1	1	17.13	17.32	0-1.5	0.0

Table H-241
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.04	17.27	17.15	0	0.0
	1	81	16.85	17.33	16.99		0.0
	1	160	17.16	17.41	17.02		0.0
	81	0	16.95	17.29	16.98	0-1	0.0
	81	41	16.99	17.44	17.09	0	0.0
	81	81	17.06	17.33	16.89	0-1	0.0
	162	0	17.02	17.28	16.96		0.0
DFT-s-OFDM 16QAM	1	1	16.91	17.26	17.09	0-1	0.0
CP-OFDM QPSK	1	1	17.09	17.20	17.12	0-1.5	0.0

Table H-242
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.22	17.30	17.27	0	0.0
	1	67	17.17	17.43	17.16		0.0
	1	131	17.37	17.44	17.16		0.0
	64	0	17.14	17.45	17.21	0-1	0.0
	64	35	17.19	17.50	17.21	0	0.0
	64	69	17.20	17.47	17.20	0-1	0.0
	128	0	17.18	17.50	17.23		0.0
DFT-s-OFDM 16QAM	1	1	17.21	17.29	17.22	0-1	0.0
CP-OFDM QPSK	1	1	17.25	17.33	17.35	0-1.5	0.0

Table H-243
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.07	16.97	17.46	17.07	0	0.0
	1	53	16.98	17.33	17.25	17.06		0.0
	1	104	17.10	17.46	17.17	16.94		0.0
	50	0	16.92	17.19	17.33	17.06	0-1	0.0
	50	28	17.00	17.47	17.34	17.05	0	0.0
	50	56	17.07	17.41	17.19	17.03	0-1	0.0
	100	0	17.05	17.45	17.26	17.05		0.0
DFT-s-OFDM 16QAM	1	1	16.89	16.95	17.33	16.95	0-1	0.0
CP-OFDM QPSK	1	1	16.99	17.14	17.42	17.04	0-1.5	0.0

Table H-244
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.08	17.20	17.42	17.48	17.24	0	0.0
	1	39	17.17	17.28	17.36	17.26	17.19		0.0
	1	76	17.16	17.42	17.42	17.23	17.10		0.0
	36	0	17.10	17.08	17.28	17.20	17.11	0-1	0.0
	36	21	17.11	17.28	17.37	17.14	17.23	0	0.0
	36	42	17.05	17.32	17.35	17.22	17.09	0-1	0.0
	75	0	17.03	17.28	17.23	17.19	17.13		0.0
DFT-s-OFDM 16QAM	1	1	17.15	17.16	17.30	17.34	17.15	0-1	0.0
CP-OFDM QPSK	1	1	17.25	17.28	17.48	17.41	17.25	0-1.5	0.0

Table H-245
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.21	17.16	17.41	17.42	17.31	0	0.0
	1	33	17.18	17.20	17.46	17.28	17.23		0.0
	1	63	17.25	17.44	17.43	17.29	17.12		0.0
	32	0	17.04	17.15	17.33	17.22	17.17	0-1	0.0
	32	17	17.15	17.22	17.39	17.28	17.14	0	0.0
	32	33	17.10	17.28	17.35	17.27	17.15	0-1	0.0
	64	0	17.06	17.23	17.31	17.29	17.18		0.0
DFT-s-OFDM 16QAM	1	1	17.08	17.24	17.34	17.33	17.23	0-1	0.0
CP-OFDM QPSK	1	1	17.29	17.24	17.49	17.43	17.43	0-1.5	0.0

Table H-246
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.93	17.05	17.29	17.19	17.08	0	0.0
	1	26	17.11	17.17	17.44	17.17	17.13		0.0
	1	49	16.98	17.18	17.35	17.11	17.05		0.0
	25	0	16.97	17.03	17.27	17.10	16.98	0-1	0.0
	25	13	17.08	17.05	17.36	17.12	17.06	0	0.0
	25	26	16.99	17.09	17.31	17.05	16.97	0-1	0.0
	50	0	16.97	17.06	17.27	17.05	16.90		0.0
DFT-s-OFDM 16QAM	1	1	16.91	16.99	17.27	17.08	17.08	0-1	0.0
CP-OFDM QPSK	1	1	16.98	17.16	17.34	17.16	16.97	0-1.5	0.0

Table H-247
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	16.89	17.04	17.32	17.10	16.90	0	0.0	
	1	19	16.91	17.07	17.34	17.07	16.88		0.0	
	1	36	16.88	17.14	17.32	17.04	16.88		0.0	
		18	0	16.82	16.97	17.33	16.99	16.75	0-1	0.0
		18	10	16.97	17.14	17.37	17.13	16.91	0	0.0
		18	20	16.78	17.03	17.30	16.95	16.73	0-1	0.0
		36	0	16.77	17.02	17.29	16.99	16.77		0.0
DFT-s-OFDM 16QAM	1	1	16.90	16.94	17.38	17.00	16.80	0-1	0.0	
CP-OFDM QPSK	1	1	16.80	17.07	17.42	17.01	16.86	0-1.5	0.0	

Table H-248
NR Band n41 PC2 Ant F Path 1 Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	16.92	17.03	17.46	17.06	16.99	0	0.0	
	1	12	16.96	17.02	17.39	17.02	16.86		0.0	
	1	22	16.99	17.08	17.48	17.04	16.87		0.0	
		12	0	16.89	16.96	17.34	16.92	16.73	0-1	0.0
		12	6	16.97	17.00	17.27	17.10	16.85	0	0.0
		12	12	16.88	17.03	17.30	16.94	16.77	0-1	0.0
		24	0	16.88	16.97	17.26	16.96	16.77		0.0
DFT-s-OFDM 16QAM	1	1	16.91	17.02	17.32	17.00	16.81	0-1	0.0	
CP-OFDM QPSK	1	1	16.88	17.18	17.40	17.14	16.96	0-1.5	0.0	

Table H-249

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth		
Channel		
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	18.45	18.43
SRS #2 Ant E	17.50	17.58
SRS #3 Ant D	17.08	15.79

Table H-250

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth		
Channel		
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	18.36	18.35
SRS #2 Ant E	17.47	17.64
SRS #3 Ant D	16.76	15.69

Table H-251

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth		
Channel		
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	18.35	18.25
SRS #2 Ant E	17.37	17.51
SRS #3 Ant D	17.12	15.63

Table H-252

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth			
Channel			
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)
	Conducted Power [dBm]		
SRS #1 Ant B	18.50	18.44	18.34
SRS #2 Ant E	17.32	17.68	17.52
SRS #3 Ant D	17.18	16.63	15.53

Table H-253

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth			
Channel			
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)
	Conducted Power [dBm]		
SRS #1 Ant B	18.41	18.49	18.42
SRS #2 Ant E	17.53	17.93	17.63
SRS #3 Ant D	17.38	16.25	15.42

Table H-254

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth				
Channel				
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)
	Conducted Power [dBm]			
SRS #1 Ant B	18.43	18.50	18.49	18.41
SRS #2 Ant E	17.34	17.80	17.81	17.62
SRS #3 Ant D	17.44	16.09	17.23	15.63

Table H-255

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	18.48	18.42	18.46	18.35	18.43
SRS #2 Ant E	17.48	17.66	17.86	17.68	17.51
SRS #3 Ant D	17.41	15.62	16.70	17.06	15.95

Table H-256

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth					
Channel					
Antenna	501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	18.41	18.48	18.46	18.36	18.37
SRS #2 Ant E	17.31	17.63	17.96	17.68	17.51
SRS #3 Ant D	16.92	15.92	16.21	17.08	15.78

Table H-257

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	18.42	18.37	18.48	18.30	18.30
SRS #2 Ant E	17.25	17.49	17.81	17.53	17.50
SRS #3 Ant D	16.69	16.08	16.35	16.97	15.63

Table H-258

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	18.33	18.42	18.41	18.32	18.23
SRS #2 Ant E	17.28	17.54	17.77	17.60	17.39
SRS #3 Ant D	16.62	16.19	16.49	16.92	15.61

Table H-259

NR Band n41 PC2 Ant B Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna E & D Path 1 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	18.41	18.23	18.49	18.33	18.26
SRS #2 Ant E	17.42	17.55	17.88	17.58	17.47
SRS #3 Ant D	16.58	16.48	16.30	16.99	15.54

Table H-260

NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth		
Channel		
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	19.45	18.91

Table H-261
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth		
Channel		
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	19.18	18.93

Table H-262
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth		
Channel		
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)
	Conducted Power [dBm]	
SRS #1 Ant B	19.28	18.85

Table H-263
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth			
Channel			
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)
	Conducted Power [dBm]		
SRS #1 Ant B	19.10	19.23	18.93

Table H-264
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth			
Channel			
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)
	Conducted Power [dBm]		
SRS #1 Ant B	19.49	19.26	18.76

Table H-265
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth				
Channel				
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)
	Conducted Power [dBm]			
SRS #1 Ant B	19.74	18.48	19.82	18.69

Table H-266
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	19.68	18.30	19.03	19.98	19.16

Table H-267
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth					
Channel					
Antenna	501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	19.84	18.96	19.48	19.94	18.75

Table H-268
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	19.80	18.80	19.22	19.86	18.81

Table H-269
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	19.07	18.63	19.14	19.84	18.70

Table H-270
NR Band n41 PC2 Ant B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
	Conducted Power [dBm]				
SRS #1 Ant B	19.74	18.84	19.51	19.83	18.51

Table H-271
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.20	20.40	0	0.0
	1	123	20.10	20.02		0.0
	1	243	20.45	20.44		0.0
	120	0	19.99	20.12	0-1	0.0
	120	63	20.09	20.10	0	0.0
	120	125	20.21	20.12	0-1	0.0
	243	0	20.22	20.23		0.0
DFT-s-OFDM 16QAM	1	1	20.12	20.19	0-1	0.0
CP-OFDM QPSK	1	1	20.23	20.41	0-1.5	0.0

Table H-272
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.06	20.29	0	0.0
	1	109	19.99	20.04		0.0
	1	215	20.31	20.42		0.0
	108	0	19.97	20.01	0-1	0.0
	108	55	20.04	20.07	0	0.0
	108	109	20.14	20.13	0-1	0.0
	216	0	20.19	20.06		0.0
DFT-s-OFDM 16QAM	1	1	20.01	20.16	0-1	0.0
CP-OFDM QPSK	1	1	20.14	20.17	0-1.5	0.0

Table H-273
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.05	20.10	0	0.0
	1	95	19.97	20.06		0.0
	1	187	20.31	20.24		0.0
	90	0	19.96	20.04	0-1	0.0
	90	50	19.99	20.04	0	0.0
	90	99	20.21	20.20	0-1	0.0
	180	0	20.02	19.90		0.0
DFT-s-OFDM 16QAM	1	1	19.98	19.84	0-1	0.0
CP-OFDM QPSK	1	1	20.14	19.95	0-1.5	0.0

Table H-274
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.01	20.23	19.99	0	0.0
	1	81	19.87	20.15	19.95		0.0
	1	160	20.31	20.04	20.26		0.0
	81	0	19.93	20.21	19.92	0-1	0.0
	81	41	19.98	20.15	20.10	0	0.0
	81	81	19.98	20.03	20.08	0-1	0.0
	162	0	19.90	20.28	20.03		0.0
DFT-s-OFDM 16QAM	1	1	19.94	20.21	19.94	0-1	0.0
CP-OFDM QPSK	1	1	19.91	20.23	19.99	0-1.5	0.0

Table H-275
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.96	20.40	20.09	0	0.0
	1	67	19.81	20.32	20.21		0.0
	1	131	20.10	20.31	20.42		0.0
	64	0	19.95	20.41	20.12	0-1	0.0
	64	35	19.94	20.48	20.33	0	0.0
	64	69	20.01	20.29	20.24	0-1	0.0
	128	0	19.91	20.29	20.13		0.0
DFT-s-OFDM 16QAM	1	1	19.90	20.36	20.09	0-1	0.0
CP-OFDM QPSK	1	1	20.08	20.31	20.14	0-1.5	0.0

Table H-276
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.03	20.31	20.29	19.98	0	0.0
	1	53	19.97	20.35	20.19	20.19		0.0
	1	104	20.00	20.49	19.94	20.19		0.0
	50	0	20.01	20.42	20.17	20.05	0-1	0.0
	50	28	19.96	20.44	20.31	20.16	0	0.0
	50	56	19.89	20.39	20.12	20.16	0-1	0.0
100	0	19.95	20.40	20.12	20.07	0.0		
DFT-s-OFDM 16QAM	1	1	20.01	20.23	20.19	19.89	0-1	0.0
CP-OFDM QPSK	1	1	20.16	20.22	20.26	19.99	0-1.5	0.0

Table H-277
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	20.21	20.17	20.50	20.20	20.13	0	0.0
	1	39	19.98	20.27	20.49	20.08	20.16		0.0
	1	76	19.99	20.44	20.33	20.15	20.23		0.0
	36	0	20.03	20.09	20.44	20.09	20.20	0-1	0.0
	36	21	20.09	20.23	20.50	20.07	20.13	0	0.0
	36	42	20.01	20.31	20.39	20.05	20.15	0-1	0.0
75	0	20.01	20.20	20.35	20.07	20.17	0.0		
DFT-s-OFDM 16QAM	1	1	20.16	20.13	20.42	20.17	20.10	0-1	0.0
CP-OFDM QPSK	1	1	20.29	20.19	20.46	20.28	20.11	0-1.5	0.0

Table H-278
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 25 MHz Bandwidth

NR Band n41										
25 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	20.11	20.15	20.29	20.29	20.16	0	0.0	
	1	33	20.11	20.23	20.19	20.18	20.28		0.0	
	1	63	20.12	20.40	20.10	20.24	20.30		0.0	
		32	0	20.03	20.17	20.20	20.01	20.08	0-1	0.0
		32	17	20.10	20.16	20.07	20.16	20.25	0	0.0
		32	33	20.00	20.23	20.11	20.04	20.17	0-1	0.0
		64	0	20.04	20.20	20.20	20.05	20.20		0.0
DFT-s-OFDM 16QAM	1	1	20.13	20.15	20.17	20.17	20.17	0-1	0.0	
CP-OFDM QPSK	1	1	20.15	20.11	20.26	20.23	20.26	0-1.5	0.0	

Table H-279
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 20 MHz Bandwidth

NR Band n41										
20 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	20.04	20.06	20.45	19.99	19.95	0	0.0	
	1	26	20.13	20.17	20.38	20.15	20.11		0.0	
	1	49	20.04	20.14	20.30	20.06	20.05		0.0	
		25	0	19.92	20.05	20.24	19.96	19.99	0-1	0.0
		25	13	19.92	20.13	20.23	20.06	20.02	0	0.0
		25	26	19.89	20.02	20.30	20.00	20.09	0-1	0.0
		50	0	20.05	20.04	20.28	19.96	20.11		0.0
DFT-s-OFDM 16QAM	1	1	19.96	20.05	20.28	20.00	20.00	0-1	0.0	
CP-OFDM QPSK	1	1	20.03	20.07	20.38	20.08	20.10	0-1.5	0.0	

Table H-280
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	20.16	19.92	20.47	20.07	20.13	0	0.0	
	1	19	20.08	20.02	20.44	20.09	20.06		0.0	
	1	36	20.07	20.16	20.28	20.15	20.10		0.0	
		18	0	19.98	19.93	20.31	19.93	20.03	0-1	0.0
		18	10	20.15	20.04	20.38	20.03	20.04	0	0.0
		18	20	20.00	20.04	20.25	19.98	20.05	0-1	0.0
		36	0	20.00	19.92	20.27	19.92	20.07		0.0
DFT-s-OFDM 16QAM	1	1	20.02	19.95	20.39	20.00	20.14	0-1	0.0	
CP-OFDM QPSK	1	1	20.14	20.04	20.43	20.07	20.23	0-1.5	0.0	

Table H-281
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
			500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	20.23	20.12	20.37	20.09	20.09	0	0.0	
	1	12	20.11	20.10	20.38	20.06	20.11		0.0	
	1	22	20.03	20.15	20.47	20.07	20.19		0.0	
		12	0	20.02	20.02	20.24	19.94	20.02	0-1	0.0
		12	6	20.08	20.09	20.44	20.05	19.98	0	0.0
		12	12	20.09	20.00	20.35	19.97	20.11	0-1	0.0
		24	0	20.08	20.01	20.40	19.97	19.97		0.0
DFT-s-OFDM 16QAM	1	1	20.16	19.98	20.32	20.06	20.08	0-1	0.0	
CP-OFDM QPSK	1	1	19.99	20.06	20.48	20.09	20.10	0-1.5	0.0	

Table H-282
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	21.18	21.36	0	0.0
	1	123	21.17	21.03		0.0
	1	243	21.37	21.28		0.0
	120	0	20.95	21.15	0-1	0.0
	120	63	21.12	21.06	0	0.0
	120	125	21.26	21.17	0-1	0.0
	243	0	21.19	21.27		0.0
DFT-s-OFDM 16QAM	1	1	21.09	21.22	0-1	0.0
CP-OFDM QPSK	1	1	21.12	21.37	0-1.5	0.0

Table H-283
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	21.05	21.18	0	0.0
	1	109	20.95	21.00		0.0
	1	215	21.33	21.29		0.0
	108	0	20.95	21.07	0-1	0.0
	108	55	21.04	21.00	0	0.0
	108	109	21.13	21.13	0-1	0.0
	216	0	21.15	21.18		0.0
DFT-s-OFDM 16QAM	1	1	21.10	21.20	0-1	0.0
CP-OFDM QPSK	1	1	21.17	21.18	0-1.5	0.0

Table H-284
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.98	20.91	0	0.0
	1	95	20.98	20.88		0.0
	1	187	21.24	21.12		0.0
	90	0	20.99	20.94	0-1	0.0
	90	50	20.96	20.93	0	0.0
	90	99	21.17	21.04	0-1	0.0
	180	0	21.00	21.00		0.0
DFT-s-OFDM 16QAM	1	1	20.97	20.89	0-1	0.0
CP-OFDM QPSK	1	1	21.16	20.97	0-1.5	0.0

Table H-285
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.07	21.32	20.93	0	0.0
	1	81	20.86	21.16	21.00		0.0
	1	160	21.35	20.97	21.18		0.0
	81	0	20.94	21.21	20.99	0-1	0.0
	81	41	20.85	21.19	21.02	0	0.0
	81	81	20.99	21.09	21.10	0-1	0.0
	162	0	21.05	21.13	21.13		0.0
DFT-s-OFDM 16QAM	1	1	21.00	21.22	20.98	0-1	0.0
CP-OFDM QPSK	1	1	21.08	21.40	20.90	0-1.5	0.0

Table H-286
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth
NR Band n41
50 MHz Bandwidth

		Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.02	21.49	21.10	0	0.0
	1	67	20.85	21.41	21.20		0.0
	1	131	21.11	21.28	21.41		0.0
	64	0	20.94	21.48	21.14	0-1	0.0
	64	35	20.96	21.45	21.19	0	0.0
	64	69	21.01	21.36	21.27	0-1	0.0
	128	0	20.95	21.38	21.19		0.0
DFT-s-OFDM 16QAM	1	1	20.96	21.40	21.09	0-1	0.0
CP-OFDM QPSK	1	1	21.05	21.56	21.08	0-1.5	0.0

Table H-287
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth
NR Band n41
40 MHz Bandwidth

		Channel				MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)			534000 (2670 MHz)
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.94	21.42	21.23	21.13	0	0.0
	1	53	21.00	21.42	21.17	21.21		0.0
	1	104	21.14	21.35	20.94	21.09		0.0
	50	0	21.02	21.37	21.18	21.11	0-1	0.0
	50	28	20.93	21.40	21.11	21.13	0	0.0
	50	56	20.99	21.42	21.05	21.15	0-1	0.0
	100	0	21.03	21.44	21.19	21.19		0.0
DFT-s-OFDM 16QAM	1	1	20.97	21.22	21.16	20.98	0-1	0.0
CP-OFDM QPSK	1	1	21.06	21.42	21.19	21.08	0-1.5	0.0

Table H-288
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.11	21.08	21.58	21.13	21.23	0	0.0
	1	39	21.04	21.21	21.35	21.02	21.30		0.0
	1	76	21.15	21.33	21.28	21.12	21.18		0.0
	36	0	21.06	21.08	21.39	21.11	21.13	0-1	0.0
	36	21	21.01	21.18	21.38	20.98	21.17	0	0.0
	36	42	20.97	21.23	21.30	21.13	21.20	0-1	0.0
	75	0	20.98	21.20	21.37	21.03	21.17		0.0
DFT-s-OFDM 16QAM	1	1	21.06	21.13	21.47	21.15	21.16	0-1	0.0
CP-OFDM QPSK	1	1	21.21	21.07	21.48	21.09	21.33	0-1.5	0.0

Table H-289
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.20	21.14	21.26	21.19	21.26	0	0.0
	1	33	21.15	21.36	21.21	21.00	21.16		0.0
	1	63	21.06	21.40	21.12	21.06	21.17		0.0
	32	0	21.05	21.16	21.21	21.06	21.21	0-1	0.0
	32	17	21.01	21.19	21.15	20.99	21.15	0	0.0
	32	33	21.06	21.28	21.14	21.08	21.21	0-1	0.0
	64	0	21.03	21.12	21.19	21.02	21.18		0.0
DFT-s-OFDM 16QAM	1	1	21.21	21.11	21.21	21.13	21.21	0-1	0.0
CP-OFDM QPSK	1	1	21.37	21.19	21.31	21.14	21.15	0-1.5	0.0

Table H-290
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.03	20.98	21.30	20.96	21.06	0	0.0
	1	26	21.01	21.08	21.38	20.96	21.22		0.0
	1	49	20.91	21.08	21.27	21.02	21.20		0.0
	25	0	20.97	21.07	21.26	21.02	21.00	0-1	0.0
	25	13	20.99	21.06	21.32	20.98	21.08	0	0.0
	25	26	21.00	21.03	21.35	20.94	21.07	0-1	0.0
	50	0	20.99	21.16	21.33	21.07	20.99		0.0
DFT-s-OFDM 16QAM	1	1	21.05	20.92	21.26	20.98	21.01	0-1	0.0
CP-OFDM QPSK	1	1	20.67	20.92	21.27	20.89	21.08	0-1.5	0.0

Table H-291
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.06	20.99	21.35	20.97	21.22	0	0.0
	1	19	21.05	21.00	21.35	21.03	21.17		0.0
	1	36	21.09	21.24	21.31	21.06	21.17		0.0
	18	0	20.96	20.96	21.33	20.95	21.07	0-1	0.0
	18	10	21.18	20.98	21.38	21.03	21.27	0	0.0
	18	20	21.01	21.00	21.28	21.03	21.07	0-1	0.0
	36	0	20.98	20.97	21.33	20.94	21.09		0.0
DFT-s-OFDM 16QAM	1	1	21.10	20.96	21.37	20.99	21.07	0-1	0.0
CP-OFDM QPSK	1	1	20.96	21.04	21.31	21.00	21.14	0-1.5	0.0

Table H-292
NR Band n41 PC2 Antenna B Path 2 Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
			500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.08	21.01	21.31	21.06	21.16	0	0.0
	1	12	21.02	21.03	21.32	20.99	21.17		0.0
	1	22	21.04	21.08	21.29	21.03	21.05		0.0
	12	0	21.07	20.92	21.27	20.97	21.03	0-1	0.0
	12	6	21.05	20.95	21.23	20.99	21.12	0	0.0
	12	12	21.08	21.08	21.28	21.02	21.01	0-1	0.0
	24	0	21.10	20.94	21.26	20.97	21.02		0.0
DFT-s-OFDM 16QAM	1	1	21.18	21.05	21.33	21.08	21.09	0-1	0.0
CP-OFDM QPSK	1	1	20.88	20.99	21.33	20.95	21.24	0-1.5	0.0

Table H-293
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth		
Channel		
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	17.52	16.51
SRS #2 Ant D	17.41	16.69
SRS #3 Ant E	13.98	13.90

Table H-294
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth		
Channel		
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	17.61	16.55
SRS #2 Ant D	17.50	16.89
SRS #3 Ant E	13.94	13.92

Table H-295

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth		
Channel		
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	17.54	16.50
SRS #2 Ant D	17.49	16.72
SRS #3 Ant E	13.66	13.43

Table H-296

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth			
Channel			
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)
	Conducted Power [dBm]		
SRS #1 Ant F	17.43	16.43	16.36
SRS #3 Ant D	17.52	17.53	16.89
SRS #4 Ant E	14.18	14.91	14.02

Table H-297

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth			
Channel			
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)
	Conducted Power [dBm]		
SRS #1 Ant F	17.75	16.86	16.75
SRS #2 Ant D	17.76	17.54	17.05
SRS #3 Ant E	13.85	14.56	13.75

Table H-298

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth				
Channel				
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)
	Conducted Power [dBm]			
SRS #1 Ant F	17.49	17.08	16.89	16.46
SRS #2 Ant D	17.74	17.91	17.30	16.93
SRS #3 Ant E	13.58	13.42	14.12	14.22

Table H-299

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	17.42	17.30	16.70	16.81	16.44
SRS #2 Ant D	17.81	17.77	17.73	17.14	16.95
SRS #3 Ant E	13.79	13.57	14.46	14.07	14.17

Table H-300

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth					
Channel					
Antenna	501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	17.46	16.83	16.67	16.76	16.54
SRS #2 Ant D	17.79	17.67	17.74	17.09	16.84
SRS #3 Ant E	13.70	13.86	14.42	14.01	14.20

Table H-301

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	17.50	17.39	16.76	16.81	16.43
SRS #2 Ant D	17.81	17.64	17.63	17.01	16.72
SRS #3 Ant E	13.58	13.79	14.42	13.98	13.98

Table H-302

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	17.40	17.36	16.75	16.74	16.44
SRS #2 Ant D	17.83	17.67	17.66	16.97	16.69
SRS #3 Ant E	13.81	13.83	14.46	14.03	13.95

Table H-303

NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and NR Band n41 PC2 Antenna D & E Path 2 Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) and P_{Limit} for DSI = 1 (Head) – 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	17.42	17.41	16.71	16.67	16.42
SRS #2 Ant D	17.85	17.66	17.66	17.01	16.79
SRS #3 Ant E	13.55	13.83	14.30	14.02	13.98

Table H-304
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth		
Channel		
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	15.44	14.76

Table H-305
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth		
Channel		
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	15.63	14.70

Table H-306
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth		
Channel		
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)
	Conducted Power [dBm]	
SRS #1 Ant F	15.53	14.60

Table H-307
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth			
Channel			
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)
	Conducted Power [dBm]		
SRS #1 Ant F	15.44	14.86	14.53

Table H-308
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth			
Channel			
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)
	Conducted Power [dBm]		
SRS #1 Ant F	15.83	15.18	14.83

Table H-309
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth				
Channel				
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)
	Conducted Power [dBm]			
SRS #1 Ant F	15.49	15.21	15.03	14.63

Table H-310
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	15.47	15.40	14.94	14.92	14.65

Table H-311
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n41 25 MHz Bandwidth					
Channel					
Antenna	501702 (2508.51 MHz)	510150 (2550.75 MHz)	518598 (2592.99 MHz)	527052 (2635.26 MHz)	535500 (2677.5 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	15.50	15.46	15.00	14.98	14.65

Table H-312
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	15.41	15.22	14.99	14.82	14.60

Table H-313
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	15.39	15.35	15.03	14.79	14.61

Table H-314
NR Band n41 PC2 Antenna F Path 2 Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
	Conducted Power [dBm]				
SRS #1 Ant F	15.32	15.45	14.97	14.94	14.63

H.2.10 NR Band n48

Table H-315
NR Band n48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.92	19.56	20.30	20.51	0	0.0
	1	39	19.82	19.53	20.25	20.55		0.0
	1	76	20.01	19.65	20.39	20.60		0.0
	36	0	19.75	19.46	20.28	20.42	0-1	0.0
	36	21	19.81	19.57	20.30	20.45	0	0.0
	36	42	19.85	19.52	20.26	20.42	0-1	0.0
	75	0	19.72	19.53	20.21	20.38		0.0
DFT-s-OFDM 16QAM	1	1	19.85	19.60	20.19	20.30	0-1	0.0
CP-OFDM QPSK	1	1	19.95	19.60	20.43	20.65	0-1.5	0.0

Table H-316
NR Band n48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.78	19.80	20.35	20.45	0	0.0
	1	26	19.70	19.89	20.37	20.51		0.0
	1	49	19.83	19.99	20.36	20.58		0.0
	25	0	19.82	19.76	20.29	20.48	0-1	0.0
	25	13	19.90	19.82	20.38	20.51	0	0.0
	25	26	19.83	19.79	20.32	20.55	0-1	0.0
	50	0	19.88	19.87	20.38	20.51		0.0
DFT-s-OFDM 16QAM	1	1	19.95	19.69	20.17	20.38	0-1	0.0
CP-OFDM QPSK	1	1	19.90	19.69	20.41	20.66	0-1.5	0.0

Table H-317

NR Band n48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.46	19.60	19.90	19.97	0	0.0
	1	19	19.39	19.54	19.81	20.03		0.0
	1	36	19.50	19.65	19.89	20.08		0.0
	18	0	19.42	19.48	19.80	19.88	0-1	0.0
	18	10	19.51	19.59	19.81	20.03	0	0.0
	18	20	19.46	19.52	19.77	19.99	0-1	0.0
	36	0	19.42	19.47	19.72	20.02		0.0
DFT-s-OFDM 16QAM	1	1	19.46	19.45	19.83	19.93	0-1	0.0
CP-OFDM QPSK	1	1	19.45	19.60	19.93	20.06	0-1.5	0.0

Table H-318

NR Band n48 Ant F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.95	19.85	20.25	20.21	0	0.0
	1	12	19.84	19.70	20.20	20.13		0.0
	1	22	19.93	19.78	20.19	20.21		0.0
	12	0	19.85	19.84	20.16	20.12	0-1	0.0
	12	6	19.93	19.90	20.21	20.10	0	0.0
	12	12	19.84	19.68	20.23	20.07	0-1	0.0
	24	0	19.81	19.70	20.06	20.04		0.0
DFT-s-OFDM 16QAM	1	1	19.88	19.72	20.25	20.23	0-1	0.0
CP-OFDM QPSK	1	1	19.97	19.77	20.36	20.31	0-1.5	0.0

Table H-319
NR Band n48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.93	16.56	17.26	17.30	0	0.0
	1	39	16.83	16.47	17.37	17.42		0.0
	1	76	16.96	16.62	17.40	17.49		0.0
	36	0	16.72	16.42	17.25	17.39	0-1	0.0
	36	21	16.82	16.53	17.27	17.48	0	0.0
	36	42	16.81	16.48	17.25	17.50	0-1	0.0
	75	0	16.83	16.40	17.26	17.45		0.0
DFT-s-OFDM 16QAM	1	1	16.78	16.45	17.14	17.34	0-1	0.0
CP-OFDM QPSK	1	1	17.00	16.60	17.44	17.50	0-1.5	0.0

Table H-320
NR Band n48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.88	16.73	17.25	17.42	0	0.0
	1	26	16.84	16.77	17.39	17.42		0.0
	1	49	17.02	16.73	17.30	17.46		0.0
	25	0	16.76	16.65	17.23	17.37	0-1	0.0
	25	13	16.88	16.76	17.29	17.50	0	0.0
	25	26	16.76	16.73	17.35	17.47	0-1	0.0
	50	0	16.90	16.80	17.30	17.47		0.0
DFT-s-OFDM 16QAM	1	1	16.79	16.76	17.43	17.37	0-1	0.0
CP-OFDM QPSK	1	1	16.91	16.67	17.35	17.50	0-1.5	0.0

Table H-321
NR Band n48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.75	16.53	16.97	17.04	0	0.0
	1	19	16.70	16.47	16.88	16.94		0.0
	1	36	16.76	16.53	16.91	17.10		0.0
	18	0	16.65	16.42	16.76	16.89	0-1	0.0
	18	10	16.80	16.54	16.80	17.04	0	0.0
	18	20	16.75	16.43	16.75	16.94	0-1	0.0
	36	0	16.71	16.42	16.76	16.97		0.0
DFT-s-OFDM 16QAM	1	1	16.74	16.50	16.88	16.95	0-1	0.0
CP-OFDM QPSK	1	1	16.86	16.59	17.04	17.11	0-1.5	0.0

Table H-322
NR Band n48 Ant F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.88	16.82	17.24	17.22	0	0.0
	1	12	16.90	16.68	17.11	17.12		0.0
	1	22	16.86	16.82	17.15	17.19		0.0
	12	0	16.82	16.82	17.17	17.03	0-1	0.0
	12	6	16.83	16.74	17.21	17.06	0	0.0
	12	12	16.77	16.61	17.07	16.97	0-1	0.0
	24	0	16.77	16.64	17.08	16.99		0.0
DFT-s-OFDM 16QAM	1	1	16.82	16.70	17.24	17.10	0-1	0.0
CP-OFDM QPSK	1	1	16.88	16.78	17.40	17.20	0-1.5	0.0

Table H-323
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	14.16	14.61	14.88	14.94
SRS #3 Ant I	19.46	19.33	19.28	19.12
SRS #4 Ant D	14.67	14.64	14.94	15.15

Table H-324
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	14.32	14.50	14.72	14.94
SRS #3 Ant I	19.27	18.90	19.21	19.29
SRS #4 Ant D	14.29	14.54	14.76	15.08

Table H-325
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	14.22	14.57	14.73	14.99
SRS #3 Ant I	19.21	19.11	19.18	19.23
SRS #4 Ant D	14.25	14.48	14.87	15.10

Table H-326
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	14.30	14.55	14.77	14.93
SRS #3 Ant I	19.25	19.13	19.12	19.25
SRS #4 Ant D	14.43	14.62	15.08	15.01

Table H-327
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	11.25	11.65	11.97	12.11
SRS #3 Ant I	16.39	16.27	16.26	16.12
SRS #4 Ant D	11.83	11.87	12.22	12.40

Table H-328
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	11.31	11.49	11.66	11.92
SRS #3 Ant I	16.22	15.78	16.18	16.26
SRS #4 Ant D	11.26	11.45	11.73	12.01

Table H-329
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) – 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	11.30	11.40	11.76	11.93
SRS #3 Ant I	16.18	16.15	16.12	16.22
SRS #4 Ant D	11.27	11.45	11.88	12.01

Table H-330
NR Band n48 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant C	11.22	11.48	11.72	11.99
SRS #3 Ant I	16.21	16.18	16.18	16.24
SRS #4 Ant D	11.45	11.56	12.04	12.01

H.2.1 NR Band n77

Table H-331
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.07	0	0.0
	1	123	19.01		0.0
	1	243	19.21		0.0
	120	0	19.03	0-1	0.0
	120	63	19.07	0	0.0
	120	125	18.98	0-1	0.0
	243	0	18.98		0.0
DFT-s-OFDM 16QAM	1	1	19.06	0-1	0.0
CP-OFDM QPSK	1	1	19.18	0-1.5	0.0

Table H-332
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.08	0	0.0
	1	109	18.88		0.0
	1	215	19.09		0.0
	108	0	19.01	0-1	0.0
	108	55	19.05	0	0.0
	108	109	18.97	0-1	0.0
	216	0	19.01		0.0
DFT-s-OFDM 16QAM	1	1	19.05	0-1	0.0
CP-OFDM QPSK	1	1	18.99	0-1.5	0.0

Table H-333
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.02	0	0.0
	1	95	18.91		0.0
	1	187	18.95		0.0
	90	0	19.09	0-1	0.0
	90	50	19.00	0	0.0
	90	99	18.93	0-1	0.0
	180	0	18.91		0.0
DFT-s-OFDM 16QAM	1	1	18.91	0-1	0.0
CP-OFDM QPSK	1	1	18.93	0-1.5	0.0

Table H-334
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.80	0	0.0
	1	81	18.74		0.0
	1	160	18.88		0.0
	81	0	18.79	0-1	0.0
	81	41	18.80	0	0.0
	81	81	18.75	0-1	0.0
	162	0	18.86		0.0
DFT-s-OFDM 16QAM	1	1	18.83	0-1	0.0
CP-OFDM QPSK	1	1	18.82	0-1.5	0.0

Table H-335
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.04	0	0.0
	1	67	19.04		0.0
	1	131	19.18		0.0
	64	0	19.07	0-1	0.0
	64	35	19.18	0	0.0
	64	69	19.04	0-1	0.0
	128	0	19.09		0.0
DFT-s-OFDM 16QAM	1	1	19.05	0-1	0.0
CP-OFDM QPSK	1	1	19.06	0-1.5	0.0

Table H-336
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.82	0	0.0
	1	53	18.79		0.0
	1	104	18.77		0.0
	50	0	18.87	0-1	0.0
	50	28	18.83	0	0.0
	50	56	18.77	0-1	0.0
	100	0	18.72		0.0
DFT-s-OFDM 16QAM	1	1	18.63	0-1	0.0
CP-OFDM QPSK	1	1	18.74	0-1.5	0.0

Table H-337
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.12	0	0.0
	1	39	19.06		0.0
	1	76	19.08		0.0
	36	0	18.91	0-1	0.0
	36	21	18.98	0	0.0
	36	42	19.00	0-1	0.0
	75	0	18.88		0.0
DFT-s-OFDM 16QAM	1	1	18.98	0-1	0.0
CP-OFDM QPSK	1	1	19.05	0-1.5	0.0

Table H-338
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.94	0	0.0
	1	33	18.89		0.0
	1	63	18.77		0.0
	32	0	18.79	0-1	0.0
	32	17	18.87	0	0.0
	32	33	18.79	0-1	0.0
	64	0	18.79		0.0
DFT-s-OFDM 16QAM	1	1	18.89	0-1	0.0
CP-OFDM QPSK	1	1	18.96	0-1.5	0.0

Table H-339
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.06	0	0.0
	1	26	19.04		0.0
	1	49	19.03		0.0
	25	0	18.94	0-1	0.0
	25	13	19.04	0	0.0
	25	26	18.97	0-1	0.0
	50	0	18.94		0.0
DFT-s-OFDM 16QAM	1	1	18.90	0-1	0.0
CP-OFDM QPSK	1	1	18.97	0-1.5	0.0

Table H-340
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.99	0	0.0
	1	19	19.02		0.0
	1	36	19.05		0.0
	18	0	18.80	0-1	0.0
	18	10	19.03	0	0.0
	18	20	18.86	0-1	0.0
	36	0	18.87		0.0
DFT-s-OFDM 16QAM	1	1	18.88	0-1	0.0
CP-OFDM QPSK	1	1	18.92	0-1.5	0.0

Table H-341
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.96	0	0.0
	1	12	18.90		0.0
	1	22	18.97		0.0
	12	0	18.86	0-1	0.0
	12	6	18.95	0	0.0
	12	12	18.85	0-1	0.0
	24	0	18.87		0.0
DFT-s-OFDM 16QAM	1	1	18.92	0-1	0.0
CP-OFDM QPSK	1	1	19.07	0-1.5	0.0

Table H-342
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.56	0	0.0
	1	123	16.37		0.0
	1	243	16.59		0.0
	120	0	16.42	0-1	0.0
	120	63	16.36	0	0.0
	120	125	16.37	0-1	0.0
	243	0	16.36		0.0
DFT-s-OFDM 16QAM	1	1	16.57	0-1	0.0
CP-OFDM QPSK	1	1	16.54	0-1.5	0.0

Table H-343
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.51	0	0.0
	1	109	16.29		0.0
	1	215	16.41		0.0
	108	0	16.41	0-1	0.0
	108	55	16.40	0	0.0
	108	109	16.33	0-1	0.0
	216	0	16.51		0.0
DFT-s-OFDM 16QAM	1	1	16.49	0-1	0.0
CP-OFDM QPSK	1	1	16.65	0-1.5	0.0

Table H-344
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.41	0	0.0
	1	95	16.30		0.0
	1	187	16.39		0.0
	90	0	16.39	0-1	0.0
	90	50	16.33	0	0.0
	90	99	16.34	0-1	0.0
	180	0	16.37		0.0
DFT-s-OFDM 16QAM	1	1	16.44	0-1	0.0
CP-OFDM QPSK	1	1	16.61	0-1.5	0.0

Table H-345
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.26	0	0.0
	1	81	16.27		0.0
	1	160	16.30		0.0
	81	0	16.32	0-1	0.0
	81	41	16.27	0	0.0
	81	81	16.30	0-1	0.0
	162	0	16.43		0.0
DFT-s-OFDM 16QAM	1	1	16.40	0-1	0.0
CP-OFDM QPSK	1	1	16.43	0-1.5	0.0

Table H-346
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.48	0	0.0
	1	67	16.50		0.0
	1	131	16.49		0.0
	64	0	16.53	0-1	0.0
	64	35	16.51	0	0.0
	64	69	16.47	0-1	0.0
	128	0	16.57		0.0
DFT-s-OFDM 16QAM	1	1	16.61	0-1	0.0
CP-OFDM QPSK	1	1	16.59	0-1.5	0.0

Table H-347
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.27	0	0.0
	1	53	16.31		0.0
	1	104	16.24		0.0
	50	0	16.27	0-1	0.0
	50	28	16.30	0	0.0
	50	56	16.26	0-1	0.0
	100	0	16.27		0.0
DFT-s-OFDM 16QAM	1	1	16.36	0-1	0.0
CP-OFDM QPSK	1	1	16.31	0-1.5	0.0

Table H-348
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.44	0	0.0
	1	39	16.37		0.0
	1	76	16.43		0.0
	36	0	16.43	0-1	0.0
	36	21	16.29	0	0.0
	36	42	16.35	0-1	0.0
	75	0	16.43		0.0
DFT-s-OFDM 16QAM	1	1	16.47	0-1	0.0
CP-OFDM QPSK	1	1	16.44	0-1.5	0.0

Table H-349
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.35	0	0.0
	1	33	16.28		0.0
	1	63	16.48		0.0
	32	0	16.30	0-1	0.0
	32	17	16.23	0	0.0
	32	33	16.28	0-1	0.0
	64	0	16.34		0.0
DFT-s-OFDM 16QAM	1	1	16.31	0-1	0.0
CP-OFDM QPSK	1	1	16.43	0-1.5	0.0

Table H-350
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.42	0	0.0
	1	26	16.39		0.0
	1	49	16.42		0.0
	25	0	16.36	0-1	0.0
	25	13	16.35	0	0.0
	25	26	16.41	0-1	0.0
	50	0	16.47		0.0
DFT-s-OFDM 16QAM	1	1	16.43	0-1	0.0
CP-OFDM QPSK	1	1	16.41	0-1.5	0.0

Table H-351
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.33	0	0.0
	1	19	16.30		0.0
	1	36	16.31		0.0
	18	0	16.27	0-1	0.0
	18	10	16.50	0	0.0
	18	20	16.37	0-1	0.0
	36	0	16.25		0.0
DFT-s-OFDM 16QAM	1	1	16.34	0-1	0.0
CP-OFDM QPSK	1	1	16.37	0-1.5	0.0

Table H-352
NR Band n77 DoD Antenna F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.37	0	0.0
	1	12	16.34		0.0
	1	22	16.39		0.0
	12	0	16.33	0-1	0.0
	12	6	16.37	0	0.0
	12	12	16.33	0-1	0.0
	24	0	16.32		0.0
DFT-s-OFDM 16QAM	1	1	16.40	0-1	0.0
CP-OFDM QPSK	1	1	16.50	0-1.5	0.0

Table H-353
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.27
SRS #2 Ant I	16.30
SRS #3 Ant D	14.45

Table H-354
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.65
SRS #2 Ant I	16.36
SRS #3 Ant D	14.47

Table H-355
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.56
SRS #2 Ant I	16.31
SRS #3 Ant D	14.49

Table H-356
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.57
SRS #2 Ant I	16.26
SRS #3 Ant D	14.42

Table H-357
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.72
SRS #2 Ant I	16.55
SRS #3 Ant D	14.58

Table H-358
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.64
SRS #2 Ant I	16.45
SRS #3 Ant D	14.45

Table H-359
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.62
SRS #2 Ant I	16.48
SRS #3 Ant D	14.47

Table H-360
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.56
SRS #2 Ant I	16.45
SRS #3 Ant D	14.48

Table H-361
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.43
SRS #2 Ant I	16.31
SRS #3 Ant D	14.30

Table H-362
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.47
SRS #2 Ant I	16.26
SRS #3 Ant D	14.29

Table H-363
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet)
- 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	14.45
SRS #2 Ant I	16.27
SRS #3 Ant D	14.32

Table H-364
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.04
SRS #2 Ant I	12.82
SRS #3 Ant D	11.22

Table H-365
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.10
SRS #2 Ant I	12.81
SRS #3 Ant D	10.99

Table H-366
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.07
SRS #2 Ant I	12.81
SRS #3 Ant D	11.01

Table H-367
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	10.96
SRS #2 Ant I	12.78
SRS #3 Ant D	10.93

Table H-368
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.16
SRS #2 Ant I	13.02
SRS #3 Ant D	11.11

Table H-369
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.04
SRS #2 Ant I	12.87
SRS #3 Ant D	11.03

Table H-370
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.04
SRS #2 Ant I	12.86
SRS #3 Ant D	10.94

Table H-371
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	11.14
SRS #2 Ant I	12.93
SRS #3 Ant D	11.02

Table H-372
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	10.85
SRS #2 Ant I	12.70
SRS #3 Ant D	10.82

Table H-373
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	10.98
SRS #2 Ant I	12.70
SRS #3 Ant D	10.81

Table H-374
NR Band n77 DoD Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #1 Ant C	10.85
SRS #2 Ant I	12.72
SRS #3 Ant D	10.81

Table H-375

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.43	19.40	0	0.0
	1	123	19.05	19.39		0.0
	1	243	19.50	19.11		0.0
	120	0	19.22	19.44	0-1	0.0
	120	63	19.18	19.43	0	0.0
	120	125	19.12	19.24	0-1	0.0
	243	0	19.14	19.50		0.0
DFT-s-OFDM 16QAM	1	1	19.35	19.47	0-1	0.0
CP-OFDM QPSK	1	1	19.43	19.42	0-1.5	0.0

Table H-376

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.38	19.40	0	0.0
	1	109	19.11	19.45		0.0
	1	215	19.35	19.24		0.0
	108	0	19.27	19.41	0-1	0.0
	108	55	19.26	19.40	0	0.0
	108	109	19.16	19.29	0-1	0.0
	216	0	19.25	19.49		0.0
DFT-s-OFDM 16QAM	1	1	19.46	19.33	0-1	0.0
CP-OFDM QPSK	1	1	19.50	19.42	0-1.5	0.0

Table H-377

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.27	19.32	0	0.0
	1	95	19.08	19.30		0.0
	1	187	19.26	19.14		0.0
	90	0	19.24	19.37	0-1	0.0
	90	50	19.25	19.36	0	0.0
	90	99	19.08	19.29	0-1	0.0
	180	0	19.21	19.33		0.0
DFT-s-OFDM 16QAM	1	1	19.27	19.31	0-1	0.0
CP-OFDM QPSK	1	1	19.45	19.43	0-1.5	0.0

Table H-378

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.28	19.37	0	0.0
	1	81	19.13	19.22		0.0
	1	160	19.11	19.10		0.0
	81	0	19.12	19.27	0-1	0.0
	81	41	19.21	19.23	0	0.0
	81	81	19.03	19.12	0-1	0.0
	162	0	19.17	19.28		0.0
DFT-s-OFDM 16QAM	1	1	19.26	19.31	0-1	0.0
CP-OFDM QPSK	1	1	19.32	19.44	0-1.5	0.0

Table H-379

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.48	19.42	0	0.0
	1	67	19.24	19.44		0.0
	1	131	19.35	19.20		0.0
	64	0	19.32	19.32	0-1	0.0
	64	35	19.40	19.34	0	0.0
	64	69	19.30	19.26	0-1	0.0
	128	0	19.31	19.26		0.0
DFT-s-OFDM 16QAM	1	1	19.37	19.36	0-1	0.0
CP-OFDM QPSK	1	1	19.45	19.30	0-1.5	0.0

Table H-380

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.35	19.28	0	0.0
	1	53	19.17	19.41		0.0
	1	104	19.12	19.24		0.0
	50	0	19.15	19.39	0-1	0.0
	50	28	19.18	19.40	0	0.0
	50	56	19.12	19.34	0-1	0.0
	100	0	19.23	19.43		0.0
DFT-s-OFDM 16QAM	1	1	19.29	19.35	0-1	0.0
CP-OFDM QPSK	1	1	19.45	19.32	0-1.5	0.0

Table H-381

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.27	19.50	0	0.0
	1	39	19.11	19.42		0.0
	1	76	19.12	19.37		0.0
	36	0	19.11	19.40	0-1	0.0
	36	21	19.15	19.43	0	0.0
	36	42	19.07	19.32	0-1	0.0
	75	0	19.12	19.36		0.0
DFT-s-OFDM 16QAM	1	1	19.19	19.42	0-1	0.0
CP-OFDM QPSK	1	1	19.35	19.50	0-1.5	0.0

Table H-382

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.19	19.43	0	0.0
	1	33	19.07	19.32		0.0
	1	63	18.98	19.28		0.0
	32	0	19.12	19.28	0-1	0.0
	32	17	19.06	19.33	0	0.0
	32	33	18.95	19.20	0-1	0.0
	64	0	19.07	19.26		0.0
DFT-s-OFDM 16QAM	1	1	19.18	19.38	0-1	0.0
CP-OFDM QPSK	1	1	19.15	19.46	0-1.5	0.0

Table H-383

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.22	19.36	0	0.0
	1	26	19.10	19.33		0.0
	1	49	19.07	19.42		0.0
	25	0	19.12	19.41	0-1	0.0
	25	13	19.18	19.45	0	0.0
	25	26	19.15	19.38	0-1	0.0
	50	0	19.24	19.41		0.0
DFT-s-OFDM 16QAM	1	1	19.15	19.38	0-1	0.0
CP-OFDM QPSK	1	1	19.32	19.38	0-1.5	0.0

Table H-384

NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.33	19.45	0	0.0
	1	19	19.15	19.40		0.0
	1	36	19.13	19.48		0.0
	18	0	19.14	19.39	0-1	0.0
	18	10	19.10	19.47	0	0.0
	18	20	19.09	19.40	0-1	0.0
	36	0	19.15	19.42		0.0
DFT-s-OFDM 16QAM	1	1	19.24	19.44	0-1	0.0
CP-OFDM QPSK	1	1	19.40	19.50	0-1.5	0.0

Table H-385
NR Band n77 Antenna F Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.16	19.50	0	0.0
	1	12	19.07	19.39		0.0
	1	22	19.09	19.50		0.0
	12	0	19.05	19.46	0-1	0.0
	12	6	19.11	19.44	0	0.0
	12	12	19.10	19.40	0-1	0.0
	24	0	19.08	19.42		0.0
DFT-s-OFDM 16QAM	1	1	19.15	19.47	0-1	0.0
CP-OFDM QPSK	1	1	19.20	19.50	0-1.5	0.0

Table H-386
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.97	16.93	0	0.0
	1	123	16.73	16.89		0.0
	1	243	17.00	16.65		0.0
	120	0	16.75	16.93	0-1	0.0
	120	63	16.73	16.89	0	0.0
	120	125	16.72	16.82	0-1	0.0
	243	0	16.69	16.91		0.0
DFT-s-OFDM 16QAM	1	1	16.96	16.89	0-1	0.0
CP-OFDM QPSK	1	1	16.87	17.00	0-1.5	0.0

Table H-387
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.00	16.91	0	0.0
	1	109	16.71	16.87		0.0
	1	215	16.90	16.68		0.0
	108	0	16.88	16.94	0-1	0.0
	108	55	16.78	16.91	0	0.0
	108	109	16.68	16.84	0-1	0.0
	216	0	16.85	16.91		0.0
DFT-s-OFDM 16QAM	1	1	16.90	16.83	0-1	0.0
CP-OFDM QPSK	1	1	17.00	16.95	0-1.5	0.0

Table H-388
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.76	16.82	0	0.0
	1	95	16.50	16.77		0.0
	1	187	16.85	16.61		0.0
	90	0	16.64	16.85	0-1	0.0
	90	50	16.52	16.83	0	0.0
	90	99	16.66	16.75	0-1	0.0
	180	0	16.62	16.77		0.0
DFT-s-OFDM 16QAM	1	1	16.90	16.73	0-1	0.0
CP-OFDM QPSK	1	1	16.88	16.98	0-1.5	0.0

Table H-389
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.78	16.71	0	0.0
	1	81	16.62	16.70		0.0
	1	160	16.58	16.49		0.0
	81	0	16.71	16.76	0-1	0.0
	81	41	16.59	16.63	0	0.0
	81	81	16.56	16.54	0-1	0.0
	162	0	16.68	16.66		0.0
DFT-s-OFDM 16QAM	1	1	16.77	16.64	0-1	0.0
CP-OFDM QPSK	1	1	16.97	16.78	0-1.5	0.0

Table H-390
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.91	16.83	0	0.0
	1	67	16.78	16.82		0.0
	1	131	16.87	16.61		0.0
	64	0	16.82	16.80	0-1	0.0
	64	35	16.88	16.76	0	0.0
	64	69	16.78	16.70	0-1	0.0
	128	0	16.88	16.82		0.0
DFT-s-OFDM 16QAM	1	1	16.92	16.87	0-1	0.0
CP-OFDM QPSK	1	1	16.90	17.00	0-1.5	0.0

Table H-391
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.82	16.77	0	0.0
	1	53	16.66	16.86		0.0
	1	104	16.70	16.72		0.0
	50	0	16.71	16.89	0-1	0.0
	50	28	16.76	16.85	0	0.0
	50	56	16.60	16.83	0-1	0.0
	100	0	16.75	16.98		0.0
DFT-s-OFDM 16QAM	1	1	16.73	16.81	0-1	0.0
CP-OFDM QPSK	1	1	16.73	16.86	0-1.5	0.0

Table H-392
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.83	17.00	0	0.0
	1	39	16.74	16.86		0.0
	1	76	16.69	16.73		0.0
	36	0	16.62	16.94	0-1	0.0
	36	21	16.71	16.88	0	0.0
	36	42	16.57	16.79	0-1	0.0
	75	0	16.63	16.92		0.0
DFT-s-OFDM 16QAM	1	1	16.75	16.99	0-1	0.0
CP-OFDM QPSK	1	1	16.83	16.97	0-1.5	0.0

Table H-393
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.61	16.83	0	0.0
	1	33	16.64	16.70		0.0
	1	63	16.59	16.68		0.0
	32	0	16.59	16.78	0-1	0.0
	32	17	16.58	16.76	0	0.0
	32	33	16.45	16.78	0-1	0.0
	64	0	16.45	16.75		0.0
DFT-s-OFDM 16QAM	1	1	16.56	16.89	0-1	0.0
CP-OFDM QPSK	1	1	16.69	16.84	0-1.5	0.0

Table H-394
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.64	16.83	0	0.0
	1	26	16.65	16.82		0.0
	1	49	16.59	16.83		0.0
	25	0	16.61	16.94	0-1	0.0
	25	13	16.69	16.80	0	0.0
	25	26	16.58	16.91	0-1	0.0
	50	0	16.61	16.98		0.0
DFT-s-OFDM 16QAM	1	1	16.77	16.91	0-1	0.0
CP-OFDM QPSK	1	1	16.79	16.90	0-1.5	0.0

Table H-395
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.85	16.92	0	0.0
	1	19	16.67	16.89		0.0
	1	36	16.77	16.93		0.0
	18	0	16.66	16.91	0-1	0.0
	18	10	16.73	16.91	0	0.0
	18	20	16.62	16.91	0-1	0.0
	36	0	16.67	16.92		0.0
DFT-s-OFDM 16QAM	1	1	16.72	16.92	0-1	0.0
CP-OFDM QPSK	1	1	16.78	16.93	0-1.5	0.0

Table H-396
NR Band n77 Antenna F Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.77	16.94	0	0.0
	1	12	16.67	16.94		0.0
	1	22	16.71	16.98		0.0
	12	0	16.63	16.93	0-1	0.0
	12	6	16.69	16.90	0	0.0
	12	12	16.63	16.92	0-1	0.0
	24	0	16.62	16.93		0.0
DFT-s-OFDM 16QAM	1	1	16.67	16.97	0-1	0.0
CP-OFDM QPSK	1	1	16.74	16.95	0-1.5	0.0

Table H-397
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.29	15.21
SRS #2 Ant I	16.36	17.00
SRS #3 Ant D	15.18	15.36

Table H-398
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.52	15.63
SRS #2 Ant I	16.07	16.92
SRS #3 Ant D	15.37	15.36

Table H-399
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.51	15.65
SRS #2 Ant I	16.30	16.83
SRS #3 Ant D	15.38	15.33

Table H-400
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.50	15.61
SRS #2 Ant I	16.19	16.88
SRS #3 Ant D	15.31	15.27

Table H-401
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.51	15.62
SRS #2 Ant I	16.50	17.14
SRS #3 Ant D	15.59	15.47

Table H-402
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.56	15.68
SRS #2 Ant I	16.29	17.05
SRS #3 Ant D	15.38	15.39

Table H-403
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.52	15.70
SRS #2 Ant I	16.30	17.06
SRS #3 Ant D	15.37	15.39

Table H-404
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.54	15.62
SRS #2 Ant I	16.31	17.02
SRS #3 Ant D	15.45	15.36

Table H-405
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.48	15.58
SRS #2 Ant I	16.25	16.88
SRS #3 Ant D	15.36	15.27

Table H-406
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.48	15.59
SRS #2 Ant I	16.24	16.86
SRS #3 Ant D	15.35	15.25

Table H-407
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 0 (Body-worn, Hotspot or Phablet) –
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	15.40	15.56
SRS #2 Ant I	16.23	16.99
SRS #3 Ant D	15.38	15.19

Table H-408
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	11.93	11.99
SRS #2 Ant I	12.80	13.45
SRS #3 Ant D	11.93	11.94

Table H-409
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.06	12.10
SRS #2 Ant I	12.63	13.27
SRS #3 Ant D	11.96	11.97

Table H-410
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.00	12.12
SRS #2 Ant I	12.75	13.38
SRS #3 Ant D	11.92	11.90

Table H-411
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	11.89	12.00
SRS #2 Ant I	12.73	13.22
SRS #3 Ant D	11.93	11.82

Table H-412
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.23	12.28
SRS #2 Ant I	12.95	13.55
SRS #3 Ant D	12.16	12.05

Table H-413
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.08	12.27
SRS #2 Ant I	12.78	13.42
SRS #3 Ant D	11.99	11.90

Table H-414
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.00	12.27
SRS #2 Ant I	12.76	13.43
SRS #3 Ant D	11.87	11.95

Table H-415
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	12.05	12.17
SRS #2 Ant I	12.77	13.39
SRS #3 Ant D	12.02	11.87

Table H-416
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	11.88	12.20
SRS #2 Ant I	12.75	13.28
SRS #3 Ant D	11.82	11.87

Table H-417
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	11.89	12.12
SRS #2 Ant I	12.79	13.35
SRS #3 Ant D	11.95	11.77

Table H-418
NR Band n77 Antenna C, I, D Measured P_{Limit} for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #1 Ant C	11.86	12.05
SRS #2 Ant I	12.75	13.24
SRS #3 Ant D	11.84	11.84