


[Ant.2]


20M Ch.144(5720 MHz) 52T+26T RU72



40M Ch.142(5710 MHz) 52T+26T RU75




80M Ch.138(5690 MHz) 52T+26T RU81



Test Plots(Output Power)

Note: In order to simplify the report, attached plots were only channel of highest Power.


[SRU] [Ant.1]



[Ant.2]


UNII 2C

20M Ch.144(5720 MHz) 242 Tones RU 61




UNII 3


20M Ch.144(5720 MHz) 106 Tones RU 54




40M Ch.142(5710 MHz) 484 Tones RU 65



40M Ch.142(5710 MHz) 106 Tones RU 56



80M Ch.138(5690 MHz) 996 Tones RU 67



80M Ch.138(5690 MHz) 52 Tones RU 52



[MRU]



[Ant.1]

UNII 2C

UNII 3


20M Ch.144(5720 MHz) 106T+26T RU83

20M Ch.144(5720 MHz) 106T+26T RU83




40M Ch.142(5710 MHz) 106T+26T RU85

40M Ch.142(5710 MHz) 106T+26T RU85



80M Ch.138(5690 MHz) 484T+242T RU91

80M Ch.138(5690 MHz) 106T+26T RU89





[Ant.2]

UNII 2C

UNII 3


20M Ch.144(5720 MHz) 106T+26T RU83

20M Ch.144(5720 MHz) 106T+26T RU83




40M Ch.142(5710 MHz) 106T+26T RU85

40M Ch.142(5710 MHz) 106T+26T RU85



80M Ch.138(5690 MHz) 484T+242T RU90


80M Ch.138(5690 MHz) 106T+26T RU89



Test Plots(Power Spectral Density)

Note: In order to simplify the report, attached plots were only channel of highest PSD.

[SRU] [Ant.1]



[Ant.2]

UNII 2C

20M Ch.144(5720 MHz) 26 Tones RU 0

UNII 3

20M Ch.144(5720 MHz) 26 Tones RU 8



40M Ch.142(5710 MHz) 26 Tones RU 9

40M Ch.142(5710 MHz) 26 Tones RU 17



80M Ch.138(5690 MHz) 106 Tones RU 60

80M Ch.138(5690 MHz) 26 Tones RU 35



[MRU]


[Ant.1]

UNII 2C

20M Ch.144(5720 MHz) 106T+26T RU83

UNII 3

20M Ch.144(5720 MHz) 106T+26T RU83



40M Ch.142(5710 MHz) 106T+26T RU85

40M Ch.142(5710 MHz) 106T+26T RU85



80M Ch.138(5690 MHz) 106T+26T RU89

80M Ch.138(5690 MHz) 106T+26T RU89





[Ant.2]

UNII 2C

UNII 3


20M Ch.144(5720 MHz) 106T+26T RU83

20M Ch.144(5720 MHz) 106T+26T RU83




40M Ch.142(5710 MHz) 106T+26T RU85

40M Ch.142(5710 MHz) 106T+26T RU85



80M Ch.138(5690 MHz) 106T+26T RU89

80M Ch.138(5690 MHz) 106T+26T RU89



10.7 RADIATED SPURIOUS EMISSIONS (9 kHz – 1 GHz)

Frequency Range : 9 kHz – 30 MHz

Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]

No Critical peaks found

Note:

1. The Measured Value of emissions are attenuated more than 20 dB below the permissible limits or the field strength is too small to be measured.
2. Distance extrapolation factor = $40 \log (\text{specific distance} / \text{test distance})$ (dB)
3. Limit line = specific Limits (dBμV) + Distance extrapolation factor

Frequency Range : Below 1 GHz

Frequency	Measured Value	A.F+C.L	ANT. POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]

No Critical peaks found

Note:

1. Radiated emissions measured in frequency range from 30 MHz to 1000 MHz were made with an instrument using Quasi peak detector mode

10.8 RADIATED SPURIOUS EMISSIONS (Above 1 GHz)

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.36 5180 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10360	53.14	5.79	V	58.93	68.20	9.27	PK
15540	47.96	6.58	V	54.54	73.98	19.44	PK
15540	34.88	6.58	V	41.46	53.98	12.52	AV
10360	53.78	5.79	H	59.57	68.20	8.63	PK
15540	48.66	6.58	H	55.24	73.98	18.74	PK
15540	35.16	6.58	H	41.74	53.98	12.24	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.40 5200 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10400	53.03	5.60	V	58.63	68.20	9.57	PK
15600	48.01	6.35	V	54.36	73.98	19.62	PK
15600	34.69	6.35	V	41.04	53.98	12.94	AV
10400	53.74	5.60	H	59.34	68.20	8.86	PK
15600	48.22	6.35	H	54.57	73.98	19.41	PK
15600	35.04	6.35	H	41.39	53.98	12.59	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.48 5240 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10480	51.96	6.05	V	58.01	68.20	10.19	PK
15720	48.35	5.76	V	54.11	73.98	19.87	PK
15720	35.22	5.76	V	40.98	53.98	13.00	AV
10480	52.53	6.05	H	58.58	68.20	9.62	PK
15720	48.69	5.76	H	54.45	73.98	19.53	PK
15720	35.51	5.76	H	41.27	53.98	12.71	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.52 5260 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10520	52.16	6.25	V	58.41	68.20	9.79	PK
15780	48.25	6.05	V	54.30	73.98	19.68	PK
15780	35.11	6.05	V	41.16	53.98	12.82	AV
10520	52.55	6.25	H	58.80	68.20	9.40	PK
15780	48.57	6.05	H	54.62	73.98	19.36	PK
15780	35.34	6.05	H	41.39	53.98	12.59	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.60 5300 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10600	50.11	6.31	V	56.42	73.98	17.56	PK
10600	37.26	6.31	V	43.57	53.98	10.41	AV
15900	47.05	7.24	V	54.29	73.98	19.69	PK
15900	34.28	7.24	V	41.52	53.98	12.46	AV
10600	51.15	6.31	H	57.46	73.98	16.52	PK
10600	38.00	6.31	H	44.31	53.98	9.67	AV
15900	48.36	7.24	H	55.60	73.98	18.38	PK
15900	34.54	7.24	H	41.78	53.98	12.20	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.64 5320 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10640	50.81	5.89	V	56.70	73.98	17.28	PK
10640	38.06	5.89	V	43.95	53.98	10.03	AV
15960	48.66	6.54	V	55.20	73.98	18.78	PK
15960	35.19	6.54	V	41.73	53.98	12.25	AV
10640	51.01	5.89	H	56.90	73.98	17.08	PK
10640	38.14	5.89	H	44.03	53.98	9.95	AV
15960	49.15	6.54	H	55.69	73.98	18.29	PK
15960	35.49	6.54	H	42.03	53.98	11.95	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.100 5500 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11000	48.43	6.36	V	54.79	73.98	19.19	PK
11000	36.00	6.36	V	42.36	53.98	11.62	AV
16500	48.04	8.54	V	56.58	68.20	11.62	PK
11000	48.11	6.36	H	54.47	73.98	19.51	PK
11000	35.26	6.36	H	41.62	53.98	12.36	AV
16500	47.86	8.54	H	56.40	68.20	11.80	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.120 5600 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11200	50.72	5.70	V	56.42	73.98	17.56	PK
11200	37.01	5.70	V	42.71	53.98	11.27	AV
16800	47.03	9.99	V	57.02	68.20	11.18	PK
11200	50.26	5.70	H	55.96	73.98	18.02	PK
11200	36.91	5.70	H	42.61	53.98	11.37	AV
16800	47.00	9.99	H	56.99	68.20	11.21	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.144 5720 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	50.13	5.92	V	56.05	73.98	17.93	PK
11440	36.58	5.92	V	42.50	53.98	11.48	AV
17160	48.23	9.69	V	57.92	68.20	10.28	PK
11440	49.55	5.92	H	55.47	73.98	18.51	PK
11440	36.29	5.92	H	42.21	53.98	11.77	AV
17160	48.06	9.69	H	57.75	68.20	10.45	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.149 5745 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	49.91	5.88	V	55.79	73.98	18.19	PK
11490	36.74	5.88	V	42.62	53.98	11.36	AV
17235	48.89	10.22	V	59.11	68.20	9.09	PK
11490	49.24	5.88	H	55.12	73.98	18.86	PK
11490	36.03	5.88	H	41.91	53.98	12.07	AV
17235	48.24	10.22	H	58.46	68.20	9.74	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.157 5785 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	50.62	6.03	V	56.65	73.98	17.33	PK
11570	37.18	6.03	V	43.21	53.98	10.77	AV
17355	47.37	11.36	V	58.73	68.20	9.47	PK
11570	49.93	6.03	H	55.96	73.98	18.02	PK
11570	36.93	6.03	H	42.96	53.98	11.02	AV
17355	46.82	11.36	H	58.18	68.20	10.02	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.165 5825 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	51.50	5.42	V	56.92	73.98	17.06	PK
11650	37.68	5.42	V	43.10	53.98	10.88	AV
17475	47.80	11.65	V	59.45	68.20	8.75	PK
11650	51.25	5.42	H	56.67	73.98	17.31	PK
11650	37.16	5.42	H	42.58	53.98	11.40	AV
17475	47.71	11.65	H	59.36	68.20	8.84	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.169 5845 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	52.71	5.75	V	58.46	73.98	15.52	PK
11690	38.86	5.75	V	44.61	53.98	9.37	AV
17535	47.84	12.08	V	59.92	68.20	8.28	PK
11690	52.30	5.75	H	58.05	73.98	15.93	PK
11690	38.19	5.75	H	43.94	53.98	10.04	AV
17535	47.26	12.08	H	59.34	68.20	8.86	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.173 5865 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	52.38	5.44	V	57.82	73.98	16.16	PK
11730	38.55	5.44	V	43.99	53.98	9.99	AV
17595	48.42	12.20	V	60.62	68.20	7.58	PK
11730	52.14	5.44	H	57.58	73.98	16.40	PK
11730	38.14	5.44	H	43.58	53.98	10.40	AV
17595	48.39	12.20	H	60.59	68.20	7.61	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 26T 4RU				
CH.177 5885 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	52.67	5.11	V	57.78	73.98	16.20	PK
11770	39.43	5.11	V	44.54	53.98	9.44	AV
17655	48.75	12.20	V	60.95	68.20	7.25	PK
11770	52.03	5.11	H	57.14	73.98	16.84	PK
11770	39.18	5.11	H	44.29	53.98	9.69	AV
17655	48.14	12.20	H	60.34	68.20	7.86	PK

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.36 5180 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10360	52.44	5.79	V	58.23	68.20	9.97	PK
15540	49.26	6.58	V	55.84	73.98	18.14	PK
15540	36.28	6.58	V	42.86	53.98	11.12	AV
10360	52.70	5.79	H	58.49	68.20	9.71	PK
15540	49.79	6.58	H	56.37	73.98	17.61	PK
15540	36.59	6.58	H	43.17	53.98	10.81	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.40 5200 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10400	52.28	5.60	V	57.88	68.20	10.32	PK
15600	49.66	6.35	V	56.01	73.98	17.97	PK
15600	36.28	6.35	V	42.63	53.98	11.35	AV
10400	53.35	5.60	H	58.95	68.20	9.25	PK
15600	50.12	6.35	H	56.47	73.98	17.51	PK
15600	36.83	6.35	H	43.18	53.98	10.80	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.48 5240 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10480	51.22	6.05	V	57.27	68.20	10.93	PK
15720	48.03	5.76	V	53.79	73.98	20.19	PK
15720	36.18	5.76	V	41.94	53.98	12.04	AV
10480	51.69	6.05	H	57.74	68.20	10.46	PK
15720	48.59	5.76	H	54.35	73.98	19.63	PK
15720	36.40	5.76	H	42.16	53.98	11.82	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.52 5260 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10520	52.10	6.25	V	58.35	68.20	9.85	PK
15780	49.16	6.05	V	55.21	73.98	18.77	PK
15780	35.16	6.05	V	41.21	53.98	12.77	AV
10520	52.14	6.25	H	58.39	68.20	9.81	PK
15780	49.37	6.05	H	55.42	73.98	18.56	PK
15780	35.91	6.05	H	41.96	53.98	12.02	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.60 5300 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10600	51.29	6.31	V	57.60	73.98	16.38	PK
10600	38.12	6.31	V	44.43	53.98	9.55	AV
15900	48.16	7.24	V	55.40	73.98	18.58	PK
15900	35.26	7.24	V	42.50	53.98	11.48	AV
10600	51.65	6.31	H	57.96	73.98	16.02	PK
10600	38.35	6.31	H	44.66	53.98	9.32	AV
15900	48.80	7.24	H	56.04	73.98	17.94	PK
15900	35.65	7.24	H	42.89	53.98	11.09	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.64 5320 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10640	50.11	5.89	V	56.00	73.98	17.98	PK
10640	37.26	5.89	V	43.15	53.98	10.83	AV
15960	47.55	6.54	V	54.09	73.98	19.89	PK
15960	34.96	6.54	V	41.50	53.98	12.48	AV
10640	50.73	5.89	H	56.62	73.98	17.36	PK
10640	37.46	5.89	H	43.35	53.98	10.63	AV
15960	48.95	6.54	H	55.49	73.98	18.49	PK
15960	35.64	6.54	H	42.18	53.98	11.80	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.100 5500 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11000	48.89	6.36	V	55.25	73.98	18.73	PK
11000	36.21	6.36	V	42.57	53.98	11.41	AV
16500	48.16	8.54	V	56.70	68.20	11.50	PK
11000	48.25	6.36	H	54.61	73.98	19.37	PK
11000	36.11	6.36	H	42.47	53.98	11.51	AV
16500	47.99	8.54	H	56.53	68.20	11.67	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.120 5600 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11200	50.04	5.70	V	55.74	73.98	18.24	PK
11200	37.01	5.70	V	42.71	53.98	11.27	AV
16800	47.41	9.99	V	57.40	68.20	10.80	PK
11200	49.18	5.70	H	54.88	73.98	19.10	PK
11200	36.29	5.70	H	41.99	53.98	11.99	AV
16800	47.06	9.99	H	57.05	68.20	11.15	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.144 5720 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	50.21	5.92	V	56.13	73.98	17.85	PK
11440	37.67	5.92	V	43.59	53.98	10.39	AV
17160	47.56	9.69	V	57.25	68.20	10.95	PK
11440	49.16	5.92	H	55.08	73.98	18.90	PK
11440	37.25	5.92	H	43.17	53.98	10.81	AV
17160	47.28	9.69	H	56.97	68.20	11.23	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.149 5745 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	50.72	5.88	V	56.60	73.98	17.38	PK
11490	38.08	5.88	V	43.96	53.98	10.02	AV
17235	48.20	10.22	V	58.42	68.20	9.78	PK
11490	49.19	5.88	H	55.07	73.98	18.91	PK
11490	37.26	5.88	H	43.14	53.98	10.84	AV
17235	47.56	10.22	H	57.78	68.20	10.42	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.157 5785 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	50.49	6.03	V	56.52	73.98	17.46	PK
11570	38.11	6.03	V	44.14	53.98	9.84	AV
17355	46.84	11.36	V	58.20	68.20	10.00	PK
11570	49.58	6.03	H	55.61	73.98	18.37	PK
11570	37.99	6.03	H	44.02	53.98	9.96	AV
17355	45.21	11.36	H	56.57	68.20	11.63	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.165 5825 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	51.07	5.42	V	56.49	73.98	17.49	PK
11650	38.79	5.42	V	44.21	53.98	9.77	AV
17475	47.61	11.65	V	59.26	68.20	8.94	PK
11650	50.03	5.42	H	55.45	73.98	18.53	PK
11650	38.26	5.42	H	43.68	53.98	10.30	AV
17475	47.11	11.65	H	58.76	68.20	9.44	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.169 5845 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	51.72	5.75	V	57.47	73.98	16.51	PK
11690	39.19	5.75	V	44.94	53.98	9.04	AV
17535	47.92	12.08	V	60.00	68.20	8.20	PK
11690	51.05	5.75	H	56.80	73.98	17.18	PK
11690	38.26	5.75	H	44.01	53.98	9.97	AV
17535	47.08	12.08	H	59.16	68.20	9.04	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.173 5865 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	53.10	5.44	V	58.54	73.98	15.44	PK
11730	39.76	5.44	V	45.20	53.98	8.78	AV
17595	48.13	12.20	V	60.33	68.20	7.87	PK
11730	52.28	5.44	H	57.72	73.98	16.26	PK
11730	39.79	5.44	H	45.23	53.98	8.75	AV
17595	47.86	12.20	H	60.06	68.20	8.14	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 242T 61RU				
CH.177 5885 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	52.98	5.11	V	58.09	73.98	15.89	PK
11770	40.15	5.11	V	45.26	53.98	8.72	AV
17655	48.26	12.20	V	60.46	68.20	7.74	PK
11770	52.14	5.11	H	57.25	73.98	16.73	PK
11770	40.11	5.11	H	45.22	53.98	8.76	AV
17655	47.96	12.20	H	60.16	68.20	8.04	PK

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.38 5190 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	55.24	5.71	V	60.95	68.20	7.25	PK
15570	47.95	6.91	V	54.86	73.98	19.12	PK
15570	34.86	6.91	V	41.77	53.98	12.21	AV
10380	55.92	5.71	H	61.63	68.20	6.57	PK
15570	48.10	6.91	H	55.01	73.98	18.97	PK
15570	35.09	6.91	H	42.00	53.98	11.98	AV

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.46 5230 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	52.46	6.31	V	58.77	68.20	9.43	PK
15690	47.99	5.88	V	53.87	73.98	20.11	PK
15690	35.28	5.88	V	41.16	53.98	12.82	AV
10460	52.71	6.31	H	59.02	68.20	9.18	PK
15690	48.54	5.88	H	54.42	73.98	19.56	PK
15690	35.36	5.88	H	41.24	53.98	12.74	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.54 5270 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	52.25	5.92	V	58.17	68.20	10.03	PK
15810	47.86	6.50	V	54.36	73.98	19.62	PK
15810	35.11	6.50	V	41.61	53.98	12.37	AV
10540	52.46	5.92	H	58.38	68.20	9.82	PK
15810	48.09	6.50	H	54.59	73.98	19.39	PK
15810	35.26	6.50	H	41.76	53.98	12.22	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.62 5310 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	52.06	6.26	V	58.32	73.98	15.66	PK
10620	38.65	6.26	V	44.91	53.98	9.07	AV
15930	48.29	6.68	V	54.97	73.98	19.01	PK
15930	35.06	6.68	V	41.74	53.98	12.24	AV
10620	52.27	6.26	H	58.53	73.98	15.45	PK
10620	38.67	6.26	H	44.93	53.98	9.05	AV
15930	48.92	6.68	H	55.60	73.98	18.38	PK
15930	35.31	6.68	H	41.99	53.98	11.99	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.102 5510 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	48.32	6.76	V	55.08	73.98	18.90	PK
11020	35.70	6.76	V	42.46	53.98	11.52	AV
16530	48.34	8.45	V	56.79	68.20	11.41	PK
11020	48.16	6.76	H	54.92	73.98	19.06	PK
11020	35.11	6.76	H	41.87	53.98	12.11	AV
16530	48.30	8.45	H	56.75	68.20	11.45	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.118 5590 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11180	48.81	6.29	V	55.10	73.98	18.88	PK
11180	36.23	6.29	V	42.52	53.98	11.46	AV
16770	47.35	8.99	V	56.34	68.20	11.86	PK
11180	48.03	6.29	H	54.32	73.98	19.66	PK
11180	36.10	6.29	H	42.39	53.98	11.59	AV
16770	47.28	8.99	H	56.27	68.20	11.93	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.142 5710 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	49.50	5.75	V	55.25	73.98	18.73	PK
11420	36.44	5.75	V	42.19	53.98	11.79	AV
17130	48.24	9.67	V	57.91	68.20	10.29	PK
11420	49.07	5.75	H	54.82	73.98	19.16	PK
11420	36.29	5.75	H	42.04	53.98	11.94	AV
17130	48.16	9.67	H	57.83	68.20	10.37	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.151 5755 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	48.90	5.83	V	54.73	73.98	19.25	PK
11510	36.25	5.83	V	42.08	53.98	11.90	AV
17265	46.77	10.76	V	57.53	68.20	10.67	PK
11510	48.11	5.83	H	53.94	73.98	20.04	PK
11510	36.04	5.83	H	41.87	53.98	12.11	AV
17265	46.25	10.76	H	57.01	68.20	11.19	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.159 5795 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	51.31	6.00	V	57.31	73.98	16.67	PK
11590	37.47	6.00	V	43.47	53.98	10.51	AV
17385	47.54	8.63	V	56.17	68.20	12.03	PK
11590	51.07	6.00	H	57.07	73.98	16.91	PK
11590	37.26	6.00	H	43.26	53.98	10.72	AV
17385	47.33	8.63	H	55.96	68.20	12.24	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.167 5835 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	52.13	5.47	V	57.60	73.98	16.38	PK
11670	38.19	5.47	V	43.66	53.98	10.32	AV
17505	47.70	11.74	V	59.44	68.20	8.76	PK
11670	51.96	5.47	H	57.43	73.98	16.55	PK
11670	38.05	5.47	H	43.52	53.98	10.46	AV
17505	47.16	11.74	H	58.90	68.20	9.30	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 26T 9RU				
CH.175 5875 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	53.90	5.38	V	59.28	73.98	14.70	PK
11750	39.64	5.38	V	45.02	53.98	8.96	AV
17625	48.37	12.20	V	60.57	68.20	7.63	PK
11750	52.86	5.38	H	58.24	73.98	15.74	PK
11750	38.29	5.38	H	43.67	53.98	10.31	AV
17625	48.14	12.20	H	60.34	68.20	7.86	PK

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.38 5190 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	50.66	5.71	V	56.37	68.20	11.83	PK
15570	48.05	6.91	V	54.96	73.98	19.02	PK
15570	35.10	6.91	V	42.01	53.98	11.97	AV
10380	51.23	5.71	H	56.94	68.20	11.26	PK
15570	49.10	6.91	H	56.01	73.98	17.97	PK
15570	35.23	6.91	H	42.14	53.98	11.84	AV

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.46 5230 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	51.22	6.31	V	57.53	68.20	10.67	PK
15690	48.00	5.88	V	53.88	73.98	20.10	PK
15690	35.16	5.88	V	41.04	53.98	12.94	AV
10460	51.69	6.31	H	58.00	68.20	10.20	PK
15690	48.05	5.88	H	53.93	73.98	20.05	PK
15690	35.50	5.88	H	41.38	53.98	12.60	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.54 5270 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	50.11	5.92	V	56.03	68.20	12.17	PK
15810	47.26	6.50	V	53.76	73.98	20.22	PK
15810	34.88	6.50	V	41.38	53.98	12.60	AV
10540	50.73	5.92	H	56.65	68.20	11.55	PK
15810	48.36	6.50	H	54.86	73.98	19.12	PK
15810	35.10	6.50	H	41.60	53.98	12.38	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.62 5310 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	49.22	6.26	V	55.48	73.98	18.50	PK
10620	37.16	6.26	V	43.42	53.98	10.56	AV
15930	48.26	6.68	V	54.94	73.98	19.04	PK
15930	35.17	6.68	V	41.85	53.98	12.13	AV
10620	49.69	6.26	H	55.95	73.98	18.03	PK
10620	37.34	6.26	H	43.60	53.98	10.38	AV
15930	48.57	6.68	H	55.25	73.98	18.73	PK
15930	35.47	6.68	H	42.15	53.98	11.83	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.102 5510 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	48.58	6.76	V	55.34	73.98	18.64	PK
11020	36.03	6.76	V	42.79	53.98	11.19	AV
16530	47.71	8.45	V	56.16	68.20	12.04	PK
11020	48.16	6.76	H	54.92	73.98	19.06	PK
11020	35.88	6.76	H	42.64	53.98	11.34	AV
16530	47.05	8.45	H	55.50	68.20	12.70	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.118 5590 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11180	49.68	6.29	V	55.97	73.98	18.01	PK
11180	36.76	6.29	V	43.05	53.98	10.93	AV
16770	46.96	8.99	V	55.95	68.20	12.25	PK
11180	49.16	6.29	H	55.45	73.98	18.53	PK
11180	36.28	6.29	H	42.57	53.98	11.41	AV
16770	45.99	8.99	H	54.98	68.20	13.22	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.142 5710 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	49.57	5.75	V	55.32	73.98	18.66	PK
11420	37.04	5.75	V	42.79	53.98	11.19	AV
17130	47.42	9.67	V	57.09	68.20	11.11	PK
11420	48.19	5.75	H	53.94	73.98	20.04	PK
11420	36.55	5.75	H	42.30	53.98	11.68	AV
17130	47.16	9.67	H	56.83	68.20	11.37	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.151 5755 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	51.23	5.83	V	57.06	73.98	16.92	PK
11510	37.56	5.83	V	43.39	53.98	10.59	AV
17265	47.55	10.76	V	58.31	68.20	9.89	PK
11510	51.10	5.83	H	56.93	73.98	17.05	PK
11510	37.21	5.83	H	43.04	53.98	10.94	AV
17265	47.36	10.76	H	58.12	68.20	10.08	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.159 5795 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	49.68	6.00	V	55.68	73.98	18.30	PK
11590	36.86	6.00	V	42.86	53.98	11.12	AV
17385	47.34	8.63	V	55.97	68.20	12.23	PK
11590	49.15	6.00	H	55.15	73.98	18.83	PK
11590	36.61	6.00	H	42.61	53.98	11.37	AV
17385	47.18	8.63	H	55.81	68.20	12.39	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.167 5835 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	50.04	5.47	V	55.51	73.98	18.47	PK
11670	37.51	5.47	V	42.98	53.98	11.00	AV
17505	47.55	11.74	V	59.29	68.20	8.91	PK
11670	49.25	5.47	H	54.72	73.98	19.26	PK
11670	37.44	5.47	H	42.91	53.98	11.07	AV
17505	47.26	11.74	H	59.00	68.20	9.20	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 484T 65RU				
CH.175 5875 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	50.90	5.38	V	56.28	73.98	17.70	PK
11750	38.58	5.38	V	43.96	53.98	10.02	AV
17625	48.30	12.20	V	60.50	68.20	7.70	PK
11750	50.28	5.38	H	55.66	73.98	18.32	PK
11750	38.16	5.38	H	43.54	53.98	10.44	AV
17625	48.16	12.20	H	60.36	68.20	7.84	PK

Band : UNII 1			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.42 5210 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	52.96	5.71	V	58.67	68.20	9.53	PK
15630	47.06	6.43	V	53.49	73.98	20.49	PK
15630	35.14	6.43	V	41.57	53.98	12.41	AV
10420	53.57	5.71	H	59.28	68.20	8.92	PK
15630	48.09	6.43	H	54.52	73.98	19.46	PK
15630	35.13	6.43	H	41.56	53.98	12.42	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.58 5290 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	50.16	6.10	V	56.26	68.20	11.94	PK
15870	47.06	6.64	V	53.70	73.98	20.28	PK
15870	34.83	6.64	V	41.47	53.98	12.51	AV
10580	51.77	6.10	H	57.87	68.20	10.33	PK
15870	48.08	6.64	H	54.72	73.98	19.26	PK
15870	35.53	6.64	H	42.17	53.98	11.81	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.106 5530 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	48.43	6.47	V	54.90	73.98	19.08	PK
11060	35.79	6.47	V	42.26	53.98	11.72	AV
16590	47.08	8.94	V	56.02	68.20	12.18	PK
11060	48.65	6.47	H	55.12	73.98	18.86	PK
11060	35.64	6.47	H	42.11	53.98	11.87	AV
16590	48.10	8.94	H	57.04	68.20	11.16	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.122 5610 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	49.67	5.80	V	55.47	73.98	18.51	PK
11220	36.51	5.80	V	42.31	53.98	11.67	AV
16830	47.82	9.92	V	57.74	68.20	10.46	PK
11220	49.28	5.80	H	55.08	73.98	18.90	PK
11220	36.19	5.80	H	41.99	53.98	11.99	AV
16830	47.63	9.92	H	57.55	68.20	10.65	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.138 5690 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	51.10	6.03	V	57.13	73.98	16.85	PK
11380	37.97	6.03	V	44.00	53.98	9.98	AV
17070	47.43	10.07	V	57.50	68.20	10.70	PK
11380	50.82	6.03	H	56.85	73.98	17.13	PK
11380	37.56	6.03	H	43.59	53.98	10.39	AV
17070	47.16	10.07	H	57.23	68.20	10.97	PK

Band : UNII 3			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.155 5775 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	51.06	5.90	V	56.96	73.98	17.02	PK
11550	37.57	5.90	V	43.47	53.98	10.51	AV
17325	47.70	11.22	V	58.92	68.20	9.28	PK
11550	50.29	5.90	H	56.19	73.98	17.79	PK
11550	37.08	5.90	H	42.98	53.98	11.00	AV
17325	47.16	11.22	H	58.38	68.20	9.82	PK

Band : UNII 4			Operation Mode : 802.11be_EHT80 MCS0 26T 19RU				
CH.171 5855 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	51.14	5.76	V	56.90	73.98	17.08	PK
11710	38.16	5.76	V	43.92	53.98	10.06	AV
17565	47.77	12.19	V	59.96	68.20	8.24	PK
11710	51.06	5.76	H	56.82	73.98	17.16	PK
11710	37.84	5.76	H	43.60	53.98	10.38	AV
17565	47.05	12.19	H	59.24	68.20	8.96	PK

Band : UNII 1			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.42 5210 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	48.55	5.71	V	54.26	68.20	13.94	PK
15630	47.28	6.43	V	53.71	73.98	20.27	PK
15630	35.16	6.43	V	41.59	53.98	12.39	AV
10420	48.97	5.71	H	54.68	68.20	13.52	PK
15630	48.45	6.43	H	54.88	73.98	19.10	PK
15630	35.28	6.43	H	41.71	53.98	12.27	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.58 5290 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	50.11	6.10	V	56.21	68.20	11.99	PK
15870	49.16	6.64	V	55.80	73.98	18.18	PK
15870	35.28	6.64	V	41.92	53.98	12.06	AV
10580	50.43	6.10	H	56.53	68.20	11.67	PK
15870	48.71	6.64	H	55.35	73.98	18.63	PK
15870	35.41	6.64	H	42.05	53.98	11.93	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.106 5530 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	48.25	6.47	V	54.72	73.98	19.26	PK
11060	36.39	6.47	V	42.86	53.98	11.12	AV
16590	47.86	8.94	V	56.80	68.20	11.40	PK
11060	47.99	6.47	H	54.46	73.98	19.52	PK
11060	36.26	6.47	H	42.73	53.98	11.25	AV
16590	47.19	8.94	H	56.13	68.20	12.07	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.122 5610 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	49.65	5.80	V	55.45	73.98	18.53	PK
11220	36.25	5.80	V	42.05	53.98	11.93	AV
16830	47.30	9.92	V	57.22	68.20	10.98	PK
11220	49.18	5.80	H	54.98	73.98	19.00	PK
11220	36.11	5.80	H	41.91	53.98	12.07	AV
16830	47.26	9.92	H	57.18	68.20	11.02	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.138 5690 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	50.28	6.03	V	56.31	73.98	17.67	PK
11380	37.18	6.03	V	43.21	53.98	10.77	AV
17070	47.31	10.07	V	57.38	68.20	10.82	PK
11380	50.06	6.03	H	56.09	73.98	17.89	PK
11380	37.10	6.03	H	43.13	53.98	10.85	AV
17070	47.16	10.07	H	57.23	68.20	10.97	PK

Band : UNII 3			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.155 5775 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	49.20	5.90	V	55.10	73.98	18.88	PK
11550	36.68	5.90	V	42.58	53.98	11.40	AV
17325	47.18	11.22	V	58.40	68.20	9.80	PK
11550	48.93	5.90	H	54.83	73.98	19.15	PK
11550	36.55	5.90	H	42.45	53.98	11.53	AV
17325	47.06	11.22	H	58.28	68.20	9.92	PK

Band : UNII 4			Operation Mode : 802.11be_EHT80 MCS0 996T 67RU				
CH.171 5855 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	50.66	5.76	V	56.42	73.98	17.56	PK
11710	36.97	5.76	V	42.73	53.98	11.25	AV
17565	47.77	12.19	V	59.96	68.20	8.24	PK
11710	49.55	5.76	H	55.31	73.98	18.67	PK
11710	36.18	5.76	H	41.94	53.98	12.04	AV
17565	47.26	12.19	H	59.45	68.20	8.75	PK

Band : UNII 1&2A			Operation Mode : 802.11be_EHT160(80L) MCS0 26T 19RU				
CH.50 5250 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	50.06	6.52	V	56.58	68.20	11.62	PK
15750	50.14	5.87	V	56.01	73.98	17.97	PK
15750	35.36	5.87	V	41.23	53.98	12.75	AV
10500	50.24	6.52	H	56.76	68.20	11.44	PK
15750	50.25	5.87	H	56.12	73.98	17.86	PK
15750	35.79	5.87	H	41.66	53.98	12.32	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT160(80L) MCS0 26T 19RU				
CH.114 5570 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11140	48.45	5.62	V	54.07	73.98	19.91	PK
11140	36.20	5.62	V	41.82	53.98	12.16	AV
16710	47.76	9.53	V	57.29	68.20	10.91	PK
11140	48.16	5.62	H	53.78	73.98	20.20	PK
11140	36.20	5.62	H	41.82	53.98	12.16	AV
16710	46.68	9.53	H	56.21	68.20	11.99	PK

Band : UNII 3&4			Operation Mode : 802.11be_EHT160(80L) MCS0 26T 19RU				
CH.163 5815 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11630	48.66	5.60	V	54.26	73.98	19.72	PK
11630	36.65	5.60	V	42.25	53.98	11.73	AV
17445	47.01	11.44	V	58.45	68.20	9.75	PK
11630	48.19	5.60	H	53.79	73.98	20.19	PK
11630	36.28	5.60	H	41.88	53.98	12.10	AV
17445	46.92	11.44	H	58.36	68.20	9.84	PK

Band : UNII 1&2A			Operation Mode : 802.11be_EHT160 MCS0 996x2T 68RU				
CH.50 5250 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	48.16	6.52	V	54.68	68.20	13.52	PK
15750	47.75	5.87	V	53.62	73.98	20.36	PK
15750	35.55	5.87	V	41.42	53.98	12.56	AV
10500	48.82	6.52	H	55.34	68.20	12.86	PK
15750	47.99	5.87	H	53.86	73.98	20.12	PK
15750	35.61	5.87	H	41.48	53.98	12.50	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT160 MCS0 996x2T 68RU				
CH.114 5570 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11140	48.37	5.62	V	53.99	73.98	19.99	PK
11140	36.29	5.62	V	41.91	53.98	12.07	AV
16710	47.24	9.53	V	56.77	68.20	11.43	PK
11140	48.15	5.62	H	53.77	73.98	20.21	PK
11140	36.10	5.62	H	41.72	53.98	12.26	AV
16710	46.94	9.53	H	56.47	68.20	11.73	PK

Band : UNII 3&4			Operation Mode : 802.11be_EHT160 MCS0 996x2T 68RU				
CH.163 5815 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11630	48.80	5.60	V	54.40	73.98	19.58	PK
11630	36.56	5.60	V	42.16	53.98	11.82	AV
17445	47.53	11.44	V	58.97	68.20	9.23	PK
11630	48.55	5.60	H	54.15	73.98	19.83	PK
11630	36.19	5.60	H	41.79	53.98	12.19	AV
17445	47.28	11.44	H	58.72	68.20	9.48	PK

[MRU]

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.36 5180 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10360	50.77	5.79	V	56.56	68.20	11.64	PK
15540	48.95	6.58	V	55.53	73.98	18.45	PK
15540	34.93	6.58	V	41.51	53.98	12.47	AV
10360	52.74	5.79	H	58.53	68.20	9.67	PK
15540	47.53	6.58	H	54.11	73.98	19.87	PK
15540	34.13	6.58	H	40.71	53.98	13.27	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.40 5200 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10400	50.73	5.60	V	56.33	68.20	11.87	PK
15600	48.66	6.35	V	55.01	73.98	18.97	PK
15600	35.15	6.35	V	41.50	53.98	12.48	AV
10400	53.65	5.60	H	59.25	68.20	8.95	PK
15600	48.46	6.35	H	54.81	73.98	19.17	PK
15600	35.17	6.35	H	41.52	53.98	12.46	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.48 5240 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10480	50.81	6.05	V	56.86	68.20	11.34	PK
15720	50.63	5.76	V	56.39	73.98	17.59	PK
15720	36.27	5.76	V	42.03	53.98	11.95	AV
10480	51.88	6.05	H	57.93	68.20	10.27	PK
15720	49.10	5.76	H	54.86	73.98	19.12	PK
15720	35.65	5.76	H	41.41	53.98	12.57	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.52 5260 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10520	51.50	6.25	V	57.75	68.20	10.45	PK
15780	48.12	6.05	V	54.17	73.98	19.81	PK
15780	34.66	6.05	V	40.71	53.98	13.27	AV
10520	50.89	6.25	H	57.14	68.20	11.06	PK
15780	47.51	6.05	H	53.56	73.98	20.42	PK
15780	34.39	6.05	H	40.44	53.98	13.54	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.60 5300 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10600	50.60	6.31	V	56.91	73.98	17.07	PK
10600	38.02	6.31	V	44.33	53.98	9.65	AV
15900	47.77	7.24	V	55.01	73.98	18.97	PK
15900	33.53	7.24	V	40.77	53.98	13.21	AV
10600	50.03	6.31	H	56.34	73.98	17.64	PK
10600	37.55	6.31	H	43.86	53.98	10.12	AV
15900	46.83	7.24	H	54.07	73.98	19.91	PK
15900	33.61	7.24	H	40.85	53.98	13.13	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.64 5320 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10640	50.57	5.89	V	56.46	73.98	17.52	PK
10640	37.73	5.89	V	43.62	53.98	10.36	AV
15960	47.12	6.54	V	53.66	73.98	20.32	PK
15960	34.28	6.54	V	40.82	53.98	13.16	AV
10640	50.65	5.89	H	56.54	73.98	17.44	PK
10640	37.70	5.89	H	43.59	53.98	10.39	AV
15960	47.48	6.54	H	54.02	73.98	19.96	PK
15960	34.42	6.54	H	40.96	53.98	13.02	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.100 5500 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11000	48.41	6.36	V	54.77	73.98	19.21	PK
11000	35.04	6.36	V	41.40	53.98	12.58	AV
16500	46.70	8.54	V	55.24	68.20	12.96	PK
11000	48.04	6.36	H	54.40	73.98	19.58	PK
11000	35.41	6.36	H	41.77	53.98	12.21	AV
16500	46.57	8.54	H	55.11	68.20	13.09	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.120 5600 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11200	50.01	5.70	V	55.71	73.98	18.27	PK
11200	36.10	5.70	V	41.80	53.98	12.18	AV
16800	46.37	9.99	V	56.36	68.20	11.84	PK
11200	49.23	5.70	H	54.93	73.98	19.05	PK
11200	35.88	5.70	H	41.58	53.98	12.40	AV
16800	46.43	9.99	H	56.42	68.20	11.78	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.144 5720 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	48.13	5.92	V	54.05	73.98	19.93	PK
11440	35.90	5.92	V	41.82	53.98	12.16	AV
17160	47.16	9.69	V	56.85	68.20	11.35	PK
11440	49.42	5.92	H	55.34	73.98	18.64	PK
11440	36.76	5.92	H	42.68	53.98	11.30	AV
17160	46.81	9.69	H	56.50	68.20	11.70	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.149 5745 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	49.28	5.88	V	55.16	73.98	18.82	PK
11490	35.98	5.88	V	41.86	53.98	12.12	AV
17235	46.87	10.22	V	57.09	68.20	11.11	PK
11490	48.23	5.88	H	54.11	73.98	19.87	PK
11490	34.98	5.88	H	40.86	53.98	13.12	AV
17235	46.95	10.22	H	57.17	68.20	11.03	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.157 5785 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	51.48	6.03	V	57.51	73.98	16.47	PK
11570	37.55	6.03	V	43.58	53.98	10.40	AV
17355	46.52	11.36	V	57.88	68.20	10.32	PK
11570	50.72	6.03	H	56.75	73.98	17.23	PK
11570	37.28	6.03	H	43.31	53.98	10.67	AV
17355	46.39	11.36	H	57.75	68.20	10.45	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.165 5825 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	50.89	5.42	V	56.31	73.98	17.67	PK
11650	37.48	5.42	V	42.90	53.98	11.08	AV
17475	46.63	11.65	V	58.28	68.20	9.92	PK
11650	51.01	5.42	H	56.43	73.98	17.55	PK
11650	36.79	5.42	H	42.21	53.98	11.77	AV
17475	46.76	11.65	H	58.41	68.20	9.79	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.169 5845 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	51.09	5.75	V	56.84	73.98	17.14	PK
11690	37.86	5.75	V	43.61	53.98	10.37	AV
17535	46.12	12.08	V	58.20	68.20	10.00	PK
11690	51.31	5.75	H	57.06	73.98	16.92	PK
11690	38.02	5.75	H	43.77	53.98	10.21	AV
17535	46.46	12.08	H	58.54	68.20	9.66	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.173 5865 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	52.26	5.44	V	57.70	73.98	16.28	PK
11730	39.00	5.44	V	44.44	53.98	9.54	AV
17595	48.07	12.20	V	60.27	68.20	7.93	PK
11730	51.94	5.44	H	57.38	73.98	16.60	PK
11730	38.85	5.44	H	44.29	53.98	9.69	AV
17595	47.76	12.20	H	59.96	68.20	8.24	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 52+26T 71RU				
CH.177 5885 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	53.10	5.11	V	58.21	73.98	15.77	PK
11770	38.75	5.11	V	43.86	53.98	10.12	AV
17655	47.25	12.20	V	59.45	68.20	8.75	PK
11770	51.33	5.11	H	56.44	73.98	17.54	PK
11770	37.47	5.11	H	42.58	53.98	11.40	AV
17655	47.60	12.20	H	59.80	68.20	8.40	PK

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.36 5180 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10360	51.13	5.79	V	56.92	68.20	11.28	PK
15540	51.12	6.58	V	57.70	73.98	16.28	PK
15540	37.28	6.58	V	43.86	53.98	10.12	AV
10360	53.17	5.79	H	58.96	68.20	9.24	PK
15540	48.28	6.58	H	54.86	73.98	19.12	PK
15540	34.99	6.58	H	41.57	53.98	12.41	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.40 5200 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10400	51.13	5.60	V	56.73	68.20	11.47	PK
15600	49.96	6.35	V	56.31	73.98	17.67	PK
15600	36.37	6.35	V	42.72	53.98	11.26	AV
10400	53.45	5.60	H	59.05	68.20	9.15	PK
15600	47.62	6.35	H	53.97	73.98	20.01	PK
15600	34.44	6.35	H	40.79	53.98	13.19	AV

Band : UNII 1			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.48 5240 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10480	50.61	6.05	V	56.66	68.20	11.54	PK
15720	49.96	5.76	V	55.72	73.98	18.26	PK
15720	36.73	5.76	V	42.49	53.98	11.49	AV
10480	51.94	6.05	H	57.99	68.20	10.21	PK
15720	48.69	5.76	H	54.45	73.98	19.53	PK
15720	34.84	5.76	H	40.60	53.98	13.38	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.52 5260 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10520	50.90	6.25	V	57.15	68.20	11.05	PK
15780	49.79	6.05	V	55.84	73.98	18.14	PK
15780	36.37	6.05	V	42.42	53.98	11.56	AV
10520	51.10	6.25	H	57.35	68.20	10.85	PK
15780	47.11	6.05	H	53.16	73.98	20.82	PK
15780	34.67	6.05	H	40.72	53.98	13.26	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.60 5300 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10600	51.44	6.31	V	57.75	73.98	16.23	PK
10600	38.00	6.31	V	44.31	53.98	9.67	AV
15900	47.44	7.24	V	54.68	73.98	19.30	PK
15900	34.06	7.24	V	41.30	53.98	12.68	AV
10600	50.40	6.31	H	56.71	73.98	17.27	PK
10600	37.74	6.31	H	44.05	53.98	9.93	AV
15900	47.31	7.24	H	54.55	73.98	19.43	PK
15900	34.08	7.24	H	41.32	53.98	12.66	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.64 5320 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10640	51.59	5.89	V	57.48	73.98	16.50	PK
10640	38.44	5.89	V	44.33	53.98	9.65	AV
15960	48.43	6.54	V	54.97	73.98	19.01	PK
15960	34.89	6.54	V	41.43	53.98	12.55	AV
10640	50.37	5.89	H	56.26	73.98	17.72	PK
10640	38.30	5.89	H	44.19	53.98	9.79	AV
15960	48.32	6.54	H	54.86	73.98	19.12	PK
15960	34.88	6.54	H	41.42	53.98	12.56	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.100 5500 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11000	47.79	6.36	V	54.15	73.98	19.83	PK
11000	34.68	6.36	V	41.04	53.98	12.94	AV
16500	46.73	8.54	V	55.27	68.20	12.93	PK
11000	48.10	6.36	H	54.46	73.98	19.52	PK
11000	35.15	6.36	H	41.51	53.98	12.47	AV
16500	47.28	8.54	H	55.82	68.20	12.38	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.120 5600 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11200	49.85	5.70	V	55.55	73.98	18.43	PK
11200	36.49	5.70	V	42.19	53.98	11.79	AV
16800	46.41	9.99	V	56.40	68.20	11.80	PK
11200	49.49	5.70	H	55.19	73.98	18.79	PK
11200	36.32	5.70	H	42.02	53.98	11.96	AV
16800	45.68	9.99	H	55.67	68.20	12.53	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.144 5720 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	51.51	5.92	V	57.43	73.98	16.55	PK
11440	37.54	5.92	V	43.46	53.98	10.52	AV
17160	47.59	9.69	V	57.28	68.20	10.92	PK
11440	52.52	5.92	H	58.44	73.98	15.54	PK
11440	38.89	5.92	H	44.81	53.98	9.17	AV
17160	47.28	9.69	H	56.97	68.20	11.23	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.149 5745 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	50.63	5.88	V	56.51	73.98	17.47	PK
11490	36.96	5.88	V	42.84	53.98	11.14	AV
17235	45.93	10.22	V	56.15	68.20	12.05	PK
11490	50.77	5.88	H	56.65	73.98	17.33	PK
11490	37.30	5.88	H	43.18	53.98	10.80	AV
17235	46.22	10.22	H	56.44	68.20	11.76	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.157 5785 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	52.21	6.03	V	58.24	73.98	15.74	PK
11570	38.88	6.03	V	44.91	53.98	9.07	AV
17355	46.12	11.36	V	57.48	68.20	10.72	PK
11570	51.84	6.03	H	57.87	73.98	16.11	PK
11570	38.88	6.03	H	44.91	53.98	9.07	AV
17355	46.21	11.36	H	57.57	68.20	10.63	PK

Band : UNII 3			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.165 5825 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	50.64	5.42	V	56.06	73.98	17.92	PK
11650	38.68	5.42	V	44.10	53.98	9.88	AV
17475	46.14	11.65	V	57.79	68.20	10.41	PK
11650	52.42	5.42	H	57.84	73.98	16.14	PK
11650	38.98	5.42	H	44.40	53.98	9.58	AV
17475	45.96	11.65	H	57.61	68.20	10.59	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.169 5845 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	52.45	5.75	V	58.20	73.98	15.78	PK
11690	39.08	5.75	V	44.83	53.98	9.15	AV
17535	46.20	12.08	V	58.28	68.20	9.92	PK
11690	52.99	5.75	H	58.74	73.98	15.24	PK
11690	39.55	5.75	H	45.30	53.98	8.68	AV
17535	46.18	12.08	H	58.26	68.20	9.94	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.173 5865 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	52.70	5.44	V	58.14	73.98	15.84	PK
11730	39.46	5.44	V	44.90	53.98	9.08	AV
17595	46.90	12.20	V	59.10	68.20	9.10	PK
11730	52.58	5.44	H	58.02	73.98	15.96	PK
11730	39.72	5.44	H	45.16	53.98	8.82	AV
17595	47.08	12.20	H	59.28	68.20	8.92	PK

Band : UNII 4			Operation Mode : 802.11be_EHT20 MCS0 106+26T 82RU				
CH.177 5885 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	52.96	5.11	V	58.07	73.98	15.91	PK
11770	40.24	5.11	V	45.35	53.98	8.63	AV
17655	47.26	12.20	V	59.46	68.20	8.74	PK
11770	53.02	5.11	H	58.13	73.98	15.85	PK
11770	39.31	5.11	H	44.42	53.98	9.56	AV
17655	46.95	12.20	H	59.15	68.20	9.05	PK

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.38 5190 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	50.93	5.71	V	56.64	68.20	11.56	PK
15570	46.93	6.91	V	53.84	73.98	20.14	PK
15570	34.87	6.91	V	41.78	53.98	12.20	AV
10380	52.29	5.71	H	58.00	68.20	10.20	PK
15570	47.41	6.91	H	54.32	73.98	19.66	PK
15570	34.98	6.91	H	41.89	53.98	12.09	AV

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.46 5230 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	50.77	6.31	V	57.08	68.20	11.12	PK
15690	47.71	5.88	V	53.59	73.98	20.39	PK
15690	35.20	5.88	V	41.08	53.98	12.90	AV
10460	51.64	6.31	H	57.95	68.20	10.25	PK
15690	47.56	5.88	H	53.44	73.98	20.54	PK
15690	35.47	5.88	H	41.35	53.98	12.63	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.54 5270 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	50.31	5.92	V	56.23	68.20	11.97	PK
15810	49.21	6.50	V	55.71	73.98	18.27	PK
15810	35.56	6.50	V	42.06	53.98	11.92	AV
10540	51.05	5.92	H	56.97	68.20	11.23	PK
15810	47.86	6.50	H	54.36	73.98	19.62	PK
15810	35.00	6.50	H	41.50	53.98	12.48	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.62 5310 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	50.30	6.26	V	56.56	73.98	17.42	PK
10620	37.67	6.26	V	43.93	53.98	10.05	AV
15930	46.89	6.68	V	53.57	73.98	20.41	PK
15930	34.76	6.68	V	41.44	53.98	12.54	AV
10620	50.17	6.26	H	56.43	73.98	17.55	PK
10620	37.47	6.26	H	43.73	53.98	10.25	AV
15930	47.08	6.68	H	53.76	73.98	20.22	PK
15930	34.84	6.68	H	41.52	53.98	12.46	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.102 5510 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	48.06	6.76	V	54.82	73.98	19.16	PK
11020	35.66	6.76	V	42.42	53.98	11.56	AV
16530	46.76	8.45	V	55.21	68.20	12.99	PK
11020	48.03	6.76	H	54.79	73.98	19.19	PK
11020	35.58	6.76	H	42.34	53.98	11.64	AV
16530	46.39	8.45	H	54.84	68.20	13.36	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.118 5590 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11180	49.04	6.29	V	55.33	73.98	18.65	PK
11180	36.03	6.29	V	42.32	53.98	11.66	AV
16770	46.43	8.99	V	55.42	68.20	12.78	PK
11180	48.20	6.29	H	54.49	73.98	19.49	PK
11180	35.89	6.29	H	42.18	53.98	11.80	AV
16770	46.61	8.99	H	55.60	68.20	12.60	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.142 5710 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	49.25	5.75	V	55.00	73.98	18.98	PK
11420	36.47	5.75	V	42.22	53.98	11.76	AV
17130	46.82	9.67	V	56.49	68.20	11.71	PK
11420	49.10	5.75	H	54.85	73.98	19.13	PK
11420	36.41	5.75	H	42.16	53.98	11.82	AV
17130	47.43	9.67	H	57.10	68.20	11.10	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.151 5755 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	47.78	5.83	V	53.61	73.98	20.37	PK
11510	35.38	5.83	V	41.21	53.98	12.77	AV
17265	45.87	10.76	V	56.63	68.20	11.57	PK
11510	49.07	5.83	H	54.90	73.98	19.08	PK
11510	35.75	5.83	H	41.58	53.98	12.40	AV
17265	46.76	10.76	H	57.52	68.20	10.68	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.159 5795 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	49.01	6.00	V	55.01	73.98	18.97	PK
11590	35.79	6.00	V	41.79	53.98	12.19	AV
17385	47.01	8.63	V	55.64	68.20	12.56	PK
11590	49.39	6.00	H	55.39	73.98	18.59	PK
11590	36.93	6.00	H	42.93	53.98	11.05	AV
17385	46.75	8.63	H	55.38	68.20	12.82	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.167 5835 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	50.27	5.47	V	55.74	73.98	18.24	PK
11670	37.06	5.47	V	42.53	53.98	11.45	AV
17505	46.52	11.74	V	58.26	68.20	9.94	PK
11670	50.22	5.47	H	55.69	73.98	18.29	PK
11670	37.76	5.47	H	43.23	53.98	10.75	AV
17505	46.56	11.74	H	58.30	68.20	9.90	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 52+26T 72RU				
CH.175 5875 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	52.86	5.38	V	58.24	73.98	15.74	PK
11750	38.55	5.38	V	43.93	53.98	10.05	AV
17625	48.03	12.20	V	60.23	68.20	7.97	PK
11750	51.96	5.38	H	57.34	73.98	16.64	PK
11750	38.14	5.38	H	43.52	53.98	10.46	AV
17625	47.96	12.20	H	60.16	68.20	8.04	PK

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.38 5190 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	50.22	5.71	V	55.93	68.20	12.27	PK
15570	48.84	6.91	V	55.75	73.98	18.23	PK
15570	35.68	6.91	V	42.59	53.98	11.39	AV
10380	52.75	5.71	H	58.46	68.20	9.74	PK
15570	45.53	6.91	H	52.44	73.98	21.54	PK
15570	32.90	6.91	H	39.81	53.98	14.17	AV

Band : UNII 1			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.46 5230 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	50.54	6.31	V	56.85	68.20	11.35	PK
15690	48.82	5.88	V	54.70	73.98	19.28	PK
15690	36.19	5.88	V	42.07	53.98	11.91	AV
10460	52.44	6.31	H	58.75	68.20	9.45	PK
15690	45.99	5.88	H	51.87	73.98	22.11	PK
15690	33.92	5.88	H	39.80	53.98	14.18	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.54 5270 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	50.87	5.92	V	56.79	68.20	11.41	PK
15810	47.51	6.50	V	54.01	73.98	19.97	PK
15810	35.27	6.50	V	41.77	53.98	12.21	AV
10540	51.52	5.92	H	57.44	68.20	10.76	PK
15810	45.91	6.50	H	52.41	73.98	21.57	PK
15810	33.57	6.50	H	40.07	53.98	13.91	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.62 5310 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	50.44	6.26	V	56.70	73.98	17.28	PK
10620	37.72	6.26	V	43.98	53.98	10.00	AV
15930	47.00	6.68	V	53.68	73.98	20.30	PK
15930	35.11	6.68	V	41.79	53.98	12.19	AV
10620	50.91	6.26	H	57.17	73.98	16.81	PK
10620	38.29	6.26	H	44.55	53.98	9.43	AV
15930	47.31	6.68	H	53.99	73.98	19.99	PK
15930	34.62	6.68	H	41.30	53.98	12.68	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.102 5510 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	48.14	6.76	V	54.90	73.98	19.08	PK
11020	35.66	6.76	V	42.42	53.98	11.56	AV
16530	46.52	8.45	V	54.97	68.20	13.23	PK
11020	49.61	6.76	H	56.37	73.98	17.61	PK
11020	35.63	6.76	H	42.39	53.98	11.59	AV
16530	46.56	8.45	H	55.01	68.20	13.19	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.118 5590 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11180	48.71	6.29	V	55.00	73.98	18.98	PK
11180	35.69	6.29	V	41.98	53.98	12.00	AV
16770	46.68	8.99	V	55.67	68.20	12.53	PK
11180	48.31	6.29	H	54.60	73.98	19.38	PK
11180	36.18	6.29	H	42.47	53.98	11.51	AV
16770	47.54	8.99	H	56.53	68.20	11.67	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.142 5710 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	47.33	5.75	V	53.08	73.98	20.90	PK
11420	35.26	5.75	V	41.01	53.98	12.97	AV
17130	46.44	9.67	V	56.11	68.20	12.09	PK
11420	49.39	5.75	H	55.14	73.98	18.84	PK
11420	36.95	5.75	H	42.70	53.98	11.28	AV
17130	46.55	9.67	H	56.22	68.20	11.98	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.151 5755 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	48.51	5.83	V	54.34	73.98	19.64	PK
11510	36.07	5.83	V	41.90	53.98	12.08	AV
17265	44.83	10.76	V	55.59	68.20	12.61	PK
11510	47.86	5.83	H	53.69	73.98	20.29	PK
11510	36.14	5.83	H	41.97	53.98	12.01	AV
17265	45.25	10.76	H	56.01	68.20	12.19	PK

Band : UNII 3			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.159 5795 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	48.84	6.00	V	54.84	73.98	19.14	PK
11590	36.09	6.00	V	42.09	53.98	11.89	AV
17385	46.93	8.63	V	55.56	68.20	12.64	PK
11590	49.74	6.00	H	55.74	73.98	18.24	PK
11590	37.65	6.00	H	43.65	53.98	10.33	AV
17385	46.90	8.63	H	55.53	68.20	12.67	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.167 5835 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	49.74	5.47	V	55.21	73.98	18.77	PK
11670	36.93	5.47	V	42.40	53.98	11.58	AV
17505	46.59	11.74	V	58.33	68.20	9.87	PK
11670	50.31	5.47	H	55.78	73.98	18.20	PK
11670	37.82	5.47	H	43.29	53.98	10.69	AV
17505	46.71	11.74	H	58.45	68.20	9.75	PK

Band : UNII 4			Operation Mode : 802.11be_EHT40 MCS0 106+26T 83RU				
CH.175 5875 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	50.86	5.38	V	56.24	73.98	17.74	PK
11750	36.55	5.38	V	41.93	53.98	12.05	AV
17625	48.03	12.20	V	60.23	68.20	7.97	PK
11750	51.32	5.38	H	56.70	73.98	17.28	PK
11750	39.34	5.38	H	44.72	53.98	9.26	AV
17625	47.96	12.20	H	60.16	68.20	8.04	PK

Band : UNII 1			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.42 5210 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	50.85	5.71	V	56.56	68.20	11.64	PK
15630	48.35	6.43	V	54.78	73.98	19.20	PK
15630	35.94	6.43	V	42.37	53.98	11.61	AV
10420	52.44	5.71	H	58.15	68.20	10.05	PK
15630	45.96	6.43	H	52.39	73.98	21.59	PK
15630	34.55	6.43	H	40.98	53.98	13.00	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.58 5290 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	50.79	6.10	V	56.89	68.20	11.31	PK
15870	46.72	6.64	V	53.36	73.98	20.62	PK
15870	35.37	6.64	V	42.01	53.98	11.97	AV
10580	50.12	6.10	H	56.22	68.20	11.98	PK
15870	47.41	6.64	H	54.05	73.98	19.93	PK
15870	35.54	6.64	H	42.18	53.98	11.80	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.106 5530 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	46.98	6.47	V	53.45	73.98	20.53	PK
11060	35.15	6.47	V	41.62	53.98	12.36	AV
16590	47.33	8.94	V	56.27	68.20	11.93	PK
11060	46.41	6.47	H	52.88	73.98	21.10	PK
11060	35.47	6.47	H	41.94	53.98	12.04	AV
16590	46.50	8.94	H	55.44	68.20	12.76	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.122 5610 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	47.97	5.80	V	53.77	73.98	20.21	PK
11220	35.83	5.80	V	41.63	53.98	12.35	AV
16830	46.50	9.92	V	56.42	68.20	11.78	PK
11220	47.62	5.80	H	53.42	73.98	20.56	PK
11220	35.99	5.80	H	41.79	53.98	12.19	AV
16830	46.88	9.92	H	56.80	68.20	11.40	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.138 5690 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	48.19	6.03	V	54.22	73.98	19.76	PK
11380	36.49	6.03	V	42.52	53.98	11.46	AV
17070	47.39	10.07	V	57.46	68.20	10.74	PK
11380	49.53	6.03	H	55.56	73.98	18.42	PK
11380	37.21	6.03	H	43.24	53.98	10.74	AV
17070	47.49	10.07	H	57.56	68.20	10.64	PK

Band : UNII 3			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.155 5775 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	49.49	5.90	V	55.39	73.98	18.59	PK
11550	36.72	5.90	V	42.62	53.98	11.36	AV
17325	46.11	11.22	V	57.33	68.20	10.87	PK
11550	48.30	5.90	H	54.20	73.98	19.78	PK
11550	37.38	5.90	H	43.28	53.98	10.70	AV
17325	46.51	11.22	H	57.73	68.20	10.47	PK

Band : UNII 4			Operation Mode : 802.11be_EHT80 MCS0 52+26T 75RU				
CH.171 5855 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	50.74	5.76	V	56.50	73.98	17.48	PK
11710	37.49	5.76	V	43.25	53.98	10.73	AV
17565	46.56	12.19	V	58.75	68.20	9.45	PK
11710	50.32	5.76	H	56.08	73.98	17.90	PK
11710	38.19	5.76	H	43.95	53.98	10.03	AV
17565	47.24	12.19	H	59.43	68.20	8.77	PK

Band : UNII 1			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.42 5210 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	49.11	5.71	V	54.82	68.20	13.38	PK
15630	45.96	6.43	V	52.39	73.98	21.59	PK
15630	34.76	6.43	V	41.19	53.98	12.79	AV
10420	49.50	5.71	H	55.21	68.20	12.99	PK
15630	46.23	6.43	H	52.66	73.98	21.32	PK
15630	34.61	6.43	H	41.04	53.98	12.94	AV

Band : UNII 2A			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.58 5290 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	49.02	6.10	V	55.12	68.20	13.08	PK
15870	46.90	6.64	V	53.54	73.98	20.44	PK
15870	35.48	6.64	V	42.12	53.98	11.86	AV
10580	48.76	6.10	H	54.86	68.20	13.34	PK
15870	46.77	6.64	H	53.41	73.98	20.57	PK
15870	35.48	6.64	H	42.12	53.98	11.86	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.106 5530 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	46.69	6.47	V	53.16	73.98	20.82	PK
11060	35.16	6.47	V	41.63	53.98	12.35	AV
16590	47.00	8.94	V	55.94	68.20	12.26	PK
11060	46.88	6.47	H	53.35	73.98	20.63	PK
11060	35.40	6.47	H	41.87	53.98	12.11	AV
16590	46.91	8.94	H	55.85	68.20	12.35	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.122 5610 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	46.31	5.80	V	52.11	73.98	21.87	PK
11220	34.51	5.80	V	40.31	53.98	13.67	AV
16830	46.39	9.92	V	56.31	68.20	11.89	PK
11220	46.48	5.80	H	52.28	73.98	21.70	PK
11220	35.77	5.80	H	41.57	53.98	12.41	AV
16830	46.76	9.92	H	56.68	68.20	11.52	PK

Band : UNII 2C			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.138 5690 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	47.27	6.03	V	53.30	73.98	20.68	PK
11380	36.94	6.03	V	42.97	53.98	11.01	AV
17070	46.70	10.07	V	56.77	68.20	11.43	PK
11380	47.00	6.03	H	53.03	73.98	20.95	PK
11380	38.31	6.03	H	44.34	53.98	9.64	AV
17070	46.48	10.07	H	56.55	68.20	11.65	PK

Band : UNII 3			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.155 5775 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	46.58	5.90	V	52.48	73.98	21.50	PK
11550	35.80	5.90	V	41.70	53.98	12.28	AV
17325	46.36	11.22	V	57.58	68.20	10.62	PK
11550	46.77	5.90	H	52.67	73.98	21.31	PK
11550	38.48	5.90	H	44.38	53.98	9.60	AV
17325	46.47	11.22	H	57.69	68.20	10.51	PK

Band : UNII 4			Operation Mode : 802.11be_EHT80 MCS0 484+242T 91RU OFDMA				
CH.171 5855 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	47.63	5.76	V	53.39	73.98	20.59	PK
11710	37.08	5.76	V	42.84	53.98	11.14	AV
17565	47.26	12.19	V	59.45	68.20	8.75	PK
11710	47.58	5.76	H	53.34	73.98	20.64	PK
11710	39.01	5.76	H	44.77	53.98	9.21	AV
17565	47.03	12.19	H	59.22	68.20	8.98	PK

Band : UNII 1&2A			Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T 75RU				
CH.50 5250 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	48.52	6.52	V	55.04	68.20	13.16	PK
15750	47.07	5.87	V	52.94	73.98	21.04	PK
15750	34.99	5.87	V	40.86	53.98	13.12	AV
10500	49.88	6.52	H	56.40	68.20	11.80	PK
15750	47.34	5.87	H	53.21	73.98	20.77	PK
15750	35.90	5.87	H	41.77	53.98	12.21	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T 75RU				
CH.114 5570 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11140	47.07	5.62	V	52.69	73.98	21.29	PK
11140	35.59	5.62	V	41.21	53.98	12.77	AV
16710	45.98	9.53	V	55.51	68.20	12.69	PK
11140	47.64	5.62	H	53.26	73.98	20.72	PK
11140	35.56	5.62	H	41.18	53.98	12.80	AV
16710	46.80	9.53	H	56.33	68.20	11.87	PK

Band : UNII 3&4			Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T 75RU				
CH.163 5815 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11630	48.40	5.60	V	54.00	73.98	19.98	PK
11630	36.69	5.60	V	42.29	53.98	11.69	AV
17445	45.95	11.44	V	57.39	68.20	10.81	PK
11630	47.64	5.60	H	53.24	73.98	20.74	PK
11630	36.60	5.60	H	42.20	53.98	11.78	AV
17445	47.14	11.44	H	58.58	68.20	9.62	PK

Band : UNII 1&2A			Operation Mode : 802.11be_EHT160 MCS0 996+484+242T 99RU Non-OFDMA				
CH.50 5250 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	48.77	6.52	V	55.29	68.20	12.91	PK
15750	47.40	5.87	V	53.27	73.98	20.71	PK
15750	34.78	5.87	V	40.65	53.98	13.33	AV
10500	48.77	6.52	H	55.29	68.20	12.91	PK
15750	47.37	5.87	H	53.24	73.98	20.74	PK
15750	35.83	5.87	H	41.70	53.98	12.28	AV

Band : UNII 2C			Operation Mode : 802.11be_EHT160 MCS0 996+484+242T 99RU Non-OFDMA				
CH.114 5570 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11140	47.44	5.62	V	53.06	73.98	20.92	PK
11140	35.57	5.62	V	41.19	53.98	12.79	AV
16710	47.33	9.53	V	56.86	68.20	11.34	PK
11140	47.22	5.62	H	52.84	73.98	21.14	PK
11140	35.51	5.62	H	41.13	53.98	12.85	AV
16710	47.44	9.53	H	56.97	68.20	11.23	PK

Band : UNII 3&4			Operation Mode : 802.11be_EHT160 MCS0 996+484+242T 99RU Non-OFDMA				
CH.163 5815 MHz			Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11630	48.04	5.60	V	53.64	73.98	20.34	PK
11630	36.63	5.60	V	42.23	53.98	11.75	AV
17445	45.56	11.44	V	57.00	68.20	11.20	PK
11630	48.16	5.60	H	53.76	73.98	20.22	PK
11630	36.58	5.60	H	42.18	53.98	11.80	AV
17445	46.11	11.44	H	57.55	68.20	10.65	PK

Note:

All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached RSE result of worst case.

[RSDB]

Scenario 1

Ant All(MIMO)_2.4 GHz 802.11b _1 Mbps Ch.1 + Ant All(MIMO) 5 GHz 802.11be(EHT40)_MCS0 Ch. 38 26T 9RU

Band : UNII 1			Operation Mode : 802.11ax_HE40 MCS0 26T 9RU				
CH.38	5190	MHz	Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	55.01	5.71	V	60.72	68.20	7.48	PK
15570	46.98	6.91	V	53.89	73.98	20.09	PK
15570	34.77	6.91	V	41.68	53.98	12.30	AV
10380	55.39	5.71	H	61.10	68.20	7.10	PK
15570	47.79	6.91	H	54.70	73.98	19.28	PK
15570	34.90	6.91	H	41.81	53.98	12.17	AV

Scenario 2

BT Ant1_ ANT1_8DPSK_ch.78 + ANT2(SISO)_2.4 GHz 802.11b _1 Mbps Ch.1
+ ANT2(SISO) 5 GHz 802.11be(EHT40)_MCS0 Ch. 38 26T 9RU

Band : UNII 1			Operation Mode : 802.11ax_HE40 MCS0 26T 9RU				
CH.38	5190	MHz	Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	49.92	5.71	V	55.63	68.20	12.57	PK
15570	47.28	6.91	V	54.19	73.98	19.79	PK
15570	34.55	6.91	V	41.46	53.98	12.52	AV
10380	50.55	5.71	H	56.26	68.20	11.94	PK
15570	47.92	6.91	H	54.83	73.98	19.15	PK
15570	34.78	6.91	H	41.69	53.98	12.29	AV

Scenario 3

BT Ant1_ ANT1_8DPSK_ch.78 + ANT2(SISO)_2.4 GHz 802.11b _1 Mbps Ch.1
+ Ant All(MIMO) 5 GHz 802.11be(EHT40)_MCS0 Ch. 38 26T 9RU


Band : UNII 1			Operation Mode : 802.11ax_HE40 MCS0 26T 9RU				
CH.38	5190	MHz	Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	55.26	5.71	V	60.97	68.20	7.23	PK
15570	47.15	6.91	V	54.06	73.98	19.92	PK
15570	34.53	6.91	V	41.44	53.98	12.54	AV
10380	55.71	5.71	H	61.42	68.20	6.78	PK
15570	47.80	6.91	H	54.71	73.98	19.27	PK
15570	34.84	6.91	H	41.75	53.98	12.23	AV

Test Plots

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU] – 26 Tone RU 9

Radiated Spurious Emissions plot – Peak result (802.11be EHT40, Ch.38 2nd Spurious Emission, Y-H)




Date: 24.SEP.2024 09:49:59

[RSDB]

Scenario 1

Ant All(MIMO)_2.4 GHz 802.11b _1 Mbps Ch.1 + Ant All(MIMO) 5 GHz 802.11be(EHT40)_MCS0 Ch. 38 26T 9RU


Radiated Spurious Emissions plot – Peak result (2nd Spurious Emission, Y-H)



Scenario 2

BT Ant1_ ANT1_8DPSK_ch.78 + ANT2(SISO)_2.4 GHz 802.11b _1 Mbps Ch.1 + ANT2(SISO) 5 GHz 802.11be(EHT40)_MCS0 Ch. 38 26T 9RU


Radiated Spurious Emissions plot – Peak result (2nd Spurious Emission, Y-H)



Scenario 3

BT Ant1_ ANT1_8DPSK_ch.78 + ANT2(SISO)_2.4 GHz 802.11b _1 Mbps Ch.1 + Ant All(MIMO) 5 GHz
802.11be(EHT40)_MCS0 Ch. 38 26T 9RU

Radiated Spurious Emissions plot – Peak result (2nd Spurious Emission, Y-H)



Note:

Only the worst case plots for Radiated Spurious Emissions.

10.9 RADIATED RESTRICTED BAND EDGE

Note : # Integration method Used (KDB 789033 D02 v02r01 Section 3) d) (ii)

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

802.11be(MCS0)		EHT20			26T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	57.39	-	H	57.39	73.98	16.59	PK
5150	44.41	-	H	44.41	53.98	9.57	AV

802.11be(MCS0)		EHT20			26T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		8
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	57.63	-	H	57.63	73.98	16.35	PK
5350	44.60	-	H	44.60	53.98	9.38	AV

802.11be(MCS0)		EHT20			26T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	57.26	-	H	57.26	73.98	16.72	PK
5460	44.57	-	H	44.57	53.98	9.41	AV
#5470	54.55	-	H	54.55	68.20	13.65	PK

802.11be(MCS0)		EHT20			52T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	58.85	-	H	58.85	73.98	15.13	PK
5150	45.15	-	H	45.15	53.98	8.83	AV

802.11be(MCS0)		EHT20			52T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		40
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	58.61	-	H	58.61	73.98	15.37	PK
5350	44.98	-	H	44.98	53.98	9.00	AV

802.11be(MCS0)		EHT20			52T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	58.17	-	H	58.17	73.98	15.81	PK
5460	44.90	-	H	44.90	53.98	9.08	AV
#5470	55.87	-	H	55.87	68.20	12.33	PK

802.11be(MCS0)		EHT20			106T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	67.43	-	H	67.43	73.98	6.55	PK
5150	47.05	-	H	47.05	53.98	6.93	AV

802.11be(MCS0)		EHT20			106T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		54
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	65.43	-	H	65.43	73.98	8.55	PK
5350	46.58	-	H	46.58	53.98	7.40	AV

802.11be(MCS0)		EHT20			106T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	59.82	-	H	59.82	73.98	14.16	PK
5460	45.44	-	H	45.44	53.98	8.54	AV
#5470	60.00	-	H	60.00	68.20	8.20	PK

802.11be(MCS0)		EHT20			242T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	68.60	-	H	68.60	73.98	5.38	PK
5150	50.39	-	H	50.39	53.98	3.59	AV

802.11be(MCS0)		EHT20			242T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	67.70	-	H	67.70	73.98	6.28	PK
5350	50.61	-	H	50.61	53.98	3.37	AV

802.11be(MCS0)		EHT20			242T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.06	-	H	65.06	73.98	8.92	PK
5460	47.95	-	H	47.95	53.98	6.03	AV
#5470	65.40	-	H	65.40	68.20	2.80	PK

802.11be(MCS0)		EHT20			SU		
Channel	CH 36	5180 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	67.85	-	H	67.85	73.98	6.13	PK
5150	51.88	-	H	51.88	53.98	2.10	AV

802.11be(MCS0)		EHT20			SU		
Channel	CH 64	5180 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	67.63	-	H	67.63	73.98	6.35	PK
5350	51.65	-	H	51.65	53.98	2.33	AV

802.11be(MCS0)		EHT20			SU		
Channel	CH 100	5180 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.86	-	H	65.86	73.98	8.12	PK
5460	47.76	-	H	47.76	53.98	6.22	AV
#5470	64.44	-	H	64.44	68.20	3.76	PK

802.11be(MCS0)		EHT40			26T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	57.44	-	H	57.44	73.98	16.54	PK
5150	44.41	-	H	44.41	53.98	9.57	AV

802.11be(MCS0)		EHT40			26T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		17
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	57.76	-	H	57.76	73.98	16.22	PK
5350	44.45	-	H	44.45	53.98	9.53	AV

802.11be(MCS0)		EHT40			26T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	57.32	-	H	57.32	73.98	16.66	PK
5460	44.51	-	H	44.51	53.98	9.47	AV
#5470	55.59	-	H	55.59	68.20	12.61	PK

802.11be(MCS0)		EHT40			52T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	62.10	-	H	62.10	73.98	11.88	PK
5150	44.45	-	H	44.45	53.98	9.53	AV

802.11be(MCS0)		EHT40			52T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		44
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	58.59	-	H	58.59	73.98	15.39	PK
5350	44.88	-	H	44.88	53.98	9.10	AV

802.11be(MCS0)		EHT40			52T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	58.12	-	H	58.12	73.98	15.86	PK
5460	45.01	-	H	45.01	53.98	8.97	AV
#5470	55.22	-	H	55.22	68.20	12.98	PK

802.11be(MCS0)		EHT40			106T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	65.13	-	H	65.13	73.98	8.85	PK
5150	45.71	-	H	45.71	53.98	8.27	AV

802.11be(MCS0)		EHT40			106T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		56
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	64.24	-	H	64.24	73.98	9.74	PK
5350	45.00	-	H	45.00	53.98	8.98	AV

802.11be(MCS0)		EHT40			106T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	59.83	-	H	59.83	73.98	14.15	PK
5460	45.85	-	H	45.85	53.98	8.13	AV
#5470	59.44	-	H	59.44	68.20	8.76	PK

802.11be(MCS0)		EHT40			242T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	66.87	-	H	66.87	73.98	7.11	PK
5150	50.87	-	H	50.87	53.98	3.11	AV

802.11be(MCS0)		EHT40			242T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		62
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.08	-	H	66.08	73.98	7.90	PK
5350	50.01	-	H	50.01	53.98	3.97	AV

802.11be(MCS0)		EHT40			242T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	61.49	-	H	61.49	73.98	12.49	PK
5460	45.44	-	H	45.44	53.98	8.54	AV
#5470	64.34	-	H	64.34	68.20	3.86	PK

802.11be(MCS0)		EHT40			484T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	66.86	-	H	66.86	73.98	7.12	PK
5150	51.86	-	H	51.86	53.98	2.12	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	67.43	-	H	67.43	73.98	6.55	PK
5350	51.77	-	H	51.77	53.98	2.21	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	64.79	-	H	64.79	73.98	9.19	PK
5460	49.40	-	H	49.40	53.98	4.58	AV
#5470	64.17	-	H	64.17	68.20	4.03	PK

802.11be(MCS0)		EHT40			SU		
Channel	CH 38	5190 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	66.59	-	H	66.59	73.98	7.39	PK
5150	51.85	-	H	51.85	53.98	2.13	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 62	5310 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.75	-	H	66.75	73.98	7.23	PK
5350	49.98	-	H	49.98	53.98	4.00	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 102	5510 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	63.18	-	H	63.18	73.98	10.80	PK
5460	47.97	-	H	47.97	53.98	6.01	AV
#5470	63.70	-	H	63.70	68.20	4.50	PK

802.11be(MCS0)		EHT80			26T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	60.58	-	H	60.58	73.98	13.40	PK
5150	44.45	-	H	44.45	53.98	9.53	AV

802.11be(MCS0)		EHT80			26T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		36
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	61.11	-	H	61.11	73.98	12.87	PK
5350	45.63	-	H	45.63	53.98	8.35	AV

802.11be(MCS0)		EHT80			26T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	58.07	-	H	58.07	73.98	15.91	PK
5460	44.78	-	H	44.78	53.98	9.20	AV
#5470	55.42	-	H	55.42	68.20	12.78	PK

802.11be(MCS0)		EHT80			52T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	61.96	-	H	61.96	73.98	12.02	PK
5150	45.15	-	H	45.15	53.98	8.83	AV

802.11be(MCS0)		EHT80			52T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		52
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	63.01	-	H	63.01	73.98	10.97	PK
5350	45.17	-	H	45.17	53.98	8.81	AV

802.11be(MCS0)		EHT80			52T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	59.16	-	H	59.16	73.98	14.82	PK
5460	45.21	-	H	45.21	53.98	8.77	AV
#5470	56.25	-	H	56.25	68.20	11.95	PK

802.11be(MCS0)		EHT80			106T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	70.61	-	H	70.61	73.98	3.37	PK
5150	47.11	-	H	47.11	53.98	6.87	AV

802.11be(MCS0)		EHT80			106T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		60
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5350	65.65	-	H	65.65	73.98	8.33	PK
5350	47.80	-	H	47.80	53.98	6.18	AV

802.11be(MCS0)		EHT80			106T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.14	-	H	65.14	73.98	8.84	PK
5460	46.45	-	H	46.45	53.98	7.53	AV
#5470	63.20	-	H	63.20	68.20	5.00	PK

802.11be(MCS0)		EHT80			242T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	64.26	-	H	64.26	73.98	9.72	PK
5150	51.39	-	H	51.39	53.98	2.59	AV

802.11be(MCS0)		EHT80			242T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		64
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	68.20	-	H	68.20	73.98	5.78	PK
5350	50.49	-	H	50.49	53.98	3.49	AV

802.11be(MCS0)		EHT80			242T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	64.99	-	H	64.99	73.98	8.99	PK
5460	46.52	-	H	46.52	53.98	7.46	AV
#5470	64.55	-	H	64.55	68.20	3.65	PK

802.11be(MCS0)		EHT80			484T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	66.89	-	H	66.89	73.98	7.09	PK
5150	51.76	-	H	51.76	53.98	2.22	AV

802.11be(MCS0)		EHT80			484T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		66
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	68.26	-	H	68.26	73.98	5.72	PK
5350	51.81	-	H	51.81	53.98	2.17	AV

802.11be(MCS0)		EHT80			484T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	64.48	-	H	64.48	73.98	9.50	PK
5460	47.88	-	H	47.88	53.98	6.10	AV
#5470	63.15	-	H	63.15	68.20	5.05	PK

802.11be(MCS0)		EHT80			996T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	64.19	-	H	64.19	73.98	9.79	PK
5150	51.69	-	H	51.69	53.98	2.29	AV

802.11be(MCS0)		EHT80			996T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.34	-	H	69.34	73.98	4.64	PK
5350	51.27	-	H	51.27	53.98	2.71	AV

802.11be(MCS0)		EHT80			996T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.09	-	H	65.09	73.98	8.89	PK
5460	50.66	-	H	50.66	53.98	3.32	AV
#5470	62.78	-	H	62.78	68.20	5.42	PK

802.11be(MCS0)		EHT80			SU		
Channel	CH 42	5210 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	63.42	-	H	63.42	73.98	10.56	PK
5150	51.00	-	H	51.00	53.98	2.98	AV

802.11be(MCS0)		EHT80			SU		
Channel	CH 58	5290 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	64.50	-	H	64.50	73.98	9.48	PK
5350	51.06	-	H	51.06	53.98	2.92	AV

802.11be(MCS0)		EHT80			SU		
Channel	CH 106	5530 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	63.74	-	H	63.74	73.98	10.24	PK
5460	50.70	-	H	50.70	53.98	3.28	AV
#5470	62.82	-	H	62.82	68.20	5.38	PK

802.11be(MCS0)		EHT160(80L)			26T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	63.00	-	H	63.00	73.98	10.98	PK
5150	44.56	-	H	44.56	53.98	9.42	AV

802.11be(MCS0)		EHT160(80L)			26T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	68.51	-	H	68.51	73.98	5.47	PK
5460	44.99	-	H	44.99	53.98	8.99	AV
#5470	61.79	-	H	61.79	68.20	6.41	PK

802.11be(MCS0)		EHT160(80L)			52T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	66.47	-	H	66.47	73.98	7.51	PK
5150	44.53	-	H	44.53	53.98	9.45	AV

802.11be(MCS0)		EHT160(80L)			52T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	62.21	-	H	62.21	73.98	11.77	PK
5460	45.22	-	H	45.22	53.98	8.76	AV
#5470	55.90	-	H	55.90	68.20	12.30	PK

802.11be(MCS0)		EHT160(80L)			106T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	64.36	-	H	64.36	73.98	9.62	PK
5150	48.44	-	H	48.44	53.98	5.54	AV

802.11be(MCS0)		EHT160(80L)			106T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.92	-	H	65.92	73.98	8.06	PK
5460	45.88	-	H	45.88	53.98	8.10	AV
#5470	62.02	-	H	62.02	68.20	6.18	PK

802.11be(MCS0)		EHT160(80L)			242T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	69.44	-	H	69.44	73.98	4.54	PK
5150	50.75	-	H	50.75	53.98	3.23	AV

802.11be(MCS0)		EHT160(80L)			242T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	66.33	-	H	66.33	73.98	7.65	PK
5460	46.59	-	H	46.59	53.98	7.39	AV
#5470	64.16	-	H	64.16	68.20	4.04	PK

802.11be(MCS0)		EHT160(80L)			484T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	69.12	-	H	69.12	73.98	4.86	PK
5150	50.83	-	H	50.83	53.98	3.15	AV

802.11be(MCS0)		EHT160(80L)			484T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	62.99	-	H	62.99	73.98	10.99	PK
5460	46.48	-	H	46.48	53.98	7.50	AV
#5470	65.41	-	H	65.41	68.20	2.79	PK

802.11be(MCS0)		EHT160(80L)			996T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	68.26	-	H	68.26	73.98	5.72	PK
5150	51.33	-	H	51.33	53.98	2.65	AV

802.11be(MCS0)		EHT160(80L)			996T		
Channel	CH 114	5570 MHz	UNII 2C Lower edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	67.79	-	H	67.79	73.98	6.19	PK
5460	51.06	-	H	51.06	53.98	2.92	AV
#5470	64.08	-	H	64.08	68.20	4.12	PK

802.11be(MCS0)		EHT160(80U)			26T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		36
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.13	-	H	66.13	73.98	7.85	PK
5350	45.92	-	H	45.92	53.98	8.06	AV

802.11be(MCS0)		EHT160(80U)			52T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		52
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	61.14	-	H	61.14	73.98	12.84	PK
5350	46.39	-	H	46.39	53.98	7.59	AV

802.11be(MCS0)		EHT160(80U)			106T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		60
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.54	-	H	69.54	73.98	4.44	PK
5350	46.91	-	H	46.91	53.98	7.07	AV

802.11be(MCS0)		EHT160(80U)			242T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		64
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	63.06	-	H	63.06	73.98	10.92	PK
5350	50.11	-	H	50.11	53.98	3.87	AV

802.11be(MCS0)		EHT160(80U)			484T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		66
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	65.57	-	H	65.57	73.98	8.41	PK
5350	51.76	-	H	51.76	53.98	2.22	AV

802.11be(MCS0)		EHT160(80U)			996T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.51	-	H	69.51	73.98	4.47	PK
5350	51.51	-	H	51.51	53.98	2.47	AV

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	63.36	-	H	63.36	73.98	10.62	PK
5150	51.25	-	H	51.25	53.98	2.73	AV

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	67.33	-	H	67.33	73.98	6.65	PK
5350	51.43	-	H	51.43	53.98	2.55	AV

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	67.62	-	H	67.62	73.98	6.36	PK
5460	51.35	-	H	51.35	53.98	2.63	AV
#5470	64.09	-	H	64.09	68.20	4.11	PK

802.11be(MCS0)		EHT160			SU		
Channel	CH 50	5210 MHz	UNII 1 Lower edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	63.61	-	H	63.61	73.98	10.37	PK
5150	50.47	-	H	50.47	53.98	3.51	AV

802.11be(MCS0)		EHT160			SU		
Channel	CH 50	5210 MHz	UNII 2A Upper edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.50	-	H	66.50	73.98	7.48	PK
5350	51.12	-	H	51.12	53.98	2.86	AV

802.11be(MCS0)		EHT160			SU		
Channel	CH 114	5570 MHz	UNII 2C Lower edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	65.39	-	H	65.39	73.98	8.59	PK
5460	51.09	-	H	51.09	53.98	2.89	AV
#5470	63.80	-	H	63.80	68.20	4.40	PK

[MRU]

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 36	5180 MHz	UNII1 Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	57.72	-	H	57.72	73.98	16.26	PK
5150	45.06	-	H	45.06	53.98	8.92	AV

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 64	5320 MHz	UNII2A Upper edge		MRU offset		72
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	58.01	-	H	58.01	73.98	15.97	PK
5350	45.07	-	H	45.07	53.98	8.91	AV

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 100	5500 MHz	UNII2C Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	57.35	-	H	57.35	73.98	16.63	PK
5460	44.95	-	H	44.95	53.98	9.03	AV
#5470	56.17	-	H	56.17	68.20	12.03	PK

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 36	5180 MHz	UNII1 Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	69.23	-	H	69.23	73.98	4.75	PK
5150	48.88	-	H	48.88	53.98	5.10	AV

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 64	5320 MHz	UNII2A Upper edge		MRU offset		83
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.07	-	H	69.07	73.98	4.91	PK
5350	49.58	-	H	49.58	53.98	4.40	AV

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 100	5500 MHz	UNII2C Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	60.65	-	H	60.65	73.98	13.33	PK
5460	45.91	-	H	45.91	53.98	8.07	AV
#5470	61.93	-	H	61.93	68.20	6.27	PK

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 38	5190 MHz	UNII1 Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	59.15	-	H	59.15	73.98	14.83	PK
5150	44.92	-	H	44.92	53.98	9.06	AV

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 62	5310 MHz	UNII2A Upper edge		MRU offset		75
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	59.04	-	H	59.04	73.98	14.94	PK
5350	45.15	-	H	45.15	53.98	8.83	AV

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 102	5510 MHz	UNII2C Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	57.89	-	H	57.89	73.98	16.09	PK
5460	44.98	-	H	44.98	53.98	9.00	AV
#5470	57.03	-	H	57.03	68.20	11.17	PK

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 38	5190 MHz	UNII1 Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	68.92	-	H	68.92	73.98	5.06	PK
5150	49.00	-	H	49.00	53.98	4.98	AV

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 62	5310 MHz	UNII2A Upper edge		MRU offset		85
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.65	-	H	66.65	73.98	7.33	PK
5350	46.91	-	H	46.91	53.98	7.07	AV

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 102	5510 MHz	UNII2C Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	59.47	-	H	59.47	73.98	14.51	PK
5460	45.40	-	H	45.40	53.98	8.58	AV
#5470	60.22	-	H	60.22	68.20	7.98	PK

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 42	5190 MHz	UNII1 Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	67.77	-	H	67.77	73.98	6.21	PK
5150	44.53	-	H	44.53	53.98	9.45	AV

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 58	5290 MHz	UNII2A Upper edge		MRU offset		81
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	68.85	-	H	68.85	73.98	5.13	PK
5350	45.03	-	H	45.03	53.98	8.95	AV

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 106	5530 MHz	UNII2C Lower Edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	61.33	-	H	61.33	73.98	12.65	PK
5460	44.83	-	H	44.83	53.98	9.15	AV
#5470	58.01	-	H	58.01	68.20	10.19	PK

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 42	5190 MHz	UNII1 Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	70.99	-	H	70.99	73.98	2.99	PK
5150	49.08	-	H	49.08	53.98	4.90	AV

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 58	5290 MHz	UNII2A Upper edge		MRU offset		89
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	70.28	-	H	70.28	73.98	3.70	PK
5350	47.44	-	H	47.44	53.98	6.54	AV

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 106	5530 MHz	UNII2C Lower Edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	64.20	-	H	64.20	73.98	9.78	PK
5460	46.10	-	H	46.10	53.98	7.88	AV
#5470	65.03	-	H	65.03	68.20	3.17	PK

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 42	5190 MHz	UNII1 Lower Edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	63.95	-	H	63.95	73.98	10.03	PK
5150	51.17	-	H	51.17	53.98	2.81	AV

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 58	5290 MHz	UNII2A Upper edge		MRU offset		90
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	66.65	-	H	66.65	73.98	7.33	PK
5350	51.06	-	H	51.06	53.98	2.92	AV

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 106	5530 MHz	UNII2C Lower Edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	64.34	-	H	64.34	73.98	9.64	PK
5460	50.27	-	H	50.27	53.98	3.71	AV
#5470	64.39	-	H	64.39	68.20	3.81	PK

802.11be(MCS0)		EHT160(80L)			52T+26T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	62.47	-	H	62.47	73.98	11.51	PK
5150	44.98	-	H	44.98	53.98	9.00	AV

802.11be(MCS0)		EHT160(80L)			52T+26T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	70.16	-	H	70.16	73.98	3.82	PK
5460	44.59	-	H	44.59	53.98	9.39	AV
#5470	64.12	-	H	64.12	68.20	4.08	PK

802.11be(MCS0)		EHT160(80L)			106T+26T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5150	64.32	-	H	64.32	73.98	9.66	PK
5150	48.92	-	H	48.92	53.98	5.06	AV

802.11be(MCS0)		EHT160(80L)			106T+26T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	69.43	-	H	69.43	73.98	4.55	PK
5460	45.28	-	H	45.28	53.98	8.70	AV
#5470	63.09	-	H	63.09	68.20	5.11	PK

802.11be(MCS0)		EHT160(80L)			484T+242T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	65.96	-	H	65.96	73.98	8.02	PK
5150	51.66	-	H	51.66	53.98	2.32	AV

802.11be(MCS0)		EHT160(80L)			484T+242T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	67.87	-	H	67.87	73.98	6.11	PK
5460	50.17	-	H	50.17	53.98	3.81	AV
#5470	63.90	-	H	63.90	68.20	4.30	PK

802.11be(MCS0)		EHT160(80U)			52T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		81
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	64.91	-	H	64.91	73.98	9.07	PK
5350	45.67	-	H	45.67	53.98	8.31	AV

802.11be(MCS0)		EHT160(80U)			106T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		89
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	70.42	-	H	70.42	73.98	3.56	PK
5350	46.23	-	H	46.23	53.98	7.75	AV

802.11be(MCS0)		EHT160(80U)			484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		90
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.53	-	H	69.53	73.98	4.45	PK
5350	50.43	-	H	50.43	53.98	3.55	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		MRU offset		1095
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	69.18	-	H	69.18	73.98	4.80	PK
5150	49.31	-	H	49.31	53.98	4.67	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		94
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	69.45	-	H	69.45	73.98	4.53	PK
5350	51.57	-	H	51.57	53.98	2.41	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		MRU offset		1095
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	67.73	-	H	67.73	73.98	6.25	PK
5460	49.94	-	H	49.94	53.98	4.04	AV
#5470	65.16	-	H	65.16	68.20	3.04	PK

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII1 Lower edge		MRU offset		1099
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	68.25	-	H	68.25	73.98	5.73	PK
5150	49.96	-	H	49.96	53.98	4.02	AV

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		96
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	68.68	-	H	68.68	73.98	5.30	PK
5350	48.37	-	H	48.37	53.98	5.61	AV

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 114	5570 MHz	UNII2C Lower edge		MRU offset		1099
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	70.86	-	H	70.86	73.98	3.12	PK
5460	49.26	-	H	49.26	53.98	4.72	AV
#5470	65.34	-	H	65.34	68.20	2.86	PK

Note:

All Modes of operation were investigated and the worst case configuration results are reported.


In order to simplify the report, We only have attached Bandedge result of worst case.

▣ Test Plots(UNII 1, 2A, 2C),

[MIMO_CDD(Ant.1+ Ant.2)]


[SRU]

Radiated Restricted Band Edges plot - Average result (802.11be(EHT20), Ch.36, X-H) – SU



Date: 13.SEP.2024 10:12:01

Radiated Restricted Band Edges plot - Peak result (802.11be(EHT20), Ch.36, X-H) – SU



Date: 13.SEP.2024 10:12:43


Note:

Only the worst case plots for Radiated Restricted Band Edge.


☒ Test Plots(Straddle Channel)_Upper edge
[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]


Peak result (802.11be(EHT20) Ch.144, 26T RU 8)




Peak result (802.11be(EHT20) Ch.144, 52T RU 40)




Peak result (802.11be(EHT20) Ch.144, 106T RU 54)




Peak result (802.11be(EHT20) Ch.144, 242T RU 61)




Peak result (802.11be(EHT20) Ch.144, SU)




Peak result (802.11be(EHT40) Ch.142, 26T RU 17)




Peak result (802.11be(EHT40) Ch. 142, 52T RU 44)




Peak result (802.11be(EHT40) Ch. 142, 106T RU 56)




Peak result (802.11be(EHT40) Ch.142, 242T RU 65)




Peak result (802.11be(EHT40) Ch.142, 484T RU 62)




Peak result (802.11be(EHT40) Ch.142, SU)




Peak result (802.11be(EHT80) Ch.138, 26T RU 36)




Peak result (802.11be(EHT80) Ch.138, 52T RU 52)




Peak result (802.11be(EHT80) Ch.138, 106T RU 60)




Peak result (802.11be(EHT80) Ch.138, 242T RU 64)




Peak result (802.11be(EHT80) Ch.138, 484T RU 66)



Peak result (802.11be(EHT80) Ch.138, 996T RU 67)




Peak result (802.11be(EHT80) Ch.138, SU)




[MRU]


Peak result (802.11be(EHT20) Ch.144, 52T+26T RU 72)




Peak result (802.11be(EHT20) Ch.144, 106T+26T RU 83)




Peak result (802.11be(EHT40) Ch.142, 52T+26T RU 75)




Peak result (802.11be(EHT40) Ch.142, 106T+26T RU 85)




Peak result (802.11be(EHT80) Ch.142, 52T+26T RU 81)



Peak result (802.11be(EHT80) Ch.142, 106T+26T RU 89)



Peak result (802.11be(EHT80) Ch.142, 484T+242T RU 90)



Note :


1. Only the worst case plots for Radiated Restricted Band Edge.
2. Red line : 5 850 MHz
3. Ambient Noise (Because of ambient noise, We attached only the worst plot without a data table)

■ Test Plots(UNII 3)_Lower Edge


[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]


Peak result (802.11be(EHT20) Ch.149, 26T RU 0)




Peak result (802.11be(EHT20) Ch.149, 52T RU 37)




Peak result (802.11be(EHT20) Ch.149, 106T RU 53)




Peak result (802.11be(EHT20) Ch.149, 242T RU 61)




Peak result (802.11be(EHT20) Ch.149, SU)




Peak result (802.11be(EHT40) Ch.151, 26T RU 0)




Peak result (802.11be(EHT40) Ch.151, 52T RU 37)




Peak result (802.11be(EHT40) Ch.151, 106T RU 53)




Peak result (802.11be(EHT40) Ch.151, 242T RU 61)




Peak result (802.11be(EHT40) Ch.151, 484T RU 65)




Peak result (802.11be(EHT40) Ch.151, SU)




Peak result (802.11be(EHT80) Ch.155, 26T RU 0)




Peak result (802.11be(EHT80) Ch.155, 52T RU 37)




Peak result (802.11be(EHT80) Ch.155, 106T RU 53)




Peak result (802.11be(EHT80) Ch.155, 242T RU 61)




Peak result (802.11be(EHT80) Ch.155, 484T RU 65)



Peak result (802.11be(EHT80) Ch.155, 996T RU 67)




Peak result (802.11be(EHT80) Ch.155, SU)




[MRU]


Peak result (802.11be(EHT20) Ch.149, 52T+26T RU 70)




Peak result (802.11be(EHT20) Ch.149, 106T+26T RU 82)




Peak result (802.11be(EHT40) Ch.151, 52T+26T RU 70)




Peak result (802.11be(EHT40) Ch.151, 106T+26T RU 82)




Peak result (802.11be(EHT80) Ch.155, 52T+26T RU 70)



Peak result (802.11be(EHT80) Ch.155, 106T+26T RU 82)



Peak result (802.11be(EHT80) Ch.155, 484T+242T RU 93)




■ Test Plots(UNII 3)_High Edge


[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]


Peak result (802.11be(EHT20) Ch.165, 26T RU 8)




Peak result (802.11be(EHT20) Ch.165, 52T RU 40)




Peak result (802.11be(EHT20) Ch.165, 106T RU 54)




Peak result (802.11be(EHT20) Ch.165, 242T RU 61)




Peak result (802.11be(EHT20) Ch.165, SU)




Peak result (802.11be(EHT40) Ch.159, 26T RU 17)




Peak result (802.11be(EHT40) Ch.159, 52T RU 44)




Peak result (802.11be(EHT40) Ch.159, 106T RU 56)




Peak result (802.11be(EHT40) Ch.159, 242T RU 62)




Peak result (802.11be(EHT40) Ch.159, 484T RU 65)




Peak result (802.11be(EHT40) Ch.159, SU)




Peak result (802.11be(EHT80) Ch.155, 26T RU 36)




Peak result (802.11be(EHT80) Ch.155, 52T RU 52)




Peak result (802.11be(EHT80) Ch.155, 106T RU 60)




Peak result (802.11be(EHT80) Ch.155, 242T RU 64)




Peak result (802.11be(EHT80) Ch.155, 484T RU 66)



Peak result (802.11be(EHT80) Ch.155, 996T RU 67)




Peak result (802.11be(EHT80) Ch.155, SU)




[MRU]


Peak result (802.11be(EHT20) Ch.165, 52T+26T RU 72)




Peak result (802.11be(EHT20) Ch.165, 106T+26T RU 83)




Peak result (802.11be(EHT40) Ch.159, 52T+26T RU 75)




Peak result (802.11be(EHT40) Ch.159, 106T+26T RU 85)




Peak result (802.11be(EHT80) Ch.155, 52T+26T RU 81)



Peak result (802.11be(EHT80) Ch.155, 106T+26T RU 89)



Peak result (802.11be(EHT80) Ch.155, 484T+242T RU 90)




Note :


1. Only the worst case plots for U-NII-3 Out of Band e.i.r.p Emission.
2. U-NII-3 Low & High Band Edge Red Line is Final Test Limit about factor value compensation.

■ Test Plots(UNII 4)_Low edge
[SRU]


Peak result (802.11be(EHT20) Ch.169, 26T RU 0)




Peak result (802.11be(EHT20) Ch.169, 52T RU 37)




Peak result (802.11be(EHT20) Ch.169, 106T RU 53)




Peak result (802.11be(EHT20) Ch.169, 242T RU 61)



Peak result (802.11be(EHT20) Ch.169, SU)




Peak result (802.11be(EHT40) Ch.167, 26T RU 0)




Date: 4.OCT.2024 10:49:12

Peak result (802.11be(EHT40) Ch.167, 52T RU 37)




Date: 4.OCT.2024 10:51:57

Peak result (802.11be(EHT40) Ch.167, 106T RU 53)




Date: 4.OCT.2024 10:54:10

Peak result (802.11be(EHT40) Ch.167, 242T RU 61)




Date: 4.OCT.2024 10:54:10

Peak result (802.11be(EHT40) Ch.167, 484T RU 65)



Date: 4.OCT.2024 10:57:11

Peak result (802.11be(EHT40) Ch.167, SU)



Date: 4.OCT.2024 11:43:36