

NR5_5 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



NR5_5 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB




NR5_5 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB




NR5_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



NR5_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



NR5_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



NR5_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB




NR5_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



NR5_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



NR5_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



NR5_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



NR5_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



NR5_5 M_Band Edge_Low_BPSK_1RB



NR5_5 M_Band Edge_Low_BPSK_FullRB



NR5_5 M_Extended Band Edge_Low_BPSK_FullRB



NR5_5 M_Band Edge_High_BPSK_1RB



NR5_5 M_Band Edge_High_BPSK_FullIRB



NR5_5 M_Extended Band Edge_High_BPSK_FullRB



NR5_10 M_Band Edge_Low_BPSK_1RB




NR5_10 M_Band Edge_Low_BPSK_FullRB



NR5_10 M_Extended Band Edge_Low_BPSK_FullIRB



NR5_10 M_Band Edge_High_BPSK_1RB




NR5_10 M_Band Edge_High_BPSK_FullRB



NR5_10 M_Extended Band Edge_High_BPSK_FullIRB



NR5_15 M_Band Edge_Low_BPSK_1RB




NR5_15 M_Band Edge_Low_BPSK_FullRB



The screenshot displays the Keysight Spectrum Analyzer software interface. The main display area shows a spectrum plot with a green trace. The plot is titled "1 Spectrum" and "Scale/Div 10 dB". The frequency range is from 819.000000 MHz to 823.000000 MHz, with a center frequency of 821.000 MHz. The signal is identified as "Mkr1 822.868 MHz -37.742 dBm". The plot shows a relatively flat signal level around -43.2 dBm. The interface includes various control panels on the right for settings like Center Frequency, Span, Start Freq, Stop Freq, and Auto Tune. The bottom status bar shows the date and time as Sep 11, 2024, 9:16:07 AM.

NR5_15 M_Band Edge_High_BPSK_1RB




NR5_15 M_Band Edge_High_BPSK_FullRB



NR5_15 M_Extended Band Edge_High_BPSK_FullIRB



NR5_20 M_Band Edge_Low_BPSK_1RB



NR5_20 M_Band Edge_Low_BPSK_FullRB



NR5_20 M_Extended Band Edge_Low_BPSK_FullIRB



NR5_20 M_Band Edge_High_BPSK_1RB



The screenshot displays the Keysight Spectrum Analyzer interface. The main display shows a spectrum plot with a yellow trace. A green horizontal line indicates the reference level at -13.00 dBm. A peak is marked with a green diamond and labeled '1'. The peak's frequency is 849.180 MHz and its power is -31.872 dBm. The plot scale is 10 dB, and the video bandwidth is 620 kHz. The center frequency is 849.000 MHz. The right-hand side of the interface shows various settings, including Center Frequency, Span, Start Freq, Stop Freq, and Auto Tune.

Parameter	Value
Center Frequency	849.000000 MHz
Span	4.00000000 MHz
Start Freq	847.000000 MHz
Stop Freq	851.000000 MHz
CF Step	400.000 kHz
Freq Offset	0 Hz
X Axis Scale	Log
Center Frequency	849.180 MHz
Power	-31.872 dBm
Ref Level	26.82 dBm
Ref Lvl Offset	26.82 dB
Video BW	620 kHz
Span	4.000 MHz
#Sweep	~1.01 s (1001 pts)

NR5_20 M_Extended Band Edge_High_BPSK_FullIRB



12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2410-FC058-P