



n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_FullRB(1)

F-TP22-03 (Rev. 06) Page 682 of 700





n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(1)

F-TP22-03 (Rev. 06) Page 683 of 700





n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_FullRB(2)

F-TP22-03 (Rev. 06) Page 684 of 700





n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(2)

F-TP22-03 (Rev. 06) Page 685 of 700





n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_FullRB(3)

F-TP22-03 (Rev. 06) Page 686 of 700





n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(3)

F-TP22-03 (Rev. 06) Page 687 of 700





n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(1)

F-TP22-03 (Rev. 06) Page 688 of 700





n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(1)

F-TP22-03 (Rev. 06) Page 689 of 700






n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(2)

F-TP22-03 (Rev. 06) Page 690 of 700





n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(2)

F-TP22-03 (Rev. 06) Page 691 of 700





n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(3)

F-TP22-03 (Rev. 06) Page 692 of 700





n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(3)

F-TP22-03 (Rev. 06) Page 693 of 700






n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(1)

F-TP22-03 (Rev. 06) Page 694 of 700





n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(1)

F-TP22-03 (Rev. 06) Page 695 of 700



Ö PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive #Avg Type Power (RMS 1 2 3 4 5 c #Atten: 16 dB Preamp: Off KEYSIGHT Input: RF Select Marker Align Auto Marker 1 AAAAAA L)(I Marker Frequency 3.982072000 GHz Settings Mkr1 3.982 072 GHz Ref LvI Offset 34.46 dB Ref Level 34.46 dBm -41.466 dBm Scale/Div 10 dB Peak Search Pk Search Config Next Peak Next Pk Right Properties Marker Function Next Pk Left DL1 13:00 dE Minimum Peak Marker-Pk-Pk Search Counter Marker Delta 1 Mkr→CF Mkr→Ref Lvl Continuous Peak Search Local Start 3.981000 GHz #Res BW 510 kHz #Video BW 2.0 MHz Stop 3.985000 GHz ep ~1.01 s (1001 pts) On Off

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(2)

F-TP22-03 (Rev. 06) Page 696 of 700





n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(2)

F-TP22-03 (Rev. 06) Page 697 of 700



Ö Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) NFE: Adaptive PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type Power (RMS 1 2 3 4 5 c KEYSIGHT Input: RF #Atten: 16 dB Preamp: Off Select Marker Align Auto Marker 1 AAAAAA LNI Marker Frequency 4.026055000 GHz Settings Mkr1 4.026 06 GHz Ref LvI Offset 34.46 dB Ref Level 34.46 dBm -39.090 dBm Scale/Div 10 dB Peak Search Pk Search Config Next Peak Next Pk Right Properties Marker Function Next Pk Left DL1 13:00 dE Minimum Peak Marker-Pk-Pk Search Counter **V**1 Marker Delta Mkr→CF Mkr→Ref Lvl Continuous Peak Search Local #Video BW 3.0 MHz Stop 4.10000 GHz #Sweep 1.00 s (1001 pts) Start 3.98500 GHz #Res BW 1.0 MHz On Off ?

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(3)

F-TP22-03 (Rev. 06) Page 698 of 700





n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(3)

F-TP22-03 (Rev. 06) Page 699 of 700



12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2410-FC062-P

F-TP22-03 (Rev. 06) Page 700 of 700