

Appendix K_NR Bands *P_{limit}* Conducted Power

1. NR FDD Band n2 Maximum Conducted Power

NR FDD Band n2 Conducted Power_ P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.56	22.62	22.67	0
				1	13	22.48	22.56	22.70	0
				1	23	22.45	22.56	22.70	0
				12	0	22.04	22.08	22.07	0.5
				12	7	22.61	22.60	22.66	0
				12	13	22.00	22.01	22.10	0.5
				25	0	22.00	22.03	22.02	0.5
			QPSK	1	1	22.64	22.66	22.63	0
				1	13	22.56	22.60	22.56	0
				1	23	22.52	22.54	22.58	0
				12	0	21.56	21.61	21.54	1
				12	7	22.62	22.64	22.61	0
				12	13	21.52	21.56	21.52	1
				25	0	21.53	21.53	21.56	1
			16QAM	1	1	21.72	21.72	21.65	1
			64QAM	1	1	20.31	20.30	20.29	2.5
			256QAM	1	1	17.68	17.70	17.61	4.5
		CP	QPSK	1	1	21.28	21.41	21.44	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.60	22.61	22.61	0
				1	26	22.63	22.64	22.72	0
				1	50	22.56	22.56	22.75	0
				25	0	22.03	22.08	22.03	0.5
				25	14	22.60	22.67	22.70	0
				25	27	22.05	22.04	22.10	0.5
				50	0	22.05	22.02	22.18	0.5
			QPSK	1	1	22.64	22.62	22.64	0
				1	26	22.69	22.64	22.66	0
				1	50	22.58	22.60	22.70	0
				25	0	21.60	21.57	21.55	1
				25	14	22.68	22.68	22.69	0
				25	27	21.54	21.56	21.65	1
				50	0	21.58	21.56	21.65	1
			16QAM	1	1	21.67	21.66	21.57	1
			64QAM	1	1	20.28	20.26	20.22	2.5
			256QAM	1	1	17.61	17.63	17.57	4.5
		CP	QPSK	1	1	21.26	21.39	21.23	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.68	22.70	22.57	0
				1	40	22.62	22.66	22.56	0
				1	77	22.65	22.62	22.67	0
				36	0	22.07	22.00	21.97	0.5
				36	22	22.70	22.57	22.66	0
				36	43	22.02	22.07	22.10	0.5
				75	0	22.08	22.09	22.05	0.5
			QPSK	1	1	22.73	22.63	22.64	0
				1	40	22.65	22.59	22.56	0
				1	77	22.66	22.68	22.72	0
				36	0	21.59	21.50	21.52	1
				36	22	22.76	22.67	22.70	0
				36	43	21.59	21.56	21.51	1
				75	0	21.58	21.61	21.53	1
			16QAM	1	1	21.76	21.55	21.57	1
			64QAM	1	1	20.36	20.05	20.18	2.5
			256QAM	1	1	17.70	17.66	17.64	4.5
		CP	QPSK	1	1	21.39	21.37	21.20	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.62	22.62	22.59	0
				1	53	22.63	22.66	22.58	0
				1	104	22.68	22.65	22.77	0
				50	0	22.07	22.10	22.02	0.5
				50	28	22.66	22.64	22.60	0
				50	56	22.07	22.06	22.08	0.5
				100	0	22.14	22.19	22.15	0.5
			QPSK	1	1	22.66	22.68	22.61	0
				1	53	22.70	22.63	22.62	0
				1	104	22.68	22.69	22.70	0
				50	0	21.57	21.45	21.55	1
				50	28	22.54	22.40	22.64	0
				50	56	21.61	21.56	21.64	1
				100	0	21.56	21.68	21.65	1
			16QAM	1	1	21.67	21.57	21.54	1
			64QAM	1	1	20.27	20.24	20.23	2.5
			256QAM	1	1	17.56	17.63	17.64	4.5
		CP	QPSK	1	1	21.25	21.32	21.28	1.5

NR FDD Band n2 Conducted Power_ DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.28	19.34	19.27	0
				1	13	19.13	19.27	19.28	0
				1	23	19.27	19.28	19.33	0
				12	0	19.21	19.33	19.26	0
				12	7	19.20	19.24	19.28	0
				12	13	19.17	19.26	19.30	0
				25	0	19.20	19.25	19.20	0
			QPSK	1	1	19.29	19.37	19.34	0
				1	13	19.20	19.26	19.35	0
				1	23	19.29	19.30	19.29	0
				12	0	19.29	19.33	19.25	0
				12	7	19.25	19.24	19.31	0
				12	13	19.24	19.24	19.23	0
				25	0	19.23	19.25	19.27	0
			16QAM	1	1	19.39	19.47	19.33	0
			64QAM	1	1	19.52	19.49	19.33	0
			256QAM	1	1	17.71	17.80	17.74	0
		CP	QPSK	1	1	19.56	19.68	19.54	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.35	19.35	19.32	0
				1	26	19.35	19.23	19.32	0
				1	50	19.30	19.18	19.40	0
				25	0	19.20	19.25	19.27	0
				25	14	19.26	19.30	19.34	0
				25	27	19.24	19.31	19.28	0
				50	0	19.20	19.30	19.27	0
			QPSK	1	1	19.34	19.28	19.30	0
				1	26	19.36	19.25	19.36	0
				1	50	19.32	19.16	19.45	0
				25	0	19.28	19.26	19.29	0
				25	14	19.24	19.29	19.37	0
				25	27	19.28	19.29	19.24	0
				50	0	19.25	19.26	19.22	0
			16QAM	1	1	19.31	19.35	19.24	0
			64QAM	1	1	19.42	19.46	19.37	0
			256QAM	1	1	17.69	17.68	17.67	0
		CP	QPSK	1	1	19.52	19.58	19.61	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	19.28	19.32	0
				1	40	19.18	19.14	19.31	0
				1	77	19.20	19.22	19.42	0
				36	0	19.26	19.24	19.13	0
				36	22	19.32	19.29	19.39	0
				36	43	19.22	19.28	19.19	0
				75	0	19.22	19.27	19.24	0
			QPSK	1	1	19.42	19.32	19.36	0
				1	40	19.21	19.15	19.34	0
				1	77	19.17	19.22	19.39	0
				36	0	19.30	19.15	19.19	0
				36	22	19.32	19.29	19.27	0
				36	43	19.30	19.26	19.25	0
				75	0	19.25	19.26	19.18	0
			16QAM	1	1	19.41	19.38	19.27	0
			64QAM	1	1	19.52	19.39	19.45	0
			256QAM	1	1	17.74	17.80	17.71	0
		CP	QPSK	1	1	19.61	19.63	19.43	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	19.31	19.25	0
				1	53	19.24	19.17	19.21	0
				1	104	19.32	19.30	19.34	0
				50	0	19.23	19.29	19.27	0
				50	28	19.21	19.19	19.24	0
				50	56	19.29	19.20	19.26	0
				100	0	19.31	19.33	19.27	0
			QPSK	1	1	19.30	19.23	19.37	0
				1	53	19.29	19.08	19.27	0
				1	104	19.21	19.22	19.35	0
				50	0	19.24	19.21	19.26	0
				50	28	19.21	19.13	19.22	0
				50	56	19.16	19.28	19.24	0
				100	0	19.35	19.29	19.32	0
			16QAM	1	1	19.30	19.17	19.37	0
			64QAM	1	1	19.45	19.31	19.48	0
			256QAM	1	1	17.63	17.65	17.71	0
		CP	QPSK	1	1	19.53	19.56	19.61	0

NR FDD Band n2 Conducted Power_ DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.79	18.89	18.85	0
				1	13	18.68	18.84	18.89	0
				1	23	18.79	18.91	18.91	0
				12	0	18.95	18.82	18.81	0
				12	7	18.64	18.85	18.78	0
				12	13	18.76	18.85	18.77	0
				25	0	18.79	18.81	18.83	0
			QPSK	1	1	18.87	18.84	18.97	0
				1	13	18.83	18.81	18.88	0
				1	23	18.78	18.85	18.87	0
				12	0	18.85	18.89	18.86	0
				12	7	18.87	18.96	18.90	0
				12	13	18.81	18.78	18.81	0
				25	0	18.85	18.83	18.83	0
			16QAM	1	1	18.97	18.96	19.06	0
			64QAM	1	1	19.06	19.11	19.04	0
			256QAM	1	1	17.61	17.64	17.62	0.5
		CP	QPSK	1	1	19.11	19.20	19.12	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.94	18.90	18.94	0
				1	26	18.86	18.91	18.87	0
				1	50	18.92	18.82	19.00	0
				25	0	18.85	18.86	18.89	0
				25	14	19.03	18.92	18.89	0
				25	27	18.89	18.83	18.86	0
				50	0	18.83	18.83	18.90	0
			QPSK	1	1	18.83	18.97	18.82	0
				1	26	18.88	18.85	18.88	0
				1	50	18.85	18.71	18.86	0
				25	0	18.83	18.85	18.93	0
				25	14	18.93	18.92	18.98	0
				25	27	18.93	18.86	18.79	0
				50	0	18.93	18.84	18.79	0
			16QAM	1	1	18.94	18.95	19.00	0
			64QAM	1	1	19.00	19.01	19.06	0
			256QAM	1	1	17.50	17.50	17.53	0.5
		CP	QPSK	1	1	19.18	19.15	19.05	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.91	19.05	18.81	0
				1	40	19.00	19.03	18.93	0
				1	77	18.96	19.04	19.03	0
				36	0	18.99	19.00	18.76	0
				36	22	19.02	19.14	18.91	0
				36	43	18.93	18.94	18.80	0
				75	0	19.00	18.92	18.89	0
			QPSK	1	1	18.99	19.12	18.82	0
				1	40	18.95	18.96	18.84	0
				1	77	18.90	18.88	18.97	0
				36	0	18.96	18.93	18.75	0
				36	22	19.10	19.05	18.92	0
				36	43	18.93	18.93	18.88	0
				75	0	19.05	18.92	18.82	0
			16QAM	1	1	19.00	19.02	18.99	0
			64QAM	1	1	19.17	19.14	18.98	0
			256QAM	1	1	17.65	17.68	17.51	0.5
		CP	QPSK	1	1	19.32	19.27	19.13	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.95	18.98	18.91	0
				1	53	19.08	18.94	18.78	0
				1	104	19.04	18.91	18.86	0
				50	0	18.92	18.94	18.80	0
				50	28	19.11	19.06	18.92	0
				50	56	18.95	18.92	18.92	0
				100	0	19.03	19.06	18.84	0
			QPSK	1	1	18.94	19.04	18.92	0
				1	53	19.14	19.02	18.82	0
				1	104	18.94	18.94	18.87	0
				50	0	18.96	18.96	18.84	0
				50	28	19.08	19.07	18.79	0
				50	56	19.03	18.92	18.81	0
				100	0	19.12	19.08	18.90	0
			16QAM	1	1	18.98	19.03	19.01	0
			64QAM	1	1	19.25	19.12	19.07	0
			256QAM	1	1	17.59	17.53	17.43	0.5
		CP	QPSK	1	1	19.10	19.16	19.16	0

NR FDD Band n2 Conducted Power_ DSI = 1 (RCV)_ SUB2 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.22	15.21	15.23	0
				1	13	15.26	15.29	15.32	0
				1	23	15.21	15.20	15.30	0
				12	0	15.22	15.24	15.21	0
				12	7	15.21	15.23	15.18	0
				12	13	15.13	15.20	15.23	0
				25	0	15.13	15.17	15.25	0
			QPSK	1	1	15.10	15.30	15.34	0
				1	13	15.07	15.18	15.29	0
				1	23	15.12	15.19	15.32	0
				12	0	15.20	15.23	15.26	0
				12	7	15.21	15.33	15.23	0
				12	13	15.12	15.19	15.22	0
				25	0	15.16	15.18	15.15	0
			16QAM	1	1	15.25	15.28	15.35	0
			64QAM	1	1	15.35	15.41	15.48	0
			256QAM	1	1	14.68	14.73	14.73	0
		CP	QPSK	1	1	15.46	15.59	15.52	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.23	15.37	15.18	0
				1	26	15.25	15.35	15.07	0
				1	50	15.37	15.35	15.39	0
				25	0	15.33	15.34	15.22	0
				25	14	15.27	15.36	15.39	0
				25	27	15.35	15.32	15.37	0
				50	0	15.32	15.31	15.26	0
			QPSK	1	1	15.17	15.42	15.27	0
				1	26	15.23	15.32	15.45	0
				1	50	15.32	15.30	15.48	0
				25	0	15.28	15.33	15.09	0
				25	14	15.41	15.43	15.35	0
				25	27	15.39	15.29	15.29	0
				50	0	15.32	15.33	15.33	0
			16QAM	1	1	15.29	15.29	15.28	0
			64QAM	1	1	15.40	15.44	15.39	0
			256QAM	1	1	14.75	14.77	14.67	0
		CP	QPSK	1	1	15.60	15.58	15.50	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.31	15.46	15.46	0
				1	40	15.40	15.46	15.34	0
				1	77	15.33	15.47	15.40	0
				36	0	15.43	15.35	15.27	0
				36	22	15.42	15.43	15.33	0
				36	43	15.35	15.35	15.29	0
				75	0	15.39	15.34	15.31	0
			QPSK	1	1	15.42	15.53	15.48	0
				1	40	15.45	15.48	15.28	0
				1	77	15.36	15.50	15.48	0
				36	0	15.41	15.38	15.30	0
				36	22	15.42	15.54	15.35	0
				36	43	15.34	15.38	15.28	0
				75	0	15.37	15.34	15.23	0
			16QAM	1	1	15.41	15.38	15.40	0
			64QAM	1	1	15.53	15.53	15.49	0
			256QAM	1	1	14.80	14.87	14.87	0
		CP	QPSK	1	1	15.65	15.61	15.70	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.34	15.42	15.43	0
				1	53	15.49	15.48	15.31	0
				1	104	15.33	15.44	15.49	0
				50	0	15.45	15.41	15.34	0
				50	28	15.53	15.42	15.45	0
				50	56	15.40	15.39	15.35	0
				100	0	15.50	15.46	15.41	0
			QPSK	1	1	15.42	15.47	15.44	0
				1	53	15.46	15.48	15.25	0
				1	104	15.50	15.47	15.39	0
				50	0	15.47	15.40	15.37	0
				50	28	15.53	15.52	15.43	0
				50	56	15.41	15.42	15.26	0
				100	0	15.43	15.37	15.48	0
			16QAM	1	1	15.31	15.42	15.44	0
			64QAM	1	1	15.43	15.51	15.59	0
			256QAM	1	1	14.75	14.75	14.84	0
		CP	QPSK	1	1	15.55	15.72	15.74	0

2. NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ P_{max} , DSI = 0 (free), DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.98	23.74	23.83	0
				1	13	23.86	23.75	23.80	0
				1	23	23.88	23.75	23.82	0
				12	0	23.43	23.22	23.30	0.5
				12	7	23.86	23.73	23.84	0
				12	13	23.33	23.31	23.23	0.5
				25	0	23.42	23.25	23.35	0.5
			QPSK	1	1	23.99	23.80	23.84	0
				1	13	23.98	23.69	23.84	0
				1	23	23.92	23.76	23.79	0
				12	0	22.94	22.74	22.81	1
				12	7	23.92	23.71	23.79	0
				12	13	22.88	22.77	22.77	1
				25	0	22.89	22.72	22.78	1
			16QAM	1	1	22.84	22.71	22.67	1
			64QAM	1	1	21.59	21.45	21.46	2.5
			256QAM	1	1	18.89	18.75	18.75	4.5
		CP	QPSK	1	1	22.52	22.34	22.36	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.06		0
				1	26	23.95		0
				1	50	23.93		0
				25	0	23.35		0.5
				25	14	23.99		0
				25	27	23.33		0.5
				50	0	23.37		0.5
			QPSK	1	1	23.94		0
				1	26	23.90		0
				1	50	23.83		0
				25	0	22.85		1
				25	14	23.96		0
				25	27	22.85		1
				50	0	22.79		1
			16QAM	1	1	22.71		1
			64QAM	1	1	21.49		2.5
			256QAM	1	1	18.71		4.5
		CP	QPSK	1	1	22.33		1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02	0
				1	40	23.91	0
				1	77	23.88	0
				36	0	23.39	0.5
				36	22	23.97	0
				36	43	23.25	0.5
				75	0	23.36	0.5
			QPSK	1	1	24.10	0
				1	40	23.82	0
				1	77	23.76	0
				36	0	22.88	1
				36	22	23.93	0
				36	43	22.82	1
				75	0	22.90	1
			16QAM	1	1	22.79	1
			64QAM	1	1	21.54	2.5
			256QAM	1	1	18.97	4.5
		CP	QPSK	1	1	22.47	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.00	0
				1	53	23.81	0
				1	104	23.81	0
				50	0	23.47	0.5
				50	28	23.85	0
				50	56	23.23	0.5
				100	0	23.38	0.5
			QPSK	1	1	23.95	0
				1	53	23.94	0
				1	104	23.90	0
				50	0	22.83	1
				50	28	23.94	0
				50	56	22.77	1
				100	0	22.92	1
			16QAM	1	1	22.78	1
			64QAM	1	1	21.57	2.5
			256QAM	1	1	18.86	4.5
		CP	QPSK	1	1	22.52	1.5

NR FDD Band n5 Conducted Power_ DSI = 0 (free), DSI = 1 (RCV)_ SUB1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.75	19.75	19.71	0
				1	13	19.74	19.68	19.79	0
				1	23	19.64	19.58	19.77	0
				12	0	19.75	19.76	19.71	0
				12	7	19.84	19.80	19.82	0
				12	13	19.68	19.66	19.79	0
			QPSK	25	0	19.68	19.69	19.72	0
				1	1	19.85	19.74	19.82	0
				1	13	19.82	19.69	19.88	0
				1	23	19.68	19.61	19.75	0
				12	0	19.82	19.72	19.71	0
				12	7	19.82	19.79	19.80	0
				12	13	19.74	19.67	19.78	0
				25	0	19.76	19.71	19.68	0
			16QAM	1	1	19.75	19.76	19.66	0
			64QAM	1	1	19.93	19.95	19.85	0
			256QAM	1	1	18.99	18.95	18.89	0.5
		CP	QPSK	1	1	19.99	20.01	19.92	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.69	0	
				1	26	19.77	0	
				1	50	19.80	0	
				25	0	19.75	0	
				25	14	19.82	0	
				25	27	19.67	0	
				50	0	19.61	0	
			QPSK	1	1	19.74	0	
				1	26	19.78	0	
				1	50	19.84	0	
				25	0	19.69	0	
				25	14	19.80	0	
				25	27	19.68	0	
				50	0	19.75	0	
			16QAM	1	1	19.64	0	
			64QAM	1	1	19.73	0	
			256QAM	1	1	18.81	0.5	
		CP	QPSK	1	1	19.88	0	

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.82	0
				1	40	19.73	0
				1	77	19.76	0
				36	0	19.73	0
				36	22	19.71	0
				36	43	19.60	0
				75	0	19.68	0
			QPSK	1	1	19.80	0
				1	40	19.67	0
				1	77	19.68	0
				36	0	19.74	0
				36	22	19.79	0
				36	43	19.60	0
				75	0	19.68	0
			16QAM	1	1	19.80	0
			64QAM	1	1	19.94	0
			256QAM	1	1	19.06	0.5
		CP	QPSK	1	1	20.07	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.90	0
				1	53	19.66	0
				1	104	19.70	0
				50	0	19.73	0
				50	28	19.76	0
				50	56	19.69	0
				100	0	19.80	0
			QPSK	1	1	19.77	0
				1	53	19.74	0
				1	104	19.68	0
				50	0	19.75	0
				50	28	19.82	0
				50	56	19.63	0
				100	0	19.76	0
			16QAM	1	1	19.72	0
			64QAM	1	1	19.84	0
			256QAM	1	1	18.85	0.5
		CP	QPSK	1	1	19.97	0

3. NR FDD Band n25 Maximum Conducted Power

NR FDD Band n25 Conducted Power_ P_{max} DSI = 1 (RCV)_ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.87	22.87	22.74	0
				1	13	22.81	22.86	22.90	0
				1	23	22.83	22.78	22.98	0
				12	0	22.38	22.37	22.35	0.5
				12	7	22.93	22.91	22.92	0
				12	13	22.35	22.29	22.36	0.5
				25	0	22.34	22.34	22.40	0.5
			QPSK	1	1	22.92	22.84	22.85	0
				1	13	22.87	22.86	22.92	0
				1	23	22.91	22.88	22.85	0
				12	0	21.90	21.78	21.89	1
				12	7	22.93	22.83	22.91	0
				12	13	21.87	21.71	21.89	1
				25	0	21.84	21.78	21.85	1
			16QAM	1	1	22.02	21.87	21.83	1
			64QAM	1	1	20.58	20.51	20.52	2.5
			256QAM	1	1	17.88	17.91	17.88	4.5
		CP	QPSK	1	1	21.62	21.72	21.52	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.88	22.77	22.82	0
				1	26	22.86	22.84	22.84	0
				1	50	22.79	22.72	22.98	0
				25	0	22.33	22.24	22.27	0.5
				25	14	22.86	22.87	22.88	0
				25	27	22.31	22.29	22.33	0.5
				50	0	22.29	22.23	22.35	0.5
			QPSK	1	1	22.92	22.85	22.84	0
				1	26	22.91	22.82	22.94	0
				1	50	22.85	22.75	23.08	0
				25	0	21.82	21.83	21.72	1
				25	14	22.93	22.87	22.91	0
				25	27	21.80	21.80	21.85	1
				50	0	21.83	21.78	21.82	1
			16QAM	1	1	21.91	21.91	21.74	1
			64QAM	1	1	20.51	20.47	20.34	2.5
			256QAM	1	1	17.83	17.78	17.78	4.5
		CP	QPSK	1	1	21.55	21.58	21.46	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.12	22.95	22.75	0
				1	40	22.92	22.81	22.78	0
				1	77	22.93	22.78	22.99	0
				36	0	22.39	22.23	22.27	0.5
				36	22	23.03	22.90	22.93	0
				36	43	22.40	22.28	22.39	0.5
				75	0	22.35	22.26	22.33	0.5
			QPSK	1	1	23.07	22.95	22.82	0
				1	40	22.94	22.80	22.74	0
				1	77	22.97	22.85	22.99	0
				36	0	21.94	21.75	21.72	1
				36	22	23.05	22.93	22.88	0
				36	43	21.84	21.80	21.82	1
				75	0	21.90	21.68	21.55	1
			16QAM	1	1	22.01	21.88	21.81	1
			64QAM	1	1	20.65	20.56	20.36	2.5
			256QAM	1	1	18.00	17.86	17.71	4.5
		CP	QPSK	1	1	21.64	21.68	21.44	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.85	22.83	22.79	0
				1	53	22.82	22.76	22.73	0
				1	104	22.84	22.77	22.87	0
				50	0	22.27	22.25	22.21	0.5
				50	28	22.85	22.86	22.77	0
				50	56	22.29	22.27	22.30	0.5
				100	0	22.37	22.33	22.36	0.5
			QPSK	1	1	22.91	22.92	22.82	0
				1	53	22.91	22.76	22.80	0
				1	104	22.88	22.84	22.99	0
				50	0	21.85	21.74	21.66	1
				50	28	22.93	22.76	22.80	0
				50	56	21.77	21.77	21.78	1
				100	0	21.95	21.87	21.88	1
			16QAM	1	1	21.90	21.83	21.79	1
			64QAM	1	1	20.52	20.51	20.36	2.5
			256QAM	1	1	17.85	17.69	17.69	4.5
		CP	QPSK	1	1	21.59	21.62	21.37	1.5

NR FDD Band n25 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.33	19.38	0
				1	13	19.26	19.32	19.51	0
				1	23	19.32	19.30	19.49	0
				12	0	19.36	19.30	19.50	0
				12	7	19.35	19.27	19.58	0
				12	13	19.32	19.32	19.51	0
			QPSK	25	0	19.36	19.28	19.52	0
				1	1	19.46	19.40	19.36	0
				1	13	19.18	19.29	19.54	0
				1	23	19.32	19.26	19.52	0
				12	0	19.30	19.34	19.37	0
				12	7	19.24	19.37	19.55	0
				12	13	19.26	19.29	19.48	0
				25	0	19.28	19.30	19.51	0
			16QAM	1	1	19.46	19.51	19.38	0
			64QAM	1	1	19.54	19.36	19.46	0
			256QAM	1	1	17.89	17.80	17.86	0
		CP	QPSK	1	1	19.64	19.70	19.64	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.31	19.19	19.33	0
				1	26	19.32	19.22	19.49	0
				1	50	19.25	19.15	19.58	0
				25	0	19.29	19.21	19.31	0
				25	14	19.29	19.23	19.29	0
				25	27	19.32	19.23	19.44	0
			QPSK	50	0	19.28	19.22	19.36	0
				1	1	19.44	19.36	19.28	0
				1	26	19.43	19.32	19.32	0
				1	50	19.32	19.23	19.63	0
				25	0	19.31	19.21	19.30	0
				25	14	19.33	19.32	19.38	0
				25	27	19.32	19.23	19.43	0
				50	0	19.34	19.25	19.31	0
			16QAM	1	1	19.43	19.29	19.26	0
			64QAM	1	1	19.49	19.40	19.48	0
			256QAM	1	1	17.75	17.61	17.74	0
		CP	QPSK	1	1	19.61	19.57	19.60	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.47	19.27	19.31	0
				1	40	19.31	19.18	19.34	0
				1	77	19.30	19.27	19.51	0
				36	0	19.32	19.24	19.18	0
				36	22	19.38	19.32	19.39	0
				36	43	19.28	19.19	19.34	0
				75	0	19.35	19.24	19.33	0
			QPSK	1	1	19.46	19.41	19.18	0
				1	40	19.27	19.31	19.33	0
				1	77	19.36	19.37	19.63	0
				36	0	19.34	19.27	19.24	0
				36	22	19.44	19.41	19.41	0
				36	43	19.33	19.19	19.35	0
				75	0	19.38	19.25	19.33	0
			16QAM	1	1	19.51	19.43	19.33	0
			64QAM	1	1	19.61	19.53	19.42	0
			256QAM	1	1	17.85	17.72	17.75	0
		CP	QPSK	1	1	19.68	19.66	19.56	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.34	19.28	0
				1	53	19.30	19.15	19.26	0
				1	104	19.36	19.36	19.57	0
				50	0	19.33	19.23	19.18	0
				50	28	19.44	19.29	19.27	0
				50	56	19.34	19.27	19.36	0
				100	0	19.45	19.34	19.37	0
			QPSK	1	1	19.46	19.37	19.24	0
				1	53	19.37	19.19	19.24	0
				1	104	19.32	19.38	19.41	0
				50	0	19.33	19.28	19.24	0
				50	28	19.45	19.21	19.24	0
				50	56	19.30	19.20	19.32	0
				100	0	19.32	19.35	19.36	0
			16QAM	1	1	19.42	19.32	19.27	0
			64QAM	1	1	19.53	19.41	19.46	0
			256QAM	1	1	17.73	17.60	17.66	0
		CP	QPSK	1	1	19.64	19.56	19.46	0

NR FDD Band n25 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.13	20.25	19.77	0
				1	13	20.19	20.16	20.01	0
				1	23	20.11	19.94	19.91	0
				12	0	19.93	20.05	19.92	0
				12	7	20.10	20.16	19.93	0
				12	13	19.83	20.18	19.92	0
				25	0	19.98	19.93	20.15	0
			QPSK	1	1	20.07	20.05	19.98	0
				1	13	20.04	20.24	20.02	0
				1	23	20.07	20.22	20.15	0
				12	0	19.96	20.35	20.07	0
				12	7	20.18	20.34	19.84	0
				12	13	19.89	20.00	19.94	0
				25	0	19.89	20.04	20.18	0
			16QAM	1	1	19.87	20.33	20.04	0
			64QAM	1	1	20.17	20.19	20.05	0
			256QAM	1	1	19.09	19.20	19.41	0.5
		CP	QPSK	1	1	20.34	20.31	20.00	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.96	20.15	19.96	0
				1	26	20.27	20.69	19.86	0
				1	50	20.05	19.95	20.30	0
				25	0	20.28	19.98	20.16	0
				25	14	20.06	20.09	20.00	0
				25	27	19.97	19.91	19.96	0
				50	0	19.87	20.19	20.03	0
			QPSK	1	1	20.08	19.94	20.08	0
				1	26	20.19	20.10	19.98	0
				1	50	20.30	19.97	20.11	0
				25	0	19.95	20.24	19.81	0
				25	14	20.16	19.97	19.92	0
				25	27	20.01	20.20	19.99	0
				50	0	20.09	20.20	19.96	0
			16QAM	1	1	19.88	19.90	19.69	0
			64QAM	1	1	20.13	20.22	20.04	0
			256QAM	1	1	19.02	19.34	18.90	0.5
		CP	QPSK	1	1	20.40	20.01	20.14	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.03	20.41	20.19	0
				1	40	20.19	20.00	20.20	0
				1	77	20.01	20.22	20.11	0
				36	0	19.90	20.30	20.19	0
				36	22	20.04	20.03	20.15	0
				36	43	20.10	19.91	19.95	0
				75	0	19.90	20.08	20.22	0
			QPSK	1	1	20.17	19.94	20.21	0
				1	40	20.07	20.11	19.94	0
				1	77	20.00	19.92	20.05	0
				36	0	19.99	20.07	20.12	0
				36	22	20.02	19.96	20.14	0
				36	43	19.92	19.90	19.94	0
				75	0	19.90	19.99	19.98	0
			16QAM	1	1	20.01	19.93	19.99	0
			64QAM	1	1	20.42	20.31	20.30	0
			256QAM	1	1	19.11	19.10	19.19	0.5
		CP	QPSK	1	1	20.49	20.18	20.34	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.01	20.21	20.00	0
				1	53	20.13	20.09	19.95	0
				1	104	20.16	20.03	19.89	0
				50	0	19.97	20.23	20.19	0
				50	28	20.08	20.06	20.05	0
				50	56	19.87	19.94	20.08	0
				100	0	20.05	20.10	20.25	0
			QPSK	1	1	20.03	20.05	20.03	0
				1	53	20.12	20.15	19.96	0
				1	104	20.18	20.17	20.12	0
				50	0	19.98	20.05	20.01	0
				50	28	20.15	20.05	20.09	0
				50	56	19.89	20.11	19.88	0
				100	0	20.09	19.99	19.91	0
			16QAM	1	1	19.59	19.93	19.97	0
			64QAM	1	1	20.23	20.00	19.97	0
			256QAM	1	1	19.07	18.89	18.91	0.5
		CP	QPSK	1	1	20.22	20.16	20.16	0

NR FDD Band n25 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.88	16.95	16.90	0
				1	13	16.88	16.84	16.87	0
				1	23	16.87	16.93	16.97	0
				12	0	16.66	16.98	16.91	0
				12	7	16.93	16.89	16.89	0
				12	13	16.85	16.90	16.95	0
			QPSK	25	0	16.76	16.99	16.91	0
				1	1	16.97	16.97	16.87	0
				1	13	16.89	16.91	16.83	0
				1	23	16.85	16.96	16.93	0
				12	0	16.87	17.01	17.06	0
				12	7	16.89	16.91	17.01	0
				12	13	16.88	16.94	16.99	0
				25	0	16.83	16.97	17.07	0
			16QAM	1	1	16.76	16.89	16.84	0
			64QAM	1	1	17.12	17.17	16.94	0
			256QAM	1	1	16.32	16.50	16.55	0
		CP	QPSK	1	1	16.99	17.23	17.14	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.95	16.81	16.95	0
				1	26	17.21	17.31	16.82	0
				1	50	16.97	16.91	17.09	0
				25	0	16.76	16.84	16.93	0
				25	14	16.89	16.95	16.87	0
				25	27	16.91	16.93	16.95	0
			QPSK	50	0	16.94	16.87	16.87	0
				1	1	16.99	16.98	16.82	0
				1	26	17.21	16.99	16.79	0
				1	50	16.76	16.76	16.79	0
				25	0	16.85	16.95	16.89	0
				25	14	16.92	16.95	16.92	0
				25	27	16.96	16.92	16.85	0
				50	0	16.89	16.86	16.97	0
			16QAM	1	1	16.81	16.86	16.79	0
			64QAM	1	1	16.93	17.05	16.98	0
			256QAM	1	1	16.27	16.43	16.39	0
		CP	QPSK	1	1	17.14	17.20	17.11	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.89	16.96	16.78	0
				1	40	16.96	16.75	16.89	0
				1	77	16.93	16.89	17.06	0
				36	0	17.01	16.90	16.81	0
				36	22	17.07	17.07	17.02	0
				36	43	16.93	16.87	16.93	0
				75	0	17.01	16.99	16.90	0
			QPSK	1	1	17.03	17.19	16.97	0
				1	40	16.89	17.11	17.13	0
				1	77	17.01	16.84	16.99	0
				36	0	16.91	16.95	16.85	0
				36	22	16.96	17.10	17.01	0
				36	43	16.92	16.85	16.95	0
				75	0	16.96	16.95	16.83	0
			16QAM	1	1	17.02	16.99	16.82	0
			64QAM	1	1	17.05	17.19	17.12	0
			256QAM	1	1	16.49	16.43	16.35	0
		CP	QPSK	1	1	17.35	17.27	17.01	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.88	16.93	16.89	0
				1	53	16.92	16.92	16.80	0
				1	104	16.91	16.92	16.95	0
				50	0	17.05	17.07	16.87	0
				50	28	17.11	17.03	17.14	0
				50	56	16.93	16.93	17.07	0
				100	0	17.01	17.08	16.89	0
			QPSK	1	1	17.03	17.05	16.90	0
				1	53	16.97	17.05	16.85	0
				1	104	17.07	16.91	16.95	0
				50	0	17.02	17.04	16.63	0
				50	28	17.14	17.07	16.90	0
				50	56	17.05	16.92	16.97	0
				100	0	17.05	17.13	16.86	0
			16QAM	1	1	16.88	16.83	16.83	0
			64QAM	1	1	17.00	17.10	16.98	0
			256QAM	1	1	16.38	16.43	16.39	0
		CP	QPSK	1	1	17.21	17.24	17.19	0

4. NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 (PC3) Conducted Power_ DSI = 0 (free) _ MAIN2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.42	16.34	16.46	16.46	16.45	0
				1	12	16.39	16.31	16.45	16.44	16.44	0
				1	22	16.50	16.31	16.42	16.44	16.41	0
				12	0	16.43	16.23	16.39	16.37	16.34	0
				12	6	16.52	16.33	16.45	16.41	16.38	0
				12	12	15.48	15.96	16.37	16.36	15.59	0
				24	0	16.45	16.22	16.36	16.38	16.38	0
			QPSK	1	1	16.62	16.23	16.43	16.33	16.35	0
				1	12	16.48	16.20	16.44	16.41	16.40	0
				1	22	16.45	16.26	16.43	16.45	16.43	0
				12	0	16.56	16.23	16.36	16.38	16.36	0
				12	6	16.50	16.31	16.49	16.44	16.43	0
				12	12	16.44	16.09	16.50	15.92	16.40	0
				24	0	16.43	16.22	16.41	16.37	16.41	0
			16QAM	1	1	16.23	16.24	16.47	16.47	16.34	0
			64QAM	1	1	16.03	16.17	16.01	16.31	16.38	0
			256QAM	1	1	16.03	15.82	15.93	15.90	15.87	0
		CP	QPSK	1	1	16.60	16.51	16.67	16.63	16.58	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.54	16.32	16.35	16.46	16.53	0
				1	18	16.56	16.33	16.44	16.43	16.66	0
				1	36	16.53	16.26	16.46	16.43	16.61	0
				18	0	16.49	16.26	16.31	16.30	16.49	0
				18	9	16.59	16.39	16.50	16.40	16.68	0
				18	18	15.94	16.47	15.93	15.52	15.38	0
				36	0	16.46	16.26	16.38	16.23	16.48	0
			QPSK	1	1	16.47	16.28	16.34	16.31	16.56	0
				1	18	16.49	16.32	16.40	16.33	16.52	0
				1	36	16.50	16.26	16.45	16.36	16.62	0
				18	0	16.51	16.23	16.30	16.27	16.51	0
				18	9	16.64	16.36	16.54	16.34	16.67	0
				18	18	16.27	16.53	15.02	15.54	15.60	0
				36	0	16.47	16.23	16.41	16.34	16.48	0
			16QAM	1	1	16.18	16.09	16.29	16.26	16.42	0
			64QAM	1	1	16.38	16.44	16.42	15.97	16.19	0
			256QAM	1	1	16.03	15.71	15.87	15.80	16.03	0
		CP	QPSK	1	1	16.74	16.56	16.56	16.44	16.78	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.45	16.32	16.37	16.29	16.51	0
				1	26	16.45	16.34	16.47	16.37	16.62	0
				1	49	16.37	16.21	16.38	16.29	16.57	0
				25	0	16.38	16.22	16.33	16.26	16.47	0
				25	13	16.46	16.33	16.36	16.35	16.59	0
				25	26	15.73	16.04	15.89	15.98	16.50	0
				50	0	16.34	16.22	16.28	16.21	16.48	0
			QPSK	1	1	16.40	16.23	16.33	16.27	16.49	0
				1	26	16.40	16.29	16.39	16.30	16.54	0
				1	49	16.32	16.21	16.36	16.28	16.55	0
				25	0	16.42	16.28	16.30	16.25	16.48	0
				25	13	16.49	16.33	16.50	16.37	16.58	0
				25	26	15.56	16.24	15.43	15.57	16.54	0
				50	0	16.41	16.26	16.32	16.26	16.57	0
			16QAM	1	1	16.32	16.14	16.21	16.00	16.37	0
			64QAM	1	1	16.37	16.27	16.09	16.35	16.41	0
			256QAM	1	1	15.91	15.77	15.80	15.76	15.99	0
		CP	QPSK	1	1	16.56	16.41	16.50	16.50	16.62	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.77	16.51	16.55	16.49	16.56	0
				1	39	16.67	16.43	16.42	16.51	16.65	0
				1	76	16.63	16.50	16.51	16.49	16.72	0
				36	0	16.64	16.43	16.38	16.36	16.56	0
				36	21	16.65	16.43	16.46	16.51	16.69	0
				36	42	15.78	15.79	15.97	15.97	16.19	0
				75	0	16.64	16.34	16.39	16.41	16.61	0
			QPSK	1	1	16.74	16.49	16.53	16.42	16.55	0
				1	39	16.60	16.37	16.40	16.36	16.65	0
				1	76	16.56	16.42	16.51	16.39	16.75	0
				36	0	16.65	16.41	16.40	16.35	16.48	0
				36	21	16.67	16.45	16.42	16.47	16.69	0
				36	42	16.16	16.00	16.35	16.45	15.87	0
				75	0	16.58	16.37	16.34	16.41	16.65	0
			16QAM	1	1	16.43	16.11	16.18	16.37	16.26	0
			64QAM	1	1	16.54	15.94	15.98	16.00	16.40	0
			256QAM	1	1	16.23	15.90	16.00	16.00	15.95	0
		CP	QPSK	1	1	16.96	16.67	16.64	16.58	16.81	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.61	16.28		16.36	16.37	0
				1	53	16.50	16.34		16.34	16.45	0
				1	104	16.35	16.28		16.42	16.58	0
				50	0	16.53	16.38		16.38	16.53	0
				50	28	16.59	16.42		16.47	16.65	0
				50	56	16.46	16.41		16.37	16.19	0
				100	0	16.56	16.33		16.38	16.56	0
			QPSK	1	1	16.56	16.22		16.33	16.33	0
				1	53	16.45	16.25		16.25	16.44	0
				1	104	16.34	16.32		16.27	16.55	0
				50	0	16.60	16.37		16.34	16.45	0
				50	28	16.67	16.39		16.40	16.61	0
				50	56	16.45	16.45		16.47	16.46	0
				100	0	16.54	16.31		16.36	16.56	0
			16QAM	1	1	16.23	15.94		16.16	16.02	0
			64QAM	1	1	16.45	16.15		16.21	16.19	0
			256QAM	1	1	16.03	15.66		15.85	15.79	0
		CP	QPSK	1	1	16.72	16.48		16.56	16.58	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.79		16.60		16.59	0
				1	67	16.62		16.49		16.66	0
				1	131	16.62		16.59		16.79	0
				64	0	16.68		16.49		16.55	0
				64	35	16.79		16.63		16.77	0
				64	69	16.49		16.51		16.76	0
				128	0	16.68		16.49		16.68	0
			QPSK	1	1	16.75		16.48		16.55	0
				1	67	16.62		16.47		16.61	0
				1	131	16.63		16.67		16.87	0
				64	0	16.74		16.51		16.55	0
				64	35	16.78		16.60		16.84	0
				64	69	16.40		16.45		16.55	0
				128	0	16.65		16.49		16.61	0
			16QAM	1	1	16.45		16.34		16.36	0
			64QAM	1	1	16.61		16.37		16.39	0
			256QAM	1	1	16.23		16.08		15.97	0
		CP	QPSK	1	1	16.97		16.81		16.82	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	16.54		16.41		16.30	0
				1	81	16.28		16.25		16.21	0
				1	160	16.19		16.36		16.53	0
				81	0	16.40		16.29		16.32	0
				81	41	16.41		16.39		16.38	0
				81	81	16.31		16.27		16.48	0
				162	0	16.38		16.36		16.39	0
			QPSK	1	1	16.51		16.27		16.28	0
				1	81	16.27		16.23		16.22	0
				1	160	16.21		16.33		16.55	0
				81	0	16.39		16.32		16.34	0
				81	41	16.41		16.39		16.40	0
				81	81	16.51		16.44		16.40	0
				162	0	16.49		16.44		16.46	0
			16QAM	1	1	16.26		15.96		16.05	0
			64QAM	1	1	16.34		16.14		16.21	0
			256QAM	1	1	16.05		15.77		15.87	0
		CP	QPSK	1	1	16.74		16.51		16.56	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	16.52				16.41	0
				1	81	16.44				16.37	0
				1	160	16.44				16.54	0
				81	0	16.53				16.38	0
				81	41	16.52				16.50	0
				81	81	16.40				16.41	0
				162	0	16.46				16.45	0
			QPSK	1	1	16.44				16.35	0
				1	81	16.42				16.37	0
				1	160	16.41				16.59	0
				81	0	16.50				16.43	0
				81	41	16.53				16.48	0
				81	81	16.36				16.44	0
				162	0	16.43				16.48	0
			16QAM	1	1	16.26				16.21	0
			64QAM	1	1	16.41				16.37	0
			256QAM	1	1	16.01				15.92	0
		CP	QPSK	1	1	16.81				16.71	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz				MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	16.71				16.57	0
				1	109	16.28				16.39	0
				1	215	16.42				16.64	0
				108	0	16.56				16.41	0
				108	55	16.40				16.48	0
				108	109	16.39				16.01	0
			QPSK	216	0	16.45				16.51	0
				1	1	16.71				16.54	0
				1	109	16.27				16.33	0
				1	215	16.44				16.66	0
				108	0	16.54				16.38	0
				108	55	16.42				16.50	0
				108	109	16.40				16.47	0
				216	0	16.45				16.41	0
			16QAM	1	1	16.38				16.53	0
			64QAM	1	1	16.60				16.46	0
			256QAM	1	1	16.11				16.03	0
		CP	QPSK	1	1	16.98				16.74	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	16.76				16.57	0
				1	123	16.43				16.51	0
				1	243	16.59				16.79	0
				120	0	16.53				16.42	0
				120	63	16.53				16.54	0
				120	125	16.43				16.53	0
				243	0	16.50				16.49	0
			QPSK	1	1	16.74				16.51	0
				1	123	16.39				16.48	0
				1	243	16.61				16.77	0
				120	0	16.47				16.46	0
				120	63	16.48				16.52	0
				120	125	16.41				16.53	0
				243	0	16.62				16.44	0
			16QAM	1	1	16.42				16.47	0
			64QAM	1	1	16.60				16.49	0
			256QAM	1	1	16.21				16.08	0
		CP	QPSK	1	1	16.97				16.71	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			16.46		0
				1	137			16.42		0
				1	271			16.54		0
				135	0			16.40		0
				135	69			16.45		0
				135	138			16.16		0
				270	0			16.49		0
			QPSK	1	1			16.41		0
				1	137			16.38		0
				1	271			16.50		0
				135	0			16.37		0
				135	69			16.44		0
				135	138			16.49		0
				270	0			16.47		0
			16QAM	1	1			16.25		0
			64QAM	1	1			16.25		0
			256QAM	1	1			15.94		0
		CP	QPSK	1	1			16.74		0

NR TDD Band n41 (PC3) Conducted Power_ DSI = 1 (RCV) _ MAIN2 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.21	17.12	17.07	17.06	17.07	0
				1	12	17.16	16.95	17.18	17.05	17.17	0
				1	22	17.23	16.98	17.06	17.22	17.21	0
				12	0	17.11	16.92	17.02	16.91	17.15	0
				12	6	17.23	16.96	17.23	17.34	17.06	0
				12	12	16.94	16.98	16.91	16.57	16.53	0
				24	0	17.12	16.93	17.12	16.94	17.00	0
			QPSK	1	1	17.15	17.05	17.20	17.15	17.05	0
				1	12	17.15	16.87	17.06	17.10	17.12	0
				1	22	17.30	17.00	17.18	17.06	17.07	0
				12	0	17.12	16.96	17.18	16.96	17.02	0
				12	6	17.13	16.97	17.18	17.10	17.15	0
				12	12	17.00	16.66	16.88	16.72	17.08	0
				24	0	17.25	17.00	17.05	17.05	17.12	0
			16QAM	1	1	16.86	16.81	16.85	16.82	16.90	0
			64QAM	1	1	17.06	16.99	16.83	16.92	17.12	0
			256QAM	1	1	16.55	16.44	16.57	16.53	16.53	0
		CP	QPSK	1	1	17.32	17.18	17.23	17.27	17.36	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.25	17.03	17.13	17.05	17.25	0
				1	18	17.14	17.11	17.02	17.01	17.23	0
				1	36	17.27	17.08	17.23	17.01	17.30	0
				18	0	17.14	16.94	17.10	16.83	17.19	0
				18	9	17.40	17.18	17.04	17.25	17.51	0
				18	18	16.76	17.08	17.17	16.69	16.60	0
				36	0	17.13	17.05	17.04	17.08	17.14	0
			QPSK	1	1	17.24	16.97	17.00	16.91	17.32	0
				1	18	17.19	17.02	17.21	17.00	17.34	0
				1	36	17.12	16.98	17.10	17.11	17.33	0
				18	0	17.12	16.91	16.92	17.06	17.10	0
				18	9	17.39	17.24	17.21	17.05	17.26	0
				18	18	16.48	17.07	16.84	17.12	16.83	0
				36	0	17.09	17.01	16.87	17.05	17.21	0
			16QAM	1	1	17.05	16.82	16.80	16.85	16.99	0
			64QAM	1	1	17.16	16.88	16.66	16.73	16.48	0
			256QAM	1	1	16.68	16.42	16.52	16.51	16.53	0
		CP	QPSK	1	1	17.25	17.28	17.38	17.29	17.28	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.03	17.02	17.03	17.01	17.26	0
				1	26	17.17	16.94	17.13	17.12	17.23	0
				1	49	17.12	16.96	16.99	16.99	17.15	0
				25	0	17.16	16.97	16.95	17.00	17.26	0
				25	13	17.09	17.08	17.18	16.92	17.28	0
				25	26	16.87	16.87	16.83	16.83	16.86	0
				50	0	17.04	17.15	17.22	17.12	17.33	0
			QPSK	1	1	17.00	16.96	17.02	17.03	17.17	0
				1	26	17.16	17.01	17.25	16.96	17.13	0
				1	49	17.02	16.92	17.01	17.03	17.26	0
				25	0	17.03	17.01	17.08	17.00	17.17	0
				25	13	17.12	17.06	17.08	17.07	17.38	0
				25	26	17.16	17.04	16.77	16.23	17.21	0
				50	0	17.13	17.02	17.16	17.10	17.39	0
			16QAM	1	1	16.79	16.66	16.84	16.65	16.94	0
			64QAM	1	1	16.62	16.55	16.75	16.76	16.94	0
			256QAM	1	1	16.53	16.41	16.50	16.40	16.65	0
		CP	QPSK	1	1	17.34	17.07	17.21	17.22	17.32	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.35	17.30	17.42	17.15	17.24	0
				1	39	17.30	17.09	17.05	17.24	17.39	0
				1	76	17.36	17.24	17.15	17.05	17.37	0
				36	0	17.37	16.91	17.12	17.03	17.27	0
				36	21	17.45	17.20	17.19	17.23	17.42	0
				36	42	16.58	16.49	16.62	16.74	16.74	0
				75	0	17.24	17.18	17.03	17.07	17.31	0
			QPSK	1	1	17.52	17.13	17.16	17.17	17.31	0
				1	39	17.29	17.09	17.05	17.20	17.33	0
				1	76	17.35	17.06	17.09	17.16	17.37	0
				36	0	17.23	17.18	17.06	17.11	17.33	0
				36	21	17.36	17.14	17.22	17.23	17.42	0
				36	42	17.36	16.53	16.95	16.31	16.35	0
				75	0	17.26	17.06	17.14	17.23	17.18	0
			16QAM	1	1	17.13	16.85	16.90	16.88	16.95	0
			64QAM	1	1	17.16	17.04	16.67	16.90	17.18	0
			256QAM	1	1	16.92	16.61	16.63	16.57	16.68	0
		CP	QPSK	1	1	17.64	17.36	17.29	17.45	17.48	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.16	17.09		17.13	17.02	0
				1	53	17.27	17.13		17.03	17.24	0
				1	104	16.93	16.90		17.00	17.12	0
				50	0	17.33	16.98		17.14	17.04	0
				50	28	17.29	17.10		17.28	17.23	0
				50	56	17.17	17.13		17.06	17.33	0
				100	0	17.32	17.00		17.16	17.46	0
			QPSK	1	1	17.20	16.89		16.94	17.05	0
				1	53	17.18	17.03		16.98	17.22	0
				1	104	16.98	16.99		17.02	17.31	0
				50	0	17.21	17.14		17.03	17.15	0
				50	28	17.27	17.04		17.00	17.27	0
				50	56	16.93	16.97		16.88	17.17	0
				100	0	17.26	17.22		17.12	17.30	0
			16QAM	1	1	17.08	16.83		16.76	16.91	0
			64QAM	1	1	17.11	16.92		16.55	17.00	0
			256QAM	1	1	16.58	16.38		16.41	16.49	0
		CP	QPSK	1	1	17.30	17.21		17.21	17.25	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.32		17.22		17.24	0
				1	67	17.23		17.16		17.42	0
				1	131	17.32		17.39		17.53	0
				64	0	17.50		17.22		17.21	0
				64	35	17.49		17.34		17.40	0
				64	69	17.15		17.23		17.54	0
				128	0	17.42		17.08		17.46	0
			QPSK	1	1	17.34		17.28		17.32	0
				1	67	17.37		16.99		17.17	0
				1	131	17.22		17.25		17.38	0
				64	0	17.31		17.12		17.32	0
				64	35	17.50		17.25		17.32	0
				64	69	17.41		17.16		17.56	0
				128	0	17.39		17.26		17.44	0
			16QAM	1	1	17.23		17.03		16.82	0
			64QAM	1	1	17.26		17.19		17.22	0
			256QAM	1	1	16.91		16.57		16.61	0
		CP	QPSK	1	1	17.58		17.36		17.52	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.18		16.82		16.87	0
				1	81	16.94		17.02		17.02	0
				1	160	16.88		17.00		17.19	0
				81	0	17.14		17.01		16.94	0
				81	41	16.94		16.97		17.12	0
				81	81	17.34		17.02		16.97	0
				162	0	17.05		17.02		17.16	0
			QPSK	1	1	17.07		16.95		17.00	0
				1	81	16.98		16.80		17.06	0
				1	160	16.97		17.05		17.29	0
				81	0	17.14		16.98		17.01	0
				81	41	17.07		17.14		17.07	0
				81	81	17.03		17.13		16.89	0
				162	0	17.25		17.13		17.25	0
			16QAM	1	1	17.05		16.61		16.82	0
			64QAM	1	1	17.31		16.67		17.21	0
			256QAM	1	1	16.61		16.37		16.34	0
		CP	QPSK	1	1	17.23		17.14		17.17	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.19				17.05	0
				1	81	17.16				17.18	0
				1	160	17.19				17.25	0
				81	0	17.20				17.16	0
				81	41	17.25				17.19	0
				81	81	17.01				17.03	0
				162	0	17.20				17.21	0
			QPSK	1	1	17.28				17.00	0
				1	81	17.13				17.06	0
				1	160	17.11				17.26	0
				81	0	17.31				17.10	0
				81	41	17.22				17.24	0
				81	81	17.13				17.15	0
				162	0	17.22				17.05	0
			16QAM	1	1	16.95				16.97	0
			64QAM	1	1	16.99				16.98	0
			256QAM	1	1	16.76				16.51	0
		CP	QPSK	1	1	17.37				17.25	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						507204					529998	
						2536.02					2649.99	
						MHz				MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.36				17.08	0	
				1	109	17.16				17.01	0	
				1	215	17.00				17.30	0	
				108	0	17.27				17.18	0	
				108	55	17.18				17.05	0	
				108	109	17.18				17.28	0	
			QPSK	216	0	17.12				17.32	0	
				1	1	17.46				17.17	0	
				1	109	16.98				17.07	0	
				1	215	17.22				17.36	0	
				108	0	17.23				17.09	0	
				108	55	17.11				17.29	0	
				108	109	17.11				17.20	0	
				216	0	17.29				16.72	0	
				16QAM	1	1	17.23				16.88	0
				64QAM	1	1	17.29				17.07	0
			256QAM	1	1	16.75				16.70	0	
		CP	QPSK	1	1	17.51				17.32	0	

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200			528996		
						2541 MHz			2644.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.30				17.26	0
				1	123	17.12				17.15	0
				1	243	17.11				17.41	0
				120	0	17.29				17.05	0
				120	63	17.06				17.21	0
				120	125	17.16				17.29	0
				243	0	17.40				17.33	0
			QPSK	1	1	17.34				17.16	0
				1	123	17.13				17.30	0
				1	243	17.45				17.43	0
				120	0	17.23				17.12	0
				120	63	17.12				17.12	0
				120	125	17.09				17.33	0
				243	0	17.26				17.40	0
			16QAM	1	1	17.14				17.13	0
			64QAM	1	1	17.37				17.20	0
			256QAM	1	1	16.88				16.83	0
		CP	QPSK	1	1	17.64				17.37	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.24		0
				1	137			17.21		0
				1	271			17.25		0
				135	0			17.30		0
				135	69			17.33		0
				135	138			16.83		0
				270	0			17.29		0
			QPSK	1	1			17.29		0
				1	137			17.19		0
				1	271			17.32		0
				135	0			17.24		0
				135	69			17.14		0
				135	138			17.21		0
				270	0			17.32		0
			16QAM	1	1			17.02		0
			64QAM	1	1			17.19		0
			256QAM	1	1			16.98		0
		CP	QPSK	1	1			17.43		0

NR TDD Band n41 (PC3) Conducted Power_ DSI = 0 (free), DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46	16.44	16.30	16.02	15.01	0
				1	12	16.43	16.26	16.14	15.87	15.86	0
				1	22	16.56	16.32	16.22	15.91	15.94	0
				12	0	16.38	16.33	16.18	15.93	15.90	0
				12	6	16.49	16.43	16.22	16.02	15.97	0
				12	12	16.40	16.31	16.20	15.93	16.20	0
				24	0	16.43	16.28	16.19	15.91	15.92	0
			QPSK	1	1	16.44	16.26	16.16	15.85	15.87	0
				1	12	16.42	16.23	16.10	15.83	15.83	0
				1	22	16.54	16.31	16.14	15.86	15.86	0
				12	0	16.39	16.33	16.18	15.91	15.89	0
				12	6	16.52	16.33	16.21	15.92	15.89	0
				12	12	16.45	16.22	16.16	15.93	15.93	0
				24	0	16.52	16.34	16.18	15.86	16.10	0
			16QAM	1	1	16.13	16.06	15.94	15.64	15.71	0
			64QAM	1	1	16.37	16.27	16.14	15.86	15.87	0
			256QAM	1	1	15.89	15.83	15.70	15.48	15.45	0
		CP	QPSK	1	1	16.64	16.53	16.48	16.11	16.09	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46	16.36	16.23	15.98	15.87	0
				1	18	16.51	16.33	16.12	15.84	15.89	0
				1	36	16.45	16.22	16.30	15.86	15.81	0
				18	0	16.41	16.32	16.17	15.88	15.81	0
				18	9	16.58	16.42	16.26	15.90	15.90	0
				18	18	16.46	16.20	16.11	15.88	15.81	0
				36	0	16.42	16.33	16.17	15.87	15.79	0
			QPSK	1	1	16.43	16.31	16.17	15.82	15.72	0
				1	18	16.53	16.30	16.15	15.79	15.82	0
				1	36	16.43	16.19	16.12	15.80	15.76	0
				18	0	16.41	16.36	16.18	15.84	15.84	0
				18	9	16.57	16.44	16.25	15.91	15.89	0
				18	18	16.51	16.20	16.15	15.85	15.79	0
				36	0	16.45	16.33	16.16	15.89	15.76	0
			16QAM	1	1	16.27	16.09	15.96	15.63	15.75	0
			64QAM	1	1	16.27	16.19	16.12	15.72	15.89	0
			256QAM	1	1	15.98	15.88	15.74	15.47	15.41	0
		CP	QPSK	1	1	16.65	16.51	16.40	15.96	16.07	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.39	16.33	16.33	15.85	15.83	0
				1	26	16.43	16.26	16.39	15.73	15.89	0
				1	49	16.36	16.17	16.17	15.72	15.73	0
				25	0	16.35	16.41	16.36	15.81	15.81	0
				25	13	16.47	16.53	16.42	15.85	15.94	0
				25	26	16.45	16.40	16.29	15.77	15.85	0
				50	0	16.48	16.50	16.44	15.88	15.93	0
			QPSK	1	1	16.26	16.28	16.17	15.71	15.68	0
				1	26	16.39	16.23	16.23	15.70	15.80	0
				1	49	16.42	16.17	16.14	15.67	15.75	0
				25	0	16.37	16.42	16.35	15.79	15.80	0
				25	13	16.50	16.28	16.36	15.77	15.84	0
				25	26	16.41	16.32	16.31	15.76	15.84	0
				50	0	16.41	16.55	16.42	15.91	15.93	0
			16QAM	1	1	15.97	16.11	16.00	15.49	15.52	0
			64QAM	1	1	16.27	16.28	16.19	15.61	15.71	0
			256QAM	1	1	15.72	15.84	15.87	15.26	15.33	0
		CP	QPSK	1	1	16.45	16.59	16.28	15.91	15.97	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.76	16.56	16.47	16.39	16.29	0
				1	39	16.68	16.45	16.51	16.15	16.18	0
				1	76	16.68	16.49	16.33	16.27	16.14	0
				36	0	16.68	16.58	16.35	16.24	16.22	0
				36	21	16.71	16.45	16.48	16.13	16.25	0
				36	42	16.72	16.43	16.34	16.23	16.13	0
				75	0	16.66	16.44	16.41	16.18	16.16	0
			QPSK	1	1	16.69	16.54	16.40	16.24	16.19	0
				1	39	16.79	16.39	16.36	16.11	16.07	0
				1	76	16.66	16.42	16.31	16.11	16.09	0
				36	0	16.71	16.58	16.43	16.20	16.21	0
				36	21	16.76	16.46	16.41	16.16	16.15	0
				36	42	16.67	16.41	16.33	16.23	16.12	0
				75	0	16.69	16.44	16.41	16.16	16.14	0
			16QAM	1	1	16.63	16.26	16.40	16.00	15.97	0
			64QAM	1	1	16.65	16.47	16.43	16.16	15.98	0
			256QAM	1	1	16.23	16.47	16.06	15.82	15.73	0
		CP	QPSK	1	1	16.76	16.78	16.64	16.46	16.51	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.47	16.20		16.22	16.08	0
				1	53	16.52	16.33		16.16	15.97	0
				1	104	16.39	16.34		15.97	16.03	0
				50	0	16.59	16.29		16.11	16.10	0
				50	28	16.66	16.49		16.15	16.13	0
				50	56	16.57	16.38		16.08	16.04	0
				100	0	16.68	16.47		16.28	16.11	0
			QPSK	1	1	16.45	16.14		16.08	15.97	0
				1	53	16.48	16.30		16.09	15.96	0
				1	104	16.46	16.20		15.90	15.89	0
				50	0	16.63	16.29		16.17	16.10	0
				50	28	16.61	16.38		16.17	15.99	0
				50	56	16.55	16.36		16.15	16.03	0
				100	0	16.66	16.00		16.07	15.66	0
			16QAM	1	1	16.15	15.89		15.84	15.95	0
			64QAM	1	1	16.06	16.13		16.01	16.16	0
			256QAM	1	1	16.00	15.76		15.65	15.54	0
		CP	QPSK	1	1	16.62	16.42		16.30	16.11	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.98		16.60		16.28	0
				1	67	16.82		16.40		16.24	0
				1	131	16.70		16.34		16.31	0
				64	0	16.83		16.54		16.36	0
				64	35	16.96		16.40		16.43	0
				64	69	16.79		16.41		16.21	0
				128	0	16.85		16.52		16.27	0
			QPSK	1	1	16.74		16.47		16.24	0
				1	67	16.61		16.45		16.21	0
				1	131	16.71		16.37		16.31	0
				64	0	16.79		16.53		16.34	0
				64	35	16.89		16.57		16.22	0
				64	69	16.74		16.37		16.27	0
				128	0	16.80		16.54		16.25	0
			16QAM	1	1	16.45		16.26		16.04	0
			64QAM	1	1	16.55		16.39		16.32	0
			256QAM	1	1	16.19		15.99		15.79	0
		CP	QPSK	1	1	16.91		16.68		16.49	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	16.46		16.31		16.00	0
				1	81	16.35		16.21		15.94	0
				1	160	16.39		16.07		15.99	0
				81	0	16.39		16.35		15.94	0
				81	41	16.46		15.67		16.09	0
				81	81	16.43		16.17		15.94	0
				162	0	16.06		16.37		16.02	0
			QPSK	1	1	16.46		16.26		15.84	0
				1	81	16.34		16.21		15.84	0
				1	160	16.27		16.02		15.88	0
				81	0	16.42		16.35		15.91	0
				81	41	16.41		16.27		15.30	0
				81	81	16.40		16.15		15.95	0
				162	0	16.54		16.36		16.01	0
			16QAM	1	1	15.09		16.03		15.65	0
			64QAM	1	1	16.40		16.41		15.93	0
			256QAM	1	1	15.98		15.77		15.41	0
		CP	QPSK	1	1	16.59		16.56		16.12	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	16.19				16.05	0
				1	81	16.68				15.90	0
				1	160	16.48				16.12	0
				81	0	16.69				15.96	0
				81	41	16.65				16.06	0
				81	81	16.15				15.93	0
				162	0	16.68				16.16	0
			QPSK	1	1	16.43				15.97	0
				1	81	16.65				15.90	0
				1	160	16.41				16.07	0
				81	0	16.67				15.97	0
				81	41	16.16				16.14	0
				81	81	16.56				15.97	0
				162	0	16.15				16.25	0
			16QAM	1	1	16.25				15.97	0
			64QAM	1	1	16.19				15.90	0
			256QAM	1	1	16.02				15.57	0
		CP	QPSK	1	1	16.77				16.16	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz				MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	16.54				16.27	0
				1	109	16.42				15.96	0
				1	215	16.43				16.12	0
				108	0	16.55				16.09	0
				108	55	16.19				16.15	0
				108	109	16.42				16.08	0
				216	0	16.61				16.32	0
			QPSK	1	1	16.50				16.17	0
				1	109	16.36				15.94	0
				1	215	16.42				16.12	0
				108	0	16.51				16.10	0
				108	55	16.46				16.09	0
				108	109	16.28				16.09	0
				216	0	16.55				16.33	0
			16QAM	1	1	16.26				16.17	0
			64QAM	1	1	16.36				16.02	0
			256QAM	1	1	16.05				15.75	0
		CP	QPSK	1	1	16.74				16.32	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	16.74				16.44	0
				1	123	16.55				16.11	0
				1	243	16.62				16.22	0
				120	0	16.62				16.29	0
				120	63	16.64				16.25	0
				120	125	16.49				16.12	0
				243	0	16.60				16.17	0
			QPSK	1	1	16.65				16.41	0
				1	123	16.42				16.08	0
				1	243	16.51				16.18	0
				120	0	16.59				16.32	0
				120	63	16.59				16.17	0
				120	125	16.44				16.13	0
				243	0	16.33				16.32	0
			16QAM	1	1	16.38				16.42	0
			64QAM	1	1	16.41				16.13	0
			256QAM	1	1	16.21				15.97	0
		CP	QPSK	1	1	16.80				16.54	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			16.54		0
				1	137			16.37		0
				1	271			16.15		0
				135	0			16.45		0
				135	69			16.33		0
				135	138			16.33		0
				270	0			16.31		0
			QPSK	1	1			16.47		0
				1	137			16.31		0
				1	271			16.11		0
				135	0			16.47		0
				135	69			16.32		0
				135	138			16.24		0
				270	0			16.34		0
			16QAM	1	1			16.36		0
			64QAM	1	1			16.41		0
			256QAM	1	1			16.08		0
		CP	QPSK	1	1			16.72		0

5. NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ P_{max} , DSI = 1 (RCV)_ MAIN1 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.12	23.38	23.44	0
				1	13	23.26	23.49	23.50	0
				1	23	23.14	23.37	23.38	0
				12	0	22.54	22.92	23.02	0.5
				12	7	23.22	23.43	23.54	0
				12	13	22.57	22.89	22.99	0.5
				25	0	22.61	22.89	22.95	0.5
			QPSK	1	1	23.10	23.30	23.40	0
				1	13	23.21	23.46	23.49	0
				1	23	23.10	23.42	23.44	0
				12	0	22.13	22.37	22.42	1
				12	7	23.25	23.45	23.46	0
				12	13	22.12	22.33	22.35	1
				25	0	22.15	22.35	22.37	1
			16QAM	1	1	22.13	22.38	22.37	1
			64QAM	1	1	20.77	20.95	21.02	2.5
			256QAM	1	1	18.24	18.44	18.47	4.5
		CP	QPSK	1	1	21.85	22.10	22.20	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.25	23.37	23.43	0
				1	26	23.28	23.46	23.50	0
				1	50	23.17	23.42	23.47	0
				25	0	22.58	22.76	22.91	0.5
				25	14	23.16	23.39	23.48	0
				25	27	22.70	22.93	22.86	0.5
				50	0	22.62	22.77	22.88	0.5
			QPSK	1	1	23.24	23.37	23.50	0
				1	26	23.20	23.44	23.48	0
				1	50	23.27	23.50	23.44	0
				25	0	22.14	22.35	22.46	1
				25	14	23.21	23.46	23.48	0
				25	27	22.16	22.46	22.39	1
				50	0	22.13	22.33	22.43	1
			16QAM	1	1	22.13	22.28	22.39	1
			64QAM	1	1	20.79	20.92	21.04	2.5
			256QAM	1	1	18.28	18.37	18.50	4.5
		CP	QPSK	1	1	21.89	21.98	22.19	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.18	23.48	23.58	0
				1	40	23.06	23.35	23.48	0
				1	77	23.28	23.51	23.48	0
				36	0	22.54	22.76	22.93	0.5
				36	22	23.23	23.37	23.58	0
				36	43	22.63	22.81	22.97	0.5
				75	0	22.60	22.78	22.98	0.5
			QPSK	1	1	23.27	23.25	23.57	0
				1	40	23.17	23.43	23.55	0
				1	77	23.14	23.53	23.48	0
				36	0	22.13	22.28	22.37	1
				36	22	23.19	23.38	23.63	0
				36	43	22.15	22.33	22.48	1
				75	0	22.09	22.32	22.49	1
			16QAM	1	1	22.21	22.27	22.46	1
			64QAM	1	1	20.85	20.95	21.15	2.5
			256QAM	1	1	18.34	18.38	18.52	4.5
		CP	QPSK	1	1	21.97	22.15	22.29	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.11	23.31	23.43	0
				1	53	23.18	23.49	23.57	0
				1	104	23.21	23.45	23.42	0
				50	0	22.49	22.76	22.94	0.5
				50	28	23.21	23.27	23.54	0
				50	56	22.55	22.78	22.94	0.5
				100	0	22.69	22.82	23.06	0.5
			QPSK	1	1	23.15	23.25	23.47	0
				1	53	23.20	23.39	23.59	0
				1	104	23.24	23.44	23.49	0
				50	0	22.10	22.33	22.43	1
				50	28	23.21	23.41	23.54	0
				50	56	22.14	22.26	22.46	1
				100	0	22.24	22.45	22.49	1
			16QAM	1	1	22.08	22.17	22.37	1
			64QAM	1	1	20.66	20.82	21.05	2.5
			256QAM	1	1	18.12	18.34	18.40	4.5
		CP	QPSK	1	1	21.69	21.98	22.07	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.31	0
				1	80	23.61	0
				1	158	23.40	0
				80	0	22.82	0.5
				80	40	23.37	0
				80	80	22.83	0.5
				160	0	22.75	0.5
			QPSK	1	1	23.31	0
				1	80	23.41	0
				1	158	23.44	0
				80	0	22.38	1
				80	40	23.54	0
				80	80	22.31	1
				160	0	22.59	1
			16QAM	1	1	22.32	1
			64QAM	1	1	20.98	2.5
			256QAM	1	1	18.50	4.5
		CP	QPSK	1	1	22.03	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.36	0
				1	108	23.65	0
				1	214	23.54	0
				108	0	22.79	0.5
				108	54	23.41	0
				108	108	22.84	0.5
				216	0	22.76	0.5
			QPSK	1	1	23.43	0
				1	108	23.44	0
				1	214	23.56	0
				108	0	22.24	1
				108	54	23.37	0
				108	108	22.22	1
				216	0	22.55	1
			16QAM	1	1	22.22	1
			64QAM	1	1	20.96	2.5
			256QAM	1	1	18.25	4.5
		CP	QPSK	1	1	22.18	1.5

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.23	19.38	19.51	0
				1	13	19.36	19.56	19.56	0
				1	23	19.18	19.37	19.47	0
				12	0	19.30	19.42	19.50	0
				12	7	19.38	19.54	19.60	0
				12	13	19.26	19.42	19.43	0
			QPSK	25	0	19.26	19.44	19.44	0
				1	1	19.25	19.53	19.40	0
				1	13	19.25	19.60	19.47	0
				1	23	19.21	19.42	19.43	0
				12	0	19.31	19.48	19.42	0
				12	7	19.40	19.56	19.53	0
				12	13	19.28	19.50	19.38	0
				25	0	19.27	19.46	19.38	0
			16QAM	1	1	19.28	19.42	19.45	0
			64QAM	1	1	19.44	19.62	19.56	0
			256QAM	1	1	18.27	18.41	18.47	0.5
		CP	QPSK	1	1	19.58	19.68	19.79	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.45	19.46	19.52	0
				1	26	19.42	19.57	19.56	0
				1	50	19.33	19.51	19.43	0
				25	0	19.33	19.35	19.48	0
				25	14	19.43	19.57	19.59	0
				25	27	19.34	19.54	19.43	0
			QPSK	50	0	19.34	19.43	19.48	0
				1	1	19.42	19.51	19.61	0
				1	26	19.31	19.58	19.54	0
				1	50	19.29	19.53	19.50	0
				25	0	19.37	19.39	19.49	0
				25	14	19.35	19.49	19.51	0
				25	27	19.36	19.51	19.50	0
				50	0	19.41	19.47	19.48	0
			16QAM	1	1	19.29	19.42	19.51	0
			64QAM	1	1	19.42	19.51	19.57	0
			256QAM	1	1	18.33	18.36	18.42	0.5
		CP	QPSK	1	1	19.60	19.70	19.71	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.40	19.54	19.64	0
				1	40	19.40	19.53	19.55	0
				1	77	19.35	19.54	19.50	0
				36	0	19.23	19.34	19.50	0
				36	22	19.50	19.64	19.59	0
				36	43	19.33	19.49	19.50	0
				75	0	19.27	19.38	19.49	0
			QPSK	1	1	19.38	19.53	19.61	0
				1	40	19.36	19.45	19.58	0
				1	77	19.36	19.58	19.58	0
				36	0	19.31	19.34	19.47	0
				36	22	19.40	19.55	19.52	0
				36	43	19.23	19.39	19.53	0
				75	0	19.30	19.41	19.39	0
			16QAM	1	1	19.33	19.42	19.50	0
			64QAM	1	1	19.43	19.61	19.66	0
			256QAM	1	1	18.36	18.45	18.54	0.5
		CP	QPSK	1	1	19.72	19.68	19.83	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.25	19.39	19.53	0
				1	53	19.39	19.50	19.57	0
				1	104	19.42	19.46	19.37	0
				50	0	19.21	19.33	19.51	0
				50	28	19.35	19.54	19.61	0
				50	56	19.22	19.39	19.42	0
				100	0	19.28	19.46	19.62	0
			QPSK	1	1	19.27	19.47	19.38	0
				1	53	19.41	19.53	19.56	0
				1	104	19.34	19.50	19.38	0
				50	0	19.22	19.38	19.51	0
				50	28	19.43	19.46	19.59	0
				50	56	19.24	19.41	19.43	0
				100	0	19.30	19.48	19.64	0
			16QAM	1	1	19.27	19.36	19.38	0
			64QAM	1	1	19.43	19.48	19.51	0
			256QAM	1	1	18.21	18.28	18.44	0.5
		CP	QPSK	1	1	19.56	19.63	19.80	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.41	0
				1	80	19.41	0
				1	158	19.47	0
				80	0	19.26	0
				80	40	19.70	0
				80	80	19.40	0
				160	0	19.62	0
			QPSK	1	1	19.62	0
				1	80	19.58	0
				1	158	19.67	0
				80	0	19.54	0
				80	40	19.38	0
				80	80	19.31	0
				160	0	19.56	0
			16QAM	1	1	19.36	0
			64QAM	1	1	19.68	0
			256QAM	1	1	18.39	0.5
		CP	QPSK	1	1	19.58	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.40	0
				1	108	19.41	0
				1	214	19.36	0
				108	0	19.46	0
				108	54	19.47	0
				108	108	19.51	0
				216	0	19.60	0
			QPSK	1	1	19.38	0
				1	108	19.54	0
				1	214	19.40	0
				108	0	19.55	0
				108	54	19.46	0
				108	108	19.35	0
				216	0	19.42	0
			16QAM	1	1	19.35	0
			64QAM	1	1	19.44	0
			256QAM	1	1	18.47	0.5
		CP	QPSK	1	1	19.72	0

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.59	19.51	19.47	0
				1	13	19.66	19.41	19.43	0
				1	23	19.66	19.41	19.50	0
				12	0	19.73	19.43	19.58	0
				12	7	19.69	19.50	19.65	0
				12	13	19.72	19.48	19.59	0
				25	0	19.69	19.44	19.53	0
			QPSK	1	1	19.69	19.40	19.51	0
				1	13	19.76	19.51	19.51	0
				1	23	19.59	19.36	19.48	0
				12	0	19.74	19.50	19.60	0
				12	7	19.79	19.57	19.66	0
				12	13	19.76	19.47	19.60	0
				25	0	19.73	19.45	19.60	0
			16QAM	1	1	19.70	19.44	19.65	0
			64QAM	1	1	19.86	19.60	19.67	0
			256QAM	1	1	17.87	17.78	17.89	1.5
		CP	QPSK	1	1	19.95	19.71	19.86	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.83	19.57	19.65	0
				1	26	19.70	19.52	19.61	0
				1	50	19.63	19.43	19.53	0
				25	0	19.81	19.44	19.59	0
				25	14	19.68	19.52	19.66	0
				25	27	19.68	19.44	19.55	0
				50	0	19.61	19.40	19.57	0
			QPSK	1	1	19.58	19.58	19.61	0
				1	26	19.58	19.53	19.58	0
				1	50	19.50	19.44	19.49	0
				25	0	19.70	19.46	19.59	0
				25	14	19.75	19.64	19.67	0
				25	27	19.56	19.50	19.64	0
				50	0	19.72	19.47	19.60	0
			16QAM	1	1	19.67	19.64	19.56	0
			64QAM	1	1	19.82	19.66	19.74	0
			256QAM	1	1	17.98	17.80	17.89	1.5
		CP	QPSK	1	1	19.89	19.75	19.79	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.80	19.60	19.63	0
				1	40	19.54	19.48	19.65	0
				1	77	19.66	19.53	19.60	0
				36	0	19.74	19.46	19.48	0
				36	22	19.71	19.53	19.64	0
				36	43	19.61	19.48	19.55	0
				75	0	19.68	19.52	19.59	0
			QPSK	1	1	19.87	19.58	19.54	0
				1	40	19.61	19.51	19.64	0
				1	77	19.66	19.57	19.55	0
				36	0	19.76	19.49	19.60	0
				36	22	19.71	19.57	19.55	0
				36	43	19.68	19.54	19.55	0
				75	0	19.69	19.55	19.53	0
			16QAM	1	1	19.77	19.70	19.64	0
			64QAM	1	1	19.96	19.74	19.73	0
			256QAM	1	1	18.09	17.93	17.97	1.5
		CP	QPSK	1	1	20.00	19.88	19.81	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.70	19.62	19.48	0
				1	53	19.52	19.63	19.69	0
				1	104	19.61	19.45	19.64	0
				50	0	19.63	19.53	19.54	0
				50	28	19.66	19.56	19.59	0
				50	56	19.56	19.54	19.52	0
				100	0	19.68	19.61	19.66	0
			QPSK	1	1	19.70	19.71	19.57	0
				1	53	19.59	19.56	19.64	0
				1	104	19.59	19.43	19.59	0
				50	0	19.68	19.57	19.54	0
				50	28	19.69	19.60	19.64	0
				50	56	19.53	19.39	19.51	0
				100	0	19.76	19.56	19.69	0
			16QAM	1	1	19.71	19.56	19.39	0
			64QAM	1	1	19.86	19.77	19.52	0
			256QAM	1	1	17.94	17.86	17.80	1.5
		CP	QPSK	1	1	19.94	19.90	19.69	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.84	0
				1	80	19.73	0
				1	158	19.71	0
				80	0	19.70	0
				80	40	19.61	0
				80	80	19.52	0
				160	0	19.51	0
			QPSK	1	1	19.67	0
				1	80	19.66	0
				1	158	19.56	0
				80	0	19.60	0
				80	40	19.67	0
				80	80	19.53	0
				160	0	19.59	0
			16QAM	1	1	19.64	0
			64QAM	1	1	19.90	0
			256QAM	1	1	18.07	1.5
		CP	QPSK	1	1	19.94	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.83	0
				1	108	19.53	0
				1	214	19.75	0
				108	0	19.57	0
				108	54	19.72	0
				108	108	19.58	0
				216	0	19.65	0
			QPSK	1	1	19.80	0
				1	108	19.69	0
				1	214	19.50	0
				108	0	19.61	0
				108	54	19.57	0
				108	108	19.51	0
				216	0	19.58	0
			16QAM	1	1	19.70	0
			64QAM	1	1	19.89	0
			256QAM	1	1	17.96	1.5
		CP	QPSK	1	1	20.02	0

NR FDD Band n66 Conducted Power_ DSI = 1 (RCV)_ SUB2 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.58	18.52	18.60	0
				1	13	18.74	18.68	18.65	0
				1	23	18.53	18.51	18.60	0
				12	0	18.63	18.58	18.69	0
				12	7	18.69	18.68	18.67	0
				12	13	18.66	18.47	18.70	0
				25	0	18.60	18.40	18.72	0
			QPSK	1	1	18.67	18.61	18.67	0
				1	13	18.72	18.57	18.73	0
				1	23	18.51	18.45	18.60	0
				12	0	18.66	18.50	18.63	0
				12	7	18.73	18.62	18.75	0
				12	13	18.65	18.49	18.66	0
				25	0	18.65	18.54	18.66	0
			16QAM	1	1	18.67	18.51	18.62	0
			64QAM	1	1	18.80	18.62	18.76	0
			256QAM	1	1	17.83	17.67	17.81	0.5
		CP	QPSK	1	1	18.87	18.74	18.91	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.63	18.48	18.63	0
				1	26	18.56	18.58	18.69	0
				1	50	18.60	18.46	18.56	0
				25	0	18.65	18.46	18.64	0
				25	14	18.69	18.59	18.74	0
				25	27	18.60	18.52	18.69	0
				50	0	18.60	18.43	18.66	0
			QPSK	1	1	18.68	18.51	18.69	0
				1	26	18.61	18.52	18.67	0
				1	50	18.50	18.44	18.62	0
				25	0	18.65	18.52	18.68	0
				25	14	18.77	18.64	18.77	0
				25	27	18.65	18.51	18.74	0
				50	0	18.67	18.52	18.72	0
			16QAM	1	1	18.62	18.56	18.61	0
			64QAM	1	1	18.75	18.62	18.77	0
			256QAM	1	1	17.83	17.64	17.80	0.5
		CP	QPSK	1	1	18.89	18.82	18.88	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.86	18.60	18.74	0
				1	40	18.69	18.70	18.63	0
				1	77	18.67	18.57	18.61	0
				36	0	18.66	18.53	18.54	0
				36	22	18.71	18.70	18.77	0
				36	43	18.55	18.60	18.56	0
				75	0	18.64	18.55	18.55	0
			QPSK	1	1	18.80	18.65	18.70	0
				1	40	18.67	18.69	18.66	0
				1	77	18.68	18.51	18.58	0
				36	0	18.71	18.60	18.63	0
				36	22	18.71	18.62	18.70	0
				36	43	18.56	18.58	18.60	0
				75	0	18.60	18.65	18.65	0
			16QAM	1	1	18.77	18.74	18.68	0
			64QAM	1	1	18.96	18.69	18.80	0
			256QAM	1	1	17.99	17.84	17.79	0.5
		CP	QPSK	1	1	19.02	18.95	18.89	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.72	18.71	18.55	0
				1	53	18.59	18.81	18.74	0
				1	104	18.55	18.50	18.48	0
				50	0	18.62	18.60	18.60	0
				50	28	18.69	18.62	18.76	0
				50	56	18.51	18.59	18.49	0
				100	0	18.66	18.55	18.71	0
			QPSK	1	1	18.79	18.68	18.52	0
				1	53	18.65	18.65	18.65	0
				1	104	18.56	18.45	18.62	0
				50	0	18.66	18.82	18.60	0
				50	28	18.66	18.68	18.67	0
				50	56	18.58	18.59	18.63	0
				100	0	18.54	18.68	18.66	0
			16QAM	1	1	18.64	18.63	18.47	0
			64QAM	1	1	18.82	18.68	18.69	0
			256QAM	1	1	17.86	17.76	17.65	0.5
		CP	QPSK	1	1	18.89	18.92	18.76	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.67	0
				1	80	18.74	0
				1	158	18.80	0
				80	0	18.63	0
				80	40	18.70	0
				80	80	18.63	0
				160	0	18.65	0
			QPSK	1	1	18.81	0
				1	80	18.68	0
				1	158	18.72	0
				80	0	18.77	0
				80	40	18.75	0
				80	80	18.65	0
				160	0	18.61	0
			16QAM	1	1	18.80	0
			64QAM	1	1	18.72	0
			256QAM	1	1	17.95	0.5
		CP	QPSK	1	1	19.05	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.76	0
				1	108	18.61	0
				1	214	18.82	0
				108	0	18.65	0
				108	54	18.73	0
				108	108	18.69	0
				216	0	18.69	0
			QPSK	1	1	18.85	0
				1	108	18.59	0
				1	214	18.70	0
				108	0	18.67	0
				108	54	18.77	0
				108	108	18.65	0
				216	0	18.74	0
			16QAM	1	1	18.76	0
			64QAM	1	1	18.91	0
			256QAM	1	1	17.84	0.5
		CP	QPSK	1	1	19.10	0

6. NR TDD Band n77 Maximum Conducted Power

NR TDD Band n77 (PC3/PC2) Conducted Power_ DSI = 0 (Free) _ SUB2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.47	16.91	17.14	16.97	16.95	17.29	0
				1	12	16.46	16.85	17.07	16.94	16.96	17.24	0
				1	22	16.55	16.96	17.12	16.96	17.07	17.34	0
				12	0	16.41	16.91	17.14	16.99	16.98	17.21	0
				12	6	16.55	16.88	17.12	16.97	16.99	17.29	0
				12	12	16.49	16.99	17.17	16.96	16.98	17.28	0
			QPSK	24	0	16.41	16.88	17.12	16.95	16.99	17.19	0
				1	1	16.56	17.00	17.26	17.11	17.08	17.22	0
				1	12	16.52	17.02	17.24	17.10	17.06	17.11	0
				1	22	16.61	17.05	17.23	17.11	17.23	17.30	0
				12	0	16.39	16.86	17.14	16.98	17.09	17.18	0
				12	6	16.50	16.97	17.21	17.06	17.16	17.23	0
				12	12	16.45	16.91	17.14	16.98	17.08	17.25	0
				24	0	16.44	16.93	17.13	16.97	17.01	17.24	0
			16QAM	1	1	16.44	16.95	17.21	17.02	17.03	17.21	0
			64QAM	1	1	16.40	16.87	17.17	17.03	16.96	17.22	0
			256QAM	1	1	15.94	16.38	16.65	16.48	16.47	16.71	0
		CP	QPSK	1	1	16.61	16.95	17.23	17.04	17.07	17.28	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.45	16.98	17.20	17.07	16.94	17.29	0
				1	18	16.52	16.85	17.03	17.04	16.99	17.31	0
				1	36	16.58	16.95	17.19	16.95	17.04	17.29	0
				18	0	16.38	17.00	17.16	16.96	17.05	17.21	0
				18	9	16.50	16.92	17.09	16.96	16.98	17.26	0
				18	18	16.58	17.03	17.25	16.95	16.99	17.37	0
			QPSK	36	0	16.51	16.83	17.19	16.95	16.98	17.20	0
				1	1	16.62	17.08	17.29	17.07	17.17	17.18	0
				1	18	16.49	17.09	17.22	17.18	17.12	17.08	0
				1	36	16.69	17.01	17.19	17.12	17.26	17.28	0
				18	0	16.44	16.82	17.09	17.00	17.05	17.19	0
				18	9	16.58	16.98	17.31	17.16	17.13	17.25	0
				18	18	16.51	17.01	17.20	16.97	17.11	17.31	0
				36	0	16.44	17.03	17.09	16.98	16.97	17.27	0
			16QAM	1	1	16.52	16.99	17.16	17.09	17.13	17.19	0
			64QAM	1	1	16.48	16.89	17.14	17.01	17.00	17.20	0
			256QAM	1	1	16.00	16.38	16.64	16.57	16.49	16.69	0
		CP	QPSK	1	1	16.58	16.91	17.27	17.11	17.12	17.36	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.45	17.02	17.22	17.03	16.91	17.33	0
				1	26	16.61	16.82	17.06	17.12	16.96	17.30	0
				1	49	16.53	16.99	17.26	16.91	17.07	17.34	0
				25	0	16.46	16.99	17.24	16.98	17.14	17.27	0
				25	13	16.56	16.96	17.13	16.99	17.01	17.34	0
				25	26	16.54	17.13	17.27	16.97	17.06	17.37	0
			QPSK	50	0	16.50	16.93	17.28	17.05	17.07	17.29	0
				1	1	16.64	17.05	17.32	17.14	17.13	17.16	0
				1	26	16.44	17.08	17.22	17.13	17.12	17.07	0
				1	49	16.72	17.05	17.20	17.07	17.29	17.35	0
				25	0	16.48	16.80	17.10	17.00	17.02	17.22	0
				25	13	16.55	17.02	17.29	17.19	17.16	17.35	0
				25	26	16.48	17.05	17.16	16.97	17.19	17.38	0
				50	0	16.54	17.01	17.13	16.95	16.97	17.23	0
			16QAM	1	1	16.51	16.98	17.11	17.14	17.19	17.19	0
			64QAM	1	1	16.50	16.87	17.24	17.03	17.04	17.25	0
			256QAM	1	1	16.03	16.42	16.66	16.57	16.44	16.75	0
		CP	QPSK	1	1	16.54	16.89	17.30	17.20	17.19	17.31	0

NR TDD Band n77_ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.44	17.09	17.25	16.99	16.99	17.33	0
				1	39	16.60	16.78	17.11	17.17	17.05	17.30	0
				1	76	16.58	17.07	17.35	16.99	17.16	17.42	0
				36	0	16.44	16.97	17.29	17.08	17.20	17.29	0
				36	21	16.59	16.95	17.18	17.05	17.04	17.39	0
				36	42	16.57	17.23	17.34	17.01	17.12	17.34	0
				75	0	16.54	16.98	17.33	17.03	17.05	17.31	0
			QPSK	1	1	16.59	17.14	17.34	17.22	17.10	17.22	0
				1	39	16.40	17.13	17.18	17.19	17.08	17.15	0
				1	76	16.68	17.04	17.28	17.05	17.37	17.45	0
				36	0	16.58	16.84	17.10	16.99	17.12	17.26	0
				36	21	16.50	16.97	17.33	17.19	17.14	17.41	0
				36	42	16.53	17.10	17.13	17.07	17.26	17.36	0
				75	0	16.61	17.05	17.13	16.99	17.02	17.32	0
			16QAM	1	1	16.48	17.07	17.18	17.16	17.18	17.22	0
			64QAM	1	1	16.47	16.87	17.20	16.99	17.03	17.35	0
			256QAM	1	1	16.06	16.44	16.66	16.63	16.48	16.71	0
		CP	QPSK	1	1	16.62	16.95	17.37	17.29	17.26	17.27	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.53	17.04	17.31	16.99	17.02	17.40	0
				1	53	16.66	16.74	17.19	17.23	17.09	17.28	0
				1	104	16.64	17.08	17.36	17.04	17.25	17.42	0
				50	0	16.42	17.04	17.27	17.17	17.15	17.37	0
				50	28	16.57	16.99	17.15	17.14	17.05	17.46	0
				50	56	16.54	17.29	17.39	16.97	17.17	17.40	0
			QPSK	100	0	16.54	17.06	17.29	17.09	17.03	17.34	0
				1	1	16.56	17.13	17.42	17.21	17.18	17.22	0
				1	53	16.37	17.20	17.26	17.15	17.04	17.10	0
				1	104	16.76	17.13	17.23	17.08	17.34	17.52	0
				50	0	16.63	16.83	17.15	17.07	17.17	17.32	0
				50	28	16.51	17.04	17.30	17.23	17.24	17.39	0
				50	56	16.53	17.15	17.15	17.03	17.30	17.43	0
				100	0	16.58	17.09	17.13	17.00	17.03	17.31	0
			16QAM	1	1	16.52	17.04	17.14	17.11	17.28	17.32	0
			64QAM	1	1	16.52	16.85	17.29	16.94	17.05	17.45	0
			256QAM	1	1	16.11	16.45	16.71	16.63	16.50	16.66	0
		CP	QPSK	1	1	16.64	16.92	17.36	17.34	17.35	17.36	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz	3954.99 MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.60	17.00	17.33		17.11	17.39	0
				1	67	16.66	16.79	17.26		17.16	17.28	0
				1	131	16.63	17.14	17.40		17.28	17.47	0
				64	0	16.49	17.06	17.23		17.15	17.37	0
				64	35	16.56	17.07	17.24		17.13	17.47	0
				64	69	16.63	17.30	17.37		17.13	17.39	0
			QPSK	128	0	16.55	17.13	17.25		17.11	17.42	0
				1	1	16.58	17.20	17.42		17.13	17.29	0
				1	67	16.37	17.15	17.26		17.01	17.06	0
				1	131	16.80	17.12	17.24		17.43	17.50	0
				64	0	16.61	16.80	17.22		17.26	17.41	0
				64	35	16.60	17.09	17.27		17.28	17.34	0
				64	69	16.58	17.24	17.14		17.38	17.50	0
				128	0	16.68	17.10	17.20		17.03	17.29	0
			16QAM	1	1	16.58	17.13	17.10		17.33	17.33	0
			64QAM	1	1	16.59	16.85	17.30		17.04	17.53	0
			256QAM	1	1	16.20	16.44	16.81		16.50	16.65	0
		CP	QPSK	1	1	16.67	16.87	17.38		17.37	17.31	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						648668	653556			658444	663332		
						3730.02	3803.34			3876.66	3949.98		
						MHz	MHz			MHz	MHz		
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.65	17.09			17.15	17.39	0	
				1	81	16.70	16.84			17.20	17.24	0	
				1	160	16.72	17.11			17.30	17.53	0	
				81	0	16.52	17.07			17.12	17.41	0	
				81	41	16.55	17.13			17.11	17.52	0	
				81	81	16.70	17.34			17.18	17.4	0	
			QPSK	162	0	16.56	17.17			17.10	17.47	0	
				1	1	16.57	17.22			17.10	17.25	0	
				1	81	16.40	17.20			16.99	17.04	0	
				1	160	16.82	17.20			17.49	17.46	0	
				81	0	16.71	16.77			17.22	17.41	0	
				81	41	16.67	17.07			17.37	17.32	0	
				81	81	16.64	17.23			17.38	17.53	0	
				162	0	16.77	17.12			17.09	17.33	0	
				16QAM	1	1	16.65	17.22			17.36	17.35	0
				64QAM	1	1	16.69	16.94			17.06	17.55	0
				256QAM	1	1	16.15	16.49			16.45	16.62	0
		CP	QPSK	1	1	16.73	16.91			17.32	17.36	0	

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750	3804.99			3875.01	3945	
						MHz	MHz			MHz	MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.64	17.13			17.15	17.49	0
				1	95	16.67	16.79			17.27	17.29	0
				1	187	16.68	17.07			17.29	17.54	0
				90	0	16.47	17.03			17.18	17.50	0
				90	50	16.59	17.19			17.16	17.51	0
				90	99	16.78	17.40			17.20	17.37	0
			QPSK	180	0	16.59	17.26			17.05	17.57	0
				1	1	16.61	17.17			17.11	17.21	0
				1	95	16.46	17.25			16.99	17.10	0
				1	187	16.85	17.22			17.50	17.51	0
				90	0	16.79	16.72			17.19	17.45	0
				90	50	16.75	17.06			17.37	17.40	0
				90	99	16.61	17.26			17.44	17.61	0
				180	0	16.73	17.21			17.04	17.28	0
			16QAM	1	1	16.71	17.28			17.44	17.38	0
			64QAM	1	1	16.71	16.94			17.13	17.63	0
			256QAM	1	1	16.21	16.44			16.55	16.61	0
		CP	QPSK	1	1	16.78	16.91			17.28	17.45	0

NR TDD Band n77_ 80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						649334		656000		
						3740.01 MHz		3840 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.65		17.31		0
				1	109	16.77		17.31		0
				1	215	16.75		17.43		0
				108	0	16.53		17.37		0
				108	55	16.57		17.44		0
				108	109	16.73		17.35		0
			QPSK	216	0	16.67		17.26		0
				1	1	16.56		17.37		0
				1	109	16.43		17.26		0
				1	215	16.90		17.15		0
				108	0	16.77		17.36		0
				108	55	16.84		17.44		0
				108	109	16.60		17.15		0
				216	0	16.78		17.19		0
			16QAM	1	1	16.76		17.04		0
			64QAM	1	1	16.68		17.30		0
			256QAM	1	1	16.31		17.05		0
		CP	QPSK	1	1	16.88		17.45		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						649668		656000		
						3745.02 MHz		3840 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.64		17.39		0
				1	123	16.87		17.34		0
				1	243	16.83		17.43		0
				120	0	16.56		17.47		0
				120	63	16.52		17.42		0
				120	125	16.80		17.44		0
			QPSK	243	0	16.75		17.29		0
				1	1	16.54		17.43		0
				1	123	16.45		17.32		0
				1	243	17.00		17.19		0
				120	0	16.83		17.37		0
				120	63	16.93		17.41		0
				120	125	16.66		17.16		0
				243	0	16.75		17.26		0
			16QAM	1	1	16.77		17.05		0
			64QAM	1	1	16.63		17.35		0
			256QAM	1	1	16.36		17.02		0
		CP	QPSK	1	1	16.83		17.54		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.63				17.26	0
				1	137	16.88				17.44	0
				1	271	16.93				17.46	0
				135	0	16.59				17.18	0
				135	69	16.60				17.26	0
				135	138	16.83				17.29	0
			QPSK	270	0	16.79				17.23	0
				1	1	16.64				17.13	0
				1	137	16.40				17.11	0
				1	271	17.06				17.60	0
				135	0	16.90				17.11	0
				135	69	17.00				17.61	0
				135	138	16.61				17.54	0
				270	0	16.78				17.11	0
			16QAM	1	1	16.73				17.51	0
			64QAM	1	1	16.72				17.20	0
			256QAM	1	1	16.43				16.69	0
		CP	QPSK	1	1	16.82				17.33	0

NR TDD Band n77 (PC3/PC2) Conducted Power_ DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.98	15.31	15.35	15.29	15.34	15.14	0
				1	12	14.91	15.31	15.32	15.31	15.29	15.14	0
				1	22	15.10	15.42	15.33	15.37	15.36	15.25	0
				12	0	14.89	15.35	15.36	15.34	15.36	15.16	0
				12	6	14.88	15.21	15.33	15.31	15.34	15.20	0
				12	12	14.91	15.24	15.33	15.34	15.38	15.17	0
			QPSK	24	0	14.87	15.35	15.33	15.35	15.37	15.13	0
				1	1	14.86	15.27	15.40	15.38	15.36	15.18	0
				1	12	14.78	15.31	15.39	15.38	15.40	15.11	0
				1	22	14.89	15.35	15.39	15.40	15.43	15.22	0
				12	0	14.91	15.23	15.38	15.35	15.41	15.07	0
				12	6	14.93	15.34	15.40	15.37	15.41	15.20	0
				12	12	15.01	15.31	15.36	15.37	15.38	15.18	0
				24	0	14.92	15.23	15.37	15.36	15.36	15.10	0
			16QAM	1	1	14.58	14.89	15.05	14.93	15.02	14.74	0
			64QAM	1	1	14.75	15.13	15.30	15.14	15.24	14.94	0
			256QAM	1	1	14.43	14.85	14.88	14.84	14.81	14.59	0
		CP	QPSK	1	1	15.09	15.56	15.63	15.50	15.57	15.10	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.02	15.29	15.32	15.27	15.28	15.15	0
				1	18	14.93	15.22	15.24	15.22	15.23	15.13	0
				1	36	15.03	15.32	15.31	15.30	15.28	15.24	0
				18	0	15.00	15.20	15.36	15.25	15.33	15.08	0
				18	9	15.07	15.17	15.33	15.24	15.31	15.23	0
				18	18	15.09	15.29	15.34	15.31	15.35	15.13	0
			QPSK	36	0	15.00	15.28	15.35	15.30	15.33	15.04	0
				1	1	14.92	15.32	15.38	15.36	15.40	15.21	0
				1	18	14.98	15.35	15.26	15.31	15.32	15.13	0
				1	36	15.06	15.36	15.40	15.37	15.35	15.19	0
				18	0	15.07	15.23	15.30	15.28	15.28	15.08	0
				18	9	15.03	15.32	15.37	15.31	15.38	15.21	0
				18	18	15.07	15.24	15.37	15.29	15.35	15.13	0
				36	0	15.05	15.24	15.36	15.28	15.29	15.06	0
			16QAM	1	1	14.74	14.92	15.06	15.00	15.02	14.76	0
			64QAM	1	1	14.94	15.18	15.42	15.30	15.20	15.16	0
			256QAM	1	1	14.59	14.75	14.88	14.77	14.86	14.60	0
		CP	QPSK	1	1	15.29	15.38	15.52	15.52	15.56	15.14	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.97	15.12	15.25	15.17	15.23	15.13	0
				1	26	14.84	15.15	15.21	15.18	15.19	15.18	0
				1	49	15.02	15.16	15.17	15.18	15.22	15.16	0
				25	0	15.07	15.24	15.35	15.29	15.29	15.04	0
				25	13	14.61	15.31	15.32	15.30	15.32	15.21	0
				25	26	14.98	15.26	15.32	15.29	15.33	15.11	0
			QPSK	50	0	15.13	15.24	15.33	15.29	15.30	15.05	0
				1	1	14.97	15.20	15.31	15.22	15.29	15.07	0
				1	26	14.99	15.32	15.35	15.26	15.27	15.16	0
				1	49	14.90	15.25	15.25	15.28	15.25	15.14	0
				25	0	14.97	15.24	15.41	15.28	15.25	15.05	0
				25	13	15.07	15.34	15.46	15.39	15.38	15.17	0
				25	26	15.06	15.25	15.37	15.33	15.27	15.00	0
				50	0	15.11	15.22	15.37	15.32	15.25	15.07	0
			16QAM	1	1	14.54	14.81	14.95	14.89	14.91	14.70	0
			64QAM	1	1	14.85	15.14	15.12	15.04	15.22	14.99	0
			256QAM	1	1	14.54	14.71	14.82	14.72	14.78	14.57	0
		CP	QPSK	1	1	15.26	15.33	15.54	15.38	15.48	15.14	0

NR TDD Band n77_ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.23	15.30	15.39	15.61	15.38	15.23	0
				1	39	15.09	15.29	15.35	15.45	15.37	15.19	0
				1	76	15.08	15.39	15.42	15.41	15.43	15.24	0
				36	0	15.06	15.35	15.43	15.54	15.46	15.22	0
				36	21	15.11	15.33	15.40	15.50	15.43	15.29	0
				36	42	15.01	15.43	15.49	15.54	15.46	15.24	0
				75	0	14.97	15.39	15.45	15.56	15.48	15.22	0
			QPSK	1	1	14.96	15.40	15.45	15.65	15.48	15.32	0
				1	39	15.02	15.37	15.44	15.54	15.48	15.23	0
				1	76	15.07	15.49	15.54	15.43	15.53	15.23	0
				36	0	14.94	15.36	15.45	15.62	15.47	15.19	0
				36	21	15.00	15.41	15.46	15.58	15.52	15.25	0
				36	42	15.07	15.43	15.50	15.54	15.46	15.21	0
				75	0	15.02	15.39	15.46	15.57	15.49	15.25	0
			16QAM	1	1	14.73	15.02	15.14	15.28	15.10	14.95	0
			64QAM	1	1	15.13	15.14	15.23	15.41	15.40	15.25	0
			256QAM	1	1	14.53	14.86	14.93	15.15	14.98	14.80	0
		CP	QPSK	1	1	15.22	15.57	15.55	15.77	15.61	15.41	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.20	15.27	15.25	15.45	15.42	15.08	0
				1	53	15.14	15.36	15.34	15.47	15.47	15.10	0
				1	104	15.13	15.38	15.35	15.32	15.37	15.11	0
				50	0	15.13	15.34	15.42	15.56	15.58	15.23	0
				50	28	15.15	14.70	15.45	15.53	15.53	15.17	0
				50	56	15.05	15.43	15.50	15.47	15.46	15.23	0
			QPSK	100	0	15.05	15.53	15.46	15.67	15.53	14.61	0
				1	1	14.99	15.22	15.36	15.49	15.55	15.13	0
				1	53	14.97	15.28	15.32	15.45	15.41	15.07	0
				1	104	15.05	15.46	15.49	15.37	15.41	15.08	0
				50	0	15.10	15.35	15.44	15.54	15.55	15.15	0
				50	28	15.04	15.48	15.55	15.61	15.61	15.25	0
				50	56	15.08	15.43	15.48	15.50	15.48	15.14	0
				100	0	14.96	15.26	15.57	15.64	15.63	15.27	0
			16QAM	1	1	14.83	14.98	15.00	15.23	15.18	14.81	0
			64QAM	1	1	14.54	14.92	15.39	15.49	15.55	15.20	0
			256QAM	1	1	14.63	14.74	14.79	15.02	14.99	14.60	0
		CP	QPSK	1	1	15.25	15.48	15.50	15.72	15.68	15.12	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz	3954.99 MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.07	15.58	15.59		15.58	15.34	0
				1	67	15.11	15.61	15.64		15.68	15.39	0
				1	131	15.37	15.53	15.59		15.58	15.17	0
				64	0	15.07	15.61	15.65		15.59	15.37	0
				64	35	15.24	15.60	15.37		15.66	15.34	0
				64	69	15.29	15.63	15.65		15.64	15.34	0
			QPSK	128	0	15.19	15.64	15.63		15.38	15.36	0
				1	1	15.01	15.61	15.67		15.59	15.42	0
				1	67	15.11	15.60	15.56		15.63	15.30	0
				1	131	15.25	15.61	15.61		15.62	15.23	0
				64	0	15.17	15.60	15.67		15.61	15.39	0
				64	35	15.15	15.68	15.71		15.72	15.43	0
				64	69	15.28	15.59	15.62		15.63	15.34	0
				128	0	14.72	15.64	15.66		15.63	14.34	0
			16QAM	1	1	14.74	15.21	15.35		14.36	15.08	0
			64QAM	1	1	14.62	15.46	15.32		15.31	15.33	0
			256QAM	1	1	14.63	15.09	15.13		15.03	14.86	0
		CP	QPSK	1	1	15.27	15.78	15.83		15.81	15.36	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.28	15.36			15.30	15.37	0
				1	81	15.03	15.32			15.32	15.28	0
				1	160	15.12	15.27			15.43	15.29	0
				81	0	15.04	15.39			15.34	15.33	0
				81	41	15.16	15.37			14.66	15.33	0
				81	81	14.99	15.38			15.38	15.27	0
			QPSK	162	0	15.06	15.35			15.46	15.35	0
				1	1	14.97	15.44			15.35	15.44	0
				1	81	14.98	15.34			15.29	15.25	0
				1	160	14.96	15.40			15.45	15.35	0
				81	0	15.03	15.41			15.33	15.34	0
				81	41	15.04	15.45			15.46	15.39	0
				81	81	15.02	15.34			15.39	15.27	0
				162	0	14.66	15.47			15.51	15.44	0
			16QAM	1	1	14.69	15.06			15.04	15.11	0
			64QAM	1	1	14.37	15.25			15.21	15.28	0
			256QAM	1	1	14.52	14.95			14.83	14.89	0
		CP	QPSK	1	1	15.16	15.64			15.58	15.63	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750	3804.99			3875.01	3945	
						MHz	MHz			MHz	MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.10	15.47			15.22	15.24	0
				1	95	14.89	15.41			15.34	15.32	0
				1	187	15.21	15.39			15.55	15.40	0
				90	0	14.96	15.57			15.36	15.43	0
				90	50	15.18	15.23			15.19	15.16	0
				90	99	15.17	15.46			15.54	15.47	0
			QPSK	180	0	15.14	15.44			15.27	15.42	0
				1	1	14.86	15.43			15.19	15.26	0
				1	95	15.01	15.37			15.32	15.32	0
				1	187	15.23	15.34			15.55	15.37	0
				90	0	14.98	15.59			15.41	15.42	0
				90	50	15.17	15.63			15.57	15.50	0
				90	99	15.17	15.23			15.52	15.47	0
				180	0	15.12	15.52			15.46	15.43	0
			16QAM	1	1	15.12	15.20			15.46	15.42	0
			64QAM	1	1	15.16	15.52			15.39	15.31	0
			256QAM	1	1	14.52	15.08			14.88	14.85	0
		CP	QPSK	1	1	15.07	15.77			15.64	15.56	0

NR TDD Band n77_ 80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649334		656000		662666	
						3740.01 MHz		3840 MHz		3939.99 MHz	
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.28		15.26		15.45	0
				1	109	15.08		15.37		15.39	0
				1	215	15.26		15.50		15.37	0
				108	0	15.11		15.50		15.53	0
				108	55	15.14		15.27		15.46	0
				108	109	15.12		15.42		15.43	0
			QPSK	216	0	15.15		15.44		15.58	0
				1	1	14.99		15.53		15.59	0
				1	109	15.06		15.37		15.38	0
				1	215	15.12		15.62		15.40	0
				108	0	15.12		15.52		15.50	0
				108	55	15.14		15.34		15.49	0
				108	109	15.16		15.49		15.46	0
				216	0	15.26		15.42		15.10	0
			16QAM	1	1	15.29		15.27		15.10	0
			64QAM	1	1	15.06		15.62		15.45	0
			256QAM	1	1	14.59		15.06		15.00	0
		CP	QPSK	1	1	15.24		15.75		15.71	0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02 MHz		3840 MHz		3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.16		15.52		15.69	0
				1	123	15.16		15.39		15.45	0
				1	243	15.48		15.53		15.28	0
				120	0	14.99		15.49		15.63	0
				120	63	15.25		15.04		15.49	0
				120	125	15.13		15.24		15.42	0
			QPSK	243	0	15.19		15.64		15.60	0
				1	1	14.92		15.61		15.62	0
				1	123	15.02		15.51		15.49	0
				1	243	15.34		15.63		15.36	0
				120	0	14.98		15.49		15.61	0
				120	63	15.10		15.52		15.64	0
				120	125	15.18		15.43		15.39	0
				243	0	15.23		15.63		15.61	0
			16QAM	1	1	15.26		15.32		15.36	0
			64QAM	1	1	15.08		15.66		15.75	0
			256QAM	1	1	14.56		15.09		15.22	0
		CP	QPSK	1	1	15.20		15.79		15.87	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.19				15.52	0
				1	137	15.03				15.39	0
				1	271	15.30				15.43	0
				135	0	15.12				15.45	0
				135	69	15.09				15.52	0
				135	138	15.18				15.51	0
			QPSK	270	0	15.10				15.53	0
				1	1	15.15				15.47	0
				1	137	15.05				15.39	0
				1	271	15.20				15.43	0
				135	0	15.13				15.44	0
				135	69	15.09				15.47	0
				135	138	15.16				15.48	0
				270	0	15.08				15.52	0
			16QAM	1	1	14.93				15.28	0
			64QAM	1	1	15.24				15.41	0
			256QAM	1	1	14.75				15.12	0
		CP	QPSK	1	1	15.33				15.74	0

7. NR TDD Band n77 DoD Maximum Conducted Power

NR TDD Band n77 DoD (PC3/PC2) Conducted Power_ DSI = 0 (Free)_ SUB2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.43	17.62	17.60	0
				1	12	17.43	17.39	17.44	0
				1	22	17.24	17.54	17.52	0
				12	0	17.30	17.39	17.33	0
				12	6	17.59	17.60	17.70	0
				12	12	17.23	17.35	17.56	0
				24	0	17.38	17.19	17.44	0
			QPSK	1	1	17.64	17.54	17.55	0
				1	12	17.35	17.42	17.61	0
				1	22	17.58	17.43	17.49	0
				12	0	17.43	17.38	17.47	0
				12	6	17.45	17.71	17.54	0
				12	12	17.25	17.19	17.53	0
				24	0	17.22	17.21	17.74	0
			16QAM	1	1	17.58	17.72	17.56	0
			64QAM	1	1	17.36	17.49	17.70	0
			256QAM	1	1	16.75	17.14	17.06	0
		CP	QPSK	1	1	17.74	17.45	17.53	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.49	17.62	17.66	0
				1	18	17.39	17.47	17.44	0
				1	36	17.25	17.51	17.48	0
				18	0	17.41	17.47	17.28	0
				18	9	17.57	17.48	17.68	0
				18	18	17.29	17.43	17.49	0
				36	0	17.23	17.17	17.47	0
			QPSK	1	1	17.50	17.50	17.53	0
				1	18	17.29	17.39	17.54	0
				1	36	17.53	17.41	17.59	0
				18	0	17.53	17.50	17.46	0
				18	9	17.54	17.68	17.45	0
				18	18	17.24	17.13	17.56	0
				36	0	17.33	17.35	17.67	0
			16QAM	1	1	17.63	17.60	17.50	0
			64QAM	1	1	17.33	17.55	17.64	0
			256QAM	1	1	16.86	17.04	17.10	0
		CP	QPSK	1	1	17.68	17.59	17.55	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.61	17.81	17.72	0
				1	26	17.59	17.60	17.63	0
				1	49	17.52	17.61	17.65	0
				25	0	17.48	17.57	17.58	0
				25	13	17.72	17.75	17.87	0
				25	26	17.53	17.61	17.78	0
			QPSK	50	0	17.46	17.42	17.73	0
				1	1	17.69	17.72	17.75	0
				1	26	17.48	17.45	17.71	0
				1	49	17.69	17.65	17.72	0
				25	0	17.53	17.53	17.65	0
				25	13	17.62	17.75	17.63	0
				25	26	17.41	17.35	17.68	0
				50	0	17.41	17.48	17.75	0
			16QAM	1	1	17.77	17.72	17.71	0
			64QAM	1	1	17.46	17.66	17.78	0
			256QAM	1	1	17.00	17.24	17.17	0
		CP	QPSK	1	1	17.80	17.66	17.78	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.49	17.67	17.66	0
				1	39	17.51	17.49	17.50	0
				1	76	17.39	17.57	17.57	0
				36	0	17.44	17.48	17.43	0
				36	21	17.71	17.62	17.80	0
				36	42	17.38	17.48	17.63	0
				75	0	17.38	17.32	17.59	0
			QPSK	1	1	17.65	17.63	17.61	0
				1	39	17.44	17.42	17.67	0
				1	76	17.68	17.53	17.58	0
				36	0	17.53	17.49	17.54	0
				36	21	17.53	17.74	17.58	0
				36	42	17.26	17.21	17.61	0
				75	0	17.33	17.35	17.76	0
			16QAM	1	1	17.64	17.72	17.56	0
			64QAM	1	1	17.45	17.56	17.71	0
			256QAM	1	1	16.86	17.18	17.17	0
		CP	QPSK	1	1	17.75	17.58	17.64	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.49		17.57	0
				1	53	17.52		17.37	0
				1	104	17.34		17.48	0
				50	0	17.39		17.33	0
				50	28	17.67		17.79	0
				50	56	17.35		17.63	0
			QPSK	100	0	17.25		17.44	0
				1	1	17.63		17.57	0
				1	53	17.44		17.60	0
				1	104	17.67		17.54	0
				50	0	17.49		17.39	0
				50	28	17.42		17.45	0
				50	56	17.13		17.55	0
				100	0	17.27		17.66	0
			16QAM	1	1	17.62		17.54	0
			64QAM	1	1	17.30		17.58	0
			256QAM	1	1	16.84		17.06	0
		CP	QPSK	1	1	17.74		17.63	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.49		17.44	0
				1	67	17.37		17.26	0
				1	131	17.30		17.47	0
				64	0	17.36		17.26	0
				64	35	17.57		17.78	0
				64	69	17.21		17.52	0
			QPSK	128	0	17.14		17.43	0
				1	1	17.52		17.47	0
				1	67	17.39		17.49	0
				1	131	17.63		17.39	0
				64	0	17.44		17.29	0
				64	35	17.37		17.39	0
				64	69	17.02		17.51	0
				128	0	17.17		17.57	0
			16QAM	1	1	17.49		17.41	0
			64QAM	1	1	17.23		17.48	0
			256QAM	1	1	16.71		17.03	0
		CP	QPSK	1	1	17.59		17.61	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.57	0
				1	81		17.44	0
				1	160		17.47	0
				81	0		17.35	0
				81	41		17.49	0
				81	81		17.36	0
			QPSK	162	0		17.29	0
				1	1		17.50	0
				1	81		17.34	0
				1	160		17.30	0
				81	0		17.25	0
				81	41		17.70	0
				81	81		17.04	0
				162	0		17.33	0
			16QAM	1	1		17.59	0
			64QAM	1	1		17.39	0
			256QAM	1	1		17.15	0
		CP	QPSK	1	1		17.46	0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.60	0
				1	95		17.30	0
				1	187		17.40	0
				90	0		17.22	0
				90	50		17.39	0
				90	99		17.42	0
				180	0		17.23	0
			QPSK	1	1		17.52	0
				1	95		17.32	0
				1	187		17.40	0
				90	0		17.25	0
				90	50		17.68	0
				90	99		17.06	0
				180	0		17.30	0
			16QAM	1	1		17.56	0
			64QAM	1	1		17.30	0
			256QAM	1	1		17.01	0
		CP	QPSK	1	1		17.45	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.66		0
				1	109		17.44		0
				1	215		17.44		0
				108	0		17.27		0
				108	55		17.38		0
				108	109		17.44		0
				216	0		17.30		0
			QPSK	1	1		17.56		0
				1	109		17.32		0
				1	215		17.41		0
				108	0		17.23		0
				108	55		17.71		0
				108	109		17.04		0
				216	0		17.35		0
			16QAM	1	1		17.61		0
			64QAM	1	1		17.32		0
			256QAM	1	1		17.14		0
		CP	QPSK	1	1		17.44		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		17.61		0
				1	123		17.34		0
				1	243		17.56		0
				120	0		17.28		0
				120	63		17.45		0
				120	125		17.32		0
				243	0		17.27		0
			QPSK	1	1		17.56		0
				1	123		17.26		0
				1	243		17.38		0
				120	0		17.32		0
				120	63		17.64		0
				120	125		17.07		0
				243	0		17.23		0
			16QAM	1	1		17.70		0
			64QAM	1	1		17.38		0
			256QAM	1	1		17.00		0
		CP	QPSK	1	1		17.53		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		17.56	0
				1	137		17.44	0
				1	271		17.55	0
				135	0		17.21	0
				135	69		17.42	0
				135	138		17.41	0
				270	0		17.18	0
			QPSK	1	1		17.52	0
				1	137		17.21	0
				1	271		17.32	0
				135	0		17.27	0
				135	69		17.62	0
				135	138		17.06	0
				270	0		17.31	0
			16QAM	1	1		17.66	0
			64QAM	1	1		17.26	0
			256QAM	1	1		17.15	0
		CP	QPSK	1	1		17.56	0

NR TDD Band n77 DoD (PC3/PC2) Conducted Power_ DSI = 1 (RCV)_ SUB2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.66	14.97	15.21	0
				1	12	14.61	14.89	15.15	0
				1	22	14.78	14.92	15.20	0
				12	0	14.58	14.88	15.12	0
				12	6	15.10	14.96	15.04	0
				12	12	14.63	14.85	15.17	0
				24	0	15.02	14.87	14.91	0
			QPSK	1	1	14.68	14.83	15.13	0
				1	12	14.50	14.80	15.03	0
				1	22	14.65	14.88	15.11	0
				12	0	14.72	14.88	15.17	0
				12	6	15.09	15.08	15.06	0
				12	12	14.71	14.86	15.16	0
				24	0	15.08	15.03	14.90	0
			16QAM	1	1	14.33	14.53	14.84	0
			64QAM	1	1	15.20	15.24	15.02	0
			256QAM	1	1	14.19	14.44	14.69	0
		CP	QPSK	1	1	14.88	15.04	15.37	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	15.18	14.96	15.10	0
				1	18	14.82	14.92	15.11	0
				1	36	14.89	14.92	15.22	0
				18	0	14.77	14.85	15.04	0
				18	9	14.94	15.00	15.16	0
				18	18	14.80	14.86	15.13	0
				36	0	14.79	14.83	15.13	0
			QPSK	1	1	14.76	14.84	14.99	0
				1	18	14.74	14.81	15.00	0
				1	36	14.74	14.84	15.10	0
				18	0	14.73	14.84	15.05	0
				18	9	14.87	14.95	15.11	0
				18	18	14.77	14.86	15.13	0
				36	0	14.77	14.83	15.09	0
			16QAM	1	1	14.44	14.52	14.74	0
			64QAM	1	1	14.66	14.73	15.06	0
			256QAM	1	1	14.26	14.35	14.52	0
		CP	QPSK	1	1	14.87	14.95	15.15	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.87	14.90	15.07	0
				1	26	14.87	14.91	15.14	0
				1	49	14.82	14.89	15.12	0
				25	0	14.75	14.85	14.98	0
				25	13	14.89	14.91	15.04	0
				25	26	14.79	14.12	14.10	0
			QPSK	50	0	14.74	14.83	14.98	0
				1	1	14.76	14.80	14.92	0
				1	26	14.74	14.77	14.91	0
				1	49	14.74	14.87	15.03	0
				25	0	14.75	14.85	14.97	0
				25	13	14.80	14.83	14.96	0
				25	26	14.32	14.12	14.59	0
				50	0	14.90	14.92	15.05	0
			16QAM	1	1	14.04	14.29	14.69	0
			64QAM	1	1	14.64	14.67	14.85	0
			256QAM	1	1	14.34	14.35	14.48	0
		CP	QPSK	1	1	15.04	14.99	15.24	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.94	15.16	15.29	0
				1	39	14.95	15.11	15.29	0
				1	76	15.04	15.16	15.34	0
				36	0	14.84	15.04	15.14	0
				36	21	14.94	15.14	15.24	0
				36	42	14.91	15.05	15.19	0
				75	0	14.82	15.03	15.19	0
			QPSK	1	1	14.85	15.02	15.16	0
				1	39	14.82	14.99	15.11	0
				1	76	14.90	14.96	15.21	0
				36	0	14.84	15.03	15.13	0
				36	21	14.81	15.03	15.12	0
				36	42	14.86	15.07	15.19	0
				75	0	14.87	15.04	15.19	0
			16QAM	1	1	14.61	14.78	14.87	0
			64QAM	1	1	14.97	15.15	15.22	0
			256QAM	1	1	14.95	14.57	14.75	0
		CP	QPSK	1	1	15.01	15.26	15.43	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.88		15.03	0
				1	53	14.91		15.06	0
				1	104	14.91		15.12	0
				50	0	14.92		15.09	0
				50	28	14.98		15.09	0
				50	56	14.99		15.07	0
			QPSK	100	0	14.93		15.08	0
				1	1	15.04		15.10	0
				1	53	14.89		15.05	0
				1	104	15.06		15.20	0
				50	0	14.91		15.02	0
				50	28	14.99		15.16	0
				50	56	15.00		15.06	0
				100	0	15.04		15.14	0
			16QAM	1	1	14.65		14.71	0
			64QAM	1	1	14.84		15.06	0
			256QAM	1	1	14.45		14.53	0
		CP	QPSK	1	1	15.19		15.28	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.13		15.01	0
				1	67	14.95		15.07	0
				1	131	15.07		15.22	0
				64	0	14.98		15.07	0
				64	35	14.94		15.03	0
				64	69	15.10		15.10	0
			QPSK	128	0	14.98		15.11	0
				1	1	15.03		15.00	0
				1	67	14.92		15.04	0
				1	131	15.16		15.32	0
				64	0	15.01		15.09	0
				64	35	15.10		15.18	0
				64	69	15.04		14.96	0
				128	0	14.96		15.09	0
			16QAM	1	1	14.61		14.71	0
			64QAM	1	1	14.82		14.92	0
			256QAM	1	1	14.49		14.57	0
		CP	QPSK	1	1	15.19		15.20	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.81	0
				1	81		14.88	0
				1	160		15.04	0
				81	0		14.91	0
				81	41		15.14	0
				81	81		14.95	0
			QPSK	162	0		14.91	0
				1	1		14.87	0
				1	81		14.85	0
				1	160		15.12	0
				81	0		14.89	0
				81	41		14.99	0
				81	81		14.99	0
				162	0		14.95	0
			16QAM	1	1		14.68	0
			64QAM	1	1		14.78	0
			256QAM	1	1		14.39	0
		CP	QPSK	1	1		15.07	0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.92	0
				1	95		14.93	0
				1	187		15.15	0
				90	0		14.98	0
				90	50		15.12	0
				90	99		15.04	0
				180	0		15.05	0
			QPSK	1	1		14.89	0
				1	95		14.91	0
				1	187		15.14	0
				90	0		14.97	0
				90	50		15.14	0
				90	99		15.04	0
				180	0		15.06	0
			16QAM	1	1		14.68	0
			64QAM	1	1		15.24	0
			256QAM	1	1		14.51	0
		CP	QPSK	1	1		15.07	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.98	0
				1	109		14.92	0
				1	215		15.22	0
				108	0		14.99	0
				108	55		15.16	0
				108	109		15.05	0
				216	0		15.13	0
			QPSK	1	1		15.00	0
				1	109		14.87	0
				1	215		15.28	0
				108	0		14.93	0
				108	55		15.16	0
				108	109		15.03	0
				216	0		15.12	0
			16QAM	1	1		14.70	0
			64QAM	1	1		15.04	0
			256QAM	1	1		14.56	0
		CP	QPSK	1	1		15.11	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		15.03	0
				1	123		14.92	0
				1	243		15.25	0
				120	0		14.98	0
				120	63		15.05	0
				120	125		15.15	0
				243	0		15.15	0
			QPSK	1	1		15.06	0
				1	123		14.98	0
				1	243		15.32	0
				120	0		14.98	0
				120	63		15.12	0
				120	125		15.08	0
				243	0		15.14	0
			16QAM	1	1		14.78	0
			64QAM	1	1		14.91	0
			256QAM	1	1		14.52	0
		CP	QPSK	1	1		15.29	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						633334	3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.98	0
				1	137		14.99	0
				1	271		15.31	0
				135	0		15.01	0
				135	69		15.06	0
				135	138		15.15	0
				270	0		15.15	0
			QPSK	1	1		14.88	0
				1	137		14.89	0
				1	271		15.31	0
				135	0		15.01	0
				135	69		15.04	0
				135	138		15.17	0
				270	0		15.10	0
			16QAM	1	1		14.75	0
			64QAM	1	1		15.05	0
			256QAM	1	1		14.52	0
		CP	QPSK	1	1		15.24	0