

Note: The expression for Max Tx Power within the beacon signal is represented as twice the actual applied power

Src. Id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
261	11:32:21.408	02:50:54.860.189 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
262	11:32:21.428	02:50:54.880.672 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
263	11:32:21.448	02:50:54.900.775 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
264	11:32:21.469	02:50:54.921.614 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
265	11:32:21.490	02:50:54.942.099 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
266	11:32:21.510	02:50:54.962.584 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
267	11:32:21.531	02:50:54.983.070 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
268	11:32:21.551	02:50:55.003.175 Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon
269	11:32:21.572	02:50:55.024.013 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
270	11:32:21.592	02:50:55.044.501 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
271	11:32:21.613	02:50:55.064.986 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
272	11:32:21.633	02:50:55.085.473 Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	Probe Res
273	11:32:21.653	02:50:55.105.574 Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon

Message Tree X								
ID#268 TS=2024-10-30 11:32:21.551 RFN#0 MDDB#wlan_all.8.2								
Use RegEx regu 1/3								
170	Length = (2)							
171	Choice = TransmitPowerEnr_Value (1)							
172	TransmitPowerEnr_Value							
173	TPE_TransmitPowerInfo							
174	Max TX Power Count = (0)							
175	Interpretation = Regulatory Client EIRP (2)							
176	Category = Default (0)							
177	MTP = TPE_EIRP (0)							
178	EIRP Max Tx Power List							
179	Max Tx Power For 20 MHz							
180	isEnabled (1)							
181	Max Tx Power = (60)							

Message Tree X								
ID#268 TS=2024-10-30 11:32:21.551 RFN#0 MDDB#wlan_all.8.2								
Use RegEx regu 3/3								
804	Omitted							
805	OpSmeGhzOperationInfo = HeGhzOperationInfo (1)							
806	HeGhzOperationInfo							
807	Primary Channel Index = (5)							
808	Control							
809	ChannelWidth = 20 MHz (0)							
810	Duplicate Beacon = (1)							
811	RegulatoryInfo = Standard power AP (1)							
812	Reserved = (0)							
813	Channel Center Freq Segment 0 = (5)							
814	Channel Center Freq Segment 1 = (0)							
815	Minimum Rate (Mb/s) = (0)							

Dir..._Id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU	Dir..._Id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
283	11:35:07.132	02:53:40.584.268	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	283	11:35:07.132	02:53:40.584.268	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
284	11:35:07.133	02:53:40.605.108	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	284	11:35:07.133	02:53:40.605.108	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
285	11:35:07.173	02:53:40.625.594	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	285	11:35:07.173	02:53:40.625.594	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
286	11:35:07.194	02:53:40.646.081	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	286	11:35:07.194	02:53:40.646.081	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
287	11:35:07.214	02:53:40.666.567	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	287	11:35:07.214	02:53:40.666.567	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
288	11:35:07.234	02:53:40.686.668	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	288	11:35:07.234	02:53:40.686.668	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
289	11:35:07.255	02:53:40.707.506	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	289	11:35:07.255	02:53:40.707.506	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
290	11:35:07.276	02:53:40.727.995	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	290	11:35:07.276	02:53:40.727.995	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
291	11:35:07.296	02:53:40.748.480	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	291	11:35:07.296	02:53:40.748.480	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
292	11:35:07.317	02:53:40.768.964	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	292	11:35:07.317	02:53:40.768.964	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
293	11:35:07.337	02:53:40.789.068	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	293	11:35:07.337	02:53:40.789.068	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
294	11:35:07.358	02:53:40.809.906	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	294	11:35:07.358	02:53:40.809.906	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra
295	11:35:07.378	02:53:40.830.393	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Resp	295	11:35:07.378	02:53:40.830.393	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Ra

10.8 Proper Power Adjustment, Client Devices Connected to a Standard Power Access Point

Note:

1. The EUT is a Dual Client Device
2. The test was executed with the SP AP(CMX500) authorized to transmit up to 19 dBm, 28 dBm, and 36 dBm on Ch. 5 (5975 MHz) and Ch. 133 (6615 MHz).
3. The lowest 19 dBm power level is based on the EIRP resulting from the conducted power targets specified in the manufacturer's 'WLAN Tune up Procedure Document'.
4. The EUT was connected via a conducted connection to the spectrum analyzer. Simultaneously, the EUT was able to see and establish a conducted connection with the standard power access point. (CMX500)

Ch.5 5975 MHz

Authorized EIRP for AP [dBm]	Client ANT1 [dBm]	Client ANT2 [dBm]	ANT1 gain [dBi]	ANT2 gain [dBi]	Client MIMO Summed Conducted Power [dBm]	Directional Antenna Gain [dBi]	Client MIMO EIRP [dBm]	Limit [dBm]	Margin [dB]
36	15.06	15.56	-4.39	-5.57	18.33	-1.95	16.38	30	13.62
28	15.04	15.53	-4.39	-5.57	18.30	-1.95	16.35	22	5.65
19	11.40	11.98	-4.39	-5.57	14.71	-1.95	12.76	13	0.24

Ch.133 6615 MHz

Authorized EIRP for AP [dBm]	Client ANT1 [dBm]	Client ANT2 [dBm]	ANT1 gain [dBi]	ANT2 gain [dBi]	Client MIMO Summed Conducted Power [dBm]	Directional Antenna Gain [dBi]	Client MIMO EIRP [dBm]	Limit [dBm]	Margin [dB]
36	15.88	15.64	-7.26	-5.87	18.77	-3.53	15.25	30	14.75
28	15.85	15.62	-7.26	-5.87	18.75	-3.53	15.22	22	6.78
19	12.63	11.73	-7.26	-5.87	15.21	-3.53	11.69	13	1.31

Test Plots


CH.5 5975 MHz

Client Conducted Power (EIRP Authorization Power = 36 dBm)

ANT. 1



ANT. 2



Client Conducted Power (EIRP Authorization Power = 28 dBm)

ANT. 1



ANT. 2



Client Conducted Power (EIRP Authorization Power = 19 dBm)

ANT. 1



ANT. 2




CH.133 6615 MHz

Client Conducted Power (EIRP Authorization Power = 36 dBm)

ANT. 1




ANT. 2



Client Conducted Power (EIRP Authorization Power = 28 dBm)

ANT. 1



ANT. 2



Client Conducted Power (EIRP Authorization Power = 19 dBm)

ANT. 1



ANT. 2



CMX500 Status

Note:

1. The expression for Max Tx Power within the beacon signal is represented as twice the actual applied power
2. The last point for the authorized EIRP of the AP was determined based on the MIMO target power. As a result, the authorized EIRP of the AP was applied at 3 dB lower than the MIMO target power

EIRP Authorization Power_19 dBm

Dir..._id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
265	12:18:39.522	03:37:12.974.290	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
266	12:18:39.542	03:37:12.994.776	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
267	12:18:39.563	03:37:13.015.264	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
268	12:18:39.583	03:37:13.035.364	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
269	12:18:39.604	03:37:13.056.203	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
270	12:18:39.624	03:37:13.076.689	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
271	12:18:39.645	03:37:13.097.175	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
272	12:18:39.665	03:37:13.117.661	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
273	12:18:39.685	03:37:13.137.764	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
274	12:18:39.706	03:37:13.158.603	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
275	12:18:39.727	03:37:13.179.089	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
276	12:18:39.747	03:37:13.199.575	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
277	12:18:39.768	03:37:13.220.062	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re

Message Tree: X

ID=273 TS=2024-10-30 12:18:39.685 RFN=0 MDOB=wlan_all 8.2

Use RegEx regu

Max TX Power Count = (0)

Interpretation = Regulatory Client EIRP (2)

Category = Default (0)

MTP = TPE_EIRP (0)

EIRP Max Tx Power List

Max TX Power For 20 MHz

IsEnabled (1)

Max Tx Power = (32)

Element

Check (1)

Element ID = Transmit Power Envelope (195)

EIRP Authorization Power_28 dBm

Dir..._id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
259	12:17:36.792	03:36:10.244.061	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
260	12:17:36.812	03:36:10.264.164	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
261	12:17:36.833	03:36:10.285.004	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
262	12:17:36.853	03:36:10.305.490	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
263	12:17:36.874	03:36:10.325.977	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
264	12:17:36.894	03:36:10.346.463	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
265	12:17:36.914	03:36:10.366.954	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
266	12:17:36.935	03:36:10.387.406	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
267	12:17:36.956	03:36:10.407.889	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
268	12:17:36.976	03:36:10.428.376	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
269	12:17:36.996	03:36:10.448.862	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
270	12:17:37.017	03:36:10.468.964	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
271	12:17:37.037	03:36:10.489.804	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re

Message Tree: X

ID=260 TS=2024-10-30 12:17:36.812 RFN=0 MDOB=wlan_all 8.2

Use RegEx regu

Max TX Power Count = (0)

Interpretation = Regulatory Client EIRP (2)

Category = Default (0)

MTP = TPE_EIRP (0)

EIRP Max Tx Power List

Max TX Power For 20 MHz

IsEnabled (1)

Max Tx Power = (56)

Element

Check (1)

Element ID = Transmit Power Envelope (195)

IE = TransmitPowerEnv_LV (195)

EIRP Authorization Power_36 dBm

Dir..._id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
258	12:16:21.753	03:34:55.204.964	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
259	12:16:21.773	03:34:55.225.805	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
260	12:16:21.794	03:34:55.246.289	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
261	12:16:21.814	03:34:55.266.774	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
262	12:16:21.835	03:34:55.287.263	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
263	12:16:21.855	03:34:55.307.384	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
264	12:16:21.876	03:34:55.328.203	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
265	12:16:21.896	03:34:55.348.690	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
266	12:16:21.917	03:34:55.369.175	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
267	12:16:21.937	03:34:55.389.661	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
268	12:16:21.957	03:34:55.409.764	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
269	12:16:21.978	03:34:55.430.604	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
270	12:16:21.999	03:34:55.451.089	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re

Message Tree: X

ID=263 TS=2024-10-30 12:16:21.855 RFN=0 MDOB=wlan_all 8.2

Use RegEx regu

Max TX Power Count = (0)

Interpretation = Regulatory Client EIRP (2)

Category = Default (0)

MTP = TPE_EIRP (0)

EIRP Max Tx Power List

Max TX Power For 20 MHz

IsEnabled (1)

Max Tx Power = (72)

Element

Check (1)

Element ID = Transmit Power Envelope (195)

IE = TransmitPowerEnv_LV (195)

Standard AP

Dir..._id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
265	12:18:39.522	03:37:12.974.290	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
266	12:18:39.542	03:37:12.994.776	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
267	12:18:39.563	03:37:13.015.264	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
268	12:18:39.583	03:37:13.035.364	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
269	12:18:39.604	03:37:13.056.203	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
270	12:18:39.624	03:37:13.076.689	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
271	12:18:39.645	03:37:13.097.175	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
272	12:18:39.665	03:37:13.117.661	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
273	12:18:39.685	03:37:13.137.764	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon
274	12:18:39.706	03:37:13.158.603	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
275	12:18:39.727	03:37:13.179.089	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
276	12:18:39.747	03:37:13.199.575	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re
277	12:18:39.768	03:37:13.220.062	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Re

Message Tree: X

ID=273 TS=2024-10-30 12:18:39.685 RFN=0 MDOB=wlan_all 8.2

Use RegEx regu

Omitted

OptHe6GHzOperationInfo = He6GHzOperationInfo (1)

HE 6 GHz Operation Info

Primary Channel Index = (5)

Control

ChannelWidth = 20 MHz (0)

Duplicate Beacon = (1)

RegulatoryInfo = Standard power AP (1)

Reserved = (0)

Channel Center Freq Segment 0 = (3)

Channel Center Freq Segment 1 = (0)


10.9 Transmit Power Control, Very Low Power Devices

Note :


1. The EUT is a Very Low Power Devices.
2. The test was conducted on Ch 5(5975), where the maximum output power of VLP mode was applied to measure the PSD
3. The EUT was connected to the spectrum analyzer via a conducted connection. Simultaneously, the EUT was able to recognize the CMX500 and establish a conducted connection.

Frequency [MHz]	RSSI Sensitivity Variation	ANT1 PSD [dBm/MHz]	ANT2 PSD [dBm/MHz]	ANT1 Antenna gain [dBi]	ANT2 Antenna gain [dBi]	MIMO Summed PSD [dBm/MHz]	Directional Antenna Gain [dBi]	MIMO EIRP [dBm/MHz]	Limit [dBm/MHz]	Margin [dB]
5975	Low	-5.75	-9.43	-4.39	-5.57	-4.20	-1.95	-6.15	-5	1.15
	High	-13.45	-11.52	-4.39	-5.57	-9.36	-1.95	-11.31	-11	0.31

RSSI Sensitivity Variation (Low)



RSSI Sensitivity Variation (High)



CMX500 Status

Note:

1. The expression for Max Tx Power within the beacon signal is represented as twice the actual applied power
2. To achieve maximum output in VLP mode, the Max Tx Power was set to 30 dBm

CMX500 - EIRP Authorization Power 30 dBm (VLP)

Dir...	Id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU	Dir...	Id	Time Stamp	Time Span	Protocol	Layer	SAP	Service	Primitive	PDU
286	12:21:32.762	03:40:06.214.604	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	286	12:21:32.762	03:40:06.214.604	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
287	12:21:32.783	03:40:06.235.090	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	287	12:21:32.783	03:40:06.235.090	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
288	12:21:32.803	03:40:06.255.580	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	288	12:21:32.803	03:40:06.255.580	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
289	12:21:32.824	03:40:06.276.063	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	289	12:21:32.824	03:40:06.276.063	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
290	12:21:32.844	03:40:06.296.164	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon	290	12:21:32.844	03:40:06.296.164	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon
291	12:21:32.865	03:40:06.317.005	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	291	12:21:32.865	03:40:06.317.005	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
292	12:21:32.885	03:40:06.337.490	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	292	12:21:32.885	03:40:06.337.490	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
293	12:21:32.906	03:40:06.357.976	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	293	12:21:32.906	03:40:06.357.976	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
294	12:21:32.926	03:40:06.378.461	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	294	12:21:32.926	03:40:06.378.461	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
295	12:21:32.946	03:40:06.398.564	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon	295	12:21:32.946	03:40:06.398.564	Wlan	Mac Layer	MAC Frame	Management	Req	Beacon	Beacon
296	12:21:32.967	03:40:06.419.404	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	296	12:21:32.967	03:40:06.419.404	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
297	12:21:32.988	03:40:06.439.895	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	297	12:21:32.988	03:40:06.439.895	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req
298	12:21:33.008	03:40:06.460.377	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req	298	12:21:33.008	03:40:06.460.377	Wlan	Mac Layer	MAC Frame	Management	Req	Probe Req	Probe Req

10.10 FREQUENCY STABILITY.

10.10.1 160 MHz BW

Note

1. All modes of operation were investigated and the worst case configuration results are reported.
2. Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency error noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Startup after the EUT is energized

OPERATING BAND:	UNII Band 5
OPERATING FREQUENCY:	6,025,000,000 Hz
CHANNEL:	15
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6025067.81	67.81
100%		-30	6025048.57	48.57
100%		-20	6025051.02	51.02
100%		-10	6025053.16	53.16
100%		0	6025056.75	56.75
100%		+10	6025062.16	62.16
100%		+30	6025066.24	66.24
100%		+40	6025068.58	68.58
100%		+50	6025073.24	73.24
High	4.475	+20	6025061.40	61.40
Low	3.70	+20	6025062.26	62.26

OPERATING BAND:	UNII Band 6
OPERATING FREQUENCY:	6,505,000,000 Hz
CHANNEL:	111
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6505067.59	67.59
100%		-30	6505048.62	48.62
100%		-20	6505053.93	53.93
100%		-10	6505055.32	55.32
100%		0	6505058.62	58.62
100%		+10	6505059.72	59.72
100%		+30	6505066.19	66.19
100%		+40	6505070.59	70.59
100%		+50	6505072.34	72.34
High	4.475	+20	6505063.96	63.96
Low	3.70	+20	6505061.09	61.09

OPERATING BAND:	UNII Band 7
OPERATING FREQUENCY:	6,665,000,000 Hz
CHANNEL:	143
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6665062.06	62.06
100%		-30	6665050.66	50.66
100%		-20	6665053.69	53.69
100%		-10	6665055.91	55.91
100%		0	6665056.71	56.71
100%		+10	6665060.88	60.88
100%		+30	6665065.18	65.18
100%		+40	6665070.19	70.19
100%		+50	6665073.82	73.82
High	4.475	+20	6665061.12	61.12
Low	3.70	+20	6665063.07	63.07

OPERATING BAND:	UNII Band 8
OPERATING FREQUENCY:	6,825,000,000 Hz
CHANNEL:	175
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6825063.70	63.70
100%		-30	6825050.20	50.20
100%		-20	6825053.39	53.39
100%		-10	6825055.92	55.92
100%		0	6825056.05	56.05
100%		+10	6825062.27	62.27
100%		+30	6825065.66	65.66
100%		+40	6825069.85	69.85
100%		+50	6825074.26	74.26
High	4.475	+20	6825061.33	61.33
Low	3.70	+20	6825063.75	63.75

2 minutes after the EUT is energized

OPERATING BAND:	UNII Band 5
OPERATING FREQUENCY:	6,025,000,000 Hz
CHANNEL:	15
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6025063.52	63.52
100%		-30	6025050.21	50.21
100%		-20	6025052.84	52.84
100%		-10	6025056.63	56.63
100%		0	6025056.81	56.81
100%		+10	6025061.70	61.70
100%		+30	6025066.46	66.46
100%		+40	6025070.12	70.12
100%		+50	6025074.92	74.92
High	4.475	+20	6025062.89	62.89
Low	3.70	+20	6025062.97	62.97

OPERATING BAND:	UNII Band 6
OPERATING FREQUENCY:	6,505,000,000 Hz
CHANNEL:	111
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6505066.87	66.87
100%		-30	6505049.80	49.80
100%		-20	6505052.57	52.57
100%		-10	6505056.14	56.14
100%		0	6505056.97	56.97
100%		+10	6505060.89	60.89
100%		+30	6505068.71	68.71
100%		+40	6505071.16	71.16
100%		+50	6505071.86	71.86
High	4.475	+20	6505062.09	62.09
Low	3.70	+20	6505063.17	63.17

OPERATING BAND:	UNII Band 7
OPERATING FREQUENCY:	6,665,000,000 Hz
CHANNEL:	143
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6665067.36	67.36
100%		-30	6665047.50	47.50
100%		-20	6665050.08	50.08
100%		-10	6665053.60	53.60
100%		0	6665058.90	58.90
100%		+10	6665060.41	60.41
100%		+30	6665068.46	68.46
100%		+40	6665070.49	70.49
100%		+50	6665072.92	72.92
High	4.475	+20	6665061.20	61.20
Low	3.70	+20	6665061.59	61.59

OPERATING BAND:	UNII Band 8
OPERATING FREQUENCY:	6,825,000,000 Hz
CHANNEL:	175
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6825065.79	65.79
100%		-30	6825049.34	49.34
100%		-20	6825052.74	52.74
100%		-10	6825054.35	54.35
100%		0	6825059.14	59.14
100%		+10	6825062.77	62.77
100%		+30	6825068.73	68.73
100%		+40	6825071.50	71.50
100%		+50	6825073.98	73.98
High	4.475	+20	6825061.68	61.68
Low	3.70	+20	6825063.09	63.09

5 minutes after the EUT is energized

OPERATING BAND:	UNII Band 5
OPERATING FREQUENCY:	6,025,000,000 Hz
CHANNEL:	15
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6025062.21	62.21
100%		-30	6025050.08	50.08
100%		-20	6025051.08	51.08
100%		-10	6025055.42	55.42
100%		0	6025059.80	59.80
100%		+10	6025060.94	60.94
100%		+30	6025065.54	65.54
100%		+40	6025068.25	68.25
100%		+50	6025072.20	72.20
High	4.475	+20	6025061.36	61.36
Low	3.70	+20	6025062.18	62.18

OPERATING BAND:	UNII Band 6
OPERATING FREQUENCY:	6,505,000,000 Hz
CHANNEL:	111
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6505065.51	65.51
100%		-30	6505047.95	47.95
100%		-20	6505052.10	52.10
100%		-10	6505055.56	55.56
100%		0	6505056.31	56.31
100%		+10	6505061.84	61.84
100%		+30	6505066.52	66.52
100%		+40	6505070.39	70.39
100%		+50	6505073.65	73.65
High	4.475	+20	6505062.91	62.91
Low	3.70	+20	6505062.16	62.16

OPERATING BAND:	UNII Band 7
OPERATING FREQUENCY:	6,665,000,000 Hz
CHANNEL:	143
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6665065.37	65.37
100%		-30	6665048.13	48.13
100%		-20	6665051.43	51.43
100%		-10	6665056.61	56.61
100%		0	6665056.33	56.33
100%		+10	6665062.84	62.84
100%		+30	6665068.48	68.48
100%		+40	6665071.46	71.46
100%		+50	6665072.95	72.95
High	4.475	+20	6665061.57	61.57
Low	3.70	+20	6665063.45	63.45

OPERATING BAND:	UNII Band 8
OPERATING FREQUENCY:	6,825,000,000 Hz
CHANNEL:	175
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6825064.85	64.85
100%		-30	6825049.60	49.60
100%		-20	6825053.21	53.21
100%		-10	6825053.57	53.57
100%		0	6825058.06	58.06
100%		+10	6825060.60	60.60
100%		+30	6825065.64	65.64
100%		+40	6825070.73	70.73
100%		+50	6825074.76	74.76
High	4.475	+20	6825063.65	63.65
Low	3.70	+20	6825062.38	62.38

10 minutes after the EUT is energized

OPERATING BAND:	UNII Band 5
OPERATING FREQUENCY:	6,025,000,000 Hz
CHANNEL:	15
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6025062.14	62.14
100%		-30	6025049.10	49.10
100%		-20	6025050.89	50.89
100%		-10	6025054.39	54.39
100%		0	6025059.92	59.92
100%		+10	6025062.34	62.34
100%		+30	6025065.07	65.07
100%		+40	6025071.34	71.34
100%		+50	6025072.48	72.48
High	4.475	+20	6025062.38	62.38
Low	3.70	+20	6025061.81	61.81

OPERATING BAND:	UNII Band 6
OPERATING FREQUENCY:	6,505,000,000 Hz
CHANNEL:	111
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6505066.11	66.11
100%		-30	6505050.72	50.72
100%		-20	6505053.94	53.94
100%		-10	6505053.33	53.33
100%		0	6505058.83	58.83
100%		+10	6505060.85	60.85
100%		+30	6505068.52	68.52
100%		+40	6505070.92	70.92
100%		+50	6505073.33	73.33
High	4.475	+20	6505062.56	62.56
Low	3.70	+20	6505062.97	62.97

OPERATING BAND:	UNII Band 7
OPERATING FREQUENCY:	6,665,000,000 Hz
CHANNEL:	143
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6665066.67	66.67
100%		-30	6665047.89	47.89
100%		-20	6665052.13	52.13
100%		-10	6665053.60	53.60
100%		0	6665058.20	58.20
100%		+10	6665062.14	62.14
100%		+30	6665066.04	66.04
100%		+40	6665070.67	70.67
100%		+50	6665074.64	74.64
High	4.475	+20	6665061.56	61.56
Low	3.70	+20	6665063.43	63.43

OPERATING BAND:	UNII Band 8
OPERATING FREQUENCY:	6,825,000,000 Hz
CHANNEL:	175
REFERENCE VOLTAGE:	3.88 VDC

Voltage	Power	Temp.	Frequency	Frequency
(%)	(VDC)	(°C)	(kHz)	Error (kHz)
100%	3.88	+20(Ref)	6825066.64	66.64
100%		-30	6825047.09	47.09
100%		-20	6825051.78	51.78
100%		-10	6825056.33	56.33
100%		0	6825057.06	57.06
100%		+10	6825060.48	60.48
100%		+30	6825068.64	68.64
100%		+40	6825069.88	69.88
100%		+50	6825072.63	72.63
High	4.475	+20	6825062.12	62.12
Low	3.70	+20	6825062.20	62.20

10.11 RADIATED SPURIOUS EMISSIONS (9 kHz – 1 GHz)

Frequency Range : 9 kHz – 30 MHz

Frequency	Measured Value	A.F+C.L-A.G+D.F	POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]
No Critical peaks found						

Note:

1. The Measured Value of emissions are attenuated more than 20 dB below the permissible limits or the field strength is too small to be measured.
2. Distance extrapolation factor = $40\log(\text{specific distance} / \text{test distance})$ (dB)
3. Limit line = specific Limits (dBμV) + Distance extrapolation factor

Frequency Range : Below 1 GHz

Frequency	Measured Value	A.F+C.L	POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]
No Critical peaks found						

Note:

1. Radiated emissions measured in frequency range from 30 MHz to 1000 MHz were made with an instrument using Quasi peak detector mode

10.12 RADIATED SPURIOUS EMISSIONS (Above 1 GHz)

(MIMO_CDD(Ant1+Ant2))

10.12.1 Standard Client

[SRU]

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	49.91	0.00	0.56	V	50.47	73.98	23.51	PK
11870	39.83	0.00	0.56	V	40.39	53.98	13.59	AV
17805	48.59	0.00	6.45	V	55.04	73.98	18.94	PK
17805	36.76	0.00	6.45	V	43.21	53.98	10.77	AV
11870	49.94	0.00	0.56	H	50.50	73.98	23.48	PK
11870	39.46	0.00	0.56	H	40.02	53.98	13.96	AV
17805	48.29	0.00	6.45	H	54.74	73.98	19.24	PK
17805	36.79	0.00	6.45	H	43.24	53.98	10.74	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	52.49	0.00	0.32	V	52.81	73.98	21.17	PK
11910	40.77	0.00	0.32	V	41.09	53.98	12.89	AV
17865	47.42	0.00	6.78	V	54.20	73.98	19.78	PK
17865	36.52	0.00	6.78	V	43.30	53.98	10.68	AV
11910	52.20	0.00	0.32	H	52.52	73.98	21.46	PK
11910	40.52	0.00	0.32	H	40.84	53.98	13.14	AV
17865	47.68	0.00	6.78	H	54.46	73.98	19.52	PK
17865	36.35	0.00	6.78	H	43.13	53.98	10.85	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	50.31	0.00	1.02	V	51.33	88.20	36.87	PK
12350	39.43	0.00	1.02	V	40.45	68.20	27.75	AV
18525	51.08	0.00	1.33	V	52.41	73.98	21.57	PK
18525	39.65	0.00	1.33	V	40.98	53.98	13.00	AV
12350	50.95	0.00	1.02	H	51.97	88.20	36.23	PK
12350	39.42	0.00	1.02	H	40.44	68.20	27.76	AV
18525	50.81	0.00	1.33	H	52.14	73.98	21.84	PK
18525	39.69	0.00	1.33	H	41.02	53.98	12.96	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	50.16	0.00	1.81	V	51.97	88.20	36.23	PK
12830	38.79	0.00	1.81	V	40.60	68.20	27.60	AV
19245	49.56	0.00	2.80	V	52.36	73.98	21.62	PK
19245	38.27	0.00	2.80	V	41.07	53.98	12.91	AV
12830	50.05	0.00	1.81	H	51.86	88.20	36.34	PK
12830	38.83	0.00	1.81	H	40.64	68.20	27.56	AV
19245	49.18	0.00	2.80	H	51.98	73.98	22.00	PK
19245	38.13	0.00	2.80	H	40.93	53.98	13.05	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	50.36	0.00	2.03	V	52.39	88.20	35.81	PK
13070	38.53	0.00	2.03	V	40.56	68.20	27.64	AV
19605	47.25	0.00	5.08	V	52.33	73.98	21.65	PK
19605	36.20	0.00	5.08	V	41.28	53.98	12.70	AV
13070	49.62	0.00	2.03	H	51.65	88.20	36.55	PK
13070	38.58	0.00	2.03	H	40.61	68.20	27.59	AV
19605	48.05	0.00	5.08	H	53.13	73.98	20.85	PK
19605	36.15	0.00	5.08	H	41.23	53.98	12.75	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	49.31	0.00	2.45	V	51.76	88.20	36.44	PK
13390	39.14	0.00	2.45	V	41.59	68.20	26.61	AV
20085	44.71	0.00	7.36	V	52.07	73.98	21.91	PK
20085	33.53	0.00	7.36	V	40.89	53.98	13.09	AV
13390	49.36	0.00	2.45	H	51.81	88.20	36.39	PK
13390	37.85	0.00	2.45	H	40.30	68.20	27.90	AV
20085	45.26	0.00	7.36	H	52.62	73.98	21.36	PK
20085	33.61	0.00	7.36	H	40.97	53.98	13.01	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	53.46	0.00	2.98	V	56.44	88.20	31.76	PK
13710	42.90	0.00	2.98	V	45.88	68.20	22.32	AV
20565	45.19	0.00	7.97	V	53.16	73.98	20.82	PK
20565	34.65	0.00	7.97	V	42.62	53.98	11.36	AV
13710	50.96	0.00	2.98	H	53.94	88.20	34.26	PK
13710	41.61	0.00	2.98	H	44.59	68.20	23.61	AV
20565	45.52	0.00	7.97	H	53.49	73.98	20.49	PK
20565	34.15	0.00	7.97	H	42.12	53.98	11.86	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	50.63	0.00	0.56	V	51.19	73.98	22.79	PK
11870	39.69	0.00	0.56	V	40.25	53.98	13.73	AV
17805	47.10	0.00	6.45	V	53.55	73.98	20.43	PK
17805	36.21	0.00	6.45	V	42.66	53.98	11.32	AV
11870	50.02	0.00	0.56	H	50.58	73.98	23.40	PK
11870	39.78	0.00	0.56	H	40.34	53.98	13.64	AV
17805	47.05	0.00	6.45	H	53.50	73.98	20.48	PK
17805	36.44	0.00	6.45	H	42.89	53.98	11.09	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	50.97	0.00	0.32	V	51.29	73.98	22.69	PK
11910	39.87	0.00	0.32	V	40.19	53.98	13.79	AV
17865	46.67	0.00	6.78	V	53.45	73.98	20.53	PK
17865	35.78	0.00	6.78	V	42.56	53.98	11.42	AV
11910	51.26	0.00	0.32	H	51.58	73.98	22.40	PK
11910	40.09	0.00	0.32	H	40.41	53.98	13.57	AV
17865	47.27	0.00	6.78	H	54.05	73.98	19.93	PK
17865	35.83	0.00	6.78	H	42.61	53.98	11.37	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	51.20	0.00	1.02	V	52.22	88.20	35.98	PK
12350	39.36	0.00	1.02	V	40.38	68.20	27.82	AV
18525	51.02	0.00	1.33	V	52.35	73.98	21.63	PK
18525	39.81	0.00	1.33	V	41.14	53.98	12.84	AV
12350	50.25	0.00	1.02	H	51.27	88.20	36.93	PK
12350	39.37	0.00	1.02	H	40.39	68.20	27.81	AV
18525	50.13	0.00	1.33	H	51.46	73.98	22.52	PK
18525	39.48	0.00	1.33	H	40.81	53.98	13.17	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	50.16	0.00	1.81	V	51.97	88.20	36.23	PK
12830	38.60	0.00	1.81	V	40.41	68.20	27.79	AV
19245	49.15	0.00	2.80	V	51.95	73.98	22.03	PK
19245	38.03	0.00	2.80	V	40.83	53.98	13.15	AV
12830	50.13	0.00	1.81	H	51.94	88.20	36.26	PK
12830	38.68	0.00	1.81	H	40.49	68.20	27.71	AV
19245	49.43	0.00	2.80	H	52.23	73.98	21.75	PK
19245	37.96	0.00	2.80	H	40.76	53.98	13.22	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	49.89	0.00	2.03	V	51.92	88.20	36.28	PK
13070	38.39	0.00	2.03	V	40.42	68.20	27.78	AV
19605	47.53	0.00	5.08	V	52.61	73.98	21.37	PK
19605	36.09	0.00	5.08	V	41.17	53.98	12.81	AV
13070	49.91	0.00	2.03	H	51.94	88.20	36.26	PK
13070	38.45	0.00	2.03	H	40.48	68.20	27.72	AV
19605	47.28	0.00	5.08	H	52.36	73.98	21.62	PK
19605	35.95	0.00	5.08	H	41.03	53.98	12.95	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	49.70	0.00	2.45	V	52.15	88.20	36.05	PK
13390	38.39	0.00	2.45	V	40.84	68.20	27.36	AV
20085	44.44	0.00	7.36	V	51.80	73.98	22.18	PK
20085	33.37	0.00	7.36	V	40.73	53.98	13.25	AV
13390	49.52	0.00	2.45	H	51.97	88.20	36.23	PK
13390	38.30	0.00	2.45	H	40.75	68.20	27.45	AV
20085	44.56	0.00	7.36	H	51.92	73.98	22.06	PK
20085	33.41	0.00	7.36	H	40.77	53.98	13.21	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	50.04	0.00	2.98	V	53.02	88.20	35.18	PK
13710	39.11	0.00	2.98	V	42.09	68.20	26.11	AV
20565	45.23	0.00	7.97	V	53.20	73.98	20.78	PK
20565	34.04	0.00	7.97	V	42.01	53.98	11.97	AV
13710	51.16	0.00	2.98	H	54.14	88.20	34.06	PK
13710	39.97	0.00	2.98	H	42.95	68.20	25.25	AV
20565	45.94	0.00	7.97	H	53.91	73.98	20.07	PK
20565	34.00	0.00	7.97	H	41.97	53.98	12.01	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	52.63	0.00	0.08	V	52.71	73.98	21.27	PK
11930	41.55	0.00	0.08	V	41.63	53.98	12.35	AV
17895	48.57	0.00	7.00	V	55.57	73.98	18.41	PK
17895	36.69	0.00	7.00	V	43.69	53.98	10.29	AV
11930	52.99	0.00	0.08	H	53.07	73.98	20.91	PK
11930	41.25	0.00	0.08	H	41.33	53.98	12.65	AV
17895	47.76	0.00	7.00	H	54.76	73.98	19.22	PK
17895	36.68	0.00	7.00	H	43.68	53.98	10.30	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	50.68	0.00	0.83	V	51.51	73.98	22.47	PK
12330	39.58	0.00	0.83	V	40.41	53.98	13.57	AV
18495	50.11	0.00	1.44	V	51.55	73.98	22.43	PK
18495	39.21	0.00	1.44	V	40.65	53.98	13.33	AV
12330	50.92	0.00	0.83	H	51.75	73.98	22.23	PK
12330	39.54	0.00	0.83	H	40.37	53.98	13.61	AV
18495	50.80	0.00	1.44	H	52.24	73.98	21.74	PK
18495	39.36	0.00	1.44	H	40.80	53.98	13.18	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	50.17	0.00	1.66	V	51.83	88.20	36.37	PK
12810	38.63	0.00	1.66	V	40.29	68.20	27.91	AV
19215	49.82	0.00	2.58	V	52.40	73.98	21.58	PK
19215	38.49	0.00	2.58	V	41.07	53.98	12.91	AV
12810	49.72	0.00	1.66	H	51.38	88.20	36.82	PK
12810	38.55	0.00	1.66	H	40.21	68.20	27.99	AV
19215	49.82	0.00	2.58	H	52.40	73.98	21.58	PK
19215	38.48	0.00	2.58	H	41.06	53.98	12.92	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	49.71	0.00	1.83	V	51.54	88.20	36.66	PK
13130	38.86	0.00	1.83	V	40.69	68.20	27.51	AV
19695	47.28	0.00	5.28	V	52.56	73.98	21.42	PK
19695	35.84	0.00	5.28	V	41.12	53.98	12.86	AV
13130	50.63	0.00	1.83	H	52.46	88.20	35.74	PK
13130	38.82	0.00	1.83	H	40.65	68.20	27.55	AV
19695	47.02	0.00	5.28	H	52.30	73.98	21.68	PK
19695	35.82	0.00	5.28	H	41.10	53.98	12.88	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	49.81	0.00	2.36	V	52.17	88.20	36.03	PK
13370	39.53	0.00	2.36	V	41.89	68.20	26.31	AV
20055	45.19	0.00	7.40	V	52.59	73.98	21.39	PK
20055	33.86	0.00	7.40	V	41.26	53.98	12.72	AV
13370	49.19	0.00	2.36	H	51.55	88.20	36.65	PK
13370	38.66	0.00	2.36	H	41.02	68.20	27.18	AV
20055	45.07	0.00	7.40	H	52.47	73.98	21.51	PK
20055	33.99	0.00	7.40	H	41.39	53.98	12.59	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	53.04	0.00	3.03	V	56.07	88.20	32.13	PK
13690	42.65	0.00	3.03	V	45.68	68.20	22.52	AV
20535	46.39	0.00	7.97	V	54.36	73.98	19.62	PK
20535	34.30	0.00	7.97	V	42.27	53.98	11.71	AV
13690	54.29	0.00	3.03	H	57.32	88.20	30.88	PK
13690	44.32	0.00	3.03	H	47.35	68.20	20.85	AV
20535	46.38	0.00	7.97	H	54.35	73.98	19.63	PK
20535	33.94	0.00	7.97	H	41.91	53.98	12.07	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	50.77	0.00	0.08	V	50.85	73.98	23.13	PK
11930	39.74	0.12	0.08	V	39.94	53.98	14.04	AV
17895	47.32	0.00	7.00	V	54.32	73.98	19.66	PK
17895	36.49	0.12	7.00	V	43.61	53.98	10.37	AV
11930	51.42	0.00	0.08	H	51.50	73.98	22.48	PK
11930	39.75	0.12	0.08	H	39.95	53.98	14.03	AV
17895	46.99	0.00	7.00	H	53.99	73.98	19.99	PK
17895	36.35	0.12	7.00	H	43.47	53.98	10.51	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	50.40	0.00	0.83	V	51.23	73.98	22.75	PK
12330	39.62	0.12	0.83	V	40.57	53.98	13.41	AV
18495	50.44	0.00	1.44	V	51.88	73.98	22.10	PK
18495	38.95	0.12	1.44	V	40.51	53.98	13.47	AV
12330	50.68	0.00	0.83	H	51.51	73.98	22.47	PK
12330	39.57	0.12	0.83	H	40.52	53.98	13.46	AV
18495	50.33	0.00	1.44	H	51.77	73.98	22.21	PK
18495	38.94	0.12	1.44	H	40.50	53.98	13.48	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	50.01	0.00	1.66	V	51.67	88.20	36.53	PK
12810	38.60	0.12	1.66	V	40.38	68.20	27.82	AV
19215	49.40	0.00	2.58	V	51.98	73.98	22.00	PK
19215	38.12	0.12	2.58	V	40.82	53.98	13.16	AV
12810	49.54	0.00	1.66	H	51.20	88.20	37.00	PK
12810	38.59	0.12	1.66	H	40.37	68.20	27.83	AV
19215	49.51	0.00	2.58	H	52.09	73.98	21.89	PK
19215	37.89	0.12	2.58	H	40.59	53.98	13.39	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	49.90	0.00	1.83	V	51.73	88.20	36.47	PK
13130	38.54	0.12	1.83	V	40.49	68.20	27.71	AV
19695	46.58	0.00	5.28	V	51.86	73.98	22.12	PK
19695	35.68	0.12	5.28	V	41.08	53.98	12.90	AV
13130	50.15	0.00	1.83	H	51.98	88.20	36.22	PK
13130	38.41	0.12	1.83	H	40.36	68.20	27.84	AV
19695	47.12	0.00	5.28	H	52.40	73.98	21.58	PK
19695	35.59	0.12	5.28	H	40.99	53.98	12.99	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	48.71	0.00	2.36	V	51.07	88.20	37.13	PK
13370	37.81	0.12	2.36	V	40.29	68.20	27.91	AV
20055	44.67	0.00	7.40	V	52.07	73.98	21.91	PK
20055	33.69	0.12	7.40	V	41.21	53.98	12.77	AV
13370	48.69	0.00	2.36	H	51.05	88.20	37.15	PK
13370	37.91	0.12	2.36	H	40.39	68.20	27.81	AV
20055	44.61	0.00	7.40	H	52.01	73.98	21.97	PK
20055	33.80	0.12	7.40	H	41.32	53.98	12.66	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	48.88	0.00	3.03	V	51.91	88.20	36.29	PK
13690	38.07	0.12	3.03	V	41.22	68.20	26.98	AV
20535	44.43	0.00	7.97	V	52.40	73.98	21.58	PK
20535	33.62	0.12	7.97	V	41.71	53.98	12.27	AV
13690	49.82	0.00	3.03	H	52.85	88.20	35.35	PK
13690	38.64	0.12	3.03	H	41.79	68.20	26.41	AV
20535	44.81	0.00	7.97	H	52.78	73.98	21.20	PK
20535	33.62	0.12	7.97	H	41.71	53.98	12.27	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	51.79	0.00	0.08	V	51.87	73.98	22.11	PK
11970	41.34	0.00	0.08	V	41.42	53.98	12.56	AV
17955	47.99	0.00	7.06	V	55.05	73.98	18.93	PK
17955	36.54	0.00	7.06	V	43.60	53.98	10.38	AV
11970	50.95	0.00	0.08	H	51.03	73.98	22.95	PK
11970	40.57	0.00	0.08	H	40.65	53.98	13.33	AV
17955	48.42	0.00	7.06	H	55.48	73.98	18.50	PK
17955	37.15	0.00	7.06	H	44.21	53.98	9.77	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	51.20	0.00	0.58	V	51.78	73.98	22.20	PK
12290	39.64	0.00	0.58	V	40.22	53.98	13.76	AV
18435	50.94	0.00	1.34	V	52.28	73.98	21.70	PK
18435	39.62	0.00	1.34	V	40.96	53.98	13.02	AV
12290	50.59	0.00	0.58	H	51.17	73.98	22.81	PK
12290	39.62	0.00	0.58	H	40.20	53.98	13.78	AV
18435	50.90	0.00	1.34	H	52.24	73.98	21.74	PK
18435	39.73	0.00	1.34	H	41.07	53.98	12.91	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	50.53	0.00	1.71	V	52.24	88.20	35.96	PK
12770	39.46	0.00	1.71	V	41.17	68.20	27.03	AV
19155	49.85	0.00	2.13	V	51.98	73.98	22.00	PK
19155	38.67	0.00	2.13	V	40.80	53.98	13.18	AV
12770	50.53	0.00	1.71	H	52.24	88.20	35.96	PK
12770	39.56	0.00	1.71	H	41.27	68.20	26.93	AV
19155	49.27	0.00	2.13	H	51.40	73.98	22.58	PK
19155	38.61	0.00	2.13	H	40.74	53.98	13.24	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	50.01	0.00	1.80	V	51.81	73.98	22.17	PK
13250	39.28	0.00	1.80	V	41.08	53.98	12.90	AV
19875	45.43	0.00	6.28	V	51.71	73.98	22.27	PK
19875	34.42	0.00	6.28	V	40.70	53.98	13.28	AV
13250	49.87	0.00	1.80	H	51.67	73.98	22.31	PK
13250	39.04	0.00	1.80	H	40.84	53.98	13.14	AV
19875	45.29	0.00	6.28	H	51.57	73.98	22.41	PK
19875	34.49	0.00	6.28	H	40.77	53.98	13.21	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	49.90	0.00	2.50	V	52.40	88.20	35.80	PK
13410	39.30	0.00	2.50	V	41.80	68.20	26.40	AV
20115	45.25	0.00	7.50	V	52.75	73.98	21.23	PK
20115	33.29	0.00	7.50	V	40.79	53.98	13.19	AV
13410	49.45	0.00	2.50	H	51.95	88.20	36.25	PK
13410	38.91	0.00	2.50	H	41.41	68.20	26.79	AV
20115	44.79	0.00	7.50	H	52.29	73.98	21.69	PK
20115	33.34	0.00	7.50	H	40.84	53.98	13.14	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	51.42	0.00	2.69	V	54.11	88.20	34.09	PK
13570	41.67	0.00	2.69	V	44.36	68.20	23.84	AV
20355	46.44	0.00	7.97	V	54.41	73.98	19.57	PK
20355	34.09	0.00	7.97	V	42.06	53.98	11.92	AV
13570	53.08	0.00	2.69	H	55.77	88.20	32.43	PK
13570	42.49	0.00	2.69	H	45.18	68.20	23.02	AV
20355	44.46	0.00	7.97	H	52.43	73.98	21.55	PK
20355	33.89	0.00	7.97	H	41.86	53.98	12.12	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	51.14	0.00	0.08	V	51.22	73.98	22.76	PK
11970	39.44	0.12	0.08	V	39.64	53.98	14.34	AV
17955	47.68	0.00	7.06	V	54.74	73.98	19.24	PK
17955	36.20	0.12	7.06	V	43.38	53.98	10.60	AV
11970	50.53	0.00	0.08	H	50.61	73.98	23.37	PK
11970	39.41	0.12	0.08	H	39.61	53.98	14.37	AV
17955	47.21	0.00	7.06	H	54.27	73.98	19.71	PK
17955	36.15	0.12	7.06	H	43.33	53.98	10.65	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	51.04	0.00	0.58	V	51.62	73.98	22.36	PK
12290	39.48	0.12	0.58	V	40.18	53.98	13.80	AV
18435	50.59	0.00	1.34	V	51.93	73.98	22.05	PK
18435	39.58	0.12	1.34	V	41.04	53.98	12.94	AV
12290	51.57	0.00	0.58	H	52.15	73.98	21.83	PK
12290	39.56	0.12	0.58	H	40.26	53.98	13.72	AV
18435	50.35	0.00	1.34	H	51.69	73.98	22.29	PK
18435	39.39	0.12	1.34	H	40.85	53.98	13.13	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	50.65	0.00	1.71	V	52.36	88.20	35.84	PK
12770	39.41	0.12	1.71	V	41.24	68.20	26.96	AV
19155	49.17	0.00	2.13	V	51.30	73.98	22.68	PK
19155	38.20	0.12	2.13	V	40.45	53.98	13.53	AV
12770	50.38	0.00	1.71	H	52.09	88.20	36.11	PK
12770	39.68	0.12	1.71	H	41.51	68.20	26.69	AV
19155	49.22	0.00	2.13	H	51.35	73.98	22.63	PK
19155	37.97	0.12	2.13	H	40.22	53.98	13.76	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	49.86	0.00	1.80	V	51.66	73.98	22.32	PK
13250	38.24	0.12	1.80	V	40.16	53.98	13.82	AV
19875	45.06	0.00	6.28	V	51.34	73.98	22.64	PK
19875	33.95	0.12	6.28	V	40.35	53.98	13.63	AV
13250	49.38	0.00	1.80	H	51.18	73.98	22.80	PK
13250	38.25	0.12	1.80	H	40.17	53.98	13.81	AV
19875	45.09	0.00	6.28	H	51.37	73.98	22.61	PK
19875	33.82	0.12	6.28	H	40.22	53.98	13.76	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	49.07	0.00	2.50	V	51.57	88.20	36.63	PK
13410	37.45	0.12	2.50	V	40.07	68.20	28.13	AV
20115	45.18	0.00	7.50	V	52.68	73.98	21.30	PK
20115	32.97	0.12	7.50	V	40.59	53.98	13.39	AV
13410	48.37	0.00	2.50	H	50.87	88.20	37.33	PK
13410	37.62	0.12	2.50	H	40.24	68.20	27.96	AV
20115	44.70	0.00	7.50	H	52.20	73.98	21.78	PK
20115	32.99	0.12	7.50	H	40.61	53.98	13.37	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	49.46	0.00	2.69	V	52.15	88.20	36.05	PK
13570	38.15	0.12	2.69	V	40.96	68.20	27.24	AV
20355	44.60	0.00	7.97	V	52.57	73.98	21.41	PK
20355	33.50	0.12	7.97	V	41.59	53.98	12.39	AV
13570	49.95	0.00	2.69	H	52.64	88.20	35.56	PK
13570	38.15	0.12	2.69	H	40.96	68.20	27.24	AV
20355	44.70	0.00	7.97	H	52.67	73.98	21.31	PK
20355	33.40	0.12	7.97	H	41.49	53.98	12.49	AV

Band : UNII 5				Operation Mode : 802.11be EHT160(80L) MCS0 26T RU19				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	49.81	0.00	0.77	V	50.58	73.98	23.40	PK
12050	38.92	0.00	0.77	V	39.69	53.98	14.29	AV
18075	52.25	0.00	2.62	V	54.87	73.98	19.11	PK
18075	39.91	0.00	2.62	V	42.53	53.98	11.45	AV
12050	50.31	0.00	0.77	H	51.08	73.98	22.90	PK
12050	38.96	0.00	0.77	H	39.73	53.98	14.25	AV
18075	51.17	0.00	2.62	H	53.79	73.98	20.19	PK
18075	39.96	0.00	2.62	H	42.58	53.98	11.40	AV

Band : UNII 5				Operation Mode : 802.11be EHT160(80L) MCS0 26T RU19				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	50.22	0.00	0.84	V	51.06	73.98	22.92	PK
12370	39.37	0.00	0.84	V	40.21	53.98	13.77	AV
18555	51.08	0.00	0.93	V	52.01	73.98	21.97	PK
18555	40.19	0.00	0.93	V	41.12	53.98	12.86	AV
12370	50.50	0.00	0.84	H	51.34	73.98	22.64	PK
12370	39.42	0.00	0.84	H	40.26	53.98	13.72	AV
18555	51.37	0.00	0.93	H	52.30	73.98	21.68	PK
18555	40.27	0.00	0.93	H	41.20	53.98	12.78	AV

Band : UNII 5				Operation Mode : 802.11be EHT160(80L) MCS0 26T RU19				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	51.29	0.00	1.24	V	52.53	73.98	21.45	PK
12690	39.94	0.00	1.24	V	41.18	53.98	12.80	AV
19035	50.83	0.00	1.31	V	52.14	73.98	21.84	PK
19035	39.69	0.00	1.31	V	41.00	53.98	12.98	AV
12690	50.92	0.00	1.24	H	52.16	73.98	21.82	PK
12690	40.06	0.00	1.24	H	41.30	53.98	12.68	AV
19035	50.81	0.00	1.31	H	52.12	73.98	21.86	PK
19035	39.87	0.00	1.31	H	41.18	53.98	12.80	AV

Band : UNII 7				Operation Mode : 802.11be EHT160(80L) MCS0 26T RU19				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	49.48	0.00	2.21	V	51.69	73.98	22.29	PK
13330	37.97	0.00	2.21	V	40.18	53.98	13.80	AV
19995	46.53	0.00	6.83	V	53.36	73.98	20.62	PK
19995	34.32	0.00	6.83	V	41.15	53.98	12.83	AV
13330	49.09	0.00	2.21	H	51.30	73.98	22.68	PK
13330	38.07	0.00	2.21	H	40.28	53.98	13.70	AV
19995	45.92	0.00	6.83	H	52.75	73.98	21.23	PK
19995	34.25	0.00	6.83	H	41.08	53.98	12.90	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 SU				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	49.89	0.00	0.77	V	50.66	73.98	23.32	PK
12050	38.82	0.00	0.77	V	39.59	53.98	14.39	AV
18075	50.19	0.00	2.62	V	52.81	73.98	21.17	PK
18075	39.67	0.00	2.62	V	42.29	53.98	11.69	AV
12050	49.93	0.00	0.77	H	50.70	73.98	23.28	PK
12050	38.85	0.00	0.77	H	39.62	53.98	14.36	AV
18075	50.38	0.00	2.62	H	53.00	73.98	20.98	PK
18075	39.46	0.00	2.62	H	42.08	53.98	11.90	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 SU				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	51.25	0.00	0.84	V	52.09	73.98	21.89	PK
12370	39.14	0.00	0.84	V	39.98	53.98	14.00	AV
18555	50.97	0.00	0.93	V	51.90	73.98	22.08	PK
18555	39.91	0.00	0.93	V	40.84	53.98	13.14	AV
12370	50.03	0.00	0.84	H	50.87	73.98	23.11	PK
12370	39.17	0.00	0.84	H	40.01	53.98	13.97	AV
18555	51.29	0.00	0.93	H	52.22	73.98	21.76	PK
18555	40.14	0.00	0.93	H	41.07	53.98	12.91	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 SU				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	51.04	0.00	1.24	V	52.28	73.98	21.70	PK
12690	40.18	0.00	1.24	V	41.42	53.98	12.56	AV
19035	50.14	0.00	1.31	V	51.45	73.98	22.53	PK
19035	39.53	0.00	1.31	V	40.84	53.98	13.14	AV
12690	50.94	0.00	1.24	H	52.18	73.98	21.80	PK
12690	39.91	0.00	1.24	H	41.15	53.98	12.83	AV
19035	51.96	0.00	1.31	H	53.27	73.98	20.71	PK
19035	39.57	0.00	1.31	H	40.88	53.98	13.10	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160 MCS0 SU				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	49.20	0.00	2.21	V	51.41	73.98	22.57	PK
13330	37.88	0.00	2.21	V	40.09	53.98	13.89	AV
19995	45.51	0.00	6.83	V	52.34	73.98	21.64	PK
19995	34.05	0.00	6.83	V	40.88	53.98	13.10	AV
13330	48.76	0.00	2.21	H	50.97	73.98	23.01	PK
13330	37.87	0.00	2.21	H	40.08	53.98	13.90	AV
19995	45.29	0.00	6.83	H	52.12	73.98	21.86	PK
19995	34.25	0.00	6.83	H	41.08	53.98	12.90	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	51.51	0.00	0.45	V	51.96	73.98	22.02	PK
12210	39.34	0.00	0.45	V	39.79	53.98	14.19	AV
18315	51.41	0.00	1.63	V	53.04	73.98	20.94	PK
18315	40.30	0.00	1.63	V	41.93	53.98	12.05	AV
12210	50.97	0.00	0.45	H	51.42	73.98	22.56	PK
12210	39.35	0.00	0.45	H	39.80	53.98	14.18	AV
18315	51.60	0.00	1.63	H	53.23	73.98	20.75	PK
18315	40.58	0.00	1.63	H	42.21	53.98	11.77	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	51.00	0.00	0.74	V	51.74	73.98	22.24	PK
12530	39.35	0.00	0.74	V	40.09	53.98	13.89	AV
18795	52.57	0.00	-0.13	V	52.44	73.98	21.54	PK
18795	41.77	0.00	-0.13	V	41.64	53.98	12.34	AV
12530	51.73	0.00	0.74	H	52.47	73.98	21.51	PK
12530	39.35	0.00	0.74	H	40.09	53.98	13.89	AV
18795	52.65	0.00	-0.13	H	52.52	73.98	21.46	PK
18795	41.84	0.00	-0.13	H	41.71	53.98	12.27	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 4x996T RU69				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	51.51	0.00	0.45	V	51.96	73.98	22.02	PK
12210	39.34	0.19	0.45	V	39.98	53.98	14.00	AV
18315	51.23	0.00	1.63	V	52.86	73.98	21.12	PK
18315	40.29	0.19	1.63	V	42.11	53.98	11.87	AV
12210	51.91	0.00	0.45	H	52.36	73.98	21.62	PK
12210	39.32	0.19	0.45	H	39.96	53.98	14.02	AV
18315	52.03	0.00	1.63	H	53.66	73.98	20.32	PK
18315	40.47	0.19	1.63	H	42.29	53.98	11.69	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 4x996T RU69				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	51.51	0.00	0.74	V	52.25	73.98	21.73	PK
12530	39.38	0.19	0.74	V	40.31	53.98	13.67	AV
18795	52.75	0.00	-0.13	V	52.62	73.98	21.36	PK
18795	41.59	0.19	-0.13	V	41.65	53.98	12.33	AV
12530	51.06	0.00	0.74	H	51.80	73.98	22.18	PK
12530	39.29	0.19	0.74	H	40.22	53.98	13.76	AV
18795	53.31	0.00	-0.13	H	53.18	73.98	20.80	PK
18795	41.82	0.19	-0.13	H	41.88	53.98	12.10	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 SU				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	51.71	0.00	0.45	V	52.16	73.98	21.82	PK
12210	39.29	0.00	0.45	V	39.74	53.98	14.24	AV
18315	51.68	0.00	1.63	V	53.31	73.98	20.67	PK
18315	40.23	0.00	1.63	V	41.86	53.98	12.12	AV
12210	51.70	0.00	0.45	H	52.15	73.98	21.83	PK
12210	39.32	0.00	0.45	H	39.77	53.98	14.21	AV
18315	51.41	0.00	1.63	H	53.04	73.98	20.94	PK
18315	40.61	0.00	1.63	H	42.24	53.98	11.74	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 SU				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	51.14	0.00	0.74	V	51.88	73.98	22.10	PK
12530	39.46	0.00	0.74	V	40.20	53.98	13.78	AV
18795	53.29	0.00	-0.13	V	53.16	73.98	20.82	PK
18795	41.68	0.00	-0.13	V	41.55	53.98	12.43	AV
12530	52.55	0.00	0.74	H	53.29	73.98	20.69	PK
12530	39.38	0.00	0.74	H	40.12	53.98	13.86	AV
18795	52.90	0.00	-0.13	H	52.77	73.98	21.21	PK
18795	41.87	0.00	-0.13	H	41.74	53.98	12.24	AV

[MRU]

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	51.80	0.00	0.56	V	52.36	73.98	21.62	PK
11870	41.00	0.00	0.56	V	41.56	53.98	12.42	AV
17805	48.25	0.00	6.45	V	54.70	73.98	19.28	PK
17805	37.12	0.00	6.45	V	43.57	53.98	10.41	AV
11870	51.93	0.00	0.56	H	52.49	73.98	21.49	PK
11870	40.40	0.00	0.56	H	40.96	53.98	13.02	AV
17805	48.28	0.00	6.45	H	54.73	73.98	19.25	PK
17805	37.32	0.00	6.45	H	43.77	53.98	10.21	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	52.75	0.00	0.32	V	53.07	73.98	20.91	PK
11910	42.05	0.00	0.32	V	42.37	53.98	11.61	AV
17865	48.96	0.00	6.78	V	55.74	73.98	18.24	PK
17865	36.53	0.00	6.78	V	43.31	53.98	10.67	AV
11910	52.80	0.00	0.32	H	53.12	73.98	20.86	PK
11910	41.35	0.00	0.32	H	41.67	53.98	12.31	AV
17865	49.18	0.00	6.78	H	55.96	73.98	18.02	PK
17865	36.77	0.00	6.78	H	43.55	53.98	10.43	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	50.62	0.00	1.02	V	51.64	88.20	36.56	PK
12350	39.15	0.00	1.02	V	40.17	68.20	28.03	AV
18525	50.54	0.00	1.33	V	51.87	73.98	22.11	PK
18525	39.79	0.00	1.33	V	41.12	53.98	12.86	AV
12350	50.94	0.00	1.02	H	51.96	88.20	36.24	PK
12350	39.58	0.00	1.02	H	40.60	68.20	27.60	AV
18525	51.22	0.00	1.33	H	52.55	73.98	21.43	PK
18525	40.18	0.00	1.33	H	41.51	53.98	12.47	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	50.69	0.00	1.81	V	52.50	88.20	35.70	PK
12830	38.84	0.00	1.81	V	40.65	68.20	27.55	AV
19245	48.86	0.00	2.80	V	51.66	73.98	22.32	PK
19245	37.75	0.00	2.80	V	40.55	53.98	13.43	AV
12830	50.57	0.00	1.81	H	52.38	88.20	35.82	PK
12830	39.21	0.00	1.81	H	41.02	68.20	27.18	AV
19245	49.44	0.00	2.80	H	52.24	73.98	21.74	PK
19245	38.12	0.00	2.80	H	40.92	53.98	13.06	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	51.16	0.00	2.03	V	53.19	88.20	35.01	PK
13070	39.27	0.00	2.03	V	41.30	68.20	26.90	AV
19605	47.96	0.00	5.08	V	53.04	73.98	20.94	PK
19605	36.06	0.00	5.08	V	41.14	53.98	12.84	AV
13070	49.76	0.00	2.03	H	51.79	88.20	36.41	PK
13070	38.41	0.00	2.03	H	40.44	68.20	27.76	AV
19605	48.21	0.00	5.08	H	53.29	73.98	20.69	PK
19605	36.21	0.00	5.08	H	41.29	53.98	12.69	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	51.51	0.00	2.45	V	53.96	88.20	34.24	PK
13390	39.73	0.00	2.45	V	42.18	68.20	26.02	AV
20085	44.60	0.00	7.36	V	51.96	73.98	22.02	PK
20085	33.67	0.00	7.36	V	41.03	53.98	12.95	AV
13390	50.49	0.00	2.45	H	52.94	88.20	35.26	PK
13390	39.36	0.00	2.45	H	41.81	68.20	26.39	AV
20085	45.02	0.00	7.36	H	52.38	73.98	21.60	PK
20085	33.67	0.00	7.36	H	41.03	53.98	12.95	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	52.69	0.00	2.98	V	55.67	88.20	32.53	PK
13710	42.07	0.00	2.98	V	45.05	68.20	23.15	AV
20565	46.27	0.00	7.97	V	54.24	73.98	19.74	PK
20565	35.38	0.00	7.97	V	43.35	53.98	10.63	AV
13710	52.37	0.00	2.98	H	55.35	88.20	32.85	PK
13710	42.17	0.00	2.98	H	45.15	68.20	23.05	AV
20565	45.99	0.00	7.97	H	53.96	73.98	20.02	PK
20565	35.14	0.00	7.97	H	43.11	53.98	10.87	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	50.92	0.00	0.56	V	51.48	73.98	22.50	PK
11870	39.73	0.00	0.56	V	40.29	53.98	13.69	AV
17805	48.39	0.00	6.45	V	54.84	73.98	19.14	PK
17805	37.22	0.00	6.45	V	43.67	53.98	10.31	AV
11870	51.03	0.00	0.56	H	51.59	73.98	22.39	PK
11870	39.99	0.00	0.56	H	40.55	53.98	13.43	AV
17805	48.31	0.00	6.45	H	54.76	73.98	19.22	PK
17805	37.21	0.00	6.45	H	43.66	53.98	10.32	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	52.58	0.00	0.32	V	52.90	73.98	21.08	PK
11910	41.39	0.00	0.32	V	41.71	53.98	12.27	AV
17865	49.04	0.00	6.78	V	55.82	73.98	18.16	PK
17865	36.57	0.00	6.78	V	43.35	53.98	10.63	AV
11910	52.41	0.00	0.32	H	52.73	73.98	21.25	PK
11910	40.94	0.00	0.32	H	41.26	53.98	12.72	AV
17865	48.77	0.00	6.78	H	55.55	73.98	18.43	PK
17865	36.50	0.00	6.78	H	43.28	53.98	10.70	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	50.70	0.00	1.02	V	51.72	88.20	36.48	PK
12350	39.28	0.00	1.02	V	40.30	68.20	27.90	AV
18525	50.66	0.00	1.33	V	51.99	73.98	21.99	PK
18525	39.62	0.00	1.33	V	40.95	53.98	13.03	AV
12350	51.31	0.00	1.02	H	52.33	88.20	35.87	PK
12350	39.60	0.00	1.02	H	40.62	68.20	27.58	AV
18525	51.20	0.00	1.33	H	52.53	73.98	21.45	PK
18525	40.09	0.00	1.33	H	41.42	53.98	12.56	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	50.18	0.00	1.81	V	51.99	88.20	36.21	PK
12830	38.83	0.00	1.81	V	40.64	68.20	27.56	AV
19245	49.86	0.00	2.80	V	52.66	73.98	21.32	PK
19245	37.70	0.00	2.80	V	40.50	53.98	13.48	AV
12830	50.81	0.00	1.81	H	52.62	88.20	35.58	PK
12830	39.11	0.00	1.81	H	40.92	68.20	27.28	AV
19245	49.64	0.00	2.80	H	52.44	73.98	21.54	PK
19245	38.03	0.00	2.80	H	40.83	53.98	13.15	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	50.43	0.00	2.03	V	52.46	88.20	35.74	PK
13070	38.94	0.00	2.03	V	40.97	68.20	27.23	AV
19605	47.20	0.00	5.08	V	52.28	73.98	21.70	PK
19605	36.05	0.00	5.08	V	41.13	53.98	12.85	AV
13070	50.53	0.00	2.03	H	52.56	88.20	35.64	PK
13070	38.54	0.00	2.03	H	40.57	68.20	27.63	AV
19605	47.15	0.00	5.08	H	52.23	73.98	21.75	PK
19605	36.17	0.00	5.08	H	41.25	53.98	12.73	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	50.64	0.00	2.45	V	53.09	88.20	35.11	PK
13390	39.17	0.00	2.45	V	41.62	68.20	26.58	AV
20085	45.14	0.00	7.36	V	52.50	73.98	21.48	PK
20085	33.76	0.00	7.36	V	41.12	53.98	12.86	AV
13390	49.49	0.00	2.45	H	51.94	88.20	36.26	PK
13390	38.51	0.00	2.45	H	40.96	68.20	27.24	AV
20085	45.03	0.00	7.36	H	52.39	73.98	21.59	PK
20085	33.67	0.00	7.36	H	41.03	53.98	12.95	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	51.62	0.00	2.98	V	54.60	88.20	33.60	PK
13710	41.22	0.00	2.98	V	44.20	68.20	24.00	AV
20565	46.63	0.00	7.97	V	54.60	73.98	19.38	PK
20565	34.81	0.00	7.97	V	42.78	53.98	11.20	AV
13710	51.76	0.00	2.98	H	54.74	88.20	33.46	PK
13710	40.83	0.00	2.98	H	43.81	68.20	24.39	AV
20565	46.50	0.00	7.97	H	54.47	73.98	19.51	PK
20565	34.59	0.00	7.97	H	42.56	53.98	11.42	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	52.68	0.00	0.08	V	52.76	73.98	21.22	PK
11930	41.07	0.00	0.08	V	41.15	53.98	12.83	AV
17895	49.67	0.00	7.00	V	56.67	73.98	17.31	PK
17895	36.39	0.00	7.00	V	43.39	53.98	10.59	AV
11930	51.74	0.00	0.08	H	51.82	73.98	22.16	PK
11930	41.21	0.00	0.08	H	41.29	53.98	12.69	AV
17895	48.79	0.00	7.00	H	55.79	73.98	18.19	PK
17895	36.73	0.00	7.00	H	43.73	53.98	10.25	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	52.17	0.00	0.83	V	53.00	73.98	20.98	PK
12330	40.13	0.00	0.83	V	40.96	53.98	13.02	AV
18495	50.24	0.00	1.44	V	51.68	73.98	22.30	PK
18495	39.79	0.00	1.44	V	41.23	53.98	12.75	AV
12330	51.23	0.00	0.83	H	52.06	73.98	21.92	PK
12330	40.24	0.00	0.83	H	41.07	53.98	12.91	AV
18495	50.71	0.00	1.44	H	52.15	73.98	21.83	PK
18495	39.61	0.00	1.44	H	41.05	53.98	12.93	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	50.95	0.00	1.66	V	52.61	88.20	35.59	PK
12810	39.38	0.00	1.66	V	41.04	68.20	27.16	AV
19215	48.88	0.00	2.58	V	51.46	73.98	22.52	PK
19215	38.19	0.00	2.58	V	40.77	53.98	13.21	AV
12810	50.93	0.00	1.66	H	52.59	88.20	35.61	PK
12810	39.43	0.00	1.66	H	41.09	68.20	27.11	AV
19215	49.17	0.00	2.58	H	51.75	73.98	22.23	PK
19215	38.11	0.00	2.58	H	40.69	53.98	13.29	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	50.46	0.00	1.83	V	52.29	88.20	35.91	PK
13130	38.76	0.00	1.83	V	40.59	68.20	27.61	AV
19695	47.18	0.00	5.28	V	52.46	73.98	21.52	PK
19695	36.13	0.00	5.28	V	41.41	53.98	12.57	AV
13130	50.63	0.00	1.83	H	52.46	88.20	35.74	PK
13130	38.74	0.00	1.83	H	40.57	68.20	27.63	AV
19695	47.56	0.00	5.28	H	52.84	73.98	21.14	PK
19695	36.16	0.00	5.28	H	41.44	53.98	12.54	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	50.18	0.00	2.36	V	52.54	88.20	35.66	PK
13370	38.86	0.00	2.36	V	41.22	68.20	26.98	AV
20055	45.20	0.00	7.40	V	52.60	73.98	21.38	PK
20055	34.10	0.00	7.40	V	41.50	53.98	12.48	AV
13370	49.82	0.00	2.36	H	52.18	88.20	36.02	PK
13370	38.84	0.00	2.36	H	41.20	68.20	27.00	AV
20055	45.42	0.00	7.40	H	52.82	73.98	21.16	PK
20055	34.13	0.00	7.40	H	41.53	53.98	12.45	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	50.88	0.00	3.03	V	53.91	88.20	34.29	PK
13690	41.14	0.00	3.03	V	44.17	68.20	24.03	AV
20535	45.89	0.00	7.97	V	53.86	73.98	20.12	PK
20535	34.61	0.00	7.97	V	42.58	53.98	11.40	AV
13690	52.26	0.00	3.03	H	55.29	88.20	32.91	PK
13690	41.83	0.00	3.03	H	44.86	68.20	23.34	AV
20535	46.13	0.00	7.97	H	54.10	73.98	19.88	PK
20535	34.44	0.00	7.97	H	42.41	53.98	11.57	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	51.71	0.00	0.08	V	51.79	73.98	22.19	PK
11930	40.35	0.00	0.08	V	40.43	53.98	13.55	AV
17895	48.94	0.00	7.00	V	55.94	73.98	18.04	PK
17895	36.13	0.00	7.00	V	43.13	53.98	10.85	AV
11930	51.10	0.00	0.08	H	51.18	73.98	22.80	PK
11930	40.51	0.00	0.08	H	40.59	53.98	13.39	AV
17895	49.27	0.00	7.00	H	56.27	73.98	17.71	PK
17895	36.24	0.00	7.00	H	43.24	53.98	10.74	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	50.92	0.00	0.83	V	51.75	73.98	22.23	PK
12330	39.53	0.00	0.83	V	40.36	53.98	13.62	AV
18495	50.54	0.00	1.44	V	51.98	73.98	22.00	PK
18495	39.87	0.00	1.44	V	41.31	53.98	12.67	AV
12330	51.23	0.00	0.83	H	52.06	73.98	21.92	PK
12330	39.69	0.00	0.83	H	40.52	53.98	13.46	AV
18495	50.80	0.00	1.44	H	52.24	73.98	21.74	PK
18495	39.65	0.00	1.44	H	41.09	53.98	12.89	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	50.48	0.00	1.66	V	52.14	88.20	36.06	PK
12810	38.94	0.00	1.66	V	40.60	68.20	27.60	AV
19215	49.94	0.00	2.58	V	52.52	73.98	21.46	PK
19215	38.25	0.00	2.58	V	40.83	53.98	13.15	AV
12810	51.61	0.00	1.66	H	53.27	88.20	34.93	PK
12810	38.88	0.00	1.66	H	40.54	68.20	27.66	AV
19215	49.23	0.00	2.58	H	51.81	73.98	22.17	PK
19215	38.15	0.00	2.58	H	40.73	53.98	13.25	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	50.84	0.00	1.83	V	52.67	88.20	35.53	PK
13130	38.88	0.00	1.83	V	40.71	68.20	27.49	AV
19695	47.77	0.00	5.28	V	53.05	73.98	20.93	PK
19695	36.04	0.00	5.28	V	41.32	53.98	12.66	AV
13130	51.28	0.00	1.83	H	53.11	88.20	35.09	PK
13130	38.80	0.00	1.83	H	40.63	68.20	27.57	AV
19695	47.06	0.00	5.28	H	52.34	73.98	21.64	PK
19695	36.14	0.00	5.28	H	41.42	53.98	12.56	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	49.82	0.00	2.36	V	52.18	88.20	36.02	PK
13370	38.61	0.00	2.36	V	40.97	68.20	27.23	AV
20055	45.14	0.00	7.40	V	52.54	73.98	21.44	PK
20055	34.06	0.00	7.40	V	41.46	53.98	12.52	AV
13370	50.08	0.00	2.36	H	52.44	88.20	35.76	PK
13370	38.52	0.00	2.36	H	40.88	68.20	27.32	AV
20055	45.26	0.00	7.40	H	52.66	73.98	21.32	PK
20055	34.04	0.00	7.40	H	41.44	53.98	12.54	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	51.04	0.00	3.03	V	54.07	88.20	34.13	PK
13690	40.27	0.00	3.03	V	43.30	68.20	24.90	AV
20535	45.12	0.00	7.97	V	53.09	73.98	20.89	PK
20535	33.88	0.00	7.97	V	41.85	53.98	12.13	AV
13690	50.78	0.00	3.03	H	53.81	88.20	34.39	PK
13690	40.84	0.00	3.03	H	43.87	68.20	24.33	AV
20535	45.35	0.00	7.97	H	53.32	73.98	20.66	PK
20535	34.24	0.00	7.97	H	42.21	53.98	11.77	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	52.80	0.00	0.08	V	52.88	73.98	21.10	PK
11970	41.40	0.00	0.08	V	41.48	53.98	12.50	AV
17955	49.93	0.00	7.06	V	56.99	73.98	16.99	PK
17955	36.83	0.00	7.06	V	43.89	53.98	10.09	AV
11970	51.72	0.00	0.08	H	51.80	73.98	22.18	PK
11970	40.93	0.00	0.08	H	41.01	53.98	12.97	AV
17955	50.46	0.00	7.06	H	57.52	73.98	16.46	PK
17955	36.92	0.00	7.06	H	43.98	53.98	10.00	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	51.70	0.00	0.58	V	52.28	73.98	21.70	PK
12290	40.49	0.00	0.58	V	41.07	53.98	12.91	AV
18435	51.17	0.00	1.34	V	52.51	73.98	21.47	PK
18435	40.22	0.00	1.34	V	41.56	53.98	12.42	AV
12290	51.39	0.00	0.58	H	51.97	73.98	22.01	PK
12290	40.46	0.00	0.58	H	41.04	53.98	12.94	AV
18435	50.84	0.00	1.34	H	52.18	73.98	21.80	PK
18435	40.12	0.00	1.34	H	41.46	53.98	12.52	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	51.02	0.00	1.71	V	52.73	88.20	35.47	PK
12770	39.93	0.00	1.71	V	41.64	68.20	26.56	AV
19155	49.90	0.00	2.13	V	52.03	73.98	21.95	PK
19155	38.54	0.00	2.13	V	40.67	53.98	13.31	AV
12770	50.95	0.00	1.71	H	52.66	88.20	35.54	PK
12770	39.77	0.00	1.71	H	41.48	68.20	26.72	AV
19155	49.22	0.00	2.13	H	51.35	73.98	22.63	PK
19155	38.24	0.00	2.13	H	40.37	53.98	13.61	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	49.76	0.00	1.80	V	51.56	73.98	22.42	PK
13250	39.20	0.00	1.80	V	41.00	53.98	12.98	AV
19875	46.50	0.00	6.28	V	52.78	73.98	21.20	PK
19875	35.24	0.00	6.28	V	41.52	53.98	12.46	AV
13250	50.13	0.00	1.80	H	51.93	73.98	22.05	PK
13250	38.48	0.00	1.80	H	40.28	53.98	13.70	AV
19875	45.97	0.00	6.28	H	52.25	73.98	21.73	PK
19875	35.30	0.00	6.28	H	41.58	53.98	12.40	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	48.80	0.00	2.50	V	51.30	88.20	36.90	PK
13410	38.95	0.00	2.50	V	41.45	68.20	26.75	AV
20115	44.52	0.00	7.50	V	52.02	73.98	21.96	PK
20115	32.96	0.00	7.50	V	40.46	53.98	13.52	AV
13410	50.09	0.00	2.50	H	52.59	88.20	35.61	PK
13410	38.53	0.00	2.50	H	41.03	68.20	27.17	AV
20115	44.35	0.00	7.50	H	51.85	73.98	22.13	PK
20115	33.00	0.00	7.50	H	40.50	53.98	13.48	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	51.77	0.00	2.69	V	54.46	88.20	33.74	PK
13570	40.66	0.00	2.69	V	43.35	68.20	24.85	AV
20355	44.69	0.00	7.97	V	52.66	73.98	21.32	PK
20355	33.80	0.00	7.97	V	41.77	53.98	12.21	AV
13570	50.59	0.00	2.69	H	53.28	88.20	34.92	PK
13570	40.82	0.00	2.69	H	43.51	68.20	24.69	AV
20355	45.31	0.00	7.97	H	53.28	73.98	20.70	PK
20355	33.83	0.00	7.97	H	41.80	53.98	12.18	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	51.03	0.00	0.08	V	51.11	73.98	22.87	PK
11970	39.51	0.00	0.08	V	39.59	53.98	14.39	AV
17955	49.66	0.00	7.06	V	56.72	73.98	17.26	PK
17955	36.85	0.00	7.06	V	43.91	53.98	10.07	AV
11970	51.49	0.00	0.08	H	51.57	73.98	22.41	PK
11970	39.48	0.00	0.08	H	39.56	53.98	14.42	AV
17955	49.94	0.00	7.06	H	57.00	73.98	16.98	PK
17955	36.91	0.00	7.06	H	43.97	53.98	10.01	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	51.61	0.00	0.58	V	52.19	73.98	21.79	PK
12290	39.52	0.00	0.58	V	40.10	53.98	13.88	AV
18435	50.83	0.00	1.34	V	52.17	73.98	21.81	PK
18435	40.11	0.00	1.34	V	41.45	53.98	12.53	AV
12290	50.93	0.00	0.58	H	51.51	73.98	22.47	PK
12290	39.73	0.00	0.58	H	40.31	53.98	13.67	AV
18435	51.06	0.00	1.34	H	52.40	73.98	21.58	PK
18435	40.12	0.00	1.34	H	41.46	53.98	12.52	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	51.36	0.00	1.71	V	53.07	88.20	35.13	PK
12770	39.61	0.00	1.71	V	41.32	68.20	26.88	AV
19155	49.21	0.00	2.13	V	51.34	73.98	22.64	PK
19155	38.25	0.00	2.13	V	40.38	53.98	13.60	AV
12770	51.15	0.00	1.71	H	52.86	88.20	35.34	PK
12770	39.57	0.00	1.71	H	41.28	68.20	26.92	AV
19155	49.21	0.00	2.13	H	51.34	73.98	22.64	PK
19155	38.29	0.00	2.13	H	40.42	53.98	13.56	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	49.02	0.00	1.80	V	50.82	73.98	23.16	PK
13250	38.28	0.00	1.80	V	40.08	53.98	13.90	AV
19875	46.25	0.00	6.28	V	52.53	73.98	21.45	PK
19875	35.01	0.00	6.28	V	41.29	53.98	12.69	AV
13250	50.57	0.00	1.80	H	52.37	73.98	21.61	PK
13250	38.27	0.00	1.80	H	40.07	53.98	13.91	AV
19875	45.89	0.00	6.28	H	52.17	73.98	21.81	PK
19875	35.10	0.00	6.28	H	41.38	53.98	12.60	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	49.35	0.00	2.50	V	51.85	88.20	36.35	PK
13410	37.72	0.00	2.50	V	40.22	68.20	27.98	AV
20115	44.19	0.00	7.50	V	51.69	73.98	22.29	PK
20115	33.06	0.00	7.50	V	40.56	53.98	13.42	AV
13410	49.47	0.00	2.50	H	51.97	88.20	36.23	PK
13410	37.67	0.00	2.50	H	40.17	68.20	28.03	AV
20115	44.63	0.00	7.50	H	52.13	73.98	21.85	PK
20115	32.98	0.00	7.50	H	40.48	53.98	13.50	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	49.65	0.00	2.69	V	52.34	88.20	35.86	PK
13570	38.32	0.00	2.69	V	41.01	68.20	27.19	AV
20355	45.28	0.00	7.97	V	53.25	73.98	20.73	PK
20355	33.81	0.00	7.97	V	41.78	53.98	12.20	AV
13570	50.72	0.00	2.69	H	53.41	88.20	34.79	PK
13570	38.44	0.00	2.69	H	41.13	68.20	27.07	AV
20355	44.98	0.00	7.97	H	52.95	73.98	21.03	PK
20355	33.88	0.00	7.97	H	41.85	53.98	12.13	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	50.74	0.00	0.77	V	51.51	73.98	22.47	PK
12050	38.80	0.00	0.77	V	39.57	53.98	14.41	AV
18075	51.07	0.00	2.62	V	53.69	73.98	20.29	PK
18075	39.74	0.00	2.62	V	42.36	53.98	11.62	AV
12050	51.24	0.00	0.77	H	52.01	73.98	21.97	PK
12050	39.09	0.00	0.77	H	39.86	53.98	14.12	AV
18075	50.51	0.00	2.62	H	53.13	73.98	20.85	PK
18075	39.83	0.00	2.62	H	42.45	53.98	11.53	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	49.97	0.00	0.84	V	50.81	73.98	23.17	PK
12370	39.43	0.00	0.84	V	40.27	53.98	13.71	AV
18555	52.05	0.00	0.93	V	52.98	73.98	21.00	PK
18555	41.01	0.00	0.93	V	41.94	53.98	12.04	AV
12370	51.00	0.00	0.84	H	51.84	73.98	22.14	PK
12370	39.36	0.00	0.84	H	40.20	53.98	13.78	AV
18555	51.89	0.00	0.93	H	52.82	73.98	21.16	PK
18555	41.21	0.00	0.93	H	42.14	53.98	11.84	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	51.36	0.00	1.24	V	52.60	73.98	21.38	PK
12690	39.92	0.00	1.24	V	41.16	53.98	12.82	AV
19035	51.17	0.00	1.31	V	52.48	73.98	21.50	PK
19035	40.18	0.00	1.31	V	41.49	53.98	12.49	AV
12690	51.44	0.00	1.24	H	52.68	73.98	21.30	PK
12690	39.79	0.00	1.24	H	41.03	53.98	12.95	AV
19035	50.72	0.00	1.31	H	52.03	73.98	21.95	PK
19035	40.30	0.00	1.31	H	41.61	53.98	12.37	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	48.95	0.00	2.21	V	51.16	73.98	22.82	PK
13330	37.99	0.00	2.21	V	40.20	53.98	13.78	AV
19995	46.11	0.00	6.83	V	52.94	73.98	21.04	PK
19995	34.52	0.00	6.83	V	41.35	53.98	12.63	AV
13330	49.31	0.00	2.21	H	51.52	73.98	22.46	PK
13330	37.97	0.00	2.21	H	40.18	53.98	13.80	AV
19995	45.82	0.00	6.83	H	52.65	73.98	21.33	PK
19995	34.45	0.00	6.83	H	41.28	53.98	12.70	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	50.56	0.00	0.77	V	51.33	73.98	22.65	PK
12050	39.01	0.00	0.77	V	39.78	53.98	14.20	AV
18075	51.78	0.00	2.62	V	54.40	73.98	19.58	PK
18075	39.23	0.00	2.62	V	41.85	53.98	12.13	AV
12050	51.26	0.00	0.77	H	52.03	73.98	21.95	PK
12050	39.05	0.00	0.77	H	39.82	53.98	14.16	AV
18075	50.58	0.00	2.62	H	53.20	73.98	20.78	PK
18075	39.02	0.00	2.62	H	41.64	53.98	12.34	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	50.71	0.00	0.84	V	51.55	73.98	22.43	PK
12370	39.04	0.00	0.84	V	39.88	53.98	14.10	AV
18555	51.34	0.00	0.93	V	52.27	73.98	21.71	PK
18555	39.44	0.00	0.93	V	40.37	53.98	13.61	AV
12370	51.01	0.00	0.84	H	51.85	73.98	22.13	PK
12370	39.55	0.00	0.84	H	40.39	53.98	13.59	AV
18555	50.61	0.00	0.93	H	51.54	73.98	22.44	PK
18555	39.37	0.00	0.93	H	40.30	53.98	13.68	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	50.69	0.00	1.24	V	51.93	73.98	22.05	PK
12690	39.28	0.00	1.24	V	40.52	53.98	13.46	AV
19035	52.18	0.00	1.31	V	53.49	73.98	20.49	PK
19035	39.58	0.00	1.31	V	40.89	53.98	13.09	AV
12690	51.36	0.00	1.24	H	52.60	73.98	21.38	PK
12690	39.54	0.00	1.24	H	40.78	53.98	13.20	AV
19035	51.04	0.00	1.31	H	52.35	73.98	21.63	PK
19035	39.42	0.00	1.31	H	40.73	53.98	13.25	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	49.69	0.00	2.21	V	51.90	73.98	22.08	PK
13330	37.84	0.00	2.21	V	40.05	53.98	13.93	AV
19995	47.00	0.00	6.83	V	53.83	73.98	20.15	PK
19995	34.66	0.00	6.83	V	41.49	53.98	12.49	AV
13330	49.24	0.00	2.21	H	51.45	73.98	22.53	PK
13330	37.52	0.00	2.21	H	39.73	53.98	14.25	AV
19995	46.68	0.00	6.83	H	53.51	73.98	20.47	PK
19995	34.52	0.00	6.83	H	41.35	53.98	12.63	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 52+26T MRU75				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	50.86	0.00	0.45	V	51.31	73.98	22.67	PK
12210	39.67	0.00	0.45	V	40.12	53.98	13.86	AV
18315	51.44	0.00	1.63	V	53.07	73.98	20.91	PK
18315	40.43	0.00	1.63	V	42.06	53.98	11.92	AV
12210	51.11	0.00	0.45	H	51.56	73.98	22.42	PK
12210	39.39	0.00	0.45	H	39.84	53.98	14.14	AV
18315	50.79	0.00	1.63	H	52.42	73.98	21.56	PK
18315	40.28	0.00	1.63	H	41.91	53.98	12.07	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 52+26T MRU75				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	51.07	0.00	0.74	V	51.81	73.98	22.17	PK
12530	40.11	0.00	0.74	V	40.85	53.98	13.13	AV
18795	52.84	0.00	-0.13	V	52.71	73.98	21.27	PK
18795	41.90	0.00	-0.13	V	41.77	53.98	12.21	AV
12530	51.42	0.00	0.74	H	52.16	73.98	21.82	PK
12530	39.84	0.00	0.74	H	40.58	53.98	13.40	AV
18795	52.44	0.00	-0.13	H	52.31	73.98	21.67	PK
18795	41.88	0.00	-0.13	H	41.75	53.98	12.23	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x3+484T MRU1106				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	50.60	0.00	0.45	V	51.05	73.98	22.93	PK
12210	39.56	0.19	0.45	V	40.20	53.98	13.78	AV
18315	51.68	0.00	1.63	V	53.31	73.98	20.67	PK
18315	40.35	0.19	1.63	V	42.17	53.98	11.81	AV
12210	51.44	0.00	0.45	H	51.89	73.98	22.09	PK
12210	39.53	0.19	0.45	H	40.17	53.98	13.81	AV
18315	51.52	0.00	1.63	H	53.15	73.98	20.83	PK
18315	40.39	0.19	1.63	H	42.21	53.98	11.77	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x3+484T MRU1106				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	51.00	0.00	0.74	V	51.74	73.98	22.24	PK
12530	40.14	0.19	0.74	V	41.07	53.98	12.91	AV
18795	53.81	0.00	-0.13	V	53.68	73.98	20.30	PK
18795	41.81	0.19	-0.13	V	41.87	53.98	12.11	AV
12530	51.16	0.00	0.74	H	51.90	73.98	22.08	PK
12530	39.87	0.19	0.74	H	40.80	53.98	13.18	AV
18795	52.93	0.00	-0.13	H	52.80	73.98	21.18	PK
18795	41.88	0.19	-0.13	H	41.94	53.98	12.04	AV

10.12.2 Indoor Cilent

[SRU]

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.97 6435 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12870	50.31	0.00	2.98	V	53.29	88.20	34.91	PK
12870	38.14	0.00	2.98	V	41.12	68.20	27.08	AV
19305	48.56	0.00	3.36	V	51.92	73.98	22.06	PK
19305	37.49	0.00	3.36	V	40.85	53.98	13.13	AV
12870	50.24	0.00	2.98	H	53.22	88.20	34.98	PK
12870	38.07	0.00	2.98	H	41.05	68.20	27.15	AV
19305	47.92	0.00	3.36	H	51.28	73.98	22.70	PK
19305	37.55	0.00	3.36	H	40.91	53.98	13.07	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.105 6475 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12950	48.79	0.00	3.04	V	51.83	88.20	36.37	PK
12950	37.22	0.00	3.04	V	40.26	68.20	27.94	AV
19425	48.83	0.00	3.97	V	52.80	73.98	21.18	PK
19425	37.36	0.00	3.97	V	41.33	53.98	12.65	AV
12950	49.38	0.00	3.04	H	52.42	88.20	35.78	PK
12950	37.19	0.00	3.04	H	40.23	68.20	27.97	AV
19425	48.92	0.00	3.97	H	52.89	73.98	21.09	PK
19425	37.45	0.00	3.97	H	41.42	53.98	12.56	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.113 6515 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13030	50.45	0.00	3.70	V	54.15	88.20	34.05	PK
13030	38.06	0.00	3.70	V	41.76	68.20	26.44	AV
19545	47.27	0.00	4.75	V	52.02	73.98	21.96	PK
19545	36.42	0.00	4.75	V	41.17	53.98	12.81	AV
13030	49.98	0.00	3.70	H	53.68	88.20	34.52	PK
13030	38.08	0.00	3.70	H	41.78	68.20	26.42	AV
19545	47.12	0.00	4.75	H	51.87	73.98	22.11	PK
19545	36.34	0.00	4.75	H	41.09	53.98	12.89	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.189 6895 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13790	48.40	0.00	3.04	V	51.44	88.20	36.76	PK
13790	36.69	0.00	3.04	V	39.73	68.20	28.47	AV
20685	45.39	0.00	8.11	V	53.50	73.98	20.48	PK
20685	34.19	0.00	8.11	V	42.30	53.98	11.68	AV
13790	48.56	0.00	3.04	H	51.60	88.20	36.60	PK
13790	36.59	0.00	3.04	H	39.63	68.20	28.57	AV
20685	45.06	0.00	8.11	H	53.17	73.98	20.81	PK
20685	34.22	0.00	8.11	H	42.33	53.98	11.65	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.209 6995 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13990	50.05	0.00	2.45	V	52.50	88.20	35.70	PK
13990	37.43	0.00	2.45	V	39.88	68.20	28.32	AV
20985	44.64	0.00	7.82	V	52.46	73.98	21.52	PK
20985	33.65	0.00	7.82	V	41.47	53.98	12.51	AV
13990	49.54	0.00	2.45	H	51.99	88.20	36.21	PK
13990	37.43	0.00	2.45	H	39.88	68.20	28.32	AV
20985	45.07	0.00	7.82	H	52.89	73.98	21.09	PK
20985	33.35	0.00	7.82	H	41.17	53.98	12.81	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 SU				
CH.233 7115 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14230	47.94	0.00	3.84	V	51.78	88.20	36.42	PK
14230	36.18	0.00	3.84	V	40.02	68.20	28.18	AV
21345	45.51	0.00	7.05	V	52.56	73.98	21.42	PK
21345	34.41	0.00	7.05	V	41.46	53.98	12.52	AV
14230	48.14	0.00	3.84	H	51.98	88.20	36.22	PK
14230	36.17	0.00	3.84	H	40.01	68.20	28.19	AV
21345	45.42	0.00	7.05	H	52.47	73.98	21.51	PK
21345	34.35	0.00	7.05	H	41.40	53.98	12.58	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.99 6445 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12890	50.41	0.00	1.79	V	52.20	88.20	36.00	PK
12890	38.08	0.12	1.79	V	39.99	68.20	28.21	AV
19335	48.27	0.00	3.48	V	51.75	73.98	22.23	PK
19335	37.07	0.12	3.48	V	40.67	53.98	13.31	AV
12890	50.59	0.00	1.79	H	52.38	88.20	35.82	PK
12890	38.08	0.12	1.79	H	39.99	68.20	28.21	AV
19335	48.62	0.00	3.48	H	52.10	73.98	21.88	PK
19335	37.10	0.12	3.48	H	40.70	53.98	13.28	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.107 6485 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12970	49.50	0.00	2.14	V	51.64	88.20	36.56	PK
12970	37.43	0.12	2.14	V	39.69	68.20	28.51	AV
19455	47.56	0.00	4.25	V	51.81	73.98	22.17	PK
19455	36.50	0.12	4.25	V	40.87	53.98	13.11	AV
12970	49.36	0.00	2.14	H	51.50	88.20	36.70	PK
12970	37.42	0.12	2.14	H	39.68	68.20	28.52	AV
19455	47.93	0.00	4.25	H	52.18	73.98	21.80	PK
19455	36.28	0.12	4.25	H	40.65	53.98	13.33	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.115 6525 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13050	50.15	0.00	2.07	V	52.22	88.20	35.98	PK
13050	38.08	0.12	2.07	V	40.27	68.20	27.93	AV
19575	47.28	0.00	4.84	V	52.12	73.98	21.86	PK
19575	35.80	0.12	4.84	V	40.76	53.98	13.22	AV
13050	49.70	0.00	2.07	H	51.77	88.20	36.43	PK
13050	38.01	0.12	2.07	H	40.20	68.20	28.00	AV
19575	46.64	0.00	4.84	H	51.48	73.98	22.50	PK
19575	35.77	0.12	4.84	H	40.73	53.98	13.25	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.187 6885 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13770	49.01	0.00	2.97	V	51.98	88.20	36.22	PK
13770	37.03	0.12	2.97	V	40.12	68.20	28.08	AV
20655	45.85	0.00	7.82	V	53.67	73.98	20.31	PK
20655	34.47	0.12	7.82	V	42.41	53.98	11.57	AV
13770	49.30	0.00	2.97	H	52.27	88.20	35.93	PK
13770	37.10	0.12	2.97	H	40.19	68.20	28.01	AV
20655	45.28	0.00	7.82	H	53.10	73.98	20.88	PK
20655	34.22	0.12	7.82	H	42.16	53.98	11.82	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.211 7005 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14010	49.84	0.00	3.49	V	53.33	88.20	34.87	PK
14010	37.41	0.12	3.49	V	41.02	68.20	27.18	AV
21015	45.03	0.00	7.89	V	52.92	73.98	21.06	PK
21015	33.65	0.12	7.89	V	41.66	53.98	12.32	AV
14010	49.40	0.00	3.49	H	52.89	88.20	35.31	PK
14010	37.46	0.12	3.49	H	41.07	68.20	27.13	AV
21015	44.53	0.00	7.89	H	52.42	73.98	21.56	PK
21015	33.20	0.12	7.89	H	41.21	53.98	12.77	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.227 7085 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14170	47.49	0.00	3.56	V	51.05	88.20	37.15	PK
14170	35.79	0.12	3.56	V	39.47	68.20	28.73	AV
21255	46.42	0.00	7.12	V	53.54	73.98	20.44	PK
21255	34.96	0.12	7.12	V	42.20	53.98	11.78	AV
14170	48.31	0.00	3.56	H	51.87	88.20	36.33	PK
14170	36.20	0.12	3.56	H	39.88	68.20	28.32	AV
21255	46.07	0.00	7.12	H	53.19	73.98	20.79	PK
21255	34.73	0.12	7.12	H	41.97	53.98	12.01	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.103 6465 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12930	50.03	0.00	2.01	V	52.04	88.20	36.16	PK
12930	38.07	0.12	2.01	V	40.20	68.20	28.00	AV
19395	47.54	0.00	3.70	V	51.24	73.98	22.74	PK
19395	36.86	0.12	3.70	V	40.68	53.98	13.30	AV
12930	49.73	0.00	2.01	H	51.74	88.20	36.46	PK
12930	38.08	0.12	2.01	H	40.21	68.20	27.99	AV
19395	47.70	0.00	3.70	H	51.40	73.98	22.58	PK
19395	36.56	0.12	3.70	H	40.38	53.98	13.60	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.119 6545 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13090	50.63	0.00	2.05	V	52.68	88.20	35.52	PK
13090	38.23	0.12	2.05	V	40.40	68.20	27.80	AV
19635	46.61	0.00	5.30	V	51.91	73.98	22.07	PK
19635	36.03	0.12	5.30	V	41.45	53.98	12.53	AV
13090	50.47	0.00	2.05	H	52.52	88.20	35.68	PK
13090	38.41	0.12	2.05	H	40.58	68.20	27.62	AV
19635	46.79	0.00	5.30	H	52.09	73.98	21.89	PK
19635	35.97	0.12	5.30	H	41.39	53.98	12.59	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.183 6865 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13730	50.06	0.00	3.01	V	53.07	88.20	35.13	PK
13730	37.74	0.12	3.01	V	40.87	68.20	27.33	AV
20595	45.88	0.00	8.01	V	53.89	73.98	20.09	PK
20595	34.38	0.12	8.01	V	42.51	53.98	11.47	AV
13730	49.39	0.00	3.01	H	52.40	88.20	35.80	PK
13730	37.70	0.12	3.01	H	40.83	68.20	27.37	AV
20595	45.18	0.00	8.01	H	53.19	73.98	20.79	PK
20595	34.39	0.12	8.01	H	42.52	53.98	11.46	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.199 6945 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13890	49.66	0.00	3.20	V	52.86	88.20	35.34	PK
13890	37.49	0.12	3.20	V	40.81	68.20	27.39	AV
20835	45.07	0.00	8.26	V	53.33	73.98	20.65	PK
20835	34.40	0.12	8.26	V	42.78	53.98	11.20	AV
13890	49.93	0.00	3.20	H	53.13	88.20	35.07	PK
13890	37.42	0.12	3.20	H	40.74	68.20	27.46	AV
20835	44.77	0.00	8.26	H	53.03	73.98	20.95	PK
20835	34.19	0.12	8.26	H	42.57	53.98	11.41	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.215 7025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14050	49.74	0.00	3.37	V	53.11	88.20	35.09	PK
14050	37.55	0.12	3.37	V	41.04	68.20	27.16	AV
21075	44.63	0.00	7.59	V	52.22	73.98	21.76	PK
21075	34.46	0.12	7.59	V	42.17	53.98	11.81	AV
14050	49.26	0.00	3.37	H	52.63	88.20	35.57	PK
14050	37.46	0.12	3.37	H	40.95	68.20	27.25	AV
21075	45.51	0.00	7.59	H	53.10	73.98	20.88	PK
21075	34.38	0.12	7.59	H	42.09	53.98	11.89	AV

Band : UNII 6				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.111 6505 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13010	50.40	0.00	2.28	V	52.68	88.20	35.52	PK
13010	38.26	0.12	2.28	V	40.66	68.20	27.54	AV
19515	47.01	0.00	4.57	V	51.58	73.98	22.40	PK
19515	36.11	0.12	4.57	V	40.80	53.98	13.18	AV
13010	50.18	0.00	2.28	H	52.46	88.20	35.74	PK
13010	38.27	0.12	2.28	H	40.67	68.20	27.53	AV
19515	47.64	0.00	4.57	H	52.21	73.98	21.77	PK
19515	36.13	0.12	4.57	H	40.82	53.98	13.16	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.175 6825 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13650	49.65	0.00	3.05	V	52.70	88.20	35.50	PK
13650	37.86	0.12	3.05	V	41.03	68.20	27.17	AV
20475	44.35	0.00	8.00	V	52.35	73.98	21.63	PK
20475	33.61	0.12	8.00	V	41.73	53.98	12.25	AV
13650	49.91	0.00	3.05	H	52.96	88.20	35.24	PK
13650	37.85	0.12	3.05	H	41.02	68.20	27.18	AV
20475	44.14	0.00	8.00	H	52.14	73.98	21.84	PK
20475	33.58	0.12	8.00	H	41.70	53.98	12.28	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.207 6985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13970	49.81	0.00	3.54	V	53.35	88.20	34.85	PK
13970	37.76	0.12	3.54	V	41.42	68.20	26.78	AV
20955	44.02	0.00	7.99	V	52.01	73.98	21.97	PK
20955	33.59	0.12	7.99	V	41.70	53.98	12.28	AV
13970	49.99	0.00	3.54	H	53.53	88.20	34.67	PK
13970	37.70	0.12	3.54	H	41.36	68.20	26.84	AV
20955	44.21	0.00	7.99	H	52.20	73.98	21.78	PK
20955	33.64	0.12	7.99	H	41.75	53.98	12.23	AV

Band : UNII 6				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.95 6425 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12850	49.36	0.00	1.98	V	51.34	88.20	36.86	PK
12850	38.20	0.00	1.98	V	40.18	68.20	28.02	AV
19275	47.96	0.00	3.03	V	50.99	73.98	22.99	PK
19275	37.59	0.00	3.03	V	40.62	53.98	13.36	AV
12850	50.10	0.00	1.98	H	52.08	88.20	36.12	PK
12850	38.17	0.00	1.98	H	40.15	68.20	28.05	AV
19275	48.28	0.00	3.03	H	51.31	73.98	22.67	PK
19275	37.55	0.00	3.03	H	40.58	53.98	13.40	AV

Band : UNII 8				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.191 6905 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13810	47.45	0.00	3.08	V	50.53	88.20	37.67	PK
13810	37.16	0.00	3.08	V	40.24	68.20	27.96	AV
20715	45.18	0.00	8.25	V	53.43	73.98	20.55	PK
20715	34.79	0.00	8.25	V	43.04	53.98	10.94	AV
13810	48.04	0.00	3.08	H	51.12	88.20	37.08	PK
13810	36.98	0.00	3.08	H	40.06	68.20	28.14	AV
20715	45.41	0.00	8.25	H	53.66	73.98	20.32	PK
20715	34.60	0.00	8.25	H	42.85	53.98	11.13	AV

Note:


All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached RSE result of worst case.

Test Plots


[MIMO_CDD(Ant1+Ant2)]

[Standard Client]

Average result (802.11be(EHT80), Ch.7 3rd Harmonic, X-V, 26T, RU19)



Peak result (802.11be(EHT80), Ch.7 3rd Harmonic, X-V, 26T, RU19)



Note:

Only the worst case plots for Radiated Spurious Emissions.

10.13 RADIATED RESTRICTED BAND EDGE

Note : # integration method Used (KDB 789033 D02 v02r01 Section 3) d) (ii)

[MIMO_CDD(Ant1+Ant2)]

Standard Client:	UNII 5
Indoor Client	UNII 8

10.13.1 Standard Client

[SRU]

802.11a(6 Mbps)

Channel	CH 2	Freq	5935 MHz	ANT. POL	Total	Limit	Margin	Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT					
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
#5924.5	61.40	0.00	15.09	H	76.49	88.23	11.74	PK
#5924.5	49.89	0.28	15.09	H	65.26	68.23	2.97	AV
#5923.5	54.29	0.00	15.09	H	69.38	88.23	18.85	PK
#5923.5	43.48	0.28	15.09	H	58.85	68.23	9.38	AV
5460 - 5923	54.05	0.00	15.09	H	69.14	88.23	19.09	PK
5460 - 5923	38.41	0.28	15.09	H	53.78	68.23	14.45	AV
5350 - 5460	42.70	0.00	11.91	H	54.61	73.98	19.37	PK
5350 - 5460	31.30	0.28	11.91	H	43.49	53.98	10.49	AV

802.11be(MCS0)

EHT20

26T

Channel	CH 2	Freq	5935 MHz	RU offset		0			Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin		
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]		
#5924.5	63.15	0.00	15.09	H	78.24	88.23	9.99		PK
#5924.5	50.50	0.00	15.09	H	65.59	68.23	2.64		AV
#5923.5	53.47	0.00	15.09	H	68.56	88.23	19.67		PK
#5923.5	40.26	0.00	15.09	H	55.35	68.23	12.88		AV
5460 - 5923	55.16	0.00	15.09	H	70.25	88.23	17.98		PK
5460 - 5923	34.75	0.00	15.09	H	49.84	68.23	18.39		AV
5350 - 5460	43.05	0.00	11.91	H	54.96	73.98	19.02		PK
5350 - 5460	31.27	0.00	11.91	H	43.18	53.98	10.80		AV

802.11be(MCS0)		EHT20		52T				
Channel	CH 2	Freq	5935 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	62.11	0.00	15.09	H	77.20	88.23	11.03	PK
#5924.5	50.92	0.00	15.09	H	66.01	68.23	2.22	AV
#5923.5	51.72	0.00	15.09	H	66.81	88.23	21.42	PK
#5923.5	40.86	0.00	15.09	H	55.95	68.23	12.28	AV
5460 - 5923	55.78	0.00	15.09	H	70.87	88.23	17.36	PK
5460 - 5923	35.48	0.00	15.09	H	50.57	68.23	17.66	AV
5350 - 5460	43.85	0.00	11.91	H	55.76	73.98	18.22	PK
5350 - 5460	31.41	0.00	11.91	H	43.32	53.98	10.66	AV

802.11be(MCS0)		EHT20		106T				
Channel	CH 2	Freq	5935 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	63.27	0.00	15.09	H	78.36	88.23	9.87	PK
#5924.5	50.40	0.00	15.09	H	65.49	68.23	2.74	AV
#5923.5	53.47	0.00	15.09	H	68.56	88.23	19.67	PK
#5923.5	40.41	0.00	15.09	H	55.50	68.23	12.73	AV
5460 - 5923	57.37	0.00	15.09	H	72.46	88.23	15.77	PK
5460 - 5923	34.79	0.00	15.09	H	49.88	68.23	18.35	AV
5350 - 5460	42.43	0.00	11.91	H	54.34	73.98	19.64	PK
5350 - 5460	31.30	0.00	11.91	H	43.21	53.98	10.77	AV

802.11be(MCS0)		EHT20		242T				
Channel	CH 2	Freq	5935 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	63.46	0.00	15.09	H	78.55	88.23	9.68	PK
#5924.5	50.44	0.00	15.09	H	65.53	68.23	2.70	AV
#5923.5	52.66	0.00	15.09	H	67.75	88.23	20.48	PK
#5923.5	40.72	0.00	15.09	H	55.81	68.23	12.42	AV
5460 - 5923	60.03	0.00	15.09	H	75.12	88.23	13.11	PK
5460 - 5923	37.59	0.00	15.09	H	52.68	68.23	15.55	AV
5350 - 5460	43.21	0.00	11.91	H	55.12	73.98	18.86	PK
5350 - 5460	31.34	0.00	11.91	H	43.25	53.98	10.73	AV

802.11be(MCS0)		EHT20		SU				
Channel	CH 2	Freq	5935 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	62.46	0.00	15.09	H	77.55	88.23	10.68	PK
#5924.5	50.21	0.00	15.09	H	65.30	68.23	2.93	AV
#5923.5	53.94	0.00	15.09	H	69.03	88.23	19.20	PK
#5923.5	41.84	0.00	15.09	H	56.93	68.23	11.30	AV
5460 - 5923	55.92	0.00	15.09	H	71.01	88.23	17.22	PK
5460 - 5923	36.38	0.00	15.09	H	51.47	68.23	16.76	AV
5350 - 5460	42.52	0.00	11.91	H	54.43	73.98	19.55	PK
5350 - 5460	31.34	0.00	11.91	H	43.25	53.98	10.73	AV

802.11be(MCS0)		EHT40		26T				
Channel	CH 3	Freq	5965 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.40	0.00	11.91	H	55.31	73.98	18.67	PK
5350 - 5460	31.66	0.00	11.91	H	43.57	53.98	10.41	AV
5460 - 5925	43.81	0.00	15.09	H	58.90	88.23	29.33	PK
5460 - 5925	32.55	0.00	15.09	H	47.64	68.23	20.59	AV

802.11be(MCS0)		EHT40		52T				
Channel	CH 3	Freq	5965 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.46	0.00	11.91	H	55.37	73.98	18.61	PK
5350 - 5460	31.70	0.00	11.91	H	43.61	53.98	10.37	AV
5460 - 5925	44.32	0.00	15.09	H	59.41	88.23	28.82	PK
5460 - 5925	32.60	0.00	15.09	H	47.69	68.23	20.54	AV

802.11be(MCS0)		EHT40		106T				
Channel	CH 3	Freq	5965 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.32	0.00	11.91	H	55.23	73.98	18.75	PK
5350 - 5460	31.45	0.00	11.91	H	43.36	53.98	10.62	AV
5460 - 5925	45.35	0.00	15.09	H	60.44	88.23	27.79	PK
5460 - 5925	31.94	0.00	15.09	H	47.03	68.23	21.20	AV

802.11be(MCS0)		EHT40		242T				
Channel	CH 3	Freq	5965 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	42.94	0.00	11.91	H	54.85	73.98	19.13	PK
5350 - 5460	31.66	0.00	11.91	H	43.57	53.98	10.41	AV
5460 - 5925	51.65	0.00	15.09	H	66.74	88.23	21.49	PK
5460 - 5925	35.22	0.00	15.09	H	50.31	68.23	17.92	AV

802.11be(MCS0)		EHT40		484T				
Channel	CH 3	Freq	5965 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.20	0.00	11.91	H	55.11	73.98	18.87	PK
5350 - 5460	31.70	0.12	11.91	H	43.73	53.98	10.25	AV
5460 - 5925	60.08	0.00	15.09	H	75.17	88.23	13.06	PK
5460 - 5925	46.47	0.12	15.09	H	61.68	68.23	6.55	AV

802.11be(MCS0)		EHT40		SU				
Channel	CH 3	Freq	5965 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.90	0.00	11.91	H	55.81	73.98	18.17	PK
5350 - 5460	31.67	0.00	11.91	H	43.58	53.98	10.40	AV
5460 - 5925	56.96	0.00	15.09	H	72.05	88.23	16.18	PK
5460 - 5925	43.49	0.00	15.09	H	58.58	68.23	9.65	AV

802.11be(MCS0)		EHT80		26T				
Channel	CH 7	Freq	5985 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.54	0.00	11.91	H	56.45	73.98	17.53	PK
5350 - 5460	31.86	0.00	11.91	H	43.77	53.98	10.21	AV
5460 - 5925	51.20	0.00	15.09	H	66.29	88.23	21.94	PK
5460 - 5925	35.78	0.00	15.09	H	50.87	68.23	17.36	AV

802.11be(MCS0)		EHT80		52T				
Channel	CH 7	Freq	5985 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.09	0.00	11.91	H	55.00	73.98	18.98	PK
5350 - 5460	31.84	0.00	11.91	H	43.75	53.98	10.23	AV
5460 - 5925	51.67	0.00	15.09	H	66.76	88.23	21.47	PK
5460 - 5925	34.06	0.00	15.09	H	49.15	68.23	19.08	AV

802.11be(MCS0)		EHT80		106T				
Channel	CH 7	Freq	5985 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.92	0.00	11.91	H	55.83	73.98	18.15	PK
5350 - 5460	31.59	0.00	11.91	H	43.50	53.98	10.48	AV
5460 - 5925	55.46	0.00	15.09	H	70.55	88.23	17.68	PK
5460 - 5925	32.07	0.00	15.09	H	47.16	68.23	21.07	AV

802.11be(MCS0)		EHT80		242T				
Channel	CH 7	Freq	5985 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.85	0.00	11.91	H	55.76	73.98	18.22	PK
5350 - 5460	31.72	0.00	11.91	H	43.63	53.98	10.35	AV
5460 - 5925	55.51	0.00	15.09	H	70.60	88.23	17.63	PK
5460 - 5925	38.73	0.00	15.09	H	53.82	68.23	14.41	AV

802.11be(MCS0)		EHT80		484T				
Channel	CH 7	Freq	5985 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.27	0.00	11.91	H	55.18	73.98	18.80	PK
5350 - 5460	31.73	0.12	11.91	H	43.76	53.98	10.22	AV
5460 - 5925	62.00	0.00	15.09	H	77.09	88.23	11.14	PK
5460 - 5925	47.06	0.12	15.09	H	62.27	68.23	5.96	AV

802.11be(MCS0)		EHT80		996T				
Channel	CH 7	Freq	5985 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.78	0.00	11.91	H	55.69	73.98	18.29	PK
5350 - 5460	31.81	0.12	11.91	H	43.84	53.98	10.14	AV
5460 - 5925	61.81	0.00	15.09	H	76.90	88.23	11.33	PK
5460 - 5925	48.91	0.12	15.09	H	64.12	68.23	4.11	AV

802.11be(MCS0)		EHT80		SU				
Channel	CH 7	Freq	5985 MHz					
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.11	0.00	11.91	H	55.02	73.98	18.96	PK
5350 - 5460	31.84	0.00	11.91	H	43.75	53.98	10.23	AV
5460 - 5925	59.34	0.00	15.09	H	74.43	88.23	13.80	PK
5460 - 5925	46.08	0.00	15.09	H	61.17	68.23	7.06	AV

802.11be(MCS0)		EHT160(80L)		26T				
Channel	CH 15	Freq	6025 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.11	0.00	11.91	H	56.02	73.98	17.96	PK
5350 - 5460	32.24	0.00	11.91	H	44.15	53.98	9.83	AV
5460 - 5925	63.79	0.00	15.09	H	78.88	88.23	9.35	PK
5460 - 5925	35.90	0.00	15.09	H	50.99	68.23	17.24	AV

802.11be(MCS0)		EHT160(80L)		52T				
Channel	CH 15	Freq	6025 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.97	0.00	11.91	H	55.88	73.98	18.10	PK
5350 - 5460	32.24	0.00	11.91	H	44.15	53.98	9.83	AV
5460 - 5925	53.13	0.00	15.09	H	68.22	88.23	20.01	PK
5460 - 5925	34.68	0.00	15.09	H	49.77	68.23	18.46	AV

802.11be(MCS0)		EHT160(80L)		106T				
Channel	CH 15	Freq	6025 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.64	0.00	11.91	H	55.55	73.98	18.43	PK
5350 - 5460	31.83	0.00	11.91	H	43.74	53.98	10.24	AV
5460 - 5925	52.84	0.00	15.09	H	67.93	88.23	20.30	PK
5460 - 5925	32.51	0.00	15.09	H	47.60	68.23	20.63	AV

802.11be(MCS0)		EHT160(80L)		242T				
Channel	CH 15	Freq	6025 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.82	0.00	11.91	H	55.73	73.98	18.25	PK
5350 - 5460	32.10	0.00	11.91	H	44.01	53.98	9.97	AV
5460 - 5925	58.00	0.00	15.09	H	73.09	88.23	15.14	PK
5460 - 5925	38.03	0.00	15.09	H	53.12	68.23	15.11	AV

802.11be(MCS0)		EHT160(80L)		484T				
Channel	CH 15	Freq	6025 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.59	0.00	11.91	H	56.50	73.98	17.48	PK
5350 - 5460	32.09	0.12	11.91	H	44.12	53.98	9.86	AV
5460 - 5925	63.02	0.00	15.09	H	78.11	88.23	10.12	PK
5460 - 5925	44.96	0.12	15.09	H	60.17	68.23	8.06	AV

802.11be(MCS0)		EHT160(80L)		996T				
Channel	CH 15	Freq	6025 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.56	0.00	11.91	H	55.47	73.98	18.51	PK
5350 - 5460	32.13	0.12	11.91	H	44.16	53.98	9.82	AV
5460 - 5925	62.16	0.00	15.09	H	77.25	88.23	10.98	PK
5460 - 5925	48.40	0.12	15.09	H	63.61	68.23	4.62	AV

802.11be(MCS0)		EHT160		2x996T				
Channel	CH 15	Freq	6025 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.46	0.00	11.91	H	56.37	73.98	17.61	PK
5350 - 5460	32.09	0.12	11.91	H	44.12	53.98	9.86	AV
5460 - 5925	66.95	0.00	15.09	H	82.04	88.23	6.19	PK
5460 - 5925	49.11	0.12	15.09	H	64.32	68.23	3.91	AV

802.11be(MCS0)		EHT160		SU				
Channel	CH 15	Freq	6025 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.71	0.00	11.91	H	55.62	73.98	18.36	PK
5350 - 5460	32.10	0.00	11.91	H	44.01	53.98	9.97	AV
5460 - 5925	65.12	0.00	15.09	H	80.21	88.23	8.02	PK
5460 - 5925	46.08	0.00	15.09	H	61.17	68.23	7.06	AV

802.11be(MCS0)		EHT320(80LL)		26T				
Channel	CH 31	Freq	6105 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.37	0.00	11.91	H	56.28	73.98	17.70	PK
5350 - 5460	32.51	0.00	11.91	H	44.42	53.98	9.56	AV
5460 - 5925	63.07	0.00	15.09	H	78.16	88.23	10.07	PK
5460 - 5925	40.04	0.00	15.09	H	55.13	68.23	13.10	AV

802.11be(MCS0)		EHT320(80LL)		52T				
Channel	CH 31	Freq	6105 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.05	0.00	11.91	H	55.96	73.98	18.02	PK
5350 - 5460	32.47	0.00	11.91	H	44.38	53.98	9.60	AV
5460 - 5925	51.77	0.00	15.09	H	66.86	88.23	21.37	PK
5460 - 5925	38.18	0.00	15.09	H	53.27	68.23	14.96	AV

802.11be(MCS0)		EHT320(80LL)		106T				
Channel	CH 31	Freq	6105 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.18	0.00	11.91	H	56.09	73.98	17.89	PK
5350 - 5460	32.01	0.00	11.91	H	43.92	53.98	10.06	AV
5460 - 5925	59.30	0.00	15.09	H	74.39	88.23	13.84	PK
5460 - 5925	37.04	0.00	15.09	H	52.13	68.23	16.10	AV

802.11be(MCS0)		EHT320(80LL)		242T				
Channel	CH 31	Freq	6105 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.95	0.00	11.91	H	55.86	73.98	18.12	PK
5350 - 5460	32.24	0.00	11.91	H	44.15	53.98	9.83	AV
5460 - 5925	63.58	0.00	15.09	H	78.67	88.23	9.56	PK
5460 - 5925	39.14	0.00	15.09	H	54.23	68.23	14.00	AV

802.11be(MCS0)		EHT320(80LL)		484T				
Channel	CH 31	Freq	6105 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.65	0.00	11.91	H	56.56	73.98	17.42	PK
5350 - 5460	32.36	0.12	11.91	H	44.39	53.98	9.59	AV
5460 - 5925	66.48	0.00	15.09	H	81.57	88.23	6.66	PK
5460 - 5925	47.07	0.12	15.09	H	62.28	68.23	5.95	AV

802.11be(MCS0)		EHT320(80LL)		996T				
Channel	CH 31	Freq	6105 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.55	0.00	11.91	H	56.46	73.98	17.52	PK
5350 - 5460	32.18	0.12	11.91	H	44.21	53.98	9.77	AV
5460 - 5925	62.32	0.00	15.09	H	77.41	88.23	10.82	PK
5460 - 5925	48.63	0.12	15.09	H	63.84	68.23	4.39	AV

802.11be(MCS0)		EHT320(160L)		2x996T				
Channel	CH 31	Freq	6105 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.34	0.00	11.91	H	55.25	73.98	18.73	PK
5350 - 5460	32.26	0.12	11.91	H	44.29	53.98	9.69	AV
5460 - 5925	64.07	0.00	15.09	H	79.16	88.23	9.07	PK
5460 - 5925	47.19	0.12	15.09	H	62.40	68.23	5.83	AV

802.11be(MCS0)		EHT320		4x996T				
Channel	CH 31	Freq	6105 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	50.09	0.00	11.91	H	62.00	73.98	11.98	PK
5350 - 5460	32.79	0.19	11.91	H	44.89	53.98	9.09	AV
5460 - 5925	66.76	0.00	15.09	H	81.85	88.23	6.38	PK
5460 - 5925	47.75	0.19	15.09	H	63.03	68.23	5.20	AV

802.11be(MCS0)		EHT320		SU				
Channel	CH 31	Freq	6105 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.62	0.00	11.91	H	56.53	73.98	17.45	PK
5350 - 5460	32.51	0.00	11.91	H	44.42	53.98	9.56	AV
5460 - 5925	57.47	0.00	15.09	H	72.56	88.23	15.67	PK
5460 - 5925	43.25	0.00	15.09	H	58.34	68.23	9.89	AV

[MRU]

802.11be(MCS0)		EHT20		52T+26T				
Channel	CH 2	Freq	5935 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	54.87	0.00	15.09	H	69.96	88.23	18.27	PK
#5924.5	39.99	0.00	15.09	H	55.08	68.23	13.15	AV
#5923.5	49.95	0.00	15.09	H	65.04	88.23	23.19	PK
#5923.5	34.15	0.00	15.09	H	49.24	68.23	18.99	AV
5460 - 5923	51.32	0.00	15.09	H	66.41	88.23	21.82	PK
5460 - 5923	31.91	0.00	15.09	H	47.00	68.23	21.23	AV
5350 - 5460	43.76	0.00	11.91	H	55.67	73.98	18.31	PK
5350 - 5460	31.50	0.00	11.91	H	43.41	53.98	10.57	AV

802.11be(MCS0)		EHT20		106T+26T				
Channel	CH 2	Freq	5935 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	62.24	0.00	15.09	H	77.33	88.23	10.90	PK
#5924.5	49.78	0.00	15.09	H	64.87	68.23	3.36	AV
#5923.5	52.22	0.00	15.09	H	67.31	88.23	20.92	PK
#5923.5	39.81	0.00	15.09	H	54.90	68.23	13.33	AV
5460 - 5923	55.21	0.00	15.09	H	70.30	88.23	17.93	PK
5460 - 5923	33.74	0.00	15.09	H	48.83	68.23	19.40	AV
5350 - 5460	43.16	0.00	11.91	H	55.07	73.98	18.91	PK
5350 - 5460	31.47	0.00	11.91	H	43.38	53.98	10.60	AV

802.11be(MCS0)		EHT40		52T+26T				
Channel	CH 3	Freq	5965 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.94	0.00	11.91	H	55.85	73.98	18.13	PK
5350 - 5460	31.66	0.00	11.91	H	43.57	53.98	10.41	AV
5460 - 5925	44.73	0.00	15.09	H	59.82	88.23	28.41	PK
5460 - 5925	32.53	0.00	15.09	H	47.62	68.23	20.61	AV

802.11be(MCS0)		EHT40		106T+26T				
Channel	CH 3	Freq	5965 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.07	0.00	11.91	H	54.98	73.98	19.00	PK
5350 - 5460	31.50	0.00	11.91	H	43.41	53.98	10.57	AV
5460 - 5925	43.59	0.00	15.09	H	58.68	88.23	29.55	PK
5460 - 5925	31.90	0.00	15.09	H	46.99	68.23	21.24	AV

802.11be(MCS0)		EHT80		52T + 26T				
Channel	CH 7	Freq	5985 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.52	0.00	11.91	H	55.43	73.98	18.55	PK
5350 - 5460	31.95	0.00	11.91	H	43.86	53.98	10.12	AV
5460 - 5925	51.18	0.00	15.09	H	66.27	88.23	21.96	PK
5460 - 5925	32.72	0.00	15.09	H	47.81	68.23	20.42	AV

802.11be(MCS0)		EHT80		106T + 26T				
Channel	CH 7	Freq	5985 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	42.82	0.00	11.91	H	54.73	73.98	19.25	PK
5350 - 5460	31.68	0.00	11.91	H	43.59	53.98	10.39	AV
5460 - 5925	49.58	0.00	15.09	H	64.67	88.23	23.56	PK
5460 - 5925	32.18	0.00	15.09	H	47.27	68.23	20.96	AV

802.11be(MCS0)		EHT80		484T + 242T				
Channel	CH 7	Freq	5985 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.05	0.00	11.91	H	54.96	73.98	19.02	PK
5350 - 5460	31.87	0.00	11.91	H	43.78	53.98	10.20	AV
5460 - 5925	61.95	0.00	15.09	H	77.04	88.23	11.19	PK
5460 - 5925	48.94	0.00	15.09	H	64.03	68.23	4.20	AV

802.11be(MCS0)		EHT160(80L)		52T + 26T				
Channel	CH 15	Freq	6025 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.62	0.00	11.91	H	55.53	73.98	18.45	PK
5350 - 5460	31.98	0.00	11.91	H	43.89	53.98	10.09	AV
5460 - 5925	61.07	0.00	15.09	H	76.16	88.23	12.07	PK
5460 - 5925	33.39	0.00	15.09	H	48.48	68.23	19.75	AV

802.11be(MCS0)		EHT160(80L)		106T + 26T				
Channel	CH 15	Freq	6025 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.64	0.00	11.91	H	55.55	73.98	18.43	PK
5350 - 5460	31.86	0.00	11.91	H	43.77	53.98	10.21	AV
5460 - 5925	58.32	0.00	15.09	H	73.41	88.23	14.82	PK
5460 - 5925	32.54	0.00	15.09	H	47.63	68.23	20.60	AV

802.11be(MCS0)		EHT160(80L)		484T + 242T				
Channel	CH 15	Freq	6025 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.81	0.00	11.91	H	56.72	73.98	17.26	PK
5350 - 5460	31.84	0.00	11.91	H	43.75	53.98	10.23	AV
5460 - 5925	54.45	0.00	15.09	H	69.54	88.23	18.69	PK
5460 - 5925	41.05	0.00	15.09	H	56.14	68.23	12.09	AV

802.11be(MCS0)		EHT160(OFDMA)		996T + 484T				
Channel	CH 15	Freq	6025 MHz	MRU offset		1095		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.04	0.00	11.91	H	55.95	73.98	18.03	PK
5350 - 5460	32.16	0.00	11.91	H	44.07	53.98	9.91	AV
5460 - 5925	62.71	0.00	15.09	H	77.80	88.23	10.43	PK
5460 - 5925	47.57	0.00	15.09	H	62.66	68.23	5.57	AV

802.11be(MCS0)		EHT160(Non-OFDMA)		996T + 484T + 242T				
Channel	CH 15	Freq	6025 MHz	MRU offset		1099		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.72	0.00	11.91	H	55.63	73.98	18.35	PK
5350 - 5460	32.07	0.00	11.91	H	43.98	53.98	10.00	AV
5460 - 5925	69.20	0.00	15.09	H	84.29	88.23	3.94	PK
5460 - 5925	49.01	0.00	15.09	H	64.10	68.23	4.13	AV

802.11be(MCS0)		EHT320(80LL)		52T+26T				
Channel	CH 31	Freq	6105 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.03	0.00	11.91	H	55.94	73.98	18.04	PK
5350 - 5460	32.49	0.00	11.91	H	44.40	53.98	9.58	AV
5460 - 5925	64.96	0.00	15.09	H	80.05	88.23	8.18	PK
5460 - 5925	37.75	0.00	15.09	H	52.84	68.23	15.39	AV

802.11be(MCS0)		EHT320(80LL)		106T+26T				
Channel	CH 31	Freq	6105 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.65	0.00	11.91	H	55.56	73.98	18.42	PK
5350 - 5460	31.95	0.00	11.91	H	43.86	53.98	10.12	AV
5460 - 5925	62.56	0.00	15.09	H	77.65	88.23	10.58	PK
5460 - 5925	36.50	0.00	15.09	H	51.59	68.23	16.64	AV

802.11be(MCS0)		EHT320(80LL)		484T+242T				
Channel	CH 31	Freq	6105 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.58	0.00	11.91	H	55.49	73.98	18.49	PK
5350 - 5460	32.32	0.00	11.91	H	44.23	53.98	9.75	AV
5460 - 5925	66.48	0.00	15.09	H	81.57	88.23	6.66	PK
5460 - 5925	49.22	0.00	15.09	H	64.31	68.23	3.92	AV

802.11be(MCS0)		EHT320(160L)		996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		1095		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.66	0.00	11.91	H	55.57	73.98	18.41	PK
5350 - 5460	32.31	0.09	11.91	H	44.31	53.98	9.67	AV
5460 - 5925	62.52	0.00	15.09	H	77.61	88.23	10.62	PK
5460 - 5925	47.85	0.09	15.09	H	63.03	68.23	5.20	AV

802.11be(MCS0)		EHT320(OFDMA)		2x996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		1101		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.87	0.00	11.91	H	55.78	73.98	18.20	PK
5350 - 5460	31.90	0.15	11.91	H	43.96	53.98	10.02	AV
5460 - 5925	65.14	0.00	15.09	H	80.23	88.23	8.00	PK
5460 - 5925	44.99	0.15	15.09	H	60.23	68.23	8.00	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T				
Channel	CH 31	Freq	6105 MHz	MRU offset		11104		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	43.15	0.00	11.91	H	55.06	73.98	18.92	PK
5350 - 5460	31.90	0.16	11.91	H	43.97	53.98	10.01	AV
5460 - 5925	65.55	0.00	15.09	H	80.64	88.23	7.59	PK
5460 - 5925	47.21	0.16	15.09	H	62.46	68.23	5.77	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		11106		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	44.05	0.00	11.91	H	55.96	73.98	18.02	PK
5350 - 5460	31.98	0.19	11.91	H	44.08	53.98	9.90	AV
5460 - 5925	63.14	0.00	15.09	H	78.23	88.23	10.00	PK
5460 - 5925	46.15	0.19	15.09	H	61.43	68.23	6.80	AV

10.13.2 Indoor Client

[SRU]

802.11a(6 Mbps)

Channel	Ch.233	Freq	7115 MHz	ANT. POL	Total	Limit	Margin	Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT					
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
#7125.5	57.85	0.00	18.03	H	75.88	88.23	12.35	PK
#7125.5	46.95	0.28	18.03	H	65.26	68.23	2.97	AV
#7126.5	50.89	0.00	18.03	H	68.92	88.23	19.31	PK
#7126.5	40.09	0.28	18.03	H	58.40	68.23	9.83	AV
7127 - 7250	55.93	0.00	18.33	H	74.26	88.23	13.97	PK
7127 - 7250	41.43	0.28	18.33	H	60.04	68.23	8.19	AV
7250 - 7750	39.82	0.00	17.99	H	57.81	73.98	16.17	PK
7250 - 7750	28.86	0.28	17.99	H	47.13	53.98	6.85	AV

802.11be(MCS0)

EHT20

26T

Channel	Ch.233	Freq	7115 MHz	RU offset		8			Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin		
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]		
#7125.5	53.26	0.00	18.03	H	71.29	88.23	16.94		PK
#7125.5	41.82	0.00	18.03	H	59.85	68.23	8.38		AV
#7126.5	44.20	0.00	18.03	H	62.23	88.23	26.00		PK
#7126.5	32.46	0.00	18.03	H	50.49	68.23	17.74		AV
7127 - 7250	52.05	0.00	18.33	H	70.38	88.23	17.85		PK
7127 - 7250	33.41	0.00	18.33	H	51.74	68.23	16.49		AV
7250 - 7750	39.48	0.00	17.99	H	57.47	73.98	16.51		PK
7250 - 7750	28.80	0.00	17.99	H	46.79	53.98	7.19		AV

802.11be(MCS0)

EHT20

52T

Channel	Ch.233	Freq	7115 MHz	RU offset		40			Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin		
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]		
#7125.5	60.47	0.00	18.03	H	78.50	88.23	9.73		PK
#7125.5	47.29	0.00	18.03	H	65.32	68.23	2.91		AV
#7126.5	50.81	0.00	18.03	H	68.84	88.23	19.39		PK
#7126.5	37.73	0.00	18.03	H	55.76	68.23	12.47		AV
7127 - 7250	60.13	0.00	18.33	H	78.46	88.23	9.77		PK
7127 - 7250	36.96	0.00	18.33	H	55.29	68.23	12.94		AV
7250 - 7750	39.81	0.00	17.99	H	57.80	73.98	16.18		PK
7250 - 7750	28.66	0.00	17.99	H	46.65	53.98	7.33		AV

802.11be(MCS0)		EHT20		106T				
Channel	Ch.233	Freq	7115 MHz	RU offset		54		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	59.44	0.00	18.03	H	77.47	88.23	10.76	PK
#7125.5	47.21	0.00	18.03	H	65.24	68.23	2.99	AV
#7126.5	49.89	0.00	18.03	H	67.92	88.23	20.31	PK
#7126.5	37.81	0.00	18.03	H	55.84	68.23	12.39	AV
7127 - 7250	60.97	0.00	18.33	H	79.30	88.23	8.93	PK
7127 - 7250	37.48	0.00	18.33	H	55.81	68.23	12.42	AV
7250 - 7750	38.93	0.00	17.99	H	56.92	73.98	17.06	PK
7250 - 7750	28.69	0.00	17.99	H	46.68	53.98	7.30	AV

802.11be(MCS0)		EHT20		242T				
Channel	Ch.233	Freq	7115 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	58.39	0.00	18.03	H	76.42	88.23	11.81	PK
#7125.5	47.28	0.00	18.03	H	65.31	68.23	2.92	AV
#7126.5	48.84	0.00	18.03	H	66.87	88.23	21.36	PK
#7126.5	37.60	0.00	18.03	H	55.63	68.23	12.60	AV
7127 - 7250	56.40	0.00	18.33	H	74.73	88.23	13.50	PK
7127 - 7250	37.53	0.00	18.33	H	55.86	68.23	12.37	AV
7250 - 7750	38.78	0.00	17.99	H	56.77	73.98	17.21	PK
7250 - 7750	28.65	0.00	17.99	H	46.64	53.98	7.34	AV

802.11be(MCS0)		EHT20		SU				
Channel	Ch.233	Freq	7115 MHz	RU offset		17		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	60.12	0.00	18.03	H	78.15	88.23	10.08	PK
#7125.5	47.24	0.00	18.03	H	65.27	68.23	2.96	AV
#7126.5	51.46	0.00	18.03	H	69.49	88.23	18.74	PK
#7126.5	39.01	0.00	18.03	H	57.04	68.23	11.19	AV
7127 - 7250	53.92	0.00	18.33	H	72.25	88.23	15.98	PK
7127 - 7250	40.52	0.00	18.33	H	58.85	68.23	9.38	AV
7250 - 7750	38.67	0.00	17.99	H	56.66	73.98	17.32	PK
7250 - 7750	28.64	0.00	17.99	H	46.63	53.98	7.35	AV

802.11be(MCS0)		EHT40		26T				
Channel	Ch.227	Freq	7085 MHz	RU offset		17		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.05	0.00	18.33	H	56.38	88.23	31.85	PK
7125 - 7250	26.79	0.00	18.33	H	45.12	68.23	23.11	AV
7250 - 7750	40.27	0.00	17.99	H	58.26	73.98	15.72	PK
7250 - 7750	29.03	0.00	17.99	H	47.02	53.98	6.96	AV

802.11be(MCS0)		EHT40		52T				
Channel	Ch.227	Freq	7085 MHz	RU offset		44		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.73	0.00	18.33	H	56.06	88.23	32.17	PK
7125 - 7250	26.87	0.00	18.33	H	45.20	68.23	23.03	AV
7250 - 7750	40.01	0.00	17.99	H	58.00	73.98	15.98	PK
7250 - 7750	28.82	0.00	17.99	H	46.81	53.98	7.17	AV

802.11be(MCS0)		EHT40		106T				
Channel	Ch.227	Freq	7085 MHz	RU offset		56		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.38	0.00	18.33	H	56.71	88.23	31.52	PK
7125 - 7250	26.53	0.00	18.33	H	44.86	68.23	23.37	AV
7250 - 7750	39.89	0.00	17.99	H	57.88	73.98	16.10	PK
7250 - 7750	28.39	0.00	17.99	H	46.38	53.98	7.60	AV

802.11be(MCS0)		EHT40		242T				
Channel	Ch.227	Freq	7085 MHz	RU offset		62		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	46.45	0.00	18.33	H	64.78	88.23	23.45	PK
7125 - 7250	31.17	0.00	18.33	H	49.50	68.23	18.73	AV
7250 - 7750	40.10	0.00	17.99	H	58.09	73.98	15.89	PK
7250 - 7750	28.34	0.00	17.99	H	46.33	53.98	7.65	AV

802.11be(MCS0)		EHT40		484T				
Channel	Ch.227	Freq	7085 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	59.11	0.00	18.33	H	77.44	88.23	10.79	PK
7125 - 7250	45.72	0.12	18.33	H	64.17	68.23	4.06	AV
7250 - 7750	40.19	0.00	17.99	H	58.18	73.98	15.80	PK
7250 - 7750	28.36	0.12	17.99	H	46.47	53.98	7.51	AV

802.11be(MCS0)		EHT40		SU				
Channel	Ch.227	Freq	7085 MHz	RU offset				
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	51.89	0.00	18.33	H	70.22	88.23	18.01	PK
7125 - 7250	37.09	0.00	18.33	H	55.42	68.23	12.81	AV
7250 - 7750	40.20	0.00	17.99	H	58.19	73.98	15.79	PK
7250 - 7750	28.34	0.00	17.99	H	46.33	53.98	7.65	AV

802.11be(MCS0)		EHT80		26T				
Channel	Ch.215	Freq	7025 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.39	0.00	18.33	H	55.72	88.23	32.51	PK
7125 - 7250	26.05	0.00	18.33	H	44.38	68.23	23.85	AV
7250 - 7750	39.78	0.00	17.99	H	57.77	73.98	16.21	PK
7250 - 7750	28.39	0.00	17.99	H	46.38	53.98	7.60	AV

802.11be(MCS0)		EHT80		52T				
Channel	Ch.215	Freq	7025 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.82	0.00	18.33	H	56.15	88.23	32.08	PK
7125 - 7250	26.24	0.00	18.33	H	44.57	68.23	23.66	AV
7250 - 7750	39.85	0.00	17.99	H	57.84	73.98	16.14	PK
7250 - 7750	28.42	0.00	17.99	H	46.41	53.98	7.57	AV

802.11be(MCS0)		EHT80		106T				
Channel	Ch.215	Freq	7025 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.73	0.00	18.33	H	56.06	88.23	32.17	PK
7125 - 7250	26.36	0.00	18.33	H	44.69	68.23	23.54	AV
7250 - 7750	39.97	0.00	17.99	H	57.96	73.98	16.02	PK
7250 - 7750	28.37	0.00	17.99	H	46.36	53.98	7.62	AV

802.11be(MCS0)		EHT80		242T				
Channel	Ch.215	Freq	7025 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.53	0.00	18.33	H	56.86	88.23	31.37	PK
7125 - 7250	26.45	0.00	18.33	H	44.78	68.23	23.45	AV
7250 - 7750	39.83	0.00	17.99	H	57.82	73.98	16.16	PK
7250 - 7750	28.41	0.00	17.99	H	46.40	53.98	7.58	AV

802.11be(MCS0)		EHT80		484T				
Channel	Ch.215	Freq	7025 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	45.23	0.00	18.33	H	63.56	88.23	24.67	PK
7125 - 7250	31.08	0.12	18.33	H	49.53	68.23	18.70	AV
7250 - 7750	39.99	0.00	17.99	H	57.98	73.98	16.00	PK
7250 - 7750	28.44	0.12	17.99	H	46.55	53.98	7.43	AV

802.11be(MCS0)		EHT80		996T				
Channel	Ch.215	Freq	7025 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	60.34	0.00	18.33	H	78.67	88.23	9.56	PK
7125 - 7250	45.32	0.12	18.33	H	63.77	68.23	4.46	AV
7250 - 7750	39.93	0.00	17.99	H	57.92	73.98	16.06	PK
7250 - 7750	28.37	0.12	17.99	H	46.48	53.98	7.50	AV

802.11be(MCS0)		EHT80		SU				
Channel	Ch.215	Freq	7025 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	62.19	0.00	18.33	H	80.52	88.23	7.71	PK
7125 - 7250	31.69	0.00	18.33	H	50.02	68.23	18.21	AV
7250 - 7750	40.49	0.00	17.99	H	58.48	73.98	15.50	PK
7250 - 7750	28.68	0.00	17.99	H	46.67	53.98	7.31	AV

802.11be(MCS0)		EHT160(80U)		26T				
Channel	CH 207	Freq	6985 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.44	0.00	18.33	H	55.77	88.23	32.46	PK
7125 - 7250	26.79	0.00	18.33	H	45.12	68.23	23.11	AV
7250 - 7750	39.63	0.00	17.99	H	57.62	73.98	16.36	PK
7250 - 7750	28.80	0.00	17.99	H	46.79	53.98	7.19	AV

802.11be(MCS0)		EHT160(80U)		52T				
Channel	CH 207	Freq	6985 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.39	0.00	18.33	H	56.72	88.23	31.51	PK
7125 - 7250	27.00	0.00	18.33	H	45.33	68.23	22.90	AV
7250 - 7750	39.64	0.00	17.99	H	57.63	73.98	16.35	PK
7250 - 7750	28.72	0.00	17.99	H	46.71	53.98	7.27	AV

802.11be(MCS0)		EHT160(80U)		106T				
Channel	CH 207	Freq	6985 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	44.04	0.00	18.33	H	62.37	88.23	25.86	PK
7125 - 7250	26.73	0.00	18.33	H	45.06	68.23	23.17	AV
7250 - 7750	40.14	0.00	17.99	H	58.13	73.98	15.85	PK
7250 - 7750	28.48	0.00	17.99	H	46.47	53.98	7.51	AV

802.11be(MCS0)		EHT160(80U)		242T				
Channel	CH 207	Freq	6985 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	45.49	0.00	18.33	H	63.82	88.23	24.41	PK
7125 - 7250	26.89	0.00	18.33	H	45.22	68.23	23.01	AV
7250 - 7750	40.26	0.00	17.99	H	58.25	73.98	15.73	PK
7250 - 7750	28.45	0.00	17.99	H	46.44	53.98	7.54	AV

802.11be(MCS0)		EHT160(80U)		484T				
Channel	CH 207	Freq	6985 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	50.21	0.00	18.33	H	68.54	88.23	19.69	PK
7125 - 7250	30.30	0.12	18.33	H	48.75	68.23	19.48	AV
7250 - 7750	44.44	0.00	17.99	H	62.43	73.98	11.55	PK
7250 - 7750	28.40	0.12	17.99	H	46.51	53.98	7.47	AV

802.11be(MCS0)		EHT160(80U)		996T				
Channel	CH 207	Freq	6985 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	58.71	0.00	18.33	H	77.04	88.23	11.19	PK
7125 - 7250	45.80	0.12	18.33	H	64.25	68.23	3.98	AV
7250 - 7750	40.30	0.00	17.99	H	58.29	73.98	15.69	PK
7250 - 7750	28.35	0.12	17.99	H	46.46	53.98	7.52	AV

802.11be(MCS0)		EHT160		2x996T				
Channel	CH 207	Freq	6985 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	63.74	0.00	18.33	H	82.07	88.23	6.16	PK
7125 - 7250	45.18	0.12	18.33	H	63.63	68.23	4.60	AV
7250 - 7750	45.51	0.00	17.99	H	63.50	73.98	10.48	PK
7250 - 7750	31.75	0.12	17.99	H	49.86	53.98	4.12	AV

802.11be(MCS0)		EHT160		SU				
Channel	CH 207	Freq	6985 MHz	RU offset				
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	60.41	0.00	18.33	H	78.74	88.23	9.49	PK
7125 - 7250	35.37	0.00	18.33	H	53.70	68.23	14.53	AV
7250 - 7750	41.90	0.00	17.99	H	59.89	73.98	14.09	PK
7250 - 7750	28.36	0.00	17.99	H	46.35	53.98	7.63	AV

802.11be(MCS0)		EHT320(80HH)		26T				
Channel	CH 191	Freq	6905 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.39	0.00	18.33	H	55.72	88.23	32.51	PK
7125 - 7250	26.80	0.00	18.33	H	45.13	68.23	23.10	AV
7250 - 7750	39.65	0.00	17.99	H	57.64	73.98	16.34	PK
7250 - 7750	28.08	0.00	17.99	H	46.07	53.98	7.91	AV

802.11be(MCS0)		EHT320(80HH)		52T				
Channel	CH 191	Freq	6905 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	39.26	0.00	18.33	H	57.59	88.23	30.64	PK
7125 - 7250	27.18	0.00	18.33	H	45.51	68.23	22.72	AV
7250 - 7750	42.09	0.00	17.99	H	60.08	73.98	13.90	PK
7250 - 7750	28.59	0.00	17.99	H	46.58	53.98	7.40	AV

802.11be(MCS0)		EHT320(80HH)		106T				
Channel	CH 191	Freq	6905 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.24	0.00	18.33	H	56.57	88.23	31.66	PK
7125 - 7250	27.23	0.00	18.33	H	45.56	68.23	22.67	AV
7250 - 7750	39.59	0.00	17.99	H	57.58	73.98	16.40	PK
7250 - 7750	28.65	0.00	17.99	H	46.64	53.98	7.34	AV

802.11be(MCS0)		EHT320(80HH)		242T				
Channel	CH 191	Freq	6905 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	46.00	0.00	18.33	H	64.33	88.23	23.90	PK
7125 - 7250	27.85	0.00	18.33	H	46.18	68.23	22.05	AV
7250 - 7750	50.35	0.00	17.99	H	68.34	73.98	5.64	PK
7250 - 7750	28.62	0.00	17.99	H	46.61	53.98	7.37	AV

802.11be(MCS0)		EHT320(80HH)		484T				
Channel	CH 191	Freq	6905 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	53.43	0.00	18.33	H	71.76	88.23	16.47	PK
7125 - 7250	31.12	0.12	18.33	H	49.57	68.23	18.66	AV
7250 - 7750	49.12	0.00	17.99	H	67.11	73.98	6.87	PK
7250 - 7750	29.07	0.12	17.99	H	47.18	53.98	6.80	AV

802.11be(MCS0)		EHT320(80HH)		996T				
Channel	CH 191	Freq	6905 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	57.42	0.00	18.33	H	75.75	88.23	12.48	PK
7125 - 7250	42.43	0.12	18.33	H	60.88	68.23	7.35	AV
7250 - 7750	45.76	0.00	17.99	H	63.75	73.98	10.23	PK
7250 - 7750	28.79	0.12	17.99	H	46.90	53.98	7.08	AV

802.11be(MCS0)		EHT320(160U)		2x996T				
Channel	CH 191	Freq	6905 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	60.00	0.00	18.33	H	78.33	88.23	9.90	PK
7125 - 7250	41.80	0.12	18.33	H	60.25	68.23	7.98	AV
7250 - 7750	47.51	0.00	17.99	H	65.50	73.98	8.48	PK
7250 - 7750	30.07	0.12	17.99	H	48.18	53.98	5.80	AV

802.11be(MCS0)		EHT320		4x996T				
Channel	CH 191	Freq	6905 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	55.59	0.00	18.33	H	73.92	88.23	14.31	PK
7125 - 7250	37.87	0.00	18.33	H	56.39	68.23	11.84	AV
7250 - 7750	49.01	0.00	17.99	H	67.00	73.98	6.98	PK
7250 - 7750	32.43	0.00	17.99	H	50.61	53.98	3.37	AV

802.11be(MCS0)		EHT320		SU				
Channel	CH 191	Freq	6905 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	43.05	0.00	18.33	H	61.38	88.23	26.85	PK
7125 - 7250	32.34	0.00	18.33	H	50.67	68.23	17.56	AV
7250 - 7750	43.70	0.00	17.99	H	61.69	73.98	12.29	PK
7250 - 7750	32.11	0.00	17.99	H	50.10	53.98	3.88	AV

802.11be(MCS0)		EHT20		52T+26T				
Channel	Ch.233	Freq	7115 MHz	MRU offset		72		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	49.54	0.00	18.03	H	67.57	88.23	20.66	PK
#7125.5	36.92	0.00	18.03	H	54.95	68.23	13.28	AV
#7126.5	43.02	0.00	18.03	H	61.05	88.23	27.18	PK
#7126.5	31.17	0.00	18.03	H	49.20	68.23	19.03	AV
7127 - 7250	50.47	0.00	18.33	H	68.80	88.23	19.43	PK
7127 - 7250	32.26	0.00	18.33	H	50.59	68.23	17.64	AV
7250 - 7750	39.74	0.00	17.99	H	57.73	73.98	16.25	PK
7250 - 7750	29.17	0.00	17.99	H	47.16	53.98	6.82	AV

802.11be(MCS0)		EHT20		106T+26T				
Channel	Ch.233	Freq	7115 MHz	MRU offset		83		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	60.63	0.00	18.03	H	78.66	88.23	9.57	PK
#7125.5	47.47	0.00	18.03	H	65.50	68.23	2.73	AV
#7126.5	50.61	0.00	18.03	H	68.64	88.23	19.59	PK
#7126.5	38.10	0.00	18.03	H	56.13	68.23	12.10	AV
7127 - 7250	59.26	0.00	18.33	H	77.59	88.23	10.64	PK
7127 - 7250	37.65	0.00	18.33	H	55.98	68.23	12.25	AV
7250 - 7750	39.68	0.00	17.99	H	57.67	73.98	16.31	PK
7250 - 7750	28.88	0.00	17.99	H	46.87	53.98	7.11	AV

802.11be(MCS0)		EHT40		52T+26T				
Channel	Ch.227	Freq	7085 MHz	MRU offset		75		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.50	0.00	18.33	H	56.83	88.23	31.40	PK
7125 - 7250	27.02	0.00	18.33	H	45.35	68.23	22.88	AV
7250 - 7750	40.02	0.00	17.99	H	58.01	73.98	15.97	PK
7250 - 7750	28.81	0.00	17.99	H	46.80	53.98	7.18	AV

802.11be(MCS0)		EHT40		106T+26T				
Channel	Ch.227	Freq	7085 MHz	MRU offset		85		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.16	0.00	18.33	H	56.49	88.23	31.74	PK
7125 - 7250	27.57	0.00	18.33	H	45.90	68.23	22.33	AV
7250 - 7750	39.72	0.00	17.99	H	57.71	73.98	16.27	PK
7250 - 7750	28.79	0.00	17.99	H	46.78	53.98	7.20	AV

802.11be(MCS0)		EHT80		52T + 26T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.52	0.00	18.33	H	55.85	88.23	32.38	PK
7125 - 7250	26.12	0.00	18.33	H	44.45	68.23	23.78	AV
7250 - 7750	39.92	0.00	17.99	H	57.91	73.98	16.07	PK
7250 - 7750	28.41	0.00	17.99	H	46.40	53.98	7.58	AV

802.11be(MCS0)		EHT80		106T + 26T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.80	0.00	18.33	H	56.13	88.23	32.10	PK
7125 - 7250	26.09	0.00	18.33	H	44.42	68.23	23.81	AV
7250 - 7750	39.71	0.00	17.99	H	57.70	73.98	16.28	PK
7250 - 7750	28.48	0.00	17.99	H	46.47	53.98	7.51	AV

802.11be(MCS0)		EHT80		484T + 242T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	49.08	0.00	18.33	H	67.41	88.23	20.82	PK
7125 - 7250	35.74	0.00	18.33	H	54.07	68.23	14.16	AV
7250 - 7750	39.88	0.00	17.99	H	57.87	73.98	16.11	PK
7250 - 7750	28.77	0.00	17.99	H	46.76	53.98	7.22	AV

802.11be(MCS0)		EHT160(80U)		52T + 26T				
Channel	CH 207	Freq	6985 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.18	0.00	18.33	H	56.51	88.23	31.72	PK
7125 - 7250	26.88	0.00	18.33	H	45.21	68.23	23.02	AV
7250 - 7750	40.01	0.00	17.99	H	58.00	73.98	15.98	PK
7250 - 7750	28.76	0.00	17.99	H	46.75	53.98	7.23	AV

802.11be(MCS0)		EHT160(80U)		106T + 26T				
Channel	CH 207	Freq	6985 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.93	0.00	18.33	H	56.26	88.23	31.97	PK
7125 - 7250	26.06	0.00	18.33	H	44.39	68.23	23.84	AV
7250 - 7750	39.58	0.00	17.99	H	57.57	73.98	16.41	PK
7250 - 7750	28.36	0.00	17.99	H	46.35	53.98	7.63	AV

802.11be(MCS0)		EHT160(80U)		484T + 242T				
Channel	CH 207	Freq	6985 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	53.01	0.00	18.33	H	71.34	88.23	16.89	PK
7125 - 7250	37.36	0.00	18.33	H	55.69	68.23	12.54	AV
7250 - 7750	49.88	0.00	17.99	H	67.87	73.98	6.11	PK
7250 - 7750	30.63	0.00	17.99	H	48.62	53.98	5.36	AV

802.11be(MCS0)		EHT160(OFDMA)		996T + 484T				
Channel	CH 207	Freq	6985 MHz	MRU offset		94		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	57.67	0.00	18.33	H	76.00	88.23	12.23	PK
7125 - 7250	40.71	0.00	18.33	H	59.04	68.23	9.19	AV
7250 - 7750	40.61	0.00	17.99	H	58.60	73.98	15.38	PK
7250 - 7750	28.91	0.00	17.99	H	46.90	53.98	7.08	AV

802.11be(MCS0)		EHT320(80HH)		52T+26T				
Channel	CH 191	Freq	6905 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.89	0.00	18.33	H	56.22	88.23	32.01	PK
7125 - 7250	27.01	0.00	18.33	H	45.34	68.23	22.89	AV
7250 - 7750	39.53	0.00	17.99	H	57.52	73.98	16.46	PK
7250 - 7750	28.17	0.00	17.99	H	46.16	53.98	7.82	AV

802.11be(MCS0)		EHT320(80HH)		106T+26T				
Channel	CH 191	Freq	6905 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.97	0.00	18.33	H	57.30	88.23	30.93	PK
7125 - 7250	27.00	0.00	18.33	H	45.33	68.23	22.90	AV
7250 - 7750	39.42	0.00	17.99	H	57.41	73.98	16.57	PK
7250 - 7750	28.62	0.00	17.99	H	46.61	53.98	7.37	AV

802.11be(MCS0)		EHT320(80HH)		484T+242T				
Channel	CH 191	Freq	6905 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	55.06	0.00	18.33	H	73.39	88.23	14.84	PK
7125 - 7250	36.52	0.00	18.33	H	54.85	68.23	13.38	AV
7250 - 7750	43.64	0.00	17.99	H	61.63	73.98	12.35	PK
7250 - 7750	28.76	0.00	17.99	H	46.75	53.98	7.23	AV

802.11be(MCS0)		EHT320(160U)		996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		94		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	51.25	0.00	18.33	H	69.58	88.23	18.65	PK
7125 - 7250	36.15	0.09	18.33	H	54.57	68.23	13.66	AV
7250 - 7750	47.04	0.00	17.99	H	65.03	73.98	8.95	PK
7250 - 7750	28.93	0.09	17.99	H	47.01	53.98	6.97	AV

802.11be(MCS0)		EHT320(OFDMA)		2x996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		10102		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	51.36	0.00	18.33	H	69.69	88.23	18.54	PK
7125 - 7250	31.90	0.15	18.33	H	50.38	68.23	17.85	AV
7250 - 7750	43.25	0.00	17.99	H	61.24	73.98	12.74	PK
7250 - 7750	29.02	0.15	17.99	H	47.16	53.98	6.82	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T				
Channel	CH 191	Freq	6905 MHz	MRU offset		104		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	53.38	0.00	18.33	H	71.71	88.23	16.52	PK
7125 - 7250	34.71	0.16	18.33	H	53.20	68.23	15.03	AV
7250 - 7750	46.61	0.00	17.99	H	64.60	73.98	9.38	PK
7250 - 7750	30.32	0.16	17.99	H	48.47	53.98	5.51	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		105		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	58.22	0.00	18.33	H	76.55	88.23	11.68	PK
7125 - 7250	38.35	0.19	18.33	H	56.87	68.23	11.36	AV
7250 - 7750	50.13	0.00	17.99	H	68.12	73.98	5.86	PK
7250 - 7750	32.36	0.19	17.99	H	50.54	53.98	3.44	AV

Note:

All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached Bandedge result of worst case.


Test Plots

[MIMO_CDD(Ant1+Ant2)]

[Standard Client]


Average result (802.11be(EHT20), Ch.2, 52T RU37) – X-H

(Integration method Used)




Peak result (802.11be(EHT20), Ch.2, 52T RU37) – X-H


(Integration method Used)



Average result (802.11be(EHT20), Ch.2, 52T RU37) – X-H




Peak result (802.11be(EHT20), Ch.2, 52T RU37) – X-H




Average result (802.11be(EHT20), Ch.233, 106T+52T MRU83) – X-H

(Integration method Used)




Peak result (802.11be(EHT20), Ch.233, 106T+52T MRU83) – X-H


(Integration method Used)



Average result (802.11be(EHT20), Ch.233, 106T+52T MRU83) – X-H



Peak result (802.11be(EHT20), Ch.233, 106T+52T MRU83) – X-H


Note:

Only the worst case plots for Radiated Restricted Band Edge.

10.14 POWERLINE CONDUCTED EMISSIONS

Conducted Emissions

Test


1 / 1

Test Report

Common Information

EUT : SM-S931U
Operating Conditions : 6G WLAN Mode
Comment :

Full Spectrum



Final Result QPK

Frequency (MHz)	QuasiPeak (dBμV)	Limit (dBμV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1523	19.90	65.88	45.98	9.000	N	9.6
0.1680	19.53	65.06	45.53	9.000	N	9.6
0.1815	18.96	64.42	45.45	9.000	N	9.6
0.4020	34.51	57.81	23.31	9.000	N	9.6
2.3518	14.52	56.00	41.48	9.000	N	9.7
2.3743	14.99	56.00	41.01	9.000	N	9.7
2.5183	15.32	56.00	40.68	9.000	N	9.8
6.4985	7.93	60.00	52.07	9.000	N	9.9
6.5480	7.24	60.00	52.76	9.000	N	9.9

Final Result CAV

Frequency (MHz)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1523	8.12	55.88	47.76	9.000	N	9.6
0.1748	9.27	54.73	45.47	9.000	N	9.6
0.1973	10.47	53.73	43.26	9.000	N	9.6
0.4088	24.65	47.67	23.02	9.000	N	9.6
0.9163	9.05	46.00	36.95	9.000	N	9.7
0.9365	9.35	46.00	36.65	9.000	N	9.7
2.3810	8.72	46.00	37.28	9.000	N	9.7
5.1665	4.26	50.00	45.74	9.000	N	9.9
5.2115	4.05	50.00	45.95	9.000	N	9.9

2024-08-30

오전 9:31:04

11. LIST OF TEST EQUIPMENT

Conducted Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
LISN	ENV216	Rohde & Schwarz	102245	07/17/2025	Annual
EMI Test Receiver	ESR	Rohde & Schwarz	101910	07/02/2025	Annual
Temperature Chamber	SU-642	ESPEC	0093008124	02/19/2025	Annual
Signal Analyzer	N9030A	Agilent	MY52350879	04/05/2025	Annual
Power Measurement Set	OSP 120	Rohde & Schwarz	101231	10/17/2025	Annual
Power Meter	N1911A	Agilent	MY45100523	02/28/2025	Annual
Power Sensor	N1921A	Agilent	MY57820067	02/22/2025	Annual
Directional Coupler	87300B	Agilent	3116A03621	10/21/2025	Annual
Power Splitter	11667B	Hewlett Packard	05001	04/17/2025	Annual
DC Power Supply	E3632A	H.P	KR75303243	04/19/2025	Annual
Attenuator(10 dB)	8493C	Hewlett Packard	07560	06/05/2025	Annual
Software	EMC32	Rohde & Schwarz	N/A	N/A	N/A
FCC WLAN&BT&BLE Conducted Test Software v3.0	N/A	HCT CO., LTD.	N/A	N/A	N/A
Radio Communication Tester	CMX500	Rohde & Schwarz	100325	10/14/2025	Annual
Attenuator(3 dB)	18B-03	Api tech.	1	05/02/2025	Annual
Step Attenuator	8495B	Agilent	MY42141593	02/28/2025	Annual
4 WAY POWER DIVIDER	4456-4	Narda	01640	05/02/2025	Annual
Wireless AP	GT-AXE11000	ASUS	M6IAJF201782 (FCC ID : MSQ-RTAXJF00)	N/A	N/A
BE19000 Tri-Band Wi-Fi 7 Router	Archer BE800	Tp-Link	Y2350N50000581 (FCC ID : 2AX-J4BE800)	N/A	N/A

Note:

1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.

Radiated Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
Controller(Antenna mast)	CO3000	Innco system	CO3000-4p	N/A	N/A
Antenna Position Tower	MA4640/800-XP-EP	Innco system	N/A	N/A	N/A
Controller	EM1000	Audix	060520	N/A	N/A
Turn Table	N/A	Audix	N/A	N/A	N/A
Loop Antenna	FMZB 1513	Rohde & Schwarz	1513-333	03/07/2026	Biennial
Hybrid Antenna	VULB 9168	Schwarzbeck	760	02/24/2025	Biennial
Horn Antenna	BBHA 9120D	Schwarzbeck	02299	01/29/2026	Biennial
Horn Antenna (15GHz ~ 40 GHz)	BBHA9170	Schwarzbeck	BBHA9170342	09/20/2026	Biennial
Spectrum Analyzer	FSV40	Rohde & Schwarz	100901	02/22/2025	Annual
Signal Analyzer	N9030A	Agilent	MY52350879	04/05/2025	Annual
Attenuator(3 dB)	18B-03	Api tech.	1	05/02/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	5	06/04/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	6	06/04/2025	Annual
Band Reject Filter	WRCJV2400/2483.5-2370/2520-60/12SS	Wainwright Instruments	2	01/02/2025	Annual
Band Reject Filter	WRCJV5100/5850-40/50-8EEK	Wainwright Instruments	1	02/14/2025	Annual
RF Switching System	FMSR-04B (3G HPF+LNA)	T&M SYSTEM	S2L1	12/27/2024	Annual
RF Switching System	FMSR-04B (10dB ATT+LNA)	T&M SYSTEM	S2L2	12/27/2024	Annual
RF Switching System	FMSR-04B (3dB ATT+LNA)	T&M SYSTEM	S2L3	12/27/2024	Annual
RF Switching System	FMSR-04B (LNA)	T&M SYSTEM	S2L4	12/27/2024	Annual
RF Switching System	FMSR-04B (7G HPF+LNA)	T&M SYSTEM	S2L5	12/27/2024	Annual
Power Amplifier	CBL18265035	CERNEX	22966	11/17/2024	Annual
Power Amplifier	CBL26405040	CERNEX	25956	02/26/2025	Annual

Note:

- Equipment listed above that calibrated during the testing period was set for test after the calibration.
- Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.
- Especially, all antenna for measurement is calibrated in accordance with the requirements of C63.5(Version : 2017).

12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2410-FC027-P