




H-Field Receiving Pattern ( $\phi$ ),  $\vartheta = 90^\circ$




FCC ID: A3LSMS936B		WPT RF EXPOSURE EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 10/14/2024 – 11/4/2024	Apparatus/Device: Mobile Handset		APPENDIX C: Page 22 of 26

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [CT.INFO@ELEMENT.COM](mailto:CT.INFO@ELEMENT.COM).


H-Field Receiving Pattern ( $\phi$ ),  $\theta = 0^\circ$



H-Field Receiving Pattern ( $\phi$ ),  $\theta = 90^\circ$




SPEAG axial deviation from the ideal response tolerance for H-field:  $\pm 0.6$  dB


FCC ID: A3LSMS936B		WPT RF EXPOSURE EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 10/14/2024 – 11/4/2024	Apparatus/Device: Mobile Handset		APPENDIX C: Page 23 of 26

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [CT.INFO@ELEMENT.COM](mailto:CT.INFO@ELEMENT.COM).


Isotropy E-Field


E-Field Receiving Pattern ( $\phi$ ,  $\vartheta = 0^\circ$ )



FCC ID: A3LSMS936B		WPT RF EXPOSURE EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 10/14/2024 – 11/4/2024	Apparatus/Device: Mobile Handset		APPENDIX C: Page 24 of 26


E-Field Receiving Pattern ( $\psi$ ),  $\vartheta = 90^\circ$




FCC ID: A3LSMS936B	 <b>WPT RF EXPOSURE EVALUATION REPORT</b>	<b>Reviewed by:</b> Quality Manager
<b>Test Dates:</b> 10/14/2024 – 11/4/2024	<b>Apparatus/Device:</b> Mobile Handset	APPENDIX C: Page 25 of 26

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [CT.INFO@ELEMENT.COM](mailto:CT.INFO@ELEMENT.COM).


E-Field Receiving Pattern ( $\phi$ ),  $\vartheta = 0^\circ$



E-Field Receiving Pattern ( $\phi$ ),  $\vartheta = 90^\circ$



SPEAG axial deviation from the ideal response tolerance for E-field:  $\pm 0.8$  dB

FCC ID: A3LSMS936B		WPT RF EXPOSURE EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates: 10/14/2024 – 11/4/2024	Apparatus/Device: Mobile Handset		APPENDIX C: Page 26 of 26

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [CT.INFO@ELEMENT.COM](mailto:CT.INFO@ELEMENT.COM).