

Plot 7-166. Radiated Spurious Plot (NR Band n77 – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
280.00	H	-	-	-95.63	-11.72	-0.35	-97.76	-13.00	-84.76
426.00	H	-	-	-95.26	-7.97	3.77	-93.64	-13.00	-80.64
706.00	H	-	-	-95.41	-3.42	8.17	-89.24	-13.00	-76.24

Table 7-28. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	135	339	-81.57	14.91	40.34	-54.92	-13.00	-41.92
10500.03	H	-	-	-83.44	20.87	44.43	-50.83	-13.00	-37.83
14000.04	H	120	333	-80.70	26.31	52.61	-42.65	-13.00	-29.65
17500.05	H	-	-	-84.90	30.12	52.22	-43.04	-13.00	-30.04
21000.06	H	-	-	-74.78	3.25	35.47	-69.33	-13.00	-56.33
24500.07	H	-	-	-74.92	3.71	35.79	-69.01	-13.00	-56.01


Table 7-29. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 133 of 154


NR Band n77 C-band – Ant F



Plot 7-167. Radiated Spurious Plot (NR Band n77 – Ant F)




Plot 7-168. Radiated Spurious Plot (NR Band n77 – Ant F)



Plot 7-169. Radiated Spurious Plot (NR Band n77 – Ant F)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 134 of 154



Plot 7-170. Radiated Spurious Plot (NR Band n77 – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
116.00	H	-	-	-98.06	-13.49	-4.55	-101.96	-13.00	-88.96
274.00	H	-	-	-95.74	-11.79	-0.53	-97.94	-13.00	-84.94
595.00	H	-	-	-95.21	-4.65	7.14	-90.27	-13.00	-77.27
678.00	V	-	-	-95.12	-3.74	8.14	-89.26	-13.00	-76.26

Table 7-30. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-79.50	16.29	43.79	-51.46	-13.00	-38.46
11250.00	H	-	-	-79.89	21.79	48.90	-46.36	-13.00	-33.36
15000.00	H	-	-	-79.36	27.28	54.92	-40.34	-13.00	-27.34

Table 7-31. Radiated Spurious Data (NR Band n77 – Low Channel – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	171	357	-78.96	16.35	44.39	-50.87	-13.00	-37.87
11520.00	H	-	-	-78.99	22.11	50.12	-45.13	-13.00	-32.13
15360.00	H	-	-	-79.72	27.71	54.99	-40.26	-13.00	-27.26
19200.00	H	-	-	-75.95	1.65	32.70	-72.10	-13.00	-59.10

Table 7-32. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset		Page 135 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	303	314	-81.56	16.07	41.51	-53.75	-13.00	-40.75
11790.00	H	-	-	-83.14	22.05	45.91	-49.34	-13.00	-36.34
15720.00	H	-	-	-84.86	28.46	50.60	-44.66	-13.00	-31.66
19650.00	H	-	-	-72.42	1.65	36.23	-68.57	-13.00	-55.57


Table 7-33. Radiated Spurious Data (NR Band n77 – High Channel – Ant F)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 136 of 154


NR Band n77 DoD – Ant C



Plot 7-171. Radiated Spurious Plot (NR Band n77 – Ant C)




Plot 7-172. Radiated Spurious Plot (NR Band n77 – Ant C)



Plot 7-173. Radiated Spurious Plot (NR Band n77 – Ant C)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 137 of 154



Plot 7-174. Radiated Spurious Plot (NR Band n77 – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
405.00	H	-	-	-102.21	-8.31	-3.52	-100.93	-13.00	-87.93
750.00	H	-	-	-102.34	-2.70	1.96	-95.45	-13.00	-82.45
903.00	H	-	-	-101.77	-0.60	4.63	-92.78	-13.00	-79.78

Table 7-34. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.88	14.91	40.03	-55.23	-13.00	-42.23
10500.03	H	-	-	-83.92	20.87	43.95	-51.31	-13.00	-38.31
14000.04	H	-	-	-84.66	26.31	48.65	-46.61	-13.00	-33.61
17500.05	H	-	-	-84.88	30.12	52.24	-43.02	-13.00	-30.02


Table 7-35. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 138 of 154


NR Band n77 C-band – Ant C



Plot 7-175. Radiated Spurious Plot (NR Band n77 – Ant C)




Plot 7-176. Radiated Spurious Plot (NR Band n77 – Ant C)



Plot 7-177. Radiated Spurious Plot (NR Band n77 – Ant C)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 139 of 154



Plot 7-178. Radiated Spurious Plot (NR Band n77 – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
534.00	H	-	-	-105.56	-3.86	-2.42	-99.83	-13.00	-86.83
592.00	H	-	-	-105.50	-3.18	-1.68	-99.09	-13.00	-86.09
910.00	H	-	-	-106.82	-0.52	-0.34	-97.75	-13.00	-84.75

Table 7-36. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-82.08	16.06	40.98	-54.28	-13.00	-41.28
11250.00	H	-	-	-83.51	21.30	44.79	-50.47	-13.00	-37.47
15000.00	H	-	-	-84.74	26.18	48.44	-46.82	-13.00	-33.82

Table 7-37. Radiated Spurious Data (NR Band n77 – Low Channel – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	-	-	-82.21	16.04	40.83	-54.43	-13.00	-41.43
11520.00	H	-	-	-83.35	22.22	45.87	-49.39	-13.00	-36.39
15360.00	H	-	-	-85.11	27.26	49.15	-46.11	-13.00	-33.11

Table 7-38. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 140 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	225	305	-81.89	16.06	41.17	-54.09	-13.00	-41.09
11790.00	H	-	-	-83.28	21.29	45.01	-50.25	-13.00	-37.25
15720.00	H	-	-	-85.23	28.23	50.00	-45.26	-13.00	-32.26
19650.00	H	-	-	-74.19	2.11	34.92	-69.88	-13.00	-56.88


Table 7-39. Radiated Spurious Data (NR Band n77 – High Channel – Ant C)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 141 of 154


NR Band n77 DoD – Ant I



Plot 7-179. Radiated Spurious Plot (NR Band n77 – Ant I)




Plot 7-180. Radiated Spurious Plot (NR Band n77 – Ant I)



Plot 7-181. Radiated Spurious Plot (NR Band n77 – Ant I)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 142 of 154



Plot 7-182. Radiated Spurious Plot (NR Band n77 – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/271

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
222.00	H	-	-	-102.62	-13.29	-8.91	-106.32	-13.00	-93.32
298.00	H	-	-	-102.90	-11.19	-7.09	-104.50	-13.00	-91.50
496.00	H	-	-	-101.50	-6.79	-1.29	-98.70	-13.00	-85.70

Table 7-40. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.94	16.07	41.13	-54.13	-13.00	-41.13
10500.03	H	-	-	-83.43	16.07	39.64	-55.62	-13.00	-42.62
14000.04	H	151	328	-82.36	16.07	40.71	-54.55	-13.00	-41.55
17500.05	H	-	-	-84.70	16.07	38.37	-56.89	-13.00	-43.89
21000.06	H	-	-	-74.05	3.25	36.20	-68.60	-13.00	-55.60
24500.07	H	-	-	-74.78	3.71	35.93	-68.87	-13.00	-55.87


Table 7-41. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 143 of 154


NR Band n77 C-band – Ant I



Plot 7-183. Radiated Spurious Plot (NR Band n77 – Ant I)




Plot 7-184. Radiated Spurious Plot (NR Band n77 – Ant I)



Plot 7-185. Radiated Spurious Plot (NR Band n77 – Ant I)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 144 of 154



Plot 7-186. Radiated Spurious Plot (NR Band n77 – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
237.00	H	-	-	-106.11	-12.49	-11.60	-109.01	-13.00	-96.01
480.00	H	-	-	-105.90	-7.08	-5.98	-103.38	-13.00	-90.38
925.00	H	-	-	-105.35	-0.47	1.18	-96.22	-13.00	-83.22

Table 7-42. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-82.42	16.29	40.87	-54.38	-13.00	-41.38
11250.00	H	-	-	-83.68	21.79	45.11	-50.15	-13.00	-37.15
15000.00	H	-	-	-85.14	27.28	49.14	-46.12	-13.00	-33.12

Table 7-43. Radiated Spurious Data (NR Band n77 – Low Channel – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	225	325	-82.23	16.35	41.12	-54.14	-13.00	-41.14
11520.00	H	-	-	-83.30	22.11	45.81	-49.44	-13.00	-36.44
15360.00	H	-	-	-85.02	27.71	49.69	-45.56	-13.00	-32.56
19200.00	H	-	-	-74.01	1.65	34.64	-70.16	-13.00	-57.16

Table 7-44. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset		Page 145 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	151	357	-82.00	16.06	41.06	-54.20	-13.00	-41.20
11790.00	H	-	-	-83.24	21.29	45.05	-50.21	-13.00	-37.21
15720.00	H	-	-	-85.29	28.23	49.94	-45.32	-13.00	-32.32
19650.00	H	-	-	-74.31	2.11	34.80	-70.00	-13.00	-57.00


Table 7-45. Radiated Spurious Data (NR Band n77 – High Channel – Ant I)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 146 of 154


NR Band n77 DoD – Ant D



Plot 7-187. Radiated Spurious Plot (NR Band n77 – Ant D)




Plot 7-188. Radiated Spurious Plot (NR Band n77 – Ant D)



Plot 7-189. Radiated Spurious Plot (NR Band n77 – Ant D)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 147 of 154



Plot 7-190. Radiated Spurious Plot (NR Band n77 – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
99.00	H	-	-	-106.39	-13.78	-13.17	-110.58	-13.00	-97.58
339.00	H	-	-	-106.06	-9.74	-8.80	-106.21	-13.00	-93.21
485.00	H	-	-	-105.30	-7.08	-5.38	-102.78	-13.00	-89.78

Table 7-46. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.81	14.91	40.10	-55.16	-13.00	-42.16
10500.03	H	-	-	-83.23	20.87	44.64	-50.62	-13.00	-37.62
14000.04	H	114	292	-83.15	26.31	50.16	-45.10	-13.00	-32.10
17500.05	H	-	-	-84.42	30.12	52.70	-42.56	-13.00	-29.56
21000.06	H	-	-	-74.58	3.25	35.67	-69.13	-13.00	-56.13
24500.07	H	-	-	-74.61	3.71	36.10	-68.70	-13.00	-55.70


Table 7-47. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 148 of 154


NR Band n77 C-band – Ant D



Plot 7-191. Radiated Spurious Plot (NR Band n77 – Ant D)




Plot 7-192. Radiated Spurious Plot (NR Band n77 – Ant D)



Plot 7-193. Radiated Spurious Plot (NR Band n77 – Ant D)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 149 of 154



Plot 7-194. Radiated Spurious Plot (NR Band n77 – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
133.00	H	-	-	-102.89	-16.77	-12.66	-110.07	-13.00	-97.07
339.00	H	-	-	-102.19	-9.85	-5.04	-102.45	-13.00	-89.45
490.00	H	-	-	-101.75	-6.97	-1.72	-99.12	-13.00	-86.12

Table 7-48. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-82.39	14.91	39.52	-55.74	-13.00	-42.74
10500.03	H	-	-	-83.58	20.87	44.29	-50.97	-13.00	-37.97
14000.04	H	-	-	-85.07	26.31	48.24	-47.02	-13.00	-34.02
17500.05	H	-	-	-85.14	30.12	51.98	-52.82	-13.00	-39.82

Table 7-49. Radiated Spurious Data (NR Band n77 – Low Channel – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	-	-	-82.47	16.35	40.88	-54.38	-13.00	-41.38
11520.00	H	-	-	-83.59	22.11	45.52	-49.73	-13.00	-36.73
15360.00	H	-	-	-84.79	27.71	49.92	-45.33	-13.00	-32.33

Table 7-50. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 150 of 154

Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	-	-	-82.37	16.06	40.69	-54.57	-13.00	-41.57
11790.00	H	-	-	-83.98	21.29	44.31	-50.95	-13.00	-37.95
15720.00	H	-	-	-85.12	28.23	50.11	-45.15	-13.00	-32.15

Table 7-51. Radiated Spurious Data (NR Band n77 – High Channel – Ant D)

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 151 of 154

7.9 Frequency Stability / Temperature Variation

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI C63.26-2015. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI C63.26-2015 – Section 5.6

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes


None

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 152 of 154

NR Band n77

NR Band n77					
		Operating Frequency (Hz):		3,840,000,000	
		Ref. Voltage (VDC):		3.863	
Voltage (%)	Power (VDC)	Temp (°C)	Frequency (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.863	-30	3,840,013,120	-1,113	-0.0000290
		-20	3,840,012,178	-2,055	-0.0000535
		-10	3,840,011,119	-3,114	-0.0000811
		0	3,840,019,444	5,211	0.0001357
		+10	3,840,015,677	1,444	0.0000376
		+20 (Ref)	3,840,014,233	0	0.0000000
		+30	3,840,017,196	2,963	0.0000772
		+40	3,840,012,115	-2,118	-0.0000552
Battery Endpoint	3.174	+50	3,840,015,344	1,111	0.0000289
		+20	3,840,013,907	-326	-0.0000085

Table 7-52. NR Band n77 Frequency Stability Data



Plot 7-195. NR Band n77 Frequency Stability Chart

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 153 of 154



8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung Portable Handset** **FCC ID: A3LSMS936B** complies with all the requirements of Part 27 of the FCC rules.

FCC ID: A3LSMS936B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260066-10.A3L	Test Dates: 09/03/2024 - 11/06/2024	EUT Type: Portable Handset	Page 154 of 154