
### H-Field Receiving Pattern ( $\phi$ ), $\vartheta = 90^{\circ}$




Certificate No: MAGPy-8H3D-3060


Page 22 of 26

FCC ID: A3LSMS938B	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 22 of 26

# H-Field Receiving Pattern ( $\phi$ ), $\vartheta = 0^{\circ}$



### H-Field Receiving Pattern ( $\phi$ ), $\vartheta = 90^{\circ}$



SPEAG axial deviation from the ideal response tolerance for H-field:  $\pm 0.6\,\text{dB}$ 


Certificate No: MAGPy-8H3D-3060

Page 23 of 26

FCC ID: A3LSMS938B	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 23 of 26

# **Isotropy E-Field**

### E-Field Receiving Pattern ( $\phi$ ), $\vartheta = 0^{\circ}$




Certificate No: MAGPy-8H3D-3060

Page 24 of 26

FCC ID: A3LSMS938B	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 24 of 26

# E-Field Receiving Pattern ( $\phi$ ), $\vartheta = 90^{\circ}$




Certificate No: MAGPy-8H3D-3060


Page 25 of 26

FCC ID: A3LSMS938B	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 25 of 26

### E-Field Receiving Pattern ( $\phi$ ), $\vartheta = 0^{\circ}$



### E-Field Receiving Pattern ( $\phi$ ), $\vartheta = 90^{\circ}$



SPEAG axial deviation from the ideal response tolerance for E-field:  $\pm 0.8\,\text{dB}$ 

Certificate No: MAGPy-8H3D-3060

Page 26 of 26

FCC ID: A3LSMS938B	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 26 of 26