| 52T / 2 462 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 462 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 462 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

This test report shall not be reproduced, except in full, without the written approval

| 26T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 467 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

| 26T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

This test report shall not be reproduced, except in full, without the written approval

| 106T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 472 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

This test report shall not be reproduced, except in full, without the written approval

## 7.3. 6 dB Bandwidth(DTS Channel Bandwidth)

**Test setup**




**Limit**

According to §15.247(a)(2) Systems using digital modulation techniques may operate in the 902–928 ㎒, 2 400–2 483.5 ㎒, and 5 725–5 850 ㎒ bands. The minimum 6 ㏈ bandwidth shall be at least 500 ㎑.

**Test procedure**

ANSI C63.10 - Section 11.8.2

**Test settings**

**DTS bandwidth**

One of the following procedures may be used to determine the modulated DTS bandwidth.

**Option 1**

1) Set RBW = 100 ㎑.
2) Set the video bandwidth (VBW) ≥ 3 x RBW.
3) Detector = Peak.
4) Trace mode = max hold.
5) Sweep = auto couple.
6) Allow the trace to stabilize.
7) Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 ㏈ relative to the maximum level measured in the fundamental emission.

**Option 2**

The automatic bandwidth measurement capability of an instrument may be employed using the X ㏈ bandwidth mode with X set to 6 ㏈, if the functionality described in 11.8.1 (i.e., RBW = 100 ㎑, VBW ≥ 3 × RBW, and peak detector with maximum hold) is implemented by the instrumentation function. When using this capability, care shall be taken so that the bandwidth measurement is not influenced by any intermediate power nulls in the fundamental emission that might be ≥6 ㏈.

This test report shall not be reproduced, except in full, without the written approval

## Test results

### SISO

| Frequency(㎒) | Tone | RU Offset | 6 dB bandwidth(㎒) | |
|---|---|---|---|---|
| | | | ANT 1 | ANT 2 |
| 2 412 | 26T | 0 | 2.20 | 2.15 |
| | | 4 | 2.70 | 2.75 |
| | | 8 | 2.15 | 2.15 |
| | 52T | 37 | 17.13 | 17.13 |
| | | 38 | 13.89 | 4.10 |
| | | 40 | 14.64 | 15.88 |
| | 106T | 53 | 17.18 | 17.23 |
| | | 54 | 17.18 | 17.23 |
| | SU | - | 19.08 | 19.08 |
| 2 437 | 26T | 0 | 2.15 | 2.15 |
| | | 4 | 2.70 | 2.75 |
| | | 8 | 2.05 | 2.15 |
| | 52T | 37 | 17.08 | 17.08 |
| | | 38 | 11.39 | 12.94 |
| | | 40 | 10.84 | 15.83 |
| | 106T | 53 | 17.18 | 17.18 |
| | | 54 | 17.18 | 17.18 |
| | SU | - | 19.03 | 18.98 |
| 2 462 | 26T | 0 | 2.15 | 2.15 |
| | | 4 | 2.70 | 2.75 |
| | | 8 | 2.15 | 2.15 |
| | 52T | 37 | 14.59 | 14.59 |
| | | 38 | 10.44 | 8.84 |
| | | 40 | 15.88 | 15.83 |
| | 106T | 53 | 17.18 | 17.18 |
| | | 54 | 17.23 | 17.18 |
| | SU | - | 19.08 | 19.03 |
| 2 467 | 26T | 0 | 2.15 | 2.10 |
| | | 4 | 2.70 | 2.75 |
| | | 8 | 2.15 | 2.15 |
| | 52T | 37 | 12.09 | 4.10 |
| | | 38 | 8.89 | 7.64 |
| | | 40 | 15.93 | 15.88 |
| | 106T | 53 | 17.18 | 17.18 |
| | | 54 | 17.28 | 17.23 |
| | SU | - | 19.13 | 19.18 |
| 2 472 | 26T | 0 | 2.20 | 2.10 |
| | | 4 | 2.70 | 2.70 |
| | | 8 | 2.15 | 2.15 |
| | 52T | 37 | 14.64 | 14.59 |
| | | 38 | 8.89 | 8.89 |
| | | 40 | 14.64 | 17.13 |
| | 106T | 53 | 17.13 | 17.23 |
| | | 54 | 17.18 | 17.18 |
| | SU | - | 19.03 | 19.03 |

**MIMO**

| Frequency(㎒) | Tone | RU Offset | 6 dB bandwidth(㎒) | |
|---|---|---|---|---|
| | | | ANT 1 | ANT 2 |
| 2 412 | 26T | 0 | 2.15 | 2.20 |
| | | 4 | 2.70 | 2.70 |
| | | 8 | 2.15 | 2.20 |
| | 52T | 37 | 17.08 | 17.08 |
| | | 38 | 7.94 | 12.94 |
| | | 40 | 15.88 | 17.08 |
| | 106T | 53 | 17.23 | 17.23 |
| | | 54 | 17.18 | 17.23 |
| | SU | - | 19.13 | 18.98 |
| 2 437 | 26T | 0 | 2.20 | 2.15 |
| | | 4 | 2.70 | 2.70 |
| | | 8 | 2.10 | 2.15 |
| | 52T | 37 | 14.54 | 17.13 |
| | | 38 | 13.84 | 12.94 |
| | | 40 | 15.83 | 13.34 |
| | 106T | 53 | 17.18 | 17.18 |
| | | 54 | 17.18 | 17.18 |
| | SU | - | 19.03 | 18.93 |
| 2 462 | 26T | 0 | 2.15 | 2.20 |
| | | 4 | 2.70 | 2.70 |
| | | 8 | 2.05 | 2.20 |
| | 52T | 37 | 14.59 | 17.08 |
| | | 38 | 8.84 | 11.34 |
| | | 40 | 17.03 | 17.08 |
| | 106T | 53 | 17.18 | 17.23 |
| | | 54 | 17.18 | 17.23 |
| | SU | - | 19.03 | 19.03 |
| 2 467 | 26T | 0 | 2.10 | 2.10 |
| | | 4 | 2.75 | 2.65 |
| | | 8 | 2.20 | 2.10 |
| | 52T | 37 | 17.08 | 17.08 |
| | | 38 | 8.89 | 13.89 |
| | | 40 | 15.83 | 17.08 |
| | 106T | 53 | 17.23 | 17.23 |
| | | 54 | 17.23 | 17.23 |
| | SU | - | 19.13 | 19.08 |
| 2 472 | 26T | 0 | 2.20 | 2.20 |
| | | 4 | 2.70 | 2.70 |
| | | 8 | 2.15 | 2.15 |
| | 52T | 37 | 12.09 | 17.08 |
| | | 38 | 13.89 | 10.44 |
| | | 40 | 17.03 | 17.18 |
| | 106T | 53 | 17.18 | 17.23 |
| | | 54 | 17.23 | 17.23 |
| | SU | - | 19.13 | 19.13 |

This test report shall not be reproduced, except in full, without the written approval

**SISO**

| 26T / 2 412 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 412 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 412 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 412 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

| 26T / 2 437 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 437 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  | |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 437 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 437 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

| 26T / 2 462 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 462 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 462 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 462 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

| 26T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 467 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 467 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

| 26T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |

| 52T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 37** | **RU offset 37** |
|  |  |
| **RU offset 38** | **RU offset 38** |
|  |  |
| **RU offset 40** | **RU offset 40** |
|  |  |

| 106T / 2 472 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 53** | **RU offset 53** |
|  |  |
| **RU offset 54** | **RU offset 54** |
|  |  |
| **SU / 2 472 ㎒** | |
| **ANT 1** | **ANT 2** |
|  |  |

**MIMO**

| 26T / 2 412 ㎒ | |
|---|---|
| **ANT 1** | **ANT 2** |
| **RU offset 0** | **RU offset 0** |
|  |  |
| **RU offset 4** | **RU offset 4** |
|  |  |
| **RU offset 8** | **RU offset 8** |
|  |  |