

EVALUATION REPORT

Applicant Name:

SAMSUNG Electronics Co., Ltd.

Address:129, Samsung-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Rep. of Korea**Date of Issue:**

May 03, 2019

Location:HCT CO., LTD.,
74, Seoicheon-ro 578beon-gil, Majang-myeon,
Icheon-si, Gyeonggi-do, 17383, Rep. of KOREA**FCC ID:****A3LSMT725C****APPLICANT:****SAMSUNG Electronics Co., Ltd.**

Equipment Class(es) : PCE, DSS, DTS, UNII, DXX

Rule Part(s) : 15, 22, 24, 27, 2

Application's Statement : The applicant takes full responsibility that the test data referenced below represents compliance for this FCC ID.

Differences**Brief Description :**

Hardware and software of this device are identical to the implementation in A3LSMT725.

The operational description includes detailed information about the changes between the devices. The data from that application has been verified through appropriate spot checks to demonstrate compliance for this device as shown in the summary table below.

Test Reference : KDB 484596 D01 Reference Test Data v01

The detail test data can be found in this documents, Appendix A.

Category	Spot Check	Verdict
Licensed EMC	ERP / EIRP	Share
	RSE	Share
Unlicensed EMC	Band Edge	Share
	Spurious Emissions	Share

Reference Detail Section

Reference FCC ID	Equipment Class	Report Title	Section
A3LSMT725	PCE	2G, 3G Report	All sections
		LTE B5 Report	All sections
		LTE B12(17) Report	All sections
	DSS	Bluetooth Report	All sections
	DTS	WLAN DTS Report	All sections
		BT LE Report	All sections
	UNII	UNII Test Report	All sections
DXX	ANT+ Report	All sections	



Report prepared by : Jeong Ho Kim

Engineer of Telecommunication testing center



Approved by : Jong Seok Lee

Manager of Telecommunication testing center

Appendix A. The Spot check test data

1. Summary of the spot check for Licensed EMC

1.1 EFFECTIVE RADIATED POWER

Mode	Ch./ Freq.		Measured Level (dBm)	Substitute Level (dBm)	Ant. Gain (dBd)	C.L	Pol.	Limit	ERP	
	channel	Freq.(MHz)						W	W	dBm
GSM850	190	836.6	-24.13	38.17	-10.21	0.87	V	< 7.00	0.512	27.09
WCDMA850	4183	836.6	-32.42	29.88	-10.21	0.87	V		0.076	18.80
LTE B5	20643	836.5	-32.80	29.47	-10.21	0.86	V		0.069	18.40

Mode	Frequency (MHz)		Mode	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
GSM850	836.6	190	VOICE	28.15	27.09	1.06
WCDMA850	836.6	4183	RMC	19.08	18.80	0.28
LTE B5	836.5	20525	QPSK(10MHz)	18.96	18.40	0.56

1.2 EQUIVALENT ISOTROPIC RADIATED POWER

Mode	Ch./ Freq.		Measured Level (dBm)	Substitute Level (dBm)	Ant. Gain (dBd)	C.L	Pol.	Limit	ERP	
	channel	Freq.(MHz)						W	W	dBm
GSM1900	810	1909.8	-12.84	19.69	10.31	1.37	H	< 2.00	0.729	28.63
WCDMA1900	9538	1907.6	-20.05	12.48	10.31	1.37	H		0.139	21.42

Mode	Frequency		Mode	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
GSM1900	1909.8	810	VOICE	27.52	28.63	-1.11
WCDMA1900	1907.6	9538	RMC	22.09	21.42	0.67



HCT CO.,LTD. 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383, Rep. of KOREA

TEL: +82-31-645-6300

FAX: +82-31-645-6401

Mode	Ch./ Freq.		Measured Level (dBm)	Substitute Level (dBm)	Ant. Gain (dBd)	C.L	Pol.	Limit	ERP	
	channel	Freq.(MHz)						W	W	dBm
LTE B12	23165	714.5	-31.10	26.09	-10.18	0.78	V	< 3.00	0.033	15.13

Mode	Frequency		Mod/ Bandwidth	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
LTE B12	714.5	23165	QPSK(3MHz)	15.78	15.13	0.65

1.3 RADIATED SPURIOUS EMISSIONS

Mode, Channel, (Frequency)	Freq. (MHz)	Measured Level (dBm)	Ant. Gain (dBd)	Substitute Level (dBm]	C.L	Pol.	Result (dBm)
GSM850 CH 251 (848.8)	3,395.20	-52.01	10.57	-58.15	1.95	V	-51.68
WCDMA850 CH 4132 (826.4)	2,479.20	-58.30	8.71	-64.67	1.60	V	-59.71
LTE B5 CH 20635 (847.5)	2,542.50	-55.75	8.86	-61.78	1.62	H	-56.69

Modulation	Frequency		Mode	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
GSM850	848.8	251	VOICE	-52.36	-51.68	-0.68
WCDMA850	2479.2	4132	RMC	-53.60	-59.71	6.11
LTE B5	847.5	20635	QPSK(3MHz)	-55.04	-56.69	1.65



HCT CO.,LTD. 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383, Rep. of KOREA

TEL: +82-31-645-6300

FAX: +82-31-645-6401

Mode, Channel (Frequency)	Freq. (MHz)	Measured Level (dBm)	Ant. Gain (dBd)	Substitute Level (dBm]	C.L	Pol.	Result (dBm)
GSM1900 CH 512 (1850.2)	7,400.80	-56.21	11.50	-51.20	2.92	V	-42.62
WCDMA1900 CH 9538 (1907.6)	7,630.40	-57.69	11.95	-52.88	2.98	H	-43.91

Modulation	Frequency		Mode	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
GSM1900	7400.8	512	VOICE	-43.45	-42.62	-0.83
WCDMA1900	7630.4	9538	RMC	-42.94	-43.91	0.97



HCT CO.,LTD. 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383, Rep. of KOREA

TEL: +82-31-645-6300

FAX: +82-31-645-6401

Mode, Channel, (Frequency)	Freq. (MHz)	Measured Level (dBm)	Ant. Gain (dBd)	Substitute Level (dBm]	C.L	Pol.	Result (dBm)
LTE B12 CH 23155 (713.5)	2,854.00	-58.00	9.16	-63.07	1.73	H	-57.79

Modulation	Frequency		Mode	SM-T725 (dBm)	SM-T725C (dBm)	Deviation (dB)
	MHz	Ch.				
LTE B12	2854.0	23155	QPSK(5MHz)	-53.49	-57.79	4.30

2. Summary of the spot check for Unlicensed EMC

	Test Item	Mod/Channel	Measured Frequency	SM-T725 Result [dBuV/m]		SM-T725C Result [dBuV/m]		Deviation (dB)	
				Peak	Average	Peak	Average	Peak	Average
BT	Band Edge	2-DH5/ch.78	2483.5 MHz~2500 MHz	66.99	42.26	67.49	42.76	0.50	0.50
	RSE	3-DH5/ch.78	4960 MHz	53.02	39.27	52.75	39.16	-0.27	-0.11
		3-DH5/ch.39	7323 MHz	60.18	46.30	60.33	45.88	0.15	-0.42
DTS	Band Edge	802.11n(20M)_MC S0/ch.1	2310.0 MHz~2390.0 MHz	66.43	51.61	65.85	51.53	-0.58	-0.08
	RSE	802.11n(20M)_MC S0/ch.13	4944 MHz	52.23	41.74	53.09	40.67	0.86	-1.07
		802.11g 6Mbps/ch.6	7311 MHz	60.77	48.16	60.23	47.80	-0.54	-0.36
BT(LE)	Band Edge	LE(5.0) 2M 37byte/ch.39	2483.5 MHz~2500 MHz	60.27	49.74	60.03	49.39	-0.24	-0.35
	RSE	LE(5.0) 1M 37byte/ch.19	4880 MHz	53.40	42.94	52.98	42.76	-0.42	-0.18
		LE(5.0) 1M 37byte/ch.19	7320 MHz	60.23	49.76	60.40	49.64	0.17	-0.12
UNII	Band Edge	802.11n_40MHz MCS0/ch.62	5350 MHz~5460 MHz	63.64	51.81	63.85	51.40	0.21	-0.41
	RSE	802.11n_20MHz MCS0/ch.120	11200 MHz	60.23	46.13	59.84	46.11	-0.39	-0.02
		802.11n_20MHz MCS0/ch.165	17475 MHz	62.34	-	61.55	-	-0.79	-
ANT+	Band Edge	Period 128(0dBm)/ch.78	2483.5 MHz~2500 MHz	56.33	24.45	55.36	23.48	-0.97	-0.97
	RSE	Period 128(0dBm)/ch.78	4960 MHz	53.03	41.50	52.99	41.42	-0.04	-0.08
		Period 128(0dBm)/ch.39	7323 MHz	60.75	48.50	60.32	48.39	-0.43	-0.11
	Field Strength	Period 128(0dBm)/ch.78	2480 MHz	93.50	61.62	92.80	60.92	-0.70	-0.70

3. List of test equipment for EMC

Manufacture	Model/ Equipment	Serial Number	Calibration Date	Calibration Interval	Calibration Due
REOHDE & SCHWARZ	SCU 18 / AMPLIFIER	10094	04/17/2018	Annual	04/17/2019
Wainwright	WHK1.2/15G-10EF/H.P.F	4	04/04/2018	Annual	04/04/2019
Wainwright	WHK3.3/18G-10EF/H.P.F	2	04/04/2018	Annual	04/04/2019
Hewlett Packard	11667B / Power Splitter(DC~26.5 GHz)	5001	06/07/2018	Annual	06/07/2019
Agilent	E3632A/DC Power Supply	KR75303243	05/09/2018	Annual	05/09/2019
Schwarzbeck	UHAP/ Dipole Antenna	557	03/31/2017	Biennial	03/31/2019
Schwarzbeck	UHAP/ Dipole Antenna	558	03/31/2017	Biennial	03/31/2019
ESPEC	SU-642 / Chamber	93000718	08/07/2018	Annual	08/07/2019
Schwarzbeck	BBHA 9120D/ Horn Antenna(1~18GHz)	147	09/14/2018	Annual	09/14/2019
Schwarzbeck	BBHA 9120D/ Horn Antenna(1~18GHz)	9120D-1298	10/04/2018	Annual	10/04/2019
Schwarzbeck	BBHA 9170/ Horn Antenna(15~40GHz)	BBHA9170342	04/25/2017	Biennial	04/25/2019
Schwarzbeck	BBHA 9170/ Horn Antenna(15~40GHz)	BBHA9170124	04/25/2017	Biennial	04/25/2019
Agilent	N9020A/Signal Analyzer(10Hz~26.5GHz)	MY52090906	06/08/2018	Annual	06/08/2019
Hewlett Packard	8493C/ATTENUATOR(20dB)	17280	06/21/2018	Annual	06/21/2019
REOHDE & SCHWARZ	FSV40/Spectrum Analyzer(10Hz~40GHz)	100931	10/22/2018	Annual	10/22/2019
Agilent	8960 (E5515C)/ Base Station	MY48360800	09/27/2018	Annual	09/27/2019
Schwarzbeck	FMZB1513/ Loop Antenna(9kHz~30MHz)	1513-175	08/23/2018	Biennial	08/23/2020
Schwarzbeck	VULB9160/ Bilog Antenna	9160-3368	08/09/2018	Biennial	08/09/2020
Schwarzbeck	VULB9160/ Hybrid Antenna	760	04/06/2017	Biennial	04/06/2019
Anritsu Corp.	MT8821C/Wideband Radio Communication Tester	6201502997	08/13/2018	Annual	08/13/2019
Anritsu Corp.	MT8820C/Wideband Radio Communication Tester	6201026545	01/30/2019	Annual	01/30/2020
REOHDE & SCHWARZ	SMB100A/ SIGNAL GENERATOR (100kHz~40GHz)	177633	07/19/2018	Annual	07/19/2019
REOHDE & SCHWARZ	ESU40 / EMI TEST RECEIVER	100524	07/27/2018	Annual	07/27/2019
HCT CO., LTD.,	FCC LTE Mobile Conducted RF Automation Test Software	-	-	-	-

Manufacturer	Model / Equipment	Calibration Date	Calibration Interval	Serial No.
Innco system	CO3000 / Controller(Antenna mast)	N/A	N/A	CO3000-4p
Innco system	MA4640/800-XP-EP / Antenna Position Tower	N/A	N/A	N/A
Audix	EM1000 / Controller	N/A	N/A	060520
Audix	Turn Table	N/A	N/A	N/A
Rohde & Schwarz	Loop Antenna	08/23/2018	Biennial	1513-175
Schwarzbeck	VULB 9168 / Hybrid Antenna	05/18/2018	Biennial	9168-0895
Schwarzbeck	VULB 9168 / Hybrid Antenna	08/09/2018	Annual	3368
Schwarzbeck	BBHA 9120D / Horn Antenna	06/30/2017	Biennial	1300
Schwarzbeck	BBHA9170 / Horn Antenna(15 GHz ~ 40 GHz)	12/04/2017	Biennial	BBHA9170541
Rohde & Schwarz	FSP(9 kHz ~ 40 GHz) / Spectrum Analyzer	07/24/2018	Annual	100843
Wainwright Instruments	WHK3.0/18G-10EF / High Pass Filter	01/03/2019	Annual	F6
Wainwright Instruments	WHFX7.0/18G-8SS / High Pass Filter	05/09/2018	Annual	29
Wainwright Instruments	WRCJV2400/2483.5-2370/2520-60/12SS / Band Reject Filter	06/29/2018	Annual	2
Wainwright Instruments	WRCJV5100/5850-40/50-8EEK / Band Reject Filter	01/03/2019	Annual	2
Weinschel	2-3 / Attenuator (3 dB)	10/10/2018	Annual	BR0617
H+S	5910-N-50-010 / Attenuator(10 dB)	11/08/2018	Annual	NONE
CERNEX	CBLU1183540B-01 / Power Amplifier	12/21/2018	Annual	25540
CERNEX	CBL06185030 / Power Amplifier	03/26/2019	Annual	28550
CERNEX	CBL18265035 / Power Amplifier	01/03/2019	Annual	22966
CERNEX	CBL26405040 / Power Amplifier	06/29/2018	Annual	25956
TESCOM	TC-3000C / Bluetooth Tester	03/26/2019	Annual	3000C000276

4. Test Plot

BT Band Edge (2DH-5/ch.78)

Bandedge


Frequency [MHz]	Reading [dBuV]	A.F.+CL-AMP+ATT [dB]	Pol. [H/V]	Duty Cycle Correction [dB]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
2483.5	66.36	1.13	H	0	67.49	73.98	6.49	PK
2483.5	66.36	1.13	H	-24.73	42.76	53.98	11.22	AV

Radiated Restricted Band Edges plot – Peak Reading



*RBW 1 MHz Marker 1 [T1]
 *VBW 3 MHz 66.36 dBuV
 SWT 2.5 ms 2.483500000 GHz

Ref 110 dBuV *Att 20 dB




Date: 5.APR.2019 13:17:50

BT R.S.E 2nd Harmonic(3DH-5/ch.78)

RSE


Frequency [MHz]	Reading [dBuV]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
4960	50.49	2.26	H	52.75	73.98	21.23	PK
4960	36.90	2.26	H	39.16	53.98	14.82	AV

Radiated Spurious Emissions plot – Average Reading



Date: 5.APR.2019 13:49:09

Radiated Spurious Emissions plot – Peak Reading




Date: 5.APR.2019 13:49:41

BT R.S.E 3rd Harmonic(3DH-5/ch.39)

RSE


Frequency [MHz]	Reading [dBuV]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
7323	50.37	9.96	H	60.33	73.98	13.65	PK
7323	35.92	9.96	H	45.88	53.98	8.10	AV

Radiated Spurious Emissions plot – Average Reading



Date: 5.APR.2019 13:48:38

Radiated Spurious Emissions plot – Peak Reading




Date: 5.APR.2019 13:47:56

DTS Band Edge (802.11n(20M)_MCS0/ch.1)

Bandedge


Frequency [MHz]	Reading [dBuV]	Duty Cycle Factor [dB]	A.F.+CL + AMP + ATT. [dB]	ANT. POL [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
2390.0	65.00	0.00	0.85	H	65.85	73.98	8.13	PK
2390.0	50.56	0.12	0.85	H	51.53	53.98	2.45	AV

Radiated Restricted Band Edges plot – Average Reading



Date: 15.MAR.2019 16:53:10

Radiated Restricted Band Edges plot – Peak Reading




Date: 15.MAR.2019 16:54:43

DTS R.S.E 2nd Harmonic (802.11n(20M)_MCS0/ch.13)

RSE


Frequency [MHz]	Reading [dBuV]	Duty Cycle Factor	A.F.+CL - AMP + ATT. [dB]	ANT. POL [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
4944	50.74	0.00	2.35	H	53.09	73.98	20.89	PK
4944	38.20	0.12	2.35	H	40.67	53.98	13.32	AV

Radiated Spurious Emissions plot – Average Reading



Date: 29.APR.2019 11:06:21

Radiated Spurious Emissions plot – Peak Reading




Date: 29.APR.2019 11:05:48

DTS R.S.E 3rd Harmonic (802.11g 6Mbps/ch.6)

RSE


Frequency [MHz]	Reading [dBuV]	Duty Cycle Factor	A.F.+CL - AMP + ATT. [dB]	ANT. POL [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
7311	50.09	0.00	10.14	H	60.23	73.98	13.75	PK
7311	37.55	0.11	10.14	H	47.80	53.98	6.18	AV

Radiated Spurious Emissions plot – Average Reading



Date: 29.APR.2019 11:16:50

Radiated Spurious Emissions plot – Peak Reading




Date: 29.APR.2019 11:10:44

BT(LE) Band Edge (LE(5.0) 2M 37byte/ch.39)


Bandedge

Frequency [MHz]	Reading [dBuV]	Duty cycle Factor [dB]	A.F.+CL [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
2483.5	24.92	0.00	35.11	H	60.03	73.98	13.96	PK
2483.5	10.31	3.97	35.11	H	49.39	53.98	4.59	AV

Radiated Restricted Band Edges plot – Average Reading



Radiated Restricted Band Edges plot – Peak Reading




BT(LE) R.S.E 2nd Harmonic (LE(5.0) 1M 37byte/ch.19)

RSE


Frequency [MHz]	Reading [dBuV]	Duty cycle		AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
		Factor [dB]							
4880	50.64	0		2.34	H	52.98	73.98	21.00	PK
4880	38.37	2.05		2.34	H	42.76	53.98	11.22	AV

Radiated Spurious Emissions plot – Average Reading



Date: 5.APR.2019 11:39:16

Radiated Spurious Emissions plot – Peak Reading




Date: 5.APR.2019 11:38:37

BT(LE) R.S.E 3rd Harmonic (LE(5.0) 1M 37byte/ch.19)

RSE


Frequency [MHz]	Reading [dBuV]	Duty cycle Factor [dB]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
7320	50.42	0	9.98	H	60.40	73.98	13.58	PK
7320	37.61	2.05	9.98	H	49.64	53.98	4.34	AV

Radiated Spurious Emissions plot – Average Reading



Date: 5.APR.2019 11:37:06

Radiated Spurious Emissions plot – Peak Reading




Date: 5.APR.2019 11:37:56

U-NII Band Edge (802.11n_40MHz MCS0/ch.62)

Bandedge


Frequency [MHz]	Reading [dBuV]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
5350	57.19	6.66	H	63.85	73.98	10.13	PK
5350	44.74	6.66	H	51.4	53.98	2.58	AV

Radiated Restricted Band Edges plot – Average Reading



Date: 2.APR.2019 12:32:11

Radiated Restricted Band Edges plot – Peak Reading




Date: 2.APR.2019 12:33:19

U-NII R.S.E 2nd Harmonic (802.11n_20MHz MCS0/ch.120)

RSE


Frequency [MHz]	Reading [dBuV]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
11200	49.90	9.94	V	59.84	73.98	14.14	PK
11200	36.17	9.94	V	46.11	53.98	7.87	AV

Radiated Spurious Emissions plot – Average Reading



Date: 2.APR.2019 14:14:44

Radiated Spurious Emissions plot – Peak Reading




Date: 2.APR.2019 14:15:49

U-NII R.S.E 3rd Harmonic (802.11n_20MHz MCS0/ch.165)

RSE

Frequency [MHz]	Reading [dBuV]	AN.+CL-AMP G [dB]	Pol. [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
17475	44.76	16.79	V	61.55	68.20	6.65	PK




Date: 2.APR.2019 14:36:54

ANT+ Band Edge (Period 128(0dBm)/ch.78)

Bandedge

Frequency [MHz]	Reading dBuV	A.F+C.L- A.G+D.F+ATT [dB]	ANT. POL [H/V]	Duty Cycle Correction Factor [dB]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Detect
2483.5	54.21	1.15	H	0	55.36	73.98	18.62	PK
2483.5	54.21	1.15	H	-31.88	23.48	53.98	30.50	AV

Radiated Restricted Band Edges plot – Peak Reading




Date: 2.APR.2019 11:13:30

ANT+ R.S.E 2nd Harmonic(Period 128(0dBm)/ch.78)

RSE


Frequency [MHz]	Reading dBuV	A.F + C.L - A.G + D.F [dB]	ANT. POL [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
4960	50.73	2.26	H	52.99	73.98	20.99	PK
4960	39.16	2.26	H	41.42	53.98	12.56	AV

Radiated Spurious Emissions plot – Average Reading



Date: 2.APR.2019 11:34:05

Radiated Spurious Emissions plot – Peak Reading




Date: 2.APR.2019 11:33:18

ANT+ R.S.E 3rd Harmonic(Period 128(0dBm)/ch.39)

RSE


Frequency [MHz]	Reading dBuV	A.F + C.L - A.G + D.F [dB]	ANT. POL [H/V]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
7323	50.36	9.96	H	60.32	73.98	13.66	PK
7323	38.43	9.96	H	48.39	53.98	5.59	AV

Radiated Spurious Emissions plot – Average Reading



Date: 2.APR.2019 11:46:10


Radiated Spurious Emissions plot – Peak Reading



Date: 2.APR.2019 11:46:55

ANT+ Field Strength (Period 128(0dBm)/ch.78)

Frequency [MHz]	Reading dBuV	A.F+C.L-A.G +D.F+ATT [dB]	ANT. POL [H/V]	Duty Cycle Correction Factor [dB]	Total [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Measurement Type
2480	91.65	1.15	H	0.00	92.80	113.98	21.18	PK
2480	91.65	1.15	H	-31.88	60.92	93.98	33.06	AV



Date: 2.APR.2019 11:08:50