




BUREAU VERITAS

802.11ax HE80

ALL

26T

52T



106T

242T



484T

996T/SU



2.5 26 dB and 99 % Bandwidth

[Test Data of 26 dB Bandwidth]

Band	Test Mode	Channel	Frequency [MHz]	Tones	RU offset	26 dB BW [MHz]	
						ANT1	ANT2
U-NII-1	802.11ax HE20	Lowest	5 180	26T	0	19.43	19.59
					4	18.29	18.32
					8	19.60	19.58
				242T/SU	61	22.37	21.84
		Middle	5 220	26T	0	19.52	19.43
					4	18.49	18.23
					8	19.69	19.53
				242T/SU	61	21.08	21.71
		Highest	5 240	26T	0	19.71	19.52
					4	18.27	18.07
					8	19.61	19.75
				242T/SU	61	21.11	21.75
	802.11ax HE40	Lowest	5 190	26T	0	39.67	39.71
					9	38.11	38.00
					17	39.37	39.90
				484T/SU	65	42.54	43.18
		Highest	5 230	26T	0	39.97	39.83
					9	37.88	38.07
					17	39.23	39.02
				484T/SU	65	42.78	43.03
802.11ax HE80	Middle	5 210	26T	0	81.30	81.08	
				18	78.15	78.07	
				36	81.04	80.68	
			996T/SU	67	86.82	86.13	



Band	Test Mode	Channel	Frequency [MHz]	Tones	RU offset	26 dB BW [MHz]	
						ANT1	ANT2
U-NII-2A	802.11ax HE20	Lowest	5 260	26T	0	19.80	19.77
					4	18.41	18.31
					8	19.48	19.68
				242T/SU	61	21.18	21.88
		Middle	5 300	26T	0	19.64	19.55
					4	18.15	18.28
					8	19.70	19.67
				242T/SU	61	21.45	21.78
		Highest	5 320	26T	0	19.61	19.72
					4	18.30	17.94
					8	19.62	19.62
				242T/SU	61	21.02	21.38
	802.11ax HE40	Lowest	5 270	26T	0	39.66	39.72
					9	38.00	38.00
					17	39.52	39.53
				484T/SU	65	42.93	42.97
		Highest	5 310	26T	0	39.79	39.67
					9	38.14	38.00
					17	39.34	39.55
				484T/SU	65	43.07	43.09
	802.11ax HE80	Middle	5 290	26T	0	81.09	81.72
					18	78.42	78.25
					36	80.22	81.12
				996T/SU	67	86.99	85.47



Band	Test Mode	Channel	Frequency [MHz]	Tones	RU offset	26 dB BW [MHz]		
						ANT1	ANT2	
U-NII-2C	802.11ax HE20	Lowest	5 500	26T	0	19.51	19.47	
					4	18.40	18.17	
					8	19.21	19.42	
		242T/SU	61	21.04	21.23			
			Middle	5 600	26T	0	19.55	19.62
						4	18.51	18.20
	8	19.54				19.72		
	242T/SU	61	21.17	21.55				
		Highest	5 700	26T	0	19.87	19.66	
					4	18.50	18.19	
	8				19.52	19.34		
	242T/SU	61	21.00	21.44				
		802.11ax HE40	Lowest	5 510	26T	0	39.78	40.05
						9	37.77	37.93
	17					39.47	39.71	
	484T/SU	65	43.26	42.89				
		Middle	5 590	26T	0	39.79	39.71	
					9	38.18	38.00	
	17				39.45	39.67		
	484T/SU	65	42.73	42.14				
		Highest	5 670	26T	0	39.55	39.75	
					9	38.08	38.11	
	17				39.55	39.66		
	484T/SU	65	42.39	43.87				
802.11ax HE80		Lowest	5 530	26T	0	81.43	81.12	
					18	78.51	78.05	
	36				80.74	81.22		
996T/SU	67	87.38	86.04					
	Highest	5 610	26T	0	81.73	81.20		
				18	78.24	78.19		
36				81.08	80.39			
996T/SU	67	87.26	87.25					

Band	Test Mode	Frequency [MHz]	Tones	RU offset	26 dB BW [MHz]			
					ANT1		ANT2	
					U-NII-2C	U-NII-3	U-NII-2C	U-NII-3
Straddle Channel	802.11ax HE20	5 720	26T	6	14.19	4.12	13.94	4.07
		5 720	242T/SU	61	15.66	5.48	15.83	5.68
	802.11ax HE40	5 710	26T	16	34.01	3.95	33.95	4.07
		5 710	484T/SU	65	35.99	6.02	36.75	6.34
	802.11ax HE80	5 690	26T	35	74.08	5.47	73.97	6.05
		5 690	996T/SU	67	76.86	7.75	77.56	7.62

[Test Data of 99 % Bandwidth]

Band	Test Mode	Channel	Frequency [MHz]	Tones	RU offset	99 % BW [MHz]	
						ANT1	ANT2
U-NII-1	802.11ax HE20	Lowest	5 180	242T/SU	61	18.96	18.98
		Middle	5 220			18.95	19.00
		Highest	5 240			18.95	18.98
	802.11ax HE40	Lowest	5 190	484T/SU	65	37.93	37.94
		Highest	5 230			38.00	37.92
	802.11ax HE80	Middle	5 210	996T/SU	67	77.67	77.55
U-NII-2A	802.11ax HE20	Lowest	5 260	242T/SU	61	18.96	18.99
		Middle	5 300			18.96	18.98
		Highest	5 320			18.96	18.99
	802.11ax HE40	Lowest	5 270	484T/SU	65	37.95	37.96
		Highest	5 310			37.92	37.95
	802.11ax HE80	Middle	5 290	996T/SU	67	77.65	77.61
U-NII-2C	802.11ax HE20	Lowest	5 500	242T/SU	61	18.94	18.99
		Middle	5 600			18.95	18.98
		Highest	5 700			18.95	18.98
	802.11ax HE40	Lowest	5 510	484T/SU	65	37.93	37.92
		Middle	5 590			37.99	37.95
		Highest	5 670			37.99	37.94
802.11ax HE80	Lowest	5 530	996T/SU	67	77.57	77.44	
	Highest	5 610			77.56	77.67	
Straddle	802.11ax HE20	Middle	5 720	242T/SU	61	18.96	18.96
	802.11ax HE40	Middle	5 710	484T/SU	65	37.77	37.79
	802.11ax HE80	Middle	5 690	996T/SU	67	77.26	77.28
U-NII-3	802.11ax HE20	Lowest	5 745	242T/SU	61	18.94	18.99
		Middle	5 805			18.94	18.97
		Highest	5 825			18.95	18.96
	802.11ax HE40	Lowest	5 755	484T/SU	65	37.92	37.91
		Highest	5 795			37.91	37.94
	802.11ax HE80	Middle	5 775	996T/SU	67	77.51	77.51



Test Plot of 26 dB & 99 % Bandwidth

Band	UNII-1																								
Mode	HE20																								
Frequency	5220 MHz																								
Ant	1																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.308 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-585.58 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.52 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.308 MHz	Total Power	20.6 dBm	Transmit Freq Error	-585.58 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.52 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.395 MHz</td> <td>Total Power</td> <td>20.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>214.61 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.49 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.395 MHz	Total Power	20.5 dBm	Transmit Freq Error	214.61 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.49 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.308 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-585.58 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.52 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.395 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	214.61 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.49 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.252 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>612.83 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.69 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.252 MHz	Total Power	20.7 dBm	Transmit Freq Error	612.83 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.69 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.954 MHz</td> <td>Total Power</td> <td>22.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-11.753 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.08 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.954 MHz	Total Power	22.7 dBm	Transmit Freq Error	-11.753 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.08 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.252 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	612.83 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.69 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.954 MHz	Total Power	22.7 dBm																						
Transmit Freq Error	-11.753 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.08 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE20																								
Frequency	5240 MHz																								
Ant	1																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.132 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-705.72 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.71 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.132 MHz	Total Power	20.7 dBm	Transmit Freq Error	-705.72 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.71 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.186 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>11.447 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.27 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.186 MHz	Total Power	20.7 dBm	Transmit Freq Error	11.447 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.27 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.132 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-705.72 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.71 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.186 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	11.447 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.27 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.330 MHz</td> <td>Total Power</td> <td>20.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>521.45 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.61 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.330 MHz	Total Power	20.5 dBm	Transmit Freq Error	521.45 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.61 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.950 MHz</td> <td>Total Power</td> <td>22.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-18.527 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.11 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.950 MHz	Total Power	22.3 dBm	Transmit Freq Error	-18.527 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.11 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.330 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	521.45 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.61 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.950 MHz	Total Power	22.3 dBm																						
Transmit Freq Error	-18.527 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.11 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE40																								
Frequency	5190 MHz																								
Ant	1																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.729 MHz</td> <td>Total Power</td> <td>21.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-702.60 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.67 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.729 MHz	Total Power	21.0 dBm	Transmit Freq Error	-702.60 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.67 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>35.754 MHz</td> <td>Total Power</td> <td>21.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>123.64 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.11 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	35.754 MHz	Total Power	21.5 dBm	Transmit Freq Error	123.64 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.11 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.729 MHz	Total Power	21.0 dBm																						
Transmit Freq Error	-702.60 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.67 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	35.754 MHz	Total Power	21.5 dBm																						
Transmit Freq Error	123.64 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.11 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.439 MHz</td> <td>Total Power</td> <td>21.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>845.08 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.37 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.439 MHz	Total Power	21.0 dBm	Transmit Freq Error	845.08 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.37 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.931 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>7.461 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>42.54 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.931 MHz	Total Power	20.7 dBm	Transmit Freq Error	7.461 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.54 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.439 MHz	Total Power	21.0 dBm																						
Transmit Freq Error	845.08 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.37 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.931 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	7.461 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.54 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE40																								
Frequency	5230 MHz																								
Ant	1																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.780 MHz</td> <td>Total Power</td> <td>20.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-695.28 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.97 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.780 MHz	Total Power	20.8 dBm	Transmit Freq Error	-695.28 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.97 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>35.939 MHz</td> <td>Total Power</td> <td>21.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>10.011 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>37.88 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	35.939 MHz	Total Power	21.3 dBm	Transmit Freq Error	10.011 kHz	% of OBW Power	99.00 %	x dB Bandwidth	37.88 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.780 MHz	Total Power	20.8 dBm																						
Transmit Freq Error	-695.28 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.97 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	35.939 MHz	Total Power	21.3 dBm																						
Transmit Freq Error	10.011 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	37.88 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.604 MHz</td> <td>Total Power</td> <td>21.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>661.13 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.23 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.604 MHz	Total Power	21.4 dBm	Transmit Freq Error	661.13 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.23 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 20.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.998 MHz</td> <td>Total Power</td> <td>20.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-37.528 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>42.78 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.998 MHz	Total Power	20.9 dBm	Transmit Freq Error	-37.528 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.78 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.604 MHz	Total Power	21.4 dBm																						
Transmit Freq Error	661.13 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.23 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.998 MHz	Total Power	20.9 dBm																						
Transmit Freq Error	-37.528 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.78 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE80																								
Frequency	5210 MHz																								
Ant	1																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>78.357 MHz</td> <td>Total Power</td> <td>21.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.4080 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.30 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	78.357 MHz	Total Power	21.8 dBm	Transmit Freq Error	-1.4080 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.30 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>74.892 MHz</td> <td>Total Power</td> <td>22.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>30.442 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>78.15 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	74.892 MHz	Total Power	22.2 dBm	Transmit Freq Error	30.442 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.15 MHz	x dB	-26.00 dB
Occupied Bandwidth	78.357 MHz	Total Power	21.8 dBm																						
Transmit Freq Error	-1.4080 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.30 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	74.892 MHz	Total Power	22.2 dBm																						
Transmit Freq Error	30.442 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.15 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.792 MHz</td> <td>Total Power</td> <td>22.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.3880 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.04 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.792 MHz	Total Power	22.3 dBm	Transmit Freq Error	1.3880 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.04 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.674 MHz</td> <td>Total Power</td> <td>20.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-50.061 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>86.82 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.674 MHz	Total Power	20.4 dBm	Transmit Freq Error	-50.061 kHz	% of OBW Power	99.00 %	x dB Bandwidth	86.82 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.792 MHz	Total Power	22.3 dBm																						
Transmit Freq Error	1.3880 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.04 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.674 MHz	Total Power	20.4 dBm																						
Transmit Freq Error	-50.061 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	86.82 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE20																								
Frequency	5180 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.18000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.18000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.251 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-577.80 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.59 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.251 MHz	Total Power	20.3 dBm	Transmit Freq Error	-577.80 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.59 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.18000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.18000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.928 MHz</td> <td>Total Power</td> <td>21.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>60.635 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.32 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.928 MHz	Total Power	21.0 dBm	Transmit Freq Error	60.635 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.32 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.251 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	-577.80 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.59 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.928 MHz	Total Power	21.0 dBm																						
Transmit Freq Error	60.635 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.32 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.18000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.18000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.228 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>626.87 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.58 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.228 MHz	Total Power	20.3 dBm	Transmit Freq Error	626.87 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.58 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.18000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.18000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.978 MHz</td> <td>Total Power</td> <td>22.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-28.731 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.84 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.978 MHz	Total Power	22.4 dBm	Transmit Freq Error	-28.731 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.84 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.228 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	626.87 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.58 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.978 MHz	Total Power	22.4 dBm																						
Transmit Freq Error	-28.731 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.84 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE20																								
Frequency	5220 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.227 MHz</td> <td>Total Power</td> <td>20.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-574.22 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.43 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.227 MHz	Total Power	20.5 dBm	Transmit Freq Error	-574.22 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.43 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.944 MHz</td> <td>Total Power</td> <td>20.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-81.754 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.23 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.944 MHz	Total Power	20.2 dBm	Transmit Freq Error	-81.754 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.23 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.227 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	-574.22 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.43 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.944 MHz	Total Power	20.2 dBm																						
Transmit Freq Error	-81.754 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.23 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.281 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>565.70 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.53 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.281 MHz	Total Power	20.3 dBm	Transmit Freq Error	565.70 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.53 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.22000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.22000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.998 MHz</td> <td>Total Power</td> <td>22.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-13.592 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.71 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.998 MHz	Total Power	22.3 dBm	Transmit Freq Error	-13.592 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.71 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.281 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	565.70 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.53 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.998 MHz	Total Power	22.3 dBm																						
Transmit Freq Error	-13.592 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.71 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE20																								
Frequency	5240 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.255 MHz</td> <td>Total Power</td> <td>20.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-590.58 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.52 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.255 MHz	Total Power	20.4 dBm	Transmit Freq Error	-590.58 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.52 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.947 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-26.331 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.07 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.947 MHz	Total Power	20.7 dBm	Transmit Freq Error	-26.331 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.07 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.255 MHz	Total Power	20.4 dBm																						
Transmit Freq Error	-590.58 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.52 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.947 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-26.331 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.07 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.280 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>581.48 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.75 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.280 MHz	Total Power	20.3 dBm	Transmit Freq Error	581.48 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.75 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.24000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.24000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.982 MHz</td> <td>Total Power</td> <td>22.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-30.632 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.75 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.982 MHz	Total Power	22.2 dBm	Transmit Freq Error	-30.632 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.75 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.280 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	581.48 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.75 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.982 MHz	Total Power	22.2 dBm																						
Transmit Freq Error	-30.632 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.75 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE40																								
Frequency	5190 MHz																								
Ant	2																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.835 MHz</td> <td>Total Power</td> <td>20.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-740.41 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.71 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.835 MHz	Total Power	20.9 dBm	Transmit Freq Error	-740.41 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.71 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>36.043 MHz</td> <td>Total Power</td> <td>21.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-187.67 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.00 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	36.043 MHz	Total Power	21.4 dBm	Transmit Freq Error	-187.67 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.00 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.835 MHz	Total Power	20.9 dBm																						
Transmit Freq Error	-740.41 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.71 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.043 MHz	Total Power	21.4 dBm																						
Transmit Freq Error	-187.67 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.00 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.470 MHz</td> <td>Total Power</td> <td>21.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>714.55 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.90 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.470 MHz	Total Power	21.1 dBm	Transmit Freq Error	714.55 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.90 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.19000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.19000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.935 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-11.125 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>43.18 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.935 MHz	Total Power	20.7 dBm	Transmit Freq Error	-11.125 kHz	% of OBW Power	99.00 %	x dB Bandwidth	43.18 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.470 MHz	Total Power	21.1 dBm																						
Transmit Freq Error	714.55 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.90 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.935 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-11.125 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	43.18 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE40																								
Frequency	5230 MHz																								
Ant	2																								
0RU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.709 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-739.89 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.83 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.709 MHz	Total Power	20.6 dBm	Transmit Freq Error	-739.89 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.83 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>36.060 MHz</td> <td>Total Power</td> <td>21.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-126.98 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.07 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	36.060 MHz	Total Power	21.2 dBm	Transmit Freq Error	-126.98 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.07 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.709 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-739.89 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.83 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.060 MHz	Total Power	21.2 dBm																						
Transmit Freq Error	-126.98 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.07 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.086 MHz</td> <td>Total Power</td> <td>20.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.0326 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.02 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.086 MHz	Total Power	20.8 dBm	Transmit Freq Error	1.0326 MHz	% of OBW Power	99.00 %	x dB Bandwidth	39.02 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.23000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.23000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.922 MHz</td> <td>Total Power</td> <td>20.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.587 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>43.03 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.922 MHz	Total Power	20.9 dBm	Transmit Freq Error	-1.587 kHz	% of OBW Power	99.00 %	x dB Bandwidth	43.03 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.086 MHz	Total Power	20.8 dBm																						
Transmit Freq Error	1.0326 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.02 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.922 MHz	Total Power	20.9 dBm																						
Transmit Freq Error	-1.587 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	43.03 MHz	x dB	-26.00 dB																						



Band	UNII-1																								
Mode	HE80																								
Frequency	5180 MHz																								
Ant	2																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.951 MHz</td> <td>Total Power</td> <td>22.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.5907 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.08 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.951 MHz	Total Power	22.0 dBm	Transmit Freq Error	-1.5907 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.08 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>74.640 MHz</td> <td>Total Power</td> <td>22.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>36.849 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>78.07 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	74.640 MHz	Total Power	22.2 dBm	Transmit Freq Error	36.849 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.07 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.951 MHz	Total Power	22.0 dBm																						
Transmit Freq Error	-1.5907 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.08 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	74.640 MHz	Total Power	22.2 dBm																						
Transmit Freq Error	36.849 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.07 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.733 MHz</td> <td>Total Power</td> <td>22.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.3459 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>80.68 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.733 MHz	Total Power	22.0 dBm	Transmit Freq Error	1.3459 MHz	% of OBW Power	99.00 %	x dB Bandwidth	80.68 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.21000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.21000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.545 MHz</td> <td>Total Power</td> <td>19.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>21.726 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>86.13 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.545 MHz	Total Power	19.9 dBm	Transmit Freq Error	21.726 kHz	% of OBW Power	99.00 %	x dB Bandwidth	86.13 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.733 MHz	Total Power	22.0 dBm																						
Transmit Freq Error	1.3459 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	80.68 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.545 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	21.726 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	86.13 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5260 MHz																								
Ant	1																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.260000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.355 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-568.42 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.80 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.355 MHz	Total Power	20.7 dBm	Transmit Freq Error	-568.42 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.80 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.260000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.987 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-64.472 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.41 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.987 MHz	Total Power	20.7 dBm	Transmit Freq Error	-64.472 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.41 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.355 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-568.42 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.80 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.987 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-64.472 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.41 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.260000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.281 MHz</td> <td>Total Power</td> <td>20.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>533.94 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.48 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.281 MHz	Total Power	20.8 dBm	Transmit Freq Error	533.94 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.48 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.260000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.958 MHz</td> <td>Total Power</td> <td>22.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-16.845 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.18 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.958 MHz	Total Power	22.5 dBm	Transmit Freq Error	-16.845 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.18 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.281 MHz	Total Power	20.8 dBm																						
Transmit Freq Error	533.94 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.48 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.958 MHz	Total Power	22.5 dBm																						
Transmit Freq Error	-16.845 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.18 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5300 MHz																								
Ant	1																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.348 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-585.78 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.64 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.348 MHz	Total Power	20.3 dBm	Transmit Freq Error	-585.78 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.64 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.111 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-36.588 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.15 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.111 MHz	Total Power	20.3 dBm	Transmit Freq Error	-36.588 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.15 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.348 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	-585.78 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.64 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.111 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	-36.588 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.15 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.374 MHz</td> <td>Total Power</td> <td>19.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>513.88 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.70 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.374 MHz	Total Power	19.8 dBm	Transmit Freq Error	513.88 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.70 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.964 MHz</td> <td>Total Power</td> <td>22.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-20.727 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.45 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.964 MHz	Total Power	22.1 dBm	Transmit Freq Error	-20.727 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.45 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.374 MHz	Total Power	19.8 dBm																						
Transmit Freq Error	513.88 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.70 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.964 MHz	Total Power	22.1 dBm																						
Transmit Freq Error	-20.727 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.45 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5320 MHz																								
Ant	1																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.250 MHz</td> <td>Total Power</td> <td>20.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-614.93 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.61 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.250 MHz	Total Power	20.2 dBm	Transmit Freq Error	-614.93 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.61 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.131 MHz</td> <td>Total Power</td> <td>19.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>17.303 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.30 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.131 MHz	Total Power	19.8 dBm	Transmit Freq Error	17.303 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.30 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.250 MHz	Total Power	20.2 dBm																						
Transmit Freq Error	-614.93 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.61 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.131 MHz	Total Power	19.8 dBm																						
Transmit Freq Error	17.303 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.30 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.336 MHz</td> <td>Total Power</td> <td>20.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>518.35 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.62 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.336 MHz	Total Power	20.0 dBm	Transmit Freq Error	518.35 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.62 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.959 MHz</td> <td>Total Power</td> <td>21.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-14.549 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.02 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.959 MHz	Total Power	21.7 dBm	Transmit Freq Error	-14.549 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.02 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.336 MHz	Total Power	20.0 dBm																						
Transmit Freq Error	518.35 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.62 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.959 MHz	Total Power	21.7 dBm																						
Transmit Freq Error	-14.549 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.02 MHz	x dB	-26.00 dB																						