



Band	UNII-2A																								
Mode	HE40																								
Frequency	5270 MHz																								
Ant	1																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.270000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.446 MHz</td><td>Total Power</td><td>20.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-866.21 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>39.66 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.446 MHz	Total Power	20.5 dBm	Transmit Freq Error	-866.21 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.66 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.270000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>36.069 MHz</td><td>Total Power</td><td>20.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-73.494 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>38.00 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	36.069 MHz	Total Power	20.5 dBm	Transmit Freq Error	-73.494 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.00 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.446 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	-866.21 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.66 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.069 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	-73.494 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.00 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.270000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.648 MHz</td><td>Total Power</td><td>19.9 dBm</td></tr><tr><td>Transmit Freq Error</td><td>682.60 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>39.52 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.648 MHz	Total Power	19.9 dBm	Transmit Freq Error	682.60 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.52 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.270000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.947 MHz</td><td>Total Power</td><td>19.0 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-32.437 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>42.93 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.947 MHz	Total Power	19.0 dBm	Transmit Freq Error	-32.437 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.93 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.648 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	682.60 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.52 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.947 MHz	Total Power	19.0 dBm																						
Transmit Freq Error	-32.437 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.93 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE40																								
Frequency	5310 MHz																								
Ant	1																								
0RU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.31000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.551 MHz</td> <td>Total Power</td> <td>19.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-807.13 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.79 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.551 MHz	Total Power	19.4 dBm	Transmit Freq Error	-807.13 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.79 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.31000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>36.218 MHz</td> <td>Total Power</td> <td>19.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-44.426 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.14 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	36.218 MHz	Total Power	19.6 dBm	Transmit Freq Error	-44.426 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.14 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.551 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	-807.13 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.79 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.218 MHz	Total Power	19.6 dBm																						
Transmit Freq Error	-44.426 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.14 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.31000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.327 MHz</td> <td>Total Power</td> <td>19.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>805.82 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.34 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.327 MHz	Total Power	19.4 dBm	Transmit Freq Error	805.82 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.34 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.31000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.921 MHz</td> <td>Total Power</td> <td>19.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-17.117 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>43.07 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.921 MHz	Total Power	19.7 dBm	Transmit Freq Error	-17.117 kHz	% of OBW Power	99.00 %	x dB Bandwidth	43.07 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.327 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	805.82 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.34 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.921 MHz	Total Power	19.7 dBm																						
Transmit Freq Error	-17.117 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	43.07 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE80																								
Frequency	5290 MHz																								
Ant	1																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.29000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.0 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>77.517 MHz</td><td>Total Power</td><td>21.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-1.7688 MHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>81.09 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	77.517 MHz	Total Power	21.5 dBm	Transmit Freq Error	-1.7688 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.09 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.29000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.0 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>75.049 MHz</td><td>Total Power</td><td>21.4 dBm</td></tr><tr><td>Transmit Freq Error</td><td>34.651 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>78.42 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	75.049 MHz	Total Power	21.4 dBm	Transmit Freq Error	34.651 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.42 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.517 MHz	Total Power	21.5 dBm																						
Transmit Freq Error	-1.7688 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.09 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	75.049 MHz	Total Power	21.4 dBm																						
Transmit Freq Error	34.651 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.42 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.29000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.0 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>77.570 MHz</td><td>Total Power</td><td>21.6 dBm</td></tr><tr><td>Transmit Freq Error</td><td>1.3952 MHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>80.22 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	77.570 MHz	Total Power	21.6 dBm	Transmit Freq Error	1.3952 MHz	% of OBW Power	99.00 %	x dB Bandwidth	80.22 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.29000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.0 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>77.645 MHz</td><td>Total Power</td><td>19.9 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-112.00 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>86.99 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	77.645 MHz	Total Power	19.9 dBm	Transmit Freq Error	-112.00 kHz	% of OBW Power	99.00 %	x dB Bandwidth	86.99 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.570 MHz	Total Power	21.6 dBm																						
Transmit Freq Error	1.3952 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	80.22 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.645 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	-112.00 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	86.99 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5260 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.26000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.227 MHz</td> <td>Total Power</td> <td>20.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-646.73 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.77 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.227 MHz	Total Power	20.4 dBm	Transmit Freq Error	-646.73 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.77 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.26000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.759 MHz</td> <td>Total Power</td> <td>20.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>20.511 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.31 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.759 MHz	Total Power	20.4 dBm	Transmit Freq Error	20.511 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.31 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.227 MHz	Total Power	20.4 dBm																						
Transmit Freq Error	-646.73 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.77 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.759 MHz	Total Power	20.4 dBm																						
Transmit Freq Error	20.511 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.31 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.26000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.270 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>566.01 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.68 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.270 MHz	Total Power	20.3 dBm	Transmit Freq Error	566.01 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.68 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.26000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.26000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.986 MHz</td> <td>Total Power</td> <td>22.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-27.144 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.88 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.986 MHz	Total Power	22.1 dBm	Transmit Freq Error	-27.144 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.88 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.270 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	566.01 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.68 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.986 MHz	Total Power	22.1 dBm																						
Transmit Freq Error	-27.144 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.88 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5300 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.227 MHz</td> <td>Total Power</td> <td>19.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-580.33 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.55 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.227 MHz	Total Power	19.7 dBm	Transmit Freq Error	-580.33 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.55 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.057 MHz</td> <td>Total Power</td> <td>19.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-39.409 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.28 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.057 MHz	Total Power	19.8 dBm	Transmit Freq Error	-39.409 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.28 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.227 MHz	Total Power	19.7 dBm																						
Transmit Freq Error	-580.33 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.55 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.057 MHz	Total Power	19.8 dBm																						
Transmit Freq Error	-39.409 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.28 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.300 MHz</td> <td>Total Power</td> <td>19.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>563.33 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.67 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.300 MHz	Total Power	19.6 dBm	Transmit Freq Error	563.33 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.67 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.30000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.30000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.977 MHz</td> <td>Total Power</td> <td>21.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-35.389 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.78 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.977 MHz	Total Power	21.9 dBm	Transmit Freq Error	-35.389 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.78 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.300 MHz	Total Power	19.6 dBm																						
Transmit Freq Error	563.33 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.67 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.977 MHz	Total Power	21.9 dBm																						
Transmit Freq Error	-35.389 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.78 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE20																								
Frequency	5320 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.305 MHz</td> <td>Total Power</td> <td>19.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-679.05 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.72 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.305 MHz	Total Power	19.9 dBm	Transmit Freq Error	-679.05 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.72 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.928 MHz</td> <td>Total Power</td> <td>20.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>7.222 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>17.94 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.928 MHz	Total Power	20.0 dBm	Transmit Freq Error	7.222 kHz	% of OBW Power	99.00 %	x dB Bandwidth	17.94 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.305 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	-679.05 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.72 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.928 MHz	Total Power	20.0 dBm																						
Transmit Freq Error	7.222 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	17.94 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.296 MHz</td> <td>Total Power</td> <td>19.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>579.31 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.62 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.296 MHz	Total Power	19.7 dBm	Transmit Freq Error	579.31 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.62 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.32000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.32000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.992 MHz</td> <td>Total Power</td> <td>21.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-33.276 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.38 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.992 MHz	Total Power	21.7 dBm	Transmit Freq Error	-33.276 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.38 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.296 MHz	Total Power	19.7 dBm																						
Transmit Freq Error	579.31 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.62 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.992 MHz	Total Power	21.7 dBm																						
Transmit Freq Error	-33.276 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.38 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE40																								
Frequency	5270 MHz																								
Ant	2																								
0RU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.27000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.637 MHz</td> <td>Total Power</td> <td>20.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-822.78 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.72 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.637 MHz	Total Power	20.9 dBm	Transmit Freq Error	-822.78 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.72 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.27000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>35.846 MHz</td> <td>Total Power</td> <td>21.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>87.305 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.00 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	35.846 MHz	Total Power	21.2 dBm	Transmit Freq Error	87.305 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.00 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.637 MHz	Total Power	20.9 dBm																						
Transmit Freq Error	-822.78 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.72 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	35.846 MHz	Total Power	21.2 dBm																						
Transmit Freq Error	87.305 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.00 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.27000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.933 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>648.36 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.53 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.933 MHz	Total Power	20.7 dBm	Transmit Freq Error	648.36 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.53 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.27000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.27000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.959 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>7.307 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>42.97 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.959 MHz	Total Power	20.3 dBm	Transmit Freq Error	7.307 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.97 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.933 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	648.36 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.53 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.959 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	7.307 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.97 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE40																								
Frequency	5310 MHz																								
Ant	2																								
0RU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.31000 GHz #Res BW 390.0 kHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.497 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-873.29 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.67 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.497 MHz	Total Power	20.3 dBm	Transmit Freq Error	-873.29 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.67 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.31000 GHz #Res BW 390.0 kHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>35.817 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-69.975 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.00 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	35.817 MHz	Total Power	20.6 dBm	Transmit Freq Error	-69.975 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.00 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.497 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	-873.29 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.67 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	35.817 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-69.975 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.00 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.31000 GHz #Res BW 390.0 kHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.674 MHz</td> <td>Total Power</td> <td>20.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>611.65 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.55 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.674 MHz	Total Power	20.3 dBm	Transmit Freq Error	611.65 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.55 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.31000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.31000 GHz #Res BW 390.0 kHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.953 MHz</td> <td>Total Power</td> <td>19.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-3.888 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>43.09 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.953 MHz	Total Power	19.8 dBm	Transmit Freq Error	-3.888 kHz	% of OBW Power	99.00 %	x dB Bandwidth	43.09 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.674 MHz	Total Power	20.3 dBm																						
Transmit Freq Error	611.65 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.55 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.953 MHz	Total Power	19.8 dBm																						
Transmit Freq Error	-3.888 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	43.09 MHz	x dB	-26.00 dB																						



Band	UNII-2A																								
Mode	HE80																								
Frequency	5290 MHz																								
Ant	2																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.290000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.741 MHz</td> <td>Total Power</td> <td>21.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.7167 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.72 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.741 MHz	Total Power	21.3 dBm	Transmit Freq Error	-1.7167 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.72 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.290000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>74.858 MHz</td> <td>Total Power</td> <td>21.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-125.51 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>78.25 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	74.858 MHz	Total Power	21.2 dBm	Transmit Freq Error	-125.51 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.25 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.741 MHz	Total Power	21.3 dBm																						
Transmit Freq Error	-1.7167 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.72 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	74.858 MHz	Total Power	21.2 dBm																						
Transmit Freq Error	-125.51 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.25 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.290000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.991 MHz</td> <td>Total Power</td> <td>20.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.3824 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.12 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.991 MHz	Total Power	20.8 dBm	Transmit Freq Error	1.3824 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.12 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.290000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.29000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.614 MHz</td> <td>Total Power</td> <td>19.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-10.542 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>85.47 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.614 MHz	Total Power	19.5 dBm	Transmit Freq Error	-10.542 kHz	% of OBW Power	99.00 %	x dB Bandwidth	85.47 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.991 MHz	Total Power	20.8 dBm																						
Transmit Freq Error	1.3824 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.12 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.614 MHz	Total Power	19.5 dBm																						
Transmit Freq Error	-10.542 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	85.47 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5500 MHz																								
Ant	1																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.50000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.50000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.307 MHz</td> <td>Total Power</td> <td>19.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-570.87 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.51 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.307 MHz	Total Power	19.7 dBm	Transmit Freq Error	-570.87 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.51 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.50000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.50000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.044 MHz</td> <td>Total Power</td> <td>19.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>79.462 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.40 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.044 MHz	Total Power	19.4 dBm	Transmit Freq Error	79.462 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.40 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.307 MHz	Total Power	19.7 dBm																						
Transmit Freq Error	-570.87 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.51 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.044 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	79.462 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.40 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.50000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.50000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.008 MHz</td> <td>Total Power</td> <td>19.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>673.98 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.21 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.008 MHz	Total Power	19.4 dBm	Transmit Freq Error	673.98 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.21 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.50000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.50000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.938 MHz</td> <td>Total Power</td> <td>21.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-18.176 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.04 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.938 MHz	Total Power	21.8 dBm	Transmit Freq Error	-18.176 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.04 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.008 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	673.98 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.21 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.938 MHz	Total Power	21.8 dBm																						
Transmit Freq Error	-18.176 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.04 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5600 MHz																								
Ant	1																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>18.284 MHz</td><td>Total Power</td><td>19.4 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-603.27 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>19.55 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	18.284 MHz	Total Power	19.4 dBm	Transmit Freq Error	-603.27 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.55 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>17.153 MHz</td><td>Total Power</td><td>19.1 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-49.856 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>18.51 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	17.153 MHz	Total Power	19.1 dBm	Transmit Freq Error	-49.856 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.51 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.284 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	-603.27 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.55 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.153 MHz	Total Power	19.1 dBm																						
Transmit Freq Error	-49.856 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.51 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>18.259 MHz</td><td>Total Power</td><td>19.4 dBm</td></tr><tr><td>Transmit Freq Error</td><td>558.51 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>19.54 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	18.259 MHz	Total Power	19.4 dBm	Transmit Freq Error	558.51 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.54 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB</p> <p>Log</p> <p>Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>18.954 MHz</td><td>Total Power</td><td>21.1 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-6.989 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>21.17 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	18.954 MHz	Total Power	21.1 dBm	Transmit Freq Error	-6.989 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.17 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.259 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	558.51 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.54 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.954 MHz	Total Power	21.1 dBm																						
Transmit Freq Error	-6.989 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.17 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5700 MHz																								
Ant	1																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.157 MHz</td> <td>Total Power</td> <td>19.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-651.77 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.87 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.157 MHz	Total Power	19.4 dBm	Transmit Freq Error	-651.77 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.87 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.189 MHz</td> <td>Total Power</td> <td>19.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-73.173 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.50 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.189 MHz	Total Power	19.3 dBm	Transmit Freq Error	-73.173 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.50 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.157 MHz	Total Power	19.4 dBm																						
Transmit Freq Error	-651.77 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.87 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.189 MHz	Total Power	19.3 dBm																						
Transmit Freq Error	-73.173 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.50 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.344 MHz</td> <td>Total Power</td> <td>19.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>510.44 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.52 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.344 MHz	Total Power	19.3 dBm	Transmit Freq Error	510.44 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.52 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.949 MHz</td> <td>Total Power</td> <td>20.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-12.876 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.00 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.949 MHz	Total Power	20.8 dBm	Transmit Freq Error	-12.876 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.00 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.344 MHz	Total Power	19.3 dBm																						
Transmit Freq Error	510.44 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.52 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.949 MHz	Total Power	20.8 dBm																						
Transmit Freq Error	-12.876 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.00 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE40																								
Frequency	5510 MHz																								
Ant	1																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.51000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.51000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.763 MHz</td><td>Total Power</td><td>19.7 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-802.15 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>39.78 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.763 MHz	Total Power	19.7 dBm	Transmit Freq Error	-802.15 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.78 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.51000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.51000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>35.697 MHz</td><td>Total Power</td><td>20.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>122.02 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>37.77 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	35.697 MHz	Total Power	20.5 dBm	Transmit Freq Error	122.02 kHz	% of OBW Power	99.00 %	x dB Bandwidth	37.77 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.763 MHz	Total Power	19.7 dBm																						
Transmit Freq Error	-802.15 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.78 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	35.697 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	122.02 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	37.77 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.51000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.51000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.634 MHz</td><td>Total Power</td><td>19.9 dBm</td></tr><tr><td>Transmit Freq Error</td><td>668.39 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>39.47 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.634 MHz	Total Power	19.9 dBm	Transmit Freq Error	668.39 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.47 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.51000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.51000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"><tr><td>Occupied Bandwidth</td><td>37.929 MHz</td><td>Total Power</td><td>21.5 dBm</td></tr><tr><td>Transmit Freq Error</td><td>-53.772 kHz</td><td>% of OBW Power</td><td>99.00 %</td></tr><tr><td>x dB Bandwidth</td><td>43.26 MHz</td><td>x dB</td><td>-26.00 dB</td></tr></table>	Occupied Bandwidth	37.929 MHz	Total Power	21.5 dBm	Transmit Freq Error	-53.772 kHz	% of OBW Power	99.00 %	x dB Bandwidth	43.26 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.634 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	668.39 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.47 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.929 MHz	Total Power	21.5 dBm																						
Transmit Freq Error	-53.772 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	43.26 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE40																								
Frequency	5590 MHz																								
Ant	1																								
ORU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.59000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm</p> <p>Center 5.59000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.587 MHz</td> <td>Total Power</td> <td>20.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-839.58 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.79 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.587 MHz	Total Power	20.1 dBm	Transmit Freq Error	-839.58 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.79 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.59000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm</p> <p>Center 5.59000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>36.142 MHz</td> <td>Total Power</td> <td>20.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-141.99 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.18 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	36.142 MHz	Total Power	20.2 dBm	Transmit Freq Error	-141.99 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.18 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.587 MHz	Total Power	20.1 dBm																						
Transmit Freq Error	-839.58 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.79 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.142 MHz	Total Power	20.2 dBm																						
Transmit Freq Error	-141.99 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.18 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.59000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm</p> <p>Center 5.59000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.632 MHz</td> <td>Total Power</td> <td>20.0 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>700.37 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.45 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.632 MHz	Total Power	20.0 dBm	Transmit Freq Error	700.37 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.45 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.59000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm</p> <p>Center 5.59000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.993 MHz</td> <td>Total Power</td> <td>18.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-35.564 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>42.73 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.993 MHz	Total Power	18.8 dBm	Transmit Freq Error	-35.564 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.73 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.632 MHz	Total Power	20.0 dBm																						
Transmit Freq Error	700.37 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.45 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.993 MHz	Total Power	18.8 dBm																						
Transmit Freq Error	-35.564 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.73 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE40																								
Frequency	5670 MHz																								
Ant	1																								
0RU	9RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.670000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.67000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.739 MHz</td> <td>Total Power</td> <td>19.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-741.66 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.55 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.739 MHz	Total Power	19.9 dBm	Transmit Freq Error	-741.66 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.55 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.670000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.67000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>36.223 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-119.65 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>38.08 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	36.223 MHz	Total Power	20.6 dBm	Transmit Freq Error	-119.65 kHz	% of OBW Power	99.00 %	x dB Bandwidth	38.08 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.739 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	-741.66 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.55 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	36.223 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-119.65 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	38.08 MHz	x dB	-26.00 dB																						
17RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.670000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.67000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.695 MHz</td> <td>Total Power</td> <td>20.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>680.54 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>39.55 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.695 MHz	Total Power	20.2 dBm	Transmit Freq Error	680.54 kHz	% of OBW Power	99.00 %	x dB Bandwidth	39.55 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.670000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.67000 GHz #Res BW 390.00 kHz #Video BW 1.2000 MHz Span 80 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>37.985 MHz</td> <td>Total Power</td> <td>19.8 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-28.230 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>42.39 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	37.985 MHz	Total Power	19.8 dBm	Transmit Freq Error	-28.230 kHz	% of OBW Power	99.00 %	x dB Bandwidth	42.39 MHz	x dB	-26.00 dB
Occupied Bandwidth	37.695 MHz	Total Power	20.2 dBm																						
Transmit Freq Error	680.54 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	39.55 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	37.985 MHz	Total Power	19.8 dBm																						
Transmit Freq Error	-28.230 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	42.39 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE80																								
Frequency	5530 MHz																								
Ant	1																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.53000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.53000 GHz #Video BW 2.4000 MHz Span 160 MHz #Res BW 820.00 kHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>78.255 MHz</td> <td>Total Power</td> <td>20.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.6667 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.43 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	78.255 MHz	Total Power	20.9 dBm	Transmit Freq Error	-1.6667 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.43 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.53000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.53000 GHz #Video BW 2.4000 MHz Span 160 MHz #Res BW 820.00 kHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>74.993 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-135.36 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>78.51 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	74.993 MHz	Total Power	20.6 dBm	Transmit Freq Error	-135.36 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.51 MHz	x dB	-26.00 dB
Occupied Bandwidth	78.255 MHz	Total Power	20.9 dBm																						
Transmit Freq Error	-1.6667 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.43 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	74.993 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-135.36 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.51 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.53000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.53000 GHz #Video BW 2.4000 MHz Span 160 MHz #Res BW 820.00 kHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.895 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.3317 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>80.74 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.895 MHz	Total Power	20.6 dBm	Transmit Freq Error	1.3317 MHz	% of OBW Power	99.00 %	x dB Bandwidth	80.74 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.53000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.53000 GHz #Video BW 2.4000 MHz Span 160 MHz #Res BW 820.00 kHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.566 MHz</td> <td>Total Power</td> <td>19.3 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-64.801 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>87.38 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.566 MHz	Total Power	19.3 dBm	Transmit Freq Error	-64.801 kHz	% of OBW Power	99.00 %	x dB Bandwidth	87.38 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.895 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	1.3317 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	80.74 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.566 MHz	Total Power	19.3 dBm																						
Transmit Freq Error	-64.801 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	87.38 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE80																								
Frequency	5610 MHz																								
Ant	1																								
ORU	18RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.610000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.61000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.972 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-1.6382 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.73 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.972 MHz	Total Power	20.6 dBm	Transmit Freq Error	-1.6382 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.73 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.610000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.61000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>75.011 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-24.617 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>78.24 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	75.011 MHz	Total Power	20.7 dBm	Transmit Freq Error	-24.617 kHz	% of OBW Power	99.00 %	x dB Bandwidth	78.24 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.972 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-1.6382 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.73 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	75.011 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-24.617 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	78.24 MHz	x dB	-26.00 dB																						
36RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.610000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.61000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.905 MHz</td> <td>Total Power</td> <td>20.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.4070 MHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>81.08 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.905 MHz	Total Power	20.5 dBm	Transmit Freq Error	1.4070 MHz	% of OBW Power	99.00 %	x dB Bandwidth	81.08 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.610000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>Center 5.61000 GHz #Res BW 820.00 kHz #Video BW 2.4000 MHz Span 160 MHz Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>77.555 MHz</td> <td>Total Power</td> <td>19.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-30.217 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>87.26 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	77.555 MHz	Total Power	19.2 dBm	Transmit Freq Error	-30.217 kHz	% of OBW Power	99.00 %	x dB Bandwidth	87.26 MHz	x dB	-26.00 dB
Occupied Bandwidth	77.905 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	1.4070 MHz	% of OBW Power	99.00 %																						
x dB Bandwidth	81.08 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	77.555 MHz	Total Power	19.2 dBm																						
Transmit Freq Error	-30.217 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	87.26 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5500 MHz																								
Ant	2																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC, Align: Auto Input Z: 50 Ω, Corrections: On, Freq Ref: Int (S), NFE: Adaptive Atten: 30 dB, Preamp: Off Trig: Free Run, Gate: Off, #IF Gain: Low Center Freq: 5.50000000 GHz, Avg/Hold: 500/500, Radio Std: None</p> <p>Center 5.50000 GHz, #Res BW 200.00 kHz, #Video BW 620.00 kHz, Span 40 MHz, Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.252 MHz</td> <td>Total Power</td> <td>20.2 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-583.51 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.47 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.252 MHz	Total Power	20.2 dBm	Transmit Freq Error	-583.51 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.47 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC, Align: Auto Input Z: 50 Ω, Corrections: On, Freq Ref: Int (S), NFE: Adaptive Atten: 30 dB, Preamp: Off Trig: Free Run, Gate: Off, #IF Gain: Low Center Freq: 5.50000000 GHz, Avg/Hold: 500/500, Radio Std: None</p> <p>Center 5.50000 GHz, #Res BW 200.00 kHz, #Video BW 620.00 kHz, Span 40 MHz, Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.956 MHz</td> <td>Total Power</td> <td>20.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-18.542 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.17 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.956 MHz	Total Power	20.6 dBm	Transmit Freq Error	-18.542 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.17 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.252 MHz	Total Power	20.2 dBm																						
Transmit Freq Error	-583.51 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.47 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.956 MHz	Total Power	20.6 dBm																						
Transmit Freq Error	-18.542 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.17 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC, Align: Auto Input Z: 50 Ω, Corrections: On, Freq Ref: Int (S), NFE: Adaptive Atten: 30 dB, Preamp: Off Trig: Free Run, Gate: Off, #IF Gain: Low Center Freq: 5.50000000 GHz, Avg/Hold: 500/500, Radio Std: None</p> <p>Center 5.50000 GHz, #Res BW 200.00 kHz, #Video BW 620.00 kHz, Span 40 MHz, Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.151 MHz</td> <td>Total Power</td> <td>20.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>632.46 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.42 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.151 MHz	Total Power	20.1 dBm	Transmit Freq Error	632.46 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.42 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF: Coupling DC, Align: Auto Input Z: 50 Ω, Corrections: On, Freq Ref: Int (S), NFE: Adaptive Atten: 30 dB, Preamp: Off Trig: Free Run, Gate: Off, #IF Gain: Low Center Freq: 5.50000000 GHz, Avg/Hold: 500/500, Radio Std: None</p> <p>Center 5.50000 GHz, #Res BW 200.00 kHz, #Video BW 620.00 kHz, Span 40 MHz, Sweep 1.00 ms (1001 pts)</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.990 MHz</td> <td>Total Power</td> <td>22.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-24.539 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.23 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.990 MHz	Total Power	22.4 dBm	Transmit Freq Error	-24.539 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.23 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.151 MHz	Total Power	20.1 dBm																						
Transmit Freq Error	632.46 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.42 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.990 MHz	Total Power	22.4 dBm																						
Transmit Freq Error	-24.539 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.23 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5600 MHz																								
Ant	2																								
ORU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.316 MHz</td> <td>Total Power</td> <td>19.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-578.27 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.62 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.316 MHz	Total Power	19.9 dBm	Transmit Freq Error	-578.27 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.62 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.014 MHz</td> <td>Total Power</td> <td>19.9 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>64.765 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.20 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.014 MHz	Total Power	19.9 dBm	Transmit Freq Error	64.765 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.20 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.316 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	-578.27 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.62 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	17.014 MHz	Total Power	19.9 dBm																						
Transmit Freq Error	64.765 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.20 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>17.892 MHz</td> <td>Total Power</td> <td>19.6 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>759.16 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.72 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	17.892 MHz	Total Power	19.6 dBm	Transmit Freq Error	759.16 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.72 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input RF Coupling DC Align: Auto</p> <p>Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive</p> <p>Atten: 30 dB Preamp: Off</p> <p>Trig: Free Run Gate: Off #IF Gain: Low</p> <p>Center Freq: 5.60000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph</p> <p>Scale/Div 10.0 dB Ref Value 25.00 dBm</p> <p>Center 5.60000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.978 MHz</td> <td>Total Power</td> <td>20.5 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-941 Hz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.55 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.978 MHz	Total Power	20.5 dBm	Transmit Freq Error	-941 Hz	% of OBW Power	99.00 %	x dB Bandwidth	21.55 MHz	x dB	-26.00 dB
Occupied Bandwidth	17.892 MHz	Total Power	19.6 dBm																						
Transmit Freq Error	759.16 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.72 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.978 MHz	Total Power	20.5 dBm																						
Transmit Freq Error	-941 Hz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.55 MHz	x dB	-26.00 dB																						



Band	UNII-2C																								
Mode	HE20																								
Frequency	5700 MHz																								
Ant	2																								
0RU	4RU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.312 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-555.43 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.66 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.312 MHz	Total Power	20.7 dBm	Transmit Freq Error	-555.43 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.66 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>16.719 MHz</td> <td>Total Power</td> <td>20.7 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>82.901 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>18.19 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	16.719 MHz	Total Power	20.7 dBm	Transmit Freq Error	82.901 kHz	% of OBW Power	99.00 %	x dB Bandwidth	18.19 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.312 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	-555.43 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.66 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	16.719 MHz	Total Power	20.7 dBm																						
Transmit Freq Error	82.901 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	18.19 MHz	x dB	-26.00 dB																						
8RU	SU																								
<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.134 MHz</td> <td>Total Power</td> <td>20.4 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>638.17 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>19.34 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.134 MHz	Total Power	20.4 dBm	Transmit Freq Error	638.17 kHz	% of OBW Power	99.00 %	x dB Bandwidth	19.34 MHz	x dB	-26.00 dB	<p>Spectrum Analyzer 1 Occupied BW</p> <p>KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: On Freq Ref: Int (S) NFE: Adaptive Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 500/500 Radio Std: None</p> <p>1 Graph Scale/Div 10.0 dB Log Ref Value 25.00 dBm Center 5.70000 GHz #Res BW 200.00 kHz #Video BW 620.00 kHz Span 40 MHz Sweep 1.00 ms (1001 pts)</p> <p>2 Metrics</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>18.982 MHz</td> <td>Total Power</td> <td>22.1 dBm</td> </tr> <tr> <td>Transmit Freq Error</td> <td>-9.206 kHz</td> <td>% of OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>21.44 MHz</td> <td>x dB</td> <td>-26.00 dB</td> </tr> </table>	Occupied Bandwidth	18.982 MHz	Total Power	22.1 dBm	Transmit Freq Error	-9.206 kHz	% of OBW Power	99.00 %	x dB Bandwidth	21.44 MHz	x dB	-26.00 dB
Occupied Bandwidth	18.134 MHz	Total Power	20.4 dBm																						
Transmit Freq Error	638.17 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	19.34 MHz	x dB	-26.00 dB																						
Occupied Bandwidth	18.982 MHz	Total Power	22.1 dBm																						
Transmit Freq Error	-9.206 kHz	% of OBW Power	99.00 %																						
x dB Bandwidth	21.44 MHz	x dB	-26.00 dB																						