

### Appendix G. SAR Summation Analysis

SAR summation analysis are shown as follows.




### Appendix H. SPLSR and Volume Scan Analysis

SPLSR and volume scan analysis are shown as follows.

SPLSR-WWAN+WLAN2.4G\_MIMO\_Ant1+WLAN5.6G\_Ant1

Rear Face




Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.1	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	92.1	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	97.3	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.2	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	48.1	0.03
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	53.3	0.02
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.3	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	46.5	0.03
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	51.4	0.02
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.4	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	54.2	0.03
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	59.2	0.02
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.5	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	88.5	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	93.7	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.6	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	91.2	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	96.5	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.7	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	91.2	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	96.5	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.8	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	91.8	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	97.1	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.9	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	44.7	0.03
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	50.1	0.02
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.10	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	91.2	0.01
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	96.5	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.11	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	47.1	0.02
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	52.4	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
No.12	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	52.5	0.02
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1			0.63	-78	143	0.56		
	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	57.9	0.01
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		
	WLAN2.4G 802.11b 0mm Ch6_MIMO Ant 1	Body	Rear Face	0.63	-78	143	0.56	7.7	0.13
	WLAN5.6G_802.11ac VHT80 0mm Ch138_Ant 1			0.38	-83.2	138	-2.04		

SPLSR-WWAN+WLAN5.8G\_Ant2+BT Ant2



Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.13	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	38	0.04
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	81.3	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.14	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	81.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	125.2	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.15	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	83.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	127	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		




Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.16	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	75.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	119.1	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.17	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	41.6	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	84.9	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.18	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	82.3	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.19	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	82.3	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.20	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	38.1	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	81.7	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.21	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	85.2	0.01
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	128.6	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.22	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	82.3	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.23	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	82.9	0.01
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	126.2	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
No.24	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	77.4	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	120.8	0.01
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	44.4	0.03
	BT BDR 0mm Ch39_Ant 2			0.443	95	133	1.68		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		




**SPLSR-WWAN+WLAN2.4G Ant2+WLAN5.8G Ant2**









Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.25	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	38	0.04
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	GSM850 GPRS10 0mm Ch251	Body	Rear Face	0.561	14	139.6	0.86	73.1	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.26	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	81.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	GSM1900 GPRS10 0mm Ch661	Body	Rear Face	0.598	-30	140.1	0.24	117.1	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.27	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	83.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA II RMC12.2K 0mm Ch9538	Body	Rear Face	0.623	-31.9	137	0.31	118.9	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		

Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.28	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	75.9	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA IV RMC12.2K 0mm Ch1513	Body	Rear Face	0.608	-24	138.5	0.32	111	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.29	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	41.6	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	WCDMA V RMC12.2K 0mm Ch4182	Body	Rear Face	0.481	10.4	140	1.27	76.7	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.30	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 5 QPSK10M 0mm Ch20525	Body	Rear Face	0.532	13.2	141.8	0.39	74.1	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.31	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 12 QPSK10M 0mm Ch23130	Body	Rear Face	0.442	13.2	141.5	0.35	74	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.32	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	38.1	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 13 QPSK10M 0mm Ch23230	Body	Rear Face	0.505	13.8	141.5	0.37	73.4	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		



Number	Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
					x	y	z		
No.33	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	85.2	0.01
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 25 QPSK20M 0mm Ch26365	Body	Rear Face	0.457	-33.3	141.6	1.29	120.5	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.34	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	38.7	0.03
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 26 QPSK15M 0mm Ch26865	Body	Rear Face	0.453	13.2	141.8	0.37	74.1	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.35	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	82.9	0.01
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 41 QPSK20M 0mm Ch40185	Body	Rear Face	0.448	-31	140	1.38	118.1	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
No.36	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	77.4	0.02
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2			0.66	51.8	142.2	-2.46		
	LTE 66 QPSK20M 0mm Ch132572	Body	Rear Face	0.508	-25.5	141.6	1.33	112.7	0.01
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		
	WLAN5.8G_802.11ac VHT80 0mm Ch155_Ant 2	Body	Rear Face	0.66	51.8	142.2	-2.46	36	0.03
	WLAN2.4G 802.11b 0mm Ch6_Ant 2			0.468	87	135.5	1.01		

<b>Volume Scan</b>	
<b>WWAN+2.4G MIMO Ant1 + 5.6G Ant1</b>	
<b>No.1</b>	<b>圖片</b>
GSM850 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1	<p>Multi Band Result:            SAR(1 g) = 1.31 W/kg; SAR(10 g) = 0.511 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.52 W/kg</p> 
<b>No.2</b>	<b>圖片</b>
GSM1900 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1	<p>Multi Band Result:            SAR(1 g) = 1.28 W/kg; SAR(10 g) = 0.518 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.86 W/kg</p> 
<b>No.3</b>	<b>圖片</b>
WCDMA II + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1	<p>Multi Band Result:            SAR(1 g) = 1.26 W/kg; SAR(10 g) = 0.512 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.51 W/kg</p> 

No.4	圖片
<p style="text-align: center;">WCDMA IV + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.29 W/kg; SAR(10 g) = 0.516 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 3.47 W/kg</p> 
No.5	圖片
<p style="text-align: center;">WCDMA V + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.26 W/kg; SAR(10 g) = 0.511 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 3.51 W/kg</p> 
No.6	圖片
<p style="text-align: center;">LTE 5 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.27 W/kg; SAR(10 g) = 0.511 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 4.03 W/kg</p> 

No.7	圖片
<p style="text-align: center;">LTE 12 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.31 W/kg; SAR(10 g) = 0.524 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 3.66 W/kg</p> 
No.8	圖片
<p style="text-align: center;">LTE 13 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.28 W/kg; SAR(10 g) = 0.512 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 3.53 W/kg</p> 
No.9	圖片
<p style="text-align: center;">LTE 25 + WLAN2.4G MIMO_ANT1 + WLAN5.6G ANT1</p>	<p>Multi Band Result: SAR(1 g) = 1.27 W/kg; SAR(10 g) = 0.514 W/kg (SAR corrected for target medium) Maximum value of SAR (interpolated) = 3.79 W/kg</p> 



No.10	圖片
<p style="text-align: center;">           LTE 26            +            WLAN2.4G MIMO_ANT1            +            WLAN5.6G ANT1         </p>	<p>Multi Band Result:            SAR(1 g) = 1.26 W/kg; SAR(10 g) = 0.509 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.50 W/kg</p> 
No.11	圖片
<p style="text-align: center;">           LTE 41            +            WLAN2.4G MIMO_ANT1            +            WLAN5.6G ANT1         </p>	<p>Multi Band Result:            SAR(1 g) = 1.25 W/kg; SAR(10 g) = 0.510 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.49 W/kg</p> 
No.12	圖片
<p style="text-align: center;">           LTE 66            +            WLAN2.4G MIMO_ANT1            +            WLAN5.6G ANT1         </p>	<p>Multi Band Result:            SAR(1 g) = 1.31W/kg; SAR(10 g) = 0.527 W/kg (SAR corrected for target medium)            Maximum value of SAR (interpolated) = 3.58 W/kg</p> 