


802.11ax_RU mode(HE 20 / 26T / RU offset 8) / 2 467 MHz


Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Ant. Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
2 399.22	V	47.48	31.90	-28.99	-	50.39	74.00	23.61
2 483.68 ¹⁾	H	52.40	32.07	-29.21	-	55.26	74.00	18.74
Average Data								
2 483.68 ¹⁾	H	39.70	32.07	-29.21	-	42.56	54.00	11.44

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 52T / RU offset 40) / 2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 398.06	H	46.41	31.90	-28.99	-	49.32	74.00	24.68
2 483.53 ¹⁾	H	51.32	32.07	-29.21	-	54.18	74.00	19.82
Average Data								
2 483.53 ¹⁾	H	37.08	32.07	-29.21	-	39.94	54.00	14.06

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 106T / RU offset 54) / 2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 398.61	V	43.71	31.90	-28.99	-	46.62	74.00	27.38
2 483.51 ¹⁾	H	51.63	32.07	-29.21	-	54.49	74.00	19.51
Average Data								
2 483.51 ¹⁾	H	36.03	32.07	-29.21	-	38.89	54.00	15.11

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_HE20 SU mode / 2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	48.66	32.07	-29.21	-	51.52	74.00	22.48
Average Data								
2 483.51 ¹⁾	H	39.53	32.07	-29.21	-	42.39	54.00	11.61

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 26T / RU offset 8) / 2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 403.76	H	42.76	31.91	-28.99	-	45.68	74.00	28.32
2 483.58 ¹⁾	H	61.15	32.07	-29.21	-	64.01	74.00	9.99
Average Data								
2 483.58 ¹⁾	H	46.89	32.07	-29.21	-	49.75	54.00	4.25

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 52T / RU offset 40) / 2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 403.04	H	40.85	31.91	-28.99	-	43.77	74.00	30.23
2 483.61 ¹⁾	H	58.44	32.07	-29.22	-	61.29	74.00	12.71
Average Data								
2 483.61 ¹⁾	H	44.52	32.07	-29.21	-	47.38	54.00	6.62

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 106T / RU offset 54) / 2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 423.78	V	43.43	31.95	-29.05	-	46.33	74.00	27.67
2 483.53 ¹⁾	H	59.94	32.07	-29.21	-	62.80	74.00	11.20
Average Data								
2 483.53 ¹⁾	H	45.01	32.07	-29.21	-	47.87	54.00	6.13

Average data



Blank

Horizontal/Vertical for Band-edge




SISO Harmonics and Spurious Emissions


802.11ax_HE20 SU mode / 2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 554.08	H	57.46	41.55	-45.68	-	53.33	74.00	20.67
Average Data								
No spurious emissions were detected within 20 dB of the limit								


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_HE20 SU mode / 2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 211.06	H	58.20	41.42	-47.27	-	52.35	74.00	21.65


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_HE20 SU mode / 2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 570.39	H	56.89	41.57	-45.74	-	52.72	74.00	21.28


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_HE20 SU mode / 2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 944.11 ¹⁾	V	61.95	33.98	-54.95	-	40.98	74.00	33.02
16 540.48	H	55.68	41.54	-45.64	-	51.58	74.00	22.42


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_HE20 SU mode / 2 472 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 948.19 ¹⁾	V	61.25	33.98	-54.87	-	40.36	74.00	33.64
16 411.34	V	56.15	41.82	-46.04	-	51.93	74.00	22.07


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_RU mode(HE 20 / 26T / RU offset 0) / 2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 417.69	H	57.09	41.84	-46.01	-	52.92	74.00	21.08


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_RU mode(HE 20 / 26T / RU offset 8) / 2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 661.47	V	56.91	41.66	-46.05	-	52.52	74.00	21.48


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_RU mode(HE 20 / 26T / RU offset 0) / 2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
16 782.45	H	57.33	41.78	-46.46	-	52.65	74.00	21.35


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_RU mode(HE 20 / 26T / RU offset 8) / 2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 935.95 ¹⁾	V	60.75	33.97	-55.09	-	39.63	74.00	34.37
16 563.14	H	55.64	41.56	-45.72	-	51.48	74.00	22.52


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz




802.11ax_RU mode(HE 20 / 26T / RU offset 8) / 2 472 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 949.55 ¹⁾	V	60.90	33.98	-54.85	-	40.03	74.00	33.97
16 758.44	V	55.94	41.76	-46.38	-	51.32	74.00	22.68


Average Data

No spurious emissions were detected within 20 dB of the limit


Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



Horizontal/Vertical for 18 GHz ~ 26.5 GHz



MIMO Restricted Bandedge (Lowest Channel)

802.11ax_HE20 SU mode / 2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.96 ¹⁾	H	54.29	31.88	-29.04	-	57.13	74.00	16.87
Average Data								
2 389.96 ¹⁾	H	45.37	31.88	-29.04	-	48.21	54.00	5.79

Average data



Blank


bvfcHorizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 26T / RU offset 0) / 2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.99 ¹⁾	H	51.19	31.88	-29.04	-	54.03	74.00	19.97
2 479.91	H	54.49	32.06	-29.20	-	57.35	74.00	16.65
Average Data								
2 389.99 ¹⁾	H	37.93	31.88	-29.04	-	40.77	54.00	13.23

Average data



Blank


Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 52T / RU offset 37) / 2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.72 ¹⁾	H	50.61	31.88	-29.04	-	53.45	74.00	20.55
2 481.09	H	52.12	32.06	-29.21	-	54.97	74.00	19.03
Average Data								
2 389.72 ¹⁾	H	37.98	31.88	-29.04	-	40.82	54.00	13.18

Average data



Blank



Horizontal/Vertical for Band-edge



802.11ax_RU mode(HE 20 / 106T / RU offset 53) / 2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.96 ¹⁾	H	54.66	31.88	-29.04	-	57.50	74.00	16.50
2 485.40 ¹⁾	H	49.31	32.07	-29.22	-	52.16	74.00	21.84
Average Data								
2 389.96 ¹⁾	H	38.65	31.88	-29.04	-	41.49	54.00	12.51
2 485.93 ¹⁾	H	39.01	32.07	-29.22	-	41.86	54.00	12.14

Average data



Horizontal/Vertical for Band-edge

