



802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
4 892.00 ¹⁾	V	54.10	32.85	-45.46	-	41.49	74.00	32.51
7 316.88 ¹⁾	H	53.00	37.03	-44.17	-	45.86	74.00	28.14
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.64 ¹⁾	V	63.50	27.30	-30.59	-	60.21	74.00	13.79
2 483.70 ¹⁾	V	68.80	27.80	-30.48	-	66.12	74.00	7.88
4 934.53 ¹⁾	V	54.40	32.77	-45.27	-	41.90	74.00	32.10
7 378.75 ¹⁾	H	52.20	36.94	-44.02	-	45.12	74.00	28.88
Average Data								
2 389.64 ¹⁾	V	45.54	27.30	-30.59	0.30	42.55	54.00	11.45
2 483.70 ¹⁾	V	51.15	27.80	-30.48	0.30	48.77	54.00	5.23


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.43 ¹⁾	V	55.50	27.29	-30.59	-	52.20	74.00	21.80
2 483.53 ¹⁾	V	64.10	27.80	-30.48	-	61.42	74.00	12.58
4 929.22 ¹⁾	V	53.30	32.76	-45.29	-	40.77	74.00	33.23
7 417.90 ¹⁾	H	53.30	36.86	-43.92	-	46.24	74.00	27.76
Average Data								
2 389.43 ¹⁾	V	37.31	27.29	-30.59	0.30	34.31	54.00	19.69
2 483.53 ¹⁾	V	49.34	27.80	-30.48	0.30	46.96	54.00	7.04


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 388.05 ¹⁾	V	51.30	27.28	-30.59	-	47.99	74.00	26.01
2 483.51 ¹⁾	V	70.90	27.80	-30.48	-	68.22	74.00	5.78
4 936.47 ¹⁾	H	54.70	32.77	-45.26	-	42.21	74.00	31.79
7 407.75 ¹⁾	V	52.40	36.88	-43.95	-	45.33	74.00	28.67
Average Data								
2 483.51 ¹⁾	V	53.89	27.80	-30.48	0.30	51.51	54.00	2.49

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.92 ¹⁾	V	66.20	27.30	-30.59	-	62.91	74.00	11.09
2 483.56 ¹⁾	V	63.80	27.80	-30.48	-	61.12	74.00	12.88
4 829.65 ¹⁾	V	54.60	32.48	-45.73	-	41.35	74.00	32.65
7 282.08 ¹⁾	V	54.50	37.43	-44.26	-	47.67	74.00	26.33
Average Data								
2 389.92 ¹⁾	V	52.35	27.30	-30.59	0.31	49.37	54.00	4.63
2 483.56 ¹⁾	V	49.61	27.80	-30.48	0.31	47.24	54.00	6.76


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 883.30 ¹⁾	H	54.10	32.80	-45.49	-	41.41	74.00	32.59
7 318.82 ¹⁾	H	52.50	37.02	-44.17	-	45.35	74.00	28.65
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 389.59 ¹⁾	V	63.30	27.30	-30.59	-	60.01	74.00	13.99
2 483.64 ¹⁾	V	73.30	27.80	-30.48	-	70.62	74.00	3.38
4 913.27 ¹⁾	H	53.90	32.73	-45.36	-	41.27	74.00	32.73
7 392.77 ¹⁾	H	52.10	36.91	-43.99	-	45.02	74.00	28.98
Average Data								
2 389.59 ¹⁾	V	45.49	27.30	-30.59	0.31	42.51	54.00	11.49
2 483.64 ¹⁾	V	52.84	27.80	-30.48	0.31	50.47	54.00	3.53


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 388.95 ¹⁾	V	55.20	27.29	-30.59	-	51.90	74.00	22.10
2 483.58 ¹⁾	V	66.50	27.80	-30.48	-	63.82	74.00	10.18
4 931.63 ¹⁾	V	53.60	32.76	-45.28	-	41.08	74.00	32.92
7 410.65 ¹⁾	H	53.10	36.88	-43.94	-	46.04	74.00	27.96
Average Data								
2 388.95 ¹⁾	V	38.53	27.29	-30.59	0.31	35.54	54.00	18.46
2 483.58 ¹⁾	V	51.21	27.80	-30.48	0.31	48.84	54.00	5.16


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT20_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.55 ¹⁾	V	50.20	27.30	-30.59	-	46.91	74.00	27.09
2 483.51 ¹⁾	V	72.10	27.80	-30.48	-	69.42	74.00	4.58
4 941.78 ¹⁾	H	53.80	32.78	-45.24	-	41.34	74.00	32.66
7 415.48 ¹⁾	H	53.20	36.87	-43.93	-	46.14	74.00	27.86
Average Data								
2 483.51 ¹⁾	V	54.31	27.80	-30.48	0.31	51.94	54.00	2.06

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz




MIMO


802.11b_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 389.89 ¹⁾	V	64.40	27.30	-30.59	-	61.11	74.00	12.89
2 483.70 ¹⁾	V	63.70	27.80	-30.48	-	61.02	74.00	12.98
4 800.65 ¹⁾	H	55.00	32.30	-45.86	-	41.44	74.00	32.56
7 255.02 ¹⁾	V	52.50	37.32	-44.33	-	45.49	74.00	28.51
Average Data								
2 389.89 ¹⁾	V	44.94	27.30	-30.59	-	41.65	54.00	12.35
2 483.70 ¹⁾	V	45.95	27.80	-30.48	-	43.27	54.00	10.73


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
4 773.58 ¹⁾	V	54.10	32.09	-45.98	-	40.21	74.00	33.79
7 321.72 ¹⁾	V	53.20	37.01	-44.16	-	46.05	74.00	27.95
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.85 ¹⁾	V	63.70	27.30	-30.59	-	60.41	74.00	13.59
2 483.58 ¹⁾	V	67.00	27.80	-30.48	-	64.32	74.00	9.68
4 934.05 ¹⁾	V	53.70	32.77	-45.27	-	41.20	74.00	32.80
7 386.97 ¹⁾	V	53.50	36.93	-44.00	-	46.43	74.00	27.57
Average Data								
2 389.85 ¹⁾	V	43.77	27.30	-30.59	-	40.48	54.00	13.52
2 483.58 ¹⁾	V	47.93	27.80	-30.48	-	45.25	54.00	8.75


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 389.89 ¹⁾	V	50.00	27.30	-30.59	-	46.71	74.00	27.29
2 485.06 ¹⁾	V	52.80	27.80	-30.48	-	50.12	74.00	23.88
4 933.08 ¹⁾	V	53.90	32.77	-45.27	-	41.40	74.00	32.60
7 406.30 ¹⁾	H	53.40	36.89	-43.95	-	46.34	74.00	27.66
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 472 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 388.40 ¹⁾	V	48.10	27.28	-30.59	-	44.79	74.00	29.21
2 483.66 ¹⁾	V	52.00	27.80	-30.48	-	49.32	74.00	24.68
4 933.08 ¹⁾	H	53.10	32.77	-45.27	-	40.60	74.00	33.40
7 411.13 ¹⁾	V	53.70	36.88	-43.94	-	46.64	74.00	27.36
Average Data								
No spurious emissions were detected within 20 dB of the limit.								


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.84 ¹⁾	V	67.60	27.30	-30.59	-	64.31	74.00	9.69
2 484.40 ¹⁾	V	67.00	27.80	-30.48	-	64.32	74.00	9.68
4 931.63 ¹⁾	H	53.20	32.76	-45.28	-	40.68	74.00	33.32
7 438.68 ¹⁾	V	53.20	36.82	-43.87	-	46.15	74.00	27.85
Average Data								
2 389.84 ¹⁾	V	47.29	27.30	-30.59	0.30	44.30	54.00	9.70
2 484.40 ¹⁾	V	48.83	27.80	-30.48	0.30	46.45	54.00	7.55


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
4 885.23 ¹⁾	H	55.90	32.81	-45.48	-	43.23	74.00	30.77
7 315.43 ¹⁾	H	52.60	37.04	-44.18	-	45.46	74.00	28.54
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 388.59 ¹⁾	V	62.70	27.29	-30.59	-	59.40	74.00	14.60
2 483.78 ¹⁾	V	68.60	27.80	-30.48	-	65.92	74.00	8.08
4 930.67 ¹⁾	V	54.20	32.76	-45.29	-	41.67	74.00	32.33
7 387.45 ¹⁾	H	53.10	36.93	-44.00	-	46.03	74.00	27.97
Average Data								
2 388.59 ¹⁾	V	44.72	27.29	-30.59	0.30	41.72	54.00	12.28
2 483.78 ¹⁾	V	49.87	27.80	-30.48	0.30	47.49	54.00	6.51



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 387.19 ¹⁾	V	53.00	27.27	-30.59	-	49.68	74.00	24.32
2 483.58 ¹⁾	V	63.00	27.80	-30.48	-	60.32	74.00	13.68
4 935.02 ¹⁾	V	52.60	32.77	-45.27	-	40.10	74.00	33.90
7 405.33 ¹⁾	H	52.50	36.89	-43.95	-	45.44	74.00	28.56
Average Data								
2 483.58 ¹⁾	V	47.71	27.80	-30.48	0.30	45.33	54.00	8.67



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.84 ¹⁾	V	52.80	27.30	-30.59	-	49.51	74.00	24.49
2 483.53 ¹⁾	V	70.00	27.80	-30.48	-	67.32	74.00	6.68
4 941.30 ¹⁾	H	52.90	32.78	-45.24	-	40.44	74.00	33.56
7 410.17 ¹⁾	V	52.10	36.88	-43.94	-	45.04	74.00	28.96
Average Data								
2 483.53 ¹⁾	V	52.01	27.80	-30.48	0.30	49.63	54.00	4.37

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.93 ¹⁾	V	68.80	27.30	-30.59	-	65.51	74.00	8.49
2 483.76 ¹⁾	V	68.20	27.80	-30.48	-	65.52	74.00	8.48
4 828.20 ¹⁾	H	53.70	32.47	-45.74	-	40.43	74.00	33.57
7 282.08 ¹⁾	V	53.20	37.43	-44.26	-	46.37	74.00	27.63
Average Data								
2 389.93 ¹⁾	V	51.89	27.30	-30.59	0.59	49.19	54.00	4.81
2 483.76 ¹⁾	V	49.26	27.80	-30.48	0.59	47.17	54.00	6.83


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
4 887.65 ¹⁾	H	55.10	32.83	-45.47	-	42.46	74.00	31.54
7 312.53 ¹⁾	H	52.50	37.05	-44.18	-	45.37	74.00	28.63
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 389.50 ¹⁾	V	67.90	27.29	-30.59	-	64.60	74.00	9.40
2 483.50 ¹⁾	V	73.30	27.80	-30.48	-	70.62	74.00	3.38
4 921.00 ¹⁾	H	52.30	32.74	-45.33	-	39.71	74.00	34.29
7 373.43 ¹⁾	V	53.10	36.95	-44.03	-	46.02	74.00	27.98
Average Data								
2 389.50 ¹⁾	V	45.16	27.29	-30.59	0.59	42.45	54.00	11.55
2 483.50 ¹⁾	V	52.14	27.80	-30.48	0.59	50.05	54.00	3.95


Average data



Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz

