

Appendix A. Calibration certificate
Appendix A.1 Probe Calibration certificate (EX3DV4 SN3697)

Calibration Laboratory of
Schmid & Partner
Engineering AG
 Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0106**

Client: **Eurofins KCTL**
 Gyeonggi-do, Republic of Korea

Certificate No.: **EX-3697_Apr23**

CALIBRATION CERTIFICATE

Object: **EX3DV4 - SN:3697**



Calibration procedure(s): **QA CAL-01.v10, QA CAL-12.v10, QA CAL-14.v7, QA CAL-23.v6,
 QA CAL-25.v8
 Calibration procedure for dosimetric E-field probes**

Calibration date: **April 13, 2023**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurement (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.
 All calibrations have been conducted in the closed laboratory facility; environment temperature (22 ± 3) °C and humidity < 70%.
 Calibration Equipment used (M&E critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP2	SN: 104778	30-Mar-23 (No. 217-03804/03805)	Mar-24
Power sensor NRP-Z91	SN: 103244	30-Mar-23 (No. 217-03804)	Mar-24
OCP DAK 3.5 (weighted)	SN: 1249	20-Oct-22 (OCP-DAK3.5-1249 Oct22)	Oct-23
OCP DAK-12	SN: 1018	20-Oct-22 (OCP-DAK12-1018 Oct22)	Oct-23
Reference 20 dB Attenuator	SN: CC2552 (20x)	30-Mar-23 (No. 217-03809)	Mar-24
DAE4	SN: 660	16-Mar-23 (No. DAE4-660 Mar23)	Mar-24
Reference Probe ES3DV2	SN: 3013	06-Jan-23 (No. ESS-3013_Jan23)	Jan-24

Secondary Standards	ID	Check Date (In house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-18 (in house check Jun-22)	In house check: Jun-24
Power sensor E4412A	SN: MY41498067	06-Apr-18 (in house check Jun-22)	In house check: Jun-24
Power sensor E4412A	SN: 000110210	06-Apr-18 (in house check Jun-22)	In house check: Jun-24
RF generator HP 8548C	SN: US3642U01700	04-Aug-99 (in house check Jun-22)	In house check: Jun-24
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-22)	In house check: Oct-24

	Name	Function	Signature
Calibrated by	Jeffrey Katzman	Laboratory Technician	
Approved by	Sven Kühn	Technical Manager	

Issued: April 13, 2023

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Calibration Laboratory of

Schmid & Partner
 Engineering AG

Zaugghausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary

TSL	tissue simulating liquid
NORM _{x,y,z}	sensitivity in free space
CorvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compression point
CF	crest factor (1/duty cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	φ rotation around probe axis
Polarization θ	θ rotation around z-axis that is in the plane normal to probe axis (at measurement center), i.e., $\theta = 0$ is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Held And Body-Worn Wireless Communication Devices – Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)", October 2020.
- KDB 855664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORM_{x,y,z}**: Assessed for E-field polarization $\theta = 0$ ($f \leq 900$ MHz in TEM-cell; $f > 1800$ MHz: R22 waveguide). NORM_{x,y,z} are only intermediate values, i.e., the uncertainties of NORM_{x,y,z} does not affect the E²-field uncertainty inside TSL (see below CorvF).
- NORM(θ)_{x,y,z} = NORM_{x,y,z} * frequency_response** (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of CorvF.
- DCP_{x,y,z}**: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- PAR**: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- A_{x,y,z}; B_{x,y,z}; C_{x,y,z}; D_{x,y,z}; VR_{x,y,z}**: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum deformation range expressed in RMS voltage across the diode.
- CorvF and Boundary Effect Parameters**: Assessed in fat phantom using E-field (or Temperature Transfer Standard for $f \leq 800$ MHz) and inside waveguide using analytical field distributions based on power measurements for $f > 800$ MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, dep θ) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORM_{x,y,z} * CorvF whereby the uncertainty corresponds to that given for CorvF. A frequency dependent CorvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy)**: in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset**: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle**: The angle is assessed using the information gained by determining the NORM_x (no uncertainty required).

EX3DV4 - SN:3697

April 13, 2023

Parameters of Probe: EX3DV4 - SN:3697

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm ($\mu V/(W/m^2)$) ^A	0.34	0.37	0.33	+10.1%
DCP (mV) ^B	104.5	104.5	106.0	±4.7%

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dB/μV	C	D dB	VR mV	Max dev.	Max Unc ^E k = 2
0	CW	X	0.00	0.00	1.00	0.00	144.6	±1.9%	±4.7%
		Y	0.00	0.00	1.00		156.5		
		Z	0.00	0.00	1.00		139.9		
10352	Pulse Waveform (200Hz, 10%)	X	8.54	78.91	16.85	10.00	50.0	±3.2%	±9.6%
		Y	20.00	92.91	22.13		50.0		
		Z	9.81	80.49	17.40		50.0		
10353	Pulse Waveform (200Hz, 20%)	X	20.00	88.25	18.19	8.99	80.0	±1.6%	±9.6%
		Y	20.00	93.56	21.43		80.0		
		Z	15.96	86.68	17.93		80.0		
10354	Pulse Waveform (200Hz, 40%)	X	20.00	87.14	15.99	3.98	95.0	±1.4%	±9.6%
		Y	20.00	93.73	20.11		95.0		
		Z	20.00	87.73	16.31		95.0		
10355	Pulse Waveform (200Hz, 60%)	X	1.27	67.96	8.69	2.22	120.0	±1.3%	±9.6%
		Y	20.00	95.40	19.37		120.0		
		Z	1.89	70.38	9.85		120.0		
10387	QPSK Waveform, 1 MHz	X	1.31	65.31	13.53	1.00	150.0	±3.7%	±9.6%
		Y	1.58	65.82	14.43		150.0		
		Z	1.27	65.49	13.57		150.0		
10388	QPSK Waveform, 10 MHz	X	1.81	66.24	14.61	0.00	150.0	±1.0%	±9.6%
		Y	2.13	67.52	15.26		150.0		
		Z	1.89	66.55	14.64		150.0		
10396	64-QAM Waveform, 100 kHz	X	2.33	67.18	17.10	3.01	150.0	±0.9%	±9.6%
		Y	2.85	69.83	18.31		150.0		
		Z	2.64	69.08	17.79		150.0		
10399	64-QAM Waveform, 40 MHz	X	3.18	66.20	15.16	0.00	150.0	±2.6%	±9.6%
		Y	3.46	67.07	15.59		150.0		
		Z	3.27	66.56	15.26		150.0		
10414	WLAN CCDF, 64-QAM, 40 MHz	X	4.66	65.83	15.53	0.00	150.0	±4.6%	±9.6%
		Y	4.65	65.12	15.15		150.0		
		Z	4.60	65.54	15.32		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of form X, Y, Z do not cover the E-field uncertainty inside TSL (see Page 5).

^B Linearization parameter uncertainty for maximum specified field strength.

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

EX3DV4 - SN:3697

April 18, 2023

Parameters of Probe: EX3DV4 - SN:3697

Sensor Model Parameters

	C1 fF	C2 fF	α V ⁻¹	T1 msV ⁻²	T2 msV ⁻¹	T3 ms	T4 V ⁻²	T5 V ⁻¹	T6
x	32.6	242.63	35.35	11.26	0.83	5.05	0.00	0.40	1.01
y	42.1	310.63	34.66	20.47	0.41	5.10	0.63	0.35	1.01
z	33.1	244.60	34.83	10.69	0.82	5.04	0.63	0.33	1.01

Other Probe Parameters

Sensor Arrangement	triangular
Connector Angle	156.7°
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan, if:

EX3DV4 - SN:3697

April 13, 2023

Parameters of Probe: EX3DV4 - SN:3697

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^D	Conductivity ^E (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k = 2)
750	41.9	0.89	9.36	9.36	9.36	0.56	0.80	±12.0%
850	41.5	0.92	8.82	8.82	8.82	0.41	0.96	±12.0%
900	41.5	0.97	8.71	8.71	8.71	0.36	1.04	±12.0%
1750	40.1	1.37	7.97	7.97	7.97	0.38	0.86	±12.0%
1900	40.0	1.40	7.59	7.59	7.59	0.38	0.86	±12.0%
2300	39.6	1.67	7.44	7.44	7.44	0.39	0.80	±12.0%
2450	39.2	1.80	7.20	7.20	7.20	0.38	0.90	±12.0%
2600	39.0	1.96	6.95	6.95	6.95	0.36	0.90	±12.0%
5250	35.9	4.71	4.80	4.80	4.80	0.40	1.80	±14.0%
5600	35.5	5.07	4.46	4.46	4.46	0.40	1.80	±14.0%
5800	35.3	5.27	4.44	4.44	4.44	0.40	1.80	±14.0%

^C Frequency validity above 300 MHz of ±100 MHz only applies for DASY v4.4 and higher (see Page 2); also it is restricted to ±50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 800 MHz is ±10, 25, 40, 60 and 70 MHz for ConvF assessments at 30, 64, 128, 193 and 220 MHz respectively. Validity of ConvF assessed at 6 MHz is 4–8 MHz, and ConvF assessed at 13 MHz is 9–19 MHz. Above 5 GHz frequency validity can be extended to ±110 MHz.

^D The probes are calibrated using tissue simulating liquids (TSL) that deviate for ϵ and σ by less than ±5% from the target values (typically better than ±3%) and are valid for TSL with deviations of up to ±10%. If TSL with deviations from the target of less than ±5% are used, the calibration uncertainties are 11.1% for 0.7–3 GHz and 13.1% for 3–6 GHz.


^G Alpha/Depth are determined during calibration. SPCAG warns that the remaining deviation due to the boundary effect after compensation is always less than ±1% for frequencies above 3 GHz and below ±2% for frequencies between 3–6 GHz at any distance larger than half the probe tip diameter from the boundary.

EX3DV4 - SN:3697

April 13, 2023

Frequency Response of E-Field

(TEM-Cell:if1110 EXX, Waveguide:R22)




Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ ($k=2$)

EX3DV4 - SN:3697


April 13, 2023

Receiving Pattern (ϕ), $\theta = 0^\circ$



EX3DV4 - SN:3697

April 13, 2023




Uncertainty of Linearity Assessment: ±0.6% (k=2)

EX3DV4 - SN:3697


April 13, 2023

Conversion Factor Assessment



Deviation from Isotropy in Liquid

Error (ϕ, θ), f=900 MHz



EX3DV4 -SN:3697

April 13, 2023

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ² k = 2
0		CW	CW	0.00	-9.0
10010	CAB	SAW Validation (Squats, 100ma, 10ms)	Test	10.00	-9.5
10011	CAC	UMTS-FDD (WCDMA)	WCDMA	2.91	-9.5
10012	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 1 Mbps)	WLAN	1.87	-9.5
10013	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 6 Mbps)	WLAN	3.46	-9.5
10021	DAC	GPRS-FDD (TDMA, GMSK)	GSM	3.20	-9.5
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	3.57	-9.5
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	3.56	-9.5
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	-9.5
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	-9.5
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.00	-9.5
10028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	-9.5
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.74	-9.5
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	0.30	-9.0
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	-9.5
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	7.16	-9.5
10033	CAA	IEEE 802.15.1 Bluetooth (PM-QPSK, DH1)	Bluetooth	7.74	-9.5
10034	CAA	IEEE 802.15.1 Bluetooth (PM-QPSK, DH3)	Bluetooth	-4.53	-9.5
10035	CAA	IEEE 802.15.1 Bluetooth (PM-QPSK, DH5)	Bluetooth	3.53	-9.5
10036	CAA	IEEE 802.15.1 Bluetooth (8-PSK, DH1)	Bluetooth	3.01	-9.5
10037	CAA	IEEE 802.15.1 Bluetooth (8-PSK, DH3)	Bluetooth	-4.77	-9.5
10038	CAA	IEEE 802.15.1 Bluetooth (8-PSK, DH5)	Bluetooth	4.10	-9.5
10039	CAE	CDMA2000 (1xRTT, RC1)	CDMA2000	4.27	-9.5
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, 1/4-QPSK, Fullrate)	AMPS	7.78	-9.5
10044	CAA	IS-97/IS-136 FDD (TDMA/FDM, 1/4-QPSK, Fullrate)	AMPS	0.00	-9.5
10048	SAW	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	-9.5
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	-9.5
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mbps)	TD-SCDMA	11.01	-9.5
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	-9.5
10059	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 2Mbps)	WLAN	2.72	-9.5
10060	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 5.5Mbps)	WLAN	2.80	-9.5
10061	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 11Mbps)	WLAN	3.60	-9.5
10062	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 6Mbps)	WLAN	-8.65	-9.5
10063	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 9Mbps)	WLAN	8.63	-9.5
10064	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 12Mbps)	WLAN	9.09	-9.5
10065	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 18Mbps)	WLAN	9.00	-9.5
10066	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 24Mbps)	WLAN	9.38	-9.5
10067	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 36Mbps)	WLAN	10.12	-9.5
10068	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 48Mbps)	WLAN	10.24	-9.5
10069	CAD	IEEE 802.11ah WiFi 5GHz (OFDM, 54Mbps)	WLAN	10.66	-9.5
10071	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 6Mbps)	WLAN	9.92	-9.5
10072	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 12Mbps)	WLAN	5.62	-9.5
10073	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 18Mbps)	WLAN	9.94	-9.5
10074	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 24Mbps)	WLAN	10.50	-9.5
10075	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 36Mbps)	WLAN	10.77	-9.5
10076	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 48Mbps)	WLAN	10.94	-9.5
10077	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 54Mbps)	WLAN	11.00	-9.5
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	-9.5
10082	CAD	IS-54 / IS-136 FDD (TDMA/FDM, 1/4-QPSK, Fullrate)	AMPS	4.77	-9.5
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	3.56	-9.5
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	-9.5
10098	CAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	-9.5
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	-9.5
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20MHz, QPSK)	LTE-FDD	5.67	-9.5
10101	CAF	LTE-FDD (SC-FDMA, 100% RB, 20MHz, 16-QAM)	LTE-FDD	6.42	-9.5
10102	CAF	LTE-FDD (SC-FDMA, 100% RB, 20MHz, 64-QAM)	LTE-FDD	6.60	-9.5
10103	CAH	LTE-TDD (SC-FDMA, 100% RB, 20MHz, QPSK)	LTE-TDD	5.29	-9.5
10104	CAH	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 16-QAM)	LTE-TDD	5.97	-9.5
10105	CAH	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 64-QAM)	LTE-TDD	10.00	-9.5
10106	CAH	LTE-FDD (SC-FDMA, 100% RB, 10MHz, QPSK)	LTE-FDD	5.60	-9.5
10108	CAH	LTE-FDD (SC-FDMA, 100% RB, 10MHz, 16-QAM)	LTE-FDD	6.43	-9.5
10110	CAH	LTE-FDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-FDD	5.73	-9.5
10111	CAH	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 16-QAM)	LTE-FDD	6.44	-9.5

EX3DV4 - SN:3697

April 13, 2023

DID	Rev	Communication System Name	Group	PAR (dB)	Uinc ² A = 2
10112	DAH	LTE-FDD (SC-FDMA, 100% RB, 10MHz, 64-QAM)	LTE-FDD	8.59	-9.0
10113	DAH	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 64-QAM)	LTE-FDD	6.82	-9.0
10114	CAD	IEEE 802.11n (HT Greenfield, 13.5Mbps, BPSK)	WLAN	6.10	-9.0
10115	CAD	IEEE 802.11n (HT Greenfield, 81Mbps, 16-QAM)	WLAN	6.46	-9.0
10116	CAD	IEEE 802.11n (HT Greenfield, 135Mbps, 64-QAM)	WLAN	6.15	-9.0
10117	CAD	IEEE 802.11n (HT Mixed, 3.5Mbps, BPSK)	WLAN	6.07	-9.0
10118	CAD	IEEE 802.11n (HT Mixed, 81Mbps, 16-QAM)	WLAN	6.55	-9.0
10119	CAD	IEEE 802.11n (HT Mixed, 135Mbps, 64-QAM)	WLAN	6.12	-9.0
10140	CAF	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 16-QAM)	LTE-FDD	6.49	-9.0
10141	CAF	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 64-QAM)	LTE-FDD	6.58	-9.0
10142	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, QPSK)	LTE-FDD	5.73	-9.0
10143	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 16-QAM)	LTE-FDD	6.26	-9.0
10144	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 64-QAM)	LTE-FDD	6.65	-9.0
10145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, QPSK)	LTE-FDD	5.76	-9.0
10146	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, 16-QAM)	LTE-FDD	6.41	-9.0
10147	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, 64-QAM)	LTE-FDD	6.72	-9.0
10149	CAF	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 16-QAM)	LTE-FDD	6.42	-9.0
10150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 64-QAM)	LTE-FDD	6.60	-9.0
10151	DAH	LTE-FDD (SC-FDMA, 50% RB, 20MHz, QPSK)	LTE-FDD	6.28	-9.0
10152	DAH	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 16-QAM)	LTE-FDD	6.52	-9.0
10153	DAH	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 64-QAM)	LTE-FDD	6.65	-9.0
10154	DAH	LTE-FDD (SC-FDMA, 50% RB, 10MHz, QPSK)	LTE-FDD	6.75	-9.0
10155	DAH	LTE-FDD (SC-FDMA, 50% RB, 10MHz, 16-QAM)	LTE-FDD	6.43	-9.0
10156	DAH	LTE-FDD (SC-FDMA, 50% RB, 5MHz, QPSK)	LTE-FDD	5.78	-9.0
10157	DAH	LTE-FDD (SC-FDMA, 50% RB, 5MHz, 16-QAM)	LTE-FDD	6.48	-9.0
10158	DAH	LTE-FDD (SC-FDMA, 50% RB, 10MHz, 64-QAM)	LTE-FDD	6.62	-9.0
10159	DAH	LTE-FDD (SC-FDMA, 50% RB, 5MHz, 64-QAM)	LTE-FDD	6.06	-9.0
10160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, QPSK)	LTE-FDD	5.82	-9.0
10161	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-FDD	6.43	-9.0
10162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 64-QAM)	LTE-FDD	6.58	-9.0
10166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, QPSK)	LTE-FDD	5.48	-9.0
10167	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM)	LTE-FDD	6.21	-9.0
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, 64-QAM)	LTE-FDD	6.73	-9.0
10169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, QPSK)	LTE-FDD	5.73	-9.0
10170	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 16-QAM)	LTE-FDD	6.52	-9.0
10171	AAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 64-QAM)	LTE-FDD	6.48	-9.0
10172	DAH	LTE-FDD (SC-FDMA, 1 RB, 20MHz, QPSK)	LTE-FDD	5.21	-9.0
10173	DAH	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 16-QAM)	LTE-FDD	5.48	-9.0
10174	DAH	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 64-QAM)	LTE-FDD	6.25	-9.0
10175	DAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, QPSK)	LTE-FDD	5.72	-9.0
10176	DAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 16-QAM)	LTE-FDD	6.32	-9.0
10177	DAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-FDD	5.75	-9.0
10178	DAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-FDD	6.52	-9.0
10179	DAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 64-QAM)	LTE-FDD	6.50	-9.0
10180	DAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-FDD	6.50	-9.0
10181	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	-9.0
10182	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-FDD	6.32	-9.0
10183	AAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-FDD	6.60	-9.0
10184	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, QPSK)	LTE-FDD	5.75	-9.0
10185	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-FDD	6.27	-9.0
10186	AAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 64-QAM)	LTE-FDD	6.50	-9.0
10187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, QPSK)	LTE-FDD	5.73	-9.0
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, 16-QAM)	LTE-FDD	6.52	-9.0
10189	AVG	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, 64-QAM)	LTE-FDD	6.36	-9.0
10193	CAD	IEEE 802.11n (HT Greenfield, 6.5Mbps, BPSK)	WLAN	6.09	-9.0
10194	CAD	IEEE 802.11n (HT Greenfield, 81Mbps, 16-QAM)	WLAN	6.12	-9.0
10195	CAD	IEEE 802.11n (HT Greenfield, 66Mbps, 64-QAM)	WLAN	6.21	-9.0
10196	CAD	IEEE 802.11n (HT Mixed, 6.5Mbps, BPSK)	WLAN	6.10	-9.0
10197	CAD	IEEE 802.11n (HT Mixed, 39Mbps, 16-QAM)	WLAN	6.13	-9.0
10198	CAD	IEEE 802.11n (HT Mixed, 56Mbps, 64-QAM)	WLAN	6.27	-9.0
10219	CAD	IEEE 802.11n (HT Mixed, 7.2Mbps, BPSK)	WLAN	6.03	-9.0
10220	CAD	IEEE 802.11n (HT Mixed, 43.8Mbps, 16-QAM)	WLAN	6.13	-9.0
10221	CAD	IEEE 802.11n (HT Mixed, 72.2Mbps, 64-QAM)	WLAN	6.27	-9.0
10222	CAD	IEEE 802.11n (HT Mixed, 15Mbps, BPSK)	WLAN	6.06	-9.0
10223	CAD	IEEE 802.11n (HT Mixed, 90Mbps, 16-QAM)	WLAN	6.46	-9.0
10224	CAD	IEEE 802.11n (HT Mixed, 153Mbps, 64-QAM)	WLAN	6.06	-9.0

EX3DV4 - SN:3697

April 13, 2023

UID	Rev	Communication System Name	Group	PAR [dB]	Unc ² κ = 2
10225	CAC	UMTS-FDD (HSRPA+)	WCDMA	5.97	+9.8
10226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 16-QAM)	LTE-TDD	3.49	+9.8
10227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 64-QAM)	LTE-TDD	10.26	+9.8
10228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, QPSK)	LTE-TDD	3.22	+9.8
10229	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	3.48	+9.8
10230	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	+9.8
10231	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	3.18	+9.8
10232	CAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	+9.8
10233	CAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	+9.8
10234	CAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TDD	9.21	+9.8
10235	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.88	+9.8
10236	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	+9.8
10237	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	+9.8
10238	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	+9.8
10239	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TDD	10.25	+9.8
10240	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	+9.8
10241	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM)	LTE-TDD	9.22	+9.8
10242	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 64-QAM)	LTE-TDD	9.66	+9.8
10243	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, QPSK)	LTE-TDD	9.46	+9.8
10244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	+9.8
10245	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	+9.8
10246	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	+9.8
10247	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	+9.8
10248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	+9.8
10249	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	3.29	+9.8
10250	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	+9.8
10251	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	+9.8
10252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.29	+9.8
10253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.80	+9.8
10254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	+9.8
10255	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	+9.8
10256	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.66	+9.8
10257	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	+9.8
10258	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.94	+9.8
10259	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TDD	9.98	+9.8
10260	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	+9.8
10261	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	+9.8
10262	CAH	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.85	+9.8
10263	CAH	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-TDD	10.16	+9.8
10264	CAH	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	+9.8
10265	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	+9.8
10266	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.27	+9.8
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	+9.8
10268	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.35	+9.8
10269	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	+9.8
10270	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	3.58	+9.8
10271	CAC	UMTS-FDD (HSUPA, Subset 5, 3GPP Rel8.4)	WCDMA	4.87	+9.8
10272	CAC	UMTS-FDD (HSUPA, Subset 5, 2GPP Rel8.4)	WCDMA	3.86	+9.8
10273	CAH	PHS (QPSK)	PHS	11.81	+9.8
10274	CAH	PHS (QPSK, BW 884MHz, Roll-off 0.5)	PHS	11.81	+9.8
10275	CAH	PHS (QPSK, BW 884MHz, Roll-off 0.38)	PHS	12.18	+9.8
10290	AAB	CDMA2000, RC1, SOSS, Full Rate	CDMA2000	3.91	+9.8
10291	AAB	CDMA2000, RC3, SOSS, Full Rate	CDMA2000	3.46	+9.8
10292	AAB	CDMA2000, RC3, SOSS, Full Rate	CDMA2000	3.36	+9.8
10293	AAB	CDMA2000, RC3, SOSS, Full Rate	CDMA2000	3.50	+9.8
10294	AAB	CDMA2000, RC1, SO3, 1/8th Rate 2D Ir	CDMA2000	12.48	+9.8
10295	AAE	LTE-FDD (SC-FDMA, 50% RB, 20MHz, QPSK)	LTE-FDD	9.21	+9.8
10296	AAE	LTE-FDD (SC-FDMA, 50% RB, 20MHz, QPSK)	LTE-FDD	5.72	+9.8
10297	AAE	LTE-FDD (SC-FDMA, 50% RB, 3MHz, 16-QAM)	LTE-FDD	9.33	+9.8
10298	AAE	LTE-FDD (SC-FDMA, 50% RB, 3MHz, 64-QAM)	LTE-FDD	9.80	+9.8
10300	AAA	IEEE 802.16e WMAX (29.16, 5ms, 10MHz, QPSK, PUSC)	WMAX	12.03	+9.8
10301	AAA	IEEE 802.16e WMAX (29.16, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	WMAX	12.57	+9.8
10302	AAA	IEEE 802.16e WMAX (31.15, 5ms, 10MHz, 64QAM, PUSC)	WMAX	12.52	+9.8
10303	AAA	IEEE 802.16e WMAX (29.16, 5ms, 10MHz, 64QAM, PUSC)	WMAX	11.85	+9.8
10304	AAA	IEEE 802.16e WMAX (29.16, 5ms, 10MHz, 64QAM, PUSC)	WMAX	11.85	+9.8
10305	AAA	IEEE 802.16e WMAX (31.15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	WMAX	15.24	+9.8
10306	AAA	IEEE 802.16e WMAX (29.16, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	WMAX	14.67	+9.8

EX3DV4 - SN:3697

April 18, 2023

UID	Rev	Communication System Name	Group	PAF (dB)	Uhc ^F β=2
10207	AAA	IEEE 802.16e WIMAX (20-18, 10 ms, 10MHz, QPSK, PLTSC, 10 symbols)	WIMAX	14.48	+9.6
10208	AAA	IEEE 802.16e WIMAX (20-18, 10 ms, 10MHz, 16QAM, PLTSC)	WIMAX	14.48	+9.6
10209	AAA	IEEE 802.16e WIMAX (20-18, 10 ms, 10MHz, 16QAM, AAC 2x3, 10 symbols)	WIMAX	14.50	+9.6
10210	AAA	IEEE 802.16e WIMAX (20-18, 10 ms, 10MHz, QPSK, AAC 2x3, 10 symbols)	WIMAX	14.57	+9.6
10211	AAE	LTE-FDD (SC-FDMA, 100% RB, 15MHz, QPSK)	LTE-FDD	6.06	+9.6
10212	AAA	IDEN 1.3	IDEN	10.4	+9.6
10214	AAA	IDEN 1.6	IDEN	12.48	+9.6
10215	AAE	IEEE 802.11b WiFi 2.4GHz (DSSS, 1Mbps, 99pc duty cycle)	WLAN	1.7	+9.6
10216	AAE	IEEE 802.11g WiFi 2.4GHz (ERP-OFDM, 6Mbps, 99pc duty cycle)	WLAN	2.26	+9.6
10217	AAE	IEEE 802.11a WiFi 5GHz (OFDM, 6Mbps, 99pc duty cycle)	WLAN	2.26	+9.6
10252	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	+9.6
10253	AAA	Pulse Waveform (200Hz, 20%)	Generic	9.20	+9.6
10254	AAA	Pulse Waveform (200Hz, 40%)	Generic	5.26	+9.6
10255	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	+9.6
10256	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	+9.6
10267	AAA	QPSK Waveform, 1MHz	Generic	5.13	+9.6
10285	AAA	QPSK Waveform, 10MHz	Generic	6.22	+9.6
10298	AAA	64-QAM Waveform, 100MHz	Generic	6.27	+9.6
10299	AAA	64-QAM Waveform, 40MHz	Generic	6.27	+9.6
10400	AAE	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	WLAN	6.37	+9.6
10401	AAE	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	WLAN	6.60	+9.6
10402	AAE	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	WLAN	6.53	+9.6
10403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.78	+9.6
10404	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	+9.6
10408	AAB	CDMA2000, RCS, 3032, SCH2, Full Rate	CDMA2000	6.22	+9.6
10410	AAH	LTE-TDD (SC-FDMA, 1 RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Comb=1)	LTE-TDD	7.82	+9.6
10414	AAA	WLAN (CDF, 64-QAM, 40MHz)	Generic	6.04	+9.6
10415	AAA	IEEE 802.11b WiFi 2.4GHz (DSSS, 1Mbps, 99pc duty cycle)	WLAN	1.74	+9.6
10416	AAA	IEEE 802.11g WiFi 2.4GHz (ERP-OFDM, 6Mbps, 99pc duty cycle)	WLAN	2.22	+9.6
10417	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 8Mbps, 99pc duty cycle)	WLAN	5.25	+9.6
10418	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 5Mbps, 99pc duty cycle, long preamble)	WLAN	6.14	+9.6
10419	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 8Mbps, 99pc duty cycle, Short Preamble)	WLAN	6.19	+9.6
10422	AAD	IEEE 802.11n (HT Greenfield), 7.2Mbps, BPSK	WLAN	6.32	+9.6
10423	AAC	IEEE 802.11n (HT Greenfield), 14.4Mbps, 16-QAM	WLAN	6.47	+9.6
10424	AAC	IEEE 802.11n (HT Greenfield), 28.8Mbps, 64-QAM	WLAN	6.43	+9.6
10425	AAC	IEEE 802.11n (HT Greenfield), 57.6Mbps, BPSK	WLAN	6.41	+9.6
10426	AAC	IEEE 802.11n (HT Greenfield), 57.6Mbps, 16-QAM	WLAN	6.45	+9.6
10427	AAC	IEEE 802.11n (HT Greenfield), 57.6Mbps, 64-QAM	WLAN	6.41	+9.6
10430	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 8.1)	LTE-FDD	6.28	+9.6
10431	AAE	LTE-FDD (OFDMA, 10MHz, E-TM 8.1)	LTE-FDD	6.36	+9.6
10432	AAE	LTE-FDD (OFDMA, 15MHz, E-TM 8.1)	LTE-FDD	6.34	+9.6
10433	AAE	LTE-FDD (OFDMA, 20MHz, E-TM 8.1)	LTE-FDD	6.34	+9.6
10434	AAB	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	6.00	+9.6
10435	AAE	LTE-TDD (SC-FDMA, 1 RB, 20MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.92	+9.6
10447	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 8.1, Clipping 44%)	LTE-FDD	7.16	+9.6
10448	AAE	LTE-FDD (OFDMA, 10MHz, E-TM 8.1, Clipping 44%)	LTE-FDD	7.22	+9.6
10449	AAE	LTE-FDD (OFDMA, 15MHz, E-TM 8.1, Clipping 44%)	LTE-FDD	7.21	+9.6
10450	AAE	LTE-FDD (OFDMA, 20MHz, E-TM 8.1, Clipping 44%)	LTE-FDD	7.48	+9.6
10451	AAE	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.50	+9.6
10463	AAE	Velocity (Square, 10ms, 1ms)	Test	10.00	+9.6
10466	AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	WLAN	6.63	+9.6
10467	AAE	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	+9.6
10468	AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.25	+9.6
10469	AAA	CDMA2000 (1xEV-DO, Rev. E, 3 carriers)	CDMA2000	6.25	+9.6
10470	AAB	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	+9.6
10471	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.02	+9.6
10472	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.30	+9.6
10473	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.68	+9.6
10474	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.02	+9.6
10475	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.32	+9.6
10476	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.57	+9.6
10477	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.02	+9.6
10478	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.32	+9.6
10479	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.56	+9.6
10480	AAE	LTE-TDD (SC-FDMA, 1 RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.22	+9.6
10481	AAE	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	6.32	+9.6

Certificate No: EX-3697_Apr23

Page 13 of 21

EX3DV4 - SN:3697

April 18, 2023

UID	File	Communication System Name	Group	PAR (dB)	Unc ² # = 2
10472	AAG	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	+9.6
10473	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.92	+9.6
10474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	+9.6
10475	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.67	+9.6
10477	AAG	LTE-TDD (SC-FDMA, 1 RB, 20MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	+9.6
10478	AAG	LTE-TDD (SC-FDMA, 1 RB, 20MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	+9.6
10479	AAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	+9.6
10480	AAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.18	+9.6
10481	AAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	+9.6
10482	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.71	+9.6
10483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	+9.6
10484	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.67	+9.6
10485	AAG	LTE-TDD (SC-FDMA, 50% RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.59	+9.6
10486	AAG	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.38	+9.6
10487	AAG	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.60	+9.6
10488	AAG	LTE-TDD (SC-FDMA, 60% RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	+9.6
10489	AAG	LTE-TDD (SC-FDMA, 60% RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	+9.6
10490	AAG	LTE-TDD (SC-FDMA, 60% RB, 10MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	+9.6
10491	AAF	LTE-TDD (SC-FDMA, 60% RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	+9.6
10492	AAF	LTE-TDD (SC-FDMA, 60% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.41	+9.6
10493	AAF	LTE-TDD (SC-FDMA, 60% RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.65	+9.6
10494	AAF	LTE-TDD (SC-FDMA, 60% RB, 20MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.78	+9.6
10495	AAG	LTE-TDD (SC-FDMA, 60% RB, 20MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	+9.6
10496	AAG	LTE-TDD (SC-FDMA, 60% RB, 20MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.64	+9.6
10497	AAG	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	+9.6
10498	AAG	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.40	+9.6
10499	AAG	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.68	+9.6
10500	AAG	LTE-TDD (SC-FDMA, 100% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	+9.6
10501	AAG	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	+9.6
10502	AAG	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.62	+9.6
10503	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.78	+9.6
10504	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	+9.6
10505	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	+9.6
10506	AAG	LTE-TDD (SC-FDMA, 100% RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	+9.6
10507	AAG	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.35	+9.6
10508	AAG	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	+9.6
10509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.99	+9.6
10510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.49	+9.6
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	+9.6
10512	AAG	LTE-TDD (SC-FDMA, 100% RB, 20MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	+9.6
10513	AAG	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	+9.6
10514	AAG	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.65	+9.6
10515	AAW	IEEE 802.11a WiFi 2.4GHz (DSSS, 2Mbps, 99pc duty cycle)	WLAN	1.00	+9.6
10516	AAW	IEEE 802.11a WiFi 2.4GHz (DSSS, 5.5Mbps, 99pc duty cycle)	WLAN	1.57	+9.6
10517	AAW	IEEE 802.11a WiFi 2.4GHz (DSSS, 11Mbps, 99pc duty cycle)	WLAN	1.66	+9.6
10518	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 9Mbps, 99pc duty cycle)	WLAN	6.25	+9.6
10519	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 12Mbps, 99pc duty cycle)	WLAN	6.35	+9.6
10520	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 18Mbps, 99pc duty cycle)	WLAN	6.72	+9.6
10521	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 24Mbps, 99pc duty cycle)	WLAN	7.07	+9.6
10522	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 36Mbps, 99pc duty cycle)	WLAN	8.45	+9.6
10523	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 48Mbps, 99pc duty cycle)	WLAN	8.08	+9.6
10524	AAC	IEEE 802.11a WiFi 5GHz (OFDM, 54Mbps, 99pc duty cycle)	WLAN	8.27	+9.6
10525	AAC	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	WLAN	8.35	+9.6
10526	AAC	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	WLAN	8.42	+9.6
10527	AAC	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	WLAN	8.21	+9.6
10528	AAC	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	WLAN	8.35	+9.6
10529	AAC	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	WLAN	8.26	+9.6
10531	AAC	IEEE 802.11ac WiFi (20MHz, MCS5, 99pc duty cycle)	WLAN	8.43	+9.6
10532	AAC	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	WLAN	8.20	+9.6
10533	AAC	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	WLAN	8.38	+9.6
10534	AAC	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	WLAN	8.45	+9.6
10535	AAC	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	WLAN	8.45	+9.6
10536	AAC	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	WLAN	8.22	+9.6
10537	AAC	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	WLAN	8.44	+9.6
10538	AAC	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	WLAN	8.54	+9.6
10540	AAC	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	WLAN	8.50	+9.6

EX3DV4 - SN:3697

April 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^F k-2
10541	AAC	IEEE 802.11ac WiFi (40 MHz), MCS7, 89pc duty cycle)	WLAN	8.46	-1.8
10542	AAC	IEEE 802.11ac WiFi (40 MHz), MCS8, 89pc duty cycle)	WLAN	8.65	-1.8
10543	AAC	IEEE 802.11ac WiFi (40 MHz), MCS9, 89pc duty cycle)	WLAN	8.65	-1.8
10544	AAC	IEEE 802.11ac WiFi (80 MHz), MCS0, 89pc duty cycle)	WLAN	8.47	-1.8
10545	AAC	IEEE 802.11ac WiFi (80 MHz), MCS1, 89pc duty cycle)	WLAN	8.55	-1.8
10546	AAC	IEEE 802.11ac WiFi (80 MHz), MCS2, 89pc duty cycle)	WLAN	8.25	-1.8
10547	AAC	IEEE 802.11ac WiFi (80 MHz), MCS3, 89pc duty cycle)	WLAN	8.49	-1.8
10548	AAC	IEEE 802.11ac WiFi (80 MHz), MCS4, 89pc duty cycle)	WLAN	8.27	-1.8
10549	AAC	IEEE 802.11ac WiFi (80 MHz), MCS5, 89pc duty cycle)	WLAN	8.35	-1.8
10551	AAC	IEEE 802.11ac WiFi (80 MHz), MCS7, 89pc duty cycle)	WLAN	8.50	-1.8
10552	AAC	IEEE 802.11ac WiFi (80 MHz), MCS8, 89pc duty cycle)	WLAN	8.42	-1.8
10553	AAC	IEEE 802.11ac WiFi (80 MHz), MCS9, 89pc duty cycle)	WLAN	8.45	-1.8
10554	AAC	IEEE 802.11ac WiFi (160 MHz), MCS0, 89pc duty cycle)	WLAN	8.48	-1.8
10555	AAC	IEEE 802.11ac WiFi (160 MHz), MCS1, 89pc duty cycle)	WLAN	8.47	-1.8
10558	AAC	IEEE 802.11ac WiFi (160 MHz), MCS2, 89pc duty cycle)	WLAN	8.50	-1.8
10557	AAC	IEEE 802.11ac WiFi (160 MHz), MCS3, 89pc duty cycle)	WLAN	8.52	-1.8
10559	AAC	IEEE 802.11ac WiFi (160 MHz), MCS4, 89pc duty cycle)	WLAN	8.81	-1.8
10560	AAC	IEEE 802.11ac WiFi (160 MHz), MCS5, 89pc duty cycle)	WLAN	8.73	-1.8
10561	AAC	IEEE 802.11ac WiFi (160 MHz), MCS7, 89pc duty cycle)	WLAN	8.58	-1.8
10562	AAC	IEEE 802.11ac WiFi (160 MHz), MCS8, 89pc duty cycle)	WLAN	8.89	-1.8
10563	AAC	IEEE 802.11ac WiFi (160 MHz), MCS9, 89pc duty cycle)	WLAN	8.77	-1.8
10584	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.25	-1.8
10585	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.45	-1.8
10586	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.18	-1.8
10587	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.00	-1.8
10588	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.57	-1.8
10589	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.10	-1.8
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.20	-1.8
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	7.55	-1.8
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	7.85	-1.8
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 3 Mbps, 90pc duty cycle)	WLAN	7.95	-1.8
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 4 Mbps, 90pc duty cycle)	WLAN	7.99	-1.8
10575	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS-OFDM, 5 Mbps, 90pc duty cycle)	WLAN	8.09	-1.8
10576	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.40	-1.8
10577	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.70	-1.8
10578	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.40	-1.8
10579	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.38	-1.8
10590	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.78	-1.8
10591	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	-1.8
10592	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	-1.8
10583	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.89	-1.8
10584	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	-1.8
10585	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	-1.8
10586	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.45	-1.8
10587	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.38	-1.8
10588	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.75	-1.8
10589	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	-1.8
10590	AAC	IEEE 802.11ah WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	-1.8
10591	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS0, 90pc duty cycle)	WLAN	8.05	-1.8
10592	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS1, 90pc duty cycle)	WLAN	8.79	-1.8
10593	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS2, 90pc duty cycle)	WLAN	8.54	-1.8
10594	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS3, 90pc duty cycle)	WLAN	8.74	-1.8
10595	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS4, 90pc duty cycle)	WLAN	8.74	-1.8
10596	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS5, 90pc duty cycle)	WLAN	8.71	-1.8
10597	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS6, 90pc duty cycle)	WLAN	8.72	-1.8
10598	AAC	IEEE 802.11n (HT Mixed, 20 MHz), MCS7, 90pc duty cycle)	WLAN	8.80	-1.8
10599	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS0, 90pc duty cycle)	WLAN	8.79	-1.8
10600	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS1, 90pc duty cycle)	WLAN	8.88	-1.8
10601	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS2, 90pc duty cycle)	WLAN	8.83	-1.8
10602	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS3, 90pc duty cycle)	WLAN	8.84	-1.8
10603	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS4, 90pc duty cycle)	WLAN	8.83	-1.8
10604	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS5, 90pc duty cycle)	WLAN	8.75	-1.8
10605	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS6, 90pc duty cycle)	WLAN	8.97	-1.8
10606	AAC	IEEE 802.11n (HT Mixed, 40 MHz), MCS7, 90pc duty cycle)	WLAN	8.82	-1.8
10607	AAC	IEEE 802.11ac WiFi (20 MHz), MCS0, 89pc duty cycle)	WLAN	8.64	-1.8
10608	AAC	IEEE 802.11ac WiFi (20 MHz), MCS1, 89pc duty cycle)	WLAN	8.77	-1.8

EX30V4 - SN:3897

April 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc _{FW} - 2
10608	AAC	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	WLAN	8.57	±9.6
10610	AAC	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	WLAN	8.78	±9.6
10611	AAC	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
10612	AAC	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
10613	AAC	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	WLAN	8.94	±9.6
10614	AAC	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	WLAN	8.59	±9.6
10615	AAC	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	WLAN	8.92	±9.6
10616	AAC	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	WLAN	8.82	±9.6
10617	AAC	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	WLAN	8.81	±9.6
10618	AAC	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	WLAN	8.58	±9.6
10619	AAC	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
10620	AAC	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	WLAN	8.87	±9.6
10621	AAC	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
10622	AAC	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	WLAN	8.88	±9.6
10623	AAC	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
10624	AAC	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	WLAN	8.95	±9.6
10625	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	WLAN	8.98	±9.6
10626	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	WLAN	8.93	±9.6
10627	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	WLAN	8.89	±9.6
10628	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	WLAN	8.71	±9.6
10629	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
10630	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	WLAN	8.72	±9.6
10631	AAC	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	WLAN	8.81	±9.6
10632	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	±9.6
10633	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	WLAN	8.83	±9.6
10634	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	WLAN	8.80	±9.6
10635	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	WLAN	8.87	±9.6
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	WLAN	8.85	±9.6
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	WLAN	8.75	±9.6
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	WLAN	8.86	±9.6
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	WLAN	8.98	±9.6
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	WLAN	8.95	±9.6
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	WLAN	8.95	±9.6
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	WLAN	8.99	±9.6
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	WLAN	8.95	±9.6
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	WLAN	8.71	±9.6
10646	AAB	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.95	±9.6
10647	AAB	LTE-TDD (SC-FDMA, 1 RB, 20MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.95	±9.6
10648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	±9.6
10652	AAF	LTE-TDD (OFDMA, 5MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	8.51	±9.6
10653	AAF	LTE-TDD (OFDMA, 10MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.48	±9.6
10654	AAF	LTE-TDD (OFDMA, 15MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	±9.6
10655	AAF	LTE-TDD (OFDMA, 20MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	±9.6
10658	AAB	Pulse Waveform (200Hz, 10%)	Test	10.00	±9.6
10659	AAB	Pulse Waveform (200Hz, 20%)	Test	5.99	±9.6
10660	AAB	Pulse Waveform (200Hz, 40%)	Test	3.95	±9.6
10661	AAB	Pulse Waveform (200Hz, 60%)	Test	2.22	±9.6
10662	AAB	Pulse Waveform (200Hz, 80%)	Test	0.97	±9.6
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	±9.6
10671	AAC	IEEE 802.11ax (20MHz, MCS0, 90pc duty cycle)	WLAN	8.09	±9.6
10672	AAC	IEEE 802.11ax (20MHz, MCS1, 90pc duty cycle)	WLAN	8.57	±9.6
10673	AAC	IEEE 802.11ax (20MHz, MCS2, 90pc duty cycle)	WLAN	8.78	±9.6
10674	AAC	IEEE 802.11ax (20MHz, MCS3, 90pc duty cycle)	WLAN	8.79	±9.6
10675	AAC	IEEE 802.11ax (20MHz, MCS4, 90pc duty cycle)	WLAN	8.80	±9.6
10676	AAC	IEEE 802.11ax (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
10677	AAC	IEEE 802.11ax (20MHz, MCS6, 90pc duty cycle)	WLAN	8.79	±9.6
10678	AAC	IEEE 802.11ax (20MHz, MCS7, 90pc duty cycle)	WLAN	8.78	±9.6
10679	AAC	IEEE 802.11ax (20MHz, MCS8, 90pc duty cycle)	WLAN	8.88	±9.6
10680	AAC	IEEE 802.11ax (20MHz, MCS9, 90pc duty cycle)	WLAN	8.80	±9.6
10681	AAC	IEEE 802.11ax (20MHz, MCS10, 90pc duty cycle)	WLAN	8.82	±9.6
10682	AAC	IEEE 802.11ax (20MHz, MCS11, 90pc duty cycle)	WLAN	8.88	±9.6
10683	AAC	IEEE 802.11ax (20MHz, MCS0, 90pc duty cycle)	WLAN	8.42	±9.6
10684	AAC	IEEE 802.11ax (20MHz, MCS1, 90pc duty cycle)	WLAN	8.26	±9.6
10685	AAC	IEEE 802.11ax (20MHz, MCS2, 90pc duty cycle)	WLAN	8.35	±9.6
10686	AAC	IEEE 802.11ax (20MHz, MCS3, 90pc duty cycle)	WLAN	8.28	±9.6

EX3DV4 - SN:3697

April 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ² A-2
10687	AAC	IEEE 802.11ax (20MHz, MCS4, 99pc duty cycle)	WLAN	8.45	+9.6
10688	AAC	IEEE 802.11ax (20MHz, MCS5, 99pc duty cycle)	WLAN	8.23	+9.6
10689	AAC	IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle)	WLAN	8.55	+9.6
10690	AAC	IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.25	+9.6
10691	AAC	IEEE 802.11ax (20MHz, MCS8, 99pc duty cycle)	WLAN	8.25	+9.6
10692	AAC	IEEE 802.11ax (20MHz, MCS9, 99pc duty cycle)	WLAN	8.23	+9.6
10693	AAC	IEEE 802.11ax (20MHz, MCS10, 99pc duty cycle)	WLAN	8.25	+9.6
10694	AAC	IEEE 802.11ax (20MHz, MCS11, 99pc duty cycle)	WLAN	8.57	+9.6
10695	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.76	+9.6
10696	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.91	+9.6
10697	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.61	+9.6
10698	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.89	+9.6
10699	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.82	+9.6
10700	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.73	+9.6
10701	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.86	+9.6
10702	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.73	+9.6
10703	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.82	+9.6
10704	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.58	+9.6
10705	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.69	+9.6
10706	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.68	+9.6
10707	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.32	+9.6
10708	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.55	+9.6
10709	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.38	+9.6
10710	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.25	+9.6
10711	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.25	+9.6
10712	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.87	+9.6
10713	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.33	+9.6
10714	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.35	+9.6
10715	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.45	+9.6
10716	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.30	+9.6
10717	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.69	+9.6
10718	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.24	+9.6
10719	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.81	+9.6
10720	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.87	+9.6
10721	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	8.76	+9.6
10722	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	8.55	+9.6
10723	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.70	+9.6
10724	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	8.96	+9.6
10725	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.74	+9.6
10726	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	8.72	+9.6
10727	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.95	+9.6
10728	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.65	+9.6
10729	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.34	+9.6
10730	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.57	+9.6
10731	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	8.42	+9.6
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.48	+9.6
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	8.40	+9.6
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	8.25	+9.6
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.33	+9.6
10736	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	8.27	+9.6
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.26	+9.6
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	8.42	+9.6
10739	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.29	+9.6
10740	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.48	+9.6
10741	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.40	+9.6
10742	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.48	+9.6
10743	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle)	WLAN	8.34	+9.6
10744	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc duty cycle)	WLAN	8.16	+9.6
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc duty cycle)	WLAN	8.33	+9.6
10746	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc duty cycle)	WLAN	8.11	+9.6
10747	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc duty cycle)	WLAN	8.24	+9.6
10748	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc duty cycle)	WLAN	8.83	+9.6
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc duty cycle)	WLAN	8.30	+9.6
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc duty cycle)	WLAN	8.75	+9.6
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc duty cycle)	WLAN	8.82	+9.6
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc duty cycle)	WLAN	8.81	+9.6

EX3DV4 - SN:3897

April 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ⁵ k = 2
10752	AAC	IEEE 802.11ax (160MHz, MCS10, 80psduty cycle)	WLAN	8.00	-19.6
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 80psduty cycle)	WLAN	8.04	-19.6
10755	AAC	IEEE 802.11ax (160MHz, MCS0, 80psduty cycle)	WLAN	8.09	-19.6
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 80psduty cycle)	WLAN	8.77	-19.6
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 80psduty cycle)	WLAN	8.77	-19.6
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 80psduty cycle)	WLAN	8.69	-19.6
10758	AAC	IEEE 802.11ax (160MHz, MCS4, 80psduty cycle)	WLAN	8.69	-19.6
10760	AAC	IEEE 802.11ax (160MHz, MCS5, 80psduty cycle)	WLAN	8.49	-19.6
10761	AAC	IEEE 802.11ax (160MHz, MCS6, 80psduty cycle)	WLAN	8.58	-19.6
10762	AAC	IEEE 802.11ax (160MHz, MCS7, 80psduty cycle)	WLAN	8.49	-19.6
10762	AAC	IEEE 802.11ax (160MHz, MCS8, 80psduty cycle)	WLAN	8.53	-19.6
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 80psduty cycle)	WLAN	8.54	-19.6
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 80psduty cycle)	WLAN	8.54	-19.6
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 80psduty cycle)	WLAN	8.51	-19.6
10767	AAD	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 15kHz)	5G NR FR1 TDD	7.59	-19.6
10768	AAD	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.01	-19.6
10769	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.01	-19.6
10770	AAD	5G NR (CP-OFDM, 1 RB, 20MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.02	-19.6
10771	AAD	5G NR (CP-OFDM, 1 RB, 25MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.02	-19.6
10772	AAD	5G NR (CP-OFDM, 1 RB, 30MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.23	-19.6
10773	AAD	5G NR (CP-OFDM, 1 RB, 40MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.02	-19.6
10774	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.02	-19.6
10775	AAD	5G NR (CP-OFDM, 50% RB, 6MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.31	-19.6
10776	AAD	5G NR (CP-OFDM, 50% RB, 6MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.30	-19.6
10777	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.30	-19.6
10778	AAD	5G NR (CP-OFDM, 50% RB, 20MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.34	-19.6
10779	AAD	5G NR (CP-OFDM, 50% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.02	-19.6
10780	AAD	5G NR (CP-OFDM, 50% RB, 30MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.39	-19.6
10781	AAD	5G NR (CP-OFDM, 50% RB, 40MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.39	-19.6
10782	AAD	5G NR (CP-OFDM, 50% RB, 50MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.43	-19.6
10783	AAD	5G NR (CP-OFDM, 100% RB, 6MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.31	-19.6
10784	AAD	5G NR (CP-OFDM, 100% RB, 10MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.23	-19.6
10785	AAD	5G NR (CP-OFDM, 100% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.40	-19.6
10786	AAD	5G NR (CP-OFDM, 100% RB, 20MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.35	-19.6
10787	AAD	5G NR (CP-OFDM, 100% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.44	-19.6
10788	AAD	5G NR (CP-OFDM, 100% RB, 30MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.38	-19.6
10788	AAD	5G NR (CP-OFDM, 100% RB, 40MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.37	-19.6
10790	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.25	-19.6
10791	AAD	5G NR (CP-OFDM, 1 RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.63	-19.6
10792	AAD	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.92	-19.6
10793	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.95	-19.6
10794	AAD	5G NR (CP-OFDM, 1 RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.87	-19.6
10795	AAD	5G NR (CP-OFDM, 1 RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.84	-19.6
10796	AAD	5G NR (CP-OFDM, 1 RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.82	-19.6
10797	AAD	5G NR (CP-OFDM, 1 RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.01	-19.6
10798	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.93	-19.6
10799	AAD	5G NR (CP-OFDM, 1 RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.93	-19.6
10801	AAD	5G NR (CP-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.80	-19.6
10802	AAD	5G NR (CP-OFDM, 1 RB, 90MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.87	-19.6
10803	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.93	-19.6
10805	AAD	5G NR (CP-OFDM, 50% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.36	-19.6
10806	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.37	-19.6
10808	AAD	5G NR (CP-OFDM, 50% RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.24	-19.6
10810	AAD	5G NR (CP-OFDM, 50% RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.24	-19.6
10812	AAD	5G NR (CP-OFDM, 50% RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.35	-19.6
10817	AAD	5G NR (CP-OFDM, 100% RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.25	-19.6
10818	AAD	5G NR (CP-OFDM, 100% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.34	-19.6
10819	AAD	5G NR (CP-OFDM, 100% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.33	-19.6
10820	AAD	5G NR (CP-OFDM, 100% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.30	-19.6
10821	AAD	5G NR (CP-OFDM, 100% RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.47	-19.6
10822	AAD	5G NR (CP-OFDM, 100% RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.41	-19.6
10823	AAD	5G NR (CP-OFDM, 100% RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.36	-19.6
10824	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.30	-19.6
10825	AAD	5G NR (CP-OFDM, 100% RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.41	-19.6
10827	AAD	5G NR (CP-OFDM, 100% RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.42	-19.6
10828	AAD	5G NR (CP-OFDM, 100% RB, 90MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.43	-19.6

EX3DV4 - SN:3697

April 18, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^κ κ = 2
10829	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.40	-9.5
10830	AAD	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.63	-9.5
10831	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.73	-9.5
10832	AAD	5G NR (CP-OFDM, 1 RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.74	-9.5
10833	AAD	5G NR (CP-OFDM, 1 RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.8
10834	AAD	5G NR (CP-OFDM, 1 RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.75	-9.8
10835	AAD	5G NR (CP-OFDM, 1 RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.8
10836	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.66	-9.8
10837	AAD	5G NR (CP-OFDM, 1 RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.66	-9.8
10838	AAD	5G NR (CP-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.8
10840	AAD	5G NR (CP-OFDM, 1 RB, 90MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.67	-9.8
10841	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.71	-9.8
10843	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.49	-9.8
10844	AAD	5G NR (CP-OFDM, 50% RB, 20MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.34	-9.8
10848	AAD	5G NR (CP-OFDM, 50% RB, 30MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.41	-9.8
10854	AAD	5G NR (CP-OFDM, 100% RB, 10MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.34	-9.8
10855	AAD	5G NR (CP-OFDM, 100% RB, 15MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.36	-9.8
10856	AAD	5G NR (CP-OFDM, 100% RB, 20MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.37	-9.8
10857	AAD	5G NR (CP-OFDM, 100% RB, 25MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.35	-9.8
10858	AAD	5G NR (CP-OFDM, 100% RB, 30MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.36	-9.8
10859	AAD	5G NR (CP-OFDM, 100% RB, 40MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.34	-9.8
10860	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.47	-9.8
10861	AAD	5G NR (CP-OFDM, 100% RB, 60MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.40	-9.8
10862	AAD	5G NR (CP-OFDM, 100% RB, 80MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.41	-9.8
10864	AAD	5G NR (CP-OFDM, 100% RB, 90MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.37	-9.8
10865	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 60kHz)	5G NR FR1 TDD	8.41	-9.8
10866	AAD	5G NR (DFTs-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.66	-9.8
10868	AAD	5G NR (DFTs-OFDM, 100% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.69	-9.8
10869	AAE	5G NR (DFTs-OFDM, 1 RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	5.75	-9.8
10870	AAE	5G NR (DFTs-OFDM, 100% RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	5.69	-9.8
10871	AAE	5G NR (DFTs-OFDM, 1 RB, 100MHz, 16QAM, 120kHz)	5G NR FR2 TDD	5.75	-9.8
10872	AAE	5G NR (DFTs-OFDM, 100% RB, 100MHz, 16QAM, 120kHz)	5G NR FR2 TDD	5.62	-9.8
10873	AAE	5G NR (DFTs-OFDM, 1 RB, 100MHz, 64QAM, 120kHz)	5G NR FR2 TDD	5.81	-9.8
10874	AAE	5G NR (DFTs-OFDM, 100% RB, 100MHz, 64QAM, 120kHz)	5G NR FR2 TDD	5.65	-9.8
10875	AAE	5G NR (CP-OFDM, 1 RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	7.78	-9.8
10878	AAE	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	8.39	-9.8
10877	AAE	5G NR (CP-OFDM, 1 RB, 100MHz, 16QAM, 120kHz)	5G NR FR2 TDD	7.85	-9.8
10878	AAE	5G NR (CP-OFDM, 100% RB, 100MHz, 16QAM, 120kHz)	5G NR FR2 TDD	8.41	-9.8
10879	AAE	5G NR (CP-OFDM, 1 RB, 100MHz, 64QAM, 120kHz)	5G NR FR2 TDD	8.12	-9.8
10880	AAE	5G NR (CP-OFDM, 100% RB, 100MHz, 64QAM, 120kHz)	5G NR FR2 TDD	8.28	-9.8
10881	AAE	5G NR (DFTs-OFDM, 1 RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	5.75	-9.8
10882	AAE	5G NR (DFTs-OFDM, 100% RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	5.66	-9.8
10883	AAE	5G NR (DFTs-OFDM, 1 RB, 50MHz, 16QAM, 120kHz)	5G NR FR2 TDD	5.67	-9.8
10884	AAE	5G NR (DFTs-OFDM, 100% RB, 50MHz, 16QAM, 120kHz)	5G NR FR2 TDD	5.62	-9.8
10885	AAE	5G NR (DFTs-OFDM, 1 RB, 50MHz, 64QAM, 120kHz)	5G NR FR2 TDD	5.61	-9.8
10886	AAE	5G NR (DFTs-OFDM, 100% RB, 50MHz, 64QAM, 120kHz)	5G NR FR2 TDD	5.65	-9.8
10887	AAE	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	7.76	-9.8
10888	AAE	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	8.35	-9.8
10889	AAE	5G NR (CP-OFDM, 1 RB, 50MHz, 16QAM, 120kHz)	5G NR FR2 TDD	8.32	-9.8
10890	AAE	5G NR (CP-OFDM, 100% RB, 50MHz, 16QAM, 120kHz)	5G NR FR2 TDD	8.40	-9.8
10891	AAE	5G NR (CP-OFDM, 1 RB, 50MHz, 64QAM, 120kHz)	5G NR FR2 TDD	8.13	-9.8
10892	AAE	5G NR (CP-OFDM, 100% RB, 50MHz, 64QAM, 120kHz)	5G NR FR2 TDD	8.41	-9.8
10897	AAC	5G NR (DFTs-OFDM, 1 RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10899	AAB	5G NR (DFTs-OFDM, 1 RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.67	-9.8
10899	AAB	5G NR (DFTs-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.67	-9.8
10900	AAB	5G NR (DFTs-OFDM, 1 RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10901	AAR	5G NR (DFTs-OFDM, 1 RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10902	AAB	5G NR (DFTs-OFDM, 1 RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10903	AAB	5G NR (DFTs-OFDM, 1 RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10904	AAB	5G NR (DFTs-OFDM, 1 RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10905	AAB	5G NR (DFTs-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10906	AAB	5G NR (DFTs-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.8
10907	AAC	5G NR (DFTs-OFDM, 50% RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.78	-9.8
10908	AAB	5G NR (DFTs-OFDM, 50% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	-9.8
10909	AAR	5G NR (DFTs-OFDM, 50% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	-9.8
10910	AAR	5G NR (DFTs-OFDM, 50% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	-9.8

EX3DV4 - SN:3697

April 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ² A = 2
10971	AAB	5G NR (DFTs-OFDM, 50% RB, 25 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	±9.0
10972	AAB	5G NR (DFTs-OFDM, 50% RB, 30 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.94	±9.0
10973	AAB	5G NR (DFTs-OFDM, 50% RB, 40 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.94	±9.0
10974	AAB	5G NR (DFTs-OFDM, 50% RB, 50 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.95	±9.0
10975	AAB	5G NR (DFTs-OFDM, 50% RB, 60 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.95	±9.0
10976	AAB	5G NR (DFTs-OFDM, 50% RB, 80 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.97	±9.0
10977	AAB	5G NR (DFTs-OFDM, 50% RB, 100 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.94	±9.0
10978	AAC	5G NR (DFTs-OFDM, 100% RB, 5 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.86	±9.0
10979	AAB	5G NR (DFTs-OFDM, 100% RB, 10 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.86	±9.0
10980	AAB	5G NR (DFTs-OFDM, 100% RB, 15 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.87	±9.0
10981	AAB	5G NR (DFTs-OFDM, 100% RB, 20 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	±9.0
10982	AAB	5G NR (DFTs-OFDM, 100% RB, 25 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.82	±9.0
10983	AAB	5G NR (DFTs-OFDM, 100% RB, 30 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	±9.0
10984	AAB	5G NR (DFTs-OFDM, 100% RB, 40 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	±9.0
10985	AAB	5G NR (DFTs-OFDM, 100% RB, 50 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.85	±9.0
10986	AAB	5G NR (DFTs-OFDM, 100% RB, 60 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	±9.0
10987	AAB	5G NR (DFTs-OFDM, 100% RB, 80 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	±9.0
10988	AAC	5G NR (DFTs-OFDM, 1 RB, 5 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.52	±9.6
10989	AAC	5G NR (DFTs-OFDM, 1 RB, 10 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.52	±9.6
10990	AAC	5G NR (DFTs-OFDM, 1 RB, 15 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.52	±9.6
10991	AAC	5G NR (DFTs-OFDM, 1 RB, 20 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
10992	AAC	5G NR (DFTs-OFDM, 1 RB, 25 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
10993	AAC	5G NR (DFTs-OFDM, 1 RB, 30 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
10994	AAC	5G NR (DFTs-OFDM, 1 RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
10995	AAD	5G NR (DFTs-OFDM, 1 RB, 50 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
10996	AAC	5G NR (DFTs-OFDM, 50% RB, 5 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.50	±9.6
10997	AAC	5G NR (DFTs-OFDM, 50% RB, 10 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.77	±9.6
10998	AAC	5G NR (DFTs-OFDM, 50% RB, 15 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.80	±9.6
10999	AAC	5G NR (DFTs-OFDM, 50% RB, 20 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	±9.6
10940	AAC	5G NR (DFTs-OFDM, 50% RB, 25 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.80	±9.6
10941	AAC	5G NR (DFTs-OFDM, 50% RB, 30 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
10942	AAC	5G NR (DFTs-OFDM, 50% RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
10943	AAC	5G NR (DFTs-OFDM, 50% RB, 50 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
10944	AAC	5G NR (DFTs-OFDM, 100% RB, 5 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.81	±9.6
10945	AAC	5G NR (DFTs-OFDM, 100% RB, 10 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
10946	AAC	5G NR (DFTs-OFDM, 100% RB, 15 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.83	±9.6
10947	AAC	5G NR (DFTs-OFDM, 100% RB, 20 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.87	±9.6
10948	AAC	5G NR (DFTs-OFDM, 100% RB, 25 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.84	±9.6
10949	AAC	5G NR (DFTs-OFDM, 100% RB, 30 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.87	±9.6
10950	AAC	5G NR (DFTs-OFDM, 100% RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.84	±9.6
10951	AAC	5G NR (DFTs-OFDM, 100% RB, 50 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	±9.6
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	8.25	±9.0
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	8.15	±9.0
10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	8.23	±9.0
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	8.48	±9.0
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	8.14	±9.0
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	8.3	±9.0
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	8.61	±9.0
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	8.33	±9.0
10960	AAC	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	8.32	±9.0
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	8.36	±9.0
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	8.40	±9.0
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	8.55	±9.0
10964	AAC	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	8.29	±9.0
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	8.87	±9.0
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	8.55	±9.0
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	8.49	±9.0
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	±9.0
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15kHz)	5G NR FR1 TDD	11.88	±9.0
10973	AAB	5G NR (DFTs-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.08	±9.0
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	±9.0
10978	AAA	ULLA HDR	ULLA	1.16	±9.0
10979	AAA	ULLA HDR4	ULLA	8.58	±9.0
10980	AAA	ULLA HDR8	ULLA	10.35	±9.0
10981	AAA	ULLA HDRp4	ULLA	3.19	±9.0
10982	AAA	ULLA HDRp8	ULLA	3.43	±9.0

EX3DV4 - SN:3697

Apr 13, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^F $k = 2$
10993	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15MHz)	5G NR FR1 TDD	9.31	±8.0
10994	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15MHz)	5G NR FR1 TDD	9.47	±8.0
10995	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.54	±8.0
10996	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.50	±8.0
10997	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.53	±8.0
10998	AAA	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.39	±8.0
10999	AAA	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.33	±8.0
10990	AAA	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	9.52	±8.0
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15MHz)	5G NR FR1 TDD	10.24	±9.0
11001	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30MHz)	5G NR FR1 TDD	0.73	±9.0
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15MHz)	5G NR FR1 FDD	8.70	±9.0
11006	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15MHz)	5G NR FR1 FDD	8.55	±9.0
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15MHz)	5G NR FR1 FDD	8.48	±9.0
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15MHz)	5G NR FR1 FDD	8.57	±9.0
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 35 MHz, 64-QAM, 30MHz)	5G NR FR1 FDD	8.78	±9.0
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 20MHz)	5G NR FR1 FDD	8.95	±9.0
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 20MHz)	5G NR FR1 FDD	8.80	±9.0
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 20MHz)	5G NR FR1 FDD	8.68	±9.0
11013	AAA	IEEE 802.11be (320MHz, MCS1, 99pc duty cycle)	WLAN	8.47	±9.0
11014	AAA	IEEE 802.11be (320MHz, MCS2, 99pc duty cycle)	WLAN	8.45	±9.0
11015	AAA	IEEE 802.11be (320MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.0
11016	AAA	IEEE 802.11be (320MHz, MCS4, 99pc duty cycle)	WLAN	8.44	±9.0
11017	AAA	IEEE 802.11be (320MHz, MCS5, 99pc duty cycle)	WLAN	8.41	±9.0
11018	AAA	IEEE 802.11be (320MHz, MCS6, 99pc duty cycle)	WLAN	8.40	±9.0
11019	AAA	IEEE 802.11be (320MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.0
11020	AAA	IEEE 802.11be (320MHz, MCS8, 99pc duty cycle)	WLAN	8.27	±9.0
11021	AAA	IEEE 802.11be (320MHz, MCS9, 99pc duty cycle)	WLAN	8.48	±9.0
11022	AAA	IEEE 802.11be (320MHz, MCS10, 99pc duty cycle)	WLAN	8.38	±9.0
11023	AAA	IEEE 802.11be (320MHz, MCS11, 99pc duty cycle)	WLAN	8.33	±9.0
11024	AAA	IEEE 802.11be (320MHz, MCS12, 99pc duty cycle)	WLAN	8.42	±9.0
11025	AAA	IEEE 802.11be (320MHz, MCS13, 99pc duty cycle)	WLAN	8.57	±9.0
11026	AAA	IEEE 802.11be (320MHz, MCS14, 99pc duty cycle)	WLAN	8.38	±9.0

^F Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Appendix A.2 Probe Calibration certificate (EX3DV4 SN3865)

Calibration Laboratory of
 Schmid & Partner
 Engineering AG
 Zeughausstrasse 45, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **Eurofins KCTL (Dymstec)**

Certificate No. **EX-3865_Jan23**

CALIBRATION CERTIFICATE

Object: **EX3DV4 - SN:3865**

Calibration procedures: **QA CAL-01.v10, QA CAL-12.v10, QA CAL-14.v7, QA CAL-23.v6,
 QA CAL-25.v8
 Calibration procedure for dosimetric E field probes.**

Calibration date: **January 22, 2023**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.
 All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3) °C and humidity < 70%.
 Calibration Equipment used (M&PE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-22 (No. 217-03525/03624)	Apr-23
Power sensor NRP-Z91	SN: 103244	04-Apr-22 (No. 217-03524)	Apr-23
OCF DAK-3.5 (weighed)	SN: 1248	20-Oct-22 (OCF-DAK3 5-1248_Oct22)	Oct-23
OCF DAK-12	SN: 1016	20-Oct-22 (OCF-DAK12-1016_Oct22)	Oct-23
Reference 20 dB Attenuator	SN: CQ2552 (20x)	04-Apr-22 (No. 217-03527)	Apr-23
DAE4	SN: 860	10-Oct-22 (No. DAE4-650_Oct22)	Oct-23
Reference Probe ES3DV2	SN: 3013	08-Jan-23 (No. ES3-3013_Jan23)	Jan-24

Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4416B	SN: 0B41293874	08-Apr-16 (in house check Jun-22)	In House check Jun-24
Power sensor E4412A	SN: MY41486087	08-Apr-16 (in house check Jun-22)	In House check Jun-24
Power sensor E4412A	SN: 003110210	08-Apr-16 (in house check Jun-22)	In House check Jun-24
RF generator HP 6648C	SN: US3642UD1700	04-Aug-99 (in house check Jun-22)	In House check Jun-24
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-22)	In house check Oct-24

	Name	Function	Signature
Calibrated by	Josanna Dinsler	Laboratory Technician	
Approved by	Sven Kuhn	Technical Manager	
			Issued: January 25, 2023

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Calibration Laboratory of
Schmid & Partner
 Engineering AG
 Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary

TSL	tissue simulating liquid
NORM _{x,y,z}	sensitivity in free space
ConvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization ϕ	ϕ rotation around probe axis
Polarization θ	θ rotation around an axis that is in the plane normal to probe axis (at measurement center), $\cos(\theta) = z'/r'$ is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEC/IEEE 62209-1525, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Held And Body-Worn Wireless Communication Devices - Part 1525: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)", October 2020.
- KDB 865864, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORM_{x,y,z}**: Assessed in E-field polarization $\theta = 0$ ($f \leq 900$ MHz in TEM-cell, $f > 1500$ MHz: R22 waveguide). NORM_{x,y,z} are only intermediate values, i.e., the uncertainties of NORM_{x,y,z} does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM θ (_{x,y,z}) = NORM_{x,y,z} * frequency_response** (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCR_{x,y,z}**: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- PAR**: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics.
- A_{x,y,z}, B_{x,y,z}, C_{x,y,z}, D_{x,y,z}, VR_{x,y,z}; A, B, C, D** are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VH is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters**: Assessed in flat phantom using E-field (or Temperature Transfer Standard for $f \geq 900$ MHz) and inside waveguide using analytical field distributions based on power measurements for $f > 900$ MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORM_{x,y,z} * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy)**: in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset**: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle**: The angle is assessed using the information gained by determining the NORM_x (no uncertainty required).

EX3DV4 - SN:3865

January 22, 2023

Parameters of Probe: EX3DV4 - SN:3865

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm ($\mu V/(V/m^2)^2$) ^A	0.42	0.46	0.41	$\pm 10.1\%$
DCP (mV) ^B	97.0	102.0	100.0	$\pm 4.7\%$

Calibration Results for Modulation Response

UID	Communication System Name		A			B			D	VR	Max dev.	Max Unc ^E k = 2
			dB	dB μV	C	dB	μV	C				
0	CW	X	0.00	0.00	1.00	0.00	128.2	114.5	121.8	$\pm 3.0\%$	$\pm 4.7\%$	
		Y	0.00	0.00	1.00							
		Z	0.00	0.00	1.00							
10352	Pulse Waveform (200Hz, 10%)	X	19.42	55.36	19.27	10.00	50.0	60.0	60.0	$+2.7\%$	$\pm 9.6\%$	
		Y	1.58	60.71	6.15							
		Z	20.00	59.08	18.60							
10353	Pulse Waveform (200Hz, 20%)	X	20.00	59.08	18.15	6.99	80.0	80.0	80.0	$\pm 2.3\%$	$\pm 9.6\%$	
		Y	0.83	60.00	4.65							
		Z	20.00	59.82	18.54							
10354	Pulse Waveform (200Hz, 40%)	X	20.00	58.11	16.06	3.98	95.0	95.0	95.0	$\pm 1.6\%$	$\pm 9.6\%$	
		Y	72.00	74.00	7.00							
		Z	20.00	59.18	16.57							
10355	Pulse Waveform (200Hz, 60%)	X	6.27	76.02	10.59	2.22	100.0	120.0	120.0	$\pm 1.2\%$	$\pm 9.6\%$	
		Y	8.32	150.38	17.69							
		Z	19.74	54.16	12.91							
10387	QPSK Waveform, 1 MHz	X	1.80	65.32	14.32	1.00	150.0	150.0	150.0	$\pm 3.4\%$	$\pm 9.6\%$	
		Y	0.44	62.25	11.08							
		Z	1.60	64.88	13.87							
10388	QPSK Waveform, 10 MHz	X	2.16	67.50	15.13	0.00	150.0	150.0	150.0	$\pm 1.0\%$	$\pm 9.6\%$	
		Y	-1.19	65.01	12.94							
		Z	2.03	66.72	14.75							
10399	64-QAM Waveform, 100 kHz	X	2.77	58.68	17.85	3.01	150.0	150.0	150.0	$\pm 0.8\%$	$\pm 9.6\%$	
		Y	-1.73	65.05	15.87							
		Z	2.69	58.69	17.77							
10399	64-QAM Waveform, 40 MHz	X	3.47	66.95	15.55	0.00	150.0	150.0	150.0	$\pm 2.5\%$	$\pm 9.6\%$	
		Y	2.71	66.08	14.79							
		Z	3.38	66.56	15.33							
10414	WLAN CCDF 64-QAM, 40 MHz	X	4.82	65.75	15.53	0.00	150.0	150.0	150.0	$+4.6\%$	$\pm 9.6\%$	
		Y	3.63	65.80	14.96							
		Z	4.80	65.45	15.36							

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of Norm, X/Y/Z do not affect the L₁ field uncertainty inside TR-31 (see Page 5).
^B Max. field parameter uncertainty for maximum specified test strength.
^E Uncertainty is determined using Inverse, deviation from linear response applying rectangular distribution in dB, expressed for the square of the field value.

EX3DV4 - SN:3865

January 22, 2023

Parameters of Probe: EX3DV4 - SN:3865

Sensor Model Parameters

	C1 IF	C2 IF	α V ⁻¹	T1 msV ²	T2 msV ⁻¹	T3 ms	T4 V ²	T5 V ⁻¹	T6
x	50.8	384.52	36.33	9.29	0.44	5.07	0.00	0.55	1.01
y	8.5	60.68	32.67	3.53	0.00	4.90	0.55	0.00	1.00
z	45.4	344.46	36.43	8.64	0.42	6.07	0.21	0.45	1.01

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle	-78.1°
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3~4mm (1/4" or less) depending on the surface condition.

EX3DV4 - SN:3865

January 22, 2023

Parameters of Probe: EX3DV4 - SN:3865

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^Q	Relative Permittivity ^R	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k = 2)
750	41.9	0.99	9.38	10.15	9.66	0.29	1.27	±12.0%
850	41.5	0.92	9.24	9.50	9.66	0.31	1.27	±12.0%
900	41.5	0.97	9.07	8.39	9.41	0.31	1.27	±12.0%
1750	40.1	1.37	8.38	8.84	8.67	0.24	1.27	±12.0%
1900	40.0	1.40	8.28	8.79	8.53	0.26	1.27	±12.0%
2900	39.5	1.67	7.64	7.85	7.94	0.27	1.27	±12.0%
2450	39.2	1.80	7.37	7.64	7.44	0.28	1.27	±12.0%
2600	39.0	1.96	7.22	7.64	7.61	0.28	1.27	±12.0%
5250	35.9	4.71	5.35	5.66	5.50	0.37	1.53	±14.0%
5600	35.5	5.07	4.70	4.88	4.91	0.42	1.67	±14.0%
5800	35.3	5.27	4.64	4.96	4.86	0.40	1.88	±14.0%

^Q Frequency validity above 300 MHz or ±100 MHz only applies for DASY6 v4 and higher (see Page 2), also it is restricted to 150 MHz. The uncertainty is the RSS of the ConvF or validity at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ±10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 129, 190 and 290 MHz respectively. Validity of ConvF assessed at 6 MHz is 4-10 MHz, and ConvF assessed at 13 MHz is 9-19 MHz. Above 5 GHz frequency validity can be extended to ±110 MHz.


^F The probes are calibrated using tissue simulating liquids (TSL) that deviate by ± and/or by less than ±5% from the target values (accuracy better than ±2%) and are valid for TSL with deviations of up to ±10%. If TSL with deviations from the target of less than ±5% are used, the calibration uncertainties are 11.1% for 0.7-3 GHz and 10.1% for 3-6 GHz.

^G Alpha/Depth are determined during calibration. SFEAG value is 1.2, the remaining deviation due to the boundary effect after compensation is always less than ±1% for frequencies below 3 GHz and below ±2% for frequencies between 3-6 GHz at any distance larger than half the probe diameter from the boundary.

EX3DV4 - SN:3865

January 22, 2023

Frequency Response of E-Field
 (TEM-Cell:ifi110 EXX, Waveguide:R22)




Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ (k=2)

EX3DV4 - SN:3865


January 22, 2023

Receiving Pattern (ϕ), $\theta = 0^\circ$



EX3DV4 - SN:3865

January 22, 2023




Uncertainty of Linearity Assessment: ±0.6% (k=2)

EX3DV4 - SN:3865


January 22, 2023

Conversion Factor Assessment



Deviation from Isotropy in Liquid

Error (ψ, θ), f = 900 MHz



EX30V4 -SN3863

January 22, 2023

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ² % ± 2
10000	0	CW	CW	0.00	±4.7
10000	CAR	SAT Validation (Square, 100ms, 10ms)	Test	10.00	±8.8
10001	CAC	UMTS-FDD (WCDMA)	WCDMA	2.51	±8.8
10002	CAD	IEEE 802.11b WiFi 2.4GHz (DSSS, 1Mbps)	WLAN	1.87	±8.8
10003	CAD	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 3Mbps)	WLAN	3.46	±8.8
10004	DAC	GSM FDD (TDMA, GMSK)	GSM	3.29	±8.8
10005	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	3.57	±8.8
10006	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	3.56	±8.8
10007	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.82	±8.8
10008	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	3.55	±8.8
10009	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1 2)	GSM	4.50	±8.8
10010	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1 2 3)	GSM	3.55	±8.8
10011	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1 2)	GSM	7.78	±8.8
10012	GAA	IEEE 802.15.1 Bluetooth (G-SK, DH1)	Bluetooth	5.30	±8.8
10013	GAA	IEEE 802.15.1 Bluetooth (G-SK, DH3)	Bluetooth	1.57	±8.8
10014	GAA	IEEE 802.15.1 Bluetooth (G-SK, DH5)	Bluetooth	1.15	±8.8
10015	GAA	IEEE 802.15.1 Bluetooth (PI4-DQPSK, DH1)	Bluetooth	3.74	±8.8
10016	GAA	IEEE 802.15.1 Bluetooth (PI4-DQPSK, DH3)	Bluetooth	4.53	±8.8
10017	GAA	IEEE 802.15.1 Bluetooth (PI4-DQPSK, DH5)	Bluetooth	3.60	±8.8
10018	GAA	IEEE 802.15.1 Bluetooth (8-PPSK, DH1)	Bluetooth	3.01	±8.8
10019	GAA	IEEE 802.15.1 Bluetooth (8-PPSK, DH3)	Bluetooth	4.72	±8.8
10020	GAA	IEEE 802.15.1 Bluetooth (8-PPSK, DH5)	Bluetooth	4.10	±8.8
10021	CAB	CDMA2000 (1xRTT, 300)	CDMA2000	4.57	±8.8
10042	CAB	IS-54 / IS-136 FDD (TDMA/TDM, PSK-DQPSK, Fullrate)	AMPS	3.78	±8.8
10044	GAA	IS-318/ATA-553 FDD (TDMA, PSK)	AMPS	3.00	±8.8
10048	GAA	DECT 1700, TDMA/TDM, GFSK, Full Slot 24	DECT	13.80	±8.8
10049	GAA	DECT 1700, TDMA/TDM, GFSK, Double Slot 12	DECT	13.75	±8.8
10058	GAA	UMTS-TDD (TD-SCDMA, 1.28Mbps)	TD-SCDMA	11.01	±8.8
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1 2 3)	GSM	3.57	±8.8
10059	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 2Mbps)	WLAN	3.12	±8.8
10060	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 5.5Mbps)	WLAN	3.23	±8.8
10061	CAB	IEEE 802.11b WiFi 2.4GHz (DSSS, 11Mbps)	WLAN	3.30	±8.8
10062	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 3Mbps)	WLAN	3.83	±8.8
10063	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 6Mbps)	WLAN	3.83	±8.8
10064	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 12Mbps)	WLAN	3.94	±8.8
10065	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 18Mbps)	WLAN	3.90	±8.8
10066	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 24Mbps)	WLAN	3.90	±8.8
10067	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 30Mbps)	WLAN	13.12	±8.8
10068	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 48Mbps)	WLAN	13.23	±8.8
10069	CAD	IEEE 802.11aah WiFi 5GHz (OFDM, 54Mbps)	WLAN	13.55	±8.8
10071	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 3Mbps)	WLAN	3.83	±8.8
10072	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 12Mbps)	WLAN	3.62	±8.8
10073	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 18Mbps)	WLAN	3.34	±8.8
10074	CAD	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 24Mbps)	WLAN	13.30	±8.8
10075	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 36Mbps)	WLAN	13.72	±8.8
10076	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 48Mbps)	WLAN	13.84	±8.8
10077	CAB	IEEE 802.11g WiFi 2.4GHz (DSSS/OFDM, 54Mbps)	WLAN	11.03	±8.8
10081	CAB	CDMA2000 (1xRTT, 300)	CDMA2000	3.97	±8.8
10082	CAB	IS-54 / IS-136 FDD (TDMA/TDM, PSK-DQPSK, Fullrate)	AMPS	4.73	±8.8
10088	DAC	GPRS-FDD (TDMA, GMSK, TN 0 4)	GSM	3.56	±8.8
10097	CAC	UMTS-FDD (HS-DRS)	WCDMA	3.99	±8.8
10098	CAC	UMTS-FDD (HS-DRS, Subcat 2)	WCDMA	3.88	±8.8
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0 4)	GSM	3.55	±8.8
10100	CAE	LTE-FDD /SC-FDMA, 100% RB, 20MHz, QPSK	LTE-FDD	5.07	±8.8
10101	CAE	LTE-FDD /SC-FDMA, 100% RB, 20MHz, 15-QAM	LTE-FDD	6.42	±8.8
10102	CAE	LTE-FDD /SC-FDMA, 100% RB, 20MHz, 31-QAM	LTE-FDD	8.60	±8.8
10103	CAE	LTE-TDD /SC-FDMA, 100% RB, 20MHz, QPSK	LTE-TDD	8.29	±8.8
10104	CAE	LTE-TDD /SC-FDMA, 100% RB, 20MHz, 15-QAM	LTE-TDD	8.61	±8.8
10105	CAE	LTE-TDD /SC-FDMA, 100% RB, 20MHz, 31-QAM	LTE-TDD	13.01	±8.8
10108	CAE	LTE-FDD /SC-FDMA, 100% RB, 10MHz, QPSK	LTE-FDD	5.80	±8.8
10108	CAE	LTE-FDD /SC-FDMA, 100% RB, 10MHz, 15-QAM	LTE-FDD	6.43	±8.8
10110	CAE	LTE-FDD /SC-FDMA, 100% RB, 5MHz, QPSK	LTE-FDD	5.75	±8.8
10111	CAE	LTE-FDD /SC-FDMA, 100% RB, 5MHz, 15-QAM	LTE-FDD	6.44	±8.8

EX30V4 - SN3885

January 22, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^o k=2
10112	CAF	LTE-FDD (SC-FDMA, 100% RB, 10MHz, 64-QAM)	LTE-FDD	6.59	+9.8
10113	CAF	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 64-QAM)	LTE-FDD	6.62	+9.8
10114	CAD	IEEE 802.11n (HT Greenfield, 15.5Mbps, 3PSK)	WLAN	6.10	+9.8
10115	CAD	IEEE 802.11n (HT Greenfield, 8Mbps, 16-QAM)	WLAN	6.46	+9.8
10116	CAD	IEEE 802.11n (HT Greenfield, 35Mbps, 64-QAM)	WLAN	6.15	+9.8
10117	CAD	IEEE 802.11n (HT Mixed, 15.5Mbps, 3PSK)	WLAN	6.07	+9.8
10118	CAD	IEEE 802.11n (HT Mixed, 8Mbps, 16-QAM)	WLAN	6.59	+9.8
10119	CAD	IEEE 802.11n (HT Mixed, 35Mbps, 64-QAM)	WLAN	6.13	+9.8
10140	CAF	LTE-FDD (SC-FDMA, 100% RB, 15MHz, 16-QAM)	LTE-FDD	6.49	+9.8
10141	CAF	LTE-FDD (SC-FDMA, 100% RB, 15MHz, 64-QAM)	LTE-FDD	6.57	+9.8
10142	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 3PSK)	LTE-FDD	6.73	+9.8
10143	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 16-QAM)	LTE-FDD	6.85	+9.8
10144	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 64-QAM)	LTE-FDD	6.85	+9.8
10145	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, 3PSK)	LTE-FDD	6.75	+9.8
10146	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, 16-QAM)	LTE-FDD	6.41	+9.8
10147	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4MHz, 64-QAM)	LTE-FDD	6.72	+9.8
10148	CAF	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 16-QAM)	LTE-FDD	6.42	+9.8
10150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20MHz, 64-QAM)	LTE-FDD	6.60	+9.8
10151	CAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, 3PSK)	LTE-TDD	6.28	+9.8
10152	CAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, 16-QAM)	LTE-TDD	6.62	+9.8
10153	CAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, 64-QAM)	LTE-TDD	6.65	+9.8
10154	CAF	LTE-FDD (SC-FDMA, 50% RB, 10MHz, 3PSK)	LTE-FDD	6.75	+9.8
10155	CAF	LTE-FDD (SC-FDMA, 50% RB, 10MHz, 16-QAM)	LTE-FDD	6.43	+9.8
10156	CAF	LTE-FDD (SC-FDMA, 50% RB, 5MHz, 3PSK)	LTE-FDD	6.79	+9.8
10157	CAF	LTE-FDD (SC-FDMA, 50% RB, 5MHz, 16-QAM)	LTE-FDD	6.49	+9.8
10158	CAF	LTE-FDD (SC-FDMA, 50% RB, 10MHz, 64-QAM)	LTE-FDD	6.62	+9.8
10159	CAF	LTE-FDD (SC-FDMA, 50% RB, 5MHz, 64-QAM)	LTE-FDD	6.66	+9.8
10160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 3PSK)	LTE-FDD	6.62	+9.8
10161	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-FDD	6.43	+9.8
10162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 64-QAM)	LTE-FDD	6.59	+9.8
10163	CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, 3PSK)	LTE-FDD	6.46	+9.8
10167	CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM)	LTE-FDD	6.21	+9.8
10168	CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4MHz, 64-QAM)	LTE-FDD	6.79	+9.8
10169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 3PSK)	LTE-FDD	6.73	+9.8
10170	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 16-QAM)	LTE-FDD	6.52	+9.8
10171	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 64-QAM)	LTE-FDD	6.48	+9.8
10172	CAF	LTE-TDD (SC-FDMA, 1 RB, 20MHz, 3PSK)	LTE-TDD	6.21	+9.8
10173	CAF	LTE-TDD (SC-FDMA, 1 RB, 20MHz, 16-QAM)	LTE-TDD	6.68	+9.8
10174	CAF	LTE-TDD (SC-FDMA, 1 RB, 20MHz, 64-QAM)	LTE-TDD	6.25	+9.8
10175	CAF	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 3PSK)	LTE-FDD	6.72	+9.8
10176	CAF	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 16-QAM)	LTE-FDD	6.52	+9.8
10177	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 3PSK)	LTE-FDD	6.73	+9.8
10178	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-FDD	6.52	+9.8
10179	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-FDD	6.50	+9.8
10180	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 3PSK)	LTE-FDD	6.50	+9.8
10181	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-FDD	6.50	+9.8
10182	CAF	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-FDD	6.72	+9.8
10183	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-FDD	6.58	+9.8
10184	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-FDD	6.50	+9.8
10185	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 3PSK)	LTE-FDD	6.75	+9.8
10186	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-FDD	6.57	+9.8
10188	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 64-QAM)	LTE-FDD	6.50	+9.8
10187	CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, 3PSK)	LTE-FDD	6.79	+9.8
10188	CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, 16-QAM)	LTE-FDD	6.52	+9.8
10189	CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4MHz, 64-QAM)	LTE-FDD	6.50	+9.8
10190	CAD	IEEE 802.11n (HT Greenfield, 6.5Mbps, 3PSK)	WLAN	6.08	+9.8
10194	CAD	IEEE 802.11n (HT Greenfield, 35Mbps, 16-QAM)	WLAN	6.12	+9.8
10195	CAD	IEEE 802.11n (HT Greenfield, 65Mbps, 64-QAM)	WLAN	6.27	+9.8
10196	CAD	IEEE 802.11n (HT Mixed, 6.5Mbps, 3PSK)	WLAN	6.10	+9.8
10197	CAD	IEEE 802.11n (HT Mixed, 35Mbps, 16-QAM)	WLAN	6.15	+9.8
10198	CAD	IEEE 802.11n (HT Mixed, 65Mbps, 64-QAM)	WLAN	6.27	+9.8
10200	CAD	IEEE 802.11n (HT Mixed, 7.2Mbps, 3PSK)	WLAN	6.02	+9.8
10201	CAD	IEEE 802.11n (HT Mixed, 42.5Mbps, 16-QAM)	WLAN	6.12	+9.8
10202	CAD	IEEE 802.11n (HT Mixed, 72.5Mbps, 64-QAM)	WLAN	6.27	+9.8
10203	CAD	IEEE 802.11n (HT Mixed, 15Mbps, 3PSK)	WLAN	6.06	+9.8
10204	CAD	IEEE 802.11n (HT Mixed, 50Mbps, 16-QAM)	WLAN	6.48	+9.8
10205	CAD	IEEE 802.11n (HT Mixed, 150Mbps, 64-QAM)	WLAN	6.08	+9.8

EX3DV4 - SN.3585

January 28, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ² k = 2
10225	CAC	UMTS-FDD (HS-PA)	WCDMA	5.97	+0.0
10226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.48	+0.0
10227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 84-QAM)	LTE-TDD	10.26	+0.0
10228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	+0.0
10229	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-TDD	9.48	+0.0
10230	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 84-QAM)	LTE-TDD	10.26	+0.0
10231	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK)	LTE-TDD	9.19	+0.0
10232	CAH	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-TDD	9.48	+0.0
10233	CAH	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 84-QAM)	LTE-TDD	10.25	+0.0
10234	CAH	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-TDD	9.21	+0.0
10235	CAH	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 16-QAM)	LTE-TDD	9.48	+0.0
10236	CAH	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 84-QAM)	LTE-TDD	10.25	+0.0
10237	CAH	LTE-TDD (SC-FDMA, 1 RB, 10MHz, QPSK)	LTE-TDD	9.21	+0.0
10238	CAG	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-TDD	9.48	+0.0
10239	CAG	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 84-QAM)	LTE-TDD	10.25	+0.0
10240	CAG	LTE-TDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-TDD	9.21	+0.0
10241	CAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM)	LTE-TDD	9.82	+0.0
10242	CAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 84-QAM)	LTE-TDD	9.85	+0.0
10243	CAG	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, QPSK)	LTE-TDD	9.46	+0.0
10244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 16-QAM)	LTE-TDD	10.06	+0.0
10245	CAE	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 84-QAM)	LTE-TDD	10.06	+0.0
10246	CAE	LTE-TDD (SC-FDMA, 50% RB, 3MHz, QPSK)	LTE-TDD	9.50	+0.0
10247	CAH	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 16-QAM)	LTE-TDD	9.01	+0.0
10248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 84-QAM)	LTE-TDD	10.07	+0.0
10249	CAH	LTE-TDD (SC-FDMA, 50% RB, 5MHz, QPSK)	LTE-TDD	9.20	+0.0
10250	CAH	LTE-TDD (SC-FDMA, 50% RB, 10MHz, 16-QAM)	LTE-TDD	9.01	+0.0
10251	CAH	LTE-TDD (SC-FDMA, 50% RB, 10MHz, 84-QAM)	LTE-TDD	10.17	+0.0
10252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10MHz, QPSK)	LTE-TDD	9.20	+0.0
10253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-TDD	9.20	+0.0
10254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 84-QAM)	LTE-TDD	10.18	+0.0
10255	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, QPSK)	LTE-TDD	9.20	+0.0
10256	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 16-QAM)	LTE-TDD	9.95	+0.0
10257	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 84-QAM)	LTE-TDD	10.08	+0.0
10258	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, QPSK)	LTE-TDD	9.34	+0.0
10259	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 16-QAM)	LTE-TDD	9.98	+0.0
10260	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 84-QAM)	LTE-TDD	9.97	+0.0
10261	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, QPSK)	LTE-TDD	9.24	+0.0
10262	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 16-QAM)	LTE-TDD	9.83	+0.0
10263	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 84-QAM)	LTE-TDD	10.16	+0.0
10264	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-TDD	9.23	+0.0
10265	CAH	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 16-QAM)	LTE-TDD	9.90	+0.0
10266	CAH	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 84-QAM)	LTE-TDD	10.07	+0.0
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10MHz, QPSK)	LTE-TDD	9.30	+0.0
10268	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 16-QAM)	LTE-TDD	10.05	+0.0
10269	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 84-QAM)	LTE-TDD	10.13	+0.0
10270	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, QPSK)	LTE-TDD	9.50	+0.0
10274	CAC	UMTS-FDD (HS-PA, 5 slots, 5.38177 RelB, 10)	WCDMA	6.97	+0.0
10275	CAC	UMTS-FDD (HS-PA, 5 slots, 5.38177 RelB, 4)	WCDMA	3.95	+0.0
10277	C4A	PHS (QPSK)	PHS	11.81	+0.0
10278	C4A	PHS (QPSK, BW 800 MHz, Roll-off 0.5)	PHS	11.81	+0.0
10279	C4A	PHS (QPSK, BW 800 MHz, Roll-off 0.33)	PHS	12.18	+0.0
10280	AAB	CDMA2000, RC1, SCSS, Full Rate	CDMA2000	3.01	+0.0
10281	AAB	CDMA2000, RC2, SCSS, Full Rate	CDMA2000	3.48	+0.0
10282	AAB	CDMA2000, RC1, SC2E, Full Rate	CDMA2000	3.39	+0.0
10283	AAB	CDMA2000, RC1, SC2E, Full Rate	CDMA2000	3.50	+0.0
10285	AAB	CDMA2000, RC1, SC2E, 1/8th Rate 2E 1/2	CDMA2000	12.49	+0.0
10287	AAE	LTE-FDD (SC-FDMA, 50% RB, 30 MHz, QPSK)	LTE-FDD	5.01	+0.0
10288	AAE	LTE-FDD (SC-FDMA, 50% RB, 30 MHz, QPSK)	LTE-FDD	5.72	+0.0
10289	AAE	LTE-FDD (SC-FDMA, 50% RB, 2 MHz, 16-QAM)	LTE-FDD	6.39	+0.0
10290	AAE	LTE-FDD (SC-FDMA, 50% RB, 2 MHz, 84-QAM)	LTE-FDD	6.50	+0.0
10301	AAA	EE E-802.16e WMAX (29.16, 5ms, 10MHz, QPSK, PUSC)	WIMAX	12.03	+0.0
10302	AAA	EE E-802.16e WMAX (29.16, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	WIMAX	12.57	+0.0
10303	AAA	EE E-802.16e WMAX (31.15, 5ms, 10MHz, 84QAM, PUSC)	WIMAX	12.52	+0.0
10304	AAA	EE E-802.16e WMAX (31.15, 5ms, 10MHz, 84QAM, PUSC)	WIMAX	11.98	+0.0
10305	AAA	EE E-802.16e WMAX (31.15, 10ms, 10MHz, 84QAM, PUSC, 15 symbols)	WIMAX	12.21	+0.0
10306	AAA	EE E-802.16e WMAX (31.15, 10ms, 10MHz, 84QAM, PUSC, 18 symbols)	WIMAX	14.07	+0.0

EX3DV4 - SA2865

January 22, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Thp ^E k = 2
10307	AAA	IEEE 802.15e WiMAX (2018, 16ms, 10MHz, QPSK, PUSC, 18-symbols)	WiMAX	14.49	-9.8
10308	AAA	IEEE 802.15e WiMAX (2018, 16ms, 10MHz, 16QAM, PUSC)	WiMAX	14.49	-9.8
10309	AAA	IEEE 802.15e WiMAX (2018, 16ms, 10MHz, 16QAM, AMC 2x2, 18-symbols)	WiMAX	14.58	-9.8
10310	AAA	IEEE 802.15e WiMAX (2018, 16ms, 10MHz, QPSK, AMC 2x2, 18-symbols)	WiMAX	14.57	-9.8
10311	AAE	LTE-FDD (SC-FDMA, 100% FR, 15MHz, QPSK)	LTE-FDD	8.08	-9.8
10312	AAA	QPSK 1G	QPSK	13.51	-9.8
10314	AAA	QPSK 1G	QPSK	13.48	-9.8
1031E	AAB	IEEE 802.11g WiFi 2.4GHz (DSSS, 1Mbps, 99% duty cycle)	WLAN	1.71	-9.8
1031C	AAB	IEEE 802.11g WiFi 2.4GHz (ERP-OFDM, 9Mbps, 99% duty cycle)	WLAN	8.38	-9.8
10317	AAD	IEEE 802.11g WiFi 5GHz (OFDM, 6Mbps, 99% duty cycle)	WLAN	8.38	-9.8
10252	AAA	Pulse Waveform (200Hz, 10%)	Generic	13.00	-9.8
10253	AAA	Pulse Waveform (200Hz, 20%)	Generic	8.84	-9.8
10254	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.80	-9.8
10255	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	-9.8
10256	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	-9.8
10287	AAA	QPSK Waveform, 1 MHz	Generic	9.10	-9.8
10288	AAA	QPSK Waveform, 10 MHz	Generic	9.22	-9.8
10396	AAA	84-QAM Waveform, 100 kHz	Generic	9.27	-9.8
10398	AAA	84-QAM Waveform, 40 MHz	Generic	9.27	-9.8
10400	AAE	IEEE 802.11ac WiFi (80 MHz, 64-QAM, 99% duty cycle)	WLAN	8.87	-9.8
10401	AAE	IEEE 802.11ac WiFi (80 MHz, 64-QAM, 99% duty cycle)	WLAN	8.80	-9.8
10402	AAE	IEEE 802.11ac WiFi (80 MHz, 64-QAM, 99% duty cycle)	WLAN	8.88	-9.8
10403	AAB	CDMA2000 1X EV-DO, Rev. 3E	CDMA2000	9.75	-9.8
10404	AAB	CDMA2000 1X EV-DO, Rev. A	CDMA2000	9.77	-9.8
10406	AAB	CDMA2000 1X EV-DO, Rev. A	CDMA2000	9.22	-9.8
10410	AAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) Subframe Comb=4	LTE-TDD	7.80	-9.8
10414	AAA	WLAN 802.11a WiFi 5GHz (OFDM, 5Mbps, 99% duty cycle)	Generic	8.54	-9.8
10415	AAA	IEEE 802.11a WiFi 5GHz (DSSS, 1 Mbps, 99% duty cycle)	WLAN	1.54	-9.8
10416	AAA	IEEE 802.11a WiFi 5GHz (ERP-OFDM, 6Mbps, 99% duty cycle)	WLAN	8.25	-9.8
10417	AAE	IEEE 802.11a WiFi 5GHz (OFDM, 5Mbps, 99% duty cycle)	WLAN	8.25	-9.8
10418	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 6Mbps, 99% duty cycle, Long preamble)	WLAN	8.14	-9.8
10419	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 6Mbps, 99% duty cycle, Short preamble)	WLAN	8.18	-9.8
10422	AAE	IEEE 802.11n (HT Greenfield, 7.2Mbps, BPSK)	WLAN	6.82	-9.8
10423	AAE	IEEE 802.11n (HT Greenfield, 9.8Mbps, 16-QAM)	WLAN	8.47	-9.8
10424	AAE	IEEE 802.11n (HT Greenfield, 7.2Mbps, 64-QAM)	WLAN	8.40	-9.8
10425	AAE	IEEE 802.11n (HT Greenfield, 15Mbps, BPSK)	WLAN	8.41	-9.8
10426	AAE	IEEE 802.11n (HT Greenfield, 30Mbps, 16-QAM)	WLAN	8.40	-9.8
10427	AAE	IEEE 802.11n (HT Greenfield, 150Mbps, 64-QAM)	WLAN	8.41	-9.8
10430	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1)	LTE-FDD	8.28	-9.8
10431	AAE	LTE-FDD (OFDMA, 10MHz, E-TM 3.1)	LTE-FDD	8.38	-9.8
10432	AAE	LTE-FDD (OFDMA, 15MHz, E-TM 3.1)	LTE-FDD	8.34	-9.8
10433	AAE	LTE-FDD (OFDMA, 20MHz, E-TM 3.1)	LTE-FDD	8.54	-9.8
10434	AAE	WCDMA (BS Test Model), 54 DPCCH	WCDMA	8.60	-9.8
10435	AAE	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.80	-9.8
10447	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1, Clipping 4dB)	LTE-FDD	7.90	-9.8
10448	AAE	LTE-FDD (OFDMA, 10MHz, E-TM 3.1, Clipping 4dB)	LTE-FDD	7.90	-9.8
10449	AAE	LTE-FDD (OFDMA, 15MHz, E-TM 3.1, Clipping 4dB)	LTE-FDD	7.91	-9.8
10450	AAE	LTE-FDD (OFDMA, 20MHz, E-TM 3.1, Clipping 4dB)	LTE-FDD	7.98	-9.8
10451	AAE	WCDMA (BS Test Model), 54 DPCCH Clipping 4dB	WCDMA	7.28	-9.8
10453	AAE	Modulation (Square, 70ms, 1ms)	Test	10.00	-9.8
10456	AAE	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99% duty cycle)	WLAN	8.88	-9.8
10457	AAE	HMPS-FDD (SC-FDMA)	WCDMA	8.62	-9.8
10458	AAA	CDMA2000 1X EV-DO, Rev. 3E (2 carriers)	CDMA2000	9.56	-9.8
10459	AAA	CDMA2000 1X EV-DO, Rev. 3E (3 carriers)	CDMA2000	8.25	-9.8
10460	AAE	UMTS-FDD (WCDMA, 4MHz)	WCDMA	2.28	-9.8
10461	AAE	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.80	-9.8
10462	AAE	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.30	-9.8
10463	AAE	LTE-TDD (SC-FDMA, 1 RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.50	-9.8
10464	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	-9.8
10465	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	-9.8
10466	AAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	-9.8
10467	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	-9.8
10468	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	-9.8
10469	AAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.58	-9.8
10470	AAE	LTE-TDD (SC-FDMA, 1 RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.80	-9.8
10471	AAE	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	-9.8

EX3DW4 - SN 3555

January 22, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Min.Freq=2
10472	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	-19.0
10473	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.85	-19.0
10474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	-19.0
10475	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	-19.0
10476	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	-19.0
10478	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	-19.0
10479	AAF	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	-19.0
10480	AAF	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.18	-19.0
10481	AAF	LTE-TDD (SC-FDMA, 50% RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	-19.0
10482	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.71	-19.0
10483	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.38	-19.0
10484	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.47	-19.0
10485	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.50	-19.0
10486	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.30	-19.0
10487	AAF	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.60	-19.0
10488	AAF	LTE-TDD (SC-FDMA, 50% RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	-19.0
10489	AAF	LTE-TDD (SC-FDMA, 50% RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	-19.0
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	-19.0
10491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.73	-19.0
10492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.41	-19.0
10493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	-19.0
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	-19.0
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	-19.0
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	-19.0
10497	AAF	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.07	-19.0
10498	AAF	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.40	-19.0
10499	AAF	LTE-TDD (SC-FDMA, 100% RB, 1.4MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.58	-19.0
10500	AAF	LTE-TDD (SC-FDMA, 100% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	-19.0
10501	AAF	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	-19.0
10502	AAF	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.50	-19.0
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	-19.0
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	-19.0
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	-19.0
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	-19.0
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.35	-19.0
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	-19.0
10509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.99	-19.0
10510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.59	-19.0
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	-19.0
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	-19.0
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	-19.0
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	-19.0
10515	AAA	IEEE 802.11a WLAN 5GHz (OFDM, 8Mcs, 896 duty cycle)	WLAN	1.58	-19.0
10516	AAA	IEEE 802.11b WLAN 2.4GHz (DSSS, 5.5Mbps, 96% duty cycle)	WLAN	1.57	-19.0
10517	AAA	IEEE 802.11g WLAN 2.4GHz (DSSS, 11Mbps, 96% duty cycle)	WLAN	1.58	-19.0
10518	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 8Mcs, 896 duty cycle)	WLAN	8.03	-19.0
10519	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 16Mcs, 896 duty cycle)	WLAN	8.30	-19.0
10520	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 24Mcs, 896 duty cycle)	WLAN	8.12	-19.0
10521	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 32Mcs, 896 duty cycle)	WLAN	7.97	-19.0
10522	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 48Mcs, 896 duty cycle)	WLAN	8.45	-19.0
10523	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 64Mcs, 896 duty cycle)	WLAN	8.00	-19.0
10524	AAA	IEEE 802.11ac WLAN 5GHz (OFDM, 96Mcs, 896 duty cycle)	WLAN	8.27	-19.0
10525	AAA	IEEE 802.11ac WLAN (20MHz, MCS0, 96% duty cycle)	WLAN	8.00	-19.0
10526	AAA	IEEE 802.11ac WLAN (20MHz, MCS1, 96% duty cycle)	WLAN	8.42	-19.0
10527	AAA	IEEE 802.11ac WLAN (20MHz, MCS2, 96% duty cycle)	WLAN	8.01	-19.0
10528	AAA	IEEE 802.11ac WLAN (20MHz, MCS3, 96% duty cycle)	WLAN	8.36	-19.0
10529	AAA	IEEE 802.11ac WLAN (20MHz, MCS4, 96% duty cycle)	WLAN	8.55	-19.0
10530	AAA	IEEE 802.11ac WLAN (20MHz, MCS5, 96% duty cycle)	WLAN	8.43	-19.0
10531	AAA	IEEE 802.11ac WLAN (20MHz, MCS6, 96% duty cycle)	WLAN	8.00	-19.0
10532	AAA	IEEE 802.11ac WLAN (20MHz, MCS7, 96% duty cycle)	WLAN	8.00	-19.0
10533	AAA	IEEE 802.11ac WLAN (20MHz, MCS8, 96% duty cycle)	WLAN	8.38	-19.0
10534	AAA	IEEE 802.11ac WLAN (20MHz, MCS9, 96% duty cycle)	WLAN	8.05	-19.0
10535	AAA	IEEE 802.11ac WLAN (20MHz, MCS10, 96% duty cycle)	WLAN	8.45	-19.0
10536	AAA	IEEE 802.11ac WLAN (20MHz, MCS11, 96% duty cycle)	WLAN	8.02	-19.0
10537	AAA	IEEE 802.11ac WLAN (20MHz, MCS12, 96% duty cycle)	WLAN	8.44	-19.0
10538	AAA	IEEE 802.11ac WLAN (20MHz, MCS13, 96% duty cycle)	WLAN	8.54	-19.0
10539	AAA	IEEE 802.11ac WLAN (20MHz, MCS14, 96% duty cycle)	WLAN	8.58	-19.0

FX3DV4 - SN:3866

January 22, 2023

UID	Rev	Communication System Name	Group	PAR [dB]	LineF _k - 2
10541	AAC	IEEE 802.11ac WiFi (40 MHz, MCS7, 90% duty cycle)	WLAN	8.46	-9.0
10542	AAC	IEEE 802.11ac WiFi (40 MHz, MCS8, 90% duty cycle)	WLAN	8.45	-9.0
10543	AAC	IEEE 802.11ac WiFi (40 MHz, MCS9, 90% duty cycle)	WLAN	8.55	-9.0
10544	AAC	IEEE 802.11ac WiFi (80 MHz, MCS9, 90% duty cycle)	WLAN	8.47	-9.0
10545	AAC	IEEE 802.11ac WiFi (80 MHz, MCS1, 90% duty cycle)	WLAN	8.55	-9.0
10546	AAC	IEEE 802.11ac WiFi (80 MHz, MCS2, 90% duty cycle)	WLAN	8.55	-9.0
10547	AAC	IEEE 802.11ac WiFi (80 MHz, MCS3, 90% duty cycle)	WLAN	8.40	-9.0
10548	AAC	IEEE 802.11ac WiFi (80 MHz, MCS4, 90% duty cycle)	WLAN	8.37	-9.0
10550	AAC	IEEE 802.11ac WiFi (80 MHz, MCS5, 90% duty cycle)	WLAN	8.50	-9.0
10551	AAC	IEEE 802.11ac WiFi (80 MHz, MCS6, 90% duty cycle)	WLAN	8.50	-9.0
10552	AAC	IEEE 802.11ac WiFi (80 MHz, MCS8, 90% duty cycle)	WLAN	8.45	-9.0
10553	AAC	IEEE 802.11ac WiFi (80 MHz, MCS9, 90% duty cycle)	WLAN	8.45	-9.0
10554	AAD	IEEE 802.11ac WiFi (160 MHz, MCS0, 90% duty cycle)	WLAN	8.46	-9.0
10555	AAD	IEEE 802.11ac WiFi (160 MHz, MCS1, 90% duty cycle)	WLAN	8.47	-9.0
10556	AAD	IEEE 802.11ac WiFi (160 MHz, MCS2, 90% duty cycle)	WLAN	8.50	-9.0
10557	AAD	IEEE 802.11ac WiFi (160 MHz, MCS3, 90% duty cycle)	WLAN	8.52	-9.0
10558	AAD	IEEE 802.11ac WiFi (160 MHz, MCS4, 90% duty cycle)	WLAN	8.51	-9.0
10559	AAD	IEEE 802.11ac WiFi (160 MHz, MCS5, 90% duty cycle)	WLAN	8.73	-9.0
10561	AAD	IEEE 802.11ac WiFi (160 MHz, MCS6, 90% duty cycle)	WLAN	8.50	-9.0
10562	AAD	IEEE 802.11ac WiFi (160 MHz, MCS8, 90% duty cycle)	WLAN	8.65	-9.0
10563	AAD	IEEE 802.11ac WiFi (160 MHz, MCS9, 90% duty cycle)	WLAN	8.77	-9.0
10564	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 3Mbps, 90% duty cycle)	WLAN	8.25	-9.0
10565	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 12Mbps, 90% duty cycle)	WLAN	8.45	-9.0
10566	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 18Mbps, 90% duty cycle)	WLAN	8.75	-9.0
10567	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 24Mbps, 90% duty cycle)	WLAN	8.50	-9.0
10568	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 36Mbps, 90% duty cycle)	WLAN	8.57	-9.0
10569	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 48Mbps, 90% duty cycle)	WLAN	8.70	-9.0
10570	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 54Mbps, 90% duty cycle)	WLAN	8.50	-9.0
10571	AAA	IEEE 802.11b WiFi 2.4GHz (DSSS, 1Mbps, 90% duty cycle)	WLAN	7.98	-9.0
10572	AAA	IEEE 802.11b WiFi 2.4GHz (DSSS, 2Mbps, 90% duty cycle)	WLAN	7.88	-9.0
10573	AAA	IEEE 802.11b WiFi 2.4GHz (DSSS, 5.5Mbps, 90% duty cycle)	WLAN	7.88	-9.0
10574	AAA	IEEE 802.11b WiFi 2.4GHz (DSSS, 11Mbps, 90% duty cycle)	WLAN	7.88	-9.0
10575	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 3Mbps, 90% duty cycle)	WLAN	8.59	-9.0
10576	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 9Mbps, 90% duty cycle)	WLAN	8.60	-9.0
10577	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 12Mbps, 90% duty cycle)	WLAN	8.70	-9.0
10578	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 18Mbps, 90% duty cycle)	WLAN	8.49	-9.0
10579	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 24Mbps, 90% duty cycle)	WLAN	8.36	-9.0
10580	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 36Mbps, 90% duty cycle)	WLAN	8.76	-9.0
10581	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 48Mbps, 90% duty cycle)	WLAN	8.35	-9.0
10582	AAA	IEEE 802.11g WiFi 2.4GHz (DSSS-OFDM, 54Mbps, 90% duty cycle)	WLAN	8.67	-9.0
10583	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 9Mbps, 90% duty cycle)	WLAN	8.59	-9.0
10584	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 9Mbps, 90% duty cycle)	WLAN	8.60	-9.0
10585	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 12Mbps, 90% duty cycle)	WLAN	8.70	-9.0
10586	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 18Mbps, 90% duty cycle)	WLAN	8.48	-9.0
10587	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 24Mbps, 90% duty cycle)	WLAN	8.38	-9.0
10588	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 36Mbps, 90% duty cycle)	WLAN	8.78	-9.0
10589	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 48Mbps, 90% duty cycle)	WLAN	8.35	-9.0
10590	AAC	IEEE 802.11ah WiFi 5GHz (OFDM, 54Mbps, 90% duty cycle)	WLAN	8.67	-9.0
10591	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS0, 90% duty cycle	WLAN	8.90	-9.0
10592	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS1, 90% duty cycle	WLAN	9.79	-9.0
10593	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS2, 90% duty cycle	WLAN	9.64	-9.0
10594	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS3, 90% duty cycle	WLAN	9.74	-9.0
10595	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS4, 90% duty cycle	WLAN	8.74	-9.0
10596	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS5, 90% duty cycle	WLAN	9.71	-9.0
10597	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS6, 90% duty cycle	WLAN	8.72	-9.0
10598	AAC	IEEE 802.11n (HT) MIMO, 20MHz, MCS7, 90% duty cycle	WLAN	8.50	-9.0
10599	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS0, 90% duty cycle	WLAN	9.70	-9.0
10600	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS1, 90% duty cycle	WLAN	9.88	-9.0
10601	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS2, 90% duty cycle	WLAN	9.82	-9.0
10602	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS3, 90% duty cycle	WLAN	9.94	-9.0
10603	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS4, 90% duty cycle	WLAN	9.03	-9.0
10604	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS5, 90% duty cycle	WLAN	9.76	-9.0
10605	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS6, 90% duty cycle	WLAN	8.97	-9.0
10606	AAC	IEEE 802.11n (HT) MIMO, 40MHz, MCS7, 90% duty cycle	WLAN	8.82	-9.0
10607	AAC	IEEE 802.11ac WiFi (20 MHz, MCS0, 90% duty cycle)	WLAN	8.64	-9.0
10608	AAC	IEEE 802.11ac WiFi (20 MHz, MCS1, 90% duty cycle)	WLAN	8.77	-9.0

EX3DW4 - 9N3685

January 22, 2023

UID	Rev	Communication System Name	Group	FAR (dB)	Unc ² k = 2
10608	AAD	IEEE 802.11ac WiFi (20 MHz, MCS2, 90% duty cycle)	WLAN	8.57	-9.5
10610	AAD	IEEE 802.11ac WiFi (20 MHz, MCS3, 90% duty cycle)	WLAN	8.76	-9.5
10611	AAD	IEEE 802.11ac WiFi (20 MHz, MCS4, 90% duty cycle)	WLAN	8.70	-9.5
10612	AAD	IEEE 802.11ac WiFi (20 MHz, MCS5, 90% duty cycle)	WLAN	8.77	-9.5
10613	AAD	IEEE 802.11ac WiFi (20 MHz, MCS6, 90% duty cycle)	WLAN	8.94	-9.5
10614	AAC	IEEE 802.11ac WiFi (20 MHz, MCS7, 90% duty cycle)	WLAN	8.58	+9.5
10615	AAC	IEEE 802.11ac WiFi (20 MHz, MCS8, 90% duty cycle)	WLAN	8.02	+9.5
10618	AAC	IEEE 802.11ac WiFi (40 MHz, MCS9, 90% duty cycle)	WLAN	8.05	+9.5
10617	AAC	IEEE 802.11ac WiFi (40 MHz, MCS11, 90% duty cycle)	WLAN	8.07	+9.5
10618	AAC	IEEE 802.11ac WiFi (40 MHz, MCS10, 90% duty cycle)	WLAN	8.00	+9.5
10619	AAC	IEEE 802.11ac WiFi (40 MHz, MCS12, 90% duty cycle)	WLAN	8.00	+9.5
10620	AAC	IEEE 802.11ac WiFi (40 MHz, MCS4, 90% duty cycle)	WLAN	8.07	+9.5
10621	AAC	IEEE 802.11ac WiFi (40 MHz, MCS5, 90% duty cycle)	WLAN	8.77	+9.5
10622	AAC	IEEE 802.11ac WiFi (40 MHz, MCS6, 90% duty cycle)	WLAN	8.68	+9.5
10623	AAC	IEEE 802.11ac WiFi (40 MHz, MCS7, 90% duty cycle)	WLAN	8.82	+9.5
10624	AAC	IEEE 802.11ac WiFi (40 MHz, MCS8, 90% duty cycle)	WLAN	8.96	+9.5
10625	AAC	IEEE 802.11ac WiFi (40 MHz, MCS9, 90% duty cycle)	WLAN	8.96	+9.5
10626	AAC	IEEE 802.11ac WiFi (80 MHz, MCS10, 90% duty cycle)	WLAN	8.88	+9.5
10627	AAC	IEEE 802.11ac WiFi (80 MHz, MCS11, 90% duty cycle)	WLAN	8.88	+9.5
10628	AAC	IEEE 802.11ac WiFi (80 MHz, MCS12, 90% duty cycle)	WLAN	8.71	+9.5
10629	AAC	IEEE 802.11ac WiFi (80 MHz, MCS8, 90% duty cycle)	WLAN	8.85	+9.5
10630	AAC	IEEE 802.11ac WiFi (80 MHz, MCS4, 90% duty cycle)	WLAN	8.72	+9.5
10631	AAC	IEEE 802.11ac WiFi (80 MHz, MCS5, 90% duty cycle)	WLAN	8.87	+9.5
10632	AAC	IEEE 802.11ac WiFi (80 MHz, MCS6, 90% duty cycle)	WLAN	8.74	+9.5
10633	AAC	IEEE 802.11ac WiFi (80 MHz, MCS7, 90% duty cycle)	WLAN	8.88	+9.5
10634	AAC	IEEE 802.11ac WiFi (80 MHz, MCS8, 90% duty cycle)	WLAN	8.00	+9.5
10635	AAC	IEEE 802.11ac WiFi (80 MHz, MCS9, 90% duty cycle)	WLAN	8.01	+9.5
10636	AAD	IEEE 802.11ac WiFi (160 MHz, MCS10, 90% duty cycle)	WLAN	8.02	+9.5
10637	AAD	IEEE 802.11ac WiFi (160 MHz, MCS11, 90% duty cycle)	WLAN	8.79	+9.5
10638	AAD	IEEE 802.11ac WiFi (160 MHz, MCS12, 90% duty cycle)	WLAN	8.05	+9.5
10639	AAD	IEEE 802.11ac WiFi (160 MHz, MCS4, 90% duty cycle)	WLAN	8.00	+9.5
10640	AAD	IEEE 802.11ac WiFi (160 MHz, MCS5, 90% duty cycle)	WLAN	8.98	+9.5
10641	AAD	IEEE 802.11ac WiFi (160 MHz, MCS6, 90% duty cycle)	WLAN	8.08	+9.5
10642	AAD	IEEE 802.11ac WiFi (160 MHz, MCS7, 90% duty cycle)	WLAN	8.05	+9.5
10643	AAD	IEEE 802.11ac WiFi (160 MHz, MCS8, 90% duty cycle)	WLAN	8.88	+9.5
10644	AAD	IEEE 802.11ac WiFi (160 MHz, MCS9, 90% duty cycle)	WLAN	8.05	+9.5
10645	AAD	IEEE 802.11ac WiFi (160 MHz, MCS10, 90% duty cycle)	WLAN	8.11	+9.5
10646	AAH	LTE-TDD (SC-FDMA, 1.4 MHz, OFDMA, OFDMA, Subframe 2-7)	LTE-TDD	7.88	+9.5
10647	AAH	LTE-TDD (SC-FDMA, 1.4 MHz, OFDMA, OFDMA, Subframe 2-7)	LTE-TDD	7.55	+9.5
10648	AAA	CDMA2000 (1X Advanced)	CDMA2000	3.45	+9.5
10650	AAF	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Channel 44%)	LTE-TDD	6.31	+9.5
10651	AAF	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Channel 44%)	LTE-TDD	7.42	+9.5
10654	AAE	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Channel 44%)	LTE-TDD	8.06	+9.5
10656	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Channel 44%)	LTE-TDD	7.27	+9.5
10658	AAE	Pure Tone (20Hz, 10%)	Test	10.00	+9.5
10660	AAE	Pure Tone (20Hz, 20%)	Test	8.98	+9.5
10661	AAE	Pure Tone (200Hz, 40%)	Test	7.98	+9.5
10661	AAE	Pure Tone (200Hz, 60%)	Test	7.22	+9.5
10662	AAE	Pure Tone (200Hz, 80%)	Test	6.97	+9.5
10670	AAA	Bluetooth Low Energy	Bluetooth	2.18	+9.5
10671	AAC	IEEE 802.11ax (20 MHz, MCS0, 90% duty cycle)	WLAN	8.09	+9.5
10672	AAC	IEEE 802.11ax (20 MHz, MCS1, 90% duty cycle)	WLAN	8.57	+9.5
10673	AAC	IEEE 802.11ax (20 MHz, MCS2, 90% duty cycle)	WLAN	8.78	+9.5
10674	AAC	IEEE 802.11ax (20 MHz, MCS3, 90% duty cycle)	WLAN	8.74	+9.5
10675	AAC	IEEE 802.11ax (20 MHz, MCS4, 90% duty cycle)	WLAN	8.90	+9.5
10676	AAC	IEEE 802.11ax (20 MHz, MCS5, 90% duty cycle)	WLAN	8.77	+9.5
10677	AAC	IEEE 802.11ax (20 MHz, MCS6, 90% duty cycle)	WLAN	8.73	+9.5
10678	AAC	IEEE 802.11ax (20 MHz, MCS7, 90% duty cycle)	WLAN	8.78	+9.5
10679	AAC	IEEE 802.11ax (20 MHz, MCS8, 90% duty cycle)	WLAN	8.88	+9.5
10680	AAC	IEEE 802.11ax (20 MHz, MCS9, 90% duty cycle)	WLAN	8.88	+9.5
10681	AAC	IEEE 802.11ax (20 MHz, MCS10, 90% duty cycle)	WLAN	8.82	+9.5
10682	AAC	IEEE 802.11ax (20 MHz, MCS11, 90% duty cycle)	WLAN	8.83	+9.5
10685	AAC	IEEE 802.11ax (20 MHz, MCS0, 90% duty cycle)	WLAN	8.42	+9.5
10684	AAC	IEEE 802.11ax (20 MHz, MCS1, 90% duty cycle)	WLAN	8.20	+9.5
10685	AAC	IEEE 802.11ax (20 MHz, MCS2, 90% duty cycle)	WLAN	8.32	+9.5
10686	AAC	IEEE 802.11ax (20 MHz, MCS3, 90% duty cycle)	WLAN	8.32	+9.5

EX3DW4 - SN-3885

January 27, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	MinF _h = 2
10887	AAC	IEEE 802.11ax (20MHz, MCS4, 99pc duty cycle)	WLAN	8.46	-9.0
10888	AAC	IEEE 802.11ax (20MHz, MCS5, 99pc duty cycle)	WLAN	8.20	-9.0
10889	AAC	IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle)	WLAN	8.55	-9.0
10890	AAC	IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.29	-9.0
10891	AAC	IEEE 802.11ax (20MHz, MCS8, 99pc duty cycle)	WLAN	8.25	-9.0
10892	AAC	IEEE 802.11ax (20MHz, MCS9, 99pc duty cycle)	WLAN	8.29	-9.0
10893	AAC	IEEE 802.11ax (20MHz, MCS10, 99pc duty cycle)	WLAN	8.25	-9.0
10894	AAC	IEEE 802.11ax (20MHz, MCS11, 99pc duty cycle)	WLAN	8.57	-9.0
10895	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.79	-9.0
10896	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.81	-9.0
10897	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.81	-9.0
10898	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.69	-9.0
10899	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.92	-9.0
10900	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.73	-9.0
10901	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.99	-9.0
10902	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.79	-9.0
10903	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.92	-9.0
10904	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.99	-9.0
10905	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.69	-9.0
10906	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.88	-9.0
10907	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.32	-9.0
10908	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.55	-9.0
10909	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.33	-9.0
10910	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.25	-9.0
10911	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.30	-9.0
10912	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.87	-9.0
10913	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.33	-9.0
10914	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.38	-9.0
10915	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.45	-9.0
10916	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.30	-9.0
10917	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.63	-9.0
10918	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.21	-9.0
10919	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	9.01	-9.0
10920	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	9.07	-9.0
10921	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	9.76	-9.0
10922	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	9.55	-9.0
10923	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.70	-9.0
10924	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	9.90	-9.0
10925	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.74	-9.0
10926	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	9.72	-9.0
10927	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.66	-9.0
10928	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.85	-9.0
10929	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.64	-9.0
10930	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.87	-9.0
10931	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	8.42	-9.0
10932	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.48	-9.0
10933	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	9.40	-9.0
10934	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	9.25	-9.0
10935	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	9.33	-9.0
10936	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	9.27	-9.0
10937	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	9.35	-9.0
10938	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	9.42	-9.0
10939	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	9.29	-9.0
10940	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.48	-9.0
10941	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.40	-9.0
10942	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.33	-9.0
10943	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle)	WLAN	9.84	-9.0
10944	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc duty cycle)	WLAN	8.18	-9.0
10945	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc duty cycle)	WLAN	8.80	-9.0
10946	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc duty cycle)	WLAN	8.11	-9.0
10947	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc duty cycle)	WLAN	8.04	-9.0
10948	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc duty cycle)	WLAN	8.33	-9.0
10949	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc duty cycle)	WLAN	8.80	-9.0
10950	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc duty cycle)	WLAN	8.79	-9.0
10951	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc duty cycle)	WLAN	8.82	-9.0
10952	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc duty cycle)	WLAN	8.81	-9.0

EX30W4 - SN-3668

January 22, 2023

ID	Rev	Communication System Name	Group	PAE (dB)	Dist* A-2
10751	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.00	-10.0
10752	AAC	IEEE 802.11ax (180MHz, MCS11, 80psdu duty cycle)	WLAN	8.54	-10.0
10753	AAC	IEEE 802.11ax (180MHz, MCS0, 80psdu duty cycle)	WLAN	8.64	-10.0
10754	AAC	IEEE 802.11ax (180MHz, MCS8, 80psdu duty cycle)	WLAN	8.77	-10.0
10755	AAC	IEEE 802.11ax (180MHz, MCS9, 80psdu duty cycle)	WLAN	8.77	-10.0
10756	AAC	IEEE 802.11ax (180MHz, MCS3, 80psdu duty cycle)	WLAN	8.68	-10.0
10757	AAC	IEEE 802.11ax (180MHz, MCS4, 80psdu duty cycle)	WLAN	8.59	-10.0
10758	AAC	IEEE 802.11ax (180MHz, MCS5, 80psdu duty cycle)	WLAN	8.40	-10.0
10759	AAC	IEEE 802.11ax (180MHz, MCS6, 80psdu duty cycle)	WLAN	8.58	-10.0
10760	AAC	IEEE 802.11ax (180MHz, MCS7, 80psdu duty cycle)	WLAN	8.49	-10.0
10761	AAC	IEEE 802.11ax (180MHz, MCS11, 80psdu duty cycle)	WLAN	8.53	-10.0
10762	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10763	AAC	IEEE 802.11ax (180MHz, MCS11, 80psdu duty cycle)	WLAN	8.54	-10.0
10764	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.51	-10.0
10765	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10766	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10767	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10768	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10769	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10770	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10771	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10772	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10773	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10774	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10775	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10776	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10777	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10778	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10779	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10780	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10781	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10782	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10783	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10784	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10785	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10786	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10787	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10788	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10789	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10790	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10791	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10792	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10793	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10794	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10795	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10796	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10797	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10798	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10799	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10800	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10801	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10802	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10803	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10804	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10805	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10806	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10807	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10808	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10809	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10810	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10811	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10812	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10813	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10814	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10815	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10816	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10817	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10818	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10819	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10820	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10821	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10822	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10823	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10824	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10825	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10826	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10827	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0
10828	AAC	IEEE 802.11ax (180MHz, MCS10, 80psdu duty cycle)	WLAN	8.54	-10.0

EX3004 SN3885

January 22, 2023

NO	Rev	Communication System Name	Group	PAR (dB)	Line# 1 ~ 2
10893	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.40	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.83	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.73	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.74	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.75	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.60	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.60	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.70	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 90MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.67	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.71	-9.9
10893	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.48	-9.9
10893	AAD	5G NR (CP-OFDM, 50% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.34	-9.9
10893	AAD	5G NR (CP-OFDM, 50% RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.4	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.24	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.26	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.27	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.25	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.26	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.34	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.41	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.40	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.41	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 90MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.37	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	8.41	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.88	-9.9
10893	AAD	5G NR (DFPS-OFDM, 80% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.88	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR2 TDD	5.75	-9.9
10893	AAD	5G NR (DFPS-OFDM, 80% RB, 100MHz, QPSK, 30kHz)	5G NR FR2 TDD	5.86	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 100MHz, 180QAM, 120kHz)	5G NR FR2 TDD	5.75	-9.9
10893	AAD	5G NR (DFPS-OFDM, 100% RB, 100MHz, 180QAM, 120kHz)	5G NR FR2 TDD	6.52	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 100MHz, 84QAM, 120kHz)	5G NR FR2 TDD	6.61	-9.9
10893	AAD	5G NR (DFPS-OFDM, 100% RB, 100MHz, 84QAM, 120kHz)	5G NR FR2 TDD	6.65	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	7.79	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, QPSK, 120kHz)	5G NR FR2 TDD	8.39	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, 180QAM, 120kHz)	5G NR R2 TDD	7.95	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, 180QAM, 120kHz)	5G NR R2 TDD	8.41	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 100MHz, 84QAM, 120kHz)	5G NR R2 TDD	8.12	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 100MHz, 84QAM, 120kHz)	5G NR R2 TDD	8.39	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 50MHz, QPSK, 120kHz)	5G NR R2 TDD	5.75	-9.9
10893	AAD	5G NR (DFPS-OFDM, 100% RB, 50MHz, QPSK, 120kHz)	5G NR R2 TDD	5.88	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 50MHz, 180QAM, 120kHz)	5G NR R2 TDD	6.67	-9.9
10893	AAD	5G NR (DFPS-OFDM, 100% RB, 50MHz, 180QAM, 120kHz)	5G NR R2 TDD	8.53	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 50MHz, 84QAM, 120kHz)	5G NR FR2 TDD	6.61	-9.9
10893	AAD	5G NR (DFPS-OFDM, 100% RB, 50MHz, 84QAM, 120kHz)	5G NR FR2 TDD	6.65	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	7.79	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, QPSK, 120kHz)	5G NR FR2 TDD	8.35	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, 180QAM, 120kHz)	5G NR FR2 TDD	8.02	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, 180QAM, 120kHz)	5G NR FR2 TDD	8.40	-9.9
10893	AAD	5G NR (CP-OFDM, 1 RB, 50MHz, 84QAM, 120kHz)	5G NR FR2 TDD	8.12	-9.9
10893	AAD	5G NR (CP-OFDM, 100% RB, 50MHz, 84QAM, 120kHz)	5G NR FR2 TDD	8.41	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 2MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.66	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.67	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.67	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.88	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.69	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.68	-9.9
10893	AAD	5G NR (DFPS-OFDM, 1 RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.78	-9.9
10893	AAD	5G NR (DFPS-OFDM, 50% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	-9.9
10893	AAD	5G NR (DFPS-OFDM, 50% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.86	-9.9
10893	AAD	5G NR (DFPS-OFDM, 50% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.83	-9.9

EX30V4 - SN:3865

January 22, 2023

UID	Rev	Communication System Name	Group	PAR (dB)	Unq ^F k = 2
10911	AAB	5G NR (DFTs-OFDM, 50% RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.93	-19.8
10912	AAB	5G NR (DFTs-OFDM, 50% RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10913	AAB	5G NR (DFTs-OFDM, 50% RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10914	AAB	5G NR (DFTs-OFDM, 50% RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.80	-19.8
10915	AAB	5G NR (DFTs-OFDM, 50% RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.85	-19.8
10916	AAB	5G NR (DFTs-OFDM, 50% RB, 80MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.87	-19.8
10917	AAB	5G NR (DFTs-OFDM, 30% RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.94	-19.8
10918	AAC	5G NR (DFTs-OFDM, 100% RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.86	-19.8
10919	AAB	5G NR (DFTs-OFDM, 100% RB, 10MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.88	-19.8
10920	AAB	5G NR (DFTs-OFDM, 100% RB, 15MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.87	-19.8
10921	AAB	5G NR (DFTs-OFDM, 100% RB, 20MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10922	AAB	5G NR (DFTs-OFDM, 100% RB, 25MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.82	-19.8
10923	AAB	5G NR (DFTs-OFDM, 100% RB, 30MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10924	AAB	5G NR (DFTs-OFDM, 100% RB, 35MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10925	AAB	5G NR (DFTs-OFDM, 100% RB, 40MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.85	-19.8
10926	AAB	5G NR (DFTs-OFDM, 100% RB, 50MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.85	-19.8
10927	AAB	5G NR (DFTs-OFDM, 100% RB, 60MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.84	-19.8
10928	AAC	5G NR (DFTs-OFDM, 1 RB, 5MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10929	AAC	5G NR (DFTs-OFDM, 1 RB, 10MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10930	AAC	5G NR (DFTs-OFDM, 1 RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10931	AAC	5G NR (DFTs-OFDM, 1 RB, 20MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10932	AAC	5G NR (DFTs-OFDM, 1 RB, 25MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10933	AAC	5G NR (DFTs-OFDM, 1 RB, 30MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10934	AAC	5G NR (DFTs-OFDM, 1 RB, 40MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10935	AAC	5G NR (DFTs-OFDM, 1 RB, 50MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10936	AAC	5G NR (DFTs-OFDM, 50% RB, 5MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.80	-19.8
10937	AAC	5G NR (DFTs-OFDM, 50% RB, 10MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.77	-19.8
10938	AAC	5G NR (DFTs-OFDM, 50% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.80	-19.8
10939	AAC	5G NR (DFTs-OFDM, 50% RB, 20MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10940	AAC	5G NR (DFTs-OFDM, 50% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.80	-19.8
10941	AAC	5G NR (DFTs-OFDM, 50% RB, 30MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10942	AAC	5G NR (DFTs-OFDM, 50% RB, 40MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	-19.8
10943	AAC	5G NR (DFTs-OFDM, 50% RB, 50MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	-19.8
10944	AAC	5G NR (DFTs-OFDM, 100% RB, 5MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10945	AAC	5G NR (DFTs-OFDM, 100% RB, 10MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	-19.8
10946	AAC	5G NR (DFTs-OFDM, 100% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.83	-19.8
10947	AAC	5G NR (DFTs-OFDM, 100% RB, 20MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.87	-19.8
10948	AAC	5G NR (DFTs-OFDM, 100% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.84	-19.8
10949	AAC	5G NR (DFTs-OFDM, 100% RB, 30MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.87	-19.8
10950	AAC	5G NR (DFTs-OFDM, 100% RB, 40MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.84	-19.8
10951	AAC	5G NR (DFTs-OFDM, 100% RB, 50MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.82	-19.8
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	6.25	-19.8
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	6.15	-19.8
10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	6.23	-19.8
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	6.42	-19.8
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	6.14	-19.8
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	6.31	-19.8
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	6.31	-19.8
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	6.33	-19.8
10960	AAC	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 15kHz)	5G NR FR1 TDD	6.32	-19.8
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10MHz, 64-QAM, 15kHz)	5G NR FR1 TDD	6.38	-19.8
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-QAM, 15kHz)	5G NR FR1 TDD	6.40	-19.8
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20MHz, 64-QAM, 15kHz)	5G NR FR1 TDD	6.55	-19.8
10964	AAC	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	6.29	-19.8
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	6.37	-19.8
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	6.35	-19.8
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	6.42	-19.8
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	6.48	-19.8
10970	AAB	5G NR (CP-OFDM, 1 RB, 20MHz, QPSK, 15kHz)	5G NR FR1 TDD	6.50	-19.8
10973	AAB	5G NR (DFTs-OFDM, 1 RB, 100MHz, QPSK, 30kHz)	5G NR FR1 TDD	6.08	-19.8
10974	AAB	5G NR (CP-OFDM, 100% RB, 100MHz, 256-QAM, 30kHz)	5G NR FR1 TDD	6.20	-19.8
10979	AAA	ULLA HDR	ULLA	6.18	-19.8
10979	AAA	ULLA HDR4	ULLA	6.58	-19.8
10980	AAA	ULLA HDR8	ULLA	6.32	-19.8
10981	AAA	ULLA HDRp4	ULLA	6.18	-19.8
10982	AAA	ULLA HDRp8	ULLA	6.43	-19.8

EK30V4 SN:3865

January 22, 2023

UID	Rev	Communication System Name	Group	RAE (dB)	Unc ^F $k=2$
10883	AAA	5G NR DL (CP-OFDM, TM 3.1, 40MHz, 54-DAM, 15kHz)	5G NR FR1 TDD	9.31	-0.6
10884	AAA	5G NR DL (CP-OFDM, TM 3.1, 40MHz, 54-DAM, 15kHz)	5G NR FR1 TDD	9.42	-0.6
10885	AAA	5G NR DL (CP-OFDM, TM 3.1, 40MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.50	-0.6
10888	AAA	5G NR DL (CP-OFDM, TM 3.1, 40MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.50	-0.6
10887	AAA	5G NR DL (CP-OFDM, TM 3.1, 60MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.53	-0.6
10889	AAA	5G NR DL (CP-OFDM, TM 3.1, 60MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.39	-0.6
10888	AAA	5G NR DL (CP-OFDM, TM 3.1, 80MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.33	-0.6
10890	AAA	5G NR DL (CP-OFDM, TM 3.1, 80MHz, 54-DAM, 30kHz)	5G NR FR1 TDD	9.42	-0.6

^F Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

